FILOCATION PAGE 174 NOTICE

	the	y auy		Lode, Ve
- di		Copper, Lead, and	other valueble n	inarele situatel
or nebosis nearn	ig dom, suver, v	Cobber, read, and	Office Amounts in	unorumo, orvene
100 m				
		<u></u>	6, 84	
in the	uns	Enoun	4	Mining Distri
reka 1	siele	County, Stat	NEL	Hds
,		d marked on the	: A	on forwite
	ag described all	- 57	ulti	
Beginning		feet		_of this location (Discover
Monument, at the	o Stu	T.	end (enter monument, and runni
thence.	Vest	300 feet to.	W	corner of monument No.
thence	alt 1	1000 feet 10 242	1250 N	Zeorner of monument No.
~	2		ulh	end center monume
thence	t R	300 feet to 22))
thence.	750 6	800 feet to	SENTER	corner of monument No.
thence	3 ouls	1500 feet to 3.3.4.	<u> </u>	corner of monument No.
thence His	<u>/</u>	800 feet to plac	of beginning; in	plading all Dips, Spars, Ang
	thinks	and in the	Touted	about
and variations	20/10/2	/ -	14 1	00000
/ mill	if esteri	4 Total	na ola	1 1
Which do	e a Bl	2 ore k	IN as	ed alreet
3 miles	Wester	to From	1 Bh Z	wife
3 miles	Wester	ty from	alk I	wife
3 miles	Wester	ty from	r BJ	g d way
3 miles	Werler Zashir	ty France	alk I	g I way
3 miles	Meder	ty France	r M.J.	evreke g I way
3 miles	Merler and a the above d	ty from	a Majoria de la	own as the
3 miles		nend Seribed Mining O	a Majoria de la	own as the
3 miles	The above d	1 day	= H /	own as the
3 miles		nend Secribed Mining C	= H /	own as the
	20	L day	= H /	own as the
	20	da d	- # / , or Dha	own as the , 196
DIAGRÁM of (discovery point) ments should be companying diser	OLE CLAIM—The location and corner monu designated on the sea on the sea on the sea on to make the received	da d	- # / , or Dha	, 194
DIAGRÁM of (discovery point) ments should be companying diagr ord of claim mor	OTE CLAIM The location and corner monus designated on the acam to make the rece perfect.	I DIAGRAH OF CLAIM	- # / , or Dha	, 194
DIAGRAM of (discovery point) ments should be companying discrete ord of claim more Amining claim feet in length all by 600 feet in will slde of center of	CLAIN—The location and corner monu designated on the act of the receiperfect. must not exceed 150 ong the vein or location to account the receiperfect.	da d	- # / , or Dha	, 194
DIAGRAM of (discovery point) ments should be decompanying discreted of cleim more. A mining claim feet in length alc by 600 feet in wis alde of venter of No location of a made until the dislade within the	CLAIM—The location and corner monu leeignated on the act am to make the receiperfect. must not exceed 150 mg the veln or location of loca	da d	- # / , or Dha	, 194
DIAGRAM of (discovery point) ments should be decompanying disgreated of claim more. A mining claim feet in length alc by 600 feet in wis alde of venter of No location of a made until the dislode within the leaimed.	CLAIM—The location and corner monu designated on the adam to make the receptact. must not exceed 150 mg the vein or location, 300 feet on each vein at surface. mining claim can accovery of the vein of the groun he distinctly market.	TO CONTROL OF CLAIM End ender Cor. No.2 Cor. No.2 Cor. No.2	- # / , or Dha	, 194
DIAGRAM of (discovery point) ments should be companying discrete of of claim more. A mining claim feet in length aid by 600 feet in will aide of center of No location of a made until the dislode within the claimed. The claim must on the ground, so readily traced.	CLAIM.—The location and corner monus designated on the act act to make the receipt with the sound to the sound to the sound th	DIAGRAN OF CLAIM End enter Cec. No.2 Cer. No.3	- # / , or Dha	, 194
DIAGRAM of (discovery point) ments should be companying discr ord of claim more feet in length alc by 600 feet in which alc of center of No location of a made until the disclaimed. The claim must on the ground, so readily traced. A severe penalt for removing or d monuments of a r	CLAIM.—The location and corner monus designated on the ad any to make the receipt must not exceed 150 mg the vein of 150 dth, 300 feet on each vein at surface. Imming claim can be distinctly marked its boundaries can but a provided by lay a provided by lay officially claim.	DIAGRAN OF CLAIM Fad enter Cec. No. 2 Cer. No. 2 Cer. No. 2 Cer. No. 2 Cer. No. 3	- # / , or Dha	, 194
DIAGRAM of (discovery point) ments should be companying discrete for the length all by 600 feet in with side of center of No location of a made until the dislated. The claim must on the ground, so readily traced. A severe penalt for removing or discounted of a remover of a remover of a regard.	CLAIM—The location and corner monus designated on the adam to make the receiperfect. must not exceed 150 ong the vein or location to the second 150 ong the vein or location to the surface. mining claim can be distinctly marked its boundaries can be yet provided by lay stacing the stakes of mining claim. In Sunday or holiday	DIAGRAM OF CLAIM End ender Coc. No.2 Cor. No.3 Cot. No.3 Cot. No.3 Cot. No.3 Cot. No.3 Cot. No.3 Cot. No.3	- # / , or Dha	, 194
DIAGRAM of (discovery point) ments should be (companying discr ord of claim mor feet in length ale by 600 feet in wisde of center of No location of made until the dislated. The claim must on the ground, so readily traced. A severe penalt for removing or d monuments of a r Claims located o are legal. All valuable min of the Government of the Governme	CLAIM—The location and corner monu lesignated on the act arm to make the receptant of the vein or locations the vein or locations the vein or locations the vein at surface. In ling claim can be distinctly marke its boundaries can be distinctly marke its boundaries can be distinctly that we facing that he stakes on ling claim. In sunday or holiday eral deposits in land tare locatable by cit	DIAGRAN OF CLAIM Find enter Cor. No. 2	- # / , or Dha	, 194
DIAGRAM of (discovery point) ments should be decompanying disart ord of claim mor A mining claim feet in length ale by 600 feet in wisde of center of No location of a made until the dislated. The claim must on the ground, so readily traced. A severe penalt for removing or discounding or discounding or discounding of a relegal. All valuable min of the Government issue of the Y Inithose who have	CLAIM. The location and corner monu designated on the acam to make the receptation of the grant of the solution of the groun be distinctly marked its boundaries can by is provided by law officing the solution of the groun of the groun be distinctly marked its boundaries can by is provided by law officing the stakes of the groun of the groun of the groun be distinctly marked its boundaries can be groundaries that we have a considered the solution of the groundaries of the groundaries of the groundaries of the groundaries of the grant deposits in land the g	TO CON. No. 3	- # / , or Dha	, 194
DIAGRAM of (discovery point) ments should be companying diskr ord of claim more feet in length ale by 600 feet in wislate of center of No lucation of a made until the dislated. The claim must on the ground, so readily traced. A severe penalt for removing or d monuments of a r Claims located o are legal. All valuable min of the Government issue of the Unit those who have the County in which the County in which we construct the control in the county in which we have the county in the co	COTE CLAIM—The location and corner monus designated on the act of the receipt of the velocity	TO CONTROL OF CLAIM End enter Control of Chair Control of Chair Control of Chair Control of Co	- # / , or Dha	, 194
DIAGRAM of (discovery point) ments should be companying diagram ord of claim mor. A mining claim feet in length alc by 600 feet in wis slde of center of No location of a made until the dislode within the claimed. The claim must on the ground, so readily traced. A severe penalt for removing or d monuments of a r Claims located o are legal. All valuable min of the Government issue of the 'Unit these who have the County in white county in wh	COTE CLAIM—The location and corner monus designated on the act of the receipt of the velocity	TOTAGEAN OF CLAIM Find enter Cer. Ro. 2 Cer. Ro. 2 Cer. Ro. 3 Cer. Ro. 1 Cer. Ro. 3 Cer. Ro. 3 Cer. Ro. 4 Cer. Ro. 4 Cer. Ro. 4 Cer. Ro. 4 Cer. Ro. 5 Cer. Ro. 4 Cer. Ro. 4 Cer. Ro. 5 Cer. Ro. 6 Cer. Ro. 1 Cer. Ro. 1 Cer. Ro. 1 Cer. Ro. 2 Cer. Ro. 2 Cer. Ro. 1 Cer. Ro. 3 Cer. Ro. 1 Cer. Ro. 3 Cer. Ro. 1 Cer. Ro. 1 Cer. Ro. 1 Cer. Ro. 2 Cer. Ro. 1 Cer. Ro. 2 Cer. Ro. 1 Cer. Ro. 1 Cer. Ro. 2 Cer. Ro. 3 Cer. Ro. 4	MALE WALKE WALKE WALKE DEEN TOO WIT	, 194

NOTICE OF LOCATION

FILE NO. 39814 DOOK + PAGE 155

	ol day	located 1500 feet in length	Lode, Vein
n width, on this the			
or Deposit bearing Gold, Silv	er, Copper, Lead, and of	her valuable minerals, situate	1
	4 000 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	y s	140.
			Ġ.
	· · · · · · · · · · · · · · · · · · ·		\
the unki			ining District
a Banch	County State	noada	
			\
the location being described	i and marked on the gi	ound as follows, to-wit:	
Beginning 2.0-	leet Zaz	of this location	• (Discovery)
25		end center monumen	Science has t
Monument, at the			\
thence Signala	800 feet to		nument No. 1;
West 759	of South 5 1	To SM-corner of mo	nument No. 2:
honco	1500 feet 2032		
thence Mark	300 feet to	end cen	er monument;
nuk	300 feet to		nument No. 3;
hence and Zro's	TO NIRTHY	de CENTER MO	nument No. 4;
thence Earl 750,	1500 feet to		
thence South	S00 feet to place of	f beginning; including all Dips	Spurs, Angles
	to claim	admini	
and variations	as a com		Side
Corl de	ay & la	the Mast	100
D. Ja			
Boundar	<u></u>		
			
	\	\	15
	······································		
		. /	
The abo		im shall be known as the	
The abo	ove described Mining Cla	im shall be known as the	
	corl d	ay #2	1964
The abo		ay #2	, 1964
	20 Cd day	ay #2	, 19/4
Located this	DE CAME	ey #2 or May	, 19 <i>L</i> -4
Located this	DE CAME	ay #2	, 19 <i>L</i> -4
Located this NOTE DIAGRAM of CLAIM—The (discovery point) and corner ments abould be designated on companying diagram to make ord of claim more perfect.	day day	ey #2 or May	, 19.64 Tors
DIAGRAM of CLAIM—The (discovery point) and corner ments abould be designated on companying diagram to make ord of claim more perfect.	day Contain Contain	ey #2 or May	, 1964 Tors
DIAGRAM of CLAIM—The (discovery point) and corner ments should be designated on companying diagram to make ord of claim more perfect. A mining claim must not excet feat in length along the vein by 600 feet in width, 300 feat side of conter of vein at surfa	day Cor. No.2 Cor. No.3	ey #2 or May	, 19/29 TORS WES
DIAGRAM of CLAIM—The (discovery point) and corner ments should be designated on companying diagram to make ord of claim more perfect. A mining claim must not excet fast in length along the vein by 600 feet in width, 300 feet alde of conter of vein at auria	day Cor. No.2 Cor. No.3	ey #2 or May	1964 TORS
Located this NOTE DIAGRAM of CLAIM—The (discovery point) and corner ments should be designated on companying diagram to make ord of claim more perfect. A mining claim must not exceed the length along the vein by 500 feet in width, 300 feet side of conter of vein at surfa. No location of a mining claim made until the discovery of the lode within the limits of the claimed.	day Car. No. 2 Cor. No. 3	ey #2 or May	TORS WES LLLOF
DIAGRAM of CLAIM—The (discovery point) and corner ments should be designated on companying diagram to make ord of claim more perfect. A mining claim must not exce feet in length along the vein by 500 feet in width, 300 feet side of conter of vein at surfamed until the discovery of the lode within the limits of the claimed. The claim must be distinctly on the ground, so its boundaries.	day Car. No. 2 Cor. No. 3	ey #2 or May	1969 TORS Ve S LLLOF 149/1
Located this **NOTE** **DIAGRAM of CLAIM—The (discovery point) and corner ments should be designated on companying diagram to make ord of claim more perfect. A mining claim must not excet fest in length along the vein by 600 feet in width, 300 feet; alde of center of vein at surfa. No location of a mising claim made until the discovery of the lode within the limits of the claimed. The claim must be distinctly on the ground, so its boundaries readily traced.	day day day	NAMES OF LOCA NAMES	ues LLot 149h
DIAGRAM of CLAIM—The (discovery point) and corner ments should be designated on companying diagram to make ord of claim more perfect. A mining claim must not excet fast in length along the vein by 600 feet in width, 300 feet side of conter of vein at aurfa. No location of a mining claim made until the discovery of the claimed. The claim must be distinctly on the ground, so its boundaries readily traced. A severe penalty is provided for removing or defacing the efforts a mining claim.	day Cor. No.2 Cor. No.3	NAMES OF LOCAL NAMES OF LOCAL	ues LLot 149h
DIAGRAM of CLAIM—The (discovery point) and corner ments should be designated on companying diagram to make ord of claim more perfect. A mining claim must not excet feat in length along the vein by 600 feet in width, 300 feet side of center of vein at aurfa. No location of a mising claim made until the discovery of the lode within the limits of the claimed. The claim must be distinctly on the ground, so its boundaries readily traced. A severe penalty is provided for removing or defacing the et monuments of a mining claim. Claims located on Sunday or it are legal.	day Car. No. 2 Cor. No. 3	NAMES OF LOCAL NAMES OF LOCAL	VES LLOF LLOGIA QUEST OF
DIAGRAM of CLAIM—The (discovery point) and corner ments should be designated on companying diagram to make or of oldim more perfect. A mining claim must not exceed the control of calm more perfect. A mining claim must not exceed the control of control of a mining claim made until the discovery of the lode within the limits of the claimed. The claim must be distinctly on the ground, so its boundarier readily traced. A severe penalty is provided for removing or defacing the et monuments of a mining claim. Claims located on Sunday or are legal. All valuable mineral deposits of the Government are locatable.	day Car. No.2 Cor. No.3	NAMES OF LOCAL NAMES OF LOCAL	LA S LA S LA S QUEST OF
DIAGRAM of CLAIM—The (discovery point) and corner ments should be designated on companying diagram to make ord of claim morn perfect. A mining claim must not exceed the control of the control of a mining claim must not exceed the control of a mining claim made until the discovery of the claimed. The claim must be distinctly on the ground, so its boundarier readily traced. A sovere penalty is provided for removing or defacing the effort monuments of a mining claim. Claims located on Sunday or is are legal.	day Car. No.2 Cor. No.3	NAMES OF LOCAL NAMES OF LOCAL	LLD / LLD / LD /

FLOCATION PAGE 156 NOTICE OF

d, and other valuable minerals, situated Mining Dis
Mining Di
e \ \
y, State of Lord
on the ground as follows, to-wit:
of this location (Discov
end center monument, and ru
to Sa 5 corper of monument N
LI SIDE CENTER
to 5 corner of monument N
to denter monur
to corner of monument N
to 10 X 5 corner of monument N
to place of beginning; including all Dips, Spurs, A
_ 1 / 2
on Adjoin Cool do
Side Boundary
, <u>, , , , , , , , , , , , , , , , , , </u>
ning Claim shall be known as the
7
day of May 10
day of 19
N OF CLAIM
NAMES OF LOCATORS
Tale ames
Cor. No.3
Napi Mallot
1 Again May Si
File No. 39815
File No. RECORDED AT THE REQUEST OF
Vernon Slaughter
May 26 A.D. 19 6
At 03 minutes past 1 P. M
tn Liber 4 of Official Rec
Page 156 Records of E
EUREKA COUNTY NEVADA