THIS IS TO CERTIFY that a Lode Mining Claim nan	ned the Man 73
was located by L.L. Coppage	
on the 20th day of November Mineral Hill	19.62; that it is situated in Similar District.
State of Nevada, and about 100 + 5 M. 3 - 3	distant from Account of the Control
with Moco # 6 on F and 1	多。1. 14 12 14 14 14 14 14 14 14 14 14 14 14 14 14
and thathe claim(a) 1500 linear feet alo	ong the course of the mineral bearing ledge, lode, vuin
or deposit extending	feet from the location monument in a
in adirect direct direct direct cach side of the ledge for the entire length of the cla	tion, together with Three Hundred feet in wight on
The ped rock	Moore out grange
situated about	in tackey
direction from the location monument, and its dimens	nions are feet wide
exposing the ledge, vein or mineral deposit. Total cost	of said work was \$ 2522
	day of November 1964 s
feet high, inscribed	
	ced by a 4x4 Part
feet high, inscribedSEcor	mining claim;
the SW corner is mark	kel by A A Wood Post 4  mer Moco to mining claim;
feet high, inscribed corner is mark	
feet high, inscribed N.W. cor	ner Moco 5 mining claim
There is also a AX A was & Post o	it the center of each aide line. The discovery work has
been done and the location completed	10 65 11 10 65 11 11 11 11 11 11 11 11 11 11 11 11 11
71 111	Recorder's Use Only
Wicherd J. Cappage	40585
	RECORDED AT THE REQUEST OF R. L. Coppage
126 Homowood Str	σαημακή 22 / 10 1965
Concord Cal	A) OR minutes post 2R.M.
The state of the s	in Book 5 cf. OFFICIAL RECORDS Page 408 Records of
Locators	EUREKA COULITY DIEVADA
	Lally 1110 Och Recorder
(Other Mining Forms Also Sold by Review-Miner Lovelock, Nev.)	Tee \$1.00 %

1 His 15 10 CENTY I that a continuing C				
was located by E.L. Coppe	296			
	<b>《中国》</b>	<b>建制是多量</b> [1]		
on the 20 th day of M	eventer		19 <i>64</i> , that	it is situated to
Mineral Hill	Mining	District 2	unka	County,
State of Nevada, and about 200	## #	Pic 5 dietant	from	
Herrita Crest of Mu				
with Moco " o on W., M				
		as near as know		
and thathe claim(s) 1500 linear	feet along the	course of the m	ineral bearing le	dge, lode, vein
or deposit extending	2	feet from	the location r	nonument in a
Souther he dire	ction, end	75		feet
in a Northerly	direction. to	ogether with Th	ree Hundred (e	t in width on
each side of the ledge for the entire length of  The discovery work consists of	the claim.			
The discovery work consists of				
		1,2,2/	4,	
situated about Z	6. A. S. (1987). P. S. J. P. S. (1988).	and the second of the second of the second		Paul Control of the Park of the first of the Control of the Contro
direction from the location monument, and its	2年在2016年1月1日 1月1日 日本公司	2.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	我们是是10mm,只是10mm,10mm。	中心的特殊。2017年,中国中国共和国共和国共和国共和国共和国共和国共和国共和国共和国共和国共和国共和国共和国
exposing the ledge, vein or mineral deposit. T				ieet_deep,
This claim was monumented on the	20 +11	, of Nove	iber	10 5 7
Thecorner	March 1 of the Author to to		医动脉形式 化二甲基磺基苯甲基	医毛状腺 医多氏性多种结合 的现在分词经验的
feet high, inscribed NE	もしなったというなどの方式を表す。	(人) たいけいけい ほうじ (関語) さいべんき	14 (1981) N. C.	2000年1月1日 1月1日 1月1日 1日 1
the 5E corner	is marked by	4"x4"	Wood Box	4 4
feet high, inscribed				
the SW corner				
feet high, inscribed	corner	Moco	16	mining claim;
		a 1"19"		
feet high, inscribed	And the state of t	- 12 年 - 1 日本 - 12 7 日本 - 1 - 1 - 1 - 1 - 1 - 1 - 1	(2) The second of the control of	4. (*) カンド・デスタン・ディー・ファイン・デスタがあった。
There is also a	Zal the o	enter of each side	line. The disco	very work lias
been done and the location completed	Januar	12	, 19 6	
				Recorder's Use Only
2/ 1/ Comer			EILÄ N	40586
no no start			The state of the s	) AT THE REQUEST OF
126 16			영화는 역사기에게 다양된다.	Coppage
1-0 Mossiewood Dr.			State of the state of the state of	y 22 A D 1965
Concord . C. 1.P			(数臂)20(16)【海绵6a)	. minutes post 2. P.M.
and the second s			(新五)在4人。 (10) (10) (10) (10)	of Official Records
			相联的 (A) A M (2) 2000年	Records of COUNTY NEVADA
Locators	Address	<b>08</b> 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Allton Recorder
O her Mining Forms Also Sold by Review-Miner, Lovelogi	F. Nev.)	24. 了通过作品 24. 一直是15. 后		Fee \$.1.00
		<b>企具的基础设置</b>	漢語語 引度養民	

THIS IS TO CERT	IFY that a Lode Mi	ning Claim named the	/loco /	7
was located by	E.L. C	oppage_		
on the 20	day of	Noves, kg	196	that it is situated in County,
tate of Novada, an	d about 700 S.E. 5	the state of	distant from	Contiguous
		Moco #8 an	E / Maco	10 an 5
nd thathe_	claim(s) 1500	linear feet along the	ne near as known from course of the mineral h	字。2012年前,在1918年的中央的基础的
		direction, and		
n a <u>Scale</u> each side of the led	lge for the entire le	direction, to	gether with Three Hur	dred feet in with on
The discovery	y work consists of	a bulla	beer al	
t a		feet in a	1	こごうじゃく れんこん かりがんけいかん かありかがたがる
<u>£</u>		and its dimensions are	A. 标题设备建筑 1965年	(4) 15. 15. 15. 16. 16. 16. 16. 16. 16. 16. 16. 16. 16
		posit. Total cost of said the 20 14 day		. 19 <i>69</i>
The	NE	corner is marked by	· 1'x4" Was	d Port +
he	5E	corner is marked by	1'x 94 116.	d Post 1
eet high, inscribed	5W	corner is marked by	1ºX 9" Noe	d Post 4
ect high, inscribed he		corner is marked by	[1] A. M.	[유수 [4] 하시 : 뭐 되는 사이얼(Turk) 되니 (## All (## All (## All )## All (## All )## All (## All )## All (## All )## All
eet high, inscribed	NW		Moco #7	mining claim.
	location completed		2/	10. 100 100 100 100 100 100 100 100 100
Pil	110	had eller		Recorder's Use Only
in 11	I J. Copy	The state of the s		File No. 40582 RECORDED AT THE REQUEST OF R. L. Coppage
126 Hen		<b>5</b>		January 22 A.D. 19.69 04 minutes past 2 P.M
Contero	Calif.		the second	Book 6 of OFFICIAL RECORDS  410 Records of
Locat	ors	Addresso		EUNERA COUNTY NEVADA
Sther Mining Forms Als	o Sold by Review-Miner,	Lovelock, Nev.)		Fee \$1.00

THIS IS TO CERTIFY that a Lode Mining Cleim named the

rs meated na	E.L. Cop		<b>沙尔尼沙里</b>	<b>表验验</b>	
201	day of_	Novemt	20 -	1964;	hat it is situated in
					County,
	l about <i>150</i> 0' -		2 72. 7 3		
ate of Nevada, and	about 7000	10 1	11 Man		antiguang
<del>Nijerij</del> a.	Crest e	1:71neras Zi	No. 3 ISS		
W.M. Moo	10 #7 on W	, I Moco	7612		
- 17 17 17 17 17 17 17 17 17 17 17 17 17					eent developments;
	しきしょうちゅう ふんごうりょう フライング		2000年 - 1000 - 1000年 - 1000年 - 1000年 - 1000年	3 TA 6 S 1 TA 1	ng ledge, lode, yein
deposit extending	,	50	Cot	from the locat	on monument in a
North	erly	direction, and	119Victor(17312	50	feet
a Sou	therhy	directi	on, together with	Three Hundre	d feet in width on
ich side of the led	ge for the entire le	ength of the clair	11. 由中國自由於2006年	计算数据 医双侧	
The discovery	work consists of	a bu	1140201	au	
		·新华拉拉 (1700年)	<b>[1] [1] [1] [1] [1]</b>	<b>国民事,</b>	
tuated about	2/	fcet in	a North	n/n/	
rection from the l	location monument,	and its dimension	ns are	2	feet wide
フ	2/	feet long and	3		feet deep,
mosing the ledge.	vein or mineral de	enosit. Total cost	ol said work was	\$ 25°°	
This olding w	as monumentad an	the 20 11	dov of	Vovember	19.69
anis ciann wa	A/A		90	a" unad	Part of
The		_ corner 11 marke	d by a	# 2	
et high, inscribed		com	or //		mining claim;
10	SE	_corner is marke	d by a	A WOOD	AND
et high, inscribed	<u>JE</u>	COTT	er.		mining claim;
10	sur	_corner is marke	d by a	(q   Wedg	Bet 1
et high, inscribed		cori	es Mes	0 46	mining claim;
16	NiV	corner is marke	d by a	x 4" kg	rod Port 9
et high, inscribed	NW	coru	or Moc	0 #3	mining claim.
here is also a	1" x 14 W.	sod Post at	the center of each	h side line. The	discovery work lias
cen done and the	location completed	Jen	cary	2/	1966
					Recorder's Use Only
12.1	101				
Michny	Lappe	ree			ile No
	100			REC	ORDED AT THE REQUEST OF
126 Hon	remond	Dr		R.	L. Coppage
		K. C. L.		Jar	uary 22 A.D.196
600,000	1 /1/1	1		AL.	05 minutes past 2 P.
-cirjuara.	- J - J - J - J - J			In Bo	6 of OFFICIAL RECOR
				Page	411 Records of
					UREKA COUNTY) IJEVADA
Loca	tors		Addresses		4 O. Colar Record

THIS IS TO CERTIFY that a Lo	de Mining Claim nan	ned theMac	0 #9	TVOS SENIO EST
	1110			
was located by Kash	ard L. Cop	grege		
on the	of Novem	ba	19 6 %: that	it is situated in
Minoral H.	/	lining District	Euroka	County,
State of Nevada, and about 2600	536 E 5 200	diate	int from 🍱	<del>erla</del> ,
Awarde Cresto	Mineral H.	1/- Mac	9 15 Com	gualle :
W/ Moco # B on N,	Maro # 10 en	W, Mico!	16 on 5	
		3.1 - A. 2015 (1) - 2.5 (	own from presen	30~20年,19年2日 30日 19月1日
and thatheclaim(e) or deposit extending	하면 하는 어때 가게 하는 그런데도 가수 있다.	经运动 化多氯化物 医乙酰胺 医乙酰胺	是是一种的特殊的。 1955年 - 1950年 - 19	10年,10年的新疆中央的中央建筑。1945年建筑市场
Norther lef				
in a Southorly	direc	lion, together with	hree Hundred fo	et in width on
each aide of the lodge for the chi	ure length of the clas	im.	<b>建设设置 在自己的</b>	
The discovery work consists	of ABO	Maler	Cet	
situated about			1/11	
direction from the location monu	たい しかいしょう かきにん		经收款制度经收益 计自动行用 医皮肤炎	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
그 경우 그 그 가장 그 것 같아.	feet long an	子编行人,为1976年,2016年1月1日,	allian (1772 - 1977 - 1978 - 1794 - 1797)	。在1976年的1976年的1976年,1976年的1976年的1976年
exposing the ledge, vein or miner				
This claim was monumented	d on the 2011	day of	ve.164	2000 11 11 12 12 12 13 14 14 14 14 14 14 14 14 14 14 14 14 14
The	corner is mark	ed by a	1" Wood R	2 1 ·
	CON			
the <u>JE</u> feet high, inscribed <u>54</u>				
	corner is mark			
feet high, inscribed5U		ner Me		mining claim;
the NW	corner is mark	cd by a	14 Wood	
feet high, inscribed	Cori	ner Moco	#9	mining claim.
There is also a	Wood Bot at	the center of each	ide line. The disc	overy work has
been done and the location compl	leted	eary 2/	19_	
21 100				Recorder's Use Only
Cohord & Cap	page		File	4058
			RECOR	DED AT THE REQUEST OF
126 Hone wood	<i>D</i> a		Acres consists	Coppage
Court 1	1/			ry 22 A. D. 19 <u>. 6</u> minutes past 2 P. N
concert uly	£		In Pook.	6 of OFFICIAL RECORDS
			Pago _4	12 Records of a
Locators		Addresses		KA COUNTY ) IFYADA (C. De lead: Recorder
Other Mining Forms Also Sold by Review	-Miner, Lovelock, Nov.)			Fen \$1.00

THIS IS TO CERTIFY that a Lode Mining Cleim named the	
was located by E.L. Coppage	
on the 20 152 day of November 196	∠, that it is situated in
Mineral Hill Mining District Level	County,
State of Nevada, and about 220 6 20 F distant from	Great of
Mingref Hill. Moco # 10 is Configurate W	1 Moro 15
an N, Mrs # 9 on E, Mos # 15 on & and	
as near as known from	2.00年度 1985 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
and thatheclaim(s) 1500 linear feet along the course of the mineral	bearing ledge, lode, ve/n
or deposit extending 250 feet from the	location monument in a
No Neg 4 direction, and	(cet
in a Security direction, together with Three Ho	indred feet in width on
cach side of the ledge for the entire length of the claim.  The discovery work consists of	
eitnated about 3 / feet in a Easterlas	
situated about     State   Geot in a   Fraction	feet wide
	feet desp.
exposing the ledge, vein or mineral deposit. Total cost of said work was \$ 20	
This claim was monumented on the 20 day of November	<u>:, 1967</u>
The NE corner is marked by a HIYIN Wo	ad Part 4
feet high, inscribed NE corner Moto NO	mining claim;
the corner is marked by a	Part I
feet high, inscribed 26 corner 2005 60	mining claim
the Corner is marked by a A"A" Mos	1 /hV 7
feet high, inscribed 34 corner Motor #10	mining blaim)
the NW corner is marked by a NY Wood feet high, inscribed NW corner Moto NO	
feet high, inscribed	法国政策 计自动的 计分类线 医洗涤剂 医乳腺性结膜 化铁铁铁铁铁矿 医乳球球球菌
。	The discovery work has
been done and the location completed January	<b>请从此一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个</b>
	Recorder's Use Only
Wohrf J. Caypage	File No. 40589
	RECORDED AT THE REQUEST OF
126 Homewood Dr. Concred, Coll	R.L. Coppage
	January 22 A D 19 65 At 08 minutes past 2 p 34
· · · · · · · · · · · · · · · · · · ·	in pook 6 of Official RECORDS
	Page 413 Records of
Locatora Addresses	LEUREKA COUNTY OJEVADA
Other Mining Forms Alto Bold by Review-Miner, Loyelock, Nov.)	Helly W. W. Col. Recorder
	reconstruction of the second second

THIS IS TO CERTIFY that a Lode Mining Claim named the was located by <u>ELCompage</u> 70th day of Negenber 1967; that it is situated in Mining District Lurela State of Nevada, and about 2200 are 5, distant from Cresof of Hill- Moco # 11 is contiguous with Mico to Mineral N, Mos # 10 an E, Moss #12 on W. as near as known from present developments and that \_\_\_\_ he\_\_\_ claim(s) 1500 linear feet along the course of the milleral bearing ledge, lode, rein 750 let from the location monument in a or deposit extending ... Norther direction, together with Three Hundred feet in width on each side of the ledge for the entire length of the claim. The discovery work consists of a bull force care situated about \_\_\_ direction from the location monument, and its dimensions are 25 feet long and feet deep exposing the ledge, vein or mineral deposit. Total cost of said work was \$ 26 This claim was monumented on the 20 day of November \_\_\_\_ corner is marked by a 1 14 Wood Foot NE corner Moco #// mining claims feet high, inscribed . corner is marked by a 1"XI" Weed For SE corner Mose #// feet high, inscribed . corner is marked by a 54 corner Moco All mining claim feet high, inscribed . corner is marked by a #xx1" Mood corner Moco #// mining claim. NW feet high, inscribed \_ There is also a 1x1" Wood For at the center of each side line. The discovery work has Recorder's Uso Only File No. 40590 RECORDED AT THE REQUEST OF Dr. Concerd, Cal . L. Coppage January 22 1, 1 19 65 At 09 minutes past 2 P M in Pook 6 .... of OFFICIAL RECORDS Pote 414 Records of

Addressor

Other Mining Forms Also Sold by Review-Miner, Lovelock, Nev.)

Locators

Alle Cille Taok Rocorder

EUREKA COURTY DEVADA

The claim was monumented on the source is marked by a silver in the corner is marked by a silver in th	THIS IS TO CERTIFY that a Lode Mining Claim named the	CONTRACTOR OF THE PROPERTY OF
State of Nevada, and shout 7780 5 0 1	was located by R.L. Coppage	
State of Newala, and about 7500 J. 20 M. Ajanan from Control Manual Manu		
and thatheclaim(a) 1500 linear feet along the conrect of the inheral bearing ledge, lode, vein or deposit catending	State of Nevada, and about 3780 5.20 W	distant from Crest of  Nith Mass to en
direction, and direction, together with Three Hundred feet in width on each side of the ledge for the entire length of the claim.  The discovery work consists of direction, together with Three Hundred feet in width on each side of the ledge for the entire length of the claim.  The discovery work consists of direction, together with Three Hundred feet in width on each side of the ledge, remaining and the claim.  I feet long and feet long and feet deep, carposing the ledge, vein or mineral deposit. Tetal cost of said work was \$ 35 = 50	N. y Moco #// an E and Moco #/3 one	as known from present developments:
direction, and direction, together with Three Hundred feet in width on each side of the ledge for the entire length of the claim.  The discovery work consists of College of the entire length of the claim.  The discovery work consists of College of the entire length of the claim.  The discovery work consists of College of the entire length of the claim.  The discovery work consists of College of the entire length of the claim.  The discovery work consists of College of the entire length of the length o	or deposit extending	et from the location munument in a
The discovery work consists of	in a Saudher hy direction, together w	
direction from the location monument, and its dimensions are  [cet long and	The discovery work consists of	
This claim was monumented on the ZOM day of May of	situated about	olod Z leet wide
This claim was monumented on the Zonday of West 1925  The WE corner is marked by a Zonday West 2 mining claim;  the corner is marked by a Zonday West 2 mining claim;  the corner is marked by a Zonday West 2 mining claim;  the corner is marked by a Zonday West 2 mining claim;  the corner is marked by a Zonday West 2 mining claim;  the corner is marked by a Zonday West 2 mining claim;  the corner is marked by a Zonday West 2 mining claim;  the corner is marked by a Zonday West 2 mining claim.  There is also a Zonday West at the center of each side line. The discovery work has been done and the location completed Zonday West 2 mining claim.  Recorder West Only  Recorder West Only  Recorder West Only  Recorder West Only  A 10 minutes past 2 P. M.  In Book 6 of Official fictors  Tage 415 Records of EUREXA COUNTY, REVADA WEST OFFICIAL fictors  Recorder Recorder Records	ornosing the ledge, vein or mineral deposit. Total cost of said work	(cet deep, 1885)
feet high, inscribed    SE   Corner is marked by a   SE   Corner is marked	This claim was monumented on the	Novanser 1969 1x 4" Wood Bat d
feet high, inscribed    SW   corner is marked by a   SX   SW   Fee   Fee	feet high, inscribed NE corner Market by a	#/2 mining claim;
the	feet high, inscribed <u>SE</u> corner to marked by a 4	MCO #12 mining claim; X4": Wood Fos # 9
There is also a A 1 West of at the center of each side line. The discovery work has been done and the location completed Tarrectary 21 1965  Recorder's Use Only  Recorder's Use Only  File No. 40591  RECORDED AT THE REQUEST OF 1. Coppage  January 22 A D. 1965  A 10 minules past 2 P. M.  Incators  Addresses  Addresses  Locators  Addresses	the NW corner is marked by a	MOCO 7/2 mining claim; 4. Wood Pos 4
Recorder's Use Only  File No. 40591  RECORDED AT THE REQUEST OF F. L. Coppage  Danuary 22 A. D. 19.65  A. 10 minutes past 2 b. M.  In Book 6 of Official RECORDS  P. ge 415 Records of EUREXA COUNTY REVADA  EUREXA COUNTY REVADA  Recorder	There is also a 1 x 4" Was of Pas tat the center of	each side line. The discovery work has
RECORDED AT THE REQUEST OF   P. L. Coppage   Danuary 22   A. D. 19.65     A	been done and the location completed	
Danuary 22 A. D. 19 65  A 10 minutes past 2 P. M.  In Book 6 of OFFICIAL RECORDS  P ge 415 Records of  EUREKA COUNTY NEVADA  Recorder	- Kichard J. Cappage	RECORDED AT THE REQUEST OF
In Book 6 of OFFICIAL RECORDS  Page 415 Records of EUREKA COUNTY, NEVADA  Locators Addressos Recorder	126 Homewood Dr. Concerd C	January 22 A.D. 19.65
Locators Addressos EUREKA COUNTY, NEVADA		in Book6 of Official necords
	Locators Addresses Other Mining Forms Also Sold by Review-Miner, Lovelock, Nev.)	EUREKA COURTY, NEVADA

THIS IS TO CERTIF	'I' unat a Lode I	auning Claim Dai	med me	X magazines		
was located by	R.L. C	ppage				
And Revision British Control	A Contract of	<b>等是需要的</b>				
on the	day of	Noven	16e-	19 4	L that it	s situated in
Minera	1 4:11		Minlog Distric	Fure	ka	County,
State of Nevada, and	・ さいとは ギャン 光せんこう ひまん カーバー	こうしん こうとうか はつけんさい はんしゅうしん	Contract to the second	A COLUMN TO A SECURE OF THE SECURE OF	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	to the second of the second of the second
Museral, H	1.11 Noc	0 # 13 15 0	Bonfines	us with	Moco	#/2
on N. F. Me			<b>"特别"</b>			ENV. A RESULTANT
			AA TRA	knowe fro	m proent de	velon menta:
and thatbo	claim(s) 15(	1、1年的主要的		<b>以为100000000000</b>	特的過程可能	ATTINITY (1) 经基础基础
			加强路线电池	<b>让大小时</b> 表现	<b>《始初》</b>	第44年18年18日
North	ech	direction, ar	id 2	50		(cet
10 a			tion, toreiner	with Three B	undred feet	n width on
each side of the ledg	o for the entire	length of the cla	im.			
The discovery	work consists of	<u>a pul</u>	l dizer	cut	ed the second	
situated about						
direction from the lo		·····································	D. G. G. 经基础证据 1000 1000 1000 1000 1000 1000 1000 10	2. 《於斯德學》的時	的法总统数据 2003年7月第4	_feet wide :
	1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	feet long at	· 1865年 - 1875年 - 187544 - 187544 - 187544 - 187544 - 187544 - 18754 - 18754 - 18754	142 Control (1997)	<b>建</b> 在14年 经总统经济	feet deep,
exposing the ledge, v			(1) 12 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	5: The - 24. 2. (1) 15: 15: 15: 15: 15: 15: 15: 15: 15: 15:	17. A. C.	
		the	<b>1988</b> 新发表。这种数	<b>在1000年,1000年,1000年</b>		
(1) 大学 大学 (2) (2) (2) (2) (3) (4) (4) (5) (5) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7		_ corner is mark	いっちょう 内臓 むかん はったい アゴル	The state of the s	A TANK TO SEE THE SEE THE SEE	11 TO 11 A CONTROL OF THE STATE
feet high, inscribed _						
tha <i>5E</i>		_corner is mark	ed by a 🏒	X4! 11	worf Pas	<u> </u>
fect high, inscribed			。11 英国疆域中的18 15 15 15 15 15 15 15 15 15 15 15 15 15	はよう バモリング かんかん カラア アイ	建二维 化二氯甲烷	and the first of the second of
the Su		_corner is mark	ed by a	XIW	ond h	<u> 57.4</u>
feet high, inscribed		cor	net	OCO TI	2 アカ	ning olaim;
		corner is mark		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
feet high, inscribed _						
		of Post.				
been done and the lo	cation completed			2/	19.60	一片似乎是感到
1.1.	100					eorder's Usa Only
Michiel	Lelay	pale_		的。 中国的	File No.	40592
				<b>对</b> 。它是		NT THE REQUEST OF
126 Ho.	rewood	Dn C.	meand)	Calif	A L	New year large of the State of State of
				10.14.14.14.15(15) 11.14.14.14.14.15(15)	***********	/ 22 A. D. 19 65 ninules past 2 P M.
			7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 -	ERAM EN		of OFFICIAL RECORDS
					Page 416	
Locator			Addresses		- JEUREKA	OUNTY HEVADA
					CAUGO.	Metarl Recorder
Other Mining Forms Also	Sold by Review-Min	er, Lovelock, Nev.)				Fee \$ 1.00

THIS IS TO CERTIFY	that a Lode M	lining Claim named th	<u>. Mo</u> c	o #/4	
was located by	R.L. Co	ppage			
		<u>No very kie</u> // Mining			
State of Nevada, and a	bout <b>3</b> 2A	o' due 5 Moco #14	dina:	n from _C Legacione	rest of s will,
Maca #13	on W.	1000 #15 en	as near as kno	wn from pre	sent developments;
or deposit extending	<b>学是有用的2</b>	00 linear (eet along the	feet fr	m the locati	on monument in a
in a Saul	for the entire	direction, t	ogether with T	hree Hundre	d feet in width on
Attracted shows	4	feet in a	Easi	for hy	
direction from the loc	eation monzmen	t, and its dimensions of		70	fect_wide
exposing the ledge, very this claim was	ein or mineral of monumented of	leposit. Total cost of sa n the Zolid — corner is marked b	ld work was \$_ ay of	comber	1064
feet high, inscribed	NE E	corner is marked by	Moco !	t)4 'Wood	mining claim;
the 54		corner is marked by	1 1 17	WOOR	1037 7
feet high, inscribed	NW	corner is marked by	, a 12 X S	Heer.	Y VOS Z Z
There is also a	"X 4" 116	oct fost in the	center of each	ide line. The	discovery work has
	1	Oppoge			Recorder's Use Only  File No. 40593
126 Horr	ewood	Dr. Chicar	d, Cali	P	RECORDED AT THE REQUEST, R.L. Coppage. anuszy 22 A.D. 1
					12 minutes post 2 1 Book 417 of Official REC

Locators

THIS IS TO CERTIFY that a Lode Mining Claim na	mod the	Moco	#/5	
		(1) (国际) (新)	CARLEGE Bases of Gr	
was located by <u>R.L. Coppage</u>	<b>建筑。在7~时</b> 期	以完善方面於	制器。指導	·特特·特别的/24/10
on the 20th day of Nove	mbor		19 <i>62</i> , 1	hat it is situated in
Mineral Hill	Mining Distric	n <u> </u>	ere A	County,
State of Nevada, and about 3780 516°E	(2) (2) (6) (基) (4) (4) (7) (2) (5)	distant	from Z	(mer <del>a [ [d]</del> ://
Mores #15 is Configuraces	WITH M	(ecn 4/1	<u>کی 4</u>	Maca
#16 on E, Maco #18 ans, 5				
	[4] (1] (1] (1] (2] (2] (2] (2] (2] (2] (2] (2] (2] (2	1 4 6 5 6 7 1	宝子 光线	sent developments;
nd thathoclaim(s) 1500 linear feet al			15年20年2月1日	制度,2014年2月1日 中央市场 Man 1950 以日本的
or deposit extending				
Norther ly direction, a	nd		EO	(eet
n a <u>Sace Her M</u> directle and d	ction, together	with Thr	ee Hundre	d feet in width on
The discovery work consists of	Il doze	- ci	$\angle$	
And distorery work over the control of the control				
itnated about 3 feet i	n	les de	h	
lirection from the location monument, and its dimen	sions are	/	1	feet wide
ZZ feet long a	nd	3	1/L	feet deep.
exposing the ledge, your or mineral deposit. Total co	t of said worl	c was \$	25-00	
This claim was monumented on the	day of	No	an be	19.64
The NE corner is mar				
cet high, inscribedco	merMo	rea #1	<b>5</b>	mining claim;
he SE corner is mar	ked by a _2	17 4	wood	Post 9
ect high, inscribedco	rnerM	co 4	3- dalle	mining claim;
he SW corner is mar	ked by a 🚅	11. 4 4 1	wood	Post 9
he SW corner is mar cct high, inscribed 544 co	rnor	ca +	15	mining claim;
heNWcorner_is_mar	ked by a	1" × 43	wood	Post 4
cet high, inscribedNw	rner M	oco p	15-	mining claim.
There is also a 4" x 4" wood Post				
cen done and the location completed	5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -	7. 27.	3.21 3.4	いっきょうしょう おっしょ しょうごう だけがい いっぱんち おくりいがつのかか
				Recorder's Use Culy
Di ODB				
Rechard of Cappage				File No. 40594
			0	ECORDED AT THE REQUEST
126 Home wood Dr. Co	neord	Ca/in	<u></u>	ECORDED AT THE REQUEST  LL. Coppage  nuary 22
			·	nuary 22 A. D. 1

Addresses

Locators

A 13 minutes past 2 PM. in Book 6 115 of OFFICIAL RECORDS

Page 418 ... Records of

EUREKA COUNTY) NEVADA <u>UG` A. ALTA</u>RL. Recorder

THIS IS TO CERTIFY	that a Lode Mini	ing Cleim named the	//we	27/6	
was located by	ZL. Coppe	ye			
	and the second s	November	2-16 A 12-16 Victory 110 110		13V 4 P (1) - 1. P PP (1) 4(2) P (2) N (2)
Mineral	Hill	Mining_D	istrict	ire Ka	County,
State of Nevada, and ab	out /450	N59°11 A	ant ant	from 🕰	E Coci
1500 15 1	Yoco #16 1	5 Contigues	with	Moco A	2 n. N,
Maco 16 an V					
			near to know	n from p	resent developments;
and thathe	_ claim(s) 1500 )	linear feet along the co	urse of the m	ineral bear	ring ledge, lode, vein 👙
or deposit extending	75	0	feet from	the loca	tion monument in a
Norther	hy	_ direction, and	250		feet
in a Serch cach side of the ledge f	horhe	direction, toge	ther with Th	ree Hundr	ed feet in width on
cach side of the ledge f	for the entire len	gth of the claim.			
The discovery wo	ork consists of	a bull goz		ut-	
situated about	<u> </u>	feet in a	Meste	M.	
direction from the local	tion monument, a	nd its dimensions are		12	leet wide
25		feet long and	. 2		fect deep,
exposing the ledge, veh	n or mineral depo	osit. Total cost of said	work was \$	7600	
This claim was n	ionumented on th	o 2011 day	of <u>Mov</u>	em ber	, 19 <i>64</i>
The	<b>E</b> /	corner is marked by a	12/14	wood	Post &
feet high, inscribed	NE	corner	Moco H	16	mining claim;
the 54		orner is marked by a	4"11	wood	Post 1
		corner/			
the 54.					
feet high, inscribed	541	corner	Maco #1	6	mining claim:
the NW		omer is marked by a			
feet high, inscribed	NW	corner	Moen #1	6	mining claim.
There is also a 1"x					
been done and the loca					
neen done and the loca	non completed				
10.1 1	00				Recorder's Use Only
sticher a	1. Cappag	0			File No. 40595
		化二氯二甲基乙基苯基乙基苯甲基 化二氯二甲基二甲基二甲基二甲基基甲基	<b>经市价金数</b>		RECORDED AT THE REQUEST OF
126 Horre	wood Dr	Correord	, Celi		.L. Coppage
**************************************					anuary 22 A.D. 196
				Ş. λi	14 minutes post 2 P
				in (	Book 6 of OFFICIAL RECOR
	· · · · · · · · · · · · · · · · · · ·			P	go 419 Records of
Locators	,	Addresses			EUREKA COUHTY DIEVADA
Other Mining Forms Also So	id by Review-Miner,	Lovelock, Nev.)			MILLO A. MITARS Record

THIS IS TO CERTIFY the	at a Lode Mining Claim named th	• <u>Maco #17</u>	
	L. Coppage	2. 12. 1. 12. 12. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	
Mineral	day ofbe	District Ectre!	County,
State of Novada and shou	. 1250' N65°E Configuraces With	distant from	cave sping
on 5,		as near as known from p	<b>《《新诗》的《诗》,则《诗》,《诗》,《诗》,《诗》,《诗》,《诗》</b>
or deposit extending	claim(s) 1500 linear feet along the	feet from the loca	tion monument in a
in a Sout	direction, and direction, and direction, the entire length of the claim.	together with Three Hund	red feet in width on
The discovery work	c consists of <u>a bell o</u>	。一个自己和147里在青年青年的五支6亿	。 第二章
direction from the location	feet in a on monument, and its dimensions	are .	feet wide
amoring the ledge vein	or mineral deposit. Total cost of so	aid work was \$ 25	
m	corner is marked b	va 4 X4 Was	d 1697 4
the SE feet high, inscribed	corner is marked b	y a 4 X4 Wood	797
the SW feet high, inscribed	corner is marked h	1 . 1"x 4" Woo Mrca #17	mining claim;
the	NW corner of marked b	7 . 1"x 4" NOO! MACO #17	mining claim.
	ion completedat the	center of each side line. T	he discovery work has
Vicherdo	1. Cappage	1210	Recorder's Use Only 40596 File No.  RECORDED AT THE REQUE R. L. Coppage
126 Honie	vood Dr. Cond	re, celt	January 22 A. D

Addresses

Locators

RECORD 420 Records of

EUREKA COUIND, HEYADA Lo A. De Tark. Recordo

(HIS IS TO CERTIFY THE STATE OF			
was located by <u>R.L. Coppage</u>			
	25% 學學療	连续推销的流	
n the 20th day of Nover	nber	, 19 <i>.62</i>	that it is situated in
Mineral Hill			
tate of Nevada, and about 1520'N60'E			
Moce #18 is Configuraces	with Me	a 4/6.00 N	Moon # 17 en E
Moco # 22 ans, 1 Moco "			
		the second of th	present developments:
and thatheclaim(s) 1500 linear feet	The state of the s	日本を記さられていた。 しんべき	2000年12月1日 - 12月1日 -
or deposit extending			
Northerhy direction	and	750	[oet
na Sausker hy d	irection, togethe	with Three Hun	dred feet in width on
each side of the ledge for the entire length of the	claim.	提出自然的思想的	
The discovery work consists of	aill doze	rat	
		等にできる。 ピス・ス	
situated about 3 fee	t in a <u>was</u>	ferly	100年 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
direction from the location monument, and its dum	lensions, are	(1) 经营产的基础的公司企业	(1) 医生物 (1) End (1) E
27feet long	g and	THE USE OF STATE OF THE STATE O	[eet   deep,
exposing the ledge, vein or mineral deposit. Total	cost of said wor	k was \$ 25 =	
This claim was monumented on the	day of .	Novem	6
The corner is n	narked by a 🚅	1" x 1" Wood	1 fost 9
feet high, inscribed NE	_corner	reo 7/8	mining claim;
the <u>SE</u> corner is n	narked by a 🎜	1" X 4" 11.00	that 4
feet high, inscribed	corner	e 4/8	mining claim;
the SW corner is n	narked by a	1 x 4 1000	1 for I
feat high inscribed	corner 17	CO 6/8	mining claim;
thecorner is n	narked by a	Madela Calvin (1877) 11	
feet high, inscribed	corner //	100 #/B	mining claim.
There is also a 4"x4" Wood First	at the center	of each side line.	The discovery work has
been done and the location completed	recary	2/	1965
			Recorder's Use Only
Wil alama			
wenus desproye			File No. 40597
	<b>-</b>	~ //	RECORDED AT THE REQUEST OF
126 Homewood Ur. C	arcord,	CALIF	R. L. Coppage
			January 22 A.D. 19_1 At 16 minutes post 2_P.
			in Book 6 of OFFICIAL RECOR
			Page 421 Records of
Locators	Addresses		EUREKA COUNTY NEVADA
(Other Mining Forms Also Sold by Review-Miner, Lovetock, N	ा । । । । । । । । । । । । । । । । । । ।		Millie G. Aleland Record
to-tast writing habits wise date of Heaten-writing! woulder w			Fee \$ 1.00
n de la companya de La companya de la co	er kalender (b. 1915-bet) Little der (b. 1915-bet)	ationie voltana gardin	The state of the s

THIS IS TO CERTIFY that a Lode Mining Claim named the	
was located by <u>RL Coppage</u>	
on the 2014 day of November 1	6 % that it is situated in
Mining District Lie Continue of Nevada, and about 650 N 800 distant for Maco 418 15 Continues with Maco 415 con	om Cave Spring N. Moon Hear E
Moco #21 on 6, & Moco #20 on W.	
as neariae known	pages are rest to the properties are set of property to be the set of the property of the set of th
and that he claim(s) 1500 linear feet along the course of the mine	的社会的主要必要是特別基础人民的知识。但是共和国的
or deposit extending 750 feet from t	
Nor her lif direction, and	fæt
in a <u>Souther hy</u> direction, together with Three each side of the ledge for the entire length of the claim.	Hundred feet in width on
each side of the ledge for the entire length of the claim.	
The discovery work consists of A bull loves cut	
situated about 3 feet in a Woske hy direction from the location monument, and its dimensions are	
direction from the location monument, and its dimensions are	leet wide
exposing the ledge, vein or mineral deposit. Total cost of said work was	feet deep, العنام ال
This claim was monumented on the ZO' day of Were	1064
The corner is marked by a	and Post of
feet high, inscribed NE corner Meca 11	
the SE corner is marked by a 1"x1" W	and Post 4
fect high, inscribed SE corrier Moco #19	ariting claim:
the SW corner is marked by a 4"x 1" Wo	oll post of
feet high, inscribed 500 comer 1100 H	(S knjojng claim)
the NW corner is marked by a 1517 /	ood Post 4
feet high, inscribed NW corner Moco W	
There is also a 1"x1" Wood for the center of each side	ine. The discovery work has
been done and the location completed January 21	1065
	Recorder's Uso Only
Pal. Allana	
Manie of Compage	—
126 Howwwood Dr. Concord, Calif.	> RECORDED AT THE REQUEST OF R. L. Coppage
126 Mondelloca VI. Concoru, Calif.	January 22 A.D. 1965
	AL 7 minutes past 2.2M.
	in Book 15 of Official Records a
	Page 422 Records of
Locators Addresses	EUREKA COUNTY, MEVADA  RECORDER
Other Mining Forms Also Sold by Review-Miner, Lovelock, Nev.)	fee \$ 1.00

THIS IS TO CERCIT	FY that a Lode Min	ing Claim named th		<u>"20</u>	
was located by	R.L. Coff	paje			
		ちょうしょ しんしゅう さんがん ちょうじん かんしん だいしん	of the description of the fact of the first of the	4 that it is situated	* - 2 2 TEST 1 1
			1500年,1986年,1986年1月1日日本日本大学会会	KaCour	
tate of Nevada, and	about 620	ON 57 W	More #11 an	m Cave go N. Moes 19	as J
an E	and the state of the state of the state of				
				om present developmen	
-Jahar ha		5.000 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		d bearing ledge, lode w	
- 하장하		하는데 되었는데 화를 통하다		<b>就把我们是不可以</b>	44.45.4
r deposit extending	1,		leet from the	location monument in	1 9
Jyar pive,		direction, and	750		eet
n a Sacra	ge for the entire len	direction, t	ogether with Three I	Hundred feet in width	on
The discussion	to tot the entite len	a b. 11	dozer cut	<b>4</b>	
the discovery	WORK COMMISS OF				
	-				
			Westerly		
irection from the k	eation monument, a	and its dimensions a	re	feet w	ide
<u> 30</u>		_ feet long and		feet de	ep,
			id work was \$		
This claim was	s monumented on th	10di	y of Novent	<i>60</i>	
The	NE.	corner is marked by	a 1"x 4" Ke	ed fort 1	
the state of the s				2 mining clei	
			古典,是一个人,这是是特色的特殊。	ood Ast 4	315 32
and the second s		the same of the sa	[1] A. B. Att. Soc. Prescription (1997) 188.	mining clai	
				d fort	
10 3 4	-5111	orner is marked by	Man # Z	mining clai	
/ Mu			· \$25. \$45. \$45. \$15. \$15. \$1. \$1. \$1. \$2. \$1. \$1. \$1. \$1. \$1. \$1. \$1. \$1. \$1. \$1	2.1. (1.1.1) (1.1.1.1) (1.1.1.1) (1.1.1.1) (1.1.1.1) (1.1.1.1.1) (1.1.1.1.1) (1.1.1.1.1)	1.14
7				odfort d	
			Moco HZO		1.
				e. The discovery work l	109
en done and the l	ocation completed	Januar	/ 2/	, 19 <i>65</i>	
21				Recorder's U	se Only
Kicherd	PO hory	00			
vicinis	J. Carpay		A Company of the Comp	- File No. 2058	B
176 How	00 0	Pr. Conce	ord, Calif	RECORDED AT THE REQ	1. 6 1 3 4 5 1 5
0 /7647	NEWOOD D	· · Conce	ras care.	um ni ni ni tangang bilang ng	14.5
				January 22 A	34. C. C. R
			automas Varadillastes. Logis Magantawiniak	At. 18 minutes pas	12 To 18 18
				In Blok. 6 of OFFICIAL	77 TA 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Locato		Addres		Page 423 Reserves of	
				Hills a fletar	Record
nner Mining Forms Also	Sold by Review-Miner,	Lovelock, Nev.)			1.00

THIS IS TO CERTIFY that a Lo	ode mining Cleim named the		
was located by R.L.C	ogpage !		
	VV	1945年1945年1	
ニー・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	y of November		
Mineral Hill	Mining Distric	<u> Eureka</u>	County
State of Nevada, and about	ag's 10°E	distant_from	Cive spring
17000 421 15 Coupe	iquous WIN Moco.	1 22 on E	Moco #11_
an No		2.1. 15. 15. 15. 15. 15. 15. 15. 15. 15.	
	as near	D. 经国际标识的 使异星火	《····································
and thathe claim(s)	1500 linear (cet along the course	of the mineral beau	ing ledge, lode, vein
or deposit extending	750 direction, and	feet from the loca	don monument in a
Northering	direction, andZ	<u>σο</u>	Cont
in a <u>Securber</u>	direction, together	with Three Hundr	ed feet in width on
The discovery work consist	of a bull dozen	-cat	
aitmated about	feet in a	esterles	
	ment, and its dimensions are	· · · · · · · · · · · · · · · · · · ·	THE RESERVE TO A STATE OF THE PARTY OF THE PARTY OF THE PARTY.
	feet long and	。 (1)	feet deep.
	ral deposit. Total cost of said work		
This claim was monumented	d on the Zo /1 day of	Novembe	1964
たい ひこうしょうれん 人立 化学がた	corner is marked by a 12	こっち としていいかる ひか ドウチェデン・バン	12018 1200 1201 1201 1201 1201 1201 1201
	=	これを 行をいたしてもの かんなかん コープ・ライス	计分析的主义的 美工工 新疆 医克尔克氏试验 计自由 化二十二十二二十二二二二二二二二二二二二二二二二二二二二二二二二二二二二二二
	corner is marked by a		
	E corner 120	といっさん バギスコメディング ひかりんじん じょう	
	corner is marked by a	0.41544130.52946780955900	<b>人名英格兰人姓氏托尔</b>
feet high, inscribed5&	Corner Ma	co # 2/	mining claim;
tho NW	corner is marked by a Z		
feet high, inscribed	VW corner Mo	はからはた ままり しんに おからするあた なんし	医毛头 医二唑二烷 化二二烷基胺异戊烷基 经经济的 计设计设置 德華
There is also a 1"X1"	Wood Rost at the center of	each side line. The	discovery work has
been done and the location comp	leted January	2/	19 6.5
			Recorder a Use Only
01/11/1	June 10		
works or	assiful y		File No. 40600
191 11			orded at the request of
126 Homewood	Dr. Congord, C	1467 - 15 Santanto File.	R. L. Coppage
		二维 医多角皮肤 经预验股份证据	anuary 22 A.D. 1965 L9 minulos past, 2 Pr
			ok 6 of Official Record
			424 Receives of
Locators	Addresses	MARKET STATE	EURĖKA COUJĄY, NEVADA
Other Minley Ferma Also Sold by Review	r-Miner, Lovelock, Nev.)	Mu	g. a. Octavia Recorde
			Fee \$1.00

THIS IS TO CERTIFY that a Lode	Mining Claim named the .—	Noce # c.	
was located by K.L. C	sppage	16 (16 (16 (16 (16 (16 (16 (16 (16 (16 (	
on the 20th day of Mineral Hill	Mining Dist	rict Eccle Ka	County,
tate of Nevada, and about 7	180'511°E	distant Nom _C	ave spray
# 2 on W. 1 M			
	, ao n	医内部分 经工程 医自己多类性抗感 经收益 化二氯甲基酚	10.10 P. H. E. B. 18 P. 18
nd that ho claim(s) 15 r deposit extending  Norther hy			
nch side of the ledge for the entire  The discovery work consists o	direction, togeth	ier with Three Hundre	d feet in width on
ituated about	进步员员 化克克克氏试验		North State Control of the Sta
irection from the location monumer	nt, and its dimensions are	1 11 11 12 12 12 12 12 12 12 12 12 12 12	(cet wide (cet deep,
xposing the ledge, vein or mineral Th's claim was monumented o	deposit. Total cost of said we	ork was \$ 65	1064
The	corner is marked by a	1" X4" Wood	Bot 1
eet high, inscribed//	E corner /	1/000 \$22-	mining claim;
eet high, inscribedSE beSW	corner/_	PEO MEZ	mining claim;
eet high, inscribed	corner is marked by a	Moco He	mining claim; LBs.F.A
cet high, inscribed NUN There is also a I''X I''	计算点 人名英格兰人姓氏 化二氯甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基	医多种性 医克雷斯氏 医克里氏	N. A. C.
cen done and the location complete	요한 본 사람은 소문을 만하였다면 그리고 나는 가게 되었다. 그는 것	经正式流动 经发票 医皮肤多环 经制度的 医外线 医抗毒素	とと、からはちゅうとく いっかいりょうかいり ヤップ にどるご
ficher of la	yjinge		File No. <b>40601</b> Ecorded at the reques
126 Homewood	Dr. Concoca,	<i>Colif-</i> - a	R. L. Coppage nuary 22 A.D.
			20. minutes post. 2

Locators

Page 425.... Records of EUREKA COUNTY NEVADA

Fec \$1.00

THIS IS TO CERTIFY that a Lod	e Mining Claim named the	Moco MC	
was located by	Сорраде -		
on the Zoth day	of November	19 🗸 🛨	that it is situated in
	#///Mining D		
State of Nevada, and about  Moco # 23 is Com	790' 535°E	distant from	Cave Spring
on E and Moc	0 # 17 N		
		连、作为1.严重出行,这些规模的行动是"有数"的形式	resent developments:
and thathe claim(e)	아니아 내용하는데 그렇게 하는 그리는 바람들이	医三角 经不可以销售的 化抗酸酯	子的现在分词 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
or deposit extending	750	feet from the loc	ation monument in a
Northerha	direction, and	750	feet
	direction, tog		
each side of the ledge for the enti-	ire length of the claim.	<b>第三次次,这里是第三个</b>	
The discovery work consists	of a kull ok	zer cut	
situated about3	feet in a		
direction from the location monus	nent, and its dimensions are		feet wide
	feet long and		feet_deep;
exposing the ledge, vein or miner	al deposit. Total cost of said	work was \$ 25	
	on the <u>2019</u> day		
	corner is marked by		
feet high, inscribed	corner	1/10 162	mining claim;
the	corner is marked by s	1 X4 41000	<u> 1657 4</u>
	corner_		
the 5w	corner is marked by		
feet high, inscribed512		11000 7 = 2	mining claim;
the NW	corner is marked by a		
feet high, inscribed		MORD # 23	化氢镁化 化自由压力销售 医前间 医蜂科动物 医抗
		nter of each aide line. T	는 반면 가는 전혀 있는데 보고 있는데 있다는 바로 모르는 것은
been done and the location compl	etedlancary		19.22
al lan			Recorder's Uso Only
Wieland I Call	page		File No. 40602
		1 2 10	RECORDED AT THE REQUEST OF
166 Homewood	Ur. Concora	- (a/.f	R. L. Coppage
			January 22 A 0, 1965 1 21 minutes past? P i
		ovin paring steeling in A. Singa ing pagawayan in Ir	Book: 6 of OFFICIAL NECORD
		그들은 그 사람들이 되는 사람이 되다.	age 426 Records of
Locators	Addresso		EUREKA COUNTY NEVADA

THIS IS TO CERTIFY that a Lod	6 Mining Claim named the	oco # 24
was located by #15. C	oppage	
		1921, that it is situated in
Mineral 14	Mining District	Live la County; distant from Cave Spring
itate of Nevada, and about	is with Mass 12	distant from
oma is configura		
	4.6000 (1.16) 5-5-6.60 (1.16) (1.16) (1.16) (1.16) (1.16) (1.16) (1.16) (1.16) (1.16) (1.16) (1.16) (1.16) (1.16)	as known from present developments; f the mineral bearing ledge, lode, vein
	20.00 miles 2015 医维基基征 化高压熔压器器器	set from the location monument in a
	とうため、ひしたしょうにょうないのとはははされ、もだにはされるほどは特殊が越過度割	) feet जरूर
Bautharly	disasian tagathar s	vith Three Hundred feet in width on
each side of the ledge for the enti-	re length of the claim.	
The discovery work consists	of a bull doza	- cab 1
		<del>ay</del>
lirection from the location monum	ent, and its dimensions are	/2- feet wide
		ろ (eet desp.
exposing the ledge, vein or minera	il deposit. Total cost of said work w	vae \$ 65
This claim was monumented	on the 20 day of	November 1069
The	corner is marked by a	x4" Word flood 9
leet high, inscribed	E corner M	mining claim;
the 5 <i>E</i>	corner is marked by a	x4" Wood Prof 1
feet high, inscribed5&	corner	mining claim;
the	corner is marked by a	"X4" Nood Bet 4 to #24 mining claim;
feet high, inscribed	corner	OF II mining claim;
the NW	corner is marked by a	"X4" WOOD 1857 4
feet high, inscribed	TO 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	mining claim.
There is also a 7 X 9		each alde line. The discovery work has
been done and the location compl	ered Innuary	<u>z/</u>
		Recorder's Use Only
Winhard I Com	hac-	4000
a sold		File No. 40603
126 Hone wood	1 D. C. Il	RECORDED AT THE REQUEST O
Cicoog	Ur. Gonaora, Ca	January 22 A D 19
		Al 22 minutes past 2 P
······································		In Book
		Page 427 Records of
Locators	Addresses	EUREKA COUNTY, JEVADA
tuber Mining Forms Also Sold by Review-	-Miner, Loyelock, Ney.)	Pallio U. Wilautiji Recon