

AMENDED & ADDITIONAL CERTIFICATE OF LOCATION

Revised Law. Sec. 2424

The Undersigned, hereby certify IES that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 1

The general course of said lode or vein, as near as it may be described, is S 50° E

The name.....of the locator.....**Julian E. Simpson**

The said claim was located on the 10th day of November, 1964 A. D. 1964, and is described in respect to* From corner no. 1 of Benchmark No. 1, the SE corner of Section 23, T22N, R10E, Mc. Diablo Meridian, bears about S 42° E, approximately 14,400 feet. Corner no. 2 of Benchmark No. 1 is identical with corner no. 1 of Benchmark No. 2.

Original location certificate for Benchmark No. 1 is recorded in Book 6 of Official Records, page 450. Records of Eureka County, Nevada

The locator.....claims.....1500.....feet in length
on said lode, 580 feet running S 30° E from the center of the discovery
monument and 920 feet running about N 50° E from the center of the
discovery monument,
along the course of said vein or lode each way from the point of discovery with a width of 300.....
.....feet on each side of the center
of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is: an open cut and excavation along the ledge or lode, the size of which is at least 5 feet by 12 feet by 20 feet, located at the discovery monument, and excavation work done at various points on Benchmark No. 1 and Benchmark No. 2 claims which are contiguous, such work aggregating in excess of \$ 200 cost for the two contiguous claims.

and the location, and description of each corner, with the markings thereon, are as follows:

The northwest No. 1 corner is marked by a 4" X 4" redwood post 4½ feet high and is inscribed B1/1X corner of Benchmark No. 1 mine.

the **northeast No. 2** corner is marked by a **4" X 4" redwood post** **4½** feet high and is inscribed **B1/2X** corner of **Benchmark No. 1** mine.

The southeast No. 3 corner is marked by a 4" x 4" redwood post 4 1/2 feet high, inscribed and B1/3X corner. Benchmark No. nine: the southeast No. 4 corner

is marked by a 4" x 4" redwood post 4½ feet high, inscribed B1/4x corner
 Benchmark No. 1 mine. There is a 4" x 4" x 4½ post at the center of

each side line marked NSQ & SSQ
 This certificate is in addition to that
 certain certificate locating the Benchmark No. 1 claim dated February 2,
 and filed in the office of the County Recorder of Bureau Co. on Feb. 4, 1965
 Dated MAY 12, A.D. 1965

Address of locator
Box 305
Corte Madera
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

4 Corner of each of the four corners, with the blessings, markings, letters, etc.

5 Any record of location which does not contain all the requirements of the statute is void.

FILE NO

40845

Julian E. Simpson

May 21, 1965, at 45 minutes past 3 P. M. Recorded in
Book 7 of Official Records, page 332, Records of EUREKA
COUNTY, CALIFORNIA.

COUNTY, NEVADA

Fee: \$ 1.00

Willis A. DePaul Recorder.

AMENDED & ADDITIONAL

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 2

The general course of said lode or vein, as near as it may be described, is about S 50° E

The name of the locator Julian E. Simpson, whose address is Box 305, Corte Madera, California

The said claim was located on the 10th day of November, A. D. 1964, and is described in respect to* From corner no. 1 of Benchmark No. 2, the SE corner of Section 23, T22N, R30E, Mt. Diablo Meridian, bears about S 41° E, approximately 12,900 feet, Corner no. 2 of Benchmark No. 2 is identical with corner no. 1 of Benchmark No. 3.

Original location certificate for Benchmark No. 2 is recorded in Book 6 of Official Records, page 451, Records of Eureka County, Nevada

The locator claims 1500 feet in length on said lode, 250 feet running about S 50° E from the center of the discovery monument and 1250 feet running about N 50° W from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation along the lode, the size of which exceeds 8 feet by 12 feet by 15 feet, located at the discovery monument, and excavation work done at various points on Benchmark No. 2 and Benchmark No. 1 claims which are contiguous, such work aggregating in excess of \$ 200 cost for the two contiguous claims.

and the location and description of each corner with the markings thereon are as follows:

The northwest No. 1 corner is marked by a 4" X 4" redwood post 4 1/2 feet high and is inscribed B2/1X corner of Benchmark No. 2 mine:
the northeast No. 2 corner is marked by a 4" X 4" redwood post 4 1/2 feet high B2/2X inscribed B2/2X corner of Benchmark No. 2 mine.
The southeast no. 3 corner is marked by 4" X 4" redwood post 4 1/2 feet high, inscribed B2/3X corner Benchmark 2 mine: the southwest no. 4 corner is marked by a 4" X 4" redwood post 4 1/2 feet high, inscribed B2/4X corner Benchmark No. 2 mine. There is a 4" X 4" X 4 1/2 feet post at the center of each side line marked NSC & SSC ~~inscribed B2/1X, B2/2X, B2/3X, B2/4X~~
~~inscribed B2/1X, B2/2X, B2/3X, B2/4X~~ This certificate is in addition to that certain certificate locating the Benchmark No. 2 claim dated February 2, 1965 and filed in the office of the County Recorder of Eureka Co. on Feb. 4, 1965

Dated MAY 12, A. D. 1965

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

FILE NO.

40846

Filed for record on the request of

Julian E. Simpson

May 21, 1965

at 46

minutes past

3

P. M. Recorded in

Book 7

of Official Records, page

333

Records of EUREKA

COUNTY, NEVADA.

Fee: \$ 1.00

William C. McLeod

Recorder

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 3

The general course of said lode or vein, as near as it may be described, is about S 50° E

The name of the locator Julian E. Simpson, whose address is Box 305, Corte Madera, California

The said claim was located on the 24th day of February A. D. 1965, and is described in respect to* From corner no. 1 of Benchmark No. 3, the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 40° E, approximately 11,400 feet. Corner No. 2 of Benchmark No. 3, is identical with corner no. 1 of Benchmark No. 4, corner no. 3 of Benchmark No. 11 and corner no. 4 of Benchmark No. 12.

The locator claim is 1500 feet in length on said lode, 450 feet running about S 50° E from the center of the discovery monument and 1050 feet running about N 50° W from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation along the lode, the size of which exceeds 4 feet by 12 feet by 25 feet, located at the discovery monument, and excavation work done at various points on Benchmark No. 3 and Benchmark No. 4 claims which are contiguous, such work aggregating in excess of \$ 200 cost for the two contiguous claims,

and the location and description of each corner with the markings thereon are as follows:

The northwest No. 1 corner is marked by a 4" X 4" redwood post 4 1/2 feet high and is inscribed B3/1X corner of Benchmark No. 3 mine.
the northeast No. 2 corner is marked by a 8" x 4 1/2 foot live pinen topped and is inscribed B3/2x corner of Benchmark No. 3 mine.
The southeast no. 3 corner is marked by 6" dead pinen post 4 feet high, inscribed B3/3X corner Benchmark 3 mine: the southwest no. 4 corner is marked by 4" X 4" redwood post 4 1/2 feet high, inscribed B3/4X corner Benchmark No. 3 mine. There is a 4" X 4" X 4 1/2' redwood post marked NSC and 4" dia. 4' topped live pinen marked SSC at center each side line. ~~SSC at center each side line.~~ The discovery work has been done and the location work completed since April 16, 1965

Dated MAY 12, A. D. 1965

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the bearings, distances, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

FILE NO. 40847

Filed for record of the request of Julian E. Simpson

May 21, 1965, at 47 minutes past 3 P. M. Recorded in

Book 7 of Official Records, page 334, Records of EUREKA

COUNTY, NEVADA.

Fee: \$ 1.00

Willis A. DePaul

Recorder.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 4

The general course of said lode or vein, as near as it may be described, is about S 50° E

The name of the locator Julian E. Simpson, whose address is Box 305, Corte Madera, California

The said claim was located on the 24th day of February A. D. 1965, and is described in respect to* From corner no. 1 of Benchmark No. 4 the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 59° E, approximately 9,900 feet. Corner No. 3 of Benchmark No. 4 is identical with corner no. 2 of Benchmark No. 8.

The locator claim 5 1500 feet in length on said lode, 1110 feet running about S 50° E from the center of the discovery monument and 390 feet running about N 50° W from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation along the lode, the size of which exceeds 4 feet by 12 feet by 30 feet, located at the discovery monument, and excavation work done at various points on Benchmark No. 4 and Benchmark No. 3 claims which are contiguous, such work aggregating in excess of \$ 200 cost for the two contiguous claims.

and the location and description of each corner with the markings thereon are as follows:

The northwest no. 1 corner is marked by a 8" topped live pinon 4 1/2 feet high and is inscribed B4/1X corner of Benchmark No. 4 mine:

the northeast No. 2 corner is marked by a 4" dia. post juniper 4 1/2 feet high and is inscribed B4/2X corner of Benchmark No. 4 mine.

The southeast no. 3 corner is marked by 7" topped live pinon 3 feet high, inscribed B4/3X corner Benchmark 4 mine: the southwest no. 4 corner

is marked by a 6" dead pinon post 4 feet high, inscribed B4/4X corner Benchmark No. 4 mine. There is a 4"x 4"x 4 1/2' redwood post marked NSC and 5"x 4' pinon post marked SSC ~~at the center of the side lines.~~ The discovery work has been done and the location work completed since April 16, 1965

A. D. 19 65

Dated MAY 12, A. D. 19 65

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sink" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the statute.

FILE NO. **40848**

Filed for record of the request of Julian E. Simpson

May 21, 1965, at 48 minutes past 3 P. M. Recorded in

Book 7 of Official Records, page 335, Records of EUREKA

COUNTY, NEVADA.

Fee: \$ 1.00

Willis A. DePaul

Recorder.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the Benchmark No. 5

The general course of said lode or vein, as near as it may be described, is about S 50° E

The name of the locator Julian E. Simpson, whose address is Box 305, Corte Madera, California

The said claim was located on the 21st day of March, 1965 A. D. 1965, and is described in respect to From corner no. 1 of Benchmark No. 5 the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 44° E, approximately 14,300 feet. Corner no. 2 of Benchmark No. 5 is identical with corner no. 1 of Benchmark No. 6, corner no. 3 of Benchmark No. 1, and corner no. 4 of Benchmark No. 2.

The locator claim is 1500 feet in length on said lode, 75 feet running about S 50° E from the center of the discovery monument and 1425 feet running about N 50° W from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.


The dimensions and location of the discovery shaft work is an open cut and excavation along the lode, the size of which exceeds 4 feet by 12 feet by 15 feet, located at the discovery monument, and excavation work done at various points on Benchmark No. 5 and Benchmark No. 6 claims which are contiguous, such work aggregating in excess of \$ 200 cost for the two contiguous claims.

and the location and description of each corner with the markings thereon are as follows:

The northwest no. 1 corner is marked by a 4"x4" redwood post 4 1/2 feet high and is inscribed B5/1X corner of Benchmark No. 5 mine; the northeast no. 2 corner is marked by a 4"x4" redwood post 4 1/2 feet high and is inscribed B5/2X corner of Benchmark No. 5 mine. The southeast no. 3 corner is marked by a 6" dia. juniper post 4 1/2 feet high, inscribed B5/3X corner Benchmark 5 mine; the southwest no. 4 corner is marked by a 4"x4" redwood post 4 1/2 feet high, inscribed B5/4X corner Benchmark No. 5 mine. There is a 4"x4"x4 1/2" redwood post at the centers of each side line marked NSC and SSC respectively. at each corner of each line. The discovery work has been done and the location work completed since April 16, 1965

A. D. 1965Dated MAY 12 A. D. 1965

Julian E. Simpson



* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sink" is used.

‡ The statute uses the word "location" in connection with "corners." That is, the actual geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blasing, marking, letters, etc.

¶ Any record of location which does not contain all the requirements of Section 2424.

FILE NO. **40849**Witnessed by Julian E. Simpson

May 21, 1965, at 49 minutes past 3 P. M. Recorded in Book 7 of Official Records, page 336, Records of EUREKA COUNTY, NEVADA.

Fee: \$ 1.00

Recorder.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 6

The general course of said lode or vein, as near as it may be described, is about S 50° E

The name of the locator is Julian E. Simpson, whose address is Box 305, Corte Madera, California

The said claim was located on the 21st day of March, 1965 A. D. 1965, and is described in respect to from corner no. 1 of Benchmark No. 6 the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 43° E, approximately 12,800 feet. Corner no. 2 of Benchmark No. 6 is identical with corner No. 1 of Benchmark No. 7, corner no. 3 of Benchmark No. 2 and corner No. 4 of Benchmark No. 3.

The locator's claim is 1500 feet in length on said lode, 665 feet running about S 50° E from the center of the discovery monument and 835 feet running about E 50° W from the center of the discovery monument along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation along the lode, the size of which exceeds 7 feet by 12 feet by 25 feet, located at the discovery monument, and excavation work done at various points on Benchmark No. 6 and Benchmark No. 3 claims which are contiguous, such work aggregating in excess of \$ 200 cost for the two contiguous claims.

and the location and description of each corner with the markings thereon are as follows:

The northwest no. 1 corner is marked by a 4"x 4" redwood post 4 1/2 feet high and is inscribed B6/1X corner of Benchmark No. 6 mine:
the northeast No. 2 corner is marked by a 4"x 4" redwood post 4 1/2 feet high and is inscribed B6/2X corner of Benchmark No. 6 mine.
The southeast no. 3 corner is marked by a 4"x 4" redwood post 4 1/2 feet high, inscribed B6/3X corner Benchmark 6 mine: the southwest no. 4 corner is marked by a 6" dia. juniper post 4 1/2 feet high, inscribed B6/4X corner Benchmark No. 6 mine. There is a 4"x 4"x 4 1/2' redwood post marked NSC, and topped 8" dia. x 4 1/2" pinon marked at each corner of each line. The discovery work has been done and the location work completed since April 16, 1965

Dated MAY 12, A. D. 1965

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.
‡ The statute uses the word "location" in connection with "corners." That is to say, the geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.
§ Corner of each of the four corners, with the blazings, markings, markers, etc.
¶ Any record of location which does not contain all the requirements of the statute is void.

Filed for record at the request of Julian E. Simpson at 50 minutes past 3 P. M. Recorded in

Book 7 of Official Records, page 337, Records of EUREKA

COUNTY, NEVADA.

Fee: \$ 1.00

Willis A. McFarlane Recorder

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 7

The general course of said lode or vein, as near as it may be described, is S 50° E

The name of the locator Julian E. Simpson, whose address is Box 305, Corte Madera, California

The said claim was located on the 26th day of February, 1965 A. D. 1965, and is described in respect to* From corner no. 1 of Benchmark No. 7, the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 43° E, approximately 11,300 feet. Corner No. 2 of Benchmark No. 7 is identical with corner no. 1 of Benchmark No. 8, corner no. 3 of Benchmark No. 3 and corner No. 4 of Benchmark No. 4.

The locator claim 8 1500 feet in length on said lode, 1105 feet running about S 50° E from the center of the discovery monument and 395 feet running about N 50° W from the center of the discovery monument along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation along the lode, the size of which exceeds 8 feet by 12 feet by 20 feet, located at the discovery monument, and excavation work done at various points on Benchmark No. 7 and Benchmark No. 8 claims which are contiguous, such work aggregating in excess of \$ 200 cost for the two contiguous claims.

and the location and description of each corner with the markings thereon are as follows:

The northwest no. 1 corner is marked by a 4"x4" redwood post 4 1/2 feet high and is inscribed B7/1X corner of Benchmark No. 7 mine:

the northeast no. 2 corner is marked by a 6" dia. pinon post 4 1/2 feet high and is inscribed B7/2X corner of Benchmark No. 7 mine:

The southeast no. 3 corner is marked by 6" dia. topped live pinon 4 feet high, inscribed B7/3X corner Benchmark 7 mine; the southwest no. 4 corner

is marked by a 4"x4" redwood post 4 1/2 feet high, inscribed B7/4X corner Benchmark No. 7 mine. There is a 4" dia. topped live pinon marked NSC

and 4"x4"x4 1/2" redwood post marked SSC at the centers of the side lines. The discovery work has been done and the location work completed since April 16, 1965

A. D. 1965

Dated May 12, A. D. 1965

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "shaft" is used.

‡ The statute uses the word "location" in connection with "corners." That in connection with the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

FILE NO. **40851**

Filed for record at the request of Julian E. Simpson

May 21, 1965, at 51 minutes past 3 P. M. Recorded in

Book 7 of Official Records, page 338, Records of EUREKA

COUNTY, NEVADA.

Fee: \$ 1.00

Julius A. McLeod, Recorder.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 8

The general course of said lode or vein, as near as it may be described, is S 50° E

The name of the locator Julian E. Simpson, whose address is Box 305, Corte Madera, California

The said claim was located on the 25th day of February 1965 A. D. 1965, and is described in respect to From corner no. 1 of Benchmark No. 8, the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 42° E, approximately 9,800 feet. Corner No. 2 of Benchmark No. 8 is identical with corner no. 3 of Benchmark No. 4.

The locator claims 1500 feet in length on said lode, 780 feet running about S 50° E from the center of the discovery monument and 720 feet running about N 50° W from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation along the lode, the size of which exceeds 5 feet by 12 feet by 25 feet, located at the discovery monument, and excavation work done at various points on Benchmark No. 8 and Benchmark No. 7 claims which are contiguous, such work aggregating in excess of \$ 200 cost for the two contiguous claims,

and the location and description of each corner with the markings thereon are as follows:

The northwest no. 1 corner is marked by a 6" dia. pinon post 4 1/2 feet high and is inscribed B8/1X corner of Benchmark No. 8 mine. The northeast no. 2 corner is marked by a 7" dia. topped live pinon 5 feet high and is inscribed B8/2X corner of Benchmark No. 8 mine. The southeast no. 3 corner is marked by 5" dia. pinon post 4 feet high, inscribed B8/3X corner Benchmark No. 8 mine. The northwest no. 4 corner is marked by a 6" dia. topped live pinon 4 feet high, inscribed B8/4X corner Benchmark No. 8 mine. There is a 7" x 5" topped live pinon marked SSC and a 5" x 4 1/2" pinon post marked NSQ at the center of the side lines. ~~at the center of the claim.~~ The discovery work has been done and the location work completed since April 16, 1965

A. D. 19 65

Dated MAY 12, A. D. 19 65

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to fix the geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, etc., etc.

§ Any record of location which does not contain all the requirements of the statute is void.

Filed for record at the request of Julian E. Simpson

May 21, 1965, at 52 minutes past 3 P. M. Recorded in

Book 7 of Official Records, page 339, Records of EUREKA

COUNTY, NEVADA

Fee: \$ 1.00

Willis A. McNeil Recorder

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 9

The general course of said lode or vein, as near as it may be described, is S 50° E

The name of the locator Julian E. Simpson, whose address is Box 305, Corte Madera, California

The said claim was located on the 11th day of April 1965 A. D. 1965, and is described in respect to From corner no. 1 of Benchmark No. 9 the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 40° E, approximately 14,500 feet. Corner No. 3 of Benchmark No. 9 is identical with corner no. 4 of Benchmark No. 10, corner no. 2 of Benchmark No. 1 and corner no. 1 of Benchmark No. 2.

The locator claim is 1500 feet in length on said lode, 365 feet running about S 50° E from the center of the discovery monument and 1135 feet running about N 50° W from the center of the discovery monument along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation along the lode, the size of which exceeds 5 feet by 12 feet by 20 feet, located at the discovery monument, and excavation work done at various points on Benchmark No. 9 and Benchmark No. 10 claims which are contiguous, such work aggregating in excess of \$ 200 cost for the two contiguous claims.

and the location and description of each corner with the markings thereon are as follows:

The northwest no. 1 corner is marked by a 4"x4" redwood post 4 1/2 feet high and is inscribed B9/1X corner of Benchmark No. 9 mine:

the northeast no. 2 corner is marked by a 7" dia. pinon post 4 1/2 feet high and is inscribed B9/2X corner of Benchmark No. 9 mine:

The southeast no. 3 corner is marked by a 4"x4" redwood post 4 1/2 feet high, inscribed B9/3X corner Benchmark 9 mine: the southwest no. 4 corner

is marked by a 4"x4" redwood post 4 1/2 feet high, inscribed B9/4X corner Benchmark No. 9 mine. There is a 4"x4"x4 1/2' redwood post marked NSC

and SSC at the center of each side line respectively. The discovery work has been done and the location work completed since April 16, 1965

A. D. 19 65

Dated MAY 12, A. D. 19 65

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is the geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the statute.

Filed for record at the request of Julian E. Simpson

May 21, 1965, at 53 minutes past 3 p. M. Recorded in

Book 7 of Official Records, page 340, Records of EUREKA

COUNTY, NEVADA.

Fee: \$ 1.00

Willie A. McPaul Recorder.

File No. 40854

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 10

The general course of said lode or vein, as near as it may be described, is S 50° E

The name of the locator Julian E. Simpson, whose address is Box 305, Corte Madera, California

The said claim was located on the 27th day of February 1965 A. D. 19 65, and is described in respect to from corner no. 1 of Benchmark No. 10 the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 39° E, approximately 13,000 feet. Corner No. 3 of Benchmark No. 10 is identical with corner no. 4 of Benchmark No. 11, corner no. 2 of Benchmark No. 2 and corner no. 1 of Benchmark No. 3.

The locator claim a 1500 feet in length on said lode, 285 feet running about S 50° E from the center of the discovery monument and 1215 feet running about N 50° W from the center of the discovery monument along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation along the lode, the size of which exceeds 6 feet by 12 feet by 20 feet, located at the discovery monument, and excavation work done at various points on Benchmark No. 10 and Benchmark no. 9 claims which are contiguous, such work aggregating in excess of \$ 200 cost for the two contiguous claims.

and the location and description of each corner with the markings thereon are as follows:

The northwest no. 1 corner is marked by a 7" dia. pinon post 4 1/2 feet high and inscribed B10/1X corner of Benchmark No. 10 mine: the northeast no. 2 corner is marked by a 4"x4" redwood post 4 1/2 feet high and is inscribed B10/2X witness corner of Benchmark No. 10 mine. The southeast no. 3 corner is marked by a 4"x4" redwood post 4 1/2 feet high, inscribed B10/3X corner Benchmark 10 mine: the southwest no. 4 corner is marked by a 4"x4" redwood post 4 1/2 feet high, inscribed B10/4X corner Benchmark No. 10 mine. There is a 8" dia. pinon post marked B10/NSC and a 4"x4"x4 1/2' redwood post marked B10/SSC at center of side lines. The discovery work has been done and the location work completed since April 16, 1965

Dated MAY 12, A. D. 1965

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.
‡ The statute uses the word "location" in connection with "corners." That is the geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.
§ Corner of each of the four corners, with the blazings, monuments, etc.
¶ Any record of location which does not contain all the requirements of the statute is void.

FILED FOR RECORD AT THE REQUEST OF Julian E. Simpson

May 21, 1965, at 54 minutes past 3 P. M. Recorded in

Book 7 of Official Records, page 341 Records of EUREKA

COUNTY, NEVADA.

Fees: \$ 1.00

Willis A. McFarland

Recorder

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 11

The general course of said lode or vein, as near as it may be described, is about S 50° E

The name of the locator Julian E. Simpson, whose address is Box 305, Corte Madera, California

The said claim was located on the 24th day of February, 1965 A. D. 1965, and is described in respect to from corner no. 1 of Benchmark No. 11 the SE corner of Section 23, T22N, R10E, Mt. Diablo Meridian, bears about S 37° E, approximately 11,500 feet. Corner No. 3 of Benchmark No. 11 is identical with corner no. 4 of Benchmark No. 12, corner no. 2 of Benchmark No. 3 and corner no. 1 of Benchmark No. 4.

The locator claim is 1500 feet in length on said lode, 505 feet running about S 50° E from the center of the discovery monument and 995 feet running about N 50° W from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation along the lode, the size of which exceeds 4 feet by 12 feet by 30 feet, located at the discovery monument, and excavation work done at various points on Benchmark No. 11 and Benchmark No. 12 claims which are contiguous, such work aggregating in excess of \$ 200 cost for the two contiguous claims.

and the location and description of each corner with the markings thereon are as follows:

The northwest no. 1 corner is marked by a 4"x 4" redwood post 4 1/2 feet high and is inscribed B11/1X corner of Benchmark No. 11 mine: the northeast no. 2 corner is marked by a 7" dia. topped live juniper 4 feet high and is inscribed B11/2X corner of Benchmark No. 11 mine. The southeast no. 3 corner is marked by 8" dia. topped live pinon 5 feet high, inscribed B11/3X corner Benchmark 11 mine: the northwest no. 4 corner is marked by a 4"x 4" redwood post 4 1/2 feet high, inscribed B11/4X corner Benchmark No. 11 mine. There is a 4"x 4"x 4 1/2' redwood post marked B11/NSC and B11/SSC at the center of each side line. The discovery work has been done and the location work completed since April 16, 1965

Dated MAY 12, A. D. 1965

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is, the geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the bearings, markings, letters, etc.

§ Any record of location which does not contain all the required elements of the request of Julian E. Simpson

May 21, 1965, at 55 minutes past 3 P.-M. Recorded in

RENO PRINTING CO., 124 NORTH CENTER ST., RENO, NEVADA

Book 7 of Official Records, page 342, Records of EUREKA

COUNTY, NEVADA.

Fee: \$ 1.00

W. A. DeLoe Recorder.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 12

The general course of said lode or vein, as near as it may be described, is about S 50° E

The name of the locator Julian E. Simpson, whose address is Box 305, Corte Madera, California

The said claim was located on the 24th day of February, 1965 A. D. 19 65, and is described in respect to From corner no. 1 of Benchmark No. 12, the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 35° E, approximately 10,100 feet. Corner No. 3 of Benchmark No. 12 is identical with corner no. 2 of Benchmark No. 4.

The locator claim S 1500 feet in length on said lode, 515 feet running about S 50° E from the center of the discovery monument and 985 feet running about N 50° W from the center of the discovery monument. along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation along the lode, the size of which exceeds 10 feet by 12 feet x 20 feet located at the discovery monument, and excavation work done at various points on Benchmark No. 12 and Benchmark No. 11 claims which are contiguous, such work aggregating in excess of \$ 200 cost for the two contiguous claims.

and the location and description of each corner with the markings thereon are as follows:

The northwest no. 1 corner is marked by a 7" dia. topped live juniper 4 feet high and is inscribed B12/1X corner of Benchmark No. 12 mine. the northeast no. 2 corner is marked by a 6" dia. topped live pinon 4 feet high and is inscribed B12/2X corner of Benchmark No. 12 mine. The southeast no. 3 corner is marked by a 4" dia. juniper post 4½ feet high, inscribed B12/3X corner Benchmark 12 mine. the southwest no. 4 corner is marked by a 8" dia. topped live pinon 5 feet high, inscribed B12/4X corner Benchmark No. 12 mine. There is a 4" dia. 4' topped live pinon marked B12/NSC and 4" x 4" x 4" redwood post marked B12/SSC at center of side lines. The discovery work has been done and the location work completed since April 16, 1965

Dated MAY 12, A. D. 19 65

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the bearings, measurements, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

Filed for record at the request of Julian E. Simpson

May 21, 1965, at 56 minutes past 3 P.M. Recorded in

Book 7 of Official Records, page 343, Records of EUREKA

COUNTY, NEVADA.

Fee: \$ 1.00

Walter C. DePaul Recorder.