الراوح الت

LOCATION CERTIFICATE

This is to certify that the JOHN No. 32	lode mining claim
was located by	on the 13th
day of June	10a 5
The general course of said vein or lode, as near	
north and so	outh.
The claim is situated in the Lyn	nining district
	ate of Nevada, and the discovery monument is located
approximately S 83 1/2° W 905 feet from the	그는 그들은 아이들은 소리를 가고 가장한다면 한국을 하는 것이 되었다. 그는 것이 되었다면 하는 것이다.
T. 35 N.; R. 50 E., M. D. B. & H.	이 있는 사람들은 기를 가게 들어 있다. 그 사람들은 그 가지 않는 것이 없었다.
	n a ROTTherly direction and
	direction from the point of discovery,
with a width of 300 feet on each side of the cent said claim.	er of the vein or lodge along the entire length of
The dimensions and locations of the discov	very work done on the claims are as follows:
a rotary drill hole on the John No. 31	claim costing more than \$600.00.
Hole depth is 330 feet.	
Such work was done atOne	그 살아 아마일 바람들을 한민준 목에를 우리되고 말하는 그는 그 가는 사고 무슨
and results in tending to advance the exploration	10、大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大
said group of claims are as follows:	
	west side center.
a 4"x4"x4%' wood post marked SW	
thence east 600 feet to the	하는 생님은 학생들이 하는 그를 가지 않는 말 생활들이 함께 하는 것이 되는 것이 되는 것이 되는 것이 없는 것이다.
a 4"x4"x415' wood post marked SE corner	大海 建铁锰矿铁矿铁矿 建矿铁 医二十二十二氏
thence north 750 feet,	east side center,
a 4"x4"x4%' wood post markede.as.tside center, _io	hn No. 32, 1500 , feet to the NE corner,
a 4"x4"x4%' wood post marked NE corner Jo	hn No. 32
thence west 600 feet to the nort	hwest corner, the place of beginning,
The east side line of this claim is contiguous t	with the west side line of the John No. 34 claim:
the South end line is contiguous with the north en	
over laps the West side line to configurate with the least at	
the north end line is contiguous with the north	
	lete this location had been performed by
August 2	196.5
Dated this	day of August , 198 5
M. H. White	792 7th Street Elko, Nevada
Name of Locator	Address

BUUK 8 PAGE

File No. 41238

RECORDED AT THE REQUEST OF

Carlin Gold Mining Co.

September 7 A. D. 19.65

At 01 minutes past 8 A M.

in Book 8 of OFFICIAL RECORDS

Page 334-33 Records of

EUREKA COULTY DEYADA Helis a. Motor Recorder

Fee \$. (....

LOCATION CERTIFICATE

. Se.

This is to certify that the	JOHN No. 3	3 444 7		ode mining claim
was located by	White	ол	the 13t	1
The second secon	the State of the State of	아이트 사람이 되는 것		
The general course of said vein o	or lode, as near as	it may be descri	bed is	
+ · ·	orth and south			
The claim is situated in the		yan		mining district.
Furaka	County, State			
approximately due west 900 fee	그 연합 중시네다.	武马至 外,11 万		
T. 35 N., R, 50 E.; H, D. B	er terretaria de la filonomia			
The locator claims 360	feet in a	sout	nerly	direction and
1140 feet in a	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	문항한 하나는 화 화기의	直角型 医流栓性 医二十二烷	おとむいしゃ ひとっだ
with a width of 300 feet on each si		HI TO SERVICE STATE OF THE SER		医牙科氏性 医二十二二十二十二十二
said claim. The dimensions and locations	of the discovery	work done o	n the claims a	e as follows:
a rotary drill hole on the		 1.25 ************************************		
depth is 330 feet,				
Such work was done at				
and results in tending to advance the		. 1941 19 4		
said group of claims are as follows:	John Nos. 32	, 33, 34, 3	5, 36 and 37.	
The corners and said ce	nters of this claim	are located and	marked as follows	:
Beginning at the northwest corner,	a 4"x4"x4%' wood	post marked N	w. corner John	. No. 33
	feet,			A Section of the sect
a 4"x4"x4%' wood post marked West		N. Y		
a 4"x4"x41%' wood post marked _SW				
	feet to the			corner:
a 4"x4"x41½' wood post markedSE				. Corner,
thence north 750		st		side center,
a 4"x4"x416' wood post marked east				
a 4"x4"x4%' wood post markedNE			* 1 * 1 * 1	
600				·····i
are the second s	feet to the northw			hn Va 20
The <u>east</u> side line of this claim over laps				
the south end line is configure with over laps				
the West side line to contiguous with	•			
the north end line is contiguous with				
	ry to complete		<u>.</u>	performed by
\sim 0				
Daved dub	day	of Augus	t	, 198 <u>5</u> .
Mr. H. White		792 7t	h Street	
M. H. White		<u>Elko,</u>	Nevada	***************************************
Name of Locator			Address	£.*

Aut. 16

file No. 41239

RECORDED AT THE REQUEST OF Carlin Gold Mining Co.

September 7 A.D. 1965

At 02 minutes past 8 Aid

in Book 81 of OFFICIAL RECORDS

Page 336-33 Records of
EUREXA COUNTY SEVADA

Lulio Culture Recorder

Fee S 1 0

B00K_

PACE 336

LOCATION CERTIFICATE

This is to o	ertify that the	JOHN No. 34			lode mining claim
was located by	M, H, White			on the13th	
lav of	June	া বিষয়েলীক হিছিল বিষয়ে বিষয়েলীক ক্ষেত্ৰীয়ে জী	194 5.		
=	l course of said vein	The same of the same of	17.15、连龙八字。	ribed is	
	north and	south/			
The claim is	s situated in the	Lynn			mining district
Eureka			to of Novede an		monument is located
	S 71 1/2° W 315	A 2 4 1 2 E 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	6. 概念: 《新聞·編稿》(1)	1960年 - 1000年	
1	T. 35 N.; R. 5		이 실수 화장적인 시간 경기를 된		
				harlı	direction and
			그리는 사람들이 되었다.		일 등록 하는 이 이 경우 보는 1
•			ちゅいし ひんしゃむかいし しょしんごう	rest continues to the second	ne point of discovery the entire length of
ald claim.					
The dimen	sions and locations	of the discor	very work done	on the claims	s are as follows:
a rotary dri	ll hole on the	John No. 34	claim costin	g more than	\$600.00
Hole depth is	s 330 feet.				
uch work was done	e at		point 😝	within a group	of contiguous claims
nd results in ter	iding to advance	the exploration	of such claims	as a group. T	he names of which
aid group of claim	as are as follows:	John Nos.	32, 33, 34,	35, 36 and 3	7.

******************		4.500			
The	e corners and said c	enters of this cla	um are located ar	d marked as fol	lows:
Beginning at th	e northwest corner,	a 4"x4"x4%' wo	ood post marked	N. W. comer .J	ohn No. 34
hence south	750	feet,N	est		side center
4"x4"x4%' wood	post marked West	side center	John No. 3 ¹	t1500. feet to	o theSM corner,
	post marked .SN				과일이 되는 그 그 얼마다
hence east		그 성계적으로 가 있다.	异形性 经销售 医甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基	보다 중 소리 시민들은 하는	corner
		一 医髓膜结束			영화가는 이 기를 모른 등이
	post markedSE				
hence north	The state of the s	feet,	医白色囊皮管 岭南县		side center,
4"x4"x4½' wood j	post marked east	side center,	John No. 34.	1500 , feet to	the NE corner,
4"x4"x4%' wood 1	post markedNE	oomer	John No. 34.		
nence West	600	feet to the nor	thwest corner, the	place of beginn	ing.
Thewest :	alde line of this clair	n is contiguous	with the .east	aide line of the .	lohn No. 32elaim;
ne north end Hn	e is contiguous witi	n the north-	as line of the .55	ld section	feet 16 for 600
				(4) 整个"好"的"好"。	fee:
_	e is contiguous witi				claim.
All location					
An iosiu	August 2	ay w comp			en performed by
·\$************************************	704			, 196	
Dated this	1/2016		day ofAu	gust	
4/M.H.	White		792 7	th Street	
M. H. Whit	*************			Nevada	***************************************
Name	e of Locator	2 · · · · · · · · · · · · · · · · · · ·		Addres	3

File No. 41240

West 1

RECORDED AT THE REQUEST OF CArlin Gold Mining Co.

September 7 A D 1965

At 03 minutes past 8 A M.

in Book B of OFFICIAL RECORDS

Page 338-3Reords of

LUCA COSTY SEVADA
LUCA CALUTAN Recorder

Fee \$ 100

是自義民意認識的各種語言

aranaan oleh uruakti val

LOCATION CERTIFICATE

This is to certify that the	JOHN No. 35 lode mining claim
was located by	nLie on the 13th
day of	198 5.
	r lode, as near as it may be described is
21.	nd south.
	 District the foliage state of the first property of the first of the f
The claim is situated in the Eureka	Lynn mining district,
***************************************	County, State of Nevada, and the discovery monument is located
	from the east 1/4 corner Section 16, T. 35 N.;
R. 50 E.; M. D. B. & M.	
The locator claims360	feet in a direction and
1140 feet in a no	ortherly direction from the point of discovery,
with a width of 300 feet on each sid	le of the center of the vein or lodge along the entire length of
said claim.	of the discovery work done on the claims are as follows:
	John No. 34 claim costing more than \$600.00.

15	
	point (2) within a group of contiguous claims
	e exploration of such claims as a group. The names of which
said group of claims are as follows:	John Nos. 32, 33, 34, 35, 36 and 37.
The corners and said cer	nters of this claim are located and marked as follows:
Beginning at the northwest corner, a	4"x4"x4%' wood post marked N. W. comerJohn No. 35;
thence south 750	feet, west side center,
\ \	side center,
a 4"x4"x4'½' wood post marked SW	
	이 그 아님은 사람들이 아름답을 다 가고 있다.
	feet to the southeast corner;
a 4"x4"x414' wood post marked SE	corner John No. 35
thence north 750	feet, east side center,
a 4"x4"x4%' wood post marked .E.E.S.L	side center, John No. 35, 1500 , feet to the NE corner,
a 4"x4"x41%' wood post marked NE	comer John No. 35
thence West 600	feet to the northwest corner, the place of beginning.
	그는 한글을 하면 중 이번 되었다. 과 첫 스틸리트 이 글로 모든
	is contiguous with the east side line of the John No. 3 laim;
	the south end line of the John No. 34 claim;
the east side line is contiguous with	the east de line of the said Section 16 for 1500 feet;
the SOUth, end line is contiguous with	the north end line of the John No. 36 claim.
All location work necessar	y to complete this location had been performed by
Аиди	ıst 2, 198 5.
Dated this 2/	day of August 1965.
Mr. H. White	
M. H. White	792 7th Street Elko, Nevada
Name of Locator	Address

File No. 41241

RECORDED AT THE REQUEST OF Carlin Gold Mining C.

Septe. 7 A. D. 19 65

At 04 minutes past 8A it

in Book 8 of OFFICIAL RECORDS

Page 340-34 Records of

FUREXA COUNTY DIEVADA

AULO G. AUTOR Recorder

Fee S. _____

LOCATION CERTIFICATE

	- JOHN No. 36	kođe mining claim
was located by	H. White	on the 13th
day of	ne 196 5.	
•		y be described is
	north and south.	到2.第二十二年前2000年,在2000年中,1970年2月,1970年,2010年,1970
· ·		mining district,
	一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一 一	evads, and the discovery monument is located
T. 35 N.; R. 50 E	그는 사람이 사용되고 하는 것이다고	orner Section:16,
:	100	
		northerly direction and
	그 얼마나 작태없다는 전화되었다.	direction from the point of discovery,
sald claim.	each side of the center or t	he vein or lodge along the entire length of
The dimensions and lo	ecations of the discovery wo	rk done on the claims are as follows:
a rotary drill hole on	the John No. 34 claim o	osting more than \$600.00.
Hole depth is 330 feet.		
Such work was done at	ona	point 😂 within a group of contiguous claims
and results in tending to adv	vance the exploration of suc	h claims as a group. The names of which
said group of claims are as foll	lows: John Nos. 32, 3	3, 34, 35, 36 and 37.

The corners and	said centers of this claim are	ocated and marked as follows:
Beginning at the northwest	corner, a 4">4"x4%' wood post	marked N. W. comer John No. 36
thence south 750	feet, west	side center,
a 4"x4"x4%' wood post marked	west side center, John No	경영 기를 보고 그릇을 그렇게 된다.
		. 10. 1500 feet to the 5% corner.
a 4"x4"x4%' wood post marked	SW corner John No.	. 36, 1500 , feet to the SW corner,
a 4"x4"x414' wood post marked	人名英格兰 医毛髓 医皮肤病	36
thenceeast 600	feet to thesouth	36 ; east corner;
thence east 600 a 4"x4"x4%' wood post marked	feet to thesouth	36 ; east corner; 36 ;
thence east 600 a 4"x4"x4%' wood post marked thence morth 750	feet to thesouth SEcornerlohn No feet,east	36 ; east corner; 36 ; side center,
thence east 600 a 4"x4"x4%' wood post marked thence north 750 a 4"x4"x4%' wood post marked	feet to the south SE corner John No. feet, east east side center, John N	36 ; east corner; 36 ; side center, c. 36, 1500 , feet to the NE corner,
thence east 600 a 4"x4"x4%' wood post marked thence north 750 a 4"x4"x4%' wood post marked	feet to the south SE corner John No. feet, east east side center, John N	36 ; east corner; 36 ; side center,
thence east 600 a 4"x4"x4%' wood post marked thence north 750 a 4"x4"x4%' wood post marked	feet to thesouth SE	36 :: east corner; 36 :: side center, o. 36, 1500 , feet to the NE corner, No. 36 ::
thence east 600 a 4"x4"x4%' wood post marked thence north 750 a 4"x4"x4%' wood post marked a 4"x4"x4%' wood post marked thence west 600	feet to the south SE corner John No. feet, east east side center, John No. NE corner John feet to the northwest of over laps	36 :: east corner; 36 :: side center, o. 36, 1500 , feet to the NE corner, No. 36 ::
thence east 600 a 4"x4"x4%' wood post marked thence north 750 a 4"x4"x4%' wood post marked a 4"x4"x4%' wood post marked thence west 600 The west side line of the	feet to the south SE corner John No. feet, east east side center, John No. NE corner John feet to the northwest of over laps its claim to configurate with the	36 east corner; 36 side center, 0. 36, 1500, feet to the NE corner, No. 36 ;
thence east 600 a 4"x4"x4%' wood post marked thence north 750 a 4"x4"x4%' wood post marked a 4"x4"x4%' wood post marked thence west 600 The west side line of the	feet to the south SE corner John No. feet, east east side center, John N NE corner John feet to the northwest o over laps its claim to contiguous with the	side center, 36. side center, 36. side center, No. 36. No. 36. orner, the place of beginning. east side mas of the John No. 28alm;
thence east 600 a 4"x4"x4%' wood post marked thence north 750 a 4"x4"x4%' wood post marked a 4"x4"x4%' wood post marked thence west 600 The west side line of the the north end line is contiguo over lap	feet to the south SE corner John No. feet, east east side center, John No. NE corner John feet to the northwest or over laps als claim to contiguous with the sus with the east sits line outs sus with the east sits line outs	side center, o. 36, 1500, feet to the ME corner, No. 36 orner, the place of beginning. east side mas of the John No. 2 claim; of the John No. 35 claim; of the sald Section 16 for 1500 feet;
thence east 600 a 4"x4"x41½' wood post marked thence north 750 a 4"x4"x41½' wood post marked a 4"x4"x41½' wood post marked thence west 600 The west side line of the north end line is contiguo over lap the south end line is contigue.	feet to the south SE corner John No. feet, east east side center, John No. NE corner John No. feet to the northwest or over laps sis claim to contiguous with the us with the SOUTH end line of the with the north end time of	side center; 36
thence east 600 a 4"x4"x41½' wood post marked thence north 750 a 4"x4"x41½' wood post marked a 4"x4"x41½' wood post marked thence west 600 The west side line of the north end line is contiguo over lap the south end line is contigue.	feet to the south SE corner John No. feet, east east side center, John No. NE corner John feet to the northwest of over laps its claim to contiguous with the court with the east with the line of the court with the line of the	east corner; 36 side center, 36 side center, 36 No. 36, 1500 feet to the NE corner, No. 36 sorner, the place of beginning. east side mas of the John No. 2 claim; of the John No. 35 claim; of the said Section 16 for 1500 feet; of the John No. 31 claim.
thence east 600 a 4"x4"x4%' wood post marked thence north 750 a 4"x4"x4%' wood post marked a 4"x4"x4%' wood post marked thence west 600 The west side line of the north end line is contiguo over lap the south end line is contigue. All location work	feet to the south SE corner John No. feet, east east side center, John No. NE corner John NE corner John feet to the northwest of over laps its claim is costigness with the course with the east with the north end the cornecessary to complete the August 2	ast corner; 36 side center, 36 side center, 36 NE corner, No. 36 NE corner, No. 36 corner, the place of beginning. east side may of the John No. 2calm; of the John No. 35 claim; of the said Section 16 for 1500 feet; of the John No. 31 claim. his location had been performed by 198 5.
thence east 600 a 4"x4"x4%' wood post marked thence north 750 a 4"x4"x4%' wood post marked a 4"x4"x4%' wood post marked thence west 600 The west side line is contiguo the west side line is contiguo over lap the south end line to contiguo over la potent end line to co	feet to the south SE corner John No. feet, east east side center, John No. NE corner John NE corner John side center, John No. feet to the northwest of over laps als claim to contiguous with the cus with the east with the corner w	ast corner; 36 side center, 36 NE corner, No. 36
thence east 600 a 4"x4"x4%' wood post marked thence north 750 a 4"x4"x4%' wood post marked a 4"x4"x4%' wood post marked thence west 600 The west side line of the north end line is contiguo over lap the south end line is contigue. All location work	feet to the south SE corner John No. feet, east east side center, John No. NE corner John No. feet to the northwest of over laps als claim to contiguous with the south end line of the with the north end time of the corner state of the necessary to complete the August 2 day of day of the corner south the feet to the north end time of the necessary to complete the feet to the necessary to complete the necessary to complete the feet to the necessary to complete the necessary to the necessary to complete the necessary the necessary to complete the necessary to complete the necessary the necessar	ast corner; 36 side center, 36 side center, 36 NE corner, No. 36 NE corner, No. 36 corner, the place of beginning. east side may of the John No. 2calm; of the John No. 35 claim; of the said Section 16 for 1500 feet; of the John No. 31 claim. his location had been performed by 198 5.

, ž., ž

343

BOOK<u>8</u> PAGE_

File No. 41242

RECORDED AT THE REQUEST OF Carlin Gold Mining Co.!

September 7 A D 1965

At....05 minutes past8 A .M. in Book 8 of OFFICIAL RECORDS

Page 342-343 Retords of

EUREKA COUNTY) REVADA

ALLE G. ALLEGAR Recorder

Fee S / 00



LOCATION CERTIFICATE

This is to certify that theJOHN_Ho	v 37 lode mining claim
	on the 13th
lay of June	한 수가 하셨습니다. 출작하다 작곡하다 나는 수는 동생님이 느껴 가는 그 학자 사람들이 없는 것이다.
	, as near as it may be described is
north and sout	
The claim is situated in the	Lynn mining district
Eureka Co	ounty, State of Nevada, and the discovery monument is located
pproximately N 71 1/2° E 315 feet	from the W 1/4 corner Section 15,
T. 35 N.; R. 50 E.; I	2000年1月2日 1月1日 新聞 1月1日 1月1日 1月1日 1月1日 1月1日 1月1日 1日 1
The locator claims 100	feet in a Southerly direction and
	집 교사 이번 자선생님의 결약하고 있는 하는 그가 그녀를 하하는 방하다 하는 사람들이 되었다. 목 경영에 만든
	r.ly direction from the point of discovery, the center of the vein or lodge along the entire length of
aid claim.	the center of the ven or loage along the entire length of
The dimensions and locations of th	ne discovery work done on the claims are as follows:
a rotary drill hole on the Joi	hn No. 34 claim costing more than \$600.00.
Hole depth is 330 feet.	
uch work was done at	point 😝 within a group of contiguous claims
	ploration of such claims as a group The names of which
	n Nos. 32, 33, 34, 35, 36 and 37.
and group of claims are as follows:	
	40. 영화 및 [변경도 10] (10 전통 10] (10 전통 10] 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -
The corners and said centers o	of this claim are located and marked as follows:
Beginning at the northwest corner, a 4"x4"	'x4%' wood post marked N. W. corner John. No. 37
ence south 750 feet,	west skie oenter,
	enter,John No. 37, 1500, feet to the SE corner,
4"x4"x414' wood post marked SE corner	이끌고 이 그리고 하는 맛들었다. 일이 되는 이 아니는 본 얼마 없다고 모든 이 분들이 모든 것이 모였다.
ence east 600 feet to	o the <u>southeast</u> corner;
4"x4"x4%' wood post marked SE corner	John No. 37
ence north 750 feet,	east side center,
4"x4"x4%' wood post marked 6951 side ex	enter,lohn No. 3 1 1500 feet to theNE corner,
	lohn_No37_m_\
ence west 600 feet to	the northwest corner, the place of beginning.
The side line of this claim is con-	tiguous with the side line of the claim;
e end line is contiguous with the	end line of theclaim;
	est _ stock line of the said Section 15 for 1500 teen
	# PO
	end line of the
All location work necessary to	complete this location had been performed by
August 2	, 196.5.
Dated this 28 /	day of August , 198 5.
My Lilato	
M. H. White	792 7th Street
Name of Locator	EIko, Nevada
Avante ul lacauf	Address

BOOK &

File No. 41243

RECORDED AT THE REQUEST OF Carlin Gold Mining Co.

__September_7_A_D_19 65
At__06__minutes_post_8_A_M.
in Book__8_of_OFFICIAL_RECORDS
Page_344-34&ords_of

CUREXA COUNTY, NEVADA

Fee \$/