

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the CICERO NO. 1

The general course of said lode or vein, as near as it may be described, is north and south

The name of the locator Julian E. Simpson

The said claim was located on the 29th day of October, 2:00 p.m. A. D. 1965, and is described in respect to From corner no. 1 of Cicero No. 1, the SE corner of Section 23, T22N, R50 E, Mt. Diablo Meridian, bears about S 56° 30' E, approximately 15,700 feet. Corner No. 1 of Cicero No. 1 is identical with corner no. 1 of Cicero No. 2.

The locator claim 1500 feet in length on said lode, 380 feet running south from the center of the discovery monument and 1120 feet running north from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is Excavation work done at various points on Cicero No. 1, Cicero No. 2, Cicero No. 3 and Cicero No. 4 claims which are contiguous, such work aggregating in excess of \$ 400.00 cost for the four contiguous claims.

and the location and description of each corner with the markings thereon are as follows:

The northwest corner is marked by a 6" dia. pinon post 4 1/2 feet high inscribed NW cor. no. 1 corner of Cicero No. 1 mine:
the northeast corner is marked by a 4" diameter post 4 1/2 feet high and is inscribed NE cor. no. 2 corner of Cicero No. 1 mine.
The southeast corner is marked by 6" dia. mahogany post 4 1/2 feet high, inscribed SE cor. no. 3 corner Cicero No. 1 mine: the Southwest corner is marked by a 4" X 4" post 4 1/2 feet high, inscribed SW cor. no. 4 corner Cicero No. 1 mine. There is a 4" dia. post 4 1/2 high and 4" X 4" post 4 1/2 high at the center of the side lines marked ESO and WSO respectively.
The discovery work has been done and the location work completed since 20th day of January 1966

Dated January 20, A. D. 1966

Address of locator
Box 305
Corte Madera
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that drilling work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That word is used to designate the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

FILE NO. 41657
Filed for record at the request of Julian E. Simpson
Jan. 24, 1966, at 03 minutes past 8 A. M. Recorded In
Book 9 of Official Records, page 525, Records of EUREKA
COUNTY, NEVADA.
Fee: \$ 1.00

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the CICERO NO. 2

The general course of said lode or vein, as near as it may be described, is north and south

The name of the locator Julian E. Simpson

The said claim was located on the 29th day of October: 1:15 pm A. D. 19 65, and is described in respect to From corner no. 1 of Cicero No. 2, the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 56° - 30' E, approximately 15,700 feet. Corner No. 4 of Cicero No. 2 is identical with corner no. 4 of Cicero No. 1.

The locator claim 1500 feet in length on said lode, 1300 feet running north from the center of the discovery monument and 200 feet running south from the center of the discovery monument. along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is Excavation work done at various points on Cicero No. 2, Cicero No. 1, Cicero No. 3 and Cicero No. 4 claims which are contiguous, such work aggregating in excess of \$ 400.00 cost for the four contiguous claims.

and the location and description of each corner with the markings thereon are as follows:

The northeast corner is marked by a 6" dia. pinon post 4 1/2 feet high and is inscribed NE cor. no. 1 corner of Cicero No. 2 mine: the northwest corner is marked by a 4" dia. pinon post 4 1/2 feet high and is inscribed NW cor. no. 2 corner of Cicero No. 2 mine. The southwest corner is marked by 4" X 4" post 4 1/2 feet high, inscribed SW cor. no. 3 corner Cicero No. 2 mine; the southeast corner is marked by a 4" X 4" post 4 1/2 feet high, inscribed SE cor. no. 4 corner Cicero No. 2 mine. There is a 4" X 4" post 4 1/2 feet high at the center of each side line marked at ~~the center of each side line~~ The discovery work has been done and the location work completed since January 20, 1966

A. D. 19 66

Dated January 20, A. D. 19 66

Address of locator
Box 305
Corte Madera
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sink" is substituted for "shaft" in the statute.
‡ The statute uses the word "location" in connection with "corners." The word "location" is substituted for "corners" in the statute.
§ Corner of each of the four corners, with the bearings, distances, etc.
¶ Any record of location which does not contain all the requirements of the statute is void.

Filed for record at the request of Julian E. Simpson
Jan. 24, 1966, at 04 o'clock past 8 A. M. Recorded In
Book 9 of Official Records, page 526, Records of EUREKA
COUNTY, NEVADA.
Fee: \$ 1.00

File No.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the CICERO NO. 3

The general course of said lode or vein, as near as it may be described, is north and south

The name of the locator Julian E. Simpson

The said claim was located on the 29th day of October, 1965 at 3:00 pm A. D. 1965, and is described in respect to* From corner no. 1 of Cicero No. 3, the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 56° - 30' E, approximately 15,700 feet. Corner No. 2 of Cicero No. 3 is identical with corner no. 2 of Cicero No. 2.

The locator claim 1500 feet in length on said lode, 1450 feet running north from the center of the discovery monument and 50 feet running south from the center of the discovery monument. along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is Excavation work done at various points on Cicero No. 3, Cicero No. 1, Cicero No. 2 and Cicero No. 4 claims which are contiguous, such work aggregating in excess of \$ 400.00 cost for the four contiguous claims.

and the location† and description of each corner‡ with the markings thereon§ are as follows:

The southeast corner is marked by a 6" dia. pinon post 4 1/2 feet high and is inscribed SE no. 1 corner of Cicero No. 3 mine: the southwest corner is marked by a 4" dia. pinon post 4 1/2 feet high and is inscribed SW No. 2 corner of Cicero No. 3 mine. The northwest corner is marked by a 5" dia. pinon post 4 1/2 feet high, inscribed NW no. 3 corner Cicero No. 3 mine: the northeast corner is marked by a 5" dia. juniper post 4 1/2 feet high, inscribed NE no. 4 corner Cicero No. 3 mine. There is a 4" dia. post 4 1/2 feet high at the center of each side line marked BSC and WSC of Cicero No. 3 ~~discovery work~~ The discovery work has been done and the location work completed since January 20, 1966

A. D. 1966

Dated January 20, A. D. 1966

Address of locator
Box 305
Corte Madera
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "shank" is used.

‡ The statute uses the word "location" in connection with "corners." That is, a geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

FILE NO.

41659

Filed for record at the request of Julian E. Simpson

Jan. 24, 1966, at 05 minutes past 8 A. M. Recorded in

Book 9 of Official Records, page 527, Records of EUREKA

COUNTY, NEVADA.

Fee: \$ 1.00

W. A. Decker Recorder

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the CICERO NO. 4

The general course of said lode or vein, as near as it may be described, is north and south

The name of the locator Julian E. Simpson

The said claim was located on the 29th day of October; 4:10 pm A. D. 1965, and is described in respect to From corner no. 1 of Cicero No. 4, the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 56° - 30' E, approximately 15,700 feet. Corner No. 4 of Cicero No. 4 is identical with corner no. 4 of Cicero No. 3.

The locator claim 1500 feet in length on said lode, 1070 feet running north from the center of the discovery monument and 430 feet running south from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is Excavation work done at various points on Cicero No. 4, Cicero No. 1, Cicero No. 2 and Cicero No. 3 claims which are contiguous, such work aggregating in excess of \$ 400.00 cost for the four contiguous claims.

and the location and description of each corner with the markings thereon are as follows:

The southwest corner is marked by a 6" dia. pinon post 4 1/2 feet high inscribed SW no. 1 corner of Cicero No. 4 mine; the southeast corner is marked by a 4" diameter post 4 1/2 feet high and is inscribed SE no. 2 corner of Cicero No. 4 mine. The northeast corner is marked by 4" dia. juniper post 4 1/2 feet high, inscribed NE no. 3 corner Cicero No. 4 mine; the northwest corner is marked by a 5" dia. juniper post 4 1/2 feet high, inscribed NW no. 4 corner Cicero No. 4 mine. There is a 4" dia. post 4 1/2 high at the center of each side line marked ESC and WSC of Cicero No. 4 at each corner of each line. The discovery work has been done and the location work completed since January 20, 1966

A. D. 1966

Dated January 20, A. D. 1966

Address of locator
Box 305
Corte Madera
California

Julian E. SimpsonJulian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sink" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, FILE NO. 41660

§ Any record of location which does not contain all the requirements of the statute is void.

Filed for record of the request of Julian E. Simpson
Jan. 24, 1966 at 06 minutes past 8 A. M. Recorded in

RENO PRINTING CO., 124 NORTH CENTER ST., RENO, NEVADA, Book 9 of Official Records, page 528, Records of EUREKA

COUNTY, NEVADA.

Fee: \$ 1.00Willie A. McFarlane Recorder.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the CICERO NO. 5

The general course of said lode or vein, as near as it may be described, is north about 18° east

The name of the locator Julian E. Simpson

The said claim was located on the 31st day of October : 10:15 AM A. D. 19 65, and is described in respect to From corner no. 1 of Cicero No. 5, the SE corner of Section 23, T22N, R50 E, Mt. Diablo Meridian, bears about S 55° E, approximately 18,100 feet. Corner No. 3 of Cicero No. 5, is identical with corner no. 3 of Cicero No. 6.

The locator claim 1500 feet in length on said lode, 525' running about S 18° W from the center of the discovery monument and 975 feet running about N 18° E from the center of the discovery monument. along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is Excavation work done at various points on Cicero No. 5 and Cicero No. 6 claims which are contiguous, such work aggregating in excess of \$200.00 cost for the two contiguous claims.

and the location and description of each corner with the markings thereon are as follows:

The southeast corner is marked by a 6" dia. pinon post 4 1/2 feet high and is inscribed SE no. 1 corner of Cicero No. 5 mine:
the southwest corner is marked by a 4" x 4" post 4 1/2 feet high and is inscribed SW no. 2 corner of Cicero No. 5 mine.
The northwest corner is marked by 4" dia. post 4 1/2 feet high, inscribed NW no. 3 corner Cicero No. 5 mine: the northeast corner is marked by a 7" dia. pinon post 4 1/2 feet high, inscribed NE no. 4 corner Cicero No. 5 mine. There is a 4" dia. pinon post 4 1/2 feet high at the center of each sideline of each corner of each line. The discovery work has been marked ESO and WSO of Cicero No. 5
done and the location work completed since January 20, 1966

Dated January 20, A. D. 19 66

Address of locator
Box 303
Corte Madera
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.
‡ The statute uses the word "location" in connection with "corners." That is 41661 geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.
§ Corner of each of the four corners, with the bearings, FILE NO. 41661
§ Any record of location which does not contain all the requirements of the statute is void.

Filed for record at the request of Julian E. Simpson
Jan. 24, 1966, at 07 o'clock past 8 A. M. Recorded in
Book 9 of Official Records, page 529, Records of EUREKA
COUNTY, NEVADA.
Fee: \$ 1.00
Willis A. McPaul Recorder.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the CICERO NO. 6

The general course of said lode or vein, as near as it may be described, is north about 18° east

The name of the locator Julian E. Simpson

The said claim was located on the 31st day of October 31 at 11:30 am A. D. 1965, and is described in respect to* From corner no. 1 of Cicero No. 6, the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S46°E, approximately 19,300. Corner No. 4 of Cicero No. 6 is identical with corner no. 4 of Cicero No. 5.

The locator claim 1500 feet in length on said lode, 1400 feet running about N 18° E from the center of the discovery monument and 100 feet running about S 18° W from the center of the discovery monument. along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is Excavation work done at various points on Cicero No. 6 and Cicero No. 5 claims which are contiguous, such work aggregating in excess of \$ 200.00 cost for the two contiguous claims.

and the location† and description of each corner‡ with the markings thereon§ are as follows:

The northeast corner is marked by a 6" dia. pinon post 4½ feet high and is inscribed NE no. 1 corner of Cicero No. 6 mine:
the northwest corner is marked by a 6" dia. pinon post 4½ feet high and is inscribed NW no. 2 corner of Cicero No. 6 mine.
The southwest corner is marked by a 4" dia. post 4½ feet high, inscribed SW no. 3 corner Cicero No. 6 mine: the southeast corner is marked by a 7" dia. pinon post 4½ feet high, inscribed SE no. 4 corner Cicero No. 6 mine. There is a 5" dia. pinon post 4½ high at the center of each side line marked ESE and WSW of Cicero No. 6 in each corner of each line. The discovery work has been done and the location work completed since January 20, 1966

Dated January 20, A. D. 1966

Address of Locator
Box 303
Corte Madera
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is a geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

Filed for record at the request of Julian E. Simpson

Jan. 24, 1966 at 08

RENO PRINTING CO., 124 NORTH CENTER ST., RENO, NEVADA

Book 9 of Official Records, page 530, Records of EUREKA

COUNTY, NEVADA.

Fee: \$ 1.00

Willis A. DePaul Recorder.