

AMENDED & ADDITIONAL
CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 13

The general course of said lode or vein, as near as it may be described, is S 50° E

The name of the locator Julian E. Simpson

The said claim was located on the 31st day of August, 1965 A. D. 1965, and is described in respect to* From corner no. 1 of Benchmark No. 13, the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 45° E, approximately 12,800 feet. Corner No. 1 of Benchmark No. 13 is identical with corner no. 4 of Benchmark No. 6.

The original location certificate for Benchmark No. 13 is recorded in Book 9 of Official Records, page 181, Records of Eureka County, Nevada.

The locator claims 1500 feet in length on said lode, 180 feet running about S 50° E from the center of the discovery monument and 1320 feet running about N 50° W from the center of the discovery monument. along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation along the ledge or lode, the size of which is at least 30 feet by 15 feet by 7 feet, located at the discovery monument, and excavation work done at various points on Benchmark No. 13 and No. 14 claims which are contiguous, such work aggregating in excess of \$200 cost for the two contiguous claims.

and the location† and description of each corner‡ with the markings thereon§ are as follows:

The northwest no. 1 corner is marked by a juniper post 6" dia., 4½" feet high and is inscribed B13/1X corner of Corner of Benchmark No. 13 mine: the northeast no. 2 corner is marked by a 4" X 4" post 4½" feet high and is inscribed B13/2X corner of Benchmark No. 13 mine. The southeast No. 3 corner is marked by Pinon post 4" in dia., 4½" feet high, inscribed B13/3X corner Benchmark No. 13 mine: the southwest no. 4 corner is marked by a pinon 8" dia., 4" feet high, inscribed B13/4x corner Benchmark No. 13 mine. There is a 4" dia. post, 4½" feet high at the center of each side line ~~marked NSC & SSC~~

~~done and the location work completed since~~ This certificate is in addition to that certain certificate locating the Benchmark No. 13 claim dated November 23 A. D. 1965.

Dated May 23, A. D. 1966...

Address of locator
Box 305
Corte Madera
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

§ Any record or location which does not contain all the requirements of the statute is void.

Certificate of Location

.....Mining District,
.....County,
.....State of Nevada

Dated....., 19..

Recorded at the Request of

Julian E. Simpson

May 31 1966

at 02 min. past 10 o'clock A. M.,
in Volume 10 of

Official Records

page... 548

Eureka

County Records.

Recorder

By Deputy Recorder

Fee \$1.00

FILE NO. 42091

AMENDED & ADDITIONAL

Revised LAW. Sec. 2424

The general course of said lode or vein, as near as it may be described, is S 50° E

The name... of the locator... Julian E. Simpson.

The original location certificate for Benchmark No. 14 is recorded in Book 9 of Official Records, page 182, Records of Eureka County Nevada.

The locator.....claims.....1500.....feet in length
on said lode, 70 feet running about N 50° W from the center of the
discovery monument and about 1430 feet running about S 50° E from the
center of the discovery monument,
along the course of said vein or lode each way from the point of discovery with a width of.....300.....
.....feet on each side of the center
of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation along the ledge or lode, the size of which is at least 30 feet by 15 feet by 8 feet deep, located at the discovery monument, and excavation work done at various points on Benchmark No. 14 and No. 13 claims which are contiguous, such work aggregating in excess of \$200 cost for the two contiguous claims.

and the location† and description of each corner¶ with the markings thereon§ are as follows:

The Northwest no. 1 corner is marked by a 4" x 4" post 4½ feet high and is inscribed B14/1X corner of Benchmark No. 14 mine:

the northeast no. 2 corner is marked by a live pinon, 6" dia. 4 feet high
and is inscribed B14/2x corner of Benchmark No. 14 mine.

The southeast no. 3 corner is marked by 4" X 4" post 4 1/2 feet high,
inscribed B14/3X corner Benchmark No. 14, nine: the southwest no. 4 corner

is marked by a **pinon post** 4" dia 4½ feet high, inscribed B14/4X corner
Benchmark NO. 14 mine. There is a 4 X 4 X 4½ post at the center of
each side line marked NSC & SSC

~~XXXXXXXXXXXXXXXXXXXXXXXXXXXX~~ This certificate is in addition to that
certain certificate locating the Benchmark No. 14 claim dated November 23, 1965
A.D. 19

Dated May 23 A.D. 19 66

Address of locator
Box 305
Corte Madera
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

{ Corner of each of the four corners, with the blazings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

Certificate of Location

Mining District,

County,

State of Nevada

Dated....., 19..

Recorded at the Request of

Julian E. Simpson

May 31 1966

at 03 min. past 10 o'clock A. M.

10 in Volume of

Official Records

page.....550.

Eureka

County Records.

Recorder

By Deputy Recorder
Fee \$1.00

Fee \$1.00

FILE NO. 42092

AMENDED & ADDITIONAL

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 15

The general course of said lode or vein, as near as it may be described, is S 50° E

The name of the locator Julian E. Simpson

The said claim was located on the 31st day of August, 1965
A. D. 1965, and is described in respect to* From corner no. 1 of Benchmark No. 15
the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears
about S 49° E, approximately 12,700 feet. Corner no. 1 of Benchmark No. 15
is identical with corner no. 4 of Benchmark No. 13.

The original location certificate for Benchmark No. 15 is recorded in Book 9 of Official Records, page 183, Records of Eureka County, Nevada.

The locator.....claim.....1500.....feet in length
on said lode, 130 feet running about S 50° E from the center of the
discovery monument and about 1370 feet running about N 50° W from the
center of the discovery monument.
along the course of said vein or lode each way from the point of discovery with a width of....300.....
.....feet on each side of the center
of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation along the ledge or lode, the size of which is at least 50 feet by 12 feet by 6 feet, located at the discovery monument, and excavation work done at various points on Benchmark No. 15 and No. 16 claims which are contiguous, such work aggregating in excess of \$ 200 cost for the two contiguous claims.

and the location, and description of each corner, with the markings thereon, are as follows:

The Northwest no. 1 corner is marked by a top live pinon 8" dia. ⁴/₅ feet high and is inscribed B15/1x corner of Benchmark No. 15 mine:

the northeast no. 2 corner is marked by a pinon post 4" dia. 4½ feet high
and is inscribed B15/2x corner of Benchmark No. 15 mine.

The southeast no. 3 corner is marked by juniper post 4" dia. 4 1/2 feet high,
inscribed B15/3X corner Benchmark No. 15; the southwest no. 4 corner

is marked by a 4" X 4" post 4½ feet high, inscribed B15/4X corner
Benchmark No. 15 mine. There is a 4" X 4" X 4½ post at the center
of each side line marked NSC & SS

~~done and the boundary work completed.~~ This certificate is in addition to that
certain certificate locating the Benchmark No. 15 claim dated November 23
A. D. 1965.

Dated May 23 A. D. 1966

Address of locator
Box 305
Corte Madera
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

5 Any record of location which does not contain all the requirements of the statute is void.

Certificate of Location

.....Mining District,
.....County,
.....State of Nevada

Dated....., 19..

Recorded at the Request of

Julian E. Simpson
May 31 1966
at 04 min. past 10 o'clock A.M.,
in Volume 10 of
Official Records
page 552

Eureka
County Records.

nty Records.
Zeller: O. No. 100.

Recorder

By _____, Deputy Recorder

Fee \$1.00

FILE NO. 42093

AMENDED & ADDITIONAL

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 16

The general course of said lode or vein, as near as it may be described, is S. 50° E.

The name of the locator Julian E. Simpson

The said claim was located on the 31st day of August 1965 A. D. 1965, and is described in respect to* From corner no. 1 of Benchmark No. 16 the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 49° E, approximately 11,300 feet. Corner no. 1 of Benchmark No. 16 is identical with corner no. 4 of Benchmark No. 14.

The original location certificate for Benchmark No. 16 is recorded in Book 9 of Official Records, page 184, Records of Eureka County, Nevada.

The locator claim 1500 feet in length on said lode, 175 feet running about N. 50° W from the center of the discovery monument and 1325 feet running about S. 50° E from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is† and open cut and excavation along the ledge or lode, the size of which is at least 40 feet by 12 feet by 7 feet, located at the discovery monument, and excavation work done at various points on Benchmark No. 16 and No. 15 claims which are contiguous, such work aggregating in excess of \$ 200 cost for the two contiguous claims, and the location‡ and description of each corner§ with the markings thereon¶ are as follows:

The northwest no. 1 corner is marked by a pinon post 4" dia. 4½ feet high inscribed B16/1X corner of Benchmark No. 16 mine: the northeast no. 2 corner is marked by a 4" X 4" post 4½ feet high and is inscribed B. 16/2X corner of Benchmark No. 16 mine. The southeast no. 3 corner is marked by a 4" X 4" post 4½ feet high, inscribed B16/3X corner Benchmark No. 16 mine: the southwest no. 4 corner is marked by a juniper post 4" dia. 4½ feet high, inscribed B16/4X corner Benchmark No. 16 mine. There is a 4" X 4" X 4½ post at the center of each side line marked NSC & SSC ~~XX each corner of rock line. The discovery work has been~~ ~~XXXXXX the existing work completed since~~ This certificate is in addition to that certain certificate locating the Benchmark No. 16 claim dated November 23 A. D. 1965.

Dated May 23, A. D. 1966.

Address of locator
Box 305
Corte Madera
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

¶ Any record of location which does not contain all the requirements of the statute is void.

Certificate of Location

Mining District,

Country,

State of Nevada

Dated..... 19..

Recorded at the Request of

Julian E. Simpson

May 31 1966

at 05 min. past 10 o'clock A.M.,

in Volume 10 of

Official Records

554

Eureka

County Records.

Recorder

By Deputy Recorder

Fee \$100

FILE NO. 42094

AMENDED & ADDITIONAL

Revised Laws, Sec. 2424

The general course of said lode or vein, as near as it may be described, is.....
north and south

The name of the locator Julian E. Simpson

The said claim was located on the 29th day of October, 2:00 p. m. A. D. 19 65, and is described in respect to* From corner no. 1 of Cicero No. 1 the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 56° - 30' E, approximately 15,700 feet. Corner No. 1 of Cicero No. 1 is identical with corner no. 1 of Cicero No. 2.

The original location certificate for Cigero No. 1 is recorded in Book 9 of Official Records, page 525, Records of Bureau County, Nevada.

The locator.....claim.....1500.....feet in length
on said lode, 380 feet running south from the center of the discovery
monument and 1120 feet running north from the center of the discovery
monument
along the course of said vein or lode each way from the point of discovery with a width of...300.....
.....feet on each side of the center
of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is: an open cut and excavation along the ledge or lode, the size of which is at least 30 feet by 15 feet by 8 feet, located at the discovery monument, and excavation work done at various points on Cicero No. 1 and Cicero No. 2 and Cicero No. 3 and Cicero No. 4, all of which are contiguous, such work aggregating in excess of \$ 400. cost for the four contiguous claims, and the location and description of each corner with the markings thereon are as follows:

The northwest corner is marked by a 6" dia. pinon post 4½ feet high inscribed NW cor. no. 1 corner of Cicero No. 1 mine: the Northeast corner is marked by a 4" diameter post 4½ feet high and is inscribed NE cor. no. 2 corner of Cicero No. 1 mine. The southeast corner is marked by a 6" dia. mahogany post 4½ feet high, inscribed SE cor. no. 3 corner Cicero No. 1 mine: the Southwest corner is marked by a 4" X 4" post 4½ feet high, inscribed SW cor. no. 4 corner Cicero No. 1 mine. There is a 4" dia. post 4½ high and 4" X 4" post 4½ high at the center of the side lines marked ESC and WSC, respectively.

This certificate is in addition to that
certain certificate locating the Cicero No. 1 claim dated January 20
A.D. 1966

Dated May 23....., A. D. 1966.....

Address of locator..... Julian E. Simpson.....
Box 305.....
Gorte Madera.....
California.....

* If a natural object, fill in blank with its description. If a permanent monument, describe it.
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.
§ Corner of each of the four corners, with the blazings, markings, letters, etc.
|| Any record of location which does not contain all the requirements of the statute is void.

Certificate of Location

Mining District,
County,
State of Nevada

Dated....., 19.....

Recorded at the Request of

Julian E. Simpson

May 31 19 66

at 06 min. past 10 o'clock A. M.,

in Volume 10 of

Official Records

page 556

Eureka
County Records.

W. A. McFarland
Recorder

By
Deputy Recorder

Fee \$1.00

FILE NO. 42095

AMENDED & ADDITIONAL
CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certif. IES that he ha. s located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the CICERO NO. 2

The general course of said lode or vein, as near as it may be described, is north and south

The name of the locator Julian E. Simpson

The said claim was located on the 29th day of October 1:15 p. m. A. D. 1965, and is described in respect to* From corner no. 1 of Cicero No. 2, the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 56° - 30' E, approximately 15,700 feet. Corner No. 4 of Cicero No. 2 is identical with corner no. 4 of Cicero No. 1.
The original location certificate for Cicero No. 2 is recorded in Book 9, at page 526 of Official Records, of Eureka County, Nevada.

The locator claim 1500 feet in length on said lode, 1300 feet running north from the center of the discovery monument and 200 feet running south from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation along the ledge or lode, the size of which is at least, 40 feet by 15 feet by 5 feet, located at the discovery monument, and excavation work done at various points on Cicero No. 2, Cicero No. 1, Cicero No. 3 and Cicero No. 4 claims, all of which are contiguous, such work aggregating in excess of \$ 400 cost for the four contiguous claims. and the location† and description of each corner‡ with the markings thereon§ are as follows:

The northeast corner is marked by a 6" dia. pinon post 4½ feet high and is inscribed NE cor. no. 1 corner of Cicero No. 2 mine:
the northwest corner is marked by a 4" dia. pinon post 4½ feet high and is inscribed NW cor. no. 2 corner of Cicero No. 2 mine.
The southwest corner is marked by 4" X 4" post 4½ feet high, inscribed SW cor. no. 3 corner Cicero No. 2 mine: the southeast corner is marked by a 4" X 4" post 4½ feet high, inscribed SE cor. no. 4 corner Cicero No. 2 mine. There is a 4" X 4" post 4½ feet high at the center of each side line marked
~~at each corner of the claim. This certificate is in addition to that~~
~~located at the location of the discovery monument.~~
certain certificate locating the Cicero No. 2 claim dated January 20 1966

Dated May 23, A. D. 1966.

Address of locator
Box 305
Corte Madera
California

Julian E. Simpson:

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

Certificate of Location

Mining District,
County,
State of Nevada

Dated....., 19.....

Recorded at the Request of

JULIAN E. SIMPSON

May 31 1966
at 07 min. past 10 o'clock A. M.,
in Volume 10 of
Official Records
page 558

Eureka
County Records.

Recorder

By..... Deputy Recorder
Fee \$1.00

FILE NO. 42096

AMENDED & ADDITIONAL

Revised Laws, Sec. 2424

The Undersigned, hereby certifies.....that.....he.....has.....located a mining

County of Eureka, State of Nevada, on a vein or lode known
as the CICERO NO. 3

The general course of said lode or vein, as near as it may be described, is.....
north and south.

The name of the locator Julian E. Simpson

The said claim was located on the 29th day of October; at 3:00 pm A. D. 19 65, and is described in respect to* From corner no. 1 of Cicero No. 3 the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 56° - 30' E, approximately 15,700 feet. Corner No. 2 of Cicero No. 3 is identical with corner no. 2 of Cicero No. 2

The original location certificate for Cincero No. 3 claim is recorded in Book 9 at Page 527 of the Official Records, of Eureka, County, Nevada.

The locator... claim... 1500... feet in length
on said lode, 1450 feet running north from the center of the discovery
monument and 50 feet running south from the center of the discovery
monument.
along the course of said vein or lode each way from the point of discovery with a width of... 300...
... feet on each side of the center
of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation along the ledge or lode, the size of which is at least 30 feet by 15 feet by 7 feet, located at the discovery monument, and excavation work done at various points on Cicero No. 3, Cicero No. 2 and Cicero No. 4, and Cicero No. 1 claims, all of which are contiguous, such work aggregating in excess of \$ 400 for the four contiguous claims, and the location and description of each corner with the markings thereon are as follows:

The southeast corner is marked by a 6" dia. pinon post 4½ feet high and is inscribed SE no. 1 corner of Cicero No. 3 mine: the southwest corner is marked by a 4" dia. pinon post 4½ feet high and is inscribed SW No. 2 corner of Cicero No. 3 mine. The northwest corner is marked by 5" dia. pinon post 4½ feet high, inscribed NW no. 3 corner Cicero No. 3 mine: the northeast corner is marked by a 5" dia. juniper post 4½ feet high, inscribed NE no. 4 corner Cicero No. 3 mine. There is a 4" dia. post 4½ feet high at the center of each side line marked ~~center of each side line marked~~ ESC and WSC. This certificate is in addition to that certain certificate locating the Cicero No. 3 claim dated January 20 A. D. 1956.

Dated May 23 rd....., A. D. 19 66.....

Address of locator.....
Box 305
Corte Madera.....
California.....

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, lo-wit: at White Gulch or Soda Lake, near its head, etc.

† Corner of each of the four corners, with the blazings, markings, letters, etc.

6 Any record of location which does not contain all the requirements of the statute is void.

Certificate of Location

..... Mining District,

..... County,

..... State of Nevada

Dated....., 19.....

Recorded at the Request of

..... Julian E. Simpson

..... May 31 1966

at 08 min. past 10 o'clock A. M.,

in Volume 10 of

..... Official Records

..... page 560

..... Eureka

..... County Records.

..... Recorder

By

..... Deputy Recorder

Fee \$1.00

FILE NO. 42097

AMENDED & ADDITIONAL
CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the CICERO NO. 4

The general course of said lode or vein, as near as it may be described, is north and south

The name of the locator Julian E. Simpson

The said claim was located on the 29th day of October, at 4:10 pm A. D. 1965, and is described in respect to* From corner no. 1 of Cicero No. 4, the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 56° - 30' E, approximately 15,700 feet. Corner No. 4 of Cicero No. 4 is identical with corner no. 4 of Cicero No. 3.

The original location certificate for Cicero No. 4 claim is recorded in Book 9 at page 528 of the Official Records, of Eureka County, Nevada.

The locator claim 1500 feet in length on said lode, 1070 feet running north from the center of the discovery monument and 430 feet running south from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is Excavation work done at various points on Cicero NO. 4, Cicero No. 1, Cicero No. 2 and Cicero No. 3 claims, all of which are contiguous, such work aggregating in excess of \$ 400 cost for the four contiguous claims.

and the location and description of each corner with the markings thereon are as follows:

The southwest corner is marked by a 6" dia. pinon post 4 1/2 feet high inscribed SW no. 1 corner of Cicero No. 4 mine: the southeast corner is marked by a 4" diameter post 4 1/2 feet high and is inscribed SE no. 2 corner of Cicero No. 4 mine. The northeast corner is marked by a 4" dia. juniper post 4 1/2 feet high, inscribed NE no. 3 corner Cicero No. 4 mine: the northwest corner is marked by a 5" dia. juniper post 4 1/2 feet high, inscribed NW no. 4 corner Cicero No. 4 mine. There is a 4" dia. post 4 1/2 high at the center of each side line marked ~~at each corner of the discovery work~~ BSC of Cicero No. 4 ~~done and the location and dimensions are~~ This certificate is in addition to that certain certificate locating the Cicero No. 4 claim A. D. 19

Dated May 23 rd, A. D. 1966

dated January 20, 1966

Address of locator
Box 305
Corte Madera
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the bearings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

Certificate of Location

Mining District,
County,
State of Nevada

Dated....., 19.....

Recorded at the Request of

JULIAN E. SIMPSON

MAY 31 1966

at 09 min. past 10 o'clock A. M.,

in Volume 10 of

Official Records

page 562

Eureka
County Records.

Recorder

By Deputy Recorder

Fee \$1.00

FILE NO 42098

AMENDED & ADDITIONAL
CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the CICERO NO. 5

The general course of said lode or vein, as near as it may be described, is north about 18° east

The name of the locator Julian E. Simpson

The said claim was located on the 31st day of October, at 10:15 am A. D. 1965, and is described in respect to* From corner no. 1 of Cicero No. 5, the SE corner of Section 23, T22N, R50 E, Mt. Diablo Meridian, bears about S 55 E, approximately 18,100 feet. Corner No. 3 of Cicero No. 5 is identical with corner no. 3 of Cicero No. 6.

The original location certificate for Cicero No. 5 is recorded in Book 9, at page 529 of the Official Records, of Eureka County, Nevada.

The locator claims 1500 feet in length on said lode, 525 feet running about S 18° W from the center of the discovery monument and 975 feet running about N 18° E from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is† an open cut and excavation along the ledge or lode, the size of which is at least 40 feet by 15 feet by 8 feet, located just east of the discovery monument, and excavation work done at various points on Cicero No. 6 and Cicero No. 5 claims, which are contiguous, such work aggregating in excess of \$200 for the two contiguous claims.

and the location‡ and description of each corner¶ with the markings thereon§ are as follows:

The southeast corner is marked by a 6" dia. pinon post 4½ feet high and is inscribed SE no. 1 corner of Cicero No. 5 mine:
the southwest corner is marked by a 4" X 4" post 4½ feet high and is inscribed SW no. 2 corner of Cicero No. 5 mine.
The northwest corner is marked by 4" dia. post 4½ feet high, inscribed NW no. 3 corner Cicero No. 5 mine: the northeast corner is marked by a 7" dia. pinon post 4½ feet high, inscribed Ne no. 4

Cicero No. 5 mine. There is a 4" dia. pinon post 4½ feet high at the center of each sideline marked ESE and WSW of Cicero No. 5, and
~~down and the location work completed since~~ This certificate is in addition to that certain certificate locating the Cicero No. 5 claim A. D. 19

Dated May 23rd, A. D. 1966

dated January 20, 1966.

Address of locator
Box 305
Corte Madera
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

¶ Corner of each of the four corners, with the blazings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

Certificate of Location

.....*Mining District,*
.....*County,*
.....*State of Nevada.*

Dated....., 19..

Recorded at the Request of

Julian E. Simpson

..... May 31 19 56
at 10 min. past 10 o'clock A. M.,
in Volume 10 of
Official Records
page 564

**...iEureka...
County Reco**

Jillie A. McCarty

By Deputy Recorder
Fee \$1.00

FILE NO. 42099

AMENDED & ADDITIONAL
CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the CICERO No. 6

The general course of said lode or vein, as near as it may be described, is north about 18° east

The name of the locator Julian E. Simpson

The said claim was located on the 31st day of October 31, 11:30 am A. D. 19 65, and is described in respect to* From corner no. 1 of Cicero No. 6, the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S46E, approximately 19,300 feet. Corner No. 4 of Cicero No. 6 is identical with corner no. 4 of Cicero No. 5.

The original location certificate for Cicero No. 6 is recorded in book 9, at page 530 of the official records of Eureka County, Nevada.

The locator claim is 1500 feet in length on said lode, 1400 feet running about N 18° E from the center of the discovery monument and 100 feet running about S 18° W from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is Excavation work done at various points on Cicero No. 6 and Cicero No. 5 claims which are contiguous, such work aggregating in excess of \$ 200.00 cost for the two contiguous claims.

and the location† and description of each corner‡ with the markings thereon§ are as follows:

The northeast corner is marked by a 6" dia. pinon post 4½ feet high and is inscribed NE no. 1 corner of Cicero No. 6 mine; the northwest corner is marked by a 6" dia. pinon post 4½ feet high and is inscribed NW no. 2 corner of Cicero No. 6 mine. The southwest corner is marked by a 4" dia. post 4½ feet high, inscribed SW no. 3 corner Cicero No. 6 mine; the southeast corner is marked by a 7" dia. pinon post 4½ feet high, inscribed SE no. 4 corner Cicero No. 6 mine. There is a 3" dia. pinon post 4½ high at

the center of each side line. ~~There are also located on the discovery monument marked ESC and WSC of Cicero No. 6~~ This certificate is in addition to that certain certificate locating the Cicero No. 6 claim A. D. 19 1965 dated January 20, 1966

Dated May 23rd, A. D. 19 66

Address of Locator
Box 305
Corte Madera
California

Julian E. Simpson
Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "aunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

Certificate of Location

Mining District,
County,
State of Nevada

Dated, May 31, 1966

Recorded at the Request of
Julian E. Simpson

at 11 min. past 10 o'clock A. M.,
in Volume 10 of
Official Records
page 566

Eureka
County Records.

Recorder

By Deputy Recorder

Fee \$100

FILE NO. 42100

AMENDED & ADDITIONAL CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the MARIN.

The general course of said lode or vein, as near as it may be described, is north and south.

The name of the locator Julian E. Simpson

The said claim was located on the 9th day of July A. D. 19 65, and is described in respect to* From corner no. 1 of the Marin claim the SE corner of Section 36, T23N, R49E, Mount Diablo Meridian bears about S 57° W about 14,000 feet.

The original location certificate for the Marin claim is recorded in Book 8, at page 520 of the Official Records, of Eureka County, Nevada.

The locator claims 1500 feet in length on said lode, 750 feet running north from the center of the location monument and 750 running south from the center of the location monument. along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation dug along the ledge or lode, the size of which is at least 30 feet by 12 feet by 5 feet located about 200 feet south of the north end line of the Marin claim, and excavation work done at various points on the Marin No. 2 and Marin No. 3 claims, all of which are contiguous, such work aggregating in excess of \$ 300 for the three contiguous claims, and the location and description of each corner with the markings thereon are as follows:

The northwest no. 1 corner is marked by a 5" dia. post 4½ feet high and is inscribed NW cor. no. 1 corner of Marin mine: the NE no. 2 corner is marked by a 5" dia. post 4½ feet high and is inscribed NE no. 2 corner of Marin mine. The southeast corner is marked by 5" dia. post 4½ feet high, inscribed SE no. 3 corner Marin mine: the Southwest corner is marked by a 5" dia. post 4½ feet high, inscribed SW no. 4 corner Marin mine. There is a 5" dia. post at the center of each side line marked NSC & SSC

~~and the location and description of each corner with the markings thereon are as follows:~~
~~document the location and description of each corner with the markings thereon are as follows:~~
This certificate is in addition to that certain certificate locating the Marin claim dated October 1 A. D. 19 65

Dated May 23rd, A. D. 19 66.

Address of locator
Box 305
Corte Madera
California

Julian E. Simpson
Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.
§ Corner of each of the four corners, with the blazings, markings, letters, etc.
¶ Any record of location which does not contain all the requirements of the statute is void.

Certificate of Location

Mining District,
County,
State of Nevada

Dated....., 19.....

Recorded at the Request of
Julian E. Simpson

May 31.....19 66

at.....12 min. past 10 o'clock A. M.,
in Volume 10.....of
Official Records
page.....568

Eureka

County Records.

Julius A. McTear

Recorder

By.....Deputy Recorder
Fee \$1.00

FILE NO. 42101

AMENDED & ADDITIONAL CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the MARIN NO. 2

The general course of said lode or vein, as near as it may be described, is about north about 18° west

The name of the locator Julian E. Simpson

The said claim was located on the 28th day of October at 4:00 pm A. D. 19 65, and is described in respect to* From Corner No. 1 of the Marin No. 2 claim the SE corner of Section 36, T23N, R49E, Mount Diablo Meridian, bears about S 69° W about 13,100 feet. Corner No. 4 of the Marin No. 2 claim is identical with corner no. 4 of the Marin claim, recorded in Book 8, page 520.

The original location certificate for Marin No. 2 claims is recorded in Book 9, at Page 523 of the Official Records of Eureka, County Nevada.

The locator claim 1500 feet in length on said lode, 425 feet running north 18° west from the center of the location monument and 1075 feet running south 18° east from the center of the location monument. along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut 30 ft. by 14 ft. by 6 ft. dug along the ledge or lode about 250 feet south of the north end line and a cut 40 feet by 12 ft by 5 ft. at the location monument and excavation work done at various points on the Marin No. 2 and Marin and Marin No. 3 claim, all being contiguous, such work aggregating in excess of \$300 for the three contiguous claims.

and the location and description of each corner with the markings thereon are as follows:

The southwest no. 1 corner is marked by a 4" dia. post 4½ feet high and is inscribed SW cor. no. 1 corner of Marin No. 2 mine: the southeast no. 2 corner is marked by a 4" dia. aspen post 4½ feet high and is inscribed SE no. 2 corner of Marin No. 2 mine. The northeast no. 3 corner is marked by a 5" dia. post 4½ feet high, inscribed NE cor. no. 3 corner Marin No. 2 mine: then northwest no. 4 corner is marked by a 5" dia. post 4½ feet high, inscribed NW cor. no. 4 corner Marin No. 2 mine. There is a 4" dia. post at the center of

~~each side line marked ESC & WSC at each corner of the claim. The discovery shaft work done and the location work completed since.~~ This certificate is in addition to that certain certificate locating the Marin No. 2 claim dated January 20, 1966 and recorded in the office of the County Recorder of Eureka Co. 1966

Dated May 23rd, A. D. 19 66 on January 24, 1966.

Address of locator
Box 305
Corte Madera
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

Certificate of Location

Mining District,

County,

State of Nevada

Dated, 19

Recorded at the Request of

Julian E. Simpson

May 31, 19 66

at 13 min. past 10 o'clock A. M.,

in Volume 10 of

Official Records

page 570

Eureka

County Records.

Recorder

By

Deputy Recorder

Fee \$1.00

FILE NO. 42102

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

claim in the.....unknown

reka

State of Nevada, on a vein or lode known

as the.....MARIN NO. 3

The general course of said lode or vein, as near as it may be described, is

north and south

The name.....of the locator.

Julian E. Simpson

The said claim was located on the 29th day of October, at 9:00 am

A. D. 19.65, and is described in respect to* From corner no. 1 of the Marin No. 3 claim the SE corner of Section 36, T23N, R49E, Mount Diablo Meridian bears about S 57° W about 14,000 feet.

Corner no. 1 of the Marin No. 3 claim is identical with corner no. 1 of the Marin claim recorded in Book 8, Page 520.

The original location certificate for Marin No. 3 is recorded in Book 9 at Page 524 in the Official Records of the County of Eureka, N

The locator claim is 1500 feet in length

on said lode, 1300 feet running north from the center of the location monument and 200 feet running south from the center of the location

monument.
along the course of said vein or lode each way from the point of discovery with a width of 300
feet on each side of the center

The dimensions and location of the discovery shaft work is 1st and open cut and excavation along the ledge or lode, the size of which is at least 30 feet by 12

feet by 6 feet, located at the discovery monument, and excavation work done at various points on Marin No. 3, Marin, and Marin No. 2

claims, all which are contiguous, such work aggregating in excess of
\$300^{cost} for the 3 contiguous claims.

and the location† and description of each corner‡ with the markings thereon§ are as follows:

The southwest corner no. 1 corner is marked by a 5" dia. aspen post 4 1/2 feet high and is inscribed SW cor. no. 1 corner of Marin No. 3 mine:

the southeast cor. 2 corner is marked by a 5" dia. aspen post 4 $\frac{1}{2}$ feet high
and is inscribed SE no. 2 corner of Marin No. 3 mine.

The NE cor. no. 3 corner is marked by 4" X 4" redwood post 4 1/2 feet high, inscribed NE cor. no. 3 corner Marin No. 3 mine: the NW corner no. 4 corner

is marked by a 4" X 4" redwood post 4½ feet high, inscribed NW cor. no. 4 corner
Main E. 3 mine There is a 4" dia. aspen post at the center

of each side line marked ^{BSC} ~~WSC~~ ~~with a cross at each line.~~ The discovery work has been done and the location ~~work~~ ~~has been completed.~~ This certificate is in addition to that

certain certificate locating the Marin No. 3 claim dated January 1, 1966
 and recorded in the office of the County Recorder of Eureka Co. on

Dated May 23rd....., A.D. 1966..... January 24, 1966.

Address of locator.....
Box 305
Corte Madera
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

† Corner of each of the four corners, with the blazings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

Certificate of Location

Mining District,
County,
State of Nevada

Dated, 19

Recorded at the Request of

Julian E. Simpson

May 31 19 66

at 14 min. past 10 o'clock A. M.,

in Volume 10 of

Official Records

page 572

Eureka

County Records.

Julian E. Simpson

Recorder

By Deputy Recorder

Fee \$1.00

FILE NO. 42103