THIS IS TO CERTIFY that the Jandara No Lode Mining Claim was
located by Att Sun Sile On paration, whose post office address appears
below, on the 8th day of May 19 66
The general course of said lode or vein is
The claim is situated in the Brottstap Mining District, Collecter
County, State of Nevada, in the 16/4 of Section 26,
Township 36 North - Range 496 M. DW.
The locator claim & 1400 feet in a Roscherly
direction and OC feet in a Southerly direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
Open cut trench over 75 feet in length, by 10 feet in
width by over 10 feet in height and depth.
The total cost of such work consisted of at least \$
The corners and side centers of the claim are located and marked as follows:
From the Suttingent corner, a monument marked Sill Cor., thence in a
Northerly direction 750 feet to the W. Lauter corner, a monument marked WSC
Cor, thence feet in a direction to the
Corner senter, a monument marked Mattheway as, thence 600 feet in a Eastily dir-
ection to the 11.64.1 corner, a monument marked 11.6. Cor., thence 750.
feet in a Southerly direction to the East Side! corner, a monument marked E.C.
Cor., thence 750 feet in a Sauthlelly direction to the Sautheut C. eide enter,
a monument marked A be lover so, thence 300 teet Westerly to the point er
recomme of center, thence, 100 feet northerly to point of higning.
Each of the above-described monuments is
All location and discovery work necessary to complete this location had been performed by
July 22
S. W. L. +
(Address)
By Mon Polastas-lie Bey 404- Buston Bldg,
(Name of Locator)  (Address)  And Address
(Name of Locator) (Address)
File No

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

RECORDED AT THE REQUEST OF Sun Tide Corporation

July 25 A. D. 19

at ... 05 minutes past 8 A. M.
in Book 11 of OFFICIAL RECORDS

Page 209 Records of SHREKA COUNTY, NEVADA

EHREKA COUNTY, NEVADA

Recorder 1:00

THIS IS TO CERTIFY that the	PANDORA	No. 2	Lode	Mining Claim was
located by SUN TIDE COF	PORATION		, whose post of	fice address appears
below, on the 8th day of				
The general course of said lode or vei				LIX
The claim is situated in the	OOTSTRAP		Mining District,	EUREKA
County, State of Nevada,i	n the N	E% of Se	ction 26,	Township
36 North Range 49 East, M	<u>Diablo M</u>	<u>leridian</u>		
The locator in claim 1400	) 	feet in a	NORTHE	RLY
direction and100	feet	in a	SOUTHERLY	direction
from the point of discovery, with a width	of	300	(- <del></del> 11	feet on each
side of the center of the vein or lode along	the entire len	gth of said c	laim.	7
The dimensions and locations of the	discovery work	k done on th	e claim are as f	ollows:
Open cut trench over	75 feet i	n length	, by 10 fee	et in
width by over 10 feet	in heigh	t and de	pth.	
***************************************	,			
The total cost of such work consisted	of at least \$	150.00	/	
The corners and side centers of the cl				
From the Southwest corner, a				
Northerly 750 feet to	West si	COIT	er, a monument	markedWSC
Cor, thence 750 feet in a	Northe:	rly direct	ion to theNO	rth west XX
XXXXX monument marked NOT thwe	記.t <b>老妈 t</b> her	<sub>10e</sub> 600_	feet in a <u>Ea</u>	sterly dir-
ection to the Northeast corner, a	. monument ma	rked	Cor	750
Southerly feet in a direction to the	East Sid	e C corner,	a monument ma	rked ESC
Cor., thence750 feet in aS	outherly	direction t	o the Southe	ast
a monument markedS.E. Corner center, thence 100 feet N	SEC thenceortherly	300 feet to point	Westerly of beginn	ing.
Each of the above-described monumen	is is4.X	4 Pine	Posts	
All location and discovery work nec	essary to com	plete this	location had b	een performed by
July 22	9 66		•	·
SUN TIDE_CORPORATION,				
(Name of Locator)	, 		Address)	
By: Tom P. Costas, Vice, I	resident.		04 Boston	
(Name of Locator)	•		alt Lake (	lity, Utah
(Name of Locator)		(	Address)	12257
		-	RECORDED	AT THE REQUEST OF de Corp.
·			July 2	7. V. 17
			in Erok 11	of OFFICIAL RECORDS
TO BE FILED WITH THE COUNTY F	ECORDER		G EUREKA	COUNTY, NEVADA
IN A CLEAR AND LEGIBLE FO	RM.		Recorder	U. Welask

THIS IS TO CERTIFY that the PANDORA NO. 3	Lode Mining Claim was
located by SUN TIDE CORPORATION	, whose post office address appears
below, on the 8th day of May	, 1966.
The general course of said lode or vein isNORTHER	IY A SOUTHER IX
The claim is situated in the	Mining District, EURBKA
County, State of Nevada, in the NEX of	Section 26, Township
36 North Range 49 East, Mt Diablo Meridia	\ \
The locatur. S claim. 1400 feet is	in a NORTHERIN
direction and feet in a	
from the point of discovery, with a width of	feet on each
side of the center of the vein or lode along the entire length of said	d claim.
The dimensions and locations of the discovery work done on	the claim are as follows:
Open cut trench over 75 feet in lengt	th, by 10 feet in
width by over 10 feet in height and d	depth.
The total cost of such work consisted of at least \$	00
The corners and side centers of the claim are located and mark	ked as follows:
From theSouthwest corner, a monument marked	S.W. Cor., thence in a
Northerly rection 750 feet to the West side cent	ter omer, a monument marked
Corner Northwest MV thence	O feet in a Easterly dr.
feet in a Southerly direction to the East Side C corne	er, a monument markedESC
Cor., thence	•
a monument marked g.E. Corne fixthence 300 for center, thence 100 feet Northerly to point the same of th	nt of beginning.
Each of the above-described monuments is	e Posts
All location and discovery work necessary to complete this  July 22  , 19. 66	s location had been performed by
SUN TIDE CORPORATION,	(Address)
By: Townson English, Vice President.	404 Boston Bldg., (Address) Lake City, Utah
(Name of Locator)	14 Mar Fores - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
(Static Of BOOGOT)	(Address) File No. 42258
	RECORDED AT THE REQUEST O
	July 25 A.D. 19
	in Book 11 of OFFICIAL RECO
TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.	FUREKA COUNTY, NEVADA
	Recorder

THIS IS TO CERTIFY that the PARDORA I	On 4 Lote Mining Claim was
located by	renderal de la companya de la compa
below, on the 8th day of May	\$\$P\$\$\$\$\$\$P\$在\$P\$在\$P\$\$P\$\$P\$\$P\$\$P\$\$P\$\$P\$\$P\$
The general course of said lode or vein is	<b>移送的复数分类规定分配建设设置</b> 。
The claim is situated in the BOOTSTPAP	化分离子类 化氢 化成分类型 经保险 医经验性 医甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基甲基
County, State of Nevada,	的复数 经基础的基础 医动物性 医动物性 医动物性 医二氏性 医二氏性 医二氏性 医二氏性 医二氏性 医二氏性 医二氏性
	· 阿克利拉尼雷拉克特索尔 的复数高级拉克普及克里克 (1974年)。 1974年,1975年,1976年,1976年,1976年,1976年,1976年,1976年,1976年,1976年,1976年,1976年,19
76 North Range 49 Bast, Ht Blable Me	BORTHER
The locatorg claim	
ilrection and feet is	的最终就是这些的现在分词是对象的影響的发生的影响,这个人们的对象,但是不是一个的人。
from the point of discovery, with a width of	100 man
side of the center of the vein or lode along the entire lengt	h of said claim.
The dimensions and locations of the discovery work	
	et in length, by 10 feet
in width by over 10 feet in	n height and depth.
The total cost of such work consisted of at least \$	150.00
The corners and side centers of the claim are located	and marked as follows:
from the	ed Bowe Cor, thence in a
ortherlyirection 750 feet to the West side	e eoner, a gonument maried
Cor., thence750feet in aCorther	
Corner enter a monument marked	
ction to the	
eet in a Southerly direction to the Bast Side	。 【表表的表数:《《全学》:"是是是是是是是是是是是一个的。"(),如此是一个一个一个一个是一个的。
Cor., thence	
	是可是是是包含的数据数据数据分析 人名英格兰 计自由语言的复数
monument marked	o point of beginning.
Each of the above-described monuments is	A Pice Posts
All location and discovery work necessary to compl	ete this location had been performed by
July 22 166	
SUN TIDE CORPORATION.	
Of Section of Longson)	(Address)
by Toname of Estato) Vice President.	404 Roston Bldg.,
	Särr lake City, Utah
(Name of Locator)	(Address) Fla No. 42259
	RECORDED AT THE REQUEST OF Sun Tide Corp.
	July 25 A.D. 19
	et 1888 in the second of the s
O BE FILED WITH THE COUNTY RECORDER	Page 212 Records EUREKA COUNTY, NEYADA
IN A CLEAR AND LEGIBLE FORM:	Recorder 1 00
	xecorder1.00

THIS IS TO CERTIFY that the PANDORA NO. 5	Lode Mining Claim was
located by	, whose post office address appears
below, on the 8th day of May	., <sub>19.</sub> 66
The general course of said lode or vein isNORDHENI	A Souther & A
The claim is situated in theBOOTSTRAP	
County, State of Nevada, in the UEK of S	
36 North Range 49 Rast, Ht Diable Meridian	
The locator a claim 1400 feet in	a HORTHERLY
direction andfeet in a	
from the point of discovery, with a width of	feet on each
side of the center of the vein or lode along the entire length of said	claim.
The dimensions and locations of the discovery work done on	the claim are as follows:
Open cut trench over 75 feet in .	length, by 10 feet
in width by over 10 feet in heigh	ht and depth.
The total cost of such work consisted of at least \$150.0	0
The corners and side centers of the claim are located and mark	ed as follows:
From theSouthwest corner, a monument marked	• V/ • Cor., thence in a
Northerly rection 750 feet to the West aide cent	
Cornor Cor., thence	
ection to the	- ACA
feet in a Southerly direction to the East Side C corne	
Cor., thence	
a manufact marked B is Comparationed 300 fe	et Vooterly to the point of
center, thence 100 feet Northerly to poin	14 02 00821111200
Each of the above-described monuments is A X 4 Pine	Pouts.
All location and discovery work necessary to complete this	location had been performed by
July 22 19.66	
CONTRACTOR OCCUPANTON	
SUN TIDE CORPORATION,	(Address)
Top F. Cotas, Vice, President.	404 Boston Bldg.,
(Name of Destor)	(Addresslake City, Utah
(Name of Locator)	(Address) File No. 42260
	RECORDED AT THE REQUEST OF Sun Tide Corp.
	July 25 A.P. 19
	of .09 minutes past 8 A. M. in Brok 11 pf_OFFICIAL RECORDS
	Page
TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.	Tulia a Me Taoli
CANAL TAIL THEOLOGY FORM.	Recorder 1.00

TANDODA N	·n 6	a a ser to seritor our
THIS IS TO CERTIFY that thePANDORA_N		
located by SUN TIDE CORPORATION	, whose p	ost office address appears
below, on the 8th day of May		
The general course of said lode or vein is	ORTHERLY & SOU	THERLY
The classificated in the BOOTSTRAP	Mining Dia	trict, EUREKA
County, State of Nevada,in the N.E.% O	f Section 26,	Township
36 North Range 49 East, MDM		\ \
The locator claim 5 1400	Nort	herly
direction and		Y direction
from the point of discovery, with a width of		\ \
		Icet on caus
side of the center of the vein or lode along the entire leng		
The dimensions and locations of the discovery work		
Open cut trench over 75 fe	et in length	by 10 feet
in width by over 10 feet i	n height and d	epth
***************************************		
The total cost of such work consisted of at least \$	150.00	
The corners and side centers of the claim are located		3:
From the Southwest corner, a monument mark	S.W.	. Cor., thence in a
Northerl Firection		
Corner 750 feet in a Northe		
Corner NW  ********, a monument marked Northwest *** thence	600	Easterly
	. \	
ection to theNortheast corner, a monument man	1 1	
feet in a Southerly direction to the East Side	/ /	
Cor., thence	/	
a monument marked S.E. Cor. SC, thence center, thence, 100 feet Northerly beginning.	to point of be	ginning.
Each of the above-described monuments is	********************************	**************************************
All location and discovery work necessary to comp	olete this location h	ad been performed by
July 22 1966		
	104 Daniel 1013	_
SUN TIDE CORPORATION,	404 Boston Bld. Lt Lake (Address)	g., Utah
Tom P. Costas-Vice Pres.	(1144,000)	
(Name of Locator)	(Address)	140-949 877777777 140 447777 (144 44 44 44 44 44 44 44 44 44 44 44 44
(Name of Locator)	(Address)	Fig. No. 42261
		RECORDED AT THE REQUEST OF Sun Tide Corp.
	-	July 25 A D 19
		of 10 minutes part 8 A. I
		FUREKA COUNTY, NEVADA
TO BE FILED WITH THE COUNTY RECORDER		Telles a Detast

THIS IS TO CERTIFY that thePANDORA	NO. 7 Lode Mining Claim was
OTTAL METER MADE AND A METAL	
below, on the day of May	
The general course of said lode or vein is	
The visual is situated in the BOOTSTRAP	
County, State of Nevada, in the N.E.X	of Section 26. Township
	\ \
36 North Range 49 East, MDM	
The locator claim	feet in a
direction and fee	et in a SOUTHERIX direction
from the point of discovery, with a width of	300 feet on each
side of the center of the vein or lode along the entire le	ength of said claim.
The dimensions and locations of the discovery we	ork done on the claim are as follows:
Open cut trench over 75 feet i	n length, by 10 feet in
width by over 10 feet in heigh	t and depth.
The total cost of such work consisted of at least \$	150.00
The corners and side centers of the claim are locat	
From the Southwest corner, a monument m	
Northerlairection 750 feet to the West  Corner Cor, thence 750 feet in a Nort  EX. A monument marked Northwest 55 th	herly direction to the Northwest
ection to theNortheast corner, a monument m	narked N.E. Cor., thence 750
feet in a Southerly direction to the East Si	de C corner, a monument marked
Cor., thence750 feet in aSoutherly	/ /
S.E. Cor. xx	300 Westerly
a monument marked S.E. Cor. SC, thence center, thence, 100 feet Northerly beginning.	to point of beginning.
Each of the above-described monuments is	
All location and discovery work necessary to co	mplete this location had been performed by
July 22 , 19 66	
SUN TIDE CORPORATION,	404 Boston Bldg.,
By Ton P. Costas-Vice Pres.	alt Lake (11) Utah
	(Address)
	/m mar and A
(Name of Locator)	(Address) 42262
	File No
	Sun_Tide_Corp. July_25A_D_19

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

Sun Tide Corp.

July 25 A. D. 19 66
et 11 minutes pair 8 A. M.
in froi 11 of OFFICIAL RECORDS
Page 215 Records of

Recorder

Fr. 1.00

PANDOR	A NO. S Lode Mining Claim was
SIN TIPE CORPORATE	ON
located by	, whose post office address appears
below, on the day ofMay	
The general course of said lode or vein is	NORTHERLY & SOUTHERLY
	Mining District, EUREKA
County, State of Nevada,	X of Section 26, Township
36 North Range 49 East, MD	M
The locator claim	Wowthowle
100	feet in a SOUTHERLY direction
from the point of discovery, with a width of	300 feet on each
side of the center of the vein or lode along the entire	
The dimensions and locations of the discovery	work done on the claim are as follows:
Open cut trench over 75 feet	in length, by 10 feet in
width by over 10 feet in hei	ght and depth.
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	350.00
The total cost of such work consisted of at least	\$ 150.00
The corners and side centers of the claim are loc	ated and marked as follows:
Southwest	marked Cor., thence in a
750 Nor  Brner Cor., thence feet in a	thence 600 feet in a Easterly dir-
ection to the Northeast corner, a monument	marked N.E. Cor., thence 750
	1de C ESC
	direction to the Southeast side center,
S.E. Cor. xx	300 Westerly
Menument marked 100 feet Northern	y to point of beginning to the point of
beginning.	
Each of the above-described monuments is	
All location and discovery work necessary to	complete this location had been performed by
July 22 19 66	
//	hat make make
SUN TIDE CORPORATION.	404 Boston Bldg., Salt Lake City, Utah (Address)
By Tom P. Costas-Vice Pres.	(Addřess)
(Name of Locator)	(Address)
(Name of Locator)	(Address)  File No. 42263
	RECORDED AT THE REQUEST O
•	Sun_Tide Corp
	at 12 minutes past 8 A.
NO DE ELLED MUMI MUE CONTRA	$r=0.08$ $\frac{11}{216}$ of OFFICIAL RECORDANCE $\frac{216}{216}$ Record.
TO BE FILED WITH THE COUNTY RECORDER  IN A CLEAR AND LEGIBLE FORM.	EUZEKA COUNTY, NEVADA

THIS IS TO CERTIFY that the PANDORA NO.	Lode	Mining Claim was
SUN TIDE CORPORATION		-
pelow, on the day of	· ·	water appro-
		)T.V
The general course of said lode or vein is	MINNAL & DOULIN	C27.75.75.4
The clair situated in the BOUTSTHAP	Mining District,	BUREKA
in the N.E.% of	Section 26, Town	enip
36 North Range 49 East, MDM	- ( + 1 PP - 1   1   1   1   1   1   1   1   1   1	
The locatorclaim	Northerl	<b>J</b> \ \
300		direction
irection and feet in	&	direction
rom the point of discovery, with a width of	700	feet on each
ide of the center of the vein or lode along the entire length	of said claim.	
The dimensions and locations of the discovery work d	lone on the claim are as f	ollows:
Open cut trench over 75 feet in 1	ength, by 10 feet	in
width by over 10 feet in height a		
	, , , , , , , , , , , , , , , , , , ,	
	150.00	
The total cost of such work consisted of at least \$		
The corners and side centers of the claim are located as		
From thecorner, a monument marked	3 • W • 1 Cor.,	thence in a
ortherly direction 750 feet to the West 8.	Center	marked WSC
750 Norther.	ly Noz	thwest
Priner Cor., thence	direction to the 600 Eac	terly
enter, a monument marked		
ction to the liortheast corner, a monument market		
Southerly East Side (	corner, a monument ma	ESC
Cor, thence feet in a Southerly	direction to the	side center,
3.E. Cor. xx 300	) Westerly	•
nter, thende, 100 feet northerly to	point of beginni	ng. w the point of
beginning.		
Each of the above-described monuments is		******************************
All location and discovery work necessary to complete	te this location had b	een performed by
July 22 19 66		
SUN TIDE CORPORATION. 404	Boston Bldg.,	
Salt Salt	Lake City, Utah	
By Tom P. Contas-Vice Pres.	(Address)	
(Name of Locator)	(Address)	
(27	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
(Name of Locator)		No
	·	orded at the REQUEST OF n Tide Corporati
•	**********	uly 25 A. D. 19 66
	at . ::t in Ecol	11 of OFFICIAL RECORE
O RE EURD WIND WIT COMPANY	Page .	217 Records
O BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.	ر الم	ilis a Detas
TOTAL	Record	er £1.00

THIS IS TO CERTIFY that the PASPORA	NO. 10 L	de Mining Claim was
ocated by SUN TIDE CORPORATION	whose post	office address appears
elow, on the 9 day of May	in the second se	-
The general course of said lode or vein is		RRIX
The claim is situated in the BOOTSTRAP	Mining District	RIBERA
ounty, State of Nevada, in the N.B.X	of Section 26, To	mehip
36 North Range 49 Bast, MIM		( )
		-1-
	feet in a Norther	- <del> </del>
rection andfee	t in a BOUTHBRIA	direction
om the point of discovery, with a width of	300	feet on each
ds of the center of the vein or lode along the entire les	ngth of said claim.	7
The dimensions and locations of the discovery wo	rk done on the claim are a	s follows:
Open out trench over 75 feet in		
width by over 10 feet in heigh		
	-	
		<u> </u>
The total cost of such work consisted of at least \$	150.00	
The corners and side centers of the claim are locate	d and marked as follows:	
Sauthwaat	ี่ นี้.พ.	
rom the corner, a monument ma		r, thence in a
rener Cor., thence feet in a little line line line line line line line li		Botorly dir-
ction to the	arked N.E. (	Cor., thence 750
Southerly Bast Side	e C corner, a monument a	narked
750 Southerly	1 1	
8.F. Cor. xx	700 H09107.	<b>13</b> .
New Horiet 100 rest Hor Herly	to point of begin	to the point of
beginning.		
Each of the above-described monuments is	·····	***************************************
All location and discovery work necessary to con	npiete this location had	been performed by
July 22 19 66	• •	•
, , , , , , , , , , , , , , , , , , , ,	106 Tandam T\$Am	
Sun Tipe Conformation	404 Boston Bldg., 1t Loke City. Utal	h
hy for P. Cootho-Vice Proc.	(Address)	~
(Name of Locator)	(Address)	***************************************
	**************************************	
(Name of Locator)		No. 42265
	· REC	CORDED AT THE REQUEST OF Sun Tide Corp.
•	L	July 25 A D. 19
	at In Bro	1 11 of OFFICIAL RECO
	Page .	218 Record
O BE FILED WITH THE COUNTY RECORDER	The State	ureka county, nevada Llis G. No To
IN A CLEAR AND LEGIBLE FORM.	Record	ler 2 20

THIS IS TO CERTIFY that the	BAZZA WO.	Z 10d	e Mining Claim was
located by SUN TIDE CORP			
below, on the 2nd day of			are sumes appears
The general course of said lode or		the stage of the s	X .
The general course of said lode or  The claim is situated in the	COMPANY TO		ZIIDEKA
		원하다 하다 그 경기 가장 하는 것이 없다.	
County, State of Nevada,			. Tomahip
36 North Range 49 East,	MDM		
The locator claim	1		' \
direction and100	feet in a	Southerly	direction .
from the point of discovery, with a wid	th of	<b>3</b> 00	feet on each
aide of the center of the vein or lode ai	ong the entire length	of said claim.	
The dimensions and locations of	he discovery work do	one on the claim are as	follows:
Open cut trench over			
by over 10 feet in he			
8 <del>000</del> 1.942.40, / , : 14: 14: 15: 15: 16: 16: 16: 16: 16: 16: 16: 16: 16: 16			
The total cost of such work consist	ed of at least \$ 150	200	÷
The corners and side centers of the			•
From the Southwest corner,			_
Norther Laction 750 feet	o the West eide	Center, a monument	marked WSC
	n a Northerly	direction to the HOT	thwest The
center, a monument marked	AND THE RESERVE OF THE PERSON NAMED IN COLUMN TO SERVE OF		
ection to the N.East corne			
feet in a <b>Southerly</b> direction to		1	
	/	1	
Cor., thence			
a monument marked S.R. Corne			
beginning.	rees MOT sucry	to point of st	8
Each of the above-described monum	ents is	A Pine Posts	
All location and discovery work	ecessary to complete	this location had	een performed by
July 21	, <sub>19</sub> 66		
SUN TIDE CORPORATION.	#0# 1	Boston Bldg.,	
SUN TIDE CORPORATION,	,	loke 01ty Utal	***************************************
- Dong To accept	Pres.	(Address)	
(Name of Locator)		(Address)	
(Name of Locator)	f driver) tirrumpinum experimentario participando en mendario	(Address)	400
		(Municoo) Eil-	422KR
		•	No. 4266
		REC S	ORDED AT THE REQUEST OF UN TIDE
•	• .	REC S	ORDED AT THE REQUEST OF un Tide Corp. y 25
•	• .	REC S <u>Jul</u> 15	ORDED AT THE REQUEST OF un Tide Corp. y 25

THIS IS TO CERTIFY that theBAZZE			Lode Mining Claim was .
located by SUN TIDE CORPORATION		, whose poo	t office address appears
below, on the 2nd day of May	***************************************	196 <b>f</b> .	
The general course of said lode or vein is	NORTHERLY	& SOUTH	ERLY
The claim is tuated in the BOOTSTRAP	The second secon	Mining Dist	ict, EUREKA
County, State of Nevada,in_the_Sig_of			
36 North Range 49 East, MDM			
The locator	feet in	North	erly
direction and		-	\ \
from the point of discovery, with a width of			\ \
side of the center of the vein or lode along the entire		1	
The dimensions and locations of the discovery			ng follows:
Open cut trench over 75 feet in			
by over 10 feet in height and	neprn.		
	750.00	) )	
The total cost of such work consisted of at least		/ /	
The corners and side centers of the claim are loc			
From the Southwest corner, a monument			
Northerly 750 feet to the West			
	rly direc	tion to the !	Iorthwest Har
center, a monument marked Northwest 56,			
ection to the N.East corner, a monument	marked	I.E.	. Cor., thence 750
reet in a Southerly direction to the East S	ide C corner,	, a monumen	marked ESC
Cor., thence	direction f	to the Sout	reast C XXXXIII.
of center, thence, 100 feet Nort beginning.	300 feetherly to p	wester	to the point of beginning.
Each of the above-described monuments is	4 X 4 Pir	ne Posta	
All location and discovery work necessary to	complete this	location ha	i been performed by
July 21 19 66.	-	•	·
	404 Bostor	n Bldg	
	Salt Lake		tah
By- Tom P. Costas, Vice Pres.	1440-1411-1411-1411-1411-1411-1411-1411		
(Name of Locator)	. —	(Address)	
(Name of Locator)	**************************************	(Address)	42267
			RECORDED AT THE REQUEST C
•		 	July 25
		ė.	16 minutes past 8 A.
		Pa	ga 220 Record
TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM,		9:	EUREKA COUNTY, NEVADA
	,	Re	corder 1 00

THIS IS TO CERTIFY that the			Mining Claim was
	PORATION	, whose post of	ice address appears
below, on the day of			
The general course of said lode of	r vein is NORTH	Br <b>ix &amp; S</b> outherl	<u> </u>
The claim is a reated in the			
County, State of Nevada,			
36 North Range 49 Rast.			
The locator claim.			•
			\ \
direction and100			\ \
from the point of discovery, with a w			feet on each
side of the center of the vein or lode	along the entire length of	said claim.	
The dimensions and locations of Open cut trench over			
by over 10 feet in b	eight and depth.		
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)			
	inted of at least 4 350	oo : / /	
The total cost of such work cons		\ / /	
The corners and side centers of t			
From the Southwest come			
Norther Grection 750 fee			
	t in a Northerly	direction to the NOT	threat theyd
center, a monument marked Nort			
ection to the N.East corr	ner, a monument marked .	N.B. Con	, thence 750
feet in a Southerly direction	to the Enst. Side. C.	corner, a monument ma	ked ESO
Cor., thence750 feet in	aSoutherly dir	ection to the Souther.	4.0. Expresser.
		/	
	ASTRC, thence 200	Ieet <u>v=_v=</u>	•
a monument marked S.E. Cor. of center, thence, 100			to the point of
a monument marked S.E. Cor of center, thence, 100 beginning.	feet Northerly	to point of be	to the point of
of center, thence, 100 Each of the above-described month	feet Northerly	to point of be	to the point of ginning.
a monument marked S.E. COF.  of center, thence, 100  Each of the above-described monument marked S.E. COF.  All location and discovery work	feet Northerly uments is	to point of be	to the point of ginning.
of center, thence, 100 Each of the above-described month	feet Northerly uments is	to point of be	to the point of ginning.
of center, thence, 100 Each of the above-described month	recessary to complete	to point of be	to the point of ginning.
a monument marked S.E. Cor. of center, thence, 100  Each of the above-described month Ali location and discovery work July 21  SUN TIDE CORPORATION,	uments is 4 X 4 and a necessary to complete 66 404 Bo	Pine Posts this location had b	to the point of ginning.
of center, thence, 100 Each of the above-described month All location and discovery work July 21	uments is 4 X 4 and a necessary to complete 66 404 Bo	Pine Posts this location had b	to the point of ginning.
a monument marked S.E. Cor.  of center, thence, 100  Each of the above-described monu All location and discovery work  July 21  SUN TIDE CORPORATION,  (Name of Locator)	uments is 4 X 4 and a necessary to complete 66 404 Bo	pine Posts this location had beston Bldg., (Address)	to the point of ginning.
a monument marked S.E. Corola center, thence, 100  Each of the above-described monument and discovery work  July 21  SUN TIDE CORPORATION,  (Name or royalo)  By- Tom P. Costas, Vic	uments is 4 X 4 and a necessary to complete 66 404 Bo	this location had be ston Bldg., (Address)  (Address)	to the point of ginning.
a monument marked S.E. Cor.  of center, thence, 100  Each of the above described monu All location and discovery work  July 21  SUN TIDE CORPORATION,  (Name of Locator)	uments is 4 X 4 and a necessary to complete 66 404 Bo	this location had be ston Bldg., (Address)  (Address)	to the point of ginning.  een performed by  lie No. 42268  ECORDED AT THE REQUEST OF Sun Tide Corp.
a monument marked S.E. Cor.  of center, thence, 100  Each of the above-described monu All location and discovery work  July 21  SUN TIDE CORPORATION,  (Name of Locator)	uments is 4 X 4 and a necessary to complete 66 404 Bo	this location had be ston Bldg., (Address)  (Address)	to the point of ginning.  The No. 42268  ECORDED AT THE REQUEST OF Sun Tide Corp.  July 25 A. D. 1966
a monument marked S.B. Corologianing.  Each of the above-described monument and discovery work July 21  SUN TIDE CORPORATION,  (Name of Locator)	uments is 4 X 4 and a necessary to complete 66 404 Bo	this location had be ston Bldg.  (Address)  (Address)	to the point of ginning.  The No. 42268  The No. 42
a monument marked S.E. Cor.  of center, thence, 100  Each of the above-described monu All location and discovery work  July 21  SUN TIDE CORPORATION,  (Name of Locator)	teet Northerly uments is 4 X 4 in necessary to complete 66 404 Bo Salt I	this location had be ston Bldg.  (Address)  (Address)	to the point of ginning.  The No. 42268  ECORPED AT THE REQUEST OF Sun Tide Corp.  July 25 A. D. 1966  17. minutes past 8 A.

THIS IS	TO CERT	IFY that	theB	AZZA_N	0. 4		Lode Min	ing Claim was
located by	SHN		ORPORATIO					ddress appears
		day of	Xay				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
			ode or vein is				HERLY	
						,		TDISTA
			BOOTST					
County, State S% of t	of Neva	da, , Town	ship 36 N	orth Ra	nge 49	East,	MDM	ally the
The locato	or clair	ng	1400		feet in	N	ORTHERL	Y
direction and		L00		feet	ln a	SOUTHE	RLY	direction
								_ feet on each
			lode along the					7
The dime	nsions an	d location	ns of the disc ver 75 fe	overy work	done on	the claim a		
by ove	er 10	leet i	n beight	and day	th.			
The total	cost of a	uch work	consisted of a	ıt least \$	150.0	0		
The corne	rs and sid	le centers	of the claim	are located	and mark	ed as follow	78;	-
From the	outhwe	est .	corner, a mon	ument mark	ed S.W		Cor., then	oe in a
	/		feet to the			\		
	thence	750	feet in aN	orther]	y dire	ction to the	Northw	est xxx
								rly dir-
ection to the	N. E	18.t	. corner, a moi	nument mar	ked	N-E	Cor., the	nce750
feet in a So	uther.	Ly direc	tion to the Ea	st Side	C corne	r, a monum	ent marked	ESC
		\ \		•	/ /			Cside center,
a monument n	narked	S.E	Cornesc. :	hence	300 te	et West	erlv	to the point 💥
								f beginning.
Each of t	he above-	lescribed	monuments is	are 4	X 4 pc	ste ( P	ine )	t Two o or or d man apparation or control december
All location	on and d		work necessar	y to comp				performed by
July	7 41		19					
SUNTER	E COR	PORATI	ON,		404 Bo	ston Bl	.dg., Sa	lt Lake City
		ocator	ice Pres.		Utah	(Address)		^~~***********************************
••••••	ame of L	***********	AIP	· · · · · · · · · · · · · · · · · · ·		(Address)	***************************************	**************************************
***************************************			***************************************		** <del></del>			
(N	ame of L	ocator)				(Address)	File No.	42269
					•		RECORDE	AT THE REQUEST OF
					•		Sun T	ide Corp. 5 A. D. 19 <u>. 6</u> 6
								utes past 8 A. M.  1 of OFFICIAL RECORDS
TO BE FILE	D WITH	THE C	OUNTY RECO	RDER			Pags	222 Records of
			IBLE FORM.				Fills	COUNTY, NEVADA)

THIS IS TO CERTIFY that the	BO. 5		Lode Mining Claim was
located by SUN TIDE CORPORATION	the second second		ost office address appears
below, on the day of		19 66	
The general course of said lode or vein is		2	ERLY
The claim is situated in theBOOTSTRAP		:	
County, State of Nevada, in the S% of			
S% of the 8%, Township 36 North			
The locator claim1400	feet li		RTHERIT
direction andfe	et in a	SOUTHE	direction
from the point of discovery, with a width of	300 /		feet on each
side of the center of the vein or lode along the entire i	ength of said	claim.	
The dimensions and locations of the discovery w			
by over 10 feet in height and d	epth.	///	
The total cost of such work consisted of at least (	15010	10//	
The corners and side centers of the claim are local			3 <b>:</b>
From the Southwest corner, a monument m	arked 8.V	<i>.</i>	Cor., thence in a
Northerly 750 feet to the West	side Cer	ter mer, a monu	ment marked WSC
Corner RW Corner a monument marked Northwest RS treetien to the Reset Corner, a monument r	1ence <u>600</u>	eet in	Rasterly dir-
feet in a Southerly direction to the East Si			
Cor., thence 750 feet in a Souther	/ /		
a monument markedS.R. Corner, thence			
EXXXXX of center, thence, 100 fee			=
248			•
Each of the above-described monuments is	· .		
All location and discovery work necessary to oc July 21	ompiete this	location h	ad been performed by
	•		
SUN TIPE CORPORATION,	404 Bo		lg., Salt Lake City
By Tom P. Costas, Vice Pres.	Utah	(Address)	<u> </u>
(Name of Locator)	å å = 400 pS ling gg im <del>unpppipide</del> åreå mi	(Address)	10040
(Name of Locator)		(Address)	42270
•			RECORDED AT THE REQUEST OF Sun Tide Corp.
			July 25 A. D. 19 6
		-	In Erok 11 of OFFICIAL RECORE
	•		Poga 223 Records EUREKA COUNTY NEVADA
TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.		•	Recorder A. De Carlo
			Fee \$ 1.00

IN A CLEAR AND LEGIBLE FORM.

THIS IS TO ERTIFY that the	No. 6	ode Mining Claim was
SUN TIPE CORPORATION		
located by SUN TIDE CORPORATION below, on the 2nd day of May		office address appears
	and the second of the second o	
The general course of said lode or vein is	ORTHEREY & SOUTHE	<u> </u>
The claim is situated in theBOOTSTRAP	Mining Distric	t, BUREKA
County, State of Nevada, in the S% of S% of the S%, Township 36 North	Section 24, spec	cifically the
The locator claim.		
direction and		\ \
from the point of discovery, with a width of	300	feet on each
side of the center of the vein or lode along the entire ic	ength of said claim.	
The dimensions and locations of the discovery we	ork done on the claim are a	s follows:
Open cut trench over 75 fee	t in length, by 10	) feet in
width, by over 10 feet in h	eight and depth.	
	\	
The total cost of such work consisted of at least \$	150.00	
	\	
The corners and side centers of the claim are locate		
From the Southwest corner, a monument m		
Northerly 750 feet to the	eide Center corner, a monume	nt marked
Corn, thence 750 feet in a Northe	direction to the	orthwest x
Mark, a monument marked Northwest SE, the	ence 600 feet in a	Sasterly dir-
ection to the	narked	Cor., thence750
feet in a Southerly direction to the East Sic		
Cor., thence	/ /	
a monument marked		·
www. of center, thance, 100 feet		•
0-6-mm-6.		
Each of the above-described monuments is	+ 1 4 posts ( Pin	
All location and discovery work necessary to co	mplete this location had	been performed by
July 21 , 19 66		
SUN TION CORPORATION,	404 Boston Bldg	, Salt Lake City
(Name of sector) By Tom P. Costas, Vice Pres.	U <b>tah</b> (Address)	
(Name of Locator)	(Address)	***************************************
(Name of Locator)	(Address)	42271
		File No
•		Sun Tide Corp. July 25
		at . 20 minutes past 8 A.
		in Brok11of OFFICIAL RECOR
TO BE FILED WITH THE COUNTY RECORDER		Paga 224 Records

BATTA	No. 7 Lode Mining Claim was
located by SUN TIDE CORPORATION	
below, on the 2nd day of May	
The general course of said lode or vein is	
	Mining District, KUREKA
County, State of Nevada, in the SH of	
Siz of the Siz, Township 36 North	Range 49 East. MDM
***************************************	
The locator claim.	
direction andfe	
from the point of discovery, with a width of	500 feet on each
side of the center of the vein or lode along the entire	length of said claim.
The dimensions and locations of the discovery w	rork done on the claim are as follows:
Open cut trench over 75 fe	et in length, by 10 feet in
width, by over 10 feet in	height and depth.
The total cost of such work consisted of at least	150.00
The corners and side centers of the claim are loca	
From the Southwest corner, a monument m	narked SeWe Cor., thence in a
Northerly 750 feet to the West	
Corner Cor., thence 750 feet in a Northe	hence feet in a dir-
ection to the	
feet in a Southerly direction to the East 81	/ /
Cor., thence	direction to the Southeast C side center,
a monument marked	300 feet Westerly to the point #
regiming of center, thence, 100 fee	t Northerly to point of beginning
Each of the above-described monuments is	4 X 4 posts ( Pine )
\ / /	omplete this location had been performed by
July 21 , 19 66	surpless the sociation had been personned by
SUR PIDE CORPORATION.	
Why De Carlon	404 Boston Bldg., Salt Inke 01t
By Tom P. Contas, Vice Pres.	Utah (Address)
(Name of Locator)	(Address)
(Name of Locator)	(Address)
	File No. 42272
	RECORDED AT THE REQUEST O
	July 25 at 21 minutes past 8 A.
	at 21 minutes past 8 A. In Real 11 of OFFICIAL RECO
TO BE FILED WITH THE COUNTY RECORDER	PageZZ5 Resort
IN A CLEAR AND LEGIBLE FORM.	GENERA COUNTY, NEVADA

THIS IS TO CERTIFY that the	90.000 A SI	. 2	
	and the second second	•	
located by SUN TIDE COR			fice address appears
below, on the day of	ney	19	
The general course of said lode of	r vein is	rther <b>ix &amp; Sout</b> her	<u> </u>
The claim is situated in the	BOOTSTRAP	Mining District,	BURSKA
County, State of Nevada,	he 8% of the	8 % of Section 2	- Tormship
36 North Range 49 East,	MDM ·		······
The locator claim	1400	feet in a Norther	Ly
direction and		in a Southerly	direction
from the point of discovery, with a wi	idth of	500	feet on each
side of the center of the vein or lode	along the entire len	gth of said claim.	
The dimensions and locations of	the discovery work	k done on the claim are as a	follows:
Open cut trench	over 75 Zeet	in length, by 10	feet in
width, by over 1			
DESCRIPTION OF TAXABLE AND			<del>1</del>
From the Southwest corner Rorther Lection 750 feet  Cor., thence 750 feet center, a monument marked Rorth corn feet in a Southerly direction to the Cor., thence 750 feet in a monument marked S.E. Corr of center, thence, 100 beginning.  Each of the above-described monument marked monument marked seed to the above-described monument marked seed to the ab	in a Northerly in a monument ma o the East Side Southerly less, thence feet Northe	direction to the Normalice 600 feet in a Earked Corner, a monument madirection to the Scuthea	marked WSC thwest side eterly dir- thence ESC rked ESC
		······································	
All location and discovery work  July 21	necessary to som	here are sociation use o	een performed by
SHIN TARE CORPORATION.	40	4 Boston Bldg., 1t Lake City, Utah	
(Name of Locator)	Pres.	(Address)	)
(Name of Locator)		······································	d + 4dm quay + 8.4 mm + 1.4 a = 1.000 + 10.000 + 10.000 + 10.000 + 10.000 + 10.000 + 10.000 + 10.000 + 10.000
		(Address)	
(Name of Locator)	***************************************	(Address)	42273
	-	RECC Sun	RDED AT THE REQUEST OF Tide Corporati
			y 25

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

RECORDED AT THE REQUEST OF Sun Tide Corporation
July 25 A. D. 19

at 22 minutes past 8 A. M.

in 8-ot 11 of OFFICIAL RECORDS

Page Records of FIREKA COUNTY NEVADA

ecorder - 1-0

#### File No.

THIS IS TO CERTIFY that the	BAZZA No. 9	-	Lode Mining Claim was
ocated bySUN TIDE CORPO	ORATION	, whose po	ost office address appears
pelow, on the day of	Kay		-
The general course of said lode or ve	ein isNOR!	THERLY & SO	UTHERLY
The claim is situated in the	Bootstrap	Mining Dis	trict,
County, State of Nevada,in the	S% of the S %	of Section	24. Township
36 North Range 49 East,	MDM		
The locator claim	400 te	et in aNo	rtherly
irection and100			_
rom the point of discovery, with a width	1 of	300	feet on each
ide of the center of the vein or lode alor	ng the entire length of	said claim.	
The dimensions and locations of th	e discovery work done	on the claim are	as follows:
Open cut trench o			
width, by over 10	feet in height	e and depth	•
yyvvyni raen 1 80 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8			
The total cost of such work consisted	d of at least \$ 150 a	00	
The corners and side centers of the		V /	:
rom the Southwest comer, a		<	
therly direction 750 feet to			
enter, a monument marked Northwe	St MX shares	600 foot in .	Easterly
ction to the N. East corner,	\	\	
ect in a Southerly direction to ti		1	
Cor., thence 750 feet in a S	/	/	corner
monument marked <u>SE</u> nter, thence, 100 feet N	ortherly to po	int of beg	inning.
beginning.	4 Y4 F	ine posts	
Each of the above-described monument	nts is		***************************************
All location and discovery work ne		this location h	ad been performed by
July 21	19		
SUN TIME ON REGERTION,	404 Bo	ston Bldg.	, tah
By Tom P. Costas, Vice P	res.	(Municos)	
(Name of Locator)		(Address)	
(Name of Locator)		(Address)	42274
		•	File No
•			Sun Tide Corp.
			July 25 A. D. at 23 minutes past 8 A
A DE ENTED HUMI OTTE COLDUM	DD		in Book 11 of OFFICIAL R
O BE FILED WITH THE COUNTY  IN A CLEAR AND LEGIBLE FO			EUREKA COUNTY, NEVA
The same and the first the	or a quality		Recorder

-	SUN TIDE CORP	BAZZA NO	, whose post	office address appear
balaan aa tha	3nd day of	May	19 66	
			NORTHERTY & SOU	THERLY
· —	course of said lode or			<u> </u>
			Mining Distri	
County, State o	f Nevada,in the	S% of the	8 % of Section	24. Township
36 North	Range 49 East,	, MDM		
			feet in a Nor	\ \
direction and	100	1ee	t in a Southerly	direction
from the point o	of discovery, with a widt	th of	300	
	er of the vein or lode alo	,		
The dimensi	ons and incations of ti	he discovery wo	rk done on the claim are s	s follows:
			t in length, by l	
V1	ecs, by over to	, 1005 IR	eight and Goyth.	
	.,,,,			
The total co.	st of such work consists	ed of at least \$	150.00	
			\	
			d and marked as follows:	
From theSt	outhwest corner,	a monument ma	rked C	or,, thence in a
therly dire	ection 750 feet to	o the West Si	de Center, a monume	nt marked
	/ /		1. direction to the N	
		24 14	\ \	
center, a monum	ent marked NOTTIWE	the	nce 600 feet in a	Paafel 11
ection to the	N. East corner,	, a monument m	arked <u>FB</u>	Cor., thence750
Souti	herly direction to f	the East sid	le C corner, a monument	marked ESC
feet in a		Southerly		AAMAN
feet in a	750	^ <b>~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~</b>	/ / Cond	hanet www.
Cor., thence			direction to the _Sout	heast xxxxxx
Cor., thence			_	heast xxxxxx
Cor., thence monument man inter, the				heast xxxxx
Cor., thence a monument man ther, then beginning.	rked SE noe, 100 feet 1	Northerly	_	heast xxxxx
a monument man enter, thei beginning.	rked SE noe, 100 feet M	Northerly 4	300 Westerl to point of Begin X4 Pine posts	heast XM Exter y ning, to the point o
a monument man enter, thei beginning.	rked SE noe, 100 feet M	Northerly 4	300 Westerl westerl	heast XM Exter y ning, to the point o
a monument man enter, thei beginning.	above-described monume	Northerly 4	300 Westerl to point of Begin X4 Pine posts	heast XM Exter y ning, to the point o
a monument mainter, their beginning.  Each of the All location	above-described monumers and discovery work not	ents is	300 Westerl Westerl of begin X4 Pine posts	heast XM Exter y ning, to the point o
a monument mainter, their beginning.  Each of the All location  Sulv	above-described monumers and discovery work not 21	ents is	300 Westerl to point of Begin X4 Pine posts  mplete this location had  14 Boston Bldg., t Lake City. Uta	heart the point of
Each of the All location  Suly  (Name of the content of the conten	above-described monumers and discovery work not to the control of	ecessary to con	300 Westerl to point of begin  X4 Pine posts  applete this location had  O4 Boston Bldg.,	heart the point of
Each of the All location  Sulvering  (Name by Tom P	above described monumers and discovery work not to the orthography. Costas, Vice I	ecessary to con	300 Westerl to point of begin  X4 Pine posts  higher this location had  A Boston Bldg., Lt Lake City. Uta (Address)	heart the point of
Each of the All location  Sulvering  (Name by Tom P	above-described monumers and discovery work not to the control of	ecessary to con	300 Westerl to point of Begin X4 Pine posts  mplete this location had  14 Boston Bldg., t Lake City. Uta	heart the point of
beginning.  Each of the All location  Suly  Sun Fide  (Name	above described monumers and discovery work not to the orthography. Costas, Vice I	ecessary to con	300 Westerl to point of begin  X4 Pine posts  higher this location had  A Boston Bldg., Lt Lake City. Uta (Address)	heast to the point of the point
beginning.  Each of the All location  July  Sun Tide  (Name	above-described monumers and discovery work not to the orthogator).  COBLEGATION, ne orthogatory, vice I ne of Locator)	ecessary to con	300 Westerl to point of begin  X4 Pine posts  higher this location had  A Boston Bldg., Lt Lake City. Uta (Address)	heart the point of
Each of the All location  Suly  Sun Tipe  (Name)	above-described monumers and discovery work not to the orthogator).  COBLEGATION, ne orthogatory, vice I ne of Locator)	ecessary to con	X4 Pine posts  A Pine posts  A Boston Bldg.,  Lt Lake City. Uta (Address)  (Address)	heast the the point of the poin
beginning.  Each of the All location  July  Sun Tide  (Name	above-described monumers and discovery work not to the orthogator).  COBLEGATION, ne orthogatory, vice I ne of Locator)	ecessary to con	300 Westerl to point of Begin  X4 Pine posts  Address)  (Address)	heast the the point of the poin

IN A CLEAR AND LEGIBLE FORM.