THIS IS TO CERTIFY that the Jenny 20 Lode Mining Claim was
located by July B. Campbell , whose post office address appears
below, on the 29 day of April 1966
below, on the 29 day of April 1966
The general course of said lode or vein is
The claim is situated in the Roberts Mining District, Eureka
County, State of Nevada, Comer Holl General N85E,
approximately \$180 feet from N/ Gr, 527724N, RABE
The locator claim 2 69 feet in a East
direction and 1431 feet in a west direction
from the point of discovery, with a width of feet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attacked sheet-
The total cost of such work consisted of at least \$ 1000.00
The corners and side centers of the claim are located and marked as follows:
From the 70. corner, a monument marked Jy Cor., thence in a South
direction 600 feet to the No. 4 corner, a monument marked 1/4
Cor., thence 750 feet in a West direction to the 50 ath side
center, a monument marked 1/55C se, thence 25% feet in a West dir.
ection to the 10.3 corner, a monument marked 11/3 Cor., thence 600
feet in a North direction to the No. 2 corner, a monument marked 1/2
set in - //OV () direction to the //O/ - corner a monument marked > /
Cor., thence 750 feet in a east direction to the North side center,
Cor., thence 750 feet in a east direction to the North side center, a monument marked 1 80, thence 750 feet east to the point of beginning.
a monument marked 1 80, thence 250 feet to the point of
Cor., thence 750 feet in a east direction to the North side center, a monument marked 1 80, thence 750 feet east to the point of beginning.
Cor., thence 750 feet in a east direction to the North side center, a monument marked 1 80, thence 750 feet east to the point of beginning. Each of the above-described monuments is at least 4"in desirter by 4'-6" long
Cor., thence 750 feet in a east direction to the North side center, a monument marked 1 80, thence 750 feet east to the point of beginning. Each of the above-described monuments is at least 4"in duration by 4'-6"long. All location and discovery work necessary to complete this location had been performed by
Cor., thence 750 feet in a east direction to the North side center, a monument marked 1 80, thence 750 feet east to the point of beginning. Each of the above-described monuments is at least 4"in duration by 4'-6"long. All location and discovery work necessary to complete this location had been performed by
Cor., thence 750 feet in a east direction to the North side center, a monument marked 1 80, thence 750 feet east to the point of beginning. Each of the above-described monuments is at least 4"in duration by 4'-6"long. All location and discovery work necessary to complete this location had been performed by

(Address)

(Name of Locator)

STATMENT OF LOCATION WORK DONE ON JENNY NO. 1 THRU JENNY NO. 10, INCLUSIVE

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Jenny No. 1
Jenny No. 2
Jenny No. 3
Jenny No. 4
Jenny No. 5
Jenny No. 6
Jenny No. 7
Jenny No. 8
Jenny No. 9
Jenny No. 10

consists of access road work and trenching which starts outside the claim group and is also located on Jenny No.'s 1, 3, 5, 7, 9; and also consists of excavations or test pits for geochemical sampling located at, or nearly the following locations:

J9/NSC, J9/center, J9/SSC, J7/center, J7/SSC, J5/center, J5/SSC, J3/center, J3/SSC, J1/center, J1/SSC, J1/3, J1/WEC, J1/2, J3/WEC, J3/3, J5/WEC, J5/2, J7/WEC, J7/3, J9/WEC, J9/2.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Tyle F. Campbell

42299

File No.

RECORDED AT THE REQUEST OF
Lance exploration Eng.

July 28

A. D. 19 66
et . 30 minutes past 11 A M.
In Book 11 of OFFICIAL RECORDS
Page 254-255 Kuccords of
EUREKA COUNTY, NEWDOA

Kecorder

THIS IS TO CERTIFY that the
located by Lyle F. Counpbe // whose post office address appears
below, on the 29 day of April 1966
The general course of said lode or vein is
The claim is situated in the Roberts Mining District, Cunko
County, State of Nevada, Gangallo Jones About N85E,
approximately \$180 feet from N/ (or, 527, 729N, R18E
The locator claim & 65 feet in a west
direction and 1435 feet in a cast direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attached sheet
PXCEEDS The total cost of such work sonsisted of at least \$ 1600.00
The corners and side centers of the claim are located and marked as follows:
From the corner, a monument marked Cor., thence in a
direction feet to the 12/4 corner, a monument marked 12/4
Cor., thence 750 feet in a East direction to the Smith side
center, a monument marked 12/55C 80, thence 750 feet in a Cost
ection to the 26.3 corner, a monument marked 3 Cor., thence 600
feet in a Mouth direction to the 20, 2 corner, a manument marked 12/2
Cor., thence 750 feet in a West direction to the Lotth side center,
a monument marked 12/N5C se, thence 750 feet West to the point of
beginning.
Each of the above-described monuments is at least 1" in diam - by 1-6" long
All location and discovery work necessary to complete this location had been performed by
July 27 , 1866
Lyle To Campfell Lance Exploration Engineering
(Name of Locator) (Address) Box 2/88
(Name of Locator) (Address)

(Address)

(Name of Locator)

STATMENT OF LOCATION WORK DONE ON JENNY NO. 1 THRU JENNY NO. 10, INCLUSIVE

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Jenny No. Jenny No.
Jenny No.
Jenny No.
Jenny No. Jenny No. Jenny No. Jenny No. Janny No. 10

consists of access road work and trenching which starts outside the claim group and is also located on Jenny No.'s 1, 3, 5, 7, 9; and also consists of excavations or test pits for geochemical sampling located at, or nearly the following locations:

J9/NSC, J9/center, J9/SSC, J7/center, J7/SSC, J5/center, J5/SSC, J3/center, J3/SSC, J1/center, J1/SSC, J1/3, J1/WEC, J1/2, J3/WEC, J3/3, J5/WEC, J5/2, J7/WEC, J7/3, J9/WEC, J9/2.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

yle F. Campbell

42300

Lance Exploration Eng. July 28 A. D. 19 66 et 31 minutes past 11 A. M. in Bool 11 of OFFICIAL RECORDS
Page 256-257 Records of GENERA COUNTY, NEVADO

THIS IS TO CERTIFY that the January 10 3 Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears
below, on the 29 day of April 1966
The general course of said lode or vein is
The claim is situated in the Roberts Mining District, Eureka
County, State of Nevada, Corner Mo I feare about N85E
approximately 4180 feet from N/ Cox, S27, T21N, R48E
The locator claim 5 68 feet in a East
direction and 1432 feet in a West direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attacked sheet
The total cost of such work consisted of at least \$
The corners and side centers of the claim are located and marked as follows:
From the 20 corner, a monument marked 13/1 Cor., thence in a
North direction 600 feet to the 25.4 corner, a monument marked 13/4
center, a monument marked 13/NSC se, thence 750 feet in a 2008 dir-
ection to the 22 3 corner, a monument marked 23/3 Cor., thence
feet in a South direction to the 20 2 corner, a monument marked 13/2
a monument marked 13/550 , thence 750 feet 650 to the point of
beginning.
Each of the above-described monuments is at least 4 in diameter by 4-6 long
All location and discovery work necessary to complete this location had been performed by
July 27, 1966
The 20 left to a Edulation & instance
(Name of Locator) Lance Exploration Engineering
(Name of Locator) (Address)
Grand Junction, Colorado
(Name of Locator) (Address)

STATMENT OF LOCATION WORK DONE ON JENNY NO. 1 THRU JANNY NO. 10, INCLUDING

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Jenny No. Jenny No. Jenny No. Jenny No. 567 Jenny No. Jenny No. Jenny No. Janny No. 9 J. nny No. J nny No. 10

consi ts of access road work and trenching which starts outside the claim group and is also located on Jenny No.'s 1, 3, 5, 7, 9; and also consists of excavations or test pits for geochemical sampling located at, or nearly the following locations:

J9/NSC, J9/center, J9/SSC, J7/center, J7/SSC, J5/center, J5/SSC, J3/center, J3/SSC, J1/center, J1/SSC, J1/3, J1/WEC, J1/2, J3/WEC, J3/3, J5/WEC, J5/2, J7/WEC, J7/3, J9/EC, J9/2.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Lyle F. Campbell Lyle

12301

File No. RECORDED AT THE REQUEST OF

Lance Exploration Eng. July 28 AD 19 66

et 32 minutes past 11 A. M.

in Froi . 11. of OFFICIAL RECORDS

Page 258-259 Record of a Relation of Melan

Recorder

Fee \$_1.00

THIS IS TO CERTIFY that the
located by Lyle F. Campbell , whose post office address appears
below, on the 29 day of April 19.66
The general course of said lode or vein is
The claim is situated in the Roberta Mining District, Eurobes
County, State of Nevada, Corner No / Jeans stout N85 E,
approximately 4180 feet from N /4 Cor, 527, T 29N, R48E
The locator claim 5 47 feet in a West
direction and 1453 feet in a East direction
from the point of discovery, with a width of feet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
Lee attached sheet
The total cost of such work consisted of at least \$ 1000,000
The corners and side centers of the claim are located and marked as follows:
From the corner, a monument marked Cor., thence in a
North direction 600 feet to the NW corner, a monument marked 14/4
Cor., thence 250 feet in a Cast direction to the most side
center, a monument marked 14 N SC, thence 750 feet in a Last dir-
ection to the VE corner, a monument marked 14/3 Cor., thence 600
feet in a south direction to the 55 corner, a monument marked 14/2
Cor., thence 750 feet in a West direction to the south side center,
a monument marked
beginning.
Each of the above described monuments is at least 4" in diameter by 4-6" long.
All location and discovery work necessary to complete this location had been performed by
July 27 19.66
Tyle Is Campfelf Lance Exploration Engineering (Name of Locator)
(Name of Locator) (Address)
(Name of Locator) (Address)
(Name of Locator) Signal Junction, Colorado
(=: mind of months)

STATMENT OF LOCATION WORK DONE ON JENNY NO. 1 THRU JEHNY NO. 10, INCLUSIVE

ALL BEING CONTIGUOUS:

ないかっているというない

Location work done to advance the exploration of

Jenny No. Janny No. 9 Janny No. 10

consists of access road work and trenching which starts outside the claim group and is also located on Jenny No. 1, 3, 5, 7, 9; and also consists of excavations or test pits for geochemical sampling located at, or nearly the following locations:

J9/NSC, J9/center, J9/SSC, J7/center, J7/SSC, J5/center, J5/SSC, J3/center, J3/SSC, J1/center, J1/SSC, J1/3, J1/WEC, J1/2, J3/WEC, J3/3, J5/WEC, J5/2, J7/WEC, J7/3, J9/WEC, J9/2.

All of this work was accomplished by, or under the supervision of Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

le F. Campbell

42302

RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 28 A. D. 19 66 at 33 minutes past 11 A. M. in Ecot 11 of OFFICIAL RECORDS Page 260-261 Records of EUREKA COUNTY, NEVADA

a. Detasli

Recorder

THIS IS TO CERTIFY that the Jenny 76-5 Lode Mining Claim was	
located by Lyle F. Campbell , whose post office address appears	
below, on the 29 day of April 1966	
The general course of said lode or vein is	
The claim is situated in the Roberta Mining District, Europe	
County, State of Nevada, Carner No. Lears about N70E,	
approximately 4420 feet from N/ Cor, 527, T24N, R48E	
The locator claim 5 59 feet in a East	
direction and 1441 feet in a West direction	
from the point of discovery, with a width of 300 feet on each	
side of the center of the vein or lode along the entire length of said claim.	
The dimensions and locations of the discovery work done on the claim are as follows:	
See attached sheet	
The total cost of such work consisted of at least \$ 1000.00	
The corners and side centers of the claim are located and marked as follows:	
From the NE corner, a monument marked 55/1 Cor., thence in a	
South direction 600 feet to the 5 E corner, a monument marked 15/4	
center, a monument marked 55 SC, thence 750 feet in a 2/12st dir-	
ection to the 5ω corner, a monument marked $\sqrt{5/3}$ Cor., thence 600	
feet in a Rosth direction to the NW corner, a monument marked $\frac{\sqrt{5}/2}{}$	
Cor., thence 750 feet in a Last direction to the worth side center,	
a monument marked	
beginning.	
Each of the above described monuments is at least 4 in dismeter by 4-6 los	g.
All location and discovery work necessary to complete this location had been performed by	
July 27, 1966	
Life B. Parafell Lear Exploration Engineering	
(Name of Locator) (Address)	
(Name of Locator) (Address)	
(Name of Locator) (Name of Locator) (Address)	

STATEMENT OF LOCATION WORK DONE ON JENNY NO. 1 THRU JENNY NO. 10, INCLUSIVE

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Jenny No. 10

consists of access road work and trenching which starts outside the claim group and is also located on Jenny No.'s 1, 3, 5, 7, 9; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

J9/NSC, J9/center, J9/SSC, J7/center, J7/SSC, J5/center, J5/SSC, J3/center, J3/SSC, J1/center, J1/SSC, J1/3, J1/WEC, J1/2, J3/WEC, J3/3, J5/WEC, J5/2, J7/WEC, J7/3, J9/WEC, J9/2.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Campbel

42303

File No. .. RECORDED AT THE REQUEST OF Lance Exploration Eng. July 28 A D 19 66

of .34 minutes past 11 A. M. in Brok 11 262-263 Records of Pago 262-263 Records of GENERAL COUNTY, NEVADO

Recorder

Fee 1.00

THIS IS TO CERTIFY that the Jensey 26. Lode Mining Claim was Campbe // whose post office address appears below, on the 29 day of April The general course of said lode or vein is County, State of Nevada, Corner No bears about N from the point of discovery, with a width of _______300 side of the center of the vein or lode along the entire length of said claim. The dimensions and locations of the discovery work done on the claim are as follows: ... See attacked sheet The total cost of such work consisted of at least \$..... The corners and side centers of the claim are located and marked as follows: From the ______ Corner, a monument marked ______ Cor., thence in a ______ South direction 600 feet to the 5 W corner, a monument marked corner, a monument marked _________ Cor., thence ____ a monument marked 16/N SC, thence 750 feet West to the point of beginning. Each of the above described monuments is at least 4" in dismater by 4 6 long. All location and discovery work necessary to complete this location had been performed by Exploration Engineering (Address) (Name of Locator)

(Name of Locator)

STATEMENT OF LOCATION WORK DONE ON JENNY NO. 1 THRU JENNY NO. 10, INCLUSIVE

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Jenny No. Jenny No. Jenny No. Jenny No. Jenny No. Jenny No. 6
Jenny No. 7
Jenny No. 8
Jenny No. 9
Jenny No. 10

consists of access road work and trenching which starts outside the claim group and is also located on Jenny No.'s 1, 3, 5, 7, 9; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

J9/NSC, J9/center, J9/SSC, J7/center, J7/SSC, J5/center, J5/SSC, J3/center, J3/SSC, J1/center, J1/SSC, J1/3, J1/WEC, J1/2, J3/WEC, J3/3, J5/WEC, J5/2, J7/WEC, J7/3, J9/WEC, J9/2.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Lyle F. Campbell

42304

File No. . RECORDED AT THE REQUEST OF Lance Exploration Eng. July 28 A D. 19 66 at 35 minutes past 11 A. M. in Erok 11 of OFFICIAL RECORDS Page 264-265 Records of Pago 264-265 Records of SUREKA COUNTY, NEVADA Sullis a Re Cash Fee \$1.00

THIS IS TO CERTIFY that the
located by Lyle F Campbell, whose post office address appears
below, on the 29 day of April 1966
The general course of said lode or vein is West
The claim is situated in the Roberto Mining District, Eureka
County, State of Nevada, Carrier Tho Again about NOE
approximately, 4420 feet from N/4 Cor, 527, T29N, R48E
The locator claim 5 284 feet in a East
direction and 1216 feet in a West direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attached sheet
exceds
The total cost of such work consisted of at least \$ /000.00
The corners and side centers of the claim are located and marked as follows:
From the SE corner, a monument marked Cor., thence in a Month
direction 600 feet to the NE corner, a monument marked 17/4
center, a monument marked 17/1/2 SC, thence 750 feet in a West dir-
ection to the NW corner, a monument marked 17/3 Cor., thence 600
feet in a South direction to the $5u$ corner, a monument marked $17/2$
Cor., thence 250 feet in a
a monument marked 7 5 SC, thence 750 feet at to the point of
beginning.
Each of the above described monuments is at least 4" indumeter by 4-6" long.
All location and discovery work necessary to complete this location had been performed by
July 27, 10 66
Tyle B. Campbell, Jane Exploration Engineering
(Name of Locator)
(Name of Locator) (Address)
Grand Junction, Colorado
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON JENNY NO. 1 THRU JENNY NO. 10, INCLUSIVE

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Jenny No. 1
Jenny No. 2
Jenny No. 3
Jenny No. 4
Jenny No. 5
Jenny No. 6
Jenny No. 7
Jenny No. 8
Jenny No. 9
Jenny No. 10

consists of access road work and trenching which starts outside the claim group and is also located on Jenny No.'s 1, 3, 5, 7, 9; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

J9/NSC, J9/center, J9/SSC, J7/center, J7/SSC, J5/center, J5/SSC, J3/center, J3/SSC, J1/center, J1/SSC, J1/3, J1/WEC, J1/2, J3/WEC, J3/3, J5/WEC, J5/2, J7/WEC, J7/3, J9/WEC, J9/2.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Tyle F. Campbell

多种,是一种,我们就是一种,我们也是一种,我们也是一种,我们就是一种,我们也是一种,我们也是一种,我们也是一种,我们也是一种,我们也是一种,我们也是一种,我们也 1916年,我们就是一种,我们也是一种,我们也是一种,我们就是一种,我们就是一种,我们就是一种,我们就是一种,我们就是一种,我们就是一种,我们就是一种,我们就是

File No. 42305

RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 28 A. D. 19 66. at 36 mirutes past 11 A. M. in Erol 11 of OFFICIAL RECORDS

Recorder

Foc \$1.00

THIS IS TO CERTIFY that the
located by Lyle F. Campbe 11 , whose post office address appears
below, on the 29 day of April 1966
The general course of said lode or vein is
The claim is situated in the Roberts Mining District, Eure Bo
County, State of Nevada, Corner No I Sears about N 70 E.
approximately 4420 feet from N/4 Cor, 527, T24 N, R4
The locator claims 217 feet in a West
direction and 1283 feet in a Cast direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attacked sheet
The total cost of such work consisted of at least \$ /000.00
The corners and side centers of the claim are located and marked as follows:
From the corner, a monument marked Cor., thence in a North
direction 600 feet to the NW corner, a monument marked 18/4
Cor, thence 250 feet in a East direction to the north side
center, a monument marked 18/ N SC, thence 750 feet in a fait dir
ection to the corner, a monument marked
feet in a South direction to the 5E corner, a monument marked 18/2
Cor., thence 750 feet in a West direction to the smouth side center,
a monument marked 18/5 SC, thence 750 feet West to the point of
beginning.
Each of the above described monuments is at least I "in diameter by 4-6 long
All location and discovery work necessary to complete this location had been performed by
July 27 , 1966
1120 III + PIL + P
(Name of Locales), Lance Efforting nearing
(Name of Locator) (Address)
(Name of Locator) (Address)
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON JEHNY NO. 1 THRU JENNY NO. 10, INCLUSIVE

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Jenny No. Jenny No. Jenny No. Jonny No. Jenny No. Jenny No.
Jenny No.
Jenny No. Jenny No. Jenny lio. 10

consists of access road work and trenching which starts outside the claim group and is also located on Jenny No.'s 1, 3, 5, 7, 9; and also consists of excavations or test puts for geochemical sampling located at or nearly the following locations:

J9/NJC, J9/center, J9/8SC, J7/center, J7/8SC, J5/center, J5/8SC, J3/center, J3/8SC, J1/center, J1/8SC, J1/3, J1/WEC, J1/2, J3/WEC, J3/3, J5/WEC, J5/2, J7/WEC, J7/3, J9/WEC, J9/2.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

F. Campbolf

42306

File No. RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 28

A. D. 19 66

in Brok 11 of OFFICIAL RECORDS

Page ___ 268_269 Records of SPIRE A. COUNTY, NOVA PAR L. MILLES U. NILL COLOR

Recorder

1.00

THIS IS TO CERTIFY that the Jenny 20 9 Lode Mining Claim was
located by Lyle F. Campbell, whose post office address appears
below, on the 29 day of April 1966
The general course of said lode or vein is
The claim is situated in the
County, State of Nevada, Corner No. 1 Sears about N56 E,
approximately 4,940 feet from N/4 Cor 527, T24N, R48E
The locator claim 5 208 feet in a East
direction and 1292 feet in a Ward direction
from the point of discovery, with a width of 300 feet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attacked wheel
And the state of t
The total cost of such work consisted of at least \$ 1000.00
The corners and side centers of the claim are located and marked as follows:
From the VE corner, a monument marked 19/1 Cor., thence in a Month
direction 600 feet to the 5E corner, a monument marked 19/4
center, a monument marked 19/5 SC, thence 750 feet in a Mast dir.
ection to the 500 corner, a monument marked 19/3 Cor., thence 600
feet in a Morth direction to the NW corner, a monument marked 19/2
Cor., thence 750 feet in a East direction to the north side center,
a monument marked 9 8c, thence 750 feet East to the point of
beginning.
Each of the above-described monuments is at least 4"in descripting 4"-6"long
All location and discovery work necessary to complete this location had been performed by
July 27, 19 66
La Floratell Lance Calabratic Commission
(Name of Logares) (Address)
(Name of Locator) (Address)
Grand Junction Coloredo
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON JENNY NO. 1 THRU JENNY NO. 10, INCLUSIVE

ALL SEING CONTIGUOUS:

Location work done to advance the exploration of

Jenny No. 1
Jenny No. 2
Jenny No. 3
Jenny No. 4
Jenny No. 5
Jenny No. 6
Jenny No. 6
Jenny No. 8
Jenny No. 9
Jenny No. 10

consists of access road work and trenching which starts outside the claim group and is also located on Jenny No.'s 1, 3, 5, 7, 9; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

J9/N3C, J9/center, J9/SSC, J7/center, J7/SSC, J5/center, J5/SSC, J3/center, J3/SSC, J1/center, J1/SSC, J1/3, J1/NEC, J1/2, J3/NEC, J3/3, J5/WEC, J5/2, J7/WEC, J7/3, J9/WEC, J9/2.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Lyle F. Campbell

42307

File No.

RECORDED AT THE REQUEST OF Eng.
Lance Exploration Eng.
July 28 66

Paga 270-271 Record of EUREKA COUNTY, NEYADA

Rocorder

THIS IS TO CERTIFY that the Jung 90. 10 Lode Mining Claim was
located by Lyle F. Campbell whose post office address appears
located by Lyle F. Campbell , whose post office address appears below, on the 29 day of April 1966
The general course of said lode or vein is
The claim is situated in the Roberts Mining District, Euseks
County, State of Nevada, Corner No I feare about N 5 6 E,
approximately 4,940 feet from NY Cor, 527,729N, R48E
The locator claim 5 4 feet in a West
direction and 1446 feet in a East direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See allacht sheet
The total cost of such work consisted of at least \$ 1000.00.
The corners and side centers of the claim are located and marked as follows:
From the NW corner, a monument marked 110/1 Cor., thence in a South
direction 600 feet to the 5w corner, a monument marked 110/4
center, a monument marked 110/5 SC, thence 750 feet in a continued dir.
ection to the 5E corner, a monument marked 110/3 Cor., thence 600
feet in a Morth direction to the NE corner, a monument marked 110/2
Cor., thence 750 feet in a West direction to the north side center,
a monument marked
beginning.
Each of the above-described monuments is at least 4" in disneter by 4-6 long
All location and discovery work necessary to complete this location had been performed by
July 27, 1966
-1120 111 1 PILT. C-
(Name of Locator) Assice exploration Conginerating
(Name of Locator) (Address)
(Name of Locator) (Address)
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON JENNY NO. 1 THRU JENNY NO. 10, INCLUSIVE ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Jenny No. Jenny No. Jenny No. Jenny No. Jenny No. 5 Jenny No. 6 Jenny No. 7 Jenny No. 8 Jenny No. 9 Jenny No.10

consists of access road work and trenching which starts outside the claim group and is also located on Jenny No.'s 1, 3, 5, 7, 9; and also consists of excavations or test pits for geochemical sampling located at, or nearly the following locations:

J9/NSC, J9/center, J9/SSC, J7/center, J7/SSC, J5/center, J5/SSC, J3/center, J3/SSC, J1/center, J1/SSC, J1/3, J1/WEC, J1/2, J3/WEC, J3/3, J5/WEC, J5/2, J7/WEC, J7/3, J9/WEC, J9/2.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

บไทยให้ ค่ำได้เป็นเคยได้เลยไปเปลด each o

Zyle f. Campbel

42308

RECORDED AT THE REQUEST OF Lance Exploration Eng. July 28 A. D. 19 66 at 39 ninutes past 11 A. M. in Brak 11 of OFFICIAL RECORDS Pago 272-273 Records of Sures County, Nevada Sullis C. All Cool Recorder

THIS IS TO CERTIFY that the Bost 16. Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears
below, on the day of, 1966
The general course of said lode or vein is
The claim is situated in the Roberts Mining District, Euseka
County, State of Nevada, Corner No. 1 bears about 587E,
approximately 6,260 feet from Ny Cor, 527, T24N, R 48E
The locator claim 5 44 feet in a Cast
direction and 1456 feet in a West direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attached sheet
The total cost of such work consisted of at least \$ 800,00
The corners and side centers of the claim are located and marked as follows:
From the NE corner, a monument marked BI Cor., thence in a
South direction 600 feet to the 55 corner, a monument marked B1/4
center, a monument marked B1/5 SC, thence 250 feet in a Wast dir-
ection to the 500 corner, a monument marked B1/3 cor., thence 600
feet in a North direction to the NW corner, a monument marked B1/2
a monument marked BIN SC, thence 750 feet East to the point of
beginning.
Each of the above-described monuments is at least 4"in diameter by 4-6" long.
All location and discovery work necessary to complete this location had been performed by
July 27, 19.66
1130 bl 1 61 to B
(Name of Locator) (Address)
(Name of Locator) (Address)
Grand Guntion, Colorado
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON BARB NO. 1 THRU BARB NO. 8, INCLUSIVE

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Barb No. 1
Barb No. 2
Barb No. 3
Barb No. 4
Barb No. 5
Barb No. 6
Barb No. 7
Barb No. 8

consists of access road work and trenching which starts outside the claim group and is also located on Barb No.'s 1, 3, 5; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

B1/NSC, B1/center, B1/SSC, B3/center, B3/SSC, B5/center, B5/SSC, B5/2, B5/WEC, B5/3.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Lyle F. Campbell

42309

RECORDED AT THE REQUEST OF
Lance Exploration Eng.
July 28 A D. 19 66
at 40 minuter past 11 A. M.
in Erok 11 of OFFICIAL RECORDS
Page 274-275 Regress of
EUREKA COUNTY DEVANA

Recorder

Fee \$ 1.00

នការកម្មសិក្សា

	THIS IS TO CERTIFY that the	Barb 5	76.Z	Lode Mining Claim was
10	cated by Lyle F. Can	pbell	, whose	post office address appears
	elow, on the	Nass	, 19 66	
	The general course of said lode or	vein is	et	
	The claim is situated in the	Roberts	Mining I	Histrict, Euseka
C	county, State of Nevada, Consum			
appen	eximately 6,260 fee	t from 1	1/ Cor, 527	TZAN, RABE.
	The locator claim. 5	37	feet in a <i>U</i>	Lest
ď	irection and 1463			
	rom the point of discovery, with a wid			\ \
	ide of the center of the vein or lode al			
	The dimensions and locations of			are as foliows:
	Dec alls			
•••	And the state of t			
•••		***************************************	**************************************	164 Dec 164 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
***	The total cost of such work consist	xceeds	800,00	
	The corners and side centers of the			1940 s
-	The corners and side centers of the from the MW corner,			
	direction 600 feet			
	Cor., thence 750 feet i			
	enter, a monument marked BZ			
C	enter, a monument marked	Z SC, then	<i>B 2.</i> / 3	600
	ction to the Corne			
	eet in a North direction to			
/	Cor., thence 750 feet in a			_
/ /a	monument marked B 2	SC, thence	5 C feet MA	to the point of
(1	beginning.	_1 A		+ 1 21/11
\	Each of the above-described monum	nents is al, leas	77 in diame	usy 4-6 long.
/ /	All location and discovery work		olete this location	had been performed by
	July 27	, 19 <i>66</i> .		
-	16 B. Pamabell	Tone 6	Peloration	Engineering
0.5%	(Name of Locator)	R	(Address)	
	(Name of Locator)	, VSDX	(Address)	
	(Name of Locator)	, Grand	Junctio (Address)	n, colorado
	(Ardine Of Thoracor)		v (Aumess)	

STATEMENT OF LOCATION WORK DONE ON BARB NO. 1 THRU BARB NO. 8, INCLUSIVE

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Barb No. 1
Barb No. 2
Barb No. 3
Barb No. 4
Barb No. 5
Barb No. 6
Barb No. 7
Barb No. 8

consists of access road work and trenching which starts outside the claim group and is also located on Barb No.'s 1, 3, 5; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

B1/NSC, B1/center, B1/SSC, B3/center, B3/SSC, B5/center, B5/SSC, B5/2, B5/WEC, B5/3.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Lyle F. Complet

42310

File No.

RECORDED AT THE REQUEST OF

Lance Exploration Eng.

July 28. A. D. 19 .66

at 41minutes post 11 A. M.
in Erok 11 of OFFICIAL RECORDS

Page 276-277 Record of

EMERICA COUNTY, NEADA

Recorder

THIS IS TO CERTIFY that the Bast 910.3 Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears
below, on the 3 day of May 1966
The general course of said lode or vein is Mant
The claim is situated in the Roberts Mining District, Eureko
County, State of Nevada, Corner No. 1 bears about 577E,
approximately 6, 750 ft from Ny Cor, 527, T24N, R 48E
The locator_claim_5 70 feet in a East
direction and 1430 feet in a West direction
from the point of discovery, with a width of 300 feet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attached sheet
The total cost of such work consisted of at least \$ 800.00
The corners and side centers of the claim are located and marked as follows:
From the SE corner, a monument marked B3// Cor., thence in a North
direction 600 feet to the NE corner, a monument marked B3/4
center, a monument marked B3/V SC, thence 750 feet in a West dir-
ection to the NW corner, a monument marked B3/3 Cor., thence 600
feet in a direction to the owner, a monument marked _B3/2
Cor., thence 250 feet in a direction to the 350 side center.
a monument marked B3/5 80, themos 250 feet 250 to the point of
beginning.
Each of the above-described monuments is at least 4 in diameter by 4 - 6 long
All location and discovery work necessary, to complete this location had been performed by
luly 27 10.66
Tyle to langely Lance Exploration Engineering
(Name of Lines)
(Name of Locator) (Address)
(Name of Locator) (Address)

TO BE FILED WITH THE COUNTY RECORDER.

IN A CLEAR AND LEGIBLE FORM.

STATEMENT OF LOCATION WORK DONE ON BARB NO. 1 THRU BARB NO. 8, INCLUSIVE

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Barb No. 1
Barb No. 2
Barb No. 3
Barb No. 4
Barb No. 5
Barb No. 6
Barb No. 6
Barb No. 7
Barb No. 8

consists of access road work and trenching which starts outside the claim group and is also located on Barb No.'s 1, 3, 5; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

B1/NSC, B1/center, B1/SSC, B3/center, B3/SSC, B5/center, B5/SSC, B5/2, B5/WEC, B5/3.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Lyle F. Campbell

/ /

12311

RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 28 A D 1966

at 42 minutes past 11 A. M. in feet 11 af OFFICIAL RECORDS

Pag: 278-279 Records of SEPRENA COUNTY, NEVADO Sulling G. Me (aux

Recorder

THIS IS TO CERTIFY that the County Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears
below, on the 3 day of Man, 1966
The general course of said lode or vein is
The claim is situated in the Roberts Mining District, Eureka
County, State of Nevada, Corner No. I fears about 577E,
approximately 6,450 ft from N/ Cor, 527, +24N, R48E
The locator claim 5 /2 feet in a Mast
direction and 1488 feet in a East direction
from the point of discovery, with a width of Society feet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attacked sheet
The total cost of such work consisted of at least \$ 800.00
The corners and side centers of the claim are located and marked as follows:
From the 500 corner, a monument marked 84/1 Cor., thence in a Month
direction 600 feet to the NW corner, a monument marked B4/4
Cor, thence 750 feet in a Cast direction to the month side
center, a monument marked B4 N SC, thence 750 feet in a Each dir.
ection to the NE corner, a monument marked B4/3 cor., thence 600
feet in a santh direction to the $5E$ corner, a monument marked $84/2$
Cor., thence 750 feet in a West direction to the south side center,
a monument marked B4/5 SC, thence 750 feet West to the point of
beginning.
Each of the above-described monuments is alleget 4"in diameter by 4-6"long
All location and discovery work necessary to complete this location had been performed by
July 27 1066
120 111 1 0,14.0.
(Name of Locator) Jance Exploration Engineering
Box 2/88
(Name of Locator) (Address)
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON BARB NO. 1 THRU BARB NO. 8, INCLUSIVE

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Barb No. 1
Barb No. 2
Barb No. 3
Barb No. 4
Barb No. 5
Barb No. 6
Barb No. 7
Barb No. 8

consists of access road work and trenching which starts outside the claim group and is also located on Barb No. is 1, 3, 5; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

B1/NSC, B1/center, B1/SSC, B3/center, B3/SSC, B5/center, B5/SSC, B5/2, B5/WEC, B5/3.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

42312

RECORDED AT THE REQUEST OF
Lance Exploration Eng.
July 28 A.D. 19 66
of 42 minutes paif 11 A.M.
in Book 11 of OFFICIAL RECORDS
Page 289-281 Record of

Recorder

File No.

THIS IS TO CERTIFY that the Bost 910.5 Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears
below, on the 3 day of May 1966
The general course of said lode or vein is
The claim is situated in the Roberts Mining District, Euseka
County, State of Nevada, Corner no I feare about 577E
approximately 6,450 ft from Ny Car, 527, T24N, R48E
The locator_claim 5 30 feet in a Cast
direction and 1470 feet in a West direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attached sheet.
The total cost of such work consisted of at least \$ 800.00
The corners and side centers of the claim are located and marked as follows:
From the NE corner, a monument marked B5// Cor., thence in a Corner
direction 600 feet to the $5\overline{\epsilon}$ corner, a monument marked $85/4$
center, a monument marked 85/5 SC, thence 750 feet in a West dir-
ection to the 5W corner, a monument marked B5/3 Cor., thence 600
feet in a Month direction to the MW corner, a monument marked $B5/2$
Cor., thence 750 feet in a Cast direction to the 2011 side center,
a monument marked B5 N SC, thence 750 feet to the point of
beginning.
Each of the above-described monuments is at least 4" in diameter by 4-6" long
All location and discovery work necessary to complete this location had been performed by
July 27 19.66
1 2 On toll free Exploration Engine
(Name of Locator) (Address)
(Name of Locator) (Address)
Grand Junction, Colorado
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON BARB NO. 1 THRU BARB NO. 8, INCLUSIVE

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Barb No. 1
Barb No. 2
Barb No. 3
Barb No. 4
Barb No. 5
Barb No. 6
Barb No. 7
Barb No. 8

consists of access road work and trenching which starts outside the claim group and is also located on Barb No.1s 1, 3, 5; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

B1/NSC, B1/center, B1/SSC, B3/center, B3/SSC, B5/center, B5/SSC, B5/2, B5/WEC, B5/3.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Lagineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Tyle F. Campiell

File No. 12313

RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 28. A. D. 1966

at 44. minutes past 11 A. M.
in Scol 11. of OFFICIAL RECORDS

Page 282-283. Records of SURFIA COUNTY, NEVADA

Recorder

THIS IS TO CERTIFY that the Bash 910-6 Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears
below, on the 3 day of Man, 19.66
The general course of said lode or vein is
The claim is situated in the Roberts Mining District, Euseko
County, State of Nevada, Comes No. 1 fears about 577E,
approximately 6, 450 ft. from Ny Cor, 527, T24N, R48E
The locator claim 5 10 feet in a Mest
direction and 1490 feet in a cust direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attacked sheet
The total cost of such work consisted of at least \$ 800.00
The corners and side centers of the claim are located and marked as follows:
From the
direction 600 feet to the 500 corner, a monument marked $86/4$
center, a monument marked B 5 SC, thence 750 feet in a East dir.
ection to the 5E corner, a monument marked B6/3 Cor., thence 600
feet in a Mouth direction to the NE corner, a monument marked B6/2
a monument marked B6/1Y SC, thence 750 feet West to the point of
beginning.
Each of the above-described monuments is at least 4" in dieneter by 4'-6" long.
All location and discovery work necessary to complete this location had been performed by
July 27, 10 66
1070 111 1 PILLE
(Name of Lecator) (Address) (Address)
Box 2188
(Name of Locator) (Address)
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON BARB NO. 1 THRU BARB NO. 8, INCLUSIVE

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Barb No. Barb No. 2 Barb No. Barb No. Barb No. 5 Barb No. Barb No. Barb No.

consists of access road work and trenching which starts outside the claim group and is also located on Barb No. 8 1, 3, 5; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

B1/NSC, B1/center, B1/SSC, B3/center, B3/SSC, B5/center, B5/SSC, B5/2, B5/WEC, B5/3.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

F. Campbell

42314 File No. ..

RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 28

A,D, 19 66

in Book 11 of OFFICIAL RECORDS
Page 284-285 Records of

EUREKA COUNTY, NEVADA No Too!

Recorder

1.00

THIS IS TO CERTIFY that the Barb No. 7 Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears
below, on the 3 day of Man, 1966
The general course of said lode or vein is West
The general course of said tode or vein is Market Mining District, European
County, State of Nevada, Corner No. Jeans about 568t,
approximately 6,880 feet from Ny Cor, 527, T24N, R48E
The locator claim 5 105 feet in a East
direction and 1395 feet in a West direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attached sheet.
` \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
The total cost of such work consisted of at least \$ 800.00
The total wat of auth wath water of me seems grandless and an area of the seems grandless and a seems grandless are seems grandless grandless are seems grandless grandl
The corners and side centers of the claim are located and marked as follows:
From the corner, a monument marked Cor., thence in a R7/4
direction 600 feet to the NE corner, a monument marked
Cor., thence 750 feet in a West direction to the Month side
center, a monument marked 37/1/8C, thence 750 feet in a Mast dir-
ection to the NW corner, a monument marked 37/3 Cor., thence 600
feet in a South direction to the $5 \mathcal{N}$ corner, a manument marked $87/2$
Cor., thence 750 feet in a Court direction to the 2011 side center,
a monument marked B7 5 SC, thence 750 teet Earl to the point of
beginning.
Each of the above described monuments is at least 4" indirectes by 4"6" long
All location and discovery work necessary to complete this location had been performed by
July 27 19.66
Tyle & Comptell Jance Exploration Engineering
(Name of Looffer) (Address) (Address)
(Name of Locator) (Address)
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON BARB NO. 1 THRU BARB NO. 8, INCLUSIVE ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Barb No. Barb No. Barb No. Barb No. 4 Barb No. 5 Barb No. 6 Barb No. Barb No.

consists of access road work and trenching which starts outside the claim group and is also located on Barb No.'s 1, 3, 5; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

B1/NSC, B1/center, B1/SSC, B3/center, B3/SSC, B5/center, B5/SSC, B5/2, B5/WEC, B5/3.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Lyle F.

42315

File No. .

Lance Exploration Eng July 28

at 46 minutes past 11 A in Frok 11 of OFFICIAL RECORDS Paga

286-287 Recorden of A. COUNTY, NEVADO

Recorder

THIS IS TO CERTIFY that the Bank Ho. 8 Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears
below, on the 3 day of Man, 19 6 G
The general course of said lode or vein is
The claim is situated in the Roberts Mining District, Carette
County, State of Nevada, Corner No. 1 Sears about 568E,
spproximately 6,880 feet from N/ Cor, 527,724N, R
The locator claims 195 feet in a West
direction and 1305 feet in a East direction
from the point of discovery, with a width of 6eet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attrebed sheet
The total cost of such work consisted of at least \$ 800.00
The corners and side centers of the claim are located and marked as follows:
From the 5W corner, a monument marked B8// Cor., thence in a Horth
direction 600 feet to the MW corner, a monument marked $B8/4$
center, a monument marked B8/N sc, thence 750 feet in a Local dir-
ection to the ME corner, a monument marked B8/3 Cor., thence 600
feet in a South direction to the 5 E corner, a monument marked B8/2
Cor., thence 750 feet in a Weel direction to the south side center,
a monument marked 88 5 SC, thence 750 feet West to the point of
beginning.
Each of the above-described monuments is at least 4 in diameter by 4-6" long
All location and discovery work necessary to complete this location had been performed by
July 27, 1966
1/20 all Janes Combaction Civilia
(Name of Locator) (Address)
(Name of Locator) (Address)
Shand Vention. Colorado
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON BARB NO. 1 THRU BARB NO. 8, INCLUSIVE ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Barb No. 2
Barb No. 3
Barb No. 4
Barb No. 5
Barb No. 6
Barb No. 7
Barb No. 8

consists of access road work and trenching which starts outside the claim group and is also located on Barb No.'s 1, 3, 5; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

B1/NSC, B1/center, B3/SSC, B3/center, B3/SSC, B5/center, B5/SSC, B5/2, B5/WEC, B5/3.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Campbe 1

FIG. No. 42316
RECORDED AT THE REQUEST OF
Lance Engineering
July 28 A. D. 19 66

at 47 minutes past 11 A.M. in feet 11 of OFFICIAL RECORDS

Recorder

THIS IS TO CERTIFY that the Shiel No Lode Mining Clar	im was
located by Lyle F. Campbell , whose post office address :	appears
below, on the 2 day of Man, 1966	
The general course of said lode or vein is	***********
The claim is situated in the Roberts Mining District, Europe	la.
County, State of Nevada, Corner No. / Seare about N48E,	
esolimetely 5,120 feet from N/ Cor, S3, T 23N, R 48E	<u> </u>
The locator claim 5 50 feet in a 536 E	**********
direction and 1450 feet in a N 36 W d	
from the point of discovery, with a width of	on each
side of the center of the vein or lode along the entire length of said claim.	
The dimensions and locations of the discovery work done on the claim are as follows:	
See attached sheet.	
From the South corner, a monument marked S Cor., thence in a direction 600 feet to the Cast corner, a monument marked S Cor., thence 250 feet in a 36W direction to the NE center, a monument marked S SC, thence 750 feet in a N36W	/
ection to the North corner, a monument marked 51/3 Cor., thence 6	
feet in a 554W direction to the West corner, a monument marked 51	
Cor., thence 750 feet in a 536 direction to the 500 side	
a monument marked 51 5 W SC, thence 750 feet 536 to the p	oint of
beginning.	,
Each of the above-described monuments is at least 4"in diam ty 4-6	Nor
All location and discovery work necessary to complete this location had been perform	ed by
July 27, 19 66	
Jake B. Campfelf, Janes Exploration Engine (Address)	vering
(Name of Locator) (Address)	Δ
(Name of Locator) Sund Junction, Coloras	Do

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 1
Shirl No. 2
Shirl No. 3
Shirl No. 4
Shirl No. 5
Shirl No. 6
Shirl No. 7
Shirl No. 8
Shirl No. 9
Shirl No. 10

consists of access road work starting a considerable distance outside the claim group and is also located Shirl No.'s 9 and 10; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

\$10/\$\text{SWSC}, \$10/\text{center}, \$10/3, \$10/\text{SESC}, \$8/\text{SWSC}, \$8/\text{SEEC}, \$8/2, \$8/\text{center}, \$6/\text{center}, \$6/\text{5}, \$6/\text{SWSC}, \$6/\text{SEEC}, \$2/\text{SEEC}, \$2/\text{center}, \$2/\text{SWSC}, \$2/\text{NESC}, \$1/\text{NWSC}, \$1/3, \$1/2, \$3/3, \$3/\text{NWSC}, \$5/\text{NWEC}, \$5/2, \$9/\text{NWEC}, \$9/2.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Tyle F. Campbell

File No. 42317

RECORDED AT THE REQUEST OF Lance Exploration Eing.

July 28

A. D. 19 66

at 48 minutes past 11 A. M.

in Erot 11 of OFFICIAL RECORDS
Page 290-291 Record of
EUREKA COUNTY, NEVADO
SHILLAN C. He and

Rocorder

Foo \$ 1.00

THIS IS TO CERTIFY that the Shil No. 2 Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears
below, on the day of
The general course of said lode or vein is 536 \(\overline{\pi} \)
The claim is situated in the Roferts Mining District, England
County, State of Nevada, Corner No. / Jeans about N48E,
approximately 5, 120 feet from N/ Cor, 53, T23N, R48E
The locator claim 5 50 feet in a N 36 W
direction and 1450 feet in a 536£ direction
from the point of discovery, with a width of 300 feet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
Lee altrebed sheet
The total cost of such work consisted of at least \$ 1000.00
The corners and side centers of the claim are located and marked as follows:
From the West corner, a monument marked 52/1 Cor., thence in a N54E
direction 600 feet to the Hosth corner, a monument marked 52/4
Cor., thence 750 feet in a $536E$ direction to the NE side
center, a monument marked 52/NE SC, thence 750 feet in a 536E dir.
ection to the Cost corner, a monument marked 52/3 Cor., thence 600
feet in a 554 W direction to the South corner, a monument marked 52/2
Cor., thence 750 feet in a N36 W direction to the 5 W side center,
a monument marked 52 5 W 8C, thence 750 feet 136W to the point of
beginning.
Each of the above-described monuments is at least I "in dianter by 4'-6'long
All location and discovery work necessary to complete this location had been performed by
July 27 19.66
Lule B. Campbell Lance Exploration Engineering
(Name of Log tog) (Address)
(Name of Locator) (Address)
Grand Junction, Colorado

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 6 Shirl No. Shirl No. 10

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 9 and 10; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations

\$10/\$\text{S10}/\$\text{center}, \$10/3, \$10/\$\text{ESC}, \$8/\$\text{SWSC}, \$8/\$\text{SEC}, \$8/\$\text{Center}, \$6/3, \$6/\$\text{SWSC}, \$6/\$\text{EEC}, \$4/\$\text{SEEC}, \$4/\$\text{SWSC}, \$4/\$\text{center}, \$2/\$\text{SEEC}, \$2/\$\text{center}, \$2/\$\text{SWSC}, \$2/\text{NESC}, \$1/\text{NWSC}, \$1/3, \$1/2, \$3/3, \$3/\text{NWSC}, \$5/\text{NWSC}, \$5/2, \$9/\text{NWSC}, \$9/2.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

gle Flanz Lyle F. Campbell

42318

Lance Exploration Eng.

July 28 A. D. 19 66

- 11 of OFFICIAL RECORDS

Page 292-293 Records of SERREY, COUNTY, NEVADA

Recorder

Fee \$ 1.00

THIS IS TO CE				
ocated by	e F. Ca	mpbell	, whose pos	t office address appear
helms on the 2	- day of	Non	1966	
		n is		
The general cour	se of said lode of ve	11.11 フェン		a. Euseka
		and the second of the second o		
				L N48E,
sofinates	4 5,1200	lut from !	Vy Cor 3	3, T23N, R
The locatorcl	alm.5 60		feet in a	36€
11114	1440	feet in a	N 36 0	W direction
		<u></u>		
from the point of dis	covery, with a width	a. <u>32</u> €		feet on esc
side of the center of	the vein or lode alon	g the entire length o	f =id claim.	
The dimensions	and locations of the	discovery work dor	e on the claim are	s follows:
• •		allely		
T P				
100	, a co w < 1 e 1 e 2000 e 2			
		xceeds		
The corners and	side centers of the c	laim are located and	marked as follows:	or, thence in a 557
The corners and	side centers of the c	laim are located and monument marked.	marked as follows:	For, thence in a 557
The corners and	side centers of the conter, a corner, a	monument marked	marked as follows: 53// corner, a monum	ent marked 53/9
The corners and from the direction Cor., thence	side centers of the comer, a 600 feet to	monument marked the Locality N 36 W	marked as follows: 53// corner, a moram direction to the	ent marked 33/9
The corners and From the direction Cor., thence	side centers of the comer, a corner, a feet to feet in marked 5 3	monument marked the Lower M. 8 N36 W. 5 W. 8C, thence	marked as follows: 53// corner, a moraim direction to the 750 feet in a	5 W at N 36 W 4
The corners and From the direction Cor., thence center, a monument rection to the	side centers of the corner, a corner	monument marked the 2000 BC, thence a monument marked	marked as follows: $53/1$ corner, a moraum direction to the 750 feet in a $53/3$	5 W st. N 36 W di Cor., thence606
The corners and From the direction Cor., thence center, a monument rection to the	side centers of the corner, a corner, a feet to feet in anarked 5 3 corner, a corner,	monument marked and the Asia W. 36 W. 50, thence a monument marked as Market	marked as follows: 53// corner, a monum direction to the 750 feet in a 53/3 corner, a monument	5 W st. 5 W st. N 36 W di Cor., thence 600 marked 5 3/2
The corners and from the direction Cor., thence center, a monument rection to the	side centers of the corner, a corner, a feet to feet in anarked 5 3 corner, a corner,	monument marked and the Asia W. 36 W. 50, thence a monument marked as Market	marked as follows: 53// corner, a monum direction to the 750 feet in a 53/3 corner, a monument	5 W st. N 36 W di Cor., thence606
The corners and From the direction Cor., thence center, a monument rection to the	side centers of the corner, a corner	monument marked and monument marked when the source with the s	marked as follows: 53// corner, a monum direction to the 750 feet in a 53/3 corner, a monument	sent marked 53/9 SW state N36W di Cor., thence 606 marked 53/2 E side cente
The corners and direction Cor., thence center, a monument rection to the	side centers of the corner, a corner	monument marked and monument marked when the source with the s	marked as follows: 53// corner, a monum direction to the 750 feet in a 53/3 corner, a monument	5 W st. 5 W st. N 36 W di Cor., thence 600 marked 5 3/2
The corners and From the direction Cor., thence center, a monument rection to the	side centers of the corner, a corner	monument marked and monument marked when the second marked with the second marked marked with the second marked marked with the second marked m	marked as follows: 53// corner, a monum. direction to the	sent marked 53/9 SW state N 36 W di Cor., thence 606 marked 53/2 E side cente
The corners and From the direction Cor., thence center, a monument rection to the	side centers of the corner, a corner	monument marked and monument marked when the second marked with the second marked marked with the second marked marked with the second marked m	marked as follows: 53// corner, a monum direction to the 750 feet in a 53/3 corner, a monument	sent marked 53/9 SW state N 36 W di Cor., thence 606 marked 53/2 E side cente
The corners and direction to the deet in a	side centers of the corner, a corner	monument marked the Louth SW SC, thence a monument marked the South 536 E dis SC, thence 750	marked as follows: 53/1 corner, a monum direction to the 750 feet in a 53/3 corner, a monument ection to the 9 feet S	sent marked 53/9 SW state N 36 W di Cor., thence 606 marked 53/2 E side cente
The corners and direction to the deet in a	side centers of the corner, a corner	monument marked the Louth SW SC, thence a monument marked the South 536 E dis SC, thence 750	marked as follows: 53/1 corner, a monum direction to the 750 feet in a 53/3 corner, a monument ection to the 9 feet S	sent marked \$3/9 5 W sta N 36 W di Cor., thence 606 marked \$3/2 E side cente 36 E to the point of
The corners and From the direction Cor., thence center, a monument rection to the Cor., thence center in a Cor., thence center in a corner in a monument marked beginning. Each of the above	side centers of the corner, a corner	monument mariced and the Assistance Market M	marked as follows: 53/1 corner, a monum direction to the 750 feet in a 53/3 corner, a monument ection to the 9 feet S	sent marked \$3/9 5 W sta N 36 W di Cor., thence 606 marked \$3/2 E side cente 36 E to the point of
The corners and From the direction Cor., thence center, a monument rection to the Month of the Cor., thence monument marked beginning. Each of the above All location and	side centers of the corner, a corner	monument mariced and the Assistance Market M	marked as follows: 53/1 corner, a monum direction to the 750 feet in a 53/3 corner, a monument ection to the 9 feet S	sent marked \$3/9 5 W sta N 36 W di Cor., thence 606 marked \$3/2 E side cente 36 E to the point of
The corners and From the direction Cor., thence center, a monument rection to the Cor., thence center in a Cor., thence center in a corner in a monument marked beginning. Each of the above	side centers of the corner, a corner	monument mariced and the Assistance Market M	marked as follows: 53/1 corner, a monum direction to the 750 feet in a 53/3 corner, a monument ection to the 9 feet S	sent marked \$3/9 5 W sta N 36 W di Cor., thence 606 marked \$3/2 E side cente 36 E to the point of
The corners and From the direction Cor., thence center, a monument rection to the Month of the Cor., thence monument marked beginning. Each of the above All location and	side centers of the corner, a corner	monument mariced and the Assistance Market M	marked as follows: 53/1 corner, a monum direction to the 750 feet in a 53/3 corner, a monument ection to the 9 feet S	sent marked \$3/9 5 W sta N 36 W di Cor., thence 606 marked \$3/2 E side cente 36 E to the point of

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 10

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 9 and 10; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations

\$10/8WSC, \$10/center, \$10/3, \$10/SESC, \$8/SWSC, \$8/SEEC, \$8/2, \$8/center, \$6/center, \$6/3, \$6/8WSC, \$6/SEEC, \$4/SEEC, \$4/2, \$4/SWSC, \$4/center, \$2/SEEC, \$2/center, \$2/SWSC, \$2/NEEC, \$2/3, \$1/NESC, \$1/NWSC, \$1/3, \$1/2, \$3/3, \$3/NWSC, \$5/NWEC, \$5/2, \$9/NWEC, \$9/2.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

yle F. Camposil

42319

File No. . RECORDED AT THE REQUEST OF July 28 ___ A D. 19 66

in Fook . 11 of OFFICIAL RECORDS

Page _ 294_296 Records of STUBLES COUNTY, NEVADA

Fee \$1.00

	<u> </u>
	M (b c () the put des dates apen
below, on the 2 day of 2	<u>466</u>
The general course of said lode or vein	<u>(7/36 W</u>
The claim is situated in the	fate me Cucks
	No. 1 Leave start N48E,
approximately 5,1204	at from Ny Gr, 53, T23N, R48E
The locator claim S	<u>o 286 mar. N36 W</u>
	536E
from the point of discovery, with a width o	<u>360 (4) (5) (6) (6) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7</u>
side of the center of the vein or lode along	
· · · · · · · · · · · · · · · · · · ·	theory and does in the date on is fathern:
- Jee alla	
The total cost of such work executed to	
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
The corners and side centers of the claim	5.4// On the 1 5.54W
(1) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3//st
	536E direction to the SW
54/5	U 80, 8536 € 65.
4. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	54/3 6.6 600
。1.11-1.11-1.11-1.11-1.11-1.11-1.11-1.1	Cold Comment of the State of the Cold Cold Cold Cold Cold Cold Cold Cold
以上,1976年1945年的自然的自然的特殊的企业的建设的。在1976年初的基础的基础管理基础管理基础	V3640 apostos to the ME and easter,
[1] Fr. 17. [1] [1] [1] [1] [1] [2] [2] [2] [2] [2] [2] [2] [2] [2] [2	0 (marks - 750) (m. 17/36 W) (m. parts of
beginning.	
Each of the above-described monuments	nat level 4" in dienter by 4" 6" los
All location and discovery work naces	eary to complete this bouldon had been perferred by
July 27 1	<u>66</u>
1120 .11	- CIA. P.
(Name of Logstor)	(Marie)
(Name of Locator)	(20x 2188)
(Name of Locator)	Trank Junction, Colorado
THE PARTY OF LANGUE PARTY OF THE PARTY OF TH	200日的60000000000000000000000000000000000

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. Shirl No.

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 9 and 10; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

\$10/\$\text{SEC}, \$10/\$\text{center}, \$10/3, \$10/\$\text{SEC}, \$8/\$\text{SWSC}, \$\$10/\$\text{center}, \$6/3, \$6/\$\text{SWSC}, \$6/\$\text{SEC}, \$4/\$\text{SEC}, \$4/\$\text{SWSC}, \$4/\$\text{center}, \$2/\$\text{SEC}, \$2/\text{center}, \$2/\$\text{SWSC}, \$4/\$\text{center}, \$2/\$\text{SEC}, \$2/\text{center}, \$2/\$\text{SWSC}, \$2/\text{SEC}, \$2/\text{center}, \$2/\$\text{SWSC}, \$2/\text{NWSC}, \$1/\text{NWSC}, \$1/\text{2}, \$3/\text{3}, \$3/\text{NWSC}, \$5/\text{NWEC}, \$5/\text{2}, \$9/\text{NWEC}, \$5/\text{2}.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Zyle F. Campbell

42320

RECORDED AT THE REQUEST OF Eng.

July 28 A. D. 19 66

File No. .

Detach

at 51 minutes past 11 A M

in Enal 11 ... of OFFICIAL RECORDS

Page 296-297 Resorted of 100 Communication of 100 C

Recorder

1.00

THIS IS TO CERTIFY that the	Mil 960.5 Lode Mining Claim was
	Campbell , whose post office address appears
	May 10 66
E	or vein is N36W
The general course of said lode	Roberte Mining District, Euseko
The claim is situated in the	on-1 1 A NATE
	un No. 1 fears afout NATE
appropriately 3,2	360 feet from N/Cor, 53, 723N, R4BE
The locator claim 🥩	18 tent in € 536 €
	feet in a N 36 W direction
from the point of discovery, with a	width of 300 feet on each
side of the center of the vein or lod	le along the entire length of said claim.
The dimensions and locations	of the discovery work done on the claim are as follows:
See a	tacked sheet.
	exceeds 1000,00
	the claim are located and marked as follows:
	ner, a monument marked 55 Cor. thence in a N54E
	eet to the corner, a monument marked S 5 4
/ /	
	eet in a N36W direction to the NE side
	5/NE 8C, thence 200 750 teet in a N36W dir.
	orner, a monument marked 5 5 3 Cor., thence 600
	n to the West corner, a monument marked 55/2
	n s 536 E direction to the 5 W side center,
a monument marked	5 W SC, thence 750 feet 5365 to the point of
beginning.	
Each of the above-described mo	numeris is at least 4" in diameter by 4-6" lo.
All location and discovery wor	rk necessary to complete this location had been performed by
Quela 27	19.66
2,00	111 2 0 1 1 6
(Name of Locators	If Lance Exploration Engineering
A January or moreona.	Box 2188
(Name of Locator)	97 (Address)
(Name of Locator)	(Address)

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 1
Shirl No. 2
Shirl No. 3
Shirl No. 4
Shirl No. 5
Shirl No. 6
Shirl No. 7
Shirl No. 8
Shirl No. 9
Shirl No. 10

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl, No.'s 9 and 10; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

\$10/\$\text{SUC}, \$10/\text{center}, \$10/\text{3}, \$10/\text{SESC}, \$8/\text{SWSC}, \$8/\text{SEEC}, \$8/2, \$8/\text{center}, \$6/\text{3}, \$6/\text{SWSC}, \$6/\text{SEEC}, \$6/\text{SEEC}, \$6/\text{SEEC}, \$2/\text{SEEC}, \$2/\text{SEEC}, \$2/\text{Center}, \$2/\text{SWSC}, \$2/\text{NESC}, \$1/\text{NWSC}, \$1/\text{3}, \$1/2, \$3/\text{3}, \$3/\text{NWSC}, \$5/\text{NWEC}, \$5/2, \$9/\text{NWEC}, \$9/2.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Tyle F. Campbell

File No. 42321

RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 28 A D. 1966

at 52 minutes past 11 A. M.

in Book 11 of OFFICIAL RECORDS
Page 298-299 Records of STATES COUNTY, PROPERTY PROPERTY.

Recorder

1 . .

1.00

THIS IS TO CERTIFY UN	at the	thist !	No. 6	Lode Mining	Claim was
located by Lyle	F. Ca	mpbell	, whose p	et office addre	es appears
below, on the day	or <i>Ma</i>	4	, 19 66		
The general course of said	l lode or vein i	536	£		
The claim is situated in the	he Ros	leste	Mining Dis		
County, State of Nevada,			원통 선생님들이 함께 하는 사람들은 하는		
pprofimately.					748E
The locator claim. 5			leet in a $N3$	5W	1042 mg m.m. 6 14 14 14 14 14 14 14 14 14 14 14 14 14
direction and	8	feet in &	<u> </u>		direction
from the point of discovery, w	ith a width of .	300		fe	et on each
side of the center of the vein	or lode along th	e entire length o	said claim.		
The dimensions and locat	ions of the di	scovery work don	e on the claim are	as follows:	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
de	attack	edehu	<u>, L</u>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
\$42200000000000000000000000000000000000			NATIONAL COMPTONES (1000) 4 PROPERTY (1000)		
0.000 1 1990-01 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
The total cost of such wo	excee	eds 10	00.00		
The corners and side center			marked as follows		
From the West		그는 일 하는 가는 일하는 생각			N54E
direction 600					and the second of the second
Cor., thence 250				-	
center, a monument marked	_				Z // // //
ection to the East		· 13 医硫酸 (14 15 15 15 15 15 15 15 15 15 15 15 15 15	14.	**	•
feet in a 554W di			회원에 가지 않는 사람은 등 없다.		
Cor., thence 750		3/			
a monument marked 56				1 1	
beginning. Each of the above-describe	d manuments (at less	t 4 "in 1	leaveter	4.4-6"1
\		- 15 July 1			
All location and discovery	1 /	, ,	this location h	rd oven beta	ormed by
July -	, 19.6		5 1 1	- <i>1</i> 5	
(Name of Locator)	telf ,	ance E	splosatio	nengun	eering
	" a	Box 218	38		
(Name of Locator)		4-00	(Address)	Colon	2
(Name of Locator)		pions ;	(Address)	- LO 10	

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 1
Shirl No. 2
Shirl No. 3
Shirl No. 4
Shirl No. 5
Shirl No. 6
Shirl No. 7
Shirl No. 8
Shirl No. 9
Shirl No. 10

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 9 and 10; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

\$10/\$\text{\$\text{\$\subseteq}}\$ \$10/\$\text{\$\text{\$\subseteq}}

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Tyle F. Campbell

. No. 42322

Lance Exploration Eng.

July 28 A. D. 19 66

Stillis G. We Taoli

Recorder

Fag \$ 1.00

THIS IS TO CERTIFY that the Shall Ho. 7 Lode Mining Claim was
그는 그
located by Lyle F. Campbell , whose post office address appears
below, on the
The general course of said lode or vein is <u>N 36 W</u>
The claim is situated in the States Mining District, Sunsky
County, State of Nevada, Corner Mo Acars about N47E
approximately 3,960 feet from N/ Cor, 53,723N, R981
The locator claim 5 90 feet in 5 3 6 E
direction and 1410 feet in a N36W direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attacked shed
The total cost of such work construct of at least \$ 1000.00
The corners and side centers of the claim are located and marked as follows:
From the East corner, a monument marked 57/1 Cor., thence in a 554W
direction 600 feet to the Louth corner, a monument marked 57/4
Cor., thence 750 feet in a $\sqrt{36} \omega$ direction to the 5ω side
center, a monument marked 57/5W SC, thence 750 feet in a N36W dir
ection to the 2021 corner, a monument marked 57/3 Cor., thence 600
feet in a N 5 4 5 direction to the North corner, a monument marked 5 7/2
Cor., thence 750 feet in a 536E direction to the NE side center,
a monument marked 57/NE SC, thence 250 feet 536E to the point of
beginning.
Each of the above described monuments is at least 4 in dissitution by 4.6%
All location and discovery work necessary to complete this location had been performed by
July 27 , 1966
Il Flowwell Ingo Calentine Grains
(Name of Location)
(Name of Locator) (Address)
Grand Dune tion, Colorado
(Name of Locator)

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. Shirl No.

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 9 and 10; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations

\$10/\$\text{S10/center, \$10/3, \$10/\$\text{SESC, \$8/\$\text{SWSC, \$6/\$\text{SECC, \$6/\$\text{SECC,

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

F. Campoell

42323

File No.

RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 28 A.D. 1966
at . 54 minutes pest ... 11 A.M.
in Erot .11 of OFFICIAL RECORDS

Paga 302-303 Records)of MANA COUNTY METaoli

Recorder

THIS IS TO CERTIFY that	the Shirl Mo'8 Lode Mining Claim was
	F. Campbell , whose post office address appears
•	May 10 66
	lode or vein is 536E
The claim is situated in the	Roberta Mining District, Eureko
County, State of Nevada,	one No I bear about N47E,
excopinistely 3	3,960 feet from NY Cor, 53, T 23N, R48E
	85 feet in a N36W
	feet in a 536 E direction
from the point of discovery, with	h a width of 300 feet on each
	lode along the entire length of said claim.
The dimensions and location	ns of the discovery work done on the claim are as follows:
See	attachedsheet
P-W	
The total cost of such work	exceeds 1000,00
	s of the claim are located and marked as follows:
	corner, a monument marked 58 Cor., thence in a 5544
	feet to the West corner, a monument marked 58/9
	feet in a 536 E direction to the SW side
·	58/5W 80, thence 750 feet in a 536 E dir
\ \	corner, a monument marked 58/3 Cor., thence 600
	ction to the corner, a monument marked 58/2
Cor., thence	et in a N 36 W direction to the N E side center,
	N = 80, thence 750 feet $N36W$ to the point of
beginning.	
=	monuments is at least I in disneter by 1-6" long
	work necessary to complete this location had been performed by
July 27	
1120	111 1 6 1 4 . 6
(Name of Locator)	To (Address)
(Name of Locator)	(Address)
(Maile of Locator)	Grand Junction, Colorado
(Name of Locator)	(Address)

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. Shirl No.

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 9 and 10; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

\$10/\$\text{\$\tex

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

F. Campbell

File No. 42324

RECORDED AT THE REQUEST OF Lance Exploration Eng. at 55 minutes past 11 A. M. in it of 11 at 11 at 12 at July 28

Julia C. We lash

Recorder

Fee \$ 1.0p

THIS IS TO CERTIFY that the	Shirl Il	9	Lode Mining	Claim was
located by Lyle F. Ca				
below, on the day of		. 66	ME CITTOR SOUT	
below, on theday ofday	1/2/	, 19.2.2		
The general course of said lode or vein	1 1/36 C		0	1
The claim is situated in the	The second of the second of the second			and the second second
County, State of Nevada,	No. 1 Ses	ne a bo	AN T	15 € ,
profimately 2,800 fe	et from N	46x,53	, T23N,	R484
The locator claim 5 35				
direction and 1465	fact in a	N 36	$w \setminus v$	direction
from the point of discovery, with a width of				
from the point of discovery, with a width of	I2.2			eet on esc
side of the center of the vein or lode along	the entire length of	said cisim.		
The dimensions and locations of the	discovery work done	on the claim an	as follows:	
See allac	hed sh	eel		*************

exce	eeds	20/00/		
The total cost of such work consisted of				
The corners and side centers of the clai				7 (1) 1341
From the South corner, a m	onument marked	59/1	Cor., thence !	N59
direction 600 feet to the	Cast	comer, a monu	ment marked	59/9
	N36W	direction to the	NE	siči
center, a monument marked 59/M	· 一名中,其中的国民的人		1.0	111 410
ection to the Market corner, a				
	monument marked		Cor., thence	
	A.1 -1.		* .	4.0
feet in a 554W direction to the		omer, a monume	at marked	59/2
Cor., thence 750 feet in a 5	536 € dim	otion to the	it marked	52/2
	536 € dim	otion to the	it marked	59/2
Cor., thence feet in a	536 € dim	otion to the	it marked	52/2
a monument marked 59/5W gebeginning.	36 E dire C, thence 75 C	otion to the	it marked	52/2
a monument marked 595 w so beginning. Each of the above-described monuments	36 E direction of the second o	otion to theS feetS	to marked 365 to	$\frac{59/2}{2}$, side center the point of $\frac{4-64}{4}$
a monument marked 59/5 w so beginning.	36 E direction of the second o	otion to theS feetS	to marked 365 to	$\frac{59/2}{2}$, side center the point of $\frac{4-64}{4}$
a monument marked 595 w so beginning. Each of the above-described monuments	36 E direction of the second o	otion to theS feetS	to marked 365 to	$\frac{59/2}{2}$, side center the point of $\frac{4-64}{4}$
a monument marked 595 w so beginning. Each of the above-described monuments	36 E direction of the second o	otion to theS feetS	to marked 365 to	$\frac{59/2}{2}$, side center the point of $\frac{4-64}{4}$
a monument marked 595 w so beginning. Each of the above-described monuments	36 E direction of the second o	otion to theS feetS	to marked 365 to	$\frac{59/2}{2}$, side center the point of $\frac{4-64}{4}$
a monument marked 59500 get in a 500 get in	36 E direction of the second o	otion to the	to marked 365 to	$\frac{59/2}{2}$, side center the point of $\frac{4-64}{4}$
a monument marked 595 w so beginning. Each of the above-described monuments	36 E direction of the second o	otion to theS feetS	to marked 365 to	$\frac{59/2}{2}$, side center the point of $\frac{4-64}{4}$
a monument marked 5950 get in a 50 get in	36 E direction of the second o	otion to the	to marked 365 to	$\frac{59/2}{2}$, side center the point of $\frac{4-64}{4}$

ALL BEING CONTIGUOUS:

Location work done to advence the exploration of

Shirl No. 1
Shirl No. 2
Shirl No. 3
Shirl No. 4
Shirl No. 5
Shirl No. 6
Shirl No. 7
Shirl No. 8
Shirl No. 9
Shirl No. 10

consists of access road work starting a considerable distance outside the claim group and is also located Shirl No.'s 9 and 10; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

\$10/\$\text{St0/center, \$10/3, \$10/\$\text{SESC, \$8/\$\text{SWSC, }}\$8/\$\text{SEEC, \$8/2, \$8/center, \$6/center, \$6/3, \$6/\$\text{SWSC, \$6/\$\text{SEEC, }}\$4/\$\text{SEEC, \$4/2, \$4/\$\text{SWSC, \$4/center, \$2/\$\text{SEEC, \$2/center, \$2/\$\text{SWSC, }}\$2/\text{NESC, \$1/\text{NWSC, \$1/3, \$1/2, \$3/3, \$3/\text{NWSC, }}\$5/\text{NWSC, \$5/2, \$9/\text{NWEC, \$9/2.}}

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Pile No. 42325

RECONDED AT THE REQUEST OF Lance Exploration Eng.

July 28

A. D. 19 66

at 56 minutes best 11 A. M.
in Fret 11 at Opening

Pozza 306-307

Pozza 306-307

Pozza CONNY Melaolo

Roccordor

A 1.00

THIS IS TO CERTIFY that the Sharl No. 10 Lode Mining Cla	im wij
located by Lyle F. Campbell whose post office address	
below, on the ———————————————————————————————————	
The general course of said lode or vein is 536 E	
The claim is situated in the Roberta Mining District, Cune	ka
County, State of Nevada, Corner No. Leans about N4.	56
approximately 2,800 feet from NYGx, 53, T23N,	
The locator claim 5 35 feet in a N 36 W	
14/5	lirection
from the point of discovery, with a width of	
	ou area
side of the center of the veln or lode along the entire length of said claim.	
The dimensions and locations of the discovery work done on the claim are as follows:	
See attached sheet	_ /
The total cost of such work consisted of at least \$ 1000.00	
The corners and side centers of the claim are located and marked as follows:	NEAE
From the West corner, a monument marked 5/0/ Cor., thence in a	
direction 600 feet to the 210th corner, a monument marked 5	•
Cor., thence 250 feet in a 536 E direction to the NE	
center, a monument marked 510/NE 80, thence 750 feet in a 536 E	dir-
ection to the Last corner, a monument marked 5/0/3 Cor., thence	
feet in a 554 W direction to the South corner, a monument marked 51	0/2
Cor., thence 750 feet in a N36 W direction to the 5 W side	e center,
a monument marked \$10/5 w 80, thence 250 feet N36w to the	point of
beginning.	
Each of the above-described monuments is at least 4 in disnetts by 4	<u>6" long</u>
All location and discovery work necessary to complete this location had been perform	sed by
July 27 , 1966	
112PMIN - PLL. + . P	-
(Name of Locator) (Address)	enceny
Box 2/88	
(Name of Locator) (Address)	Da
son function, was	10

ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 1
Shirl No. 2
Shirl No. 3
Shirl No. 4
Shirl No. 5
Shirl No. 6
Shirl No. 7
Shirl No. 8
Shirl No. 9
Shirl No. 10

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 9 and 10; and also consists of excavations or test pits for geochemical sampling located at or nearly the following locations:

S10/SWSC, S10/center, S10/3, S10/SESC, S8/SWSC, S8/SEEC, S8/2, S8/center, S6/center, S6/3, S6/SWSC, S6/SEEC, S4/SEEC, S4/2, S4/SWSC, S4/center, S2/SEEC, S2/center, S2/SWSC, S2/NEEC, S2/3, S1/NESC, S1/NWSC, S1/3, S1/2, S3/3, S3/NWSC, S5/NWEC, S5/2, S9/NWEC, S9/2.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

LANCE EXPLORATION ENGINEERING

Lyle F. Campb 11

/ /

42326

File No.

RECORDED AT THE REQUEST OF
Lance Exploration Eng.

July 28

A D 19 66

at 57 minutes past 11 A. M.
in Book 11 of OFFICIAL RECORDS
Paga 308-309

Record of Strake County, NEWAGE

STREET OF THE PROPERTY OF THE PROPE

Recorder

1.00