THIS IS TO CERTIFY that the	Sire Mon !! Lode Mining Claim was
	e / whose post office address appears
below, on the 5 day of Man	그 그 그들이 생겨에 가는 이번 프랑테스 이 사람들이 모든 그 때문에 가장 하셨다.
The general course of said lode or vein is	
	To Mining District, Eucks
and the second s	of bears about NASE,
	2000 NY Cor, 53, T 23N, R48E
	100 in a 536E
direction and 1460	
	300 feet sa each
·	
side of the center of the vein or lode along the	very work done on the claim are as follows:
The dimensions and rocations of the casco-	하는 마음이 살아왔다면 하면 그 살아가는 말하는 것이 그 아이를 하는 것이 하는 것이 없는 것이다.
De la constitución de la constit	
exceed: The total cost of such work consisted of st	5
The corners and side centers of the claim ar	nent marked 511 Cor., thence in a 554 W
	Const marked Corr, thence in a
/ /	V36W direction to the SW side
	80, thence 750 feet in a N36W dir- ment marked 511/3 Cor, thence 600
	corner, a monument marked 5/1/2
	E direction to the NE side center,
	ence 250 feet 536E to the point of
	ence to the point of
beginning.	theast 4 in diameter by 4'-6" long.
Each of the above-described monuments is 2	seeme Tim diamonog 7 - 5 long
	to complete this location had been performed by
July 27 , 1966	
Tyle Flanghell To	ne Exploration Engineering
(Name of Leator)	(ADDITION)
(Name of Locator)	(Address)
(Name of Locator)	(Address)

TO BE FILED WITH THE COUNTY RECORDER.

IN A CLEAR AND LEGIBLE FORM.

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 11 THRU SHIRL NO. 20, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 11
Shirl No. 12
Shirl No. 13
Shirl No. 14
Shirl No. 15
Shirl No. 16
Shirl No. 17
Shirl No. 18
Shirl No. 19
Shirl No. 20

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 18, 19, 20, 22; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

S20/SEEC, S20/2, S20/NESC, S20/center, S18/NESC, S18/SEEC, S18/3, S18/center, S16/2, S16/SEEC, S16/center, S16/NESC, S14/NESC, S14/center, S14/3, S14/SEEC, S12/SEEC, S12/2, S12/center, S10/SWSC, S10/center, S10/3, S10/SESC.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

Eyle F. Campbell

42330

File No.

RECORDED AT THE REQUEST OF

Lance Exploration Eng.

July 29

A. D. 19.66

at 30

minutes past 11 A. M.

in Bent 11 of OFFICIAL RECORDS

Page 315-316

EUREKA COUNTY, NEVADA

94.00

Nella G. Retarli Recorder Fee \$ 1.00

THIS IS TO CERTIFY that the Anil 2/0 /2 Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears
below, on the day of
The general course of said lode or vein is 536E
The claim is situated in the Roberts Mining District, Europea
county, State of Nevada, Comen Its I bears about N 45 E,
approximately 2800 feet from N/ Cor, 53, T 23N, P. 48E.
The locator claim 5 40 feet in a N36W
direction and 1460 feet in a 536 E direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See allassis aleste
The total cost of such work consisted of at least \$ 1000.00
The corners and side centers of the claim are located and marked as follows:
From the Harth corner, a monument marked 5/2/ Cor., thence in a 554W
direction 600 feet to the West corner, a monument marked 5/2/4
Cor., thence 750 feet in a 536 E direction to the 500 side
center, a monument marked 5/2/5W BC, thence 750 feet in a 536 E dir-
ection to the
feet in a N_5 4 E direction to the Last corner, a monument marked $\frac{5/2}{2}$
a monument marked 5/2/VE SC, thence 750 feet N36W to the point of
beginning.
Each of the above-described monuments is at least 4"in diameter by 4-6" long
All location and discovery work necessary to complete this location had been performed by
July 2 , 19 66
Tyle & Campbell Jance Epploration Engineering
(Name of Locator) (Address)
(Name of Locator) (Address)
(Name of Locator)

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 11 THRU SHIRL NO. 20 INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. Shirl No. Shirl No. Shirl No. Shirl No. 14 Shirl No. 16 Shirl No. 17 Shirl No. 18 Shirl No. Shirl No. 19

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 18, 19, 20, 22; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

\$20/SEEC, \$20/2, \$20/NESC, \$20/center, \$18/NESC, \$18/SEEC, \$18/3; \$18/center, \$16/2, \$16/SEEC, \$16/center, \$16/NESC, \$14/NESC, \$14/center, \$14/3, \$14/SEEC, \$12/SEEC, \$12/2, \$12/center, \$10/SWSC, \$10/center, \$10/3, \$10/SESC.

All of this work was accomplished by, or under the supervision of Lyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

Campbel 1

42331

RECORDED AT THE REQUEST OF Lance Exploration Eng. July 29 A.D. 19 66 at 31 minutes past 11 AM.

in Brok 11 of OFFICIAL RECORDS Page 317-318 Records of

EUREKA COUNTY, NEVADA Heller a Rotale

Fee \$ 1.00

THIS IS TO CERTURY that the	
located by Lyle F. Campbell minose port office address appears	
below, on the day of	
The general course of said lode or vein is	
The claim is situated in the Roberta Mining District, Euseka	
County, State of Nevada, Carrer Ho / Hears about N37E,	
approximately 1,650 feet from NY Cor, 53, T23N, R48E	
The locator claims 30 feet in a 536 E	
direction and 470 test in a 360 direction	1000
from the point of discovery, with a width of	
side of the center of the vein or lode along the entire length of said claim.	
The dimensions and locations of the discovery work done on the claim are as follows:	
Lee attached salet	
The total cost of such work exacts of at least \$ 1000.00	
The corners and side centers of the claim are located and marked as follows:	
From the	E.
direction 600 test to the Cast corner, a consument marked 5/3/4	
Cor., thence 250 feet in a N36W direction to the NE side	i ka
center, a monument marked 5/3/NE 80, thence 750 feet in a N36W dir	2 1 2 1
ection to the Worth corner, a monument marked 5/3/3 cor, thence 600	
feet in a 554W direction to the 2/2 Corner, a monument marked 5/3/2	et e get
Cor., thence 750 feet in a 536E direction to the 5W side center,	
a monument marked 5/3/5W 50, thence 250 feet 5365 to the point of	200
beginning. From of the showedesorthed monuments is at least 4" in disneter by 4-6	"/
	100
All location and discovery work necessary to complete this location had been performed by	
July 27, 10,66	
Life & Campbell Jance Exploration Engineer	4
(Name of Locator) (Address)	
(Name of Locator)	•
(Name of Locator) (Name (Name)	
	-

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 11 THRU SHIRL NO. 20, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No.
Shirl No. Shirl No. Shirl No. 20

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 18, 19, 20, 22; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations;

\$20/\$EEC, \$20/2, \$20/NESC, \$20/center, \$18/NESC, \$18/SEEC, \$18/3, \$18/center, \$16/2, \$16/\$EEC, \$16/Center, \$16/2, \$16/SEEC, \$16/NESC, \$14/NESC, \$14/center, \$14/3, \$14/SEEC, \$12/SEEC, \$12/2, \$12/center, \$10/SWSC, \$10/center, \$10/3, \$10/SESC.

All of this work was accomplished by, or under the supervision of Lyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

Lyle F. Campbell

42332 File No.

RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 29
A. D. 19 66

of 32 minutes post 11 A. M. in Erok 11 of OFFICIAL RECORDS Page 319-320 Records of

Paga EUREKA COUNTY, NEVADO Fullai (No Tao

Recorder

1.00

THIS IS TO CERTIFY that the Shirl Mo 14 Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears
below, on the 5 day of Man 10 66
The general course of said lode or vein is 536 E
The claim is situated in the Roberta Mining District, Eureko
County, State of Nevada, Corner No. / Bears about N37E
approximately 1,650 feet from N/ Gr, 53, T 23N, R48E
The locator claim 3 30 feet in a N 36 W
the locator claim reet in a 770 direction and 1470 feet in a 536E direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attached sheet
The total cost of such work consisted of at least \$
The corners and side centers of the claim are located and marked as follows:
From the West corner, a monument marked 5/4//_ Cor., thence in a N54E
direction 600 feet to the 2011 corner, a monument marked 5/4/4
center, a monument marked 5/4/NE SC, thence 250 feet in a 536E dir
ection to the East corner, a monument marked 5/7/3 Cor., thence 600
feet in a 554W direction to the Joseph corner, a monument marked 5/4/2
Cor., thence 750 feet in a 1/36 W direction to the 5 W side center,
a monument marked 5/4/5W SC, thence 750 feet N36W to the point of
beginning.
Each of the above-described monuments is at least 4"in dismites by 4"6" long
No. 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1988 - 1
All location and discovery work necessary to complete this location had been performed by
July 27, 1966.
Tyle Flampbell, Jance Exploration Engineering
(Name of Locator) V (Address)
(Name of Locator) (Address)
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON BHIRL NO. 11 THRU BHIRL NO. 20, INCLUSIVE, ALL BEING CONTIGUOUS!

Location work done to advance the exploration of

Shirl No. 11
Shirl No. 12
Shirl No. 13
Shirl No. 14
Shirl No. 15
Shirl No. 16
Shirl No. 17
Shirl No. 18
Shirl No. 19
Shirl No. 20

consists of addess road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 18, 19, 20, 22; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

\$20/SEEC, \$20/2, \$20/NESC, \$20/center, \$15/NESC, \$18/SEEC, \$18/3, \$18/center, \$16/2, \$16/SEEC, \$16/center, \$16/0, \$14/SEEC, \$14/SEEC, \$14/SEEC, \$12/2, \$12/center, \$10/SW3C, \$10/center, \$10/3, \$10/SEEC.

All of this work was accomplished by, or under the supervision of Lyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

Lyle F. Campbell

12.433

RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 29 A. D. 1966
at 33 minutes past 11 A. M.
in Erok 11 of OFFICIAL RECORDS
Page 321-322 Records

Page 321-322 Record of Stallin a. He ash

Recorder

Fee \$1.06

THIS IS TO CERTIFY that the Jack 20 15 Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears
below, on the 5 day of Man, 1966
The general course of said lode or vein is 536 E
The claim is situated in the Roberts Mining District, Euseko
County, State of Nevada, Conner 212 / Sears about N 37E,
approximately 1,650 feet from N/ Cor, 53, 723N, R48E
The locator claim 5 165 teet in a 536 E
direction and 1335 feet in a 136 W direction
from the point of discovery, with a width of feet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attached sheet
The total cost of such work consisted of at least \$ 1000,00
The corners and side centers of the claim are located and marked as follows:
From the East corner, a monument marked 515/1 Cor., thence in a 554W
direction 600 feet to the Acres corner, a monument marked 515/4
Cor, thence 750 feet in a $N36W$ direction to the $5W$ side
center, a monument marked 5/5/5W SC, thence 750 feet in a N36W dir-
ection to the West corner, a monument marked 5/5/3 Cor., thence 5/5/3
feet in a N5 4 E direction to the Months corner, a monument marked 5/5/2
Cor., thence 750 feet in a 536W direction to the VE side center,
a monument marked 5 15 NE SC, thence 750 feet 536 W to the point of
beginning.
Each of the above-described monuments is at least 4" in deaneter by 4-6" long,
All location and discovery work necessary to complete this location had been performed by
July 27, 1866
1120 IN 1 Ext. 4. P.
(Name of Locator) (Address)
Box 2188
(Name of Locator) (Address)
(Name of Locator) (Address)

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 11 THRU SHIRL NO. 20, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 12
Shirl No. 13
Shirl No. 14
Shirl No. 15
Shirl No. 16
Shirl No. 16
Shirl No. 17
Shirl No. 18
Shirl No. 18
Shirl No. 20

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 18, 19, 20, 22; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

\$20/SEEC, \$20/2, \$20/NESC, \$20/center, \$18/NESC, \$18/SEEC, \$18/3, \$18/center, \$16/2,\$16/SEEC, \$16/center, \$16/NESC, \$14/NESC, \$14/center, \$14/3, \$14/SEEC, \$12/SEEC, \$12/2, \$12/center, \$10/SWSC, \$10/center, \$10/3, \$10/SESC.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

Tyle F. Campbell

42334

RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 29

A. D. 19

At 34 minutes past 11 A M.

in Book 11 of OFFICIAL RECORDS

Page 323-324

Records of OFFICIAL RECORDS

AND A COUNTY MANAGE OF THE COUNTY AND A COUNTY MANAGE OF THE COUNTY AND A COUNTY MANAGE OF THE COUNTY MANAGE

Recorder

Fee \$1.00

THIS IS TO CERTIFY that the Shirl May 16 Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears below, on the 5 day of May , 1966
below, on the day of Man
The general course of said lode or vein is 536 E
The claim is situated in the Roberts Mining District, Eurobo
County, State of Nevada, Consen Mo. Leone about N37E,
approximately 1,650 feet from N/2 Cox, 53, T 23N, R98E
The locator claim 5 45 feet in a N 36 W
direction and 14.55 feet in a 5.36 E direction
from the point of discovery, with a width of feet on each
side of the center of the veln or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attached sheet
exceeds The total cost of such work consisted of at least \$ -1000.00
The corners and side centers of the claim are located and marked as follows:
From the Month corner, a monument marked 5/6/1 Cor., thence in a 554W
direction 600 feet to the Wast corner, a monument marked 5/6/4
Cor., thence 750 feet in a $536E$ direction to the $5w$ side
center, a monument marked 5/6/5w sc, thence 750 feet in a 536E dir-
ection to the January corner, a monument marked 5/6/3 Cor., thence 600
feet in a N54 E direction to the East corner, a monument marked 5/6/2
a monument marked 5/6/NE SC, thence 750 feet N36W to the point of
beginning.
Each of the above-described monuments is at least 4 in dismeter by 4-6 by
All location and discovery work necessary to complete this location had been performed by
July 27, 10.66
Lyle F. Campbell, Janes Exploration Engineering
(Name of Locator) (Address)
De la Constitución de la constit

(Address)

(Name of Locator)

STATEHENT OF LOCATION WORK DONE ON SHIRL NO. 11 THRU SHIRL NO. 20, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 11
Shirl No. 12
Shirl No. 13
Shirl No. 14
Shirl No. 15
Shirl No. 16
Shirl No. 17
Shirl No. 18
Shirl No. 19
Shirl No. 20

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 18, 19, 20, 22; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

\$20/SEEC, \$20/2, \$20/NESC, \$20/center, \$18/NESC, \$18/SEEC, \$18/3, \$18/center, \$16/2,\$15/SEEC, \$16/center, \$16/2,\$15/SEEC, \$16/center, \$16/3, \$14/SEEC, \$12/SEEC, \$12/2, \$12/center, \$10/SWSC, \$10/center, \$10/3, \$10/SESC.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer. (Colorado and Hinnesota)

LANCE EXPLORATION ENGINEERING.

I. Campbell

42335

RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 29 A. D. 19 66

at 35 minutes past 11 A. M.
in Brok 11 of OFFICIAL RECORDS
Page 325-326 Records of EUREKA COUNTY, NEVAD

Recorder

Foo \$ 1.00

THIS IS TO CERTIFY that the Shall 10 17 Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears
below, on the 13 day of 212y - 1966
The general course of said lode or vein is N 36 W
The claim is situated in the Roberto Mining District, Euroka
County, State of Nevada, Corner No I bears about SIE,
approximately 300 feet from NY Cor, 53, T 23N, R48E
The locator claim 5 60 feet in a 536 E
direction and 1440 feet in a N35W direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attached sheet
The total cost of such work consisted of at least \$ 1000.00.
The corners and side centers of the claim are located and marked as follows:
From the South corner, a monument marked 517/1 Cor., thence in a N59E
direction 600 feet to the East corner, a monument marked 517/4
Cor., thence 750 feet in a N36 W direction to the NE side
center, a monument marked 517/NE sc, thence 250 feet in a N36 W dir-
ection to the Morth corner, a monument marked 5/7/3 Cor., thence 600
feet in a 554W direction to the Weel corner, a monument marked 5/7/2
Cor., thence 750 feet in a 536 E direction to the 5w side center,
a monument marked 517/5W SC, thence 750 feet 536E to the point of
beginning.
Each of the above described monuments is at least 4 in dismeter by 4:6"
All location and discovery work necessary to complete this location had been performed by
July 27 1966
2170 111 1 011 1.0.
(Name of Locator) Janes Exploration Engineering
Box 2188
(Name of Locator) (Name of Locator) (Address)
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 11 THRU SHIRL NO. 20, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 11
Shirl No. 12
Shirl No. 13
Shirl No. 14
Shirl No. 15
Shirl No. 16
Shirl No. 17
Shirl No. 18
Shirl No. 19
Shirl No. 20

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 18, 19, 20, 22; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

\$20/8EEC, \$20/2, \$20/NESC, \$20/center, \$18/NESC, \$18/SEEC, \$18/3, \$18/center, \$16/2,\$16/8EEC, \$16/center, \$16/2,\$16/8EEC, \$16/center, \$16/2,\$16/8EEC, \$16/NESC, \$14/NESC, \$14/center, \$14/3, \$14/SEEC, \$12/SEEC, \$12/2, \$12/center, \$10/SWSC, \$10/center, \$10/3, \$10/SESC.

All of this work was accomplished by, or under the supervision of Lyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

File No. 12316
RECORDED AT THE REQUEST OF
Lance Exploration Eng.

July 29
A. D. 1966
of 36 minutes past 11 A. M.

in Brok 117 of OFFICIAL RECORDS
Page Records of

Recorder

1.00

THIS IS TO CERTIFY that the Shirl Mo. 18 Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears
below, on the 13 day of May , 1966
The general course of said lode or vein is 536 E
The claim is situated in the Roberta Mining District, Euseka
county, State of Nevada, Carner Mo Hears about 57E
approximately 300 feet from N1 Cor, 53, T23N, R48E
The locator claim 5 90 feet in a N 36W
direction and 1410 feet in a 536E direction
from the point of discovery, with a width of 300 feet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attacked sheet
exceeds 1000 00
The total cost of such work consisted of at least \$ 1000.00
The corners and side centers of the claim are located and marked as follows:
From the Wast corner, a monument marked 5/8 Cor., thence in a N54E
direction 600 feet to the North corner, a monument marked 5/8/4
Cor., thence 750 feet in a 536 E direction to the NE side
center, a monument marked 5/8/VE SC, thence 750 feet in a 536E dir-
ection to the corner, a monument marked 5/8/3 Cor., thence 600
feet in a 554 w direction to the South corner, a monument marked 5/8/2
Cor., thence 750 feet in a 1/36 W direction to the 5 W side center,
a monument marked 5/8/SW SC, thence 750 feet N36W to the point of
beginning.
Each of the above-described monuments is at least Tin dismater by 4-6 long
All location and discovery work necessary to complete this location had been performed by
Lyle to Campbell Jance Exploration Engineering
(Name of Locator) (Address) Box 2188
(Name of Locator) (Address)
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE
ON SHIRL NO. 11 THRU SHIRL NO. 20, INCLUSIVE,
ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 11
Shirl No. 12
Shirl No. 13
Shirl No. 14
Shirl No. 15
Shirl No. 16
Shirl No. 17
Shirl No. 18
Shirl No. 19
Shirl No. 20

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 18, 19, 20, 22; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

S20/SEEC, S20/2, S20/NESC, S20/center, S18/NESC, S18/SEEC, S18/3, S18/center, S16/2, S16/SEEC, S16/center, S16/NESC, S14/NESC, S14/center, S14/3, S14/SEEC, S12/SEEC, S12/2, S12/center, S10/SWSC, S10/center, S10/3, S10/SESC.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

Tyle & Campbell

42337

RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 29 A. D. 19 66

at 37 minutes past 11 A. M.
in Book 11 of OFFICIAL RECORDS

Page 329-330 Record of
EUREKA COUNTY, NEVADA

Recorder 1.00

Fee \$ 1.00

THIS IS TO CHRTIFY that the >==	Spirl No.	19 Lode Mining Claim was
located by Lyle F. C.	ampbell	, whose post office address appears
below, on the day of		
The general course of said lode or	vein is <u>N 36 W</u>	
		Mining District, Eurika
County, State of Nevada,	er No! bea	reatout 57E,
approximately 300 fee	t from N/ Co.	,53,723N, R48E
The locator claim_S		
direction and 1465	feet in a	V36 W direction
from the point of discovery, with a wid	th of 300	feet on each
side of the center of the vein or lode al		laim,
The dimensions and locations of	he discovery work done on the	ne claim are as follows:
See alto	ched sheet	

The total cost of such work consist	xceeds 1000.0	20
The corners and side centers of the	claim are located and market	l as follows:
From the Cast corner,	a monument marked 5/5	Cor., thence in a 554W
direction 600 feet t	o the South con	er, a monument marked 5/9/4
Cor., thence 750 feet in	n a <i>N36 W</i> direct	don to the SW side
center, a monument marked 5/9	510 SC, thence 750	2. feet in a <u>N36W</u> dir-
ection to the Mest corner	, a monument marked5/	9/3 cor., thence 600
feet in a $N54 \leq$ direction to		
Cor., thence	536 E direction t	o the //E side center,
a monument marked 5/9/NE	= 8C, thence 250 feet	536E to the point of
beginning.		
Each of the above-described monum	ents is at least 4%	hick by 4-6" long
All location and discovery work in	ecessary to complete this	location had been performed by
July 27	, 19 <u>66</u>	
-1.6 F. Pamukell	Land Prod	nation of a more
(Name of Localor)	R	(Address)
(Name of Locator)	Wex 1188	(Address)
(Name of Locator)	. Shool June	tion Colorado

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 11 THRU SHIRL NO. 20, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 18

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 18, 19, 20, 22; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations;

\$20/SEEC, \$20/2, \$20/NESC, \$20/center, \$18/NESC, \$18/SEEC, \$18/3, \$18/center, \$16/2, \$16/SEEC, \$16/NESC, \$14/NESC, \$14/center, \$14/3, \$14/SEEC, \$12/SEEC, \$12/2, \$12/center, \$10/SWSC, \$10/center, 810/3, S10/SESC.

All of this work was accomplished by, or under the supervision of Tyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

Ye F. Campbel

42338

RECORDED AT THE REQUEST OF Lance Exploration Eng July 29

et 38 minutes past 11 A.M. in Brok11 of OFFICIAL RECORDS

... Records of EUREKA COUNTY, NEVADA

1.00

THIS IS TO CERTIFY that the	Thirl !	20 Lode Mining Claim	WALE
located by Lyle F. Carr	pbell		ears
below, on the	エナータがあった。 ましょ 高製力	, 19.66.	
The general course of said lode or	vein is	36 E	
The claim is situated in the	Rokerta	Mining District, Euros	Ea_
County, State of Nevada,	er No. 1.	fears about 5	7E
pprofimately 300 feet	from NyC	or, 53,723N, R48	3E.
The locator claim 5		그는 그는 그는 그 그 사람들은 가장 없는 그가 없었습니다. 그 사람들은 그 사람들은 그 사람들이 되었다.	
direction and 1435	feet in a	5 3 6 € direc	tion
from the point of discovery, with a wid	m of 300	feet on e	ech .
side of the center of the vein or lode al	그는 아이들이 가는 살을 잃었다.		
The dimensions and locations of	the discovery work done	on the claim are as follows:	
See att	tacked sh	est	
\$			

The total cost of such work cossis	xceeds 10	00,00	
The corners and side centers of the			. 5
From the North corner,	a monument marked	520/1 Cor., thence in a 5	544
direction 600 feet	to the West	corner, a monument marked 520	14
Cor., thencefeet i	na 536E	direction to the 5-W	side
center, a monument marked 5 20	/ 5 W BC, thence	750 feet in a 536€	dir-
ection to the Louth corner	r, a monument marked	520/3 Cor., thence 60	0
feet in a N5-4 E direction to	the East	corner, a monument marked 520	/2
Cor., thence feet in a	N36W dir	oction to the \mathcal{NE} side cen	iter,
a monument marked 520/NE	E. SC, thence	2 feet //36W to the point	t of
beginning.			
Each of the above-described monum	ients is at least	1 thick by 1-6"	org
All location and discovery work i	necessary to complete	this location had been performed	by
July 27	, 19 66		
LI 7. Pamelell	1 1.00 6	Colonatine Prairie	
(Name of Locator)	0	(Address)	J.
(Name of Locator)	, COAZ	/88 (Address)	
(Name of Locator)	Grand	Junction, Colorae	So.
,			

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 11 THRU SHIRL NO. 20, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 16 Shirl No. Shirl No. 18 Shirl No.

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No. a 18, 19, 20, 22; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

\$20/SEEC, \$20/2, \$20/NESC, \$20/center, \$18/NESC, \$18/SEEC, \$18/3, \$18/center, \$16/2, \$16/SEEC, \$16/Center, \$16/NESC, \$14/NESC, \$14/center, \$14/3, \$14/SEEC, \$12/SEEC, \$12/2, \$12/center, \$10/SWSC, \$10/center, \$10/3, \$10/SESC.

All of this work was accomplished by, or under the supervision of Lyle F. Campbell, Registered Frofessional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

42339

File No. ... RECORDED AT THE REQUEST OF LANCE Exploration Eng.
July 29 A.D. 19 9 66 A, D, 19

at . 39 minutes past 11 A.M. in Brok ... 11. of OFFICIAL RECO. DS

Pago 333-334 Records of EUREKA COUNTY, NEVADO

Hellin a. Detwo

Fee \$1.00

merca to mo completely that the	Mil 96 2/ Lode Mining Claim was
	p be, whose post office address appears
below, on the 13 day of	19 66
The general course of said lode or v	ein is N 36 W
The claim is situated in the	Roberts Mining District, Euseko
	No. I feere about 541W
	그 생활한 경우 통화경험 선생님들이 고양하는 학생들은 이 아버지를 하는 아니다는 그는 그래픽에 하셨다. 이 기계하다는
	o feet from NI Cor, 53, T23N, R48E
The locator claim 5	25 feet in a -536€
direction and 1475	feet in a N36W direction
from the point of discovery, with a width	n of feet on each
side of the center of the vein or lode alor	
	ae discovery work done on the claim are as follows:
<u>lle</u>	attribed sheet
ex	ceeds
The total cost of such work consists	i of at least \$ /000,50
The corners and side centers of the	claim are located and marked as follows:
From the South corner, a	monument marked $52//$ Cor. thence in a $1759E$
direction 600 feet to	the Carl corner, a monument marked 52/4
	a $N36W$ direction to the NE side
	그 얼마는 그 아내는 어머니는 사람들 학생들이 살아가는 사람들이 그렇게 되었다. 그 그 사람들이 살아 있다면 하는데 그 그 그 때문에 그 그 그 때문에 그 그 그를 받는데 그 사람들이 그 그를 받는데 그 사람들이 되었다.
	<u> ル∈</u> 80, thénce <u>750</u> feet in a <u> </u>
	a monument marked 521/3 Cor, thence 600
feet in a 554W direction to ti	he Weel corner, a monument marked 521/2
	5365 direction to the 5W side center,
	. SC, thence 750 feet $536E$ to the point of
a monument marked	. SC, thence teet to the point or
beginning.	
Each of the above-described monument	nto is at level 4 in dismeter by 4-6" long
All location and discovery work ne	cessary to complete this location had been performed by
/ /	19.66
The F. Campbell	Time Exploration Engineering
(Name of Locator)	(Address)
(Name of Locator)	USOX 2188
	(Address)
	Grand Junition Colorado

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 21 THRU SHIRL NO. 30, INCLUSIVE: ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 21 Shirl No. 22 Shirl No. 23 22 23 24 Shirl No.
Shirl No. 26

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 26, 28, 30; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

\$30/2, \$30/\$EEC, \$30/3, \$28/\$EEG, \$28/2, \$26/\$EEG, \$26/3, \$24/\$EEG, \$24/2, \$22/\$EEG, \$22/3, \$22/center, \$22/NESC.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

Tyle F. Campbell

42340

File No.

RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 29 A. 0. 19 66

at 40 minutes past 11 A M.

in Sect 11 of OFFICIAL RECORDS

Page 335-336 Records of

IGO 335-336 Record of SUREKA COUNTY, NEVAYA)

Recorder

1.00

	THIS IS TO CERTIFY that the Shiel 26. 22 Lode Mining Claim was
loc	cated by Lyle F. Campbell , whose post office address appears
bei	low, on the 13 day of 21/2 1966 The general course of said lode or vein is 536 £
	The general course of said lode or vein is 536 £
	The claim is situated in the Roberts Mining District, Euseka
Co	ounty, State of Nevada, Conner No. / Fears about 541W,
epeja	reprinally 1,360 feet from N/ Cor, 53,723N, R48E
//	The locator claim 5 30 feet in a N36W
dir	rection and 1470 feet in a 536E direction
fre	om the point of discovery, with a width of 300 feet on each
	le of the center of the vein or lode along the entire length of said claim.
	The dimensions and locations of the discovery work done on the claim are as follows:
****	Lee attached sheet
	The total cost of such work consisted of at least \$ 1000.00
	The corners and side centers of the claim are located and marked as follows:
E-	om the West corner, a monument marked 522/1 Cor., thence in a N546
	direction 600 feet to the World corner, a monument marked 522/4
	Cor., thence 750 feet in a 536E direction to the NE side
	nter, a monument marked 522/NE SC, thence 750 feet in a 536 E dir-
	tion to the East corner, a monument marked 522/3 Cor., thence 680
	et in a 554 W direction to the Louth corner, a monument marked 522/2
	Cor., thence 750 feet in a N3641 direction to the 540 side center,
	monument marked 522/5W SC, thence 750 feet N36W to the point of
/	그 그 그 그 그 그 그 그 수 그 그는 이 회에 가는 사람이 많아 살고 하는 것이 하는 그 살고 있다.
100	Each of the above-described monuments is at least 1 "thick by 1-6" long.
	그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그
\ \	All location and discovery work necessary to complete this location had been performed by
/	fully 10.50
	yle to Campbell Jane Exploration Engineering
•	(Name of Locator) (Address)
4	(Name of Locator) (Address)
•	(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 21 THRU SHIRL NO. 30, INCLUEIVE ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. Shirl No. Shirl No. Shirl No.
Shirl No.
Shirl No.
Shirl No.
Shirl No. 26 Shirl No.

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No. s 26, 28, 30; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

\$30/2, \$30/SEEC, \$30/3, \$28/SEEC, \$28/2, \$26/SEEC, \$26/3, \$24/SEEC, \$24/2, \$22/SEEC, \$22/3, \$22/center, \$22/NESC.

All of this work was accomplished by, or under the supervision of Lyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

Lyle F. Campbell

42341

File No.

RECORDED AT THE REQUEST OF July 29, 1966 Lance Exploration Eng.

July 29 A D 19 66

at 41 minutes past 11 A M.
in Erek 11 of OFFICIAL RECORDS

Paga 337-338 Records of

EUREKA COUNTY, NEVADA)

Fee \$1.00

THIS IS TO CERTIFY that the	Minil 200. 23 Lode Mining Claim was
	whose post office address appears
below, on the 13 day of 2	May 19.66
The general course of said lode or	vein is N36 W
The claim is situated in the	Roberta Mining District, Euroko
The state of the s	Moil Sease about 541W,
approximately 1,360	Sutfrom Ny Cor, 53, T 23N RABE
The locator claim 5	30 feet in a 5 36 E
	feet in N 36W direction
from the point of discovery, with a wid	dth of Soc feet on each
side of the center of the vein or lode a	slong the entire length of said claim.
The dimensions and locations of	the discovery work done on the claim are as follows:
Lea a	ttacked sheet
######################################	
The total cost of such work consis	xceeds
The corners and side centers of the	e claim are located and marked as follows:
From the East corner,	a monument marked $523/1$ Cor., thence in a 554 W
direction 600 feet	to the corner, a monument marked _5 2 3/4
	to the corner, a monument marked
Cor., thence 750 feet	in a $N36W$ direction to the SW side
	그리는 경에 가입하다고 말했다면서 그 얼마를 가입니다. 그렇게 하는 사람들이 모든 사람들이 되었다.
center, a monument marked 523	in a N36W direction to the 5W side
center, a monument marked 523/ ection to the West corne	in a <u>N36W</u> direction to the <u>SW</u> side / <u>SW</u> SC, thence <u>750</u> feet in a <u>N36W</u> direction
center, a monument marked 523/ection to the West corner feet in a N54E direction to	in a N36W direction to the SW side / SW SC, thence 750 feet in a N36W direction a monument marked 523/3 Cor., thence 600
ection to the	in a N36W direction to the SW side SW SC, thence 75 C feet in a N36W direction to the SW direction to the SW SC, thence SC SW SW SW SW SW SW SW
ection to thecorne feet in acorne Cor., thencefeet in a	in a N36W direction to the SW side SW SC, thence 750 feet in a N36W direct, a monument marked SZ3/3 Cor., thence 600 the 102 ft corner, a monument marked SZ3/2
center, a monument marked 523/ ection to the 2022 corne feet in a N545 direction to Cor., thence 750 feet in a a monument marked 523/No beginning.	in a N36W direction to the SW side SW SC, thence 750 feet in a N36W direct, a monument marked SZ3/3 Cor., thence 600 the 102 ft corner, a monument marked SZ3/2
center, a monument marked 523 ection to the 222 corne feet in a 154 corne Cor., thence 250 feet in a a monument marked 523/No beginning. Each of the above-described monument	in a N36W direction to the SW side SW 8C, thence 750 feet in a N36W direct, a monument marked S 23/3 Cor., thence 600 the N 6 Cor., thence 600 the N 6 Cor., thence 600 S 36 E direction to the N 6 SC, thence 250 feet S 36 E to the point of
center, a monument marked 523 ection to the 222 corne feet in a 154 corne Cor., thence 250 feet in a a monument marked 523/No beginning. Each of the above-described monument	in a N36W direction to the SW side SW SC, thence 750 feet in a N36W direct, a monument marked S 23/3 Cor., thence 600 the No. Cor., thence 600 the No. Cor., thence S 23/2 S 36 E direction to the N E side center, E SC, thence 250 feet S 36 E to the point of ments is alleast 4" in liams to sty 1-6" long
center, a monument marked 523 ection to the 20 corne feet in a N54E direction to	in a N36W direction to the SW side SW SC, thence 750 feet in a N36W direct, a monument marked 523/3 Cor., thence 600 the 102
center, a monument marked 523 ection to the 202 corne feet in a N54E direction to	in a N36W direction to the SW side SW SC, thence 750 feet in a N36W direct, a monument marked 523/3 Cor., thence 600 the 102
center, a monument marked 523 ection to the 20 corne feet in a N54E direction to	in a N36W direction to the SW side SW SC, thence 750 feet in a N36W direct, a monument marked 523/3 Cor., thence 600 the 102

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 21 THRU SHIRL NO. 30, INCLUSIVE ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 21
Shirl No. 22
Shirl No. 23
Shirl No. 24
Shirl No. 25
Shirl No. 26
Shirl No. 27
Shirl No. 27
Shirl No. 28
Shirl No. 29
Shirl No. 30

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 26, 28, 30; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

\$30/2, \$30/SEEC, \$30/3, \$28/SEEC, \$28/2, \$26/SEEC, \$26/3, \$24/SEEC, \$24/2, \$22/SEEC, \$22/3, \$22/center, \$22/NESC.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

Hyle F. Campbell

File No. 42342

RECORDED AT THE REQUEST OF

Lance Exploration Eng.

July 29 A D. 1966

et 42 minutes past 11 A. M.

in Book 11 of OFFICIAL RECORDS

Page 339-340 Records of

EUREKA COUNTY, NEVANA

Recorder

Fee \$ 1,00

THIS IS TO CERTIFY that the Mail 96.24 Lode Mining Claim was
located by Ly/e F. Campbell , whose post office address appears
below, on the 3 day of May 1966
The general course of said lode or vein is 5.36 E
The claim is situated in the Roberts Mining District, Euroka
County, State of Nevada, Corner No I feare Sort 541W,
approximately 1,360 feet from Ny Cor, 53, + 23 N, R48E
The locator claim 5 65 feet in a N 36 W
direction and 1435 feet in a 536E direction
from the point of discovery, with a width of 300 feet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attacked sheet
The total cost of such work consisted of at least \$ 1000.00.
The corners and side centers of the claim are located and marked as follows:
From the Most corner, a monument marked 524/1 Cor., thence in a 554W
direction 600 feet to the West corner, a monument marked 524/4
Cor., thence 250 feet in a 536E direction to the 50 side
center, a monument marked 524/5W SC, thence 250 feet in a 536 E dir.
ection to the Louth corner, a monument marked 524/3 Cor., thence 600
feet in a N 5 4 E direction to the Latest corner, a monument marked 5 2 4/2
Cor., thence 750 feet in a N36W direction to the NE side center,
a monument marked 524/NE 80, thence 250 feet N 36W to the point of
beginning.
Each of the above described monuments is at least 4 in dissuite by 7-6 long
All location and discovery work necessary to complete this location had been performed by
July 27 18.66
1020 111 1 6114.00
(Name of Locator) Lance Exploration Lagingering
(Name of Locator) (Address)
9 00 m d Para la

(Name of Locator)

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 21 THRU SHIRL NO. 30, INCLUSIVE ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. Shirl No. Shirl No. Shirl No. - 22 24 Shirl No. 25 Shirl No. 26 Shirl No. 27 Shirl No. 28 Shirl No. 29 Shirl No. 30

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No. 8 26, 28, 30; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

930/2, \$30/BERC, \$30/3, \$28/BERC, \$28/2, \$26/BERC, \$26/3, \$24/BERC, \$24/2, \$22/BERC, \$22/3, \$22/center, \$22/NESC.

All of this work was accomplished by, or under the supervision of Lyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

Mie F. Campbell

RECORDED AT THE REQUEST OF Lance Exploration Eng. July 29 ____ A.D. 1966 of 43 minutes past 11 A. M. in Brok 11 of OFFICIAL RECORDS Page 341-342 Records of EUREKA COUNTY, NEVADA Hellin

Recorder

Fee \$1.00

THIS IS TO CERTIFY that the	Thirl 9	6,25 Lode	Mining Claim was
located by Lyle F. Campbe		, whose post off	ce address appears
below, on the 13 day of 2014		19.66	
The general course of said lode or veir	//	아니다 어디부터 하시 아니라 보이 그리는 소개 사이다.	
The claim is situated in the	ferte	Mining District	Pucko
County, State of Neveda, Conner			
operationally 2,520			
Jest June 1	75	536E	
The locator claim 5 direction and 1425		Λ(3 C (μ)	direction
		2006년 1월	
from the point of discovery, with a width o	Committee of the commit	毎日 - 記録を含む 製造が - 円間数 すなにもり	feet on each
side of the center of the vein or lode along	the entire length	of said claim.	
The dimensions and locations of the	a. 5. 15. 15. 15. 15. 15. 15. 15. 15. 15.		llows:
See at	tacked a	het .	
The total cost of such work consisted	2 = d 5	00.00	
The corners and side centers of the cla	可有多数数数使用现在形式		
From the Land corner, a r		화하다 맞이 하는 생각이 밝힌다. 이 손 이 나	NEA
	3.000年,新国家的大学的大学的	중심하다 살아 오는 것이 되었다면 살아 하나요? 하다	
direction 600 feet to ti	(1) \$4. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.	일하면 없어 있다면서 그 가장 얼마 먹었다.	
		停取得發色所以過去過 在一連形的第三人称形式	
center, a monument marked 5 25/	아님께 그 내용들이 된 그는 중에 되었다.	프로웨일 1년 시원 사람들은 바다 한 제가를 하는 사람이다.	可引动 网络美国新闻 计超过程间间 医心脏腔 艾
ection to the North corner, a			
feet in a 559 W direction to the	West	comer, a monument mar	ked 525/2
Cor., thence 750 feet in a	536E	Irection to the 5μ	side center,
a monument marked 5 25/5w	IC, thence 2,5	O feet 536	to the point of
beginning.			
Each of the above-described monuments	is at less	ttin dismit	to 14-6%
All location and discovery work neces			
	66		
July - 19			
Tyle & lamptell	Jance E	sploration 6	geneering
(Name of Locator)	Bar 2	(Address) 188	
(Name of Locator)	0 1	(Address)	1 P 1
(Name of Locator)	Brand	Janeton, (Address)	dondo
	THE PROPERTY OF SERVICE AND ADMINISTRATION OF SERVICE AND ADMINIST	2010年,1920年代,在10日本的中国国际企业。 1970年代。	and the state of t

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 21 THRU SHIRL NO. 30, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. Shirl No.
Shirl No.
Shirl No.
Shirl No.
Shirl No.
Shirl No.
Shirl No.
Shirl No.
Shirl No.
Shirl No. 28

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 26, 28, 30; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

\$30/2, \$30/\$EEC, \$30/3, \$28/\$EEC, \$28/2, \$26/\$EEC, \$26/3, \$24/\$EEC, \$24/2, \$22/\$EEC, \$22/3, \$22/center, \$22/NESC.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

Zyle F. Campbell

42344

File No. RECORDED AT THE REQUEST OF LANCE Exploration Eng. July 29 A.D. 1966

of 45 minutes past 11 A M

Page 343-344 Record of SUREXA COUNTY, NEVADO

Recorder

Fee \$1.00

THIS IS TO CERTIFY that the located by Lyle F. C			
located by	and a	, whose post offi	e success speak
below, on the 13 day of .	May	19. <i>66</i>	
The general course of said loc	de or vein is		
The claim is situated in the .	Roberts	Mining District,	Euseks
County, State of Nevada,	ner No. 1 dea	ra about 5	48 W,
eprofumately 2,520	그 그 그 그 그 그 그 그 그 이 전환이 있는 물건이 하는 일 때 음란 모양이다.	4、 1、 1、 1965年 - 10、 11、 11、 11、 11、 11、 11、 11、 11、 11、	
The locator claim.	20	N3/	(11)
The locator claim.		eet ma.	
direction and 1480	그 그는 사람들은 사람들이 되었다.		
from the point of discovery, with	a width of		feet on each
side of the center of the vein or k	ode along the entire length of	said claim.	
The dimensions and locations	s of the discovery work don	e on the claim are as fo	lows:
	attack Dak		
	unter a district all		
\$			
The corners and side centers	· · · · · · · · · · · · · · · · · · ·	marked as follows:	1
The corners and side centers of	of the claim are located and orner, a monument marked	marked as follows;	
The corners and side centers of the West condition 600	of the claim are located and orner, a monument marked . feet to the	marked as follows; S 26 Cor., t corner, a monument n	arked 5 26/
The corners and side centers of the West of the Corners and side centers are corners and side centers are corners and side centers are corners are corners are corners and side centers are corners are corner	of the claim are located and orner, a monument marked	marked as follows; S 2 5 Cor., t corner, a monument m direction to the	arked 526/
The corners and side centers of the Must condition condi	of the claim are located and orner, a monument marked	marked as follows; S 2 5 Cor., t corner, a monument m direction to the	arked 526/
The corners and side centers of the Corners and side centers and side centers are considered and side centers are consider	of the claim are located and orner, a monument marked feet to the	marked as follows; S 2 5 Cor., t corner, a monument m direction to the	arked 526/ VE side 362 dir
The corners and side centers of the Sure Corners and side centers of the Sure Corners of the Cor	of the claim are located and orner, a monument marked	marked as follows; S 2 6 Cor., t corner, a monument m direction to the S 0 feet in a S S 2 6 3 Cor.,	arked 526/ VE side 36E dir thence 600
The corners and side centers of the Market of the direction 600 center, a monument marked section to the Cast of the center of t	of the claim are located and orner, a monument marked feet to the	marked as follows: S 2 6 Cor., to corner, a monument modification to the S Cor., to corner, a monument marked as follows:	arked 5 26/2
The corners and side centers of the Corners and side centers	of the claim are located and orner, a monument marked feet to the	marked as follows; S 2 5 Cor., t corner, a monument m direction to the S Cor., corner, a monument mark	arked 5 26/2 E side 36 E dir thence 6 0 0 side 5 26/2
The corners and side centers of the Corners and side centers	of the claim are located and orner, a monument marked feet to the	marked as follows; S 2 5 Cor., t corner, a monument m direction to the S Cor., corner, a monument mark	arked 5 26/2 E
The corners and side centers of the Market Co. Cor., thence 750 center, a monument marked cection to the Cast feet in a 5540 direct Cor., thence 750 feet a monument marked 526 beginning.	of the claim are located and orner, a monument marked feet to the feet in a 5.36 E sc, thence corner, a monument marked to to the fin a 1.36 W din a 1.36 W din a 1.36 W sc, thence 7.5 C	marked as follows: S 26 Cor., to corner, a monument marked as follows: Corner, a monument marked corner, a monument mark	arked 5 26/2 side center to the point of
The corners and side centers of the line o	of the claim are located and orner, a monument marked feet to the feet in a 5.36 E sc, thence corner, a monument marked to to the fin a 1.36 W din a 1.36 W din a 1.36 W sc, thence 7.5 C	marked as follows: S 26 Cor., to corner, a monument marked as follows: Corner, a monument marked corner, a monument mark	arked 5 26/2 side center to the point of
The corners and side centers of the line o	of the claim are located and orner, a monument marked feet to the	marked as follows; S 2 6 Cor., t corner, a monument m direction to the S S 2 6 3 Cor., corner, a monument mark sotion to the S W feet N 36 C	arked 5 26/2 E
The corners and side centers of the Corners and side centers of the Corners and side centers and sid	of the claim are located and orner, a monument marked feet to the feet in a 5.36 E sc, thence corner, a monument marked to the fina fina discount of the feet in a fina fina fina fina fina fina fina	marked as follows; S 2 6 Cor., t corner, a monument m direction to the S S 2 6 3 Cor., corner, a monument mark sotion to the S W feet N 36 C	arked 5 26/2 E
The corners and side centers of the Corners and side centers of the Corners and side centers and sid	of the claim are located and orner, a monument marked feet to the	marked as follows; S 2 6 Cor., t corner, a monument m direction to the S S 2 6 3 Cor., corner, a monument mark sotion to the S W feet N 36 C	arked 5 26/2 E
The corners and side centers of the Corners and side centers of the Corners and side centers and sid	of the claim are located and orner, a monument marked feet to the feet in a 5.36 E sc, thence corner, a monument marked to the fina fina discount of the feet in a fina fina fina fina fina fina fina	marked as follows; S 2 6 Cor., t corner, a monument m direction to the S S 2 6 3 Cor., corner, a monument mark sotion to the S W feet N 36 C	arked 5 26/2 E
The corners and side centers of the Corners and side centers of the Corners and side centers and sid	of the claim are located and orner, a monument marked feet to the feet in a 5.36 E sc, thence corner, a monument marked to to the feet in a fin	marked as follows: S 2 5 Cor., t corner, a monument m direction to the S S 2 6 3 Cor., corner, a monument mark corner, a monument mark this location had be (Address)	arked 5 26/2 E
The corners and side centers of the Corners and side centers of the Corners and side centers and sid	of the claim are located and orner, a monument marked feet to the feet in a 5.36 E sc, thence corner, a monument marked to to the feet in a fin	marked as follows; S 2 6 Cor., t corner, a monument m direction to the S S 2 6 3 Cor., corner, a monument mark sotion to the S W feet N 36 C	arked 5 26/2 E

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 21 THRU SHIRL NO. 30, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 21
Shirl No. 22
Shirl No. 23
Shirl No. 24
Shirl No. 25
Shirl No. 26
Shirl No. 27
Shirl No. 28
Shirl No. 29
Shirl No. 30

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 26, 28, 30; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

\$30/2, \$30/SEEC, \$30/3, \$28/SEEC, \$28/2, \$26/SEEC, \$26/3, \$24/SEEC, \$24/2, \$22/SEEC, \$22/3, \$22/center, \$22/NESC.

All of this work was accomplished by, or under the supervision of Lyle F, Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

F. Campbell

File No. 42345

RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 29 A.D. 19 66
at . 46 minutes past 11 A. M.
in Book 11 of OFFICIAL RECORDS
Page 345-346 Records of

HUBEKA COUNTY, NEVARA

Kecorder

Fee \$ 1.00

THIS IS TO CERTIFY that the	Skiel 26, 27 Lode Mining Claim was
located by Lyle F. Camp	bell whose post office address appears
below, on the 13 day of 2	이 성도 선 기술에 이렇게 정말이 있는데, 그들은 이 프로 시티를 하고 있다면 어떻게 먹는데 그렇게 다른데 가는
The general course of said lode or	그는 최고 - 🌽 현실 - 실험문학 행복관에 불합하게 발한 # 사회를 받은 사회들이 보고 있는 이 경기에 걸었다. 그런 살인 시작하는 시작이다.
The claim is situated in the	Roberte Mining District, Euska
	Moil feare stout 549W,
그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그	그는 그 이렇게 되었다. 아들아는 요즘에 바꾸면 이 밖에 무를 가면 되었다. 그 얼마나 아들아는 그 사람들이 그 사람들이 살아 없는 것 같다. 그 사람들이 없다.
pperopenality = 12	20 fut from NYCor, 53 T 23N, R481
	5-0 feet in a
	feet in adirection
from the point of discovery, with a wid	lth of 300 feet on each
side of the center of the vein or lode al	long the entire length of said claim.
The dimensions and locations of	the discovery work done on the claim are as follows:
See	attacked sheet
The state of the s	
The total cost of such work census	xceeds (200 DS
	그리는 얼마를 가장하는 것이 들었다. 그는 그리는 것은 그리는 것이 되었다. 그는 그림은 것은
	e claim are located and marked as follows:
	a monument marked 527 Cor., thence in a 554ω
	to the corner, a monument marked 52/19
	In a $N36W$ direction to the $5W$ side
center, a monument marked 5 27	/5W 80, thence 750 feet in a N36W dir.
ection to the West corner	r, a monument marked 527/3 Cor., thence 600
feet in a $N54E$ direction to	the North corner, a monument marked 527/2
Cor, thence 750 feet in a	536 Edirection to the NE side center,
	= 8C, thence 250 feet $536E$ to the point of
No also de la	
Deginning.	nones is at least 4"in diameter by 4"6"
	○ 1. 1. 1. 1. 1. 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.
1 / /	necessary to complete this location had been performed by
July 2	_19.66
Lule F. Cambel	I Lance Elephoretic P
(Name of Locator)	(Address)
(Name of Locator)	(Address)
	Grand Duretion Colorado
(Name of Locator)	(Address)

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 21 THRU SHIRL NO. 30, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 21 22 Shirl No. Shirl No. 24 Shirl No. Shirl No. Shirl No. Shirl No. 27 Shirl No. Shirl No. Shirl No. 28

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No. 8 26, 28, 50; and also consists of excavations or test pits for seo-chemical sampling located at or nearby the following locations:

830/2, 830/8EE0, 850/3, 828/8EEC, 828/2, 826/BEEC, 826/3, 824/8EEC, 824/2, 822/8EEC, 822/3, 822/center, 822/NESC,

All of this work was accomplished by, or under the supervision of Lyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

42346

Lance Exploration Eng. July 29

A. D. 19 ____ at 47 minutes past 11 A. M. in Brok 11 of OFFICIAL RECORDS Page 347-348 Records of

FUREKA COUNTY, NEVADA? Helli a Metal

Fee 1 .00

THIS IS TO CERTIFY that the	Lhal 96 28 Lode Mining Claim was
	Phell , whose post office address appears
below, on the 13 day of 21	그들은 사람들이 가장 살아왔다면 살아왔다면 하는 사람들이 되었다. 그는 사람들이 되었다면 하는 것이 되었다면 하는 것이다면 하는데
The general course of said lode or ve	
	Roberta Mining District, Euseka
	Molfers afout 548 W
approprimately 2,520	o fet from Ny Cor, 53, T 23N, RABE
The locator claim 5	00 test in a N36W
direction and 1400	feet in a 536 E direction
from the point of discovery, with a width	of 300 teet on each
side of the center of the vein or lode along	
	e discover, work done on the claim are as follows:
	a helphist
The total cost of such work consisted	1 of at least 1 /000:00
The corners and side centers of the cl	claim are located and marked as follows:
From the Horth corner, a	monument merited 528 Cor., thence in a 554W
direction 600 feet to	the West corner, a monument marked 528/4
	a 536E direction to the SW side
	/510 80, thense 750 feet in a 5365 dir
	a monument marked 528/3 Cor., thence 600
and the second of the second o	그는 이 그가 얼굴들은 하이라고 ^ 이라 사람들이 사용하게 되는 것은 이 그는 것이라는 이 생각하는
	ne corner, a monument marked 528/2
	N36W direction to the NE side center,
a monument marked 528/NE	8C, thence $\frac{750}{}$ feet $\frac{N36}{}$ to the point of
beginning.	
Each of the above-described monument	nto so at level 1 in diameter by 1-6"lo
All location and discovery work nec	cessary to complete this location had been performed by
\ / /	10.66
21301111	
byle V. Campbell	Jane Exploration Engineering
(Name of Locator)	(Address)
(Name of Locator)	(Address)
(Name of Locator)	Grand Junction, Colors &
	그는 그는 생선 회사들이 그렇게 하면 하면 하면 하면 하는데 그렇게 하는데 하는데 하는데 그렇게 되었다.

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 21 THRU SHIRL NO. 30, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 21
Shirl No. 23
Shirl No. 24
Shirl No. 25
Shirl No. 26
Shirl No. 27
Shirl No. 28
Shirl No. 29
Shirl No. 30

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No. 1 26, 28, 30; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

\$70/2, \$30/SEEC, \$30/3, \$28/SEEC, \$28/2, \$26/SEEC, \$26/3, \$24/SEEC, \$24/2, \$22/SEEC, \$22/3, \$22/SEEC, \$22/NESC.

All of this work was accomplished by, or under the supervision of Lyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

Lyle F. Campberly

RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 29 A. D. 19 66

at 48 minutes past 11 A. M.

In Brook 11 of OFFICIAL RECORDS

Page 349-350 Records of

EUREKA COUNTY, NEVADA

Recorder

Fee \$ 1.00

He No.

		Mil No. 29 Lode Mining Claim	
	함께 이 나라, 전, 경우 한다 '골드라마 이스트 경우 그리고 있다는 그 나를 다 했다.	nyhose post office address syn	
		들어, 이른 호텔 (프로그램 : 1985) 등로 전 이 프로그램 (프로그램 : 1985) - 1.12 (H. 1985) - 1.12 (H. 1985) - 1.12 (H. 1985)	2017
		1966.	
The general co	surse of said lode or vein i	/ <u>//36W</u>	erikira da markada
The claim is s	ituated in the	Ata Mining District, Greek	4
ounty, State of .	Nevada, Lanner	No I feare about 549	W,
	소리가 살이 다니다 생활을 위해진 이 그리지 않다. 그런	feet from N// Cor, 53, 723 M	김 토로 이번 함께서
		5 S36 E	7
The locator	1100		
	여기 일이 가장 없는 이렇게 불어야 됐	마시, 그들은 나를드림아, 물을하고 있는데, 나를 하고 말을 다 하는데 나르고요. 그들은 나마시는	
rom the point of	discovery, with a width of	SOO jeet un	esci)
ide of the center	of the vein or lode along th	e entire length of said claim.	
The dimension	s and locations of the di	scovery work done on the claim are as follows:	
	Lee ate	ached sheet	
-			
The total cost	of such work consisted of	(1-1 : 1000/00./	
The corners an	nd side centers of the claim	are located and marked as follows:	
from the	corner a mo	nument marked 529// Cor., thence in a 1	154E
	And the second s	2 2 corner, a monument marked 5 25	
	그가 불어 없었다. 하는 사람들이야?	A.D. 的复数对大概要变化。在全部等等数据,如何可以完整的A.P. 的数据设计的数据上的数据。 [17.4]	197
		N36W direction to the NE	10 to
· · · · · · · · · · · · · · · · · · ·		= 8C, thence 250 feet in a <u>N36W</u>	
ction to the2	Touth corner, a m	onument marked 5 29/3 Cor., thence 60	<u></u>
eet in a 5 5	4W direction to the	West corner, a monument marked 5 29	<u>/2</u>
Cor., thence	75 0 feet in a 5	36 E direction to the 500 side of	mter.
		thence 750 feet 536 E to the pol	
monument marke	30 8U,		
beginning.		11 1211 11 11 11	
Each of the al	bove-described monuments i	at least 7 in diameter by	6 Long
All location as	nd discovery work necessa	ry to complete this location had been performed	by
Ouls	27 196		
	A / 111	1 0 1 1 6	
Tyle B.	of Logator	asee Exploration Engineers	1
(7107116	V	Box 2188	
(Name	of Locator)	(Address)	
/Ma	of Tapaton)	hand Junction, Colorede	
(TASTILE	of Locator)	、 - ライ、北京 新 州 は中国市場を教授、【 AQUICES 】(日本教会) (1975年) が新り、 コイデ	19 2 To 19 20 TO

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 21 THRU SHIRL NO. 30, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. 21
Shirl No. 22
Shirl No. 23
Shirl No. 24
Shirl No. 25
Shirl No. 26
Shirl No. 27
Shirl No. 28
Shirl No. 29
Shirl No. 30

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 26, 28, 30; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

\$30/2, \$30/SEEC, \$30/3, \$28/SEEC, \$28/2, \$26/SEEC, \$26/3, \$24/SEEC, \$24/2, \$22/SEEC, \$22/3, \$22/center, \$22/NESC.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

F. Campbell

42348

RECORDED AT THE REQUEST OF Lance Exploration Eng.

July 29 A. D. 1966 at . 49. minutes past 11 A M.

in Book 351-352FFICIAL RECORDS
Page Records of

Page Records of Skillis C. De Caole

Recorder

Fee \$ 1.00

THIS IS TO CERTIFY that the Mining Claim was
located by Ly/e F. Campbell , whose post office address appears
below, on the 13 day of May, 1866
The general course of said lode or vein is 536E
The claim is situated in the Roberts Mining District, Essella
County, State of Nevada, Corner No / bears about 549 W.
approximately 3,710 feel from N/Cor, 53, T23N, R48E
The locator claim 5 50 feet in a 1436 W
direction and 1450 feet in a 536 E direction
from the point of discovery, with a width of feet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attached short
The total cost of such work consisted of at least \$ 1000.00
The corners and side centers of the claim are located and marked as follows:
From the West corner, a monument marked 530// Cor., thence in a N54E
direction 600 feet to the Posts corner, a monument marked 530/4
Cor., thence 750 feet in a 536 direction to the NE side
center, a monument marked 530/NE SC, thence 750 feet in a 536 E dir-
ection to the Corner, a monument marked 530/3 Cor., thence 600
feet in a 554W direction to the South corner, a monument marked 530/2
Cor., thence 750 feet in a 36W direction to the 5W side center,
a monument marked 530/5W SC, thence 750 feet 136W to the point of
beginning.
Each of the above-described monuments is at least 4 in diameter by 4-6 long
All location and discovery work necessary to complete this location had been performed by
July 27 , 19 66.
Leb B. Penerall Trace Profestion Legingriss
(Name of Locator) (Address)
(Name of Locator) (Address)
Grand Junction, Colorado
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON SHIRL NO. 21 THRU SHIRL NO. 30, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of

Shirl No. Shirl No. Shirl No. Shirl No. Shirl No. 22 23 24 Shirl No. Shirl No. Shirl No. Shirl No. Shirl No.

consists of access road work starting a considerable distance outside the claim group and is also located on Shirl No.'s 26, 28, 30; and also consists of excavations or test pits for geo-chemical sampling located at or nearby the following locations:

830/2, 830/SEEC, 830/3, 828/BEEC, 828/2, 826/SEEC, 826/3, 824/SEEC, 824/2, 822/SEEC, 822/3, 822/center, 822/NESC.

All of this work was accomplished by, or under the supervision of, Lyle F. Campbell, Registered Professional Engineer. (Colorado and Minnesota)

LANCE EXPLORATION ENGINEERING

To campbell

RECORDED AT THE REQUEST OF Lance Exploration Eng. July 29 A. D. 19 66 at 50 minutes past 11 A. M. in Book 11 of OFFICIAL RECORDS Page 353-354 Records of EUREKA COUNTY, NEVAUL SELLING G. DE LOSE Rocarder

For \$ 1.00