THIS IS TO CERTIFY the	at the	The same of the sa	Loge	mining Chini Mas
located by Lyle F				
below, on the 25 day	. 9.40	7	., 66	19. 20. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19.
below, on the day	01	9,18		
The general course of said	l lode or vein is	Wex.		P L
The claim is situated in ti	he		Mining District,	useko
County, State of Nevada,	erus He.	1 Seas	a about	569W,
propinately 9	500 lon	MNEGO	521,T241	Y, RAGE
The locator claim.	<i>-</i> //	0	Part	
	the state of the s			
direction and 1390		 中国各种技术的中国各种关系。 	- Was	direction
from the point of discovery, w	ith a width of	300		feet on each
side of the center of the vein	그 그 사람들이 그 사람이들이	역 시간 독일을 우리 바람들	aid claim.	
The dimensions and locat	ions of the Alson	erv work done	on the claim are as fo	llowa:
See The		A		
Le alan	Ja Mes			
# ************************************		- 120		
			제 얼룩하다 외투에 나타다	
		²⁴ - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
	exceeds			
The total cost of such wo	rk consisted of at	least \$ /000	9.60	
The total cost of such wo	rk c onsisted of at i			
The corners and side center	rk consisted of at least of the claim are	e located and m	arked as follows:	hence in a <i>Nast</i>
The corners and side center	rk consisted of at a era of the claim are corner, a monum	e located and m	arked as follows:	
The corners and side centers from the S &	rk consisted of et ers of the claim are corner, a monum	e located and ment marked	arked as follows: Cor., i	arked P1/4
The corners and side center	rk consisted of et ers of the claim are corner, a monum	e located and ment marked	arked as follows: Cor., i	arked P1/4
From the 5 E direction 60 control of the corners and side center of the corners and side cent	rk consisted of etclers of the claim are corner, a monum — feet to the	e iocated and m nent marked NE Weat	arked as follows: Cor., i corner, a monument n	narked PI/4 Mosth side
From the direction Cor., thence 75 center, a monument marked	rk consisted of etclers of the claim are corner, a monum	e located and ment marked	arked as follows: Cor., corner, a monument number of the	narked P1/4 North side Vol dir
From the 5 5 6 center. Cor., thence 75 6 center, a monument marked cection to the W	rk consisted of et. ers of the claim are corner, a monum feet to the feet in a PIN corner, a monum	e located and ment marked	arked as follows: Cor. (corner, a monument in direction to the	wasth side
The corners and side center. From the direction	rk consisted of et- era of the claim are corner, a monum feet to the feet in a corner, a monum rection to the	e located and ment marked SC, thence SW on	corner, a monument number of feet in a 2 Corner, a monument number of feet in a 2 Corner, a monument manument m	narked P1/4. North side Verl dir- thence 600 sed P1/2
From the 5 5 6 center. Cor., thence 75 6 center, a monument marked cection to the W	rk consisted of et- era of the claim are corner, a monum feet to the feet in a corner, a monum rection to the	e located and ment marked SC, thence SW on	corner, a monument number of feet in a 2 Corner, a monument number of feet in a 2 Corner, a monument manument m	narked P1/4. North side Verl dir- thence 600 sed P1/2
The corners and side center. From the direction	rk consisted of et- era of the claim are corner, a monum feet to the feet in a corner, a monum rection to the feet in a	e located and ment marked SC, thence SW oc direct	corner, a monument number of the second seco	narked P1/4 North side Vel dir- thence 600 sed P1/2 L side center,
The corners and side center From the	rk consisted of et- era of the claim are corner, a monum feet to the feet in a corner, a monum rection to the feet in a	e located and ment marked SC, thence SW oc direct	corner, a monument number of the second seco	narked P1/4 North side Vel dir- thence 600 sed P1/2 side center,
The corners and side center From the	rk consisted of etclers of the claim are corner, a monum feet to the feet in a corner, a monum rection to the feet in a SC, the	e located and ment marked SC, thence SW oc direct	corner, a monument number of the corner, a monument number of the corner, a monument manufacturer, a monument manufacture	warked P1/4 Wash side Wash dir- thence 600 ced P1/2 ced side center, to the point of
The corners and side center From the	rk consisted of etclers of the claim are corner, a monum feet to the feet in a corner, a monum rection to the feet in a SC, the	e located and ment marked SC, thence SW oc direct	corner, a monument number of the corner, a monument number of the corner, a monument manufacturer, a monument manufacture	warked P1/4 Wash side Wash dir- thence 600 ced 2/2 L side center, to the point of
The corners and side center From the	rk consisted of ethers of the claim are corner, a monumer feet to the corner, a monumer corner, a monumer feet in a solution to the sed monuments is a sed monuments is a sed monuments is a sed monuments is a sed monuments.	e located and ment marked	arked as follows: Cor., corner, a monument n direction to the	larked PI/4 No. 14 side V. C. dir- thence 600 sed PI/2 side center, to the point of
The corners and side center. From the	rk consisted of etclers of the claim are corner, a monument of the claim are corner, a monument of the corner, a monument of the corner, a monument of the corner of the c	e located and ment marked	arked as follows: Cor., corner, a monument n direction to the	larked PI/4 No. 14 side V. C. dir- thence 600 sed PI/2 side center, to the point of
The corners and side center. From the	rk consisted of ethers of the claim are corner, a monumer feet to the corner, a monumer corner, a monumer feet in a solution to the sed monuments is a sed monuments is a sed monuments is a sed monuments is a sed monuments.	e located and ment marked	arked as follows: Cor., corner, a monument n direction to the	larked PI/4 No. 14 side V. C. dir- thence 600 sed PI/2 side center, to the point of
The corners and side center. From the	rk consisted of etclers of the claim are corner, a monument of the claim are corner, a monument of the corner, a monument of the corner, a monument of the corner of the c	e located and ment marked	arked as follows: Cor., corner, a monument n direction to the	larked PI/4 No. 14 side V. C. dir- thence 600 sed PI/2 side center, to the point of
The corners and side center. From the	rk consisted of etclers of the claim are corner, a monument of the claim are corner, a monument of the corner, a monument of the corner, a monument of the corner of the c	e located and ment marked	arked as follows: Cor., corner, a monument n direction to the	larked P1/4 No. 14 side Vel dir- thence 600 sed P1/2 side center, to the point of
The corners and side center. From the	rk consisted of etclers of the claim are corner, a monument of the claim are corner, a monument of the corner, a monument of the corner, a monument of the corner of the c	e located and ment marked	arked as follows: Cor., corner, a monument in ilirection to the	larked P1/4 No. 14 side Vel dir- thence 600 sed P1/2 side center, to the point of
The corners and side center. From the	rk consisted of etclers of the claim are corner, a monument of the claim are corner, a monument of the corner, a monument of the corner, a monument of the corner of the c	e located and ment marked	arked as follows: Cor., corner, a monument in direction to the	larked P1/4 No. 11/4 No. 11/4 No. 11/4 direction 600 sed P1/2 side center, to the point of

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

STATEMENT OF LOCATION WORK DONE ON PAT NO. 1 THROUGH PAT NO. 10, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of Pat No. I through Pat No. 10, inclusive, consists of access road work starting a considerable distance outside the claim group and is also located on Pat No. s. I, 2, 3, and 4; and also consists of trenching on Pat No. s. I, 2, 3, 4, and 5; and also consists of excavations or test pits for geochemical sampling located at or nearby the following locations:

P1/WEC, P1/3, P3/WEC, P3/2, P5/WEC, P5/3, P7/WEC, P7/2, P9/WEC, P9/3, P9/NSC, P7/NSC, P7/Center, P5/NSC, P5/center, P3/NSC, P3/Center, P1/NSC, P1/Center, P1/EEC, P1/4, P3/EEC, P3/1, P5/EEC, P5/4, P7/EEC, P7/1, P9/EEC, P9/4, P10/NSC, P10/Center, P8/NSC, P8/Center, P8/NSC, P6/Center, P4/NSC, P4/Center, P2/NSC, P2/Center, P2/EEC, P2/3, P4/EEC, P4/2, P6/EEC, P6/3, P8/EEG, P8/2, P10/EEC, P10/3.

All of this work was accomplished by or under the supervision of Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesotæ).

Lance Exploration Engineering

Eyle F. Campbell

12613

RECORDED AT THE REQUEST OF
Lyle F. Campbell
September 20 A D. 19 66

30 minutes past 11 A M.
In Book 12 of OFFICIAL RECORDS
Page 132-133 Records of
EMREKA COUNTY, NEVADA

Recorder

1.00

THIS IS TO C	ERTIFY that the	at No	_ Z Lode M	ming Claim was
	e F. Can	. bell		
located by	5 day of Jus		, whose post ornce	acorese apirara
below, on the	day of		,10,66	
The general cou	urse of said lode or vein	is cost		
The claim is si	uated in the	기계 등 전 기계 기계 기계 등 전 등 등 등 기계 등 기계 등 기계 등		useko
County, State of N	levada, Conne	~ 96.1	feare ato	£ 569W
	Ly 9500'		그는 경우의 화소에는 학자는 전환 사람들이 되죠?	
			in a West	g .
The locator	Saim 5	feet	Carl	
direction and				direction
from the point of d	iscovery, with a width of	<u> 300</u>		feet on each
	f the vein or lode along t	- 人名英格兰人姓氏格勒斯的变体	ad Paris (12) 14 (14)	
	and locations of the d			
	See atta	连注,11 <i>为</i> 1 生生10 人	A	WB: 41-41-41-41-41-41-41-41-41-41-41-41-41-4
	see alla	ear pho		

The total cost of	of such work consisted of	ender 1000	.00	
	entry 7 The State of the State			
	side centers of the clair	관계에 한 등 하인 화출범장이다.		A 4
	corner, a me	《克利·阿克克·阿克斯亚)。		
direction	n 600 feet to the	NW.	corner, a monument mar	ked4
Cor., thence	750 feet in a	East d	rection to the Zan	Z. side
center. a monument	marked P2/	V. SC. thence 25	O feet in a	et dir
	NE corner, a m			and the second second
		4		
	direction to the			
Cor., thence	250 feet in a	Week direction	on to the	aide center,
a monument market	P2/5 80	, thence	feet Wood	to the point of
beginning.				
	ove-described monuments	allesta	Mante L	4-14/
\				
All location and	d discovery work necess	ary to complete thi	s location had been	performed by
Septem	An 19 , 19 .	<u> </u>		
1	7/0/1/1	16	Ist. A.	C.
(Name o	f Locator	save e	(Address)	rgeneery
,	- Ch	Bux 2188	- The Angle of the Control of the Co	
(Name o	(Locator)	0,00	(Address)	1 1-
(Name c	of Locator)	suns ye	(Address)	Torodo
(rimit)			(AMULEDO)	

STATEMENT OF LOCATION WORK DONE ON PAT NO. 1 THROUGH PAT NO. 10, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of Pat No. 1 through Pat No. 10, inclusive, consists of access road work sterting a considerable distance outside the claim group and is also located on Pat No.'s 1, 2, 3, and 4; and also consists of trenching on Pat No.'s 1, 2, 3, 4, and 5; and also consists of excavations or test pits for geochemical sampling located at or nearby the following locations:

P1/WEC, P1/3, P3/WEC, P3/2, P5/WEC, P5/3, P7/WEC, P7/2, F9/WEC, F9/3, F9/NSC, P7/NSC, P7/Center, P5/NSC, P5/center, P3/NSC, F3/center, P1/NSC, P1/center, P1/EEC, P1/4, P3/EEC, P3/1, P5/EEC, F5/4, P7/EEC, P7/1, P9/EEC, P9/4, P10/NSC, P10/center, P8/NSC, P8/center, P6/NSC, P6/center, P4/NSC, P4/center, P2/NSC, P2/center, P2/EEC, P2/3, P4/EEC, P4/2, P6/EEC, P6/3, P8/EEC, P8/2, P10/EEC, P10/3.

All of this work was accomplished by or under the supervision of Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

Lance Exploration Engineering

Lyle F. Campbell

42614

RECORDED AT THE REQUEST OF
Lyle F. Campbell
September 20 A. D. 19 66.
at 31 minutes past 11 A. M.
in Book 12 of OFFICIAL RECORDS
Page 134-135 Records of
EUREKA COUNTY, NEVRODA
Millio O. Alejao

Recorder

Fee 1.00

THIS IS TO CERTIL that t	the Ja	t He	3	_ Lode Mini	g Claim wa
located by Lyle F	Camp	be	, whose	post office ad	dress appears
below, on the	Qual				
The general course of said lo	■ 2 × 2 × 3 × 4 × 5	and the second of the second of the second	L		
The claim is situated in the .	<u> </u>		Mining D	istrict, <i>Ca</i>	seka
County, State of Nevada, La		10-10	izi del e in elemento di		
productely S		法、真正、美国等产品的政策		72	
The locator claim	105		7	2 Á	
/ 🤈 🗗 🕏		ree	91.4		
					direction
from the point of discovery, with	a width of	300			feet on eaci
side of the center of the vein or l	ode along the en	tire length of s	said claim.		
The dimensions and locations	s of the discove	ry work done	on the claim a	re as follows	
See all	tacked	edet			
The total cost of such work	excess	٠, ,,,			
	i di Terres				
The corners and side centers		이 생물을 하고 없다는 생물이다.			
From the co				3. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	
direction 600	76	医乳头 医阿格林氏腺丛 电磁压电池		All the second second	4
	icet in a	Vest	direction to th	Sout	sid
center, a monument marked	23/5	IC, thence	50 teet in	· We	L dir
ection to the 5w	corner, a monum	ent marked	P3/3	Cor., then	600
feet in a Hoth direct	and the second of the second		(2) (2) (3) (4) (4) (4) (4) (4) (5) (5)		
Cor., thence 750 feet					side center
a monument marked 23				. Z A	the noint a
	adoution, SU, UPL	- J.	A	Edition of the section .	, ene pour u
beginning.		i'L	1/11/		
Each of the above-described n	nonuments is	17 T	<u>o w</u>	ny -	
All location and discovery w	work necessary t	o complete t	his location	had been p	erformed by
System fer !	9 , 19 66				
1120	4-6/1		no L	Int.	Airil
(Name of Locator)	Tory		(Address)	prova	LLONE
(Name of Locator)		Box	2/82	<u> </u>	
(Manie of Tocame)	. 1.4	man	(Addiess)	lear 1	Poline
(Name of Locator)			(Address)	بريرسد	

STATEMENT OF LOCATION WORK DONE ON PAT NO. 1 THROUGH PAT NO. 10, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of Pat No. 1 through Pat No. 10; inclusive, consists of access road work starting a considerable distance outside the claim group and is also located on Pat No.'s 1, 2, 3, and 4; and also consists of trenching on Pat No.'s 1, 2, 3, 4, and 5; and also consists of excavations or test pits for geochemical sampling located at or nearby the following locations:

P1/WEC, P1/3, P3/WEC, P3/2, P5/WEC, P5/3, P7/WEC, P7/2, F9/WEC, P9/3, P9/NSC, P7/NSC, P7/center, P5/NSC, P5/center, P3/NSC, P3/center, P1/NSC, P1/center, P1/EEC, P1/4, P3/EEC, P3/1, P5/EEC, P5/4, P7/EEC, P7/1, P9/EEC, P9/4, P10/NSC, P10/center, P8/NSC, P8/center, P6/NSC, P6/center, P4/NSC, P4/center, P2/NSC, P2/center, P2/EEC, P2/3, P4/EEC, P4/2, P6/EEC, P6/3, P8/EEC, P8/2, P10/EEC, P10/3.

All of this work was accomplished by or under the supervision of Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

Lance Exploration Engineering

Lyle F. Campbell

RECORDED AT THE REQUEST OF Lyle F. Campbell
September 20A D. 19 66 at ... 32 mlautes past ... 11 A. M. in Book ... 12 of OFFICIAL RECORDS
Page ... 136-137 Records of EUREKA COUNTY, NEVADA ... Medical County ... 120 August 140 Augus

Recorder

1.00

THIS IS TO CERTIFY that the	Pat glag 1	ode Mining Claim was
	mpbe// whose post	
below, on the 25 day of Ou	如果,这些我们的人,只要我就要说,这种好什么的数量的。 [25] (End.) 🌽 (End.)	
The general course of said lode or ve	60	
the state of the s	하는 것 같아 있다면서 나는 사람들이 되었다면 살아 가장 하면 하다는 것이 되었다. 그 사람들이 가장 하는 것은 살아보다는 것은 것이다.	01.
The claim is situated in the	용하는 이 이 상태는 하다는 어린 모든 것들이 되는 것이 되는 것이 되었다. 그런 역 점점에 다른 사람이 보다는 것 같다.	a Eurelea
	u No. I ferma	
epproximately 9200 for		
The locator claim 5	90 feet in a 20'es	.
direction and	feet in a East	direction
from the point of discovery, with a width	of 300	fect on each
side of the center of the vein or lode alon		
그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그		
	discovery work done on the claim are a	s Eoliowa;
See all	tacked short	
•••••••••••••••••••••••••••••••••••••••		
The total cost of such work consisted	of at least \$ 1000,00	
	laim are located and marked as follows:	
From the MM correct a	monument marked P4/	Louth
	the 544 corner, a monume	이 되었어 그 경영하는 그리는 그는 그것이 되었다면 그렇게 그
	사업 : - [19 글로드] 전다. 남부분이 되는 정상하는 그 경우를 보고 하는 것이다.	
	a Earl direction to the	
\	5 SC, thence 750 feet in a _	
	a monument marked $P4/3$	
feet in a Mouth direction to the	e // corner, a monument :	marked P4/2
Cor., thence feet in a	West direction to the	z h side center,
	BC, thence 250 feet Wee	-4
beginning.	Alada" Dit	14:/11
Each of the above-described monumen		
All location and discovery work nec	essary to complete this location had	been performed by
September 19,	1 <u>0 66</u>	
11 3000	1 Tago Gilo A.	P
(Name of Locator)	(Address)	-cognerory
-	BOX 2188	
(Name of Locator)	I (Address)	01-,0-
(Name of Locator)	(Address)	4 C6-24-5-0

STATEMENT OF LOCATION WORK DOME ON PAT NO. 1 THROUGH PAT NO. 10, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of Pat No. 1 through Pat No. 10, inclusive, consists of access road work starting a considerable distance outside the claim group and is also located on Pat No. 1, 2, 5, and 4; and also consists of tranching on Pat No. 2, 2, 3, 4, and 5; and also consists of excavations or test pits for geochemical sampling located at or nearby the following locations:

P1/WEC, P1/3, P3/WEC, P3/2, P5/WEC, F5/3, F7/WEC, F7/2, F9/WEC, P9/3, P9/NSC, P7/NSC, P7/Center, P5/MSC, P5/Center, P5/NSC, P5/Center, P1/NSC, P1/Center, P1/EEC, P1/4, P3/EEC, P5/1, P5/EEC, F5/4, F7/EEC, P7/1, P9/EEC, P9/4, P10/NSC, P10/Center, P8/MSC, P8/Center, P6/MSC, P6/Center, P2/NSC, P2/Center, P2/NSC, P4/REC, P4/2, P6/EEC, F6/5, P8/EEC, F8/2, P10/EEC, P10/3,

All of this work was accomplished by or under the supervision of Lyle F, Campbell, Registered Professional Engineer (Colorado and Minnesota).

Lance Exploration Engineering

Lyle F. Campbell

42616

RECORDED AT THE REQUEST OF Lyle F. Campbell

September 20 A. D. 19 66

at . 33 minutes past 11 A. M.

In Brok 12 of OFFICIAL RECORDS

Page 138-139 Records of CEUREKA COUNTY, NEGADA

Recorder

Recorder

THIS IS TO CERTIFY that the	Pat 96 5 Lode Mining Claim w
	Campbell , whose post office address appear
	June 10.66
The general course of said lode	그는 그는 그는 문학생이 바다면 그를 맞았다. 한 번역인과 전 그는 그 전쟁 등 그림을 하다 그 🖊 🖊 발표하다. 다시 그 다
The claim is situated in the	一点,以后可能会就没有,还不是一个许多的特殊,以此,不是能够成绩的,我们的一个人也不是是能够可能的。 电
	ser No / Lease at 578
profinately 920	00 feet from NEGr, 521,7 24M
	So feet in a Ed.
direction and 1440	feet in a West direction
from the point of discovery, with a	width of 300 feet on each
	e along the entire length of said claim.
	of the discovery work done on the claim are as follows:
A. A	attached elect
# > max 1 to 0 max 2 co co co carrage a carrage por de la co p plot de la compania de la coloque de partir de la coloque de la c	
The total cost of such work ces	excelled 1 1000,00
The corners and side centers of	the claim are located and marked as follows:
	er, a monument marked P5// Cor., thence in a Zer
	그는 사람들이 살았다. 그 사람들은 사람들은 사람들은 사람들은 사람들이 가는 사람들이 가장하는 것이 되었다. 그렇게 되었다. 그렇게 되었다. 그렇게 되었다.
	et to the corner, a monument marked P.5/
	et in a West direction to the Host sic
center, a monument marked	5/N 80, thence 750 feet in a West di
1 . \	rner, a monument marked P5/3 Cor., thence 600
	to the $5M$ corner, a monument marked $P5/2$
	a Last direction to the Louth side center
	그는 사람들은 사람들이 아이들은 사람들이 가득하는 사람들이 가는 사람들이 되었다.
a monument marked	60, thence 250 feet East to the point
beginning.	
Each of the above-described mon	suments is at least 4 Liamiter by 4 6 lo
\ . / .	k necessary to complete this location had been performed t
Seetenter 19	19,66
	inning Marianiani
Lule To Canes	lef Lance Exploration Engineering
(Name of Locator)	Box 2188
(Name of Locator)	(Address)
(Name of Locator)	*******

IN A CLEAR AND LEGIBLE FORM.

STATEMENT OF LOCATION WORK DOBE OF PAT NO. 1 THROUGH PAT NO. 10, INCLUSIVE, ALL BEING CONTIQUOUS:

Location work done to advance the exploration of Pat No. 1 through Pat No. 10, inclusive, consists of access road work starting a considerable distance outside the claim group and is also located on Pat No.'s 1, 2, 3, and 4; and else consists of trenching on Pat No.'s 1, 2, 3, 4, and 5; and also consists of excavations or test pits for geochemical sampling located at or nearby the fellowing locations:

P1/WEC. P1/3, P3/WEC. P3/2, P5/WEC, P5/3, P7/WEC. P7/2, P9/WEC. P9/3, P9/NEC. P7/MEC. P7/MEC. P5/NEC. P5/NEC. P5/NEC. P5/MEC. P5/MEC. P5/MEC. P1/A, P3/EEC. P3/1, P5/EEC. P5/4, P7/EEC. P7/1, P9/EEC. P9/4, P10/MEC. P3/1, P5/EEC. P5/4, P7/EEC. P7/1, P9/EEC. P9/4, P10/MEC. P10/Center, P8/MEC. P8/center, P6/MEC. P6/center, P4/MEC. P4/EEC. P2/3, P4/EEC. P4/2, P6/EEC. P6/3, P8/EEC. P8/2, P10/EEG, P10/3.

All of this work was accomplished by or under the supervision of Lyle F. Campbell, Registered Professional Engineer (Colorado and Hinnesota).

Lance Exploration Engineering

Lile F. Campbell

42617

RECORDED AT THE REQUEST OF Lyle F. Campbell September 20 A. D. 166

at 34 minutes post 11 A M. in Book 12 of OFFICIAL RECORDS 12 of OFFICIAL RECORDS
140-141 Records of

HUREKA COUNTY, NEVADA

F-- \$ 1.00

THIS IS TO CERTIFY	7 that the	Rt 96	,6	Lode 1	lining Claim was
located by Lyle			manager and the company of the compa		"我"在"自己",就是这个一种"高"。 "我们",
below on the 25	lay of Qu	4 0	10	66	
The general course of	said lode or v	ein is	t		
The claim is situated	in the		M	ning District	Cuseks
County, State of Nevada,	Corne	Mo,	1 fea	re a for	£ 5784
eproximately					
The locator claim.					
direction and		the state of the s			direction
from the point of discover	*				
side of the center of the v	1.		原图的人 对图		
The dimensions and	3.7				Wa:
		tackel	网络扩展 计连续分类		
_					
The total cost of such	work o	cease	000.00		
The total cost of such		。这是是是一个是是			
From the SW				"我在我们的人们的对象对象的事。	
direction 6					
Cor., thence Z	/	an a filipana and a salah a sa	Market State of the Parket		医多霉素 医多角性性肠炎病 化二氯
center, a monument market					
ection to the	A	一十分的复数形式一样。"好,好好	영화되어서 하느라 생활일		图441 图,图 15.44 B 爱春春 12.11
feet in a		一 医罗勒氏原虫 医牙切除韧带		회 (1886) Pa Pi Ti + 5 (14 <u>)</u> 220	新子,不是"我不是没多?"
Cor., thence 250			됐다면 살 하나 뭐 ㅎ 먹으다.		1000 mana 1000 mana 1000 mana 1000 mana 1
a monument marked		그리 눈이 우셨다. 난 스타이스의	(2)劉왕은 사람이 되고 있다	多数 化多化环光谱温度	
/	(su, mence	Zeet		w the point of
beginning. Each of the above-des		+0.	#4",	1 #	1411
					7
All location and disc	/ /		ete this koc	ation had been	performed by
septembe		19 <u>66</u>	a		
Tyle Fre	angles	Lance	plor	atroi Es	egistering
(Name of Loca	TOT)	Box 2	188 188	(Iress)	
(Name of Loca	tor)	La n	(Ad	dress)	1
(Name of Loca	tor)	my)	KNELL (Ad	dress)	rodo
		人名英格兰 医骨髓 医神经性纤维性 有毒毒素	 ************************************		

PAGE

STATEMENT OF LOCATION WORK DONE ON PAT NO. 1 THROUGH PAT NO. 10, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of Pat No. 1 through Pat No. 10, inclusive, consists of access road work starting a considerable distance outside the claim group and is also located on Pat No. s 1, 2, 3, and 4; and also consists of trenching on Pat No. s 1, 2, 3, 4, and 5; and also consists of exampling or test pits for geochemical sampling located at or nearby the following locations:

P1/WEC, P1/3, P3/WEC, P3/2, P5/WEC, P5/3, P7/WEC, P7/2, P9/WEC, P9/3, P9/NSC, P7/NSC, P7/Center, P5/NSC, P5/center, P3/NSC, P3/Center, P1/NSC, P1/Center, P1/EEC, P1/4, P3/EEC, P3/1, P5/EEC, P5/4, P7/EEC, P7/1, P9/EEC, P9/4, P10/NSC, P10/Center, P8/NSC, P8/Center, P6/NSC, P6/Center, P4/NSC, P4/Center, P2/NSC, P2/Center, P2/EEC, P2/3, P4/EEC, P4/2, P6/EEC, P6/3, P8/EEC, P8/2, P10/EEC, P10/3.

All of this work was accomplished by or under the supervision of Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

Lance Exploration Engineering

Lyle F. Campbell

42218

File No. RECORDED AT THE REQUEST OF Lyle F. Campbell

Sept. 20 A D 1966 et . 35. minutes past 11 A.M. EUREKA COUNTY, NEVARA

1.00

	THIS IS TO CERTIFY that the Pat Mo. 7 Lode Mining Claim was
	located by Lyle F Campbell , whose post office address appears
	below, on the 25 day of June 1966
	The general course of said lode or vein is
	The claim is situated in the Mining District,
	County, State of Nevada, Corner Mo. / Leans about 585W
a	spropinstely 8850 fet from NECor, 521, T24 N, R49E
/	The locator claim.
	direction and 1910 feet in a West direction
٠.	from the point of discovery, with a width of
	side of the center of the vein or lode along the entire length of said claim.
	The dimensions and locations of the discovery work done on the claim are as follows:
	See attached short
	The total cost of such work consisted of at least \$ 1000.00
	The corners and side centers of the claim are located and marked as follows:
	From the corner, a monument marked Cor., thence in aloreth
	direction 600 feet to the 55 corner, a monument marked P74
	Cor., thence 750 feet in a West direction to the South side
	center, a monument marked P7 5 SC, thence 750 feet in a World
	ection to the 500 corner, a monument marked 9/3 cor., thence 600
	feet in a North direction to the NW corner, a monument marked P7/2
/	Cor., thence 750 feet in a East direction to the Hoth side center,
	a monument marked P7/N SC, thence 250 feet E to the point of
	beginning.
	Each of the above-described monuments is at least I indianistic by 4-6 long
	All location and discovery work necessary to complete this location had been performed by
/	September 19, 19.66
	120 LI Tour Education Commission
1	(Name of Located) (Address)
	(Name of Locator) (Address)
	Gund Junction, Colorsdo
	(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON PAT NO. 1 THROUGH PAT NO. 10, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of Pat No. 1 through Fat No. 10, inclusive, consists of access road work starting a considerable distance outside the claim group and is also located on Pat No.'s 1, 2, 3, and 4; and also consists of trenching on Pat No.'s 1, 2, 3, 4, and 5; and also consists of excavations or test pits for geochemical sampling located at or nearby the following locations:

P1/WEC, F1/3, P3/WEC, P3/2, P5/WEC, F5/3, P7/WEC, P7/2, F9/WEC, F9/3, F9/NSC, F7/NSC, F7/center, P5/NSC, P5/Center, P1/NSC, P1/Center, P1/EEC, F1/4, P3/EEC, P3/1, F5/EEC, P5/4, P7/EEC, F7/1, F9/EEC, F9/4, P10/NSC, P10/center, P8/NSC, P8/center, P6/NSC, P6/center, F4/NSC, P4/center, P2/NSC, P2/center, F2/EEC, P2/3, F4/EEC, P4/2, P6/EEC, P6/3, F8/EEC, P8/2, P10/EEC, P10/3.

All of this work was accomplished by or under the supervision of Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

Lance Exploration Engineering

Lyle F. Campbell

12613

RECORDED AT THE REQUEST OF Lyle F. Campbell September 20 A.D. 19 at . 36. minutes past 11 A, M, in Brok 12 of OFFICIAL RECORDS Page 144-145 Records of EUREKA COUNTY, NEVARA

Recorder

File No.

1.00

	THIS IS TO CERTIFY that the Pat No. 8 Lode Mining Claim was
	located by Lyle F. Campbell , whose post office address appears
	below, on the 25 day of June 1966
	The general course of said lode or vein is
	The claim is situated in the Mining District, Europe
	County, State of Nevadafarnis Holfeans about 5850
er.	proximately 8850 feet from NE Cox, 521, TZAN, RAGE
//	The locator claim 5 250 feet in a West
	direction and 1250 feet in a fait direction
	from the point of discovery, with a width of feet on each
	side of the center of the vein or lode along the entire length of said claim.
	The dimensions and locations of the discovery work done on the claim are as follows:
	he Machel sheet
	A Company of the Comp
	The total cost of such work continued of the 1000.00
	THE COST COST OF SHALL MATE CONTRACT OF BA COMES ASSESSMENT OF SHALL SHA
	The corners and side centers of the claim are located and marked as follows:
	From the NW corner, a monument marked 98 Cor., thence in a south
	direction 600 feet to the 500 corner, a monument marked $78/4$
	Cor., thence 750 feet in a 621 direction to the Authorities
	center, a monument marked PS S 80, thence 750 feet in a Earl dir-
	ection to the corner, a monument marked P8 3 Cor., thence 600
	feet in a Market direction to the VE corner, a monument marked P8/2
/	Cor., thence 750 feet in a West direction to the Hostic side center,
	a monument marked P8 N SC, thence 750 feet West to the point of
	beginning.
	Each of the above-described monuments is allest 1" Sessetter by 4-6" long
	All location and discovery work necessary to complete this location had been performed by
/	September 15, 19 65
	11. 3. Paralell 1 Collection C.
6	Tyle B. Campfell Janes Exposition Engineering
	(Name of Locator) Box 2/88 (Address)
	Grand Junction, Colorado
	(Name of Locator)

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

FREE PAESS, OFFSET, ELKO, NEVAGA**

STATEMENT OF LOCATION WORK DONE ON PAT NO. 1 THROUGH PAT NO. 10, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of Pat No. 1 through Pat No. 10, inclusive, consists of access road work starting a considerable distance outside the claim group and is also located on Pat No.'s 1, 2, 3, and 4; and also consists of trenching on Pat No.'s 1, 2, 3, 4, and 5; and also consists of excavations or test pits for geochemical sampling located at or nearby the following locations:

P1/WEC, F1/3, P3/WEC, P3/2, P5/WEC, P5/3, P7/WEC, P7/2, P9/WEC, P9/3, F9/NSC, P7/NSC, P7/center, P5/NSC, P5/center, P3/NSC, P3/center, P1/NSC, P1/center, P1/EEC, P1/4, P3/EEC, P3/1, P5/EEC, F5/4, P7/EEC, P7/1, P9/EEC, P9/4, P10/NSC, P10/center, P8/NSC, P8/center, P6/NSC, P6/center, P4/NSC, P4/center, P2/NSC, P2/center, P2/EEC, P2/3, P4/EEC, P4/2, P6/EEC, P6/3, P8/EEC, P8/2, P10/EEC, P10/3.

All of this work was accomplished by or under the supervision of Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

Lance Exploration Engineering

J. Course Lyle F. Campbell

42620 File No. .. RECORDED AT THE REQUEST OF Lyle F. Campbell Sept. 20 A.O. 19 at . 37 minutes past 11A in Brok ... 12. of OFFICIAL RECORDS
Page ... 146-147 Records of
EUREKA COUNTY, NEVADA

Recorder

1.00

THIS IS TO CERTIFY that the Pat 26 9 Lode Mining Claim was
located by Lyle F, Campbell, whose post office address appears
below, on the 25 day of 1966
The general course of said lode or vein is
The claim is situated in the
County, State of Nevada, Conne 20 / Hears afont \$ 85 w,
approximately 8850 feet from NE Cor, 521, T 24N, R49E
The locator claim 5 90 feet in a Est
direction and 1410 feet in a West direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attacked a hold
The total cost of such work consisted of at least \$ 1000.00
The corners and side centers of the claim are located and marked as follows:
From the 5E corner, a monument marked P9// Cor., thence in a Houth
direction 600 feet to the NE corner, a monument marked P914
Cor., thence 750 feet in a Wat direction to the Mark side
center, a monument marked P. 9/N SC, thence 750 feet in a West dir-
ection to the 1 W corner, a monument marked P2/3 Cor., thence 600
feet in a limit direction to the 5ω corner, a monument marked $9/2$
Cor., thence
a monument marked SC, thence feet to the point of
beginning.
Each of the above-described monuments is at least 4 in dessetts by 4 6 long
All location and discovery work necessary to complete this location had been performed by
Signter 19, 19 66
- 1 1 B. Pomadell Tarra Explanation Engineering
(Name of Locator) (Address)
(Name of Locator) (Name of Locator) (Address)
(Name of Locator) Trans Juntion, Colorado

STATEMENT OF LOCATION WORK DONE ON PAT NO. 1 THROUGH PAT NO. 10, INCLUSIVE, ALL BEING CONTIGUOUS;

Location work done to advance the exploration of Pat No. 1 through Pat No. 10, inclusive, consists of access road work starting a considerable distance outside the claim group and is also located on Pat No. 1 1, 2, 3, and 4; and also consists of trenching on Pat No. 2 1, 2, 3, 4, and 5; and also consists of excavations or test pits for geochemical sampling located at or nearby the following locations:

F1/WEC, P1/3, P3/WEC, P3/2, P5/WEC, P5/3, P7/WEC, P7/2, F9/WEC, P9/3, 19/NSC, P7/NSC, P7/center, P5/NSC, P5/center, P3/NSC, P3/center, P1/NSC, P1/center, F1/EEC, F1/4, F3/EEC, P3/1, F5/EEC, P5/4, F7/EEC, P7/1, F9/EEC, F9/4, P10/NSC, P10/center, P8/NSC, P8/center, P6/NSC, P6/center, P4/NSC, P4/center, P2/NSC, P2/center, F2/EEC, P2/3, P4/EEC, F4/2, P6/EEC, P6/3, F8/EEC, F8/2, P10/EEC, P10/3.

All of this work was accomplished by or under the supervision of Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

Lance Exploration Engineering

le F. Campbell

12621

RECORDED AT THE REQUEST OF Lyle F. Campbell Sept. 20 A.D. 1966

sept. 20 A D 1966

of 38 minutes past 11 A. M.
in Book 12 of OFFICIAL RECORDS
Page 148-149 Records of
EUREKA COUNTY, NEWSDAN
MILLIO A AD FAIR

Recorder

Fee \$1.00

\$1

THIS IS TO CERTIFY that the Cal To Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears
below, on the 25 day of June, 1966
The general course of said lode or vein is
The claim is situated in the Mining District, Euroka
County, State of Nevada, Carner No. 1 fear start 585W
approximately 8850 feet from NECON, 521, T 24N, RADE
The locator claim 5 40 feet in a 20 sol
direction and 1460 feet in a East direction
from the point of discovery, with a width of 300 feet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
Se attached sheet
The total cost of such work consisted of at least \$ 100.00
The corners and side centers of the claim are located and marked as follows:
From the 50 corner, a monument marked P10/ Cor., thence in allow
direction 600 feet to the 1004 corner, a monument marked 1014
center, a monument marked P10/N SC, thence 750 feet in a East dir
ection to the corner, a monument markedP/6/3 Cor., thence 600
feet in a local the direction to the $5E$ corner, a monument marked $P/O/2$
Cor., thence 750 feet in a West direction to the Louth side center,
a monument marked P10 S SC, thence 750 feet Wort to the point of
beginning.
Each of the above-described monuments is at least 4 described by 4-6 long
All location and discovery work necessary to complete this location had been performed by
September 19, 19.66
Tyle To Campbell Jance Exploration Engineering
(Name of Location) Box 2188
(Name of Locator) (Address)
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON PAT NO. 1 THROUGH PAT NO. 10, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of Pat No. 1 through Fat No. 10, inclusive, consists of access road work starting a considerable distance outside the claim group and is also located on Pat No. 5 1, 2, 3, and 4; and also consists of trenching on Pat No. 8 1, 2, 3, 4, and 5; and also consists of excevations or test pits for gacchemical sampling located at or nearby the following locations:

P1/wec, P1/3, P3/wec, P3/2, P5/wec, P5/3, P7/wec, P7/2, P9/wec, P9/3, P9/NSC, F7/NSC, P7/center, P5/NSC, P5/center, P3/NSC, P3/center, P1/NSC, P1/center, P1/EEC, P1/4, P3/EEC, P3/1, P5/EEC, P5/4, P7/EEC, P7/1, F9/REC, P9/4, P10/NSC, P10/center, P8/NSC, P8/center, P6/NSC, P6/center, P4/NSC, P4/center, P2/NSC, P2/center, P2/EEC, P2/3, P4/EEC, P4/2, P6/REC, P6/3, F8/EEC, P8/2, P10/EEC, P10/3,

all of this work was accomplished by or under the supervision of Lyle F. Campbell, Registered Professional Engineer (Colerado and Minnesota).

Lance Exploration Engineering

Tyle F. Camponia

Fee 1.00

THIS IS TO CERTIFY that the Pat Mo. Lode Mining Claim was
located by Lyle F. Campbell , whose post office address appears
below, on the 25 day of Sully , 1966
The general course of said lode or vein is West
The claim is situated in the
County, State of Nevada, Camer No. / fear atout 585W,
approximately 9300 feet from NE Cor, 521, T24 N, R49E
The locator claim 5 /20 feet in a East
direction and 1380 feet in a West direction
from the point of discovery, with a width of Seet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
Lee attached sheet
The total cost of such work consisted of at least \$
The corners and side centers of the claim are located and marked as follows:
From the corner, a monument marked PI Cor., thence in a
direction 600 feet to the 55 corner, a monument marked PIV4
center, a monument marked P11 5 SC, thence 750 feet in a West dir-
ection to the SW corner, a monument marked P11/3 Cor., thence 600
feet in a North direction to the NW corner, a monument marked P1/2
a monument marked PI SC, thence 250 feet to the point of
beginning.
Each of the above described monuments is at least 4" Lionitis by 4-6" long.
All location and discovery work necessary to complete this location had been performed by
September 19, 1866
The For Campfell Lance Exploration Engineering
(Name of Location) (Address) Box 2/88
(Name of Locator) (Address)
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON PAT NO. 11 THROUGH PAT NO. 16, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of Pat No. 11 through Pat No. 16, inclusive, consists of access road work on Pat No.'s 11 and 12; and also consists of trenching on Pat No. 12; and also consists of excavations or test pits for geochemical sampling located at or nearby the following locations:

P11/2, P11/WEC, P11/3, P13/WEC, P13/2, P15/WEC, P15/3, P15/center, P15/NSC, P13/center, P13/NSC, P11/NSC, P11/1, P11/EEC, P11/4, P13/EEC, P13/1, P15/EEG, P15/4, P16/SSC, P16/center, P16/NSC, P14/center, P14/NSC, P12/center, P12/NSC, P12/2, P12/EEC, P14/3, P14/EEC, P16/2, P16/EEC, P16/3.

All of this work was accomplished by or under the supervision of Lyle F. Campbell, Registered Professional Engineer(Colorado and Minnesota).

Lance Exploration Engineering

& Fr. Com Lyle F. Campbell

42623

RECORDED AT THE REQUEST OF Lyle F. Campbell Sept. 30 A.D. 19 66 at .40 minutes past 11 A. M. in Brok 12 of OFFICIAL RECORDS
Page 152-153 Records of HUREKA COUNTY, NEVADA)

Recordar

Fee #_1.00

THIS IS TO CERTIFY that the Pat Mo. 12 Lode Mining Claim was
located by by e F. Campbell , whose post office address appears
below, on the 25 day of July 1966
The general course of said lode or velu is
The claim is situated in the Mining District,
County, State of Nevada, Carrer No. / Sears about 585W
approximately 9300 feet from NE Cox, 521, T24N, R19E
The locator claim 5 65 feet in a West
direction and 1435 feet in a East direction
from the point of discovery, with a width of300
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attached sheet
The total cost of such work consisted of at least 3, 600.00
The corners and side centers of the claim are located and marked as follows:
From the NW corner, a monument marked P12/ Cor., thence in a Leath
direction 600 feet to the 500 corner, a monument marked P_{12}
Cor., thence 750 feet in a East direction to the South side
center, a monument marked 712 5 SC, thence 250 feet in a dir-
ection to the 5 to corner, a monument marked $P/2/3$ Cor., thence 600
feet in a Month direction to the NE corner, a monument marked P12/3
Cor., thence 250 feet in a West direction to the Hasta side center,
a monument marked P12/N SC, thence 750 feet West to the point of
beginning.
Each of the above-described monuments is utilized 4 diameter by 4-6 long.
All location and discovery work necessary to complete this location had been performed by
September 19, 10 66
The I Daniell of Chalasteric Communica
(Name of Locator) (Address)
(Name of Locator) (Address)
(Name of Locator) Sand Junction, Colorado
(Audress)

15

STATEMENT OF LOCATION WORK DONE ON PAT NO. 11 THROUGH PAT NO. 16, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of Pat No. 11 through Pat No. 16, inclusive, consists of access road work on Pat No.'s 11 and 12; and also consists of trenching on Pat No. 12; and also consists of excavations or test pits for geochemical sampling located at or nearby the following locations:

P11/2, P11/WEC, P11/3, P13/WEC, P13/2, P15/WEG, P15/3, P15/center, P15/NSC, P13/center, P13/NSC, P11/NSC, P11/1, P11/EEC, P11/4, P13/EEC, P13/1, P15/EEC, P15/4, P16/SSC, P16/center, P16/NSC, P14/center, P14/NSC, P12/center, P12/NSC, P12/2, P12/EEC, P14/3, P14/EEC, P16/2, P16/EEC, P16/3.

All of this work was accomplished by or under the supervision of Lyle F. Campbell, Registered Professional Engineer(Colorado and Minnesota).

Lance Exploration Engineering

Lyle F. Campbell

42624

File No.

RECORDED AT THE REQUEST OF Lyle F. Cambbell Sept. 20 A. D. 19 66 of .41 minutes past 11 A. M.

in Brok 12 of OFFICIAL RECORDS
Page 154-155 Records of
FUREKA COUNTY, NEVADO

Recorder

1.00

THIS IS TO CERTIFY that the Pat 96: 13 Lode Mining Claim was
located by Lyle F. Campbell whose post office address appears
below, on the 25 day of July 1966
The general course of said lode or vein is West
The claim is situated in the
County, State of Nevada, Come No / Jeans about 552 W
approximately 10,000 feet from NE Cox, 521, T24N, R491
The locator claim 5 45 feet in a East
direction and 1455 feet in a West direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See altseled shed
The total cost of such work essekted of the \$ 600.00
THE PORCH AND ALL MAIN CAMERAGES OF SE SOURS AND
The corners and side centers of the claim are located and marked as follows:
From the corner, a monument marked P13// cor., thence in a Flath
direction 6.00 feet to the corner, a monument marked P13/4
Cor., thence 550 feet in a West direction to the Hast side
center, a monument marked P13/14 sc, thence 750 feet in a 1/201 dir
ection to the NW corner, a monument marked $P/3/3$ cor., thence 600
feet in a South direction to the SW corner, a monument marked P13/2
Cor., thence 750 feet in a direction to the for the side center,
a monument marked P13 5 SC, thence 750 feet East to the point of
beginning.
Each of the above-described monuments is at last 4 Lizautr by 4-6 long
All location and discovery work necessary to complete this location had been performed by
September 19, 19.66
Lele F Campbell Times Exploration Engineering
(Name of Locator) (Address)
(Name of Locator) (Address)
Grand Junction, Colorado
(Name of Locator) (Address)

STATLMENT OF LOCATION WORK DONE ON PAT NO. 11 THROUGH PAT NO. 16, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of Pat No. 11 thr ugh Pat No. 16, inclusive, consists of access road work on Fat No.'s 11 and 12; and also consists of trenching on Pat No. 12; and also consists of excavations or test pits for meachemical sampling located at or nearby the following locations:

F11/2, F11/WEC, P11/3, F13/WEC, P13/2, F15/WEC, F15/3, F15/center, F15/NSC, F13/center, P13/NSC, F11/NSC, P11/1, F11/EEC, F11/4, P13/EEC, P13/1, P15/EEC, P15/4, P16/SSC, P16/center, F16/NSC, F14/center, F14/NSC, P12/center, F12/NSC, F12/2, F12/EEC, F14/3, F14/EEC, F16/2, F16/EEC, F16/3.

All of this work was accomplished by or under the supervision of Lyle F. Campbell, Registered Professional Engineer (Colorado and Almesota).

Lance Exploration Engineering

Tyle F. Campbell

RECORDED AT THE RECURST OF
LY 1e F. Campbell
Sept 20

at 42 minutes past
in Ecot 12 of OFFICIAL RECORDS
Page 156-15/
Records of
EUREKA COUNTY, NEVERAL
Records
Records
Fee \$ 1.00

	THIS IS TO CERTIFY that the Pat Mo, 14 Lode Mining Claim was
	located by Lyle F Campbell , whose post office address appears
	below, on the 25 day of July 1966
	The general course of said lode or vein is
	The claim is situated in the Mining District, Eureko
	County, State of Nevada, Corner Holl Sears about 552W
aj	eprohimatily 10,000 feet from NE Cov, 521, T24N, R49E
V	The locator claim 20 feet in a West
	direction and 1480 feet in a East direction
	from the point of discovery, with a width of feet on each
	side of the center of the vein or lode along the entire length of said claim.
	The dimensions and locations of the discovery work done on the claim are as follows:
	See attached sheet
	The total cost of such work consisted of at least \$ 600-00
	The corners and side centers of the claim are located and marked as follows:
	From the 5 W corner, a monument marked P 14/1 Cor., thence in allowth
	direction 600 feet to the NW corner, a monument marked P14/4
	center, a monument marked P14/N SC, thence 750 feet in a Gard dir-
	ection to the NE corner, a monument marked P14/3 Cor., thence 600
	feet in a South direction to the SE corner, a monument marked P14/2
	Cor., thence 750 feet in a West direction to the South side center,
/	a monument marked P14 S SC, thence 750 feet West to the point of
	beginning.
\	Each of the above-described monuments is at least 4 " learnster by 4-6 long
	All location and discovery work necessary to complete this location had been performed by
	Systember 19, 10 66
	Tule F. Pametell Tonce Edularation Engineering
	(Name of Location) (Address)
	(Name of Locator) (Address)
	(Name of Locator) Signify Guntion Colorado (Address)

STATEMENT OF LOCATION WORK DONE ON PAT NO. 11 THROUGH PAT NO. 16, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of Pat No. 11 through Pat No. 16, inclusive, consists of access road work on Pat No.'s 11 and 12; and also consists of trenching on Pat No. 12; and also consists of excavations or test pits for geochemical sampling located at or nearby the following locations:

P11/2, P11/WEC, P11/3, P13/WEC, P13/2, P15/WEC, P15/3, P15/center, P15/NSC, P13/center, P13/NSC, P11/NSC, P11/1, P11/EEC, P11/4, P13/EEC, P13/1, P15/EEC, P15/4, P16/SSC, P16/center, P16/NSC, P14/center, P14/NSC, P12/center, P12/NSC, P12/2, P12/EEC, P14/3, P14/EEC, P16/2, P16/EEC, P16/3.

All of this work was accomplished by or under the supervision of Lyle F. Campbell, Registered Professional Engineer (Golorado and Minnesota).

Lance Exploration Engineering

Lyle F. Campbell

File No. 42626

RECORDED AT THE REQUEST OF Lyle F. Campbell Sept. 20 A.D. 19 66 at 43 minutes past 11 A.M. in Erot. 12 of OFFICIAL RECORDS

in Erol 12 of OFFICIAL RECORDS
Page 158-159 Records of
ABOREKA COUNTY, NEVADA
MILLE CO. AND TOO

Recorder

Fee 1.00

THIS IS TO CERTIFY that the Pat 26, 15 Lode Mining Claim was
kcated by Ly le F. Campbell , whose post office address appears
helow, on the 25 day of July 19.66
The general course of said lode or vein is
The claim is situated in the
County, State of Nevada, Corner No. / Leans about 552W
approximately 10,000 feet from NECor, 521, 724 N, RADE
The locator claim 5 45 feet in a East
direction and 1455 feet in a West direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows:
See attached sheet
1 de o Da
The total cost of such work consisted of at least \$ 600.00
The corners and side centers of the claim are located and marked as follows:
From the NE corner, a monument marked 1715/1 Cor., thence in a wouth
direction 600 feet to the 5E corner, a monument marked P15/4
Cor., thence 750 feet in a West direction to the South side
center, a monument marked 5 SC, thence 250 feet in a Well dir-
ection to the corner, a monument marked Cor., thence 600
feet in a Month direction to the NW corner, a monument marked $P15/2$
Cor., thence 750 feet in a East direction to the Month side center,
a monument marked P15/N SC, thence 750 feet to the point of
beginning.
Each of the above-described monuments is at least 4 dismeter by 4-6 long.
All location and discovery work necessary to complete this location had been performed by
September 19, 10 66
1170 III 1 P114-0.
(Name of Lifeton) (Address)
Box 2188
(Name of Locator) (Address)
(Name of Locator) (Address)

STATEMENT OF LOCATION WORK DONE ON PAT NO. 11 THROUGH PAT NO. 16, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of Pat No. 11 through Pat No. 16, inclusive, consists of access road work on Pat No.'s 11 and 12; and also consists of trenching on Pat No. 12; and also consists of excavations or test pits for geochemical sampling located at or nearby the following locations:

Pll/2, Pll/WEC, Pll/3, Pl3/WEC, Pl3/2, Pl5/WEC, Pl5/3, Pl5/center, Pl5/NSC, Pl3/center, Pl5/NSC, Pl1/I, Pl1/EEC, Pl1/4, Pl3/EEC, Pl3/1, Pl5/EEC, Pl5/4, Pl6/SSC, Pl6/center, Pl6/NSC, Pl4/center, Pl4/NSC, Pl2/center, Pl2/NSC, Pl2/2, Pl2/EEC, Pl4/3, Pl4/EEC, Pl6/2, Pl6/EEC, Pl6/3

All of this work was accomplished by or under the supervision of Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

Lance Exploration Engineering

Lyle F. Campbell'

42627

File No. . RECORDED AT THE REQUEST OF LYIE F. Campbell

Sept. 20 A. D. 19

in Book 12 of OFFICIAL RECORDS

) EUREKA COUNTY, NEVADA (.... Records of

THIS IS TO CERTIFY that the Pat Me 16 Lode Mining C	aim was
located by Ly/e f. Compbell , whose post office address	
below, on the 25 day of July 1966	2.
The general course of said lode or vein is	
The claim is situated in the Mining District, Euro	ko-
County, State of Nevada, Corner No / Lears about 5	<u> </u>
proximately 10,000 feet from NE Cor, 521, T24N, 1	_
	-\l.2.
1105	
	direction
from the point of discovery, with a width of	on each
side of the center of the vein or lode along the entire length of said claim.	
The dimensions and locations of the discovery work done on the claim are as follows:	
See allached wheat	
The total cost of such work consisted of at least \$ 600.00	
The corners and side centers of the claim are located and marked as follows:	
From the NW corner, a monument marked P16/1 Cor., thence in a	South
direction 600 feet to the 5W corner, a monument marked F	
Cor., thence 750 feet in a Earl direction to the Louth	
	side
center, a monument marked P16/5 SC, thence 750 feet in a East	dir-
ection to the corner, a monument marked Cor., thence	
feet in a Mosth direction to the NE corner, a monument marked P	6/2
- 1 1	e center,
a monument marked Plb N SC, thence 750 feet West to the	point of
beginning.	,
Each of the above-described monuments is at least 4" Liameter by 4	6/204
All location and discovery work necessary to complete this location had been perform	ned by
Sestender 19 10 66	
1170 111 1 6.1 1 - 0 .	,
(Name of Locator) Janes Exploration Engineer	ring
Box 2188	
(Name of Locator) (Address)	f) a
Sank Junction Colorse	<u> </u>

STATEMENT OF LOCATION WORK DONE ON PAT NO. 11 THROUGH PAT NO. 16, INCLUSIVE, ALL BEING CONTIGUOUS:

Location work done to advance the exploration of Pat No. 11 through Pat No. 16, inclusive, consists of access road work on Pat No.'s 11 and 12; and also consists of trenching on Pat No. 12; and also consists of excavations or test pits for geochemical sampling located at or nearby the following locations:

P11/2, P11/WEC, P11/3, P13/WEC, P13/2, P15/WEC, P15/3, P15/center, P15/NSC, P13/center, P13/NSC, P11/NSC, P11/1, P11/EEC, F11/4, F13/EEC, P13/1, P15/EEC, P15/4, F16/SSC, P16/center, P16/NSC, P14/center, P14/NSC, P12/center, F12/NSC, P12/2, P12/EEC, P14/3, F14/EEC, P16/2, F16/EEC, P16/3.

All of this work was accomplished by or under the supervision of Lyle F. Campbell, Registered Professional Engineer (Colorado and Minnesota).

Lance Exploration Engineering

Tyle W. Lawpfelf

42628

File No.

RECORDED AT THE REQUEST OF Lyle F. Campbell Sept. 30

ot . 45. minutes past . 11. A. M. in Book . 12. of OFFICIAL RECORDS

in Brook 12. of OFFICIAL RECORDS
Page 162-163 Records of
DEUREKA COUNTY, NEYADA

AUTO CONTROL OF THE PROPERTY OF THE PROPERTY

Recorder

Fee \$ 1.00