This Is to Certify, That a r	mining claim named theIn	dian Raneh No. 2
	**************************************	•
Leo J. Demele and John V.		
on the Eighth day	•	
Unknown Di	strict, Euroka	County, State of
Nevada, and about 32 miles nor		1 1
of the Stoney Creek Spring.		\ \

		_
	***************************************	***************************************
	**************************************	***************************************

kerer to some	natural object or permanent monume	1
	< < \	
mineral bearing ledge, lode or vein, exte		/
location monument in a Northeaster		
feet in a Southwesterly dire	ection, together with300] feet
on each side of the center of the ledge 1	for the entire length of the claim	1.
The discovery work consists of		
situated about1000 feet in a	(Shaft, cut or tunn	
monument and its dimensions are	\ \	
feet long and20	/ /	_
The northwest corner is marked by		
"N. W. corner Indian Rangh #2		
post 5 feet high, in	scribed "S.W. cornerIndi	an Ransh #2
Mine"; the southeast corner is marked	l by a Post	
inscribed "S. E. corner Indian	Ranch #2	Mine"; the northeast corner is
marked by aPost	5fee	t high, inscribed "N. E. corner
Indian Ranch 42 Mine."	There is also a	Post
the center of each side line. The discove		
Desember 22		
Dated January December 31		^
	Les 1.	Damelo
File No. 43457 RECORDED AT THE REQUEST OF	John S	7) Shareles
January 3 A D 19 67	Parket	e ter te en de e e este algus fin fin de la cere e
05 minutes post 9 A. M.	·	***************************************
Book 14 of OFFICIAL RECORDS 226 Regards of	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	***************************************
LUCIO CONTY, NEVADA		
corder - 1 00		

In I Dames and Th				was located by
Leo J. Damele and Joh	n V. Damele,	both of Eure	ka, Nevada	·
			*****************	. ~ (
on the Eithth				
Unknown	District,	Eureka	*****	County, State of
Nevada, and about 3 mi	les west of	Fonkin Ranch	and about	mile south
of Stony Creek Water	Cress Sprin	g. See. 16	T. 24 N, R	. 49 E.

	***************************************		***************************************	
***************************************		***************************************	*****************************	***************************************
	***************************************	******************************	*******************	
		bject or permanent m		
		< 1		
mineral bearing ledge, lode or		/	/	
location monument in a north	neasterly, dir	ection, and	750	
feet in asouthwesterly	r direction, to	gether with	300	feet
on each side of the center of th	ne ledge for the e	ntire length of the	claim.	
	s of\$1 <u>ΩΩ wo</u> x			and a rotary d
The discovery work consist		k developing (Shaft, cut or	the elaim	
The discovery work consist		k developing (Shaft, cut or	the elaim	
The discovery work consist situated about 700	feet in a	k developing (Shaft, cut or Cherlywesterly	the elaim tunnel)	on from the location
The discovery work consist situated about	feet in a \$\frac{\pi}{2} Tre	k developing (Shaft, cut or SherBywesterl) feet w	the elaim tunnel) direction	on from the location
The discovery work consists situated about	feet in a	k developing (Shaft, cut or Sherbywesterl) feet w	the elaim tunnel) direction dide,	on from the locationfeet high, ode or vein in place.
The discovery work consists situated about	feet in a sketter. and 200 arked by a post	K developing (Shaft, cut or Sherbywesterl) feet w	the elaim tunnel) direction dide, sposing ledge, le	on from the locationfeet high, ode or vein in place. feet high, inscribed
The discovery work consists situated about	feet in a skriver and 200 arked by a post	Ck developing (Shaft, cut or Sherbywesterl) feet w feet deep, ex	the elaim tunnel) direction dide, sposing ledge, le	on from the location feet high, ode or vein in place. feet high, inscribed mer is marked by a
The discovery work consists situated about	feet in a	(Shaft, cut or Sharkywesterly feet we feet deep, ex	the elaim tunnel) Line direction dide, Liposing ledge, le li e southwest con ldian Ranch	on from the location feet high, ode or vein in place. feet high, inscribed mer is marked by a
The discovery work consists situated about	feet in a	(Shaft, cut or Sharkywesterly feet we feet deep, ex Mine"; the S.W. corner Ir	the elaim tunnel) direction direction die, posing ledge, le l e southwest con dian Ranch	on from the location feet high, ode or vein in place. feet high, inscribed mer is marked by a #3 4 feet high,
The discovery work consists situated about	feet in a	Sherbywesterly feet w feet deep, ex Mine"; th post	the elaim tunnel) direction dide, posing ledge, le the southwest con dian Ranch	feet high, inscribed mer is marked by a feet high, northeast corner is
The discovery work consists situated about	feet in a	Sherbywesterly feet w feet deep, ex Mine"; th post	the elaim tunnel) direction dide, posing ledge, le the southwest con dian Ranch	feet high, inscribed mer is marked by a feet high, northeast corner is
The discovery work consists situated about	feet in a strict in a 200 arked by a post taneh fa thigh, inscribed " a marked by a Indian Ranch	Shark, cut or (Shark, cut or Sharkywesterly feet week deep, ex Mine"; the post	the elaim tunnel) Lunnel June direction disposing ledge, le li e southwest con dian Ranch	feet high, inscribed the ris marked by a feet high, northeast corner is cribed "N. E. corner
The discovery work consists situated about	feet in a	Shaft, cut or (Shaft, cut or Shaft) westerly feet we feet deep, ex Mine"; the post #3	the elaim tunnel) Line direction dide, Line southwest con dian Ranch Mine"; the feet high, inso	feet high, inscribed the ris marked by a feet high, northeast corner is ribed "N. E. corner at
The discovery work consists situated about 700 monument and its dimensions a feet long of the northwest corner is marked by a Post Indian Ranch #3 the center of each side line. The situation of the center of each side line.	feet in a	Sherbywesterly feet w feet deep, ex Mine"; th S.W. corner Ir post 43 4 also a P	the elaim tunnel) Line direction dide, Line southwest con dian Ranch Mine"; the feet high, inso	feet high, inscribed the ris marked by a feet high, northeast corner is ribed "N. E. corner at
The discovery work consists situated about 700 monument and its dimensions a feet long a feet long a The northwest corner is marked by a Post Indian Ranch #3 the center of each side line. The December 22,	feet in a	Shark, cut or Shark ywesterly feet we feet deep, ex feet d	the elaim tunnel) Line direction dide, Line southwest con dian Ranch Mine"; the feet high, inso	feet high, inscribed the ris marked by a feet high, northeast corner is ribed "N. E. corner at
The discovery work consists situated about 700 monument and its dimensions a feet long a feet long a The northwest corner is marked by a Post Indian Ranch #3 the center of each side line. The December 22,	feet in a	Shark, cut or Shark ywesterly feet we feet deep, ex feet d	the elaim tunnel) Line direction dide, Line southwest con dian Ranch Mine"; the feet high, inso	feet high, inscribed the ris marked by a feet high, northeast corner is ribed "N. E. corner at
The discovery work consists situated about 700 monument and its dimensions a feet long of the northwest corner is many marked by a Post Indian Ranch #3 the center of each side line. The December 22, Dated December 31	feet in a	Shark, cut or Shark ywesterly feet we feet deep, ex feet d	the elaim tunnel) Line direction dide, Line southwest con dian Ranch Mine"; the feet high, inso	feet high, inscribed the ris marked by a feet high, northeast corner is ribed "N. E. corner at
The discovery work consists situated about 700 monument and its dimensions a feet long of the northwest corner is might be northwest corner is might be northwest corner is might be northwest corner is inscribed "S. E. corner marked by a Post Indian Ranch #3 the center of each side line. The December 22, Dated December 31	feet in a	Shark, cut or Shark ywesterly feet we feet deep, ex feet d	the elaim tunnel) Line direction dide, Line southwest con dian Ranch Mine"; the feet high, inso	feet high, inscribed the ris marked by a feet high, northeast corner is ribed "N. E. corner at
The discovery work consists situated about 700 monument and its dimensions a feet long of the northwest corner is marked. When the southeast corner is inscribed "S. E. corner marked by a Post Indian Ranch #3 the center of each side line. The December 22, Dated December 31 Fig. No. 13158 RECORDED AT THE REQUEST OF James Brewer January 3 A. D. 18 67	feet in a	Shark, cut or Shark ywesterly feet we feet deep, ex feet d	the elaim tunnel) Line direction dide, Line southwest con dian Ranch Mine"; the feet high, inso	feet high, inscribed the ris marked by a feet high, northeast corner is ribed "N. E. corner at
The discovery work consists situated about 700 monument and its dimensions a feet long of the northwest corner is mis. W. corner Indian 5 Post 4 feet Mine"; the southeast corner is inscribed "S. E. corner marked by a Post Indian Ranch #3 the center of each side line. The December 22, Dated December 31	feet in a	Shark, cut or Shark ywesterly feet we feet deep, ex feet d	the elaim tunnel) Line direction dide, Line southwest con dian Ranch Mine"; the feet high, inso	feet high, inscribed the ris marked by a feet high, northeast corner is ribed "N. E. corner at

This Is to Certify, That	a mining claim nam	ed the India	in Ranch # 4
Leo J. Damele and John V.	•		was located by
Fighth			
on the Eighth			
Unknown			
Nevada, and about 35 miles nd g mile southwest from	in a westerly the Stony Cree	direction fro k Water Cress	m Tonkin Ranch Spring,
See. 16 T. 24 N., R. 49) E.		
(Refer to s	ome natural object or pe	rnianent monument)	
	1500	line	ar feet along the course of
mineral bearing ledge, lode or vein, o	extending7!	50	feet from the
location monument in a southwes	terly direction, an	id	750
feet in a northeasterly	direction, together w	ith300)feet
on each side of the center of the led	ge for the entire leng	th of the claim.	
The discovery work consists of			udino a rotary dri
situated about1000 feet in monument and its dimensions are feet long and		feet wide,	feet high,
The northwest corner is marked	/		
'N. W. corner Indian Ran	•h # 4	Mine": the souths	est corner is marked by a
post 4 feet high			
Teet light			
Mine"; the southeast corner is man			
nscribed "S. E. cornerIndian	Ranch #4	Mine	e"; the northeast corner is
narked by apost	4	feet hij	gh, inscribed "N. E. corner
	ne." There is also a		
he center of each side line. The disc			
December 22		a dong the the	rocation completed since
D = 0 = 0 = 0 = 0 = 0			
Dated December 31	19 66	P. a A	
File No		1.000	agnille
RECORDED AT THE REQUEST OF James Brewer		ionin ti	Messele
January 3 A D 19 67 07 minutes part 9 A. M.		*******************************	***************************************
Erat	*******		
SUREKA COUNTY, NEODADA			
corder 1 00			

			Indian Raneh #	
Leo J. Damele and Jo		le. both of Eu		ras located by
AND THE STREET, STREET	***************************************		WEN & HOVAUR	
on the 11th	day of	Oetober 1966	19 6	6 situated in
Unknown	District	Eureka	Col	unty. State of
Neveds and shout 3 miles	west of To	nkin Ranch and		
outh of Stony Field Wat	er Cress S	pring		
א אל די או פ	lo r			
See, 16 T, 24 N, R,	4.7			

;	***********************			
	•			-
(Refer		bject or permanent mon		the source of
mineral bearing ledge, lode or ve				feet from the
location monument in a south	그 시간 이 시 시간 사람이 있다.		750	
feet in a northeasterly	direction, to	ogether with	300	feet
			direction fron	
monument and its dimensions are				
		feet wic	le,	feet high,
feet long an	d200	feet deep, exp	le,osing ledge, lode or	feet high, vein in place.
The northwest corner is mark	d200	feet wideep, exp	le, osing ledge, lode or lifeet h	feet high, vein in place. igh, inscribed
The northwest corner is mark	d200 ked by a po. #.5	feet wic feet deep, exp s.tMine"; the	ie,	feet high, vein in place. igh, inscribed marked by a
The northwest corner is mark "N. W. corner Indian Ranch post 4 feet h	d200 ked by apo #.5 nigh, inscribed '	feet wicefeet deep, exp s.tMine"; the "S.W. cornerInc	ie,	feet high, vein in place. igh, inscribed marked by a
The northwest corner is mark "N. W. corner Indian Ranch post 4 feet h Mine"; the southeast corner is	d200 ked by apo #.5 nigh, inscribed '	st	ie, osing ledge, lode or 4 feet h southwest corner is lian Ranch #5	rein in place. igh, inscribed marked by a feet high,
The northwest corner is mark "N. W. corner Indian Banch Doat feet h Mine"; the southeast corner is a inscribed "S. E. cornerIndi	d200 ked by apo #.5 nigh, inscribed ' marked by a	st Mine"; the "S.W. corner Inc. Post.	le,	rein in place. igh, inscribed marked by a feet high, east corner is
The northwest corner is marked by afeet long an feet long. The northwest corner is marked by afeet long. The long. The southeast corner is marked by a	d200 ked by apo # 5 	feet wice	ie,	reet high, vein in place. igh, inscribed marked by a feet high, east corner is
The northwest corner is marked by afeet long an feet long. The northwest corner is marked by afeet long. The long. The southeast corner is marked by a	d200 ked by apo # 5 	feet wice	ie,	reet high, vein in place. igh, inscribed marked by a feet high, east corner is
The northwest corner is mark "N. W. corner Indian Ranch post feet h Mine"; the southeast corner is n inscribed "S. E. corner Indian marked by a Fost feet h andian Ranch #5.	d200	st feet wice feet deep, exp Mine"; the S.W. corner Inc Post	ie, osing ledge, lode or 4 feet h southwest corner is lian Ranch #5 Mine"; the north feet high, inscribed	reet high, vein in place. igh, inscribed marked by a feet high, east corner is "N. E. corner at
The northwest corner is mark "N. W. corner Indian Ranch post feet h Mine"; the southeast corner is a marked by a Post feet h andian Ranch #5 the center of each side line. The	d200	st	ie, osing ledge, lode or 4 feet h southwest corner is lian Ranch #5 Mine"; the north feet high, inscribed	reet high, vein in place. igh, inscribed marked by a feet high, east corner is "N. E. corner at
The northwest corner is mark "N. W. corner Indian Ranch noat	d200	s.t	ie, osing ledge, lode or 4 feet h southwest corner is lian Ranch #5 Mine"; the north feet high, inscribed	reet high, vein in place. igh, inscribed marked by a feet high, east corner is "N. E. corner at
The northwest corner is mark "N. W. corner Indian Ranch post 4 feet h Mine"; the southeast corner is h inscribed "S. E. corner Indi marked by a	d200	s.t	ie, osing ledge, lode or 4 feet h southwest corner is lian Ranch #5 Mine"; the north feet high, inscribed	reet high, vein in place. igh, inscribed marked by a feet high, east corner is "N. E. corner at
The northwest corner is mark "N. W. corner Indian Ranch post	d200	s.t	ie, osing ledge, lode or 4 feet h southwest corner is lian Ranch #5 Mine"; the north feet high, inscribed	reet high, vein in place. igh, inscribed marked by a feet high, east corner is 'N. E. corner at
The northwest corner is mark "N. W. corner Indian Ranch cost	d200	s.t	ie, osing ledge, lode or 4 feet h southwest corner is lian Ranch #5 Mine"; the north feet high, inscribed	reet high, vein in place. igh, inscribed marked by a feet high, east corner is 'N. E. corner at
The northwest corner is mark "N. W. corner Indian Ranch Doat feet h Mine"; the southeast corner is a inscribed "S. E. corner Indian marked by a Post the center of each side line. The Descember 22 Dated Descember 31 File No. 43460 RECORDED AT THE REQUEST OF James Brewer January 3 A. D. 19 at Obminutes past 9 A. M. in Ecok 14 of Official RECORDS	d200	s.t	ie, osing ledge, lode or 4 feet h southwest corner is lian Ranch #5 Mine"; the north feet high, inscribed	reet high, vein in place. igh, inscribed marked by a feet high, east corner is 'N. E. corner at
The northwest corner is mark "N. W. corner Indian Ranch post	d200	s.t	ie, osing ledge, lode or 4 feet h southwest corner is lian Ranch #5 Mine"; the north feet high, inscribed	reet high, vein in place. igh, inscribed marked by a feet high, east corner is "N. E. corner at

그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그	이번째 하다면서 하는 사람이 되었다.
Leo J. Damele and John V. Damele	was located by
n the Eleventh day of Octob	er 19, situated in
	eka County, State of
evada, and about 3 miles northwest of To	onkin Raneh and approximately
mile south of Stony Field Water Cress	Spring
(Refer to some natural object or	
ineral bearing ledge, lode or vein, extending	
cation monument in anortheasterly direction,	
et in a .southwesterly direction, together	
each side of the center of the ledge for the entire le	
The discovery work consists of \$100 developme	(Shaft, cut or tunnel)
uated about 1500 2000 norther	(Shaft, cut or tunnel) 1.7 direction from the location feet wide,feet high,
norther feet in a norther	(Shaft, cut or tunnel) 1.7 direction from the location feet wide,feet high,
onument and its dimensions are feet long and the northwest corner is marked by a norther norther	(Shaft, cut or tunnel) 'ly direction from the location feet wide, feet high, feet deep, exposing ledge, lode or vein in place.
norther conument and its dimensions are feet long and The northwest corner is marked by a post W. corner Indian Ranch #6.	(Shaft, cut or tunnel) 'ly direction from the location feet wide, feet high, feet deep, exposing ledge, lode or vein in place. 4 feet high, inscribed Mine"; the southwest corner is marked by a
norther nument and its dimensions are feet long and The northwest corner is marked by a Numerical corner is marked by a The northwest corner is marked by a	(Shaft, cut or tunnel) "ly direction from the location feet wide, feet high, feet deep, exposing ledge, lode or vein in place. 4 feet high, inscribed
uated about 1500 2000 norther onument and its dimensions are. feet long and 200 ft The northwest corner is marked by a post W. corner Indian Ranch #6 post 4 feet high, inscribed "S.W. corner"; the southeast corner is marked by a	(Shaft, cut or tunnel) "ly direction from the location feet wide, feet high, feet deep, exposing ledge, lode or vein in place. 4 feet high, inscribed
uated about 1500 2000 norther onument and its dimensions are feet long and 200 ft The northwest corner is marked by a post W. corner Indian Ranch #6 post 4 feet high, inscribed "S.W. cone"; the southeast corner is marked by a post cribed "S. E. corner Indian Ranch #6	(Shaft, cut or tunnel) 'ly direction from the location feet wide, feet high, feet deep, exposing ledge, lode or vein in place. 4 feet high, inscribed Mine"; the southwest corner is marked by a orner post 4
uated about 1500 2000 norther feet in a norther feet long and 200 ft The northwest corner is marked by a post 4 feet high, inscribed "S.W. cone"; the southeast corner is marked by a feribed "S. E. corner Indian Ranch #6 feribed "S. E. corner Indian Ranch #6 feribed by a post 4 feet high feet hi	(Shaft, cut or tunnel) '17 direction from the location feet wide, feet high, feet deep, exposing ledge, lode or vein in place. 4 feet high, inscribed Mine"; the southwest corner is marked by a orner Indian Ranch 6 post 4 feet high, Mine"; the northeast corner is feet high, inscribed "N. E. corner
norther read about 1500 2000 norther read about 1600 1600 norther read and 1600 ft 1600 northwest corner is marked by a 1600 post 1600 p	(Shaft, cut or tunnel) 'ly direction from the location feet wide, feet high, feet deep, exposing ledge, lode or vein in place. 4 feet high, inscribed Mine"; the southwest corner is marked by a Indian Ranch 6 post 4 feet high, Mine"; the northeast corner is feet high, inscribed "N. E. corner post at
norther suated about 1500 2000 norther feet in a norther feet in a norther feet in a norther feet in a norther feet long and 200 ft The northwest corner is marked by a post i. W. corner Indian Ranch #6 post if feet high, inscribed "S.W. corne"; the southeast corner is marked by a feribed "S. E. corner Indian Ranch #6 feet high inscribed "S. E.	(Shaft, cut or tunnel) 'ly direction from the location feet wide, feet high, feet deep, exposing ledge, lode or vein in place. 4 feet high, inscribed Mine"; the southwest corner is marked by a Indian Ranch 6 post 4 feet high, Mine"; the northeast corner is feet high, inscribed "N. E. corner post at
nuated about 1500 2000 norther feet in a norther feet in a norther feet in a norther feet in a norther feet long and 200 ft The northwest corner is marked by a post 1 feet high, inscribed "S.W. cone"; the southeast corner is marked by a feet high, inscribed "S.W. cone"; the southeast corner is marked by a feribed "S. E. corner Indian Ranch #6 feet high, inscribed "S.W. corner is marked by a feribed "S. E. corner Indian Ranch #6 feet high, inscribed "S.W. corner is marked by a feribed "S. E. corner Indian Ranch #6 feet high, inscribed "S.W. corner is marked by a feribed "S. E. corner Indian Ranch #6 feet high, inscribed "S.W. corner is marked by a feribed "S.W. corner is marked by a feet high, inscribed "S.W. corn	(Shaft, cut or tunnel) 'ly direction from the location feet wide, feet high, feet deep, exposing ledge, lode or vein in place. 4 feet high, inscribed Mine"; the southwest corner is marked by a Indian Ranch 6 post 4 feet high, Mine"; the northeast corner is feet high, inscribed "N. E. corner post at
tuated about 1500 2000 norther feet in a norther feet long and 200 ft The northwest corner is marked by a post I. W. corner Indian Ranch #6 post 4 feet high, inscribed "S.W. corner"; the southeast corner is marked by a scribed "S. E. corner Indian Ranch #6 scribed "S. E. corner Indian Ranch #6 arked by a post 4 Indian Ranch #6 Indian Ranch #6 Mine." There is also a center of each side line. The discovery work has be becomber 22 19 66 ted December 31 19 66	(Shaft, cut or tunnel) 'ly direction from the location feet wide, feet high, feet deep, exposing ledge, lode or vein in place. 4 feet high, inscribed Mine"; the southwest corner is marked by a Indian Ranch 6 post 4 feet high, Mine"; the northeast corner is feet high, inscribed "N. E. corner post at
mated about 1500 2000 norther feet in a norther feet long and 200 ft The northwest corner is marked by a post I. W. corner Indian Ranch #6 post 4 feet high, inscribed "S.W. come"; the southeast corner is marked by a scribed "S. E. corner Indian Ranch #6 scribed "S. E. corner Indian Ranch #6 Indian Ranch #6 Mine." There is also a center of each side line. The discovery work has be been been 22 19 66 ted December 31 19 66 File No. 43461 RECORDED AT THE REQUEST OF	(Shaft, cut or tunnel) 'ly direction from the location feet wide, feet high, feet deep, exposing ledge, lode or vein in place. 4 feet high, inscribed Mine"; the southwest corner is marked by a Indian Ranch 6 post 4 feet high, Mine"; the northeast corner is feet high, inscribed "N. E. corner post at
truated about 1500 2000 norther feet in a conument and its dimensions are feet long and 200 ft The northwest corner is marked by a post 1. W. corner Indian Ranch #6 post 4 feet high, inscribed "S.W. corner; the southeast corner is marked by a geribed "S. E. corner Indian Ranch #6 scribed "S. E. corner Indian Ranch #6 Indian Ranch #6 Mine." There is also a center of each side line. The discovery work has be contended to the corner of the corne	(Shaft, cut or tunnel) 'ly direction from the location feet wide, feet high, feet deep, exposing ledge, lode or vein in place. 4 feet high, inscribed Mine"; the southwest corner is marked by a Indian Ranch 6 post 4 feet high, Mine"; the northeast corner is feet high, inscribed "N. E. corner post at
tuated about 1500 2000 norther feet in a norther feet in a 200 ft feet long and 200 ft The northwest corner is marked by a post I. W. corner Indian Ranch #6 post 4 feet high, inscribed "S.W. c ine"; the southeast corner is marked by a scribed "S. E. corner Indian Ranch #6 scribed "S. E. corner Indian Ranch #6 arked by a post 4 Indian Ranch #6 center of each side line. The discovery work has be been been 22 19 ted December 31 19 File No. 43461 RECORDED AT THE REQUEST OF	(Shaft, cut or tunnel) 'ly direction from the location feet wide, feet high, feet deep, exposing ledge, lode or vein in place. 4 feet high, inscribed Mine"; the southwest corner is marked by a Indian Ranch 6 post 4 feet high, Mine"; the northeast corner is feet high, inscribed "N. E. corner post at

Foo \$1.00

This Is to Certify, 1	hat a mining cl	aim named the		******	************
					s located by
Leo J. Damele and Joh	n Damele, b	oth of Eurek	a, Nevads	L .	
	***************************************				e National
theEleventh		and the second second		19.66	situated in
Unknown	· .		* - * * * * * * * * * * * * * * * * * *	-0	
evada, and about3 mile					
mile south of Stony I	Field Water	Cress Spring			
***************************************	***************************************		***************************************	•	***************************************
***************************************	************************	***************************************			*********
	**************************************	*************			
	*********			***********	

	/	bject or permanent m	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<u> </u>	
neral bearing ledge, lode or ve	ein. extending	750		f	et from the
ation monument in a north	asterly dire	ection, and	750		*************
t in asouthwesterly	direction, to	gether with	300	-	fee
· · · · · · · · · · · · · · · · · · ·			4.7		
	ledge for the er	itire length of the	daim		
The discovery work consists	of \$100 deve	lopment work	ineludir	1.	
each side of the center of the The discovery work consists	of \$100 deve	lopment work (Shaft, cut o	includir r tunnel) dire	ction from	the location
each side of the center of the The discovery work consists uated about	of \$100 deve	lopment Work (Shaff, cut o	ineludir r tunnel) dire wide,	ction from	the location
each side of the center of the The discovery work consists uated about 2500 unument and its dimensions ar	of \$100 deve nor eet in a nor e 200	lopment work (Shaff, cut of therly feet the feet the feet the feet the feet deep, e	includir r tunnel) dire wide, xposing ledg	ction from	the location feet high,
each side of the center of the The discovery work consists uated about 2500 unument and its dimensions ar feet long an	of \$100 deve	lopment Work (Shaff, cut of therly feet v	includir r tunnel) dire wide, xposing ledg	ction from e, lode or v	the location feet high, ein in place. th, inscribed
each side of the center of the The discovery work consists usted about	of \$100 deve	clopment work (Shaft, cut of therly feet therly feet deep, end	includir r tunnel) dire wide, xposing ledg	e, lode or v	the location feet high, ein in place. th, inscribed marked by a
each side of the center of the The discovery work consists uated about	of \$100 deve	feet deep, e	includir r tunnel) dire wide, xposing ledg	e, lode or v	the location feet high, ein in place. th, inscribed marked by a
each side of the center of the The discovery work consists 2500 nated about	of \$100 deve	feet deep, e Mine"; the post	includir r tunnel)	e, lode or v feet his corner is r h #7	the location feet high, ein in place. th, inscribed narked by a
each side of the center of the The discovery work consists 2500 uated about	of \$100 deve	feet deep, e. Mine"; the post	including tunnel)	e, lode or v feet his corner is r h #7	the location feet high, ein in place. th, inscribed marked by a feet high, ast corner is
each side of the center of the The discovery work consists uated about 2500 uated about feet long as The northwest corner is man . W. corner Indian Ray post feet ne"; the southeast corner is cribed "S. E. corner Indian crked by a post	of \$100 deve	feet deep, e	ineludir r tunnel)	e, lode or v feet his corner is r h #7	the location feet high, ein in place. th, inscribed marked by a feet high, ast corner is
each side of the center of the The discovery work consists uated about 2500 nument and its dimensions ar feet long as The northwest corner is man W. corner Indian Ray post feet ne"; the southeast corner is cribed "S. E. corner Indian rked by a post	of \$100 deve	feet deep, e	ineludir r tunnel)	e, lode or v feet his corner is r h #7	the location feet high, ein in place. th, inscribed marked by a feet high, ast corner is
each side of the center of the The discovery work consists uated about 2500 uated about feet long ar The northwest corner is man W. corner Indian Ran post feet ne"; the southeast corner is scribed "S. E. corner Indian arked by a post undian Ranch #7	of \$100 deve	feet deep, e. Mine"; the post	ineludir r tunnel) dire wide, xposing ledg he southwest dian Rane Mine"; feet high,	e, lode or v feet his corner is r h #7 the norther inscribed "	the location feet high, ein in place, th, inscribed narked by a feet high, ast corner is N. E. corner
each side of the center of the The discovery work consists uated about 2500 uated about feet long ar The northwest corner is man . W. corner Indian Ran post feet ne"; the southeast corner is cribed "S. E. corner Indian rked by a post ndian Ranch #7	of \$100 deve	feet deep, e. Mine"; the post a also a has been done a	ineludir r tunnel) dire wide, xposing ledg he southwest dian Rane Mine"; feet high,	e, lode or v feet his corner is r h #7 the norther inscribed "	the location feet high, ein in place, th, inscribed narked by a feet high, ast corner is N. E. corner
each side of the center of the The discovery work consists 2500 uated about 2500 feet long as The northwest corner is man W. corner Indian Ran post 4 feet ne"; the southeast corner is cribed "S. E. corner Indian rked by a 20st ndian Ranch 37 center of each side line. The December 22	of \$100 devence in a normal no	feet deep, e st Mine"; the post a also a has been done a 666	ineludir r tunnel) dire wide, xposing ledg he southwest dian Rane Mine"; feet high,	e, lode or v feet his corner is r h #7 the norther inscribed "	the location feet high, ein in place, th, inscribed narked by a feet high, ast corner is N. E. corner
each side of the center of the The discovery work consists 2500 uated about 2500 feet long and The northwest corner is man W. corner Indian Ray post 4 feet ne"; the southeast corner is cribed "S. E. corner Indian rked by a 20st ndian Ranch \$7 center of each side line. The December 22	of \$100 deve	feet deep, e st Mine"; the post a also a has been done a 666	ineludir r tunnel) dire wide, xposing ledg he southwest dian Rane Mine"; feet high,	e, lode or v feet his corner is r h #7 the norther inscribed "	the location feet high, ein in place, th, inscribed narked by a feet high, ast corner is N. E. corner
each side of the center of the The discovery work consists 2500 uated about 2500 nument and its dimensions ar feet long an The northwest corner is man W. corner Indian Rar post 1 feet ne"; the southeast corner is scribed "S. E. corner Indian Rar arked by a post center of each side line. The December 22 ted December 31 File No. RECORDED AT THE REQUEST OF James Brewer	of \$100 devence in a normal no	feet deep, e st Mine"; the post a also a has been done a	ineludir r tunnel) dire wide, xposing ledg he southwest dian Rane Mine"; feet high,	e, lode or v feet his corner is r h #7 the norther inscribed "	the location feet high, ein in place. th, inscribed narked by a feet high, ast corner is N. E. corner
each side of the center of the The discovery work consists 2500 uated about 2500 uated about 6 nument and its dimensions ar feet long and The northwest corner is man i. W. corner Indian Ray post 6 received "S. E. corner Indian arked by a post 1 cribed "S. E. corner Indian cribed "S. E. corner Indian arked by a post 1 cribed post 1 cribed "A post 1 file No 12462 geconder at the request of James Brewer 1 January 3 A D 19 6	of \$100 deve	feet deep, e st Mine"; the post a also a has been done a	ineludir r tunnel) dire wide, xposing ledg he southwest dian Rane Mine"; feet high, post	ction from e, lode or v feet his corner is r h #7 it the norther inscribed " ation comp	the location feet high, ein in place. th, inscribed narked by a feet high, ast corner is N. E. corner at
each side of the center of the The discovery work consists 2500 uated about 2500 nument and its dimensions ar feet long an The northwest corner is man i. W. corner Indian Ran post 1 feet ine"; the southeast corner is cribed "S. E. corner Indian cribed "S. E. corner	of \$100 deve	feet deep, e st Mine"; the post a also a has been done a	ineludir r tunnel) dire wide, xposing ledg he southwest dian Rane Mine"; feet high, post	ction from e, lode or v feet his corner is r h #7 it the norther inscribed " ation comp	the location feet high, ein in place, th, inscribed narked by a feet high, ast corner is N. E. corner
each side of the center of the The discovery work consists 2500 uated about 2500 nument and its dimensions ar feet long and The northwest corner is man i. W. corner Indian Ran post feet ne"; the southeast corner is scribed "S. E. corner Indian arked by a post main Ranch #7 center of each side line. The December 22 ted December 31 File No. RECORDED AT THE REQUEST OF James Brewer January 3 A D 19 6	of \$100 deve	feet deep, e st Mine"; the post a also a has been done a	ineludir r tunnel) dire wide, xposing ledg he southwest dian Rane Mine"; feet high, post	ction from e, lode or v feet his corner is r h #7 it the norther inscribed " ation comp	the location feet high, ein in place, th, inscribed narked by a feet high, ast corner is N. E. corner at

This Is to Certify, That	a mining cla	im name	d the	Indian	Ranch	No. 8
			4.4			ras located i
Leo J. Damele and John	V. Damele	, hoth	of Eur	eka, Ne	vada	
			·····		·	
the Eleventh	day of	Oeto!	er		196	Situated
Unknown					-	
the state of the s						
avada, and about 2 miles n livey between indian ran	en and ro	oster	Canyon"			
Sec. 21, T. 24 N	r R ho	R	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	************		
					44	
<u></u>					**************************************	· · · · · · · · · · · · · · · · · · ·
***************************************		4			••••	•••••••••••••••••••••••••••••••••••••••
·	ome natural ob			\ \ \		
We claim			47.5	444		
ineral bearing ledge, lode or vein.			/		100	
cation monument in a .westerly	direc	tion, and		75	0	
et in a northeasterly.	direction, tog	ether wit	h	300	***********	1e
each side of the center of the led	ge for the en	Hre lengti	h of the cl	aim.		
The discovery work consists of		703				
uated about 3000 feet in	na nnorthe	rly		direc	tion from	n the location
onument and its dimensions are			feet wid	le,	<u>.</u>	feet hig
feet long and						
The northwest corner is marked						
Indian Renab X	· Ω /					
· · · · · · · · · · · · · · · · · · ·						marked by
post 4 feet high	, inscribed "S	.W. corn	er	an asne		
ne"; the southeast corner is man	ked by a	post			 	feet high
scribed "S. E. corner Indian F	Ranch No.	8		Mine":	he north	east corner
rked by a post					5.71.75	"N. E. corne
ndian Banah No 8	ne." There is		.	nost	Mac11Jeu	
center of each side line. The disc December 22	covery work 1	ias been	done and	the loca	tion con	pleted sinc
	19	• 1 1				
ted	19	• [44		A 1		9
43463	4.1 2.1	×	00	1 Da	rerik	e /
RECORDED AT THE REQUEST OF James Brewer	ं जार सर्वे	p	hm	ViDa	mil	<u> </u>
January 3 67		U	*************	******		*******
of II minutes past 9 A. M. in Ecol. 14 of OFFICIAL RECORDS					14.	
Paga Records of	5. 14 5.	***************************************	·. ·	*************	1	*****************
EUREKA COUNTY, NEVADA	£.,	, v		A A		-

Fee \$1.00

Recorder