
1.0

May 1967, situated in the Mining District, Jure ., and about or mine well Defeute orth V miles South west .....linear feet along the course of the mineral-bearing We (or I) claim 1000 ledge, lode or vein, extending 1500 ..... feet from the location monument in a North Castevis direction, and direction, together with 500 each side of the center of the ledge for the entire length of the claim. re bins freek cors yete The discovery work consists of a Drift located about 1500 feet in a Starth enly ..... direction from the location monument, and its dimensions are feet wide, \_-570 \_\_\_\_\_ feet long feet exposing ledge, lode or vein in place. The northwest corner is marked by a Post feet high, inscribed "NW Corner of the Apex 16 ... Claim"; the southwest corner is marked by a Post feet high, inscribed "SW Corner of the Hipex No Claim"; the southeast corner is marked by a 1955 4 feet high, inscribed "SE Corner of the Hipex Me Claim"; the northeast corner is marked by a pest feet high, inscribed "NE Corner of the feet le. Claim." There is also a # Popt at the center of each side line. The discovery work has been done, and the location completed since



1. 10 3.55

and the second of the second s

**展的以外,然后** 

THIS IS TO CERTIFY that the Hex No	2 lode mining
claims was located by	
Stanley Fine	Eureka Nevada
Stanley Fine frank (Jester	Eureka Neusda Eureka Neusda Eureka Neusda
Frank & Gester	14/6/3 /12/04/2
	A Company of the Comp
and 1st days mad	187, situated in the Fish Creek
on the way of wa	District, Surela County,
Mining	District, Courty,
State of Alexander	, and about 1 Mile South of
THE TICK EVERY ON MIN	e Well 4 da jacour 10
the two existing pote	lope South Also is afro.
Antelone North & Ante	lope South Also is ofro
26 miles South West	of Wood Cone Bok.
The state of the s	
We (or I) claim 506 line	ar feet along the course of the mineral-bearing
ledge, lode or vein, extending 1500	feet from the location monument
in a South Westerly direction, and	feet in a
direction together	with 500 feet on
each side of the center of the ledge for the ent	ne lengin of the Claim.
The discovery work consists of a Drif	T, ove bins, track, Cors rate
	therly direction from the location
	feet wide, 50 feet long
and feet deep, e	mail and an index for the standard stan
andt reer Geop, e	xposing leage, loae or vein in place.
The northwest corner is marked by a P	feet high, inscribed "NW
Corner of the Anex No 2	Claim"; the southwest corner is marked by a
Post 4 feet high, inscribed "SW	Corner of the Age No Y
Clair II also another the control of	Post
Claim"; the southeast corner is marked by a fine SE Corner of the Section 1.	Teer nign, inscribed
"SE Corner of the The	Claim"; the northeast corner is marked by a
feet high, inscribed "NE	Corner of the Hypex 110.
Claim." There is also a	Corner of the Agree No. 2  at the center of each side line. The discovery red since 1967
work has been done, and the location complet	ted since / June 1967
	(1)
	hour of the
100	A-1 0 10:
LOCATORS	1 Stanley Fine
$\epsilon_{i}$	
LOCATORS  Dated 26 June 1947	
, 17	*
<i>y</i>	

, **(** . . .

File No.

RECORDED AT THE REQUEST OF

Stanley Fine

July 19
A. D. 1967

at 35 minutes past 10 A. M.

In Brok 19 of OFFICIAL RECORDS

Page 497

Recorder

Recorder

Recorder

THIS IS TO CERTIFY that the	lada mitatan
THIS IS TO CERTIFY that the	lode mining
claim was located by	
Stanley Vine	Zurese //evada
Frank (print name of location)	(print poet office address)
IL Xan V A LESTEN	Curena Mevay.
· · · · · · · · · · · · · · · · · · ·	
	N. Sanabanana and A. Sanabana and A. Sanabanana and A. Sanabana and A. Sanabanana and A. Sanabana and A. Sanabanana and
	<u></u>
1st Mon	of 7 was the Fiel Parch
on the day of 11/19	YEZ, SITUATED IN THE VIJA (ZEEZ)
Mining D	istrict, Cure h 2 County
on the State of Mevade	and about & Mile South of
the fish Creek or minet	vell & odiocent to
the two over fine make	tad Man trains
Interest Control of the Control of t	C D H OI
the two existing potent Antelope North & Ante	lope youth. Hiso is
Aprox 2 & miles Sout	West of Wood Core
2	
Box.	······································
We for Notain 1500 linear	feet along the course of the mineral-bearing
	_
in a North direction, and	teet from the location monument
direction, together w	ith 300 feet on
each side of the center of the ledge for the entire	
The discovery work consists of a December 2	It, ove bins, book Core etc
Incated about 1200 feet in a Part	Levis direction from the location
located about 1200 feet in a Sex Z	discion non me location
monument, and its dimensions are	reet wide, test long
andfeet deep, ex	posing ledge, lode or <u>vein i</u> n place.
The northwest corner is marked by a	feet high, inscribed "NW
Corner of the Agree 16 3	laim"; the southwest corner is marked by a
The northwest corner is marked by a FOST Corner of the FOST feet high, inscribed "SW C	Corner of the How No 3
Claim": the southeast corner is marked by a .	feet high, inscribed
"SE Corner of the Anex No -	Claim": the northeast corner is marked by a
Se content of the large season of the large se	Claim, the normous corner is marked by
teet high, inscribed "NE Co	orner of the
Claim"; the southeast corner is marked by a "SE Corner of the feet high, inscribed "NE Contain." There is also a possible work has been done, and the location complete.	at the center of each side line. The discovery
work has been done, and the location completes	since June 1967
	Trong & Start
	get to the second second
LOCATORS	1+00
}	Williamley + Inc
. 1	- J
LOCATORS  Dated 26 June 1967	
(Section 517.050, Navada Revised Statutes, provides	that every location of a mining claim made after

Ĉ.

19 PAGE. BOOK...

建工大型等表面 管理的

File No.

RECORDED AT THE REQUEST OF

Stanley Fine

July 19

A. D. 19 67

at 35 minutes past 10. As 11.

in. Book 19 of OFFICIAL RECORDS

Page 499 Records of

SOREKA COUNTY, NEVROL

Recorder

For \$ 1.00

THIS IS TO CERTIFY that the . claim\_way located by 1967, situated in the Mining District, and about ech. Hor mine North Y H x 24 miles South We (or I) claim 1500 linear feet along the course of the mineral-bearing ledge, lode or vein, extending 45000 feet from the location monument in a forth 12 before direction, and direction, together with 1700 feet on each side of the center of the ledge for the entire length of the claim. The discovery work consists of a Drift, oreging frack Gro etc located about 1200 feet in a Southerly direction from the location monument, and its dimensions are feet wide, 50 feet long feet each, exposing ledge, lode or vein in place. The northwest corner is marked by a fighthal feet high, inscribed "NW Corner of the Mo Claim"; the southwest corner is marked by a feet high, inscribed "SW Corner of the Months No. 1 Claim"; the southeast corner is marked by a feet high, inscribed "SE Corner of the Host Mo 1 Claim"; the northeast corner is marked by a # feet high, inscribed "NE Corner of the # No # LOCATORS

RECORDED AT THE REQUEST OF Stanley Fine

50 种 种 似一蛋的 Q(達)

TANLEY FINE

JULY 19

A D. 19 67

at ... 35. minutes past ... 10 A. M.
in Enok ... 19. of OFFICIAL RECORDS

Page ... 501 ... Records of

EUREKA COUNTY, NEYADA

::::

1

#### LODEGOUARTZ

THIS IS TO CERTIFY that the	rar #7	lode mining
claim was located by		
Leo Damele		Eureka, nevada
(print name of locator)	2	Eureka, Nevada (print post office address) Sureka, Revada
Soun Damele		Har ottal
		i
***************************************		
on the 9 day of may	, 1	1967, situated in the <u>unknown</u>
	. Mining D	istrict, <u>Rureka</u> County,
State ofNevada		and about 3 miles west of the
Tonkin Ranch. East end	line is	common with west end line Me#7.
		r feet along the course of the mineral-bearing
		50 feet from the location monument
in a easterly direct	tion, and	1450 feet in a
Westerly direction	together v	vith 600 feet on
each side of the center of the ledge for		
each side of the center of the leage is	or tipe citin	e longin of the claim.
The discovery work consists of a		isoovery-pit
located about 35 feet in	a weste	xly direction from the location
		feet wide, 30 feet long
		1 1
and fee	r deep, ex	posing ledge, lode or vein in place.
The porthwest corner is marked h	P	ost, 4 feet high, inscribed "NW
		laim"; the southwest corner is marked by a
		Corner of the Ear #1
		post, 4 feet high, inscribed
		Claim"; the northeast corner is marked by a
		orner of the Far #7
Claim." There is also apost		at the center of each side line. The discovery
\ / /		d since
		•
		Lead Danie
	)	all -1 A- 0.
LOCAT	ORS	Jones V. Daniele
	}	4/
\ \	, , \	4**************************************
Dated Willy	. , 199./ /	Leof Daniel John V. Daniele

19 PAGE.

File No. 44903 RECORDED AT THE RECUEST OF James Brewer

July 20
A. D. 19 67

at 40 minutes past 8 A. M.
in 660: 19 of OFFICIAL RECORDS

Page 503 Records of

EUREKA COUNTY NEYADA

Recorder

Recorder

Fee \$ 1.00

glospo sed

.:015

ហ្គ**ា**ល់ងរូម A E

41.14 Color

70.00

116

#### LODELOUARTZ

THIS IS TO CERTIFY that the	rer #8	iode mining
claim was located by		
Leo Damele	Eureka. Nevada	
(print name of locator)	(print post of	ice address)
John Damele	Eureka, Nevada	
	n de la companya del companya de la companya del companya de la co	:
	***************************************	
**************************************		
- d- O d t mov	10.67	· imbracur
on the9 day ofmay		
	Mining District, Sureka	County,
State of Nevada	, and about 3 miles	s west of the Tonk
Ranch. Northside this cl	aim is common to southside	e Far #1.
		***************************************
		********************************
••••••		
each side of the center of the ledge		
The discovery work consists of	a discovery pit	
located about _45 feet in	a westerly direc	tion from the location
monument, and its dimensions are		
andf		
d/IQ 10	er deep, exposing leage, lode or v	ein in place.
The northwest corner is marked	by a fee	e bink included (/kmar
Corner of the Far #8		
post, 4 feet high, ins		
Claim"; the southeast corner is mark		
"SE Corner of theFar_#8		corner is marked by a
post 4 feet high, insc		
Claim." There is also aPowt		
work has been done, and the locati	on completed since	
	$\varphi$ 0	
	1 acollado	essell.
1004	TORS Jahren 2	amele
LUCA	IURS	
S 1		
Dated JM/ 19	100	***************************************
Dated " 17 7"3" "" "" "" ""	, 17.8.7.1	

LOCAL ME

19 .PAGE\_\_\_506 BOOK.

File No. 44904

File No.

RECORDED AT THE REQUEST OF

James Brewer

July 20 A. D. 19 67

at 40 minutes past 8 A. M.

In 5-ot 19 of OFFICIAL RECORDS

Page 505 Records of

DOREKA COUNTY, NEVADA

Recorder

LODELOUARTZ

THIS IS TO CERTIFY that the	lode mining
claim was located by	
Leo Damele	Eureka, Nevada
(print name of locator)	(print post office address)
John Damele	
	***************************************
on the _9 day ofmay	, 19.67, situated in the unknown
	ing District, <u>Euroka</u> County,
	, and about2 miles west of the
	# 9 is common with southside Far # 8
We (or I) claim1500	linear feet along the course of the mineral-bearing
	feet from the location monument
	and 1400 feet in a
	her with600 feet on
each side of the center of the ledge for the	entire length of the claim.
	discovery pit
	westerly direction from the location
monument, and its dimensions are <u>12</u>	feet wide, 28 feet long
and feet dee	p, exposing ledge, lode or vein in place.
	)
	post, 4 feet high, inscribed "NW
Corner of the Far #9.	Claim"; the southwest corner is marked by a
post, 4 feet high, inscribed	"SW Corner of theFar #9
	a post, 4 feet high, inscribed
	Claim"; the northeast corner is marked by a
post, 4 feet high, inscribed "	-
	at the center of each side line. The discovery
	pleted since may 10 , 1961
	Jeal Damile
	1 deal hamele
LOCATORS	while V Hamile
LOCATORS	
L. Plubling	7
pared	a.t. (

File No.

RECORDED AT THE REQUEST OF James Brewer

July 20 A. D. 19 67

of 40, minutes past 8 A. M.

in Ecol 19 of OFFICIAL RECORDS

Page 507 Records of

EUREKA COUNTY, NEVADA

Kecorder

Foe \$ 1.00

William G.

usper (

ij

121162

7 :

A Dist

43.0

₹÷¢.

LODE-QUARTZ

THIS IS TO CERTIFY that the						10	de mining
claim was located by							
Leo Damele			Eureka,	NOV	ıda		
(print name of locator John Damele	r)		(prii Kaareke	it post o	ffice add	rees)	는 그런 스팅함 스팅함 스팅함
Sour Samete			Dur grue	HOVE			
	:					-i,	
	•	(ve.				Λ	
			<u> </u>			<del></del>	
on the9 day ofmay		, 1967	, situated	in the	link	10WZ	
	Min	ing District,	Bure	ka			County
State of <u>Nevada</u>							
nkin ranch, morthside		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1			1.42		1.214.144
							\
***************************************							
				••••••			
***************************************							
					3 7		
		/ /		<u> </u>	10 m	••••••••••	
We (or I) claim1500		linear feet	along the	COURSE	of the	e mins	ral-bearing
	7						
leage, loge of vein, extending							
ledge, lode or vein, extending	direction			1 110111	1110 10	CallOll	fair la
in aeasterly dire each side of the center of the le	direction, ction, toget	and	400 600	/			. feet in i
in aeasterly dire each side of the center of the le	direction, ction, toget edge for the es of ad	and	400 500 10th of the	e claim			feet in a
in aeasterly dire each side of the center of the le  The discovery work consist located about 45 fe	direction, ction, toget edge for the es of ad	and1. ther with entire length liscovery westerly	400 600 gith of the	e claim	oction (	from t	feet in e
in aeasterly dire each side of the center of the le  The discovery work consist located about45 fe monument, and its dimensions	direction, toget edge for the edge for a	and1. ther with entire length scovery westerly	400 600 gth of the	e claim	ction 1	from t	feet in c
in aeasterly dire each side of the center of the le  The discovery work consist located about 45 fe	direction, toget edge for the edge for a	and1. ther with entire length scovery westerly	400 600 gth of the	e claim	ction 1	from t	feet in e
in aeasterly dire each side of the center of the le  The discovery work consist located about45 fe monument, and its dimensions and4	direction, crion, toget edge for the standard decided as a second	and1. ther with e entire leng liscovery westerly ep, exposing	400 600 gth of the pit	dire	ction 1 20 vein in	from t	feet in 6
in aeasterly dire each side of the center of the le  The discovery work consist located about45 fe monument, and its dimensions and4  The northwest corner is ma	direction, toget edge for the standard desired adesired by a	and1 ther with entire leng liscovery westerly ep, exposing post,	400 600 gth of the pit. feet wid pledge, le	e claim dire le, dire	ction 1 20 vein ir	from t	feet in e
in aeasterly dire each side of the center of the le  The discovery work consist located about45 fe monument, and its dimensions and 4  The northwest corner is ma Corner of the Far # 10	direction, crion, toget edge for the standard description and standard description feet decorded by a	and1 ther with entire leng liscovery westerly ep, exposing post,Claim";	400 gth of the pit. feet wid pledge, h	direction direct	ction 1 20 vein ir et high	from to place	he location feet long ribed "NW
in aeasterly dire each side of the center of the le  The discovery work consist located about45 fe monument, and its dimensions and4  The northwest corner is ma  Corner of the Far # 10	direction, ction, toget edge for the sis of ad set in a feet deep trked by a	and	feet wide ledge, to the sout	direction direction described descri	ction 1 20 vein ir et high corner	from to place is me	feet in e
in aeasterly dire each side of the center of the le  The discovery work consist located about _42 fe monument, and its dimensions and 4  The northwest corner is ma  Corner of the Far # 10  _post 4 feet high Claim"; the southeast corner is re-	direction, crion, toget edge for the edge for the edge in a	and1 ther with entire leng liscovery westerly ep, exposing	feet wide a ledge, ledg	directle, fer	vein ir vein ir et high corner	from to place is me	he location feet long ribed "NW arked by a
in aeasterly dire each side of the center of the le  The discovery work consist located about45 fe monument, and its dimensions and4  The northwest corner is ma  Corner of the Far # 10	direction, crion, toget edge for the edge for the edge in a	and1 ther with entire leng liscovery westerly ep, exposing	feet wide a ledge, ledg	directle, fer	vein ir vein ir et high corner	from to place is me	he location feet long ribed "NW arked by a
in aeasterly dire each side of the center of the le  The discovery work consist located about _42 fe monument, and its dimensions and 4  The northwest corner is ma  Corner of the Far # 10  _post 4 feet high Claim"; the southeast corner is re-	direction, ction, toget edge for the edge for the edge for the edge in a feet deed edge for the edge in the edge for the e	and1 ther with entire leng liscovery westerly post,Claim"; "SW Corner apost	feet wide a ledge, in the south of the	direction direct	vein ir vein ir et high corner	from to place is me	he location feet long ribed "NW arked by a
in aeasterly	direction, crion, toget edge for the sis of a	and1 ther with entire leng liscovery westerly ep, exposing post,Claim"; "SW Corner apostClaim" NE Corner	feet wide a ledge, ledg	directle, fermination of the state of the st	vein ir torner torner torner	from to place is me thigher is me	he location feet long ribed "NW arked by a
in aeasterly	direction, ction, toget edge for the edge for the est in a seet in a seet in a seet in a seet deed edge for the edge for t	and1. ther with entire length is covery westerly ep, exposing post,Claim"; "SW Corner apost Claim" NE Corner at the	feet wide a ledge, ledg	direction direct	vein ir et high corner 10 fee ti corne	from to place is me thigher is me.	he location feet long ribed "NW arked by a n, inscribed arked by a
in a	direction, crion, toget edge for the edge for the edge for the edge in a set in a se	and	feet wide the south of the months of the mon	direction direct	vein ir 20 vein ir et high corner 10 fee 11 corne 10	from the place is made thigher is made. The	feet in e feet or he location feet long ribed "NW arked by a n, inscribed arked by a e discovery
in a	direction, crion, toget edge for the edge for the edge for the edge in a set in a se	and	feet wide the south of the months of the mon	direction direct	vein ir 20 vein ir et high corner 10 fee 11 corne 10	from the place is made thigher is made. The	feet in a feet or feet or feet long ribed "NW arked by a feet long or
in a	direction, crion, toget edge for the edge for the edge for the edge in a set in a se	and	feet wide the south of the months of the mon	direction direct	vein ir 20 vein ir et high corner 10 fee 11 corne 10	from the place is made thigher is made. The	feet in a feet or feet or feet long ribed "NW arked by a feet long or
in a	direction, crion, toget edge for the edge for the edge for the edge in a set in a se	and	feet wide the south of the months of the mon	direction direct	vein ir 20 vein ir et high corner 10 fee 11 corne 10	from the place is made thigher is made. The	feet in a feet on the location feet long ribed "NW arked by a n, inscribed arked by a discovery 1961
in a	direction, crion, toget edge for the edge for the edge for the edge in a set in a se	and	feet wide the south of the months of the mon	direction direct	vein ir 20 vein ir et high corner 10 fee 11 corne 10	from the place is made thigher is made. The	feet in a feet on the location feet long ribed "NW arked by a n, inscribed arked by a discovery 1961
in aeasterly	direction, crion, toget edge for the edge for the edge for the edge in a set in a se	and	feet wide the south of the months of the mon	direction direct	vein ir 20 vein ir et high corner 10 fee 11 corne 10	from the place is made thigher is made. The	feet in a feet on the location feet long ribed "NW arked by a n, inscribed arked by a discovery 1961

воок 19

44906 File No. ... File No.

RECORDED AT THE REQUEST OF

James Brewer

July 20 A. D. 19 67

at 40 minutes past 8. A. M.

in Ecol. 19 of OFFICIAL RECORDS

Page. 509 Records of

SUREKA COUNTY, NEVADA

AULUS OFFICIAL COUNTY

Recorder Recorder

Fee \$ 1.00

(3 % 5 -8 . 3a

THIS IS TO CERTIFY that theFAX	<b>2.31</b>	lode mining
claim was located by		
·	Eureka, Nevada	·
treo pamele (print name of locator)	(print post office	u/drawa\
John Damele	Eureka, Nevada	
	<u>. 4 a a de la composição de la composiç</u>	
·		
***************************************		
on the9 day of may	, 1967, situated in the	inknown
	Mining District, Burkes	County,
State of Nevada	, and about 3 miles w	est of
tne Tonkin Kanch. Far #		
southside.		
······································		
***************************************		***************************************
147 1500	< < ) ) )	
we (or I) claim 1300	linear feet along the course of	the mineral-bearing
ledge, lode or vein, extending 100		
in aeasterly directi	on, and1400	feet in a
westerly direction, to	gether with 600	feet on
each side of the center of the ledge for	the entire length of the claim.	• •
The discovery work consists of a	discovery pit	
located about 40 feet in a	westerly direction	from the location
monument, and its dimensions are1	.2 feet wide,35	feet long
and5 feet	deep, exposing ledge, lode or vein	in place,
	a post, 4 feet hi	
Corner of the		-
post,4 feet high, inscribe		
Claim"; the southeast corner is marked I	by a post, 4	eet high, inscribed
"SE Corner of the#ar # 31		
post, 4 feet high, inscribe		
Claim." There is also a		
work has been done, and the location o		
LOCATO	£ 1 k	
		melo
LOCATO	RS That C. DO	mule
	\ <u>V</u>	
\\.\.		******************
Dated	1967	·** F - ****

RECORDED AT THE REQUEST OF  James Brever  July 20 A 0. 1767  at 40 minutes past 8 A. M.  A but the first 19 of Official Records	
July 20 A 0 1967	
。	124 3
。	
,一个是可能的一个表面,可以可能可能的可以可能可能的。其中可能是 <b>是一个一个人的,这种是一个人的,我们是一个人的人的人</b> 的,但是一个人的人的人,但是一个人的人,但是	
。  1、3、3、4、4、连新红线表的《中国建筑经验》(多名多篇的)的 <b>可以</b> 是这些 <b>证法(1</b> 5年的经验经验),但这些连续的经验的经验的进行的,就经验经验证的。	
ALLA COUNTY, NEV TO ALDES THOUSE	
· · · · · · · · · · · · · · · · · · ·	
<b>Fe (</b> 1:00 €	

TSHY western with the section of the section shows a section shows a section shows a section shows of the section shows a section shows a section shows of the section shows a sectio

COCL paids (1), eq. (1), eq. (2), eq. (2), eq. (3), eq. (3), eq. (4), eq. (

The storogram of the st

A property of the property of

and in the

在一个人,就是一个人,就是一个人,就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人, 我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,

7.12

THIS, IS TO CERTIFY that	the Far No. 3			lode mining
claim was located by	是是一种的是 <b>,</b>	<b>海温温度</b> 计程序	2014年10日 经11	
Leo Damele		Eureka, Ne	AGR	
John Damele		Fureka, No	A. O.	<b>运动室制度</b>
		。 (1)		
on the 9 day of	key	, 19.67, situated i	n the Unknow	720.
	Mining	District, Enge		County,
State of Neve	ıda 💮	, and about 2	and 1/2 mil	08
west of the				
with south s	ide of Fer #31.			
We (or I) claim	1500 lin	ear feet along the	course of the mir	neral-bearing
ledge, lode or vein, ext in a <u>easterly</u>	ending 100	feet	from the location	n monument
in a easterly	direction, an	d 1400		feet in a
westerly	direction, together	with		feet on
each side of the center of	of the ledge for the er	itire length of the	claim.	
The discovery work				
located about20				
monument, and its dime	ensions are 1500	feet wide	, 30	feet long
and40	feat deep,	exposing ledge, lo	le or vein in ple	<b>.</b>
The northwest corn	er is marked by a	Dest	feet high in	cribad "NNA"
Corner of the	Far #32	Claim" the south	west corner is n	narked by a
post <u>L</u> fe				
Claim"; the southeast co	rner is marked by a	Liteor	feat hi	sh Inscribed
"SE Corner of the	<ol> <li>Security (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2</li></ol>			the state of the s
post 4 fee	it high, inscribed "NE	Corner of the	Far # 32	
Claim." There is also a	Det	at the center of	each side line T	he discovery
work has been done, ar				
		Les	1 Dans	el.
	LOCATORS	John	U. Da.	rele
	LOCATORS	\ \( \tau \)		
Dated JMJ	\ <u>\</u>			
(Section 517.050, Neva	da Revised Statutes, prov	ides that every location	of a mining claim m	ade after

July 1, 1941, shall be absolutely void unless a certificate of location thereof is recorded with the county recorder of the county in which the claim is located within 100 days after the date of location.)

**交**代。但是一种企业,是一个基础的。

and the second second