

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 17

The general course of said lode or vein, as near as it may be described, is S 50° E

The name of the locator Julian E. Simpson

The said claim was located on the 8th day of July 1967, at 11:50 am A. D. 1967, and is described in respect to* From corner no. 1 of Benchmark No. 17 the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 44° E, approximately 9,800 feet. Corner No. 1 of Benchmark No. 17 is identical with corner no. 4 of Benchmark No. 8.

The locator claim is 1500 feet in length on said lode, 300 feet running about S 50° E from the center of the discovery monument and about 1200 feet running about N 50° W from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is† An open cut and excavation has been dug along the ledge or lode, the size of which is at least 4 feet by 6 feet by 10 feet, located at the discovery monument, and excavation work done at various points on the Benchmark No. 17.

and the location‡ and description of each corner§ with the markings thereon¶ are as follows:

The northwest no. 1 corner is marked by a 6" dia. live pinon 4 feet high and is inscribed B17/1X corner of Benchmark No. 17 mine: the northeast no. 2 corner is marked by a 5" dia. pinon post 4 feet high and is inscribed B17/2X corner of Benchmark No. 17 mine. The southeast no. 3 corner is marked by 6" dia. top live juniper 5 feet high, inscribed B17/3X corner Benchmark 17 mine: the southwest no. 4 corner is marked by a 7" dia. top live jun. 5 feet high, inscribed B17/4X corner Benchmark No. 17 mine. There is a NSC 4" X 4" X 4" post at the center of each side line marked SSC at each corner of each line. The discovery work has been done and the location work completed since October 3rd, 1967

A. D. 1967

Dated October 3rd, A. D. 1967

Address of locator
Box 305
Corte Madera
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "cut" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or E-ds. Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

¶ Any record of location which does not contain all the requirements of the statute is void.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 18

The general course of said lode or vein, as near as it may be described, is S 50° E

The name of the locator Julian E. Simpson

The said claim was located on the 8th day of July, 1967, at 2:45 p.m. A. D. 1967, and is described in respect to* From corner no. 1 of Benchmark No. 18, the SE corner of Section 23, T 22 N, R 50E, Mr. Diablo Meridian, bears about S 49° E, approximately 9,800 feet. Corner No. 1 of Benchmark No. 18, is identical with corner no. 4 of Benchmark no. 17

The locator claims 1500 feet in length on said lode, 64 feet running about S 50° E from the center of the discovery monument and about 1436 feet running about N 50° W from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is an open cut and excavation has been dug along the ledge or lode, the size of which is at least 4 feet by 6 feet by 10 feet, located at the discovery monument and excavation work done at various points on the Benchmark No. 18.

and the location and description of each corner with the markings thereon are as follows:

The northwest no. 1 corner is marked by a 7" dia. top live jun. 5 feet high and is inscribed B18/ 1x corner of Benchmark No. 19 mine; the northeast no. 2 corner is marked by a 6" dia. live juniper. 5 feet high and is inscribed B18/2X corner of Benchmark no. 18 mine. The southeast no. 3 corner is marked by a 5" dia. live topoplasus. 5 feet high, inscribed B18/ 3X corner Benchmark 18 mine; the southwest no. 4 corner is marked by a 8" dia. live top. jun. 5 feet high, inscribed B18/4X corner Benchmark No. 18 mine. There is a 4"x4"x4" post at the center of each side line marked SSO & NSO at each corner of each line. The discovery work has been done and the location work completed since October 3rd, 1967

A. D. 19

Dated October 3rd, A. D. 191967

Address of locator:
Box 305
Corte Madera,
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "junk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

¶ Any record of location which does not contain all the requirements of the statute is void.

File No. 15331

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 19

The general course of said lode or vein, as near as it may be described, is S. 50° E

The name of the locator Julian E. Simpson

The said claim was located on the 8th day of July at 10:00 a.m. A. D. 19. 67, and is described in respect to* From corner no. 1 of Benchmark no. 19 the Se corner of Section 23, T22N, R50E Mr. Diablo Meridian, bears about S 36° E, approximately 8,400 feet. Corner No. 1 of Benchmark no. 19 is identical with corner no. 2 of Benchmark No. 4.

The locator claim 5 1500 feet in length on said lode, 1400 feet running about S 50° E from the center of the discovery monument and about 100 feet running about N 50° W from the center of the discovery monument along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is† An open out and excavation has been dug along the ledge or lode, the size of which is at least 4 feet by 6 feet by 10 feet, located at the discovery monument, and excavation work done at various point on the Benchmark no. 19.

and the location‡ and description of each corner§ with the markings thereon¶ are as follows:

The northwest No. 1 corner is marked by a 4" dia. juniper post 4 1/2 feet high and is inscribed B19/1X corner of Benchmark No. 19 mine: the northeast no. 2 corner is marked by a 8" dia. juniper tree 5 feet high and is inscribed B19/2X corner of Benchmark no. 19 mine. The southeast no. 3 corner is marked by 5" dia. pinon post 6 feet high, inscribed B19/3X corner Benchmark 19 mine: the southwest no. 4 corner is marked by a 7" dia. top live pinon 5 feet high, inscribed B19/4X corner Benchmark No. 19 mine. There is a 5" dia. pinon 4 1/2' high marked NSC & a 8" dia. pinion 6' hi, SSC at each corner of each line. The discovery work has been done and the location work completed since October 3rd, 1967

A. D. 19

Dated October 3rd, A. D. 19. 67

Address of locator
Box 303
Corte Madera, California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "shank" is used.
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or 2 1/2 mi. N. of its head, etc.
§ Corner of each of the four corners, with the blazings, markings, letters, etc.
¶ Any record of location which does not contain all the requirements of the statute is void.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENMARKNO. 20

The general course of said lode or vein, as near as it may be described, is S. 50° E.

The name of the locator Julian E. Simpson

The said claim was located on the 8th day of July, 1967, at 11:15 a.m. A. D. 1967, and is described in respect to from corner no. 1 of Benchmark No. 20, the SE corner of Section 23, T22N, R50E, Mr. Diablo Meridian bears about S 41° E, approximately 8,300 feet. Corner No. 1 of Benchmark No. 20 is identical with corner No. 2 of Benchmark No. 8.

The locator claims 1,500 feet in length on said lode, 1444 feet running about S 50° E from the center of the discovery monument and about 136 feet running about N 50° W from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is An open out and excavation has been dug along the ledge or lode, the size of which is at least 4 feet by 6 feet by 10 feet, located at the discovery monument, and excavation work done at various points on the Benchmark No. 20

and the location and description of each corner with the markings thereon are as follows:

The northwest no. 1 corner is marked by a 7" dia. top. pinon 5 feet high and is inscribed B20/1X corner of Benchmark No. 20 mine; the northeast no. 2 corner is marked by a 7" dia. live pinon 5 feet high and is inscribed B20/2X corner of Benchmark No. 20 mine. The southeast No. 3 corner is marked by a 5" dia. pinion post 6 feet high, inscribed B20/3X corner Benchmark 20 mine; the southwest no. 4 corner is marked by a 5" dia. pinion post 4 feet high, inscribed B20/4X corner Benchmark No. 20 mine. There is a 8" dia. pinon post 6' hi marked NSC, & 10" dia. live juniper 6', SSC at each corner of each line. The discovery work has been done and the location work completed since October 3, 1967

Dated October 3, A. D. 1967

Address of locator
Box 305
Corte Madera,
California

Julian E. Simpson

Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that drilling work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

¶ Any record of location which does not contain all the requirements of the statute is void.

File No. 15333

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 21

The general course of said lode or vein, as near as it may be described, is S 50° E

The name of the locator Julian E. Simpson

The said claim was located on the 8th day of July, 1967, at 12:15 p.m. A. D. 1967, and is described in respect to From corner no. 1 of Benchmark No. 21 the SE corner of Section 23, T22N, R50E, Mt. Diablo Meridian, bears about S 45° E, approximately 8,300 feet. Corner No. 1 of Benchmark No. 21 is identical with corner no. 2 of Benchmark no. 17.

The locator claim is 1500 feet in length on said lode 1265 feet running about S 50° E from the center of the discovery monument and about 1235 feet running about N 50° W from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is An open cut and excavation has been dug along the ledge or lode, the size of which is at least 4 feet by 6 feet by 10 feet, located at the discovery monument, and excavation work done at various points on the Benchmark No. 21.

and the location and description of each corner with the markings thereon are as follows:

The northwest no. 1 corner is marked by a 5" dia. pinon post 4 feet high and is inscribed B21/1X corner of Benchmark no. 21 mine; the northeast no. 2 corner is marked by a 1" dia. pinon post 6 feet high and is inscribed B21/2X corner of Benchmark no. 21 mine. The southeast no. 3 corner is marked by 6" dia. top juniper 5 feet high, inscribed B21/3X corner Benchmark 21 mine; the southwest no. 4 corner is marked by a 6" dia. top juniper 5 feet high, inscribed B21/4X corner Benchmark No. 21 mine. There is 10" dia. Junip. 6' hi. marked NSC, & a 7" dia. pinon 5' hi. SSC at each corner of each line. The discovery work has been done and the location work completed since October 3, 1967

Dated October 3rd, A. D. 19 67

Address of locator
Box 303
Corte Madera,
California

Julian E. Simpson
Julian E. Simpson

* If a natural object, fill in blank with its description. If a permanent monument, describe it.
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sink" is used.
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.
§ Corner of each of the four corners, with the bearings, markings, letters, etc.
¶ Any record of location which does not contain all the requirements of the statute is void.

45333

File No. _____
RECORDED AT THE REQUEST OF
Julian E. Simpson
October 4 A. D. 19 67
at 50 minutes past 11 A. M.
in Book 20 of OFFICIAL RECORDS
Page 502-503 Records of
EUREKA COUNTY, NEVADA
Thelma P. Octave
Recorder
Fee \$ 1.00

Certificate of Location

Mining District, _____
County, _____
State of Nevada _____

Dated _____, 19____

Recorded at the Request of

_____ 19____


at _____ min. past _____ o'clock _____ M.,
in Volume _____ of _____

_____ page _____

_____ County Records.

_____ Recorder

By _____ Deputy Recorder



45334

File No. _____

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The undersigned, hereby certifies that he has located a mining claim in the unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BENCHMARK NO. 22

The general course of said lode or vein, as near as it may be described, is S 50° E

The name of the locator Julian E. Simpson

The said claim was located on the 8th day of July, 1967, at 2:25 p.m. A. D. 1967, and is described in respect to From corner no. 1 of Benchmark no. 22, the SE corner of Section 23, T22N R50E, Mt. Diablo Meridian, bears about S 49° E, approximately 4,200 feet. Corner no. 1 of Benchmark No. 22 is identical with corner no. 2 of Benchmark No. 18

The locator claims 1500 feet in length on said lode, 1430 feet running about S 50° E from the center of the discovery monument and about 70 feet running about N 50° W from the center of the discovery monument, along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is An open cut and excavation has been dug along the ledge or lode, the size of which is at least 4 feet by 6 feet by 10 feet, located at the discovery monument, and excavation work done at various points on the Benchmark No. 22.


and the location and description of each corner with the markings thereon are as follows:

The northwest no. 1 corner is marked by a 5 1/2" dia. top pinon 5 feet high and is inscribed B22/1X corner of Benchmark No. 22 mine; the northeast no. 2 corner is marked by a 6" dia. juniper tree 5 feet high and is inscribed B22/2X corner of Benchmark No. 22 mine. The southeast no. 3 corner is marked by 5" dia. pinon post 6 feet high, inscribed B22 3X corner Benchmark 22 mine; the southwest no. 4 corner is marked by a 8" dia. juniper 5 feet high, inscribed B22/4X corner Benchmark No. 22 mine. There is a 7" dia. top pinon 5' high, marked NSC; 6" dia. live pinon 4 1/2' hi. SSO at each corner of each line. The discovery work has been done and the location work completed since October 3rd, 1967

A. D. 1967

Dated October 3rd, A. D. 1967

Address of locator
Box 305
Corte Madera,
California

Julian E. Simpson


* If a natural object, fill in blank with its description. If a permanent monument, describe it.
 † The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sink" is used.
 ‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.
 § Corner of each of the four corners, with the bearings, markings, letters, etc.
 ¶ Any record of location which does not contain all the requirements of the statute is void.

