This Is to Certify, That a mining claim named the Dry #/
was located h
Charles Damele Sr. Charles Damele Jr.
on the 24th day of July 1967, situated in Unknown District, Fure Tain County, State of
on the day of July 19.67, situated i
Unknown District, Luvelland County, State o
Nevada, and about Two and one-half miles south earle
of Willow Cr. Banch
(Refer to some natural object or permanent monument)
ciaim 1500 linear feet along the course of
mineral bearing ledge, lode or vein, extending 1450 feet from the
ocation monument in a wester/y direction, and 50
feet in a Chiefcyly direction, together with 300 fee
on each side of the center of the ledge for the entire length of the claim.
The discovery work consists of 2 relary drill hules
situated about 200 feet in a Wesley (Shaft, cut or tunnel)
nonument and its dimensions are
nonument and its dimensions are feet high feet long and feet deep, exposing ledge, lode or vein in place.
The northwest corner is marked by a post 4"x4" x4" x4" feet high, inscribed
'N. W. corner Drug #/ Mine"; the southwest corner is marked by a
N. W. corner
time"; the southeast corner is marked by a Post 4"x4" x 4 feet high
nscribed "S. E. corner Diy # Mine"; the northeast corner is narked by a post Y XY XY feet high, inscribed "N. E. corner Dry # Mine." There is also a Y XY XY 201 at
parked by a post 4"x4" x4" x4" feet high, inscribed "N. E. corner
Dry #1 Misse." There is also a 4"x4" x4" post at
he center of each side line. The discovery work has been done and the location completed since
0c1. 12 19 67
Pated Ocl. 23 1967
Mie No. 45404 Drude Secured of
Seconded At the Request of Donald K. Jennings October 23, A. 0.19 67
et 15 minutes past 3 P. Ma In Book 20 of OFFICIAL RECORDS
Page 592 Steller COUNTY HE COUNTY OF THE COU
Mallin C. Me Cartie Redorder

This Is to Certify, That a mining claim named the Dry #2
was located b
Charles Damele Sr., Charles Damele Jr.
Ronald Damele
on the 24th day of July 6 1967 situated in
Unknown District Fureha
on the 24th day of July 1967, situated in Unknown District, Eureka County, State of Nevada, and about 25 miles south easterly of
Willow Cr. Banch
40111010
(Refer to some natural object or permanent monument) Claim /500 linear feet along the course of
claim linear feet along the course of
mineral bearing ledge, lode or vein, extending 1450 feet from the
location monument in a CAS (2) direction, and 50
feet in a wester/4 direction, together with 300 feet
on each side of the system of the high A. H. H. H. A. H. H. H. A. H.
The discovery work consists of 2 70 / 00 / hole 1
(Shaft, cut or tunnel)
situated about 100 feet in a westerly direction from the location
monument and its dimensions are feet high,
The discovery work consists of 2 10/11/2 drill boles Situated about 200 7 460 Situated about 200 7 460 Situated about 200 7 460 More direction from the location from the
The northwest corner is marked by a Real Market by A X Y X Y
"N. W. corner Dry #2 Mins"; the southwest corner is marked by a post 4"x4" x 4 feet high, inscribed "S.W. corner Dry #2 feet high, inscribed by a post 4"x4" x 4 feet high,
MOST Y"XY" X Y feet high inserthed us W comes Dr. # 2
Similar the continued of the second of the s
feet high,
inscribed "S. E. corner
inscribed "S. E. corner Dry #2 Misse"; the northeast corner is marked by a \$\int_{0.1} \frac{1}{2} \fr
Ury # 2 Mise" There is also a / XY X 1/ post at
he center of each side line. The discovery work has been done and the location completed since
<u>Cc1.12</u> 19 67
n. 1d 23
FIG. No. 45405 RECORDED AT THE REQUEST OF Donald K. Jennings October 23.
October 23 A & # 67 at 15 minutes past 3 P. M. in Bool 20
The second of Official Records
Page 593 Records G. Records A Superior County, New Cools Records Recor
Recorder G. Ale Taroli

This Is to Certify, That a mining claim named the Diy #3
Charles Damele Sr. and Charles Damele Jr x
Bould Daniel Daniele Vr
on the 24 12 day of July 1967, situated in Markhown District, Eureka County, State of Nevada, and about 23 miles southersterly of Willow Cr. Banch
on the day of 1967, situated in
Maknowill District, Eureka County, State o
Nevada, and about 23 miles southeasterly of
Willow Cr. Banch
(Refer to some natural object or permanent monument) Claim Claim
mineral bearing ledge, lode or vein. extending 1450 feet from the
feet from the
feet in a Caster direction, together with 300 feet
on each side of the center of the ledge for the entire length of the claim.
The discovery work consists of 2 rolare drill holes
situated about 200 feet in a western from the location
monument and its dimensions are
The discovery work consists of 2 10/4111 dr) 10/e (Shaft, cut or tunnel) situated about 200 feet in a 20/41/2 direction from the location monument and its dimensions are feet bigh
The northwest corner is marked by a POIL Y X Y X Y feet high, inscribed
"N W corner Dr. # 7
"N. W. corner Dry # 3 **No. W. corner Dry # 3 **Peon of the southwest corner is marked by a
feet high, inscribed "S.W. corner
feet high,
inscribed "S, E, corner
marked by a post 4" x 4" x 4" feet high, inscribed "N. E. corner by the hortheast corner is also a "x 4" x 4" you at
Mine." There is also a WY XY post at
the center of each side line. The discovery work has been done and the location completed since
Oct. 12 1967
Dated October 23 1967 0 10 1-1
File No. 45406 RECORDED AT THE REQUEST OF Donald K. Jennings
File No. 45406 RECORDED AT THE REQUEST OF Donald K. Jennings October 23.
of 15 minutes and 3 B
IN the will at account and the second
Page 594 Record of EUREKA COUNTY, NEVACAL
Recorder

Certificate of Location
This Is to Certify, That a mining claim named the Diy #4
Charles Damele Sr., Charles Damele Jr. x
Bonald Damelo
on the 24th day of July 1967, situated in Muknown District, Eureka County, State of
Navada, and about 25 miles conthersterly of the Willow Cr. Banch
(Refer to some natural object or permanent monument) claim ISOO linear feet along the course of
mineral bearing ledge, lode or vein, extending 450 feet from the
feet in a 60 Polex direction, together with 300 feet
on each side of the center of the ledge for the entire length of the claim.
situated about 200 feet in a western direction from the location monument and its dimensions are
monument and its dimensions are feet wide, feet wide, feet high,
teet lang and 85 Y 150 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
"N. W. corner Dry #4 4 Mine"; the southwest corner is marked by a
post 4"x 4x 4 feet high, inscribed "S.W. corner Dry # 4
Mine"; the southeast corner is marked by a poly 4"x"4" x 4 feet high,

...... Mine"; the northeast corner is feet high, inscribed "N. E. corner the center of each side line. The discovery work has been done and the location completed since RECORDED AT THE REQUEST OF Donald K. Jennings at .15 minutes past 3
in Book 20 of OFFICIAL R
Page 595 Re
FUREKA COUNTY, NEVA

of OFFICIAL RECORDS

This Is to Certify, That a mining claim named the	Dry #5
Charles Damele Sr., Charles Dar	was located by
Ronald Danele	TC)E. () F, Y
on the 24 day of Julia	19.67 situated in
Unknown District, Eu	veka PACounty, State of
on the 24 day of July Unknown District, Eu Nevada, and about 25 miles southers	taly of
Willow Cr. Banch	
(Refer to some natural object or permanent z	nominant)
elaim 1500	linear feet along the course of
mineral bearing ledge, lode or vein, extending	feet from the
location monument in a	50
feet in adirection, together with	300 feet
on each side of the center of the ledge for the entire length of the	
The discovery work consists of a rolary dril	/ hole
situated about 295 feet in a north will erly monument and its dimensions are	direction from the location
feet long and 185 feet deep, e	xposing ledge, lode or vein in place.
The northwest corner is marked by a post 4"x4"	Y Y feet high, inscribed
"N. W. corner Dry # 5 pell 4"x 4"x 4" y feet high, inscribed "S.W. corner	he southwest corner is marked by a
prad y x y "y y feet high, inscribed "S.W. corner	Dry # 5
Mine"; the southeast corner is marked by a post	Y" YY feet high,
inscribed "S. E. corner	Miss" the northeast some to
marked by a	fact high ingouthed the To come
Dry #5 Mine." There is also a 4	xy" xy' poll at
the center of each side line. The discovery work has been done	and the location completed since
04 12 19 67	•
Dated Oct 23	.
Fig. No. 45408	mild & Jenning
RECORDED AT THE REQUEST OF Donald K. Jennings	regent
USITODER 23, AD 1667	
in 6col 20 of OFFICIAL PECCAPE	***************************************
Page 546 :	74 F 0 0 7 1 1 1 4 4 7 7 7 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Accorder Recorder	
Fo. 8 1.00	

This Is to Certify, That a mining claim named the 177 # 6
Charles Davide Sr Charles David To
Charles Damele St. Charles Damele Jr. 2 Bonald Damele
on the 24 day of July 1967, situated in Unknown District, Eureka County, State of Navada, and about 25 miles specification of Millow Cr. Banch
Unknown District, Fureka County, State of
Navada, and about 2 miles southeasterly
Willow Cr. Banch
(Refer to some natural object or permanent monument) Claim Claim Linear feet along the course of
mineral bearing ledge, lode or vein, extending
location monument in a easterly direction, and 50
feet in a westerly direction, together with 300 feet
on each side of the center of the ledge for the entire length of the claim.
The discovery work consists of
situated about 150 feet in a 200/20/ Shaft, cut or tunnel)
monument and its dimensions are
feet wide,feet high,
The northwest corner is marked by a poil 4"x y x y feet high, inscribed
"N. W. corner Dr. # 6
10.3 4"x 4" x 41 fact bird in 11.3 11.5 11.5 11.5 11.5 11.5 11.5 11.5
"N. W. corner Dry # 6 Wine"; the southwest corner is marked by a post 4" x 4"
feet high,
bise"; the northeast corner is
feet high, inscribed "N. E. corner
There is also a 7 2 7 203 at
the center of each side line. The discovery work has been done and the location completed since
File No. 45409 RECORDED AT THE REQUEST OF Donald K. Jennings October 23, AD 1967
RECORDED AT THE PROJECT OF
Donald K. Jennings October 23, A. D. 19 67
in Rook 20 4 community with the community of the communit
9 EUREKA COUNTY, JEVEN OF
Fee 9 1 00

This Is to Certify, That a mining claim named the Dry #7
Charles Daniele Sr., Charles Damele Jr. &
Bond Down
on the 24 th day of July 1967, situated in Unknown District, Eureka County, State of Nevada, and about 22 miles southeasterly of Willow Cr. Barch
Unknown District, Eureka County State of
Nevade, and about 2 2 miles southers lock
Willow Cr. Barch
(Refer to some natural object or pernament monument)
claim 1500 linear feet along the course of
mineral bearing ledge, lode or vein, extending 1450 feet from the
location monument in a western direction, and 50
feet in a Carler direction, together with 300 feet
on each side of the center of the ledge for the entire length of the claim.
The discovery work consists of Belave Dryll Hole (Shaft, cut or tunnel)
situated about feet in a Porth westerh
monument and its dimensions are
feet deep, exposing ledge, lode or vein in place.
The northwest corner is marked by a past 4"x4" x4" feet high, inscribed
'N. W. corner Dry # 7 N. W. corner be southwest corner is marked by a young young feet high, inscribed "S.W. corner Dry # 7
Wine"; the southeast corner is marked by a post / x / feet high,
nscribed "S. E. corner Dry # 7
narked by a 10.5 4 4 X Y X Y feet high inscribed "N E corner
nscribed "S. E. corner Dry # 7 narked by a post H X Y X Y feet high, inscribed "N. E. corner L'ry # 7 Mine." There is also a Y "X Y Y Y Y Y Y A gost at
he center of each side line. The discovery work has been done and the location completed since
Oct. 12 1967
Dated October 23, 1967
File No. 45410 RECORDED AT THE REQUEST OF Donald K. Jennings October 23
RECORDED AT THE REQUEST OF Donald K. Jennings October 23 A. D. 19 67 1.15 minutes past 3 P.M.
FUREKA COUNTY, NEVER OF
corder

This Is to Certify, That a mining claim named the
Charles Damele Sr., Charles Damele Jr. x
Monald Damele
on the 24 th day of July 1962, situated in Unknown District, Euroka County, State of
Linknown District, Eurokia County, State of
Nevada, and about 23 miles southeasterly of
Willow Cr. Ranch
(Date to account of the later)
(Refer to some natural object or permanent monument) ctaim SOO linear feet along the course o
inineral bearing ledge, lode or vein, extending 1450 feet from th
location monument in a CALIPY direction, and 50
feet in a 10c1/cr/2 direction, together with 300 fee
on each side of the center of the ledge for the entire length of the claim.
The discovery work consists of
The discovery work consists of
monument and its dimensions are
50 feet long and
The northwest corner is marked by a poll 4"x4" x 4" feet high, inscribed
"N. W. corner Ory # 8
Post 4 x 4 x 4 feet high, inscribed "S.W. corner Dry # 8
Mine"; the southeast corner is marked by a post 4"x 4" x 4 feet high
inscribed "S. E. corner
marked by a post 4 4 4 feet high, inscribed "N. E. corner
marked by a post 4"44" X 4 feet high, inscribed "N. E. corner Dyy # 7 Wise" There is also a po 4"14" Y 901 at
the center of each side line. The discovery work has been done and the location completed since
0.1 12 19.67
Dated October 23 19.67
File No. 45411 RECORDED AT THE REQUEST OF Donald K Jennings Outples
RECORDED AT THE REQUEST OF Donald K Jennings October 23. A. D. 19 67. et .15 minutes past .3 P. M. in Book 20 doctored.
GURKA COUNTY, WYARD OF THE TOOLS
Recorder Fee \$ 1.00

This Is to Certify, That a mining	claim named the Dry #9	
Charles Damele Sx.	Charles Paral T	cated by
Manald Barrala		
on the 27 day of day of Wikknown District, Nevads, and about 22 miles Willow Cr. Banch	7.1.	***************************************
Mr. Knaux	19.62, sitt	uated in
Novela and share 2 2 m/a	County,	State of
Willow Cr Banch	Sourneassouring DV	*********
K.h.C.A. L.	:	********

(Refer to some natural	object or permanent monument)	
claim	OO linear feet along the co	ourse of
mineral bearing ledge, lode or vein, extending)450 feet 1	rom the
location monument in a wester dis	ection, and 50	*************
feet in a casterly direction, t	ogether with 300	feet
on such side of the center of the leave for the		
The discovery work consists of 2 70	lary drill holes	
The discovery work consists of 2 10	(Shaft, cut or tunnel)	laas#!
monument and its dimensions are	Seet and a land	ocation
nionument and its dimensions are feet long and 80 Y	/ 35	et nign,
The northwest corner is marked by a A.c. \	1 4 X Y X Y cost block in	
'N. W. corner Dry # 9	Mine": the southwest corner is market	perinen
"N. W. corner Dry # 9	S.W. corner Dry # 9	au by a
wine"; the southeast corner is marked by a	post 4x4 x4	t bich
manihal III B III VI- 77 7		
narked by a post 4" x 4" x 4	feet high inserthed "N P	11161.19
narked by a post 4" x 4" x 4" post of the section o	s also a 4/X 4" X 4" pol	corner
he center of each side line. The discovery work	has been done and the location completed	ortuga
001. 12	7	since
Dated October 23 196	7	
File No. 45412	Durld & Jenni agent	inaz
Donald K. Jennings	Durld X Jenni agent	<i>'</i>
at 15 minutes part 3: B	-	*********
in Erot 20 of OFFICIAL RECORDS Page 600 Records of		**************
9/EUREKA COUNTY, NEVION RECORDER RECORD		
Fee \$1 00	_	