his is to Certify, That a mining cl	aim named the
Jackrabbit #30	was located by
Charles Damele, Charles Damele	Jr. Ronald Damele and Jack
. 0, Connor all of Euraka, Nevada	
theday of	November 1967, situated in
	Eureke County, State of
	the Buckhorn mine. Also this
claims north end adjourns the sc	outh and line of Jackrabbit #10.
201	1
The second secon	elect or permanent monument)
	linear feet along the course of
	750feet from the
ation monument in a <u>southerly</u> direc	ction, and
et in a <u>northerly</u> direction, tog	gether with feet
each side of the center of the ledge for the en	tire length of the claim.
The discovery work consists ofdril	ll hole 400 feet in depth
2800	(Shaft, cut or tunnel)
( and 100' easterly of Loc Monume	outh-easterly direction from the location of Jackrabbit # 34)  feet wide, feet high,
	\
	feet deep, exposing ledge, lode or vein in place.
	post 4 feet high, inscribed
post 4 feet high, inscribed "S	S.W. cornerJackrabbit #30
	4 x 4 post , 4 feet high,
cribed "S. E. cornerJackrabbi	t #30 Mine"; the northeast corner is
rked by a post 4	feet high, inscribed "N. E. corner
	also a post at
	has been done and the location completed since
November 30 19 67	
15 Md	
December 7	
ted December 7 19 67	Donald & Jenning ages
ted December 7 19 67	Londo & January Ages
RECORDED AT THE REQUEST OF Donald K. Jennings	Donald & Jenning Ages P.O. Box 506  Winnerwice Nev
RECORDED AT THE REQUEST OF	Donald & January Ages P.O. Box 506 Winnemacca, Nov.

Recorder 45738 Fco & 1.00

	That a mining claim named t	the
		was located by
· ·	r. Charles Damele Jr.	The state of the s
	all of Eureka, Nevada.	
		19 67, situated in
Buckhorn	District, Mureka	County, State of
	miles west of the Buck	
west side line is co	ommon with the east sid	le line of Jackrabbit #30.
**************************************		
***************************************		
		10-10-20-10-10-10-10-10-10-10-10-10-10-10-10-10
	1990-1-00 Anna-2004000 1100 25 h 1100 20 1 1 1 1 1 1 2 2 2 2 2 2 2 2 2 2	
(Ref	er to some natural object or permaner	nt monument)
	aim 1500	linear feet along the course of
nineral bearing ledge, lode or	vein, extending 750	feet from the
ocation monument in aNo	therly direction, and	750
•	direction, together with	
	he ledge for the entire length of	
	ts of drill hole &	
feet long	andfeet deep	direction from the location for wide,
		feet high, inscribed
/		; the southwest corner is marked by a
post, 4 fee	t high, inscribed "S.W. corner	
line"; the southeast corner i	s marked by apost,	4 feet high,
scribed "S. E. cornerJ	ackrabbit #31	Mine"; the northeast corner is
arked by aDo	st, 4	feet high, inscribed "N. E. corner
Jackrabbit #31	Mine." There is also a	postat
ne center of each side line. T	he discovery work has been don	ne and the location completed since
November 30		
ated December 7	19_67.	I & January (agent
RECORDED AT THE REQUESTED THE REQUEST.  on December 8  ot 03 mins, part 10  in Beek 21 of GIFICIAL RECORDS, page 412  OF EUREKA CGUNTY, NEVA  Recorder 45739  File No.	RECORDS DA.	Il X Jonning (Agent Box 506 nnemucca 14 evada

Jackrabbit #	f)&
Charles Damele Sr., Charle	was located by Damel e JR., Ronald Damel e
	Enreka, Nevada.
	November 19.67, situated in
	Eureka County, State of
	st of the Buckhorn mine. Also, the
	n is common with the south end line of
Jackrabbit #30.	
	al object or permanent monument)  1500 linear feet along the course of
	750 feet from the
	direction, and
eet in a <u>southerly</u> direction,	, together withfeet
n each side of the center of the ledge for the	e entire length of the claim.
The discovery work consists of	drill hole 400 feet in depth
	(Shaft, cut or tunnel)
and 100 easterly from Loc Mon	ument of Jackrabbit # 34)
ove encioned to discount even """""	
	outherly direction from the location  when of Jackrabbil 234)  feet wide, feet high,
feet long and	feet deep, exposing ledge, lode or vein in place.
The northwest corner is marked by a	post, 4 feet high, inscribed
The northwest corner is marked by a	post, 4 feet high, inscribed
The northwest corner is marked by a	feet deep, exposing ledge, lode or vein in place.
The northwest corner is marked by a  N. W. corner Jackrabbit #32  post, 4 feet high, inscribed	feet deep, exposing ledge, lode or vein in place.  post, 4 feet high, inscribed  Mine"; the southwest corner is marked by a
The northwest corner is marked by a	feet deep, exposing ledge, lode or vein in place.  post, 4 feet high, inscribed  Mine"; the southwest corner is marked by a d "S.W. corner Jackrabbit #32 post, 4 feet high,
feet long and	feet deep, exposing ledge, lode or vein in place.  post, 4 feet high, inscribed  Mine"; the southwest corner is marked by a  d "S.W. corner Jackrabbit #32  post, 4 feet high,  #32 Mine"; the northeast corner is
The northwest corner is marked by a	feet deep, exposing ledge, lode or vein in place.  post, 4 feet high, inscribed  Mine"; the southwest corner is marked by a  d "S.W. corner Jackrabbit #32  post, 4 feet high,  #32 feet high,  #32 feet high,  feet high, inscribed "N. E. corner
The northwest corner is marked by a	feet deep, exposing ledge, lode or vein in place.  post, 4 feet high, inscribed  Mine"; the southwest corner is marked by a d "S.W. corner Jackrabbit #32 post, 4 feet high,  #32 Mine"; the northeast corner is feet high, inscribed "N. E. corner te is also a post at
The northwest corner is marked by a  N. W. corner Jackrabbit #32  post, 4 feet high, inscribed line"; the southeast corner is marked by a secribed "S. E. corner Jackrabbit marked by a post, 4  Jackrabbit #32 Mine." There is center of each side line. The discovery wo	feet deep, exposing ledge, lode or vein in place.  post, 4 feet high, inscribed  Mine"; the southwest corner is marked by a  d "S.W. corner Jackrabbit #32  post, 4 feet high,  #32 feet high,  #32 Mine"; the northeast corner is  feet high, inscribed "N. E. corner  te is also a post at  ork has been done and the location completed since
The northwest corner is marked by a	feet deep, exposing ledge, lode or vein in place.  post, 4 feet high, inscribed  Mine"; the southwest corner is marked by a d "S.W. corner Jackrabbit #32  post, 4 feet high,  post, 4 feet high,  feet high,  feet high, inscribed "N. E. corner is  feet high, inscribed "N. E. corner  re is also a post at  ork has been done and the location completed since  67
The northwest corner is marked by a	feet deep, exposing ledge, lode or vein in place.  post, 4 feet high, inscribed  Mine"; the southwest corner is marked by a  d "S.W. corner Jackrabbit #32  post, 4 feet high,  #32 feet high,  feet high, inscribed "N. E. corner is  feet high, inscribed "N. E. corner  re is also a post at  ork has been done and the location completed since  67
The northwest corner is marked by a	feet deep, exposing ledge, lode or vein in place.  post, 4 feet high, inscribed  Mine"; the southwest corner is marked by a  d "S.W. corner Jackrabbit #32  post, 4 feet high,  #32 feet high,  feet high, inscribed "N. E. corner is  feet high, inscribed "N. E. corner  re is also a post at  ork has been done and the location completed since  67
The northwest corner is marked by a  N. W. corner Jackrabbit #32  post, 4 feet high, inscribed line"; the southeast corner is marked by a secribed "S. E. corner Jackrabbit warked by a post, 4  Jackrabbit #32 Mine." Therefore center of each side line. The discovery wo november 30  Pated December 7 19  RECORDED AT THE REQUEST OF Donald R. Jennings	feet deep, exposing ledge, lode or vein in place.  post, 4 feet high, inscribed  Mine"; the southwest corner is marked by a  d "S.W. corner Jackrabbit #32  post, 4 feet high,  #32 feet high,  feet high, inscribed "N. E. corner is  feet high, inscribed "N. E. corner  re is also a post at  ork has been done and the location completed since  67
The northwest corner is marked by a  N. W. corner Jackrabbit #32  post, 4 feet high, inscribed line"; the southeast corner is marked by a secribed "S. E. corner Jackrabbit warked by a post, 4  Jackrabbit #32 Mine." Therefore center of each side line. The discovery wo november 30  Pated December 7 19  RECORDED AT THE REQUEST OF Donald K. Jennings on December 8 19 67 at 03 mins. gast 10 A. M.	feet deep, exposing ledge, lode or vein in place.  post, 4 feet high, inscribed  Mine"; the southwest corner is marked by a d "S.W. corner Jackrabbit #32  post, 4 feet high,  post, 4 feet high,  feet high,  feet high, inscribed "N. E. corner is  feet high, inscribed "N. E. corner  re is also a post at  ork has been done and the location completed since  67
The northwest corner is marked by a  N. W. corner Jackrabbit #32  post, 4 feet high, inscribed line"; the southeast corner is marked by a secribed "S. E. corner Jackrabbit arked by a post, 4  Jackrabbit #32 Mine." Therefore center of each side line. The discovery wo november 30  Pated December 7 19  RECORDED AT THE REQUEST OF Donald K, Jennings on December 8 19 67 or 03 mins. pist 10 A. M. in Book 21 of CIFICIAL RECORDS, page 413 RECORDS	feet deep, exposing ledge, lode or vein in place.  post, 4 feet high, inscribed  Mine"; the southwest corner is marked by a  d "S.W. corner Jackrabbit #32  post, 4 feet high,  #32 feet high,  feet high, inscribed "N. E. corner is  feet high, inscribed "N. E. corner  re is also a post at  ork has been done and the location completed since  67
The northwest corner is marked by a	feet deep, exposing ledge, lode or vein in place.  post, 4 feet high, inscribed  Mine"; the southwest corner is marked by a  d "S.W. corner Jackrabbit #32  post, 4 feet high,  #32 feet high,  feet high, inscribed "N. E. corner is  feet high, inscribed "N. E. corner  re is also a post at  ork has been done and the location completed since  67

This Is to Certify, That a mining cla	im named the
Jackrabbit #33	was located by
	Damel e IR., Ronald Damele
	kea, Nevada,
on the	ovember 1967., situated in
	Euroka County, State of
	e Buckhorn mine. Also the west
	n with the east side line of
(Refer to some natural obje	ect or permanent monument)
	linear feet along the course of
nineral bearing ledge, lode or vein, extending	750 feet from the
ocation monument in a <u>northerly</u> direct	tion, and750
ect in a Southerly direction, toge	other withfeet
n each side of the center of the ledge for the enti	ire length of the claim.
The discovery work consists ofa.drj	Ill hole 400 feet in depth
	(Shaft, cut or tunnel)
( and 100 costerly of Loc. Monument	outherly direction from the location
ionument and its dimensions are	feet wide, feet high,
	feet deep, exposing ledge, lode or vein in place.
	st. 4 feet high, inscribed
Dost., 4. feet high, inscribed "S.	W. cornerJackrabbit #33
line"; the southeast corner is marked by a	post,4 feet high,
scribed "S. E. cornerJackrabbit	#33 Mine"; the northeast corner is
arked by apost	feet high, inscribed "N. E. corner
Jackrabbit #33 Mine." There is	also apostat
e center of each side line. The discovery work h	as been done and the location completed since
November 30 1967	
ated December 7 19 67	
	David IX Janning (Agen)
RECORDED AT THE REQUEST OF	Pa Box 506
Donald K. Jennings	Winnemacca Nevada
December 8 19 67	
on December 6 19 07  of 03 mins, part 10 A. M.  in Seck 21 of OFFICIAL  RECORDS, page 414 RECORDS	To the second se

Recorder 45741 Fee \$ 1.00

This Is to Certify, That a mining cli	aim named the
Jackrabbit #34	was located by
Charles Damele Sr., Charles Dame	le Jr., Ronald Damele and
	yada.
on the15 day of	November 19.67, situated in
	Eureka County, State of
Nevada, and about5 miles west o	
the north end line of this claim	is common with the south end
line of Jackrabbit #32.	
	***************************************
(Refer to some natural obj	ect or permanent monument)
	Olinear feet along the course of
	.750feet from the
	tion, and
feet in asoutherly direction, tog	ether with300feet
on each side of the center of the ledge for the ent	ire length of the claim.
The discovery work consists ofdrillh	ole 400 feet in depth (Shaft, cut or tunnel)
situated about 100 feet in a	aasterly direction from the location
	feet wide, feet high,
\ \	feet deep, exposing ledge, lode or vein in place.
	oat, feet high, inscribed
post, 4 feet high, inscribed "S	
	post, feet high,
	.#34 Mine"; the northeast corner is
	feet high, inscribed "N. E. corner
	also apost at
	as been done and the location completed since
November 30 19 .67.	
December 6	
19 .0.	You Box 506 Winnenucca, Nevada
RECORDED AT THE REQUEST OF Donald K, Jennings	yo Box 506
on December 8 1967	Winnenucca, Nevada
in Book <u>21</u> of GFFICIAL	1
RECORDS, page 415, RECORDS OF EUREKA COUNTY, NEVADA.	

Recorder 45742

			$(\alpha_{i_1}, \beta_{i_2}, \beta_{i_3}) = (\beta_i, \beta_i, \beta_i, \beta_i)$	was locat	4.0
Charles Damele Sr., Cha				was locat	ed by
and Jack O'Connor ald o					-
			Po de a successión de méson, o preside de la successión d		_
the15	day of	November	***************************************	19. <sup>67</sup> , situat	ed ir
Buckhorn Mining		The Late of the Control of the Contr		// No. 1719	
evads, and about 5 miles					
west side line of this of					
Jackrabbit #34.	************	PP=200000000000000000000000000000000000	•======================================	·····	*******
<b>20</b> 09001				- Birn Anglighing samu and shan sha s	*********
				7. [	
					7.9
		ect or permanent		***************************************	
	1500	)	linear fee	t along the cour	se of
neral bearing ledge, lode or vein, e	extending	.750	***************************************	feet from	a the
ation monument in anorthe	rly direc	tion, and	750	***************************************	
tina southerly	direction, tog	ether with	300		feet
each side of the center of the leds					e viz
The discovery work consists of		44.		oth	
uated about 300 feet in and 100 (1 earlerly of the onument and its dimensions are feet long and		feet	wide,	feet 1	nig <b>h</b> ,
	factor and the second	/ /			1000
The northwest corner is marked	by 8	49. <b>4</b>	******************	· sees men' meet	ibed
The northwest corner is marked . W. corner	6.			the state of the s	' = ,
W. corner Jackrabbit	#35	Mine"; 1	the southwest co	orner is marked	by a
W. corner Jackrabbit  post, 4 feet high	#35 inscribed "S	.W. corner	the southwest or	orner is marked	bу а 
. W. corner Jackrabbit  post, 4 feet high  ne"; the southeast corner is mar	#35 , inscribed "8 ked by a	Mine"; 1 W. corner	the southwest or	#35 feet I	by a
. W. corner Jackrabbit  post, 4 feet high ne"; the southeast corner is mar cribed "S. E. corner Jackrabbit	#35 , inscribed "S ked by a ackrabbit	Mine"; ( W. corner	the southwest conduction to th	#35 feet le northeast corn	by a  nigh, er is
. W. corner Jackrabbit  post, 4 feet high  ne"; the southeast corner is mar  cribed "S. E. corner Jackrabbit  rked by a post, 4	#35 , inscribed "S ked by a ackrabbit	Mine"; ( W. corner	dackrabbit  Mine"; th  feet high, in	#35 feet I e northeast cornscribed "N. E. co	by a nigh, ar is
. W. corner Jackrabbit  post, 4 feet high  ne"; the southeast corner is mar  cribed "S. E. corner Jackrabbit #35 Mir	#35 , inscribed "S ked by aackrabbit	Mine"; t W. corner  post, 4 #35	dackrabbit  Mine"; th  feet high, in	#35 feet I e northeast cornscribed "N. E. co	by a nigh, er is rner
. W. corner Jackrabbit  post, 4 feet high  ne"; the southeast corner is mar  cribed "S. E. corner Jackrabbit #35 Mir  center of each side line. The disc	#35  inscribed "8  ked by a  ackrabbit  he." There is	Mine"; ( W. corner  post, 4 #35  also a  as been done	dackrabbit  Mine"; th  feet high, in	#35 feet I e northeast cornscribed "N. E. co	by a nigh, er is rner
. W. corner Jackrabbit  post, 4 feet high  ne"; the southeast corner is mar  cribed "S. E. corner Jackrabbit #35 Mir  center of each side line. The disc  November 30	#35  inscribed "8  ked by a  ackrabbit  ie." There is  covery work h	Mine"; ( W. corner  post, 4 #35  also a  as been done	dackrabbit  Mine"; th  feet high, in	#35 feet I e northeast cornscribed "N. E. co	by a nigh, er is rner
. W. corner Jackrabbit  post, 4 feet high  ne"; the southeast corner is mar  cribed "S. E. corner Jackrabbit #35 Mir  center of each side line. The disc  November 30	#35  inscribed "S ked by a  ackrabbit  ne." There is covery work h	Mine"; ; W. corner	Mine"; the feet high, income and the location	#35 feet is narked #35 feet is northeast cornscribed "N. E. co	by a nigh, ar is ruer at ince
. W. corner Jackrabbit  post, 4 feet high  ne"; the southeast corner is mar  cribed "S. E. corner Js  rked by a post, 4  Jackrabbit #35 Mir  center of each side line. The disc  November 30  ted December 7	#35  inscribed "8  ked by a  ackrabbit  ne." There is  covery work b  19 67	Mine"; 1 W. corner  post, 4 #35  also a as been done	Mine"; the feet high, income and the location	feet I e northeast cornscribed "N. E. co	by a high, ar is ar ince
. W. corner Jackrabbit  post, 4 feet high  ne"; the southeast corner is mar  cribed "S. E. corner Jackrabbit #35 Mir  center of each side line. The disc  November 30  ted December 7	#35  inscribed "8  ked by a  ackrabbit  ne." There is  covery work b  19 67	Mine"; 1 W. corner  post, 4 #35  also a as been done	Mine"; the feet high, income and the location of the location	feet I feet I e northeast corn scribed "N. E. co on completed a	by a light, aris ar is at lince
. W. corner Jackrabbit  post, 4 feet high  ne"; the southeast corner is mar  cribed "S. E. corner Jackrabbit #35 Mir  center of each side line. The disc  November 30  RECORDED AT THE REQUEST OF  Donald K. Jennings  on December 8 1967  ot 03 mins post 10 A. M.  in Sock 21 of OFFICIAL	#35  inscribed "S ked by a	Mine"; 1 W. corner  post, 4 #35  also a as been done	Mine"; the feet high, income and the location of the location	feet I feet I e northeast corn scribed "N. E. co on completed a	by a light, aris ar is at lince
. W. corner Jackrabbit  post, 4 feet high  ne"; the southeast corner is mar  cribed "S. E. corner Jackrabbit #35 Mir  center of each side line. The disc  November 30  RECORDED AT THE REQUEST OF  Donald K. Jennings  on December 8 1967  ot 03 mins, post 10 A. M.	#35  inscribed "S ked by a	Mine"; 1 W. corner  post, 4 #35  also a as been done	Mine"; the feet high, income and the location of the location	feet I e northeast cornscribed "N. E. co	by a light, aris at lince