1423 E. 9th So. Salt Lake City.

B.K. Seeley, Jr.
(Name of Locator)

(Address)

(Name of Locator)

(Address)

(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH

LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF LOCATION.)

B.K. Seeley, Jr.
(Name of Locator)

(Name of Locator)

1423 E. 9th 80.

(Address)

(Address)

File

Foo \$1.00

RECORDS OF

	(Ga			
3	THIS IS TO CER s located by ry 19 68 i ureka ing situated:		5-+- # T	
· · · · · · · · · · · · · · · · · · ·	THIS IS TO CER	TIFY that the	Beta - 3	- TOOLS
ining Claim wa	s located by	B.K. Seeley.	r. on th	e juth
ay of Janus	<u>ry</u> , 19 <u>68</u> 1	n the Filneral	niii	_mining
istrict, E	ureka	County, State	of Nevada, I	urther
scribed as be	ing situated:	Et Sec. 9 - T.	<u> 261 - R.52E.</u>	MDBAM
	·			
			·	
	The general co	urse of said :	lode or vein	is northerly
nd the underei	aned claims 10	feet in a	westerly	direction
1490 500	gned claims 10 t in an easterly	direction fro	om the point	of discovery
30	300 feet on ea	Tatlecton fr	on chit position	he vein or
teu a Mideu or	1 Teet on ea	ch side of the	3 Caucar Or	NO TOLII OL
ode along the	entire length of	sald Claim,		
			\	
		•	_\	
	The location w	ork was done w	upon the <u>Bet</u>	<u>8 #4 </u>
laim(s) for th	a henefit of a co	ntiquous grou	o of not more	than ten (10
nde Mining Cla	ims, the specific	names of which	ch are as fol	lows:
Rets #3 #4.	#5.#6.#7.#21.#22.	#23 #24 #25	\	
DO 00 11 11 11	<u> </u>	7		
	•			7 /
			takad ada 10	m4 1 1 4 mm
	The location w	fork done cons	isted of t	T T T T T T T T T T T T T T T T T T T
				
hence bearing cor , mar f 750 feet t earing west	The corners are collows: Beginning southa distance control the south side a distance coded SW cor ; the collow feet to the control the center a distance of control to the corner control to the corne	of 600 feet thence bearing center, mof 750 fee	orner, marked to the sout g west arked SSC t to the so	NE cor heast distance ; thence
the north s	ide center	marked NSC		; thence
aring east	a distance of	750 feet to	the point of	beginning.
arrud case	a distance or_ ove described cor	are le s	lock monument	Or
ion of the abo	ove described corr	1618 18 g	TOCK HIGHMAN	·
a 4 X 4	x 4½ post.			
	\ \	1 1		
	The location a	and discovery	work referred	1 to above in
nis Location ('ortificate was no	erformed on or	before	
April 26	1968 by or	on behalf of	the undersi	ned locator(
			,	- · · · · · · · · · · · · · · · · · · ·
B.K. Seeley	Jr.	1423 8. 1	ith So. Salt	Lake City. II
Name of	of Locator)		(Address)	
(Name C	I MUCALULY		/	
	^			
			/3.45	
(Name o	of Locator)		(Address)	•
\	/ /			

(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

NW cor; thence bearing east a distance of 750 for the north side center marked NSC; thence bearing east a distance of 750 feet to the point of beginning.

Each of the above described corners is a Rock monument or a 4 x 4 x 4 post.

this Location Certificate was performed on or before , 1968, by or on behalf of the undersigned locator(s). April 26 1423 E. 9th So. Salt Take City. B.K. Secley, (Name of Locator) (Address)

The location and discovery work referred to above in

(Address) (Name of Locator)

သူ့ သူ့

(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

restant of the same particular and the same of the production of the contract of the same of the same

46606

File No.

and marked as follows: Beginning at the NE corner, marked NE cor thence bearing south a distance of 600 feet to the southeast cor marked SE cor; thence bearing west a distance of 750 feet to the south side center, marked SSC; then bearing west a distance of 750 feet to the southwest cor, marked SW cor; thence bearing north a distance of 600 feet to the northwest cor, marked SW cor; thence bearing north a distance of 750 feet to the northwest cor, marked SW cor; thence bearing north a distance of 750 feet to the northwest cor marked SW cor the northwest cor marked SW c a distance ; thence

HEdistance of 600 NW cor ; thence bearing east of the north side center , marked NSC bearing east a distance of 750 feet to the standard of 150 feet to the stan a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 4 post.

The location and discovery work referred to above in this Location Certificate was performed on or before
April 26 , 1968 , by or on behalf of the undersigned locator(s).

B.K. Seeley, 1423 E. 9th So. Salt Lake City. (Name of Locator) (Address)

(Address)

THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A

(Name of Locator)

LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

ril 29 19 68 or 50 min. part 23 of official RECORDS, page 388

200 SQ 310 SQ 31

(Name of Locator)

(Address)

THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

*a 4 x 4 x 4 post.

The location and discovery work referred to above in this Location Certificate was performed on or before April 26, 1968, by or on behalf of the undersigned locator(s). 1423 8. 9th 80. Salt Taxa City. Seeley, Jr.
(Name of Locator) B.K.

(Address) (Address) (Name of Locator)

THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

389

RECORDS Reco

Q =

4EEG0

e No	THIS IS TO CER	TIFY that the	Beta # 8 Lode on the 30th Mining f Nevada, further T.26N - R.52E, MDB&M
Mining Claim was	located by	3.K. Seeley, Jr.	on the 30th
day of January	19 68 1	n the Mineral F	ill Mining
District Eure	ka	County, State of	f Nevada, further
described as being	altuated:	Se Sec. 9 -	T.26N - R.52E. MDBAM
depertance of serving	, 0		
			1 14 J. 1881
	 		To the second se
•	•		
	The general co	ntse or sgld to	de or vein is norther
and the undersigne	ad claims	feet in a	westerly direct: the point of discover
and <i> 490</i> feet :	in an easterly	_direction from	the point of discover
with a width of 3	300feet on eac	ch side of the (center of the vein or
lode along the ent	tire length of	said claim.	
		-	\ \
	m In-add an		an aba Rete # 8
			on the Beta # 8
والمنافع وا			
شسندو .			
			and all offerences
	The location w	ork done consis	ted of: Trenching
			.00 is applicable to
	The corners an	d side centers	of the claim are locat
and marked as foll	lows: Beginnin	g at the NE cor	ner, marked NE cor
thorac hearing 80	outha distance	of 600 feet to	the southeast
Chence pearing	3 GE CO2	theree bearing	west a distance
COL MAINE	a bu cor	Cuence pearing_	west a distance ked SSC; thence
of /50 feet to	the south side	center mar	Ked Sac ; citerici
bearing west	a distance o	<u>f 750</u> feet	to the southwest
g cor marked	Sw cor , the	nce bearing no	ortha
distance of 600	feet to t	he northwest co	or marked
ÖNW COr	thence bearing	east	a distance of 750
The same of the sa	mience bearing	Tarked NCC	- theme
To the MOLTH 8106	: caucar	MAIREU NOC	to the southwest orth a or , marked a distance of 750 , thence the point of beginning
bearing east	a distance of	/DU FREE TO E	ue boing or pediuning
Each of the above	described corn	ers is a Roc	ck monument or
$S = \mathbf{a} \cdot 4 \times 4 \times 6$	45 post.	1 1	
	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	سيحمد إحسامين	17.
¥ / \	Man 1		he point of beginning
9	THE TOCATION S	ud disconsta Mo	rk referred to above
	biedmaka waa ba	riormed on or b	eiore
this Location Cer	CITICATE MGS De		
April 26	, 19 <u>68</u> , by or	on behalf of t	he undersigned locator
April 26	, 19 <u>68</u> , by or		
April 26			
April 26			n So. Salt lake City.
April 26  B.K. Seeley.			
•			n So. Salt lake City.
Se	Locator)		(Address)
(Name of	Locator)		n So. Salt lake City.
(Name of	Locator)		(Address)
See (Name of	Locator)	1423 8. 99	(Address)
(Name of	Locator)  Locator)  OF LOCATION MU	1423 8. 90	(Address)  (Address)  ON THE CLAIM AND A
Name of  (Name of  (Name of  (Name of  (THIS CERTIFICATE  LEGIBLE COPY RECO	Locator)  Locator)  OF LOCATION MURDED WITH THE C	ST BE POSTED UP	(Address)  (Address)  ON THE CLAIM AND A OF THE COUNTY IN WHICH
(Name of	Locator)  Locator)  OF LOCATION MURDED WITH THE C	ST BE POSTED UP	(Address)  (Address)  ON THE CLAIM AND A OF THE COUNTY IN WHICH
(Name of Cartificate Legible Copy RECO	Locator)  Locator)  OF LOCATION MURDED WITH THE C	ST BE POSTED UP	(Address)  (Address)  ON THE CLAIM AND A OF THE COUNTY IN WHICH

위 ;

The location and discovery work referred to above in

4 dhis Location Certificate was performed on or before , 19 68, by or on behalf of the undersigned locator(s). April 26

1423 E. 9th So. Salt Lake City. Utah B.K. Seeley, Jr. (Name of Locator) (Address)

past

3

ç

(Name of Locator)

. Tarak kalendari da Landa (aga kalendari kalendari kalendari kalendari kalendari kalendari kalendari kalendari

THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

(Address)

(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

(Address)

. 393 - 195

\∡

ᇎ

8/2

(Name of Locator)

The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 600 feet to the southeast cor marked SE cor thence bearing west a distance of 750 feet to the south side center marked SSC thence bearing west a distance of 750 feet to the southwest cor marked SW cor thence bearing north a distance of 600 feet to the northwest cor marked bearing east a distance of 750 feet to the north side center marked NSC to the north side center to the point of beginning.

The location and discovery work referred to above in this Location Certificate was performed on or before this Location Certificate was performed on or before April 26 1968, by or on behalf of the undersigned locator(s).

B.K. Seeley, Jr. 1423 E. 9th So. Salt Lake City, Utah (Name of Locator)

(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

(Name of Locator)

ने देश की विभिन्न के ता के बेदार देश के अपने के किया के किया के किया के किया कि किया है कि के किया किया है किय

및 ਨੇ

(Address)

유를

this Location Certificate was performed on or before April 26 , 1968, by or on behalf of the undersigned locator(s).

1423 E. 9th So. Lake City. Utah Salt B.K. Seeley, Jr. (Name of Locator) (Address) (Address) (Name of Locator)

(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

Section of the second section of the second section of the second section section of the second section of the section of

past

RECORDS C

THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

8

# Edistance of 600 a distance of 750 f

to the north side center , marked NSC ; thence
bearing east a distance of 750 feet to the point of beginning.
Each of the above described corners is a Rock monument or

a 4 x 4 x 4½ post. B.K. Seeley, Jr. 1423 E. 9th So. Salt Lake City. Utah (Name of Locator) (Address) 398 (Name of Locator) (Address) (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A

LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

tin dikitikamikikit niti Akka in Akka ma Mikiki tarahit ilahitikin milikita mengrap mengrapan malikan miliki

bearing east a distance of 750 feet to the point of beginning.

Each of the above described corners is a Rock monument or a 4 x 4 x 4 post.

The location and discovery work referred to above in 

Lake City Utah B.K. Seeley, Jr. 1423 E. 9th So. Salt (Name of Locator) (Address)

(Address)

(Name of Locator)

399

Š

(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

2.

and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 600 feet to the southeast a distance , marked SE cor ; thence bearing west cor feet to the south side center , marked SSC ; th west a distance of 750 feet to the southwest , marked SW cor ; thence bearing north a of 600 feet to the northwest cor , market of_750 bearing_ distance of 600 feet to the northwest cor marked by cor thence bearing east a distance of 750 feet to the north side center marked NSC thence bearing east a distance of 750 feet to the point of beginning.

bearing east a distance of 750 feet to the point of beginning. feet weach of the above described corners is a a 4 x 4 x 4 post.

THE NO.

this claim.

this Location Certificate was performed on or before April 26 , 19 68, by or on behalf of the undersigned locator(s). B.K. Seeley, Jr. 1423 E. 9th So. Salt Lake City. mins, post (Name of Locator) (Address)

The location and discovery work referred to above in

(Address)

RECORDS L ATHIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A DEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH , THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

Land from the Committee of the Committee

(Name of Locator)

THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

8

50 50

mins

(Name of Locator)

E.K. Seeley, Jr.
(Name of Locator)

, 19 68, by or on behalf of the undersigned locator(s).

(Address)

1423 E. 9th So. Salt Lake City. Utah (Address)

B.K. Seeley, Jr.

(Name of Locator)

1423 E. 9th So. Salt Lake City, Utah (Address)

(Name of Locator) (Address)

THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A GEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

-	623
710	(C 7)
447	
_	

F00 S

RECORDS OF

(GROUP OF CLAIMS)

OOK 28 PAGE 404

Mining Claim was located by day of January 1968 District, Eureka described as being situated: E	
Assenthal as had as three to the	in the Mineral Hill Mining
	Te San D - T 36M - D 53F upper
described as being situated;	18 Dec. 9 - 1.20R - A. 32B. M.D.3.M.
**************************************	· · · · · · · · · · · · · · · · · · ·
	<del></del>
	\ \
The coneral of	muna as and the same and the same
and the understaned claims 1/0	course of said lode or vein is northe
and 10 feet in an easterly	o feet in a westerly direct direction from the point of discovery
with a width of 300 feet on a	each side of the center of the vein or
lode along the entire length of	testa claim center of the Asiu of
and along the entire rength of	BULG CARING
The location	work was done upon the Bets #4
claim(a) for the benefit of a c	contiguous group of not more than ten
Lode Mining Claims the specifi	c names of which are as follows:
Pota #3.#4.#5.#6.#7.#21.#2	o women of Auton eta de follons.
	ELECTRE TIPES
7	
The location	work done consisted of prilling
2116 10C&C1011	MOLK GOING COURTREAD OF BUILDING
COSTING A TOTAL OF \$ 1000.00 this claim.	, of which \$100,00 is applicable to
The corners a	nd side centers of the claim are loca
The corners a and marked as follows: Beginni	nd side centers of the claim are local
The corners a and marked as follows: Beginni thence bearing southa distance	nd side centers of the claim are localing at the NE corner, marked NE corner of 600 feet to the southeast
The corners a and marked as follows: Beginni thence bearing southa distance cor , marked SE cor , of 750 feet to the south side	and side centers of the claim are local and at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance e center marked SSC thence
The corners a and marked as follows: Beginni thence bearing southa distance cor , marked SE cor ; of 750 feet to the south side bearing west a distance	and side centers of the claim are local and at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance of 750 feet to the southwest
The corners a and marked as follows: Beginni thence bearing southa distance cor , marked SE cor ; of 750 feet to the south side bearing west a distance	and side centers of the claim are local and at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance of 750 feet to the southwest
The corners a and marked as follows: Beginni thence bearing southa distance cor , marked SE cor ; of 750 feet to the south side bearing west a distance	and side centers of the claim are local and at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance of 750 feet to the southwest
The corners a and marked as follows: Beginni thence bearing southa distance cor , marked SE cor , of 750 feet to the south side bearing west a distance of cor , marked SW cor , the south side bearing west a distance of 600 feet to	nd side centers of the claim are local ng at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance electer, marked SEC; thence of 750 feet to the southwest ence bearing north a the northwest cor marked
The corners a and marked as follows: Beginni thence bearing southa distance cor , marked SE cor , of 750 feet to the south side bearing west a distance of cor , marked SW cor , the distance of 600 feet to SNW cor ; thence bearing to the north side center	nd side centers of the claim are local ng at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance e center marked SSC; thence of 750 feet to the southwest ence bearing north a the northwest cor marked geast a distance of 750 marked NSC; thence
The corners a and marked as follows: Beginni thence bearing southa distance cor marked SE cor; of 750 feet to the south side bearing west a distance of 600 feet to the north side center the aring east a distance of the north side center the south side s	nd side centers of the claim are local ng at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance electer marked SSC; thence of 750 feet to the southwest ence bearing north at the northwest cormarked great adistance of 750 marked NSC; thence 750 feet to the point of beginning 750 feet to the point of beginning
The corners a and marked as follows: Beginni thence bearing southa distance cor , marked SE cor , of 750 feet to the south side bearing west a distance of cor , marked SW cor , the distance of 600 feet to SNW cor , thence bearing to the north side center bearing east a distance of Each of the above described cor	nd side centers of the claim are local ng at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance electer marked SSC; thence of 750 feet to the southwest ence bearing north at the northwest cormarked great adistance of 750 marked NSC; thence 750 feet to the point of beginning 750 feet to the point of beginning
The corners a and marked as follows: Beginni thence bearing southa distance cor , marked SE cor , of 750 feet to the south side bearing west a distance of cor , marked SW cor , the distance of 600 feet to SNW cor , thence bearing to the north side center bearing east a distance of searing east search of the above described corrections.	nd side centers of the claim are local ng at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance e center marked SSC; thence of 750 feet to the southwest ence bearing north a the northwest cor marked geast a distance of 750 marked NSC; thence
The corners a and marked as follows: Beginni thence bearing southa distance cor , marked SE cor , of 750 feet to the south side bearing west a distance of cor , marked SW cor , the distance of 600 feet to SNW cor , thence bearing to the north side center bearing east a distance of searing east search of the above described corrections.	nd side centers of the claim are local ng at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance electer marked SSC; thence of 750 feet to the southwest ence bearing north at the northwest cormarked great adistance of 750 marked NSC; thence 750 feet to the point of beginning 750 feet to the point of beginning
The corners a and marked as follows: Beginni thence bearing southa distance cor , marked SE cor , of 750 feet to the south side bearing west a distance of cor , marked SW cor , the distance of 600 feet to SNW cor ; thence bearing to the north side center bearing east a distance of a 4 x 4 x 4 post,  The location	and side centers of the claim are local ng at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance electer marked SSC; thence of 750 feet to the southwest ence bearing north a the northwest cormarked great adistance of 750 marked NSC; thence 750 feet to the point of beginning ners is a Rock monument or
The corners a and marked as follows: Beginni thence bearing southa distance cor marked SE cor gof 750 feet to the south side bearing west a distance of 600 feet to distance of 600 feet to the north side center bearing east a distance of a 4 x 4 x 4½ post.  The location is the corner and the south side center and seat a distance of the north side center bearing east a distance of the south side center and seat a distance of the show the south side center the seat and seat a distance of the show the seat and seat	and side centers of the claim are local ng at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance electer marked SSC; thence of 750 feet to the southwest ence bearing north a the northwest cormarked great adistance of 750 marked NSC; thence 750 feet to the point of beginning ners is a Rock monument or
The corners a and marked as follows: Beginni thence bearing south a distance cor marked SE cor; of 750 feet to the south side bearing west a distance of cor, marked SW cor; the distance of 600 feet to the north side center bearing east a distance of a 4 x 4 x 4½ post.  The location	and side centers of the claim are local and at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance electer marked SSC; thence of 750 feet to the southwest ence bearing north at the northwest cormarked gleast adistance of 750 marked NSC; thence 750 feet to the point of beginning ners is a Rock monument or and discovery work referred to above erformed on or before
The corners a and marked as follows: Beginni thence bearing south a distance cor , marked SE cor , of 750 feet to the south side bearing west a distance z cor , marked SW cor , the distance of 600 feet to SNW cor ; thence bearing to the north side center to the north side center the saring east a distance of a 4 x 4 x 4 k post,  The location certificate was post a 4 x 1 x 19 68, by or	and side centers of the claim are local ng at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance electer marked SSC; thence of 750 feet to the southwest ence bearing north a the northwest cormarked great adistance of 750 marked NSC; thence 750 feet to the point of beginning ners is a Rock monument or
The corners a and marked as follows: Beginni thence bearing south a distance cor , marked SE cor , of 750 feet to the south side bearing west a distance of cor , marked SW cor , the distance of 600 feet to SNW cor , thence bearing to the north side center to the north side center the same and the above described corner a 4 x 4 x 4 post,  The location certificate was post about 26 pt 19 68, by on the same and stance of the same and stance of a 4 x 4 x 4 post,	and side centers of the claim are local and at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance electer marked SSC; thence of 750 feet to the southwest ence bearing north at the northwest cormarked gleast adistance of 750 marked NSC; thence 750 feet to the point of beginning ners is a Rock monument or and discovery work referred to above erformed on or before ron behalf of the undersigned locator.
The corners a and marked as follows: Beginni thence bearing south a distance cor , marked SE cor , of 750 feet to the south side bearing west a distance of cor , marked SW cor , the distance of 600 feet to SNW cor , thence bearing to the north side center to the north side center the same and the above described corner a 4 x 4 x 4 post,  The location certificate was post about 26 pt 19 68, by on the same and stance of the same and stance of a 4 x 4 x 4 post,	and side centers of the claim are local and at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance electer marked SSC; thence of 750 feet to the southwest ence bearing north at the northwest cormarked gleast adistance of 750 marked NSC; thence 750 feet to the point of beginning ners is a Rock monument or and discovery work referred to above erformed on or before
The corners a and marked as follows: Beginni thence bearing south a distance cor marked SE cor; of 750 feet to the south side bearing west a distance of cor, marked SW cor; the distance of 600 feet to south side center the north side center bearing east a distance of sach of the above described core a 4 x 4 x 4½ post.  The location certificate was post a by SK, Seeley, Jr.  (Name of Locator)	and side centers of the claim are local and at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance electer marked SSC; thence of 750 feet to the southwest ence bearing north at the northwest cor marked gleast a distance of 750 marked NSC, thence 750 feet to the point of beginning ners is a Rock monument or and discovery work referred to above erformed on or before ron behalf of the undersigned locator.
The corners a and marked as follows: Beginni thence bearing south a distance cor , marked SE cor , of 750 feet to the south side bearing west a distance z cor , marked SW cor , the distance of 600 feet to SNW cor ; thence bearing to the north side center bearing east a distance of a 4 x 4 x 4 k post,  The location certificate was post a 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	and side centers of the claim are local and at the NE corner, marked NE corner of 600 feet to the southeast thence bearing west a distance electer marked SSC; thence of 750 feet to the southwest ence bearing north at the northwest cor marked gleast a distance of 750 marked NSC, thence 750 feet to the point of beginning ners is a Rock monument or and discovery work referred to above erformed on or before ron behalf of the undersigned locator.

(This certificate of location must be posted upon the claim and a fegible copy recorded with the county recorder of the county in which the claim is located within 90 days after the date of location.)

HEND TRADE OF THE THE PROPERTY OF THE PROPERTY

46624	(GROUP OF	CLAIMS)	воок 23	PAGE 405
THE 140, THE TO THE	TO CCOMPEN A		. "77	Lode
Mining Claim was located lay of January District, Eureka described as being situate	19 <u>6</u> \$ in the County	Mineral Hi , State of - T.26N -	11 Mi Nevada, furt R.52E, MDBAN	ning her
			-A	
The general and the undersigned claims and 10 feet in an easwith a width of 300 feet lode along the entire length.	L UN MACH BIA	t in a w tion from t	esterly	_direction
The loca claim(s) for the benefit of Lode Mining Claims, the species #3,#4,#5,#6,#7,#	JECTTIC DYWDS	as group of	not more the	710
		<del></del>	<del>\</del>	
The loca	tion work dor	ne consiste	d of: <u>Drillin</u>	<u> </u>
the marked as follows: He thence bearing south a discorrection of 750 feet to the south bearing west a distance of 600 feet NW cor thence bearing east a distance of the above described a 4 x 4 x 4½ post, of this Location Certificate with the south of t	ers and side ginning at the tance of 600 ; thence hance of 750 ; thence beat to the normal earing east , marke e of 750 fd corners is the tion and discourse performed by or on behinders.	feet to the bearing we feet to ring northwest cor feet to the a Rock	r, marked NE ne southeas st a dis sSC; the southwith distance of point of beg monument or referred to	tance thence est  / a rked 750 feet thence inning.
B.K. Seeley, Jr. (Name of Locator)	142		o. Salt Lake ddress)	City. Utah
		·		
			ddress)	
LTHIS CERTIFICATE OF LOCATI REGIBLE COPY RECORDED WITH THE CLAIM IS LOCATED WITHIN	THE COUNTY RE	CORDER OF	THE COUNTY II	u wutou 🗎

Fr. s 1.00

CERTIF	ICATE OF LOCATION OF		
46625	(GROUP OF CLA	<del>-</del>	
File No TRI Mining Claim was loca day of January District, Eureka	ta oc in cue lutii	eral ulli M	lning .
District, Eureka described as being si	tuated: Es Sec. 9 -	T.26N - R.52E, MDBA	У
and the undersigned c and10feet in a	n_easterly_direction	a westerly from the point of	directio
with a width of 300 lode along the entire	_feet on each side of	the center of the	vein or
claim(s) for the bene Lode Mining Claims, t	location work was dofit of a contiguous of he specific names of #7.#21.#22.#23.#24.#	roup of not more to which are as follow	han ten (1
			//
The	location work done o	onsisted of: Drilli	ng .
	1000 00		
COSTING A TOTAL OF \$_ this claim.		\$100.00 is applica	able to
this claim.  The and marked as follows	corners and side cer	\$100.00 is application of the claim of the claim of the claim of the southern	able to
this claim.  The and marked as follows thence bearing south cor marked SE of 750 feet to the bearing west a	corners and side cer Beginning at the N a distance of 600. fe cor ; thence bes south side center distance of 750	ters of the claim	able to  are locate  cor  st  istance  thence
this claim.  The and marked as follows thence bearing south cor , marked SE of 750 feet to the bearing west a cor , marked SW distance of 600	corners and side cer Beginning at the N a distance of 600 fe cor ; thence bea south side center distance of 750 cor ; thence bearing feet to the northw	ters of the claim E corner, marked Ni et to the souther ring west a d marked SSC marked SSC morth est cor	able to  are locate  cor  st  istance ; thence  west  a  marked 750 fe
this claim.  The and marked as follows thence bearing south cor , marked SE of 750 feet to the bearing west a cor , marked SW distance of 600 NW cor , the to the north side cerbearing east a distance of the above des	corners and side cer Beginning at the N a distance of 600. fe cor ; thence bea south side center distance of 750 cor ; thence bearin feet to the northw nce bearing east nter , marked stance of 750 feet cribed corners is a	ters of the claim E corner, marked Ni et to the souther ring west a d marked SSC marked SSC morth est cor	able to  are locate  cor  st  istance ; thence  marked  750 fe ; thence eginning.
this claim.  The and marked as follows thence bearing south cor , marked SE of 750 feet to the bearing west a cor , marked SW distance of 600 NW cor , the to the north side cerbearing east a distance of the above des	corners and side cer Beginning at the N a distance of 600 fe cor ; thence bea south side center distance of 750 cor ; thence bearin feet to the northw nce bearing east nter , marked stance of 750 feet cribed corners is a post.	ters of the claim E corner, marked Niet to the souther ring west a d, marked SSC feet to the south g north est cor a distance of NSC to the point of be Rock monument or	able to  are locate  cor  ast  istance  thence  west  amarked  750  fe  thence  eginning.
this claim.  The and marked as follows thence bearing south cor , marked SE of 750 feet to the bearing west a cor , marked SW distance of 600 NW cor , the to the north side cerbearing east a di Each of the above des a 4 x 4 x 4 y The this Location Certifi	corners and side cer: Beginning at the Na distance of 600 fecor; thence beasouth side center distance of 750 cor; thence bearing feet to the northward east nter marked stance of 750 feet cribed corners is a location and discover	ters of the claim E corner, marked Ni et to the southed ring west a d , marked SSC feet to the south g north est cor a distance of NSC to the point of be Rock monument or ry work referred to	able to  are locate  cor  ist  istance  thence  west  are locate  for  ist  istance  thence  granked  for  thence  granked  are  thence  granked  are  cor  thence  cor  thence  cor  thence  cor  thence  cor  thence  cor  thence
The and marked as follows thence bearing south cor marked SE of 750 feet to the bearing west a cor marked SW distance of 600 NW cor to the north side cerbearing east a distance of the above des a 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	corners and side cer: Beginning at the Na distance of 600 fecor; thence bear south side center distance of 750 cor; thence bearing feet to the northward east neer marked stance of 750 feet cribed corners is a post.  location and discoverate was performed on 9.68, by or on behalf	ters of the claim E corner, marked Ni et to the southed ring west a d , marked SSC feet to the south g north est cor a distance of NSC to the point of be Rock monument or ry work referred to or before of the undersigne E. 9th 80. Salt Lab	able to  are locate  cor  ist istance ; thence west a marked
The and marked as follows thence bearing south cor marked SE of 750 feet to the bearing west a cor marked SW distance of 600 NW cor to the north side cerbearing east a distance of the above des a 4 x 4 x 4 x 1 x 1 x 1 x 1 x 1 x 1 x 1 x	corners and side cer: Beginning at the Na distance of 600 fecor; thence bear south side center distance of 750 cor; thence bearing feet to the northward east neer marked stance of 750 feet cribed corners is a post.  location and discoverate was performed on 9.68, by or on behalf	ters of the claim E corner, marked Ni et to the southed ring west a d , marked SSC feet to the south g north est cor a distance of NSC to the point of be Rock monument or ry work referred to or before of the undersigne	able to  are locate  cor  ist istance ; thence west a marked
The and marked as follows thence bearing south cor marked SE of 750 feet to the bearing west a cor marked SW distance of 600 NW cor to the north side celebearing east a distance of the above des a 4 x 4 x 4 y The this Location Certification	corners and side cer Beginning at the N a distance of 600. fe cor ; thence bea south side center distance of 750 cor ; thence bearin feet to the northw nce bearing east nter _ marked stance of 750 feet cribed corners is a post.  location and discove cate was performed on 9_68, by or on behalf tor)	ters of the claim E corner, marked Ni et to the southed ring west a d , marked SSC feet to the south g north est cor a distance of NSC to the point of be Rock monument or ry work referred to or before of the undersigne E. 9th 80. Salt Lab	able to  are locate  cor  istance  thence  west  arked  750  thence  ginning.  above in  d locator(

Fee 1.00 Recorder.

P. M. in ص ∡

	<u> </u>	CERTIFICATE	ርዮ ፤በርለጥ፣በ	I OF TODE	MINING CININ	<u> नवीत्रकात्रितः "स्वर्धायः</u>	- 61
	•						'n
	46526		(GROUP OF	CLAIMS)	воок 25	3 PAGE 4	0
File	No	THIS IS IN					į.
	Mining Claim wa	s located by	B.K. S	enat tne enat Tr	Beta # 2.5	Lode	
	Mining Claim wa day of Janus District E	ry, 19	68 in the	Mineral	Hill	Mining	_
	District, E described as be	ureka	County	, State o	f Nevada, fu	rther	
÷ .	described as be	ing situated	Es Sec.	9 - T.26N	- R.52E, MDE	B&M	<u>.</u>
	<del></del>		<del></del>				_
	<del></del>	<del></del>		<del></del>	<del></del>		_
					\ \	\	
		The genera	al course o	f said lo	de or vein i	s northerly	1.
	and the undersi and 10 fee	gned claims_	1490 fee	t in a	westerly	direction	ō
	with a width of	t in an easte	rly direc	tion from	the point of	f discovery	
	with a width of lode along the	entire length	on each sid	e or the	center of the	e vein or	
	<b>,</b>		. 01 5010 0	7.0 T.III.			
		The locati	on work wa	s done up	on the <u>Beta</u>	#4	_
	claim(s) for th	e Denerit or	a contiguo	us group	of not more	than ten (10	Š)
	Lode Mining Cla Beta #3,#4	#5.#6.#7.#21	.#22.#23.#2	OF WRICK	are as follo	W8:	-
			10-10-2103	<del></del>			-
					/		-
•		M 1 4 1		\ /_	/		
		The locati	on work do	ne consis	ted of: Drill	ing	_
	<del></del>		_				-
		/		/ /	<del></del>		-
	COSTING A TOTAL	OF \$ 1000.00	, of w	hich \$100	00 is applic	able to	•
	this claim.						
		/	/ /				
		The corner	s and side	centers o	of the claim	are located	
	and marked as fo	SIIIOMET MAAS	ND1 NA 34 41		M	T	•
•	thence bearing	SULLUA dieta	nce of buu	''ffeet to	the couthe	3.64	
7	nf 750 foot to	CEG OF COL	; thence	bearing_	<u>west</u> a d	istance	
j	bearing west	a distan	ce of 750	, mark	ced SSC	_; thence	
8 9 6	bearing west  Cor. , markedistance of 60  NW cor  to the north side of the above	d SW cor	thence bea	ring no	rth	a	•
િ <u>ઋ</u> દે	distance of 60	0 feet	to the nor	thwest co	r	marked	-
SH 6	o the porth of	; thence bea	ring east		distance of	750 <b>fee</b>	t
	pearing east	a distance	marke	dNSC		_, thence	
့ ဖြဲ့နဲ့	Each of the above	e described	corners is	a Roc	k monument or	eginning.	
유물원	a4x4	x 45 post.			The sagnesse of	<u> </u>	•
1968		_ / _ 7					,
ا⊸ج دی ا	bia Ingahian Co	The location	on and disc	overy wor	k referred t	o above in	- 0
င္ပုံျပ္ျ	this Location Ce	rtilicate wa:	s periormed	on or be	fore		
150 S		, 19 <u>68</u> , by	A OT OU DAU	AIL OF EN	e undersigne	g locator(s	١.
page man	B.K. Seeley,		14	23 B. 9th	So. Salt Lai	ce City. Uta	a)n
6 5	Name of	Locator)			(Address)	•	
12 2	D						
131 1	(Name of	Locator)			(Address)		
106	<b>Š</b>	_					
10 }	THIS CERTIFICAT	E OF LOCATION	MUST BE P	OSTED UPO	N THE CLAIM	AND A	
21	ÆGIBLE COPY REC	orded with th	IE COUNTY R	ECORDER O	F THE COUNTY	TN WHICH	
RECORDS	HE CLAIM IS LOC	ATED WITHIN S	O DAYS AFT	er the da	te of location	ON.)	
å	-	•				. =	
유하						`	

Fen S 1.00 Recorder.

408

Q =

Seeley, Jr. (Name of Locator) B.K. 1423 8. 9th So. Salt Jake City. Wah (Address)

(Name of Locator)

(Address)

The location and discovery work referred to above in

ATHIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

	CATION OF LODE MINING CLAIM
46628	BOOK 23 PAGE 409
THIS, IS TO CER Mining Claim was located by	TTRY that the Date # 77
Mining Claim was located by B day of January 1968 in	B.K. Seeley, Jr. on the 30th
day of January 1968 in District, Eureka described as being situated:	County, State of Nevada, further  Sp. Sec. 9 - T.26N - R.52E, MDB&M
	DP 300. 9 - T.20N - R.52E, MDB&M
The general and	area of cald lea-
and the undersigned claims 1490	rse of said lode or vein is northerly, feet in a westerly direction
with a width of 300 feet on ore	_direction from the point of discovery,
lode along the entire length of s	said claim.
ma Nama	
The location wo	ork was done upon the Beta # 27
The location wo	ork done consisted of: Trenching
COSTING A TOTAL OF \$ 100.00	of which \$100.00 is applicable to
this claim.	\ \
The corner	side gentere as a
	side centers of the claim are located at the NE corner, marked NE cor
cor , marked SE cor , th	nence hearing west
reet to the south side c	renter , marked SSC ; thence
* bg cor , marked SW cor , thence	
ω NW cor thence hearing	e_northwest cor
bearing east a distance of 75	marked NSC ; thence
bearing east a distance of 75  Each of the above described corner  a 4 x 4 x 4 post.	es is a Rock monument or
리 본 및 크	
The location and	discovery work referred to above in
W April 26 , 1968, by or o	on behalf of the undersigned locator(s).
A B.K. Seeley, Jr.	1423 8. Sth So. Salt Lake City, Heat
S A CORNER OF LOCATOR)	(Address)
Name of Locator)	
	(Address)
	BE POSTED UPON THE CLAIM AND A NTY RECORDER OF THE COUNTY IN WHICH
S S IN THE STATE OF THE STATE O	S AFTER THE DATE OF LOCATION.)
rden.	

46629		BOOK 23 PAGE
Mining Claim was located by day of January 1968 District, Eureka described as being situated:	ERTIFY that the	Beta # 28 Lode
day of January 1968	in the Mineral	Hill on the 30th
District, Eureka	County, State	of Nevada further
described as being situated:	Et Sec. 16 - T.2	6N - P 52F VDDAY
		THE TEN WIDER
		A .
The games 1		\ \
and the undersigned claims /46	course of said lo	de or vein is norther
and /D feet in an easterly	reet in a	westerly directi
and the undersigned claims /49 and /0 feet in an easterly with a width of 300 feet on elode along the entire length of	orrection irom	the point of discover
lode along the entire length of	said claim	center or the vein or
•	3111 31111	
The location	work was done up	on the Beta # 28
		on ene total a Co
	/ /	
The leasts	\	
The location	work done consist	ted of: Trenching
	<del>\</del>	
	$\rightarrow$	
COSTING A TOTAL OF \$ 100.00	of which \$200	60
this claim.	-, or whiteh \$100.	00 is applicable to
	\ \ (	
The corners a	nd side centers c	of the claim are locate
and marked as follows: Beginning	ng at the NE corn	er, marked NE cor
thence bearing south a distance	of 600 feet to	the southeast
marked SE cor	thence bearing	West a distance
cor , marked SE cor , of 750 feet to the south side pearing west a distance of	center , mark	ed SSC thence
cor marked SW cor	of 750 feet t	o the southwest
cor , marked SW cor ; the	ence bearing no:	rth
istance of 600 feet to to the north side center earing east a distance of each of the above described correspond to the above described to the above desc	he northwest co	. marked
thence bearing	_easta	distance of 750 fe
o the morth side center	markedNSC	: thence
ach of the object a distance of	750 feet to th	e point of beginning.
ach of the above described corr a 4 x 4 x 4½ post.	ers is a Rocl	monument or
u 4 A 4 X 4% post.		
The least		
his Location Certificate was pe	nd discovery work	referred to above in
corpute was be	IIOIMed on or he:	ΓΛτο
TO DE LA COLLA DE CI	on menalf of the	undersigned locator(
B.K. Seeley, Jr.		
	1423 E. 9th	So Salt Lake City, Ut
(Name of Locator)	•	(Address)
(Name of Locator)	<del></del>	
figure of moratori	(	Address)
THIS CERTIFICATE OF TOCARTON WIT	יייי בכשפטע עע שפ	
THIS CERTIFICATE OF LOCATION MU EGIBLE COPY RECORDED WITH THE C	OTHER POSTED UPON	THE CLAIM AND A
EGIBLE COPY RECORDED WITH THE CARE CLAIM IS LOCATED WITHIN 90 D	ANG VENES WRD 214	THE COUNTY IN WHICH
	ALL METER THE DAT	TE OF LUCATION.)
•		

File No. 45629

Fee S 1.00 Recorder,

	ACC20 BOOK 23 PAGE 41
	Mining Claim was located by B.K. Seeley, Jr. on the 30th day of Jenuary 1968 in the Mineral Hill Mining District, Eureka County, State of Nevada, further
	Mining Claim was located by B.K. Seeley, Jr. on the 30th
	day of January 1968 in the Mineral Hill Mining
	District, Eureka County, State of Nevada, further
	District, Eureka County, State of Nevada, further described as being situated: Es Sec. 16 - T.26N - R. 52E. MDB&M
	The general course of said lode or vein is norther!
	and the undersigned claims (49) feet in a westerly direction
	and the undersigned claims 1490 feet in a westerly direction and 10 feet in an easterly direction from the point of discovery
	with a width of 300 feet on each side of the center of the vein or
	lode along the entire length of said claim.
	The location work was done upon the Beta # $29$
	The location work done consisted of: Trenching
	THE TOCKSTON WOLL COME COMPANY
	COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to
	this claim.
	The corners and side centers of the claim are locat
	and marked as follows: Beginning at the NE corner, marked NE cor
	thence bearing southa distance of 600 feet to the southeast
	cor marked SE cor thence bearing west SSC thence
	of 750 feet to the south side tenter , marked southwest
၉ ရှ	thence bearing south a distance of 600 feet to the southeast cor marked SE cor; thence bearing west a distance of 750 feet to the south side center marked SSC; thence bearing west a distance of 750 feet to the southwest cor marked SW cor; thence bearing north a distance of 600 feet to the northwest cor marked SW cor; thence bearing east a distance of 750 feet to the north side center marked NSC; thence searing east a distance of 750 feet to the point of beginning. Search of the above described corners is a Rock monument or
× ,	Stictance of 600 feet to the northwest cor marked
No	TNW cor thence hearing east a distance of 750 f
ωr.	to the north side center marked NSC ; thence
	bearing east a distance of 750 feet to the point of beginning.
e 10	Each of the above described corners is a Rock monument or
0 -	a 4 x 4 x 45 post.
OFFICIAL RECORDS	
<u>_</u> _	The location and discovery work referred to above i
S   S	this Location Certificate was performed on or before
3 P	w April 26 , 1968, by or on behalf of the undersigned locator
	B.K. Seelev. Jr. 1423 E. 9th So. Salt Lake City. 1
mins,	X B.K. Seeley, Jr. 1423 E. 9th So. Salt Lake City.   (Name of Locator) (Address)
. \	W.
42 Page 1	
	(Address)
<b>•  </b>	In India of wordfort
· h	THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A
<u>'\\</u>	LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH
્રે તું	THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)
2	
M. In	
<b>≍</b> ≈	· ·

and the undersigned claims 1490 feet in a westerly direction and 10 feet in an easterly direction from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta # 30  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100,00 , of which \$100,00 is applicable to this claim.  The corners and side centers of the claim are locate and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 500 feet to the southeast cor , marked SE cor ; thence bearing west a distance of 500 feet to the southwest bearing west a distance of 500 feet to the northwest cor , marked SW cor ; thence bearing north a corner was a distance of 500 feet to the northwest cor , marked SW cor ; thence bearing north a distance of 500 feet to the northwest cor , marked SW cor ; thence bearing east a distance of 750 feet to the north side center , marked NSC ; thence searing east a distance of 750 feet to the point of beginning.  The location and discovery work referred to above in April 26 , 1968, by or on behalf of the undersigned locator (Maria December 1968).	് ഭരമാർ		CF LOCATION OF		
This is to certify that the Beta # 30 Lode  Mining Claim was located by B.K. Seeley, Jr. on the 30th day of January 15 County, State of Nevada, further District, Eureka County, State of Nevada, further described as being situated: Ef Sec. 16 - T.26N - R. 52E, MURAM  The general course of said lode or vein is norther! and the undersigned claims / 140 feet in a westerly direction and /0 feet in an easterly direction from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta # 30  The location work was done upon the Beta # 30  The location work was done upon the Beta # 30  The location work done consisted of: Trenching  The corners and side centers of the claim are locate and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 500 feet to the southeast cor marked SE cor the south side center marked SEC, thence bearing west a distance of 750 feet to the southwest cor marked SW cor, thence bearing north a NN cor , thence bearing east a distance of 750 feet to the southwest and side center marked SEC, thence who can be a side center marked SEC, thence who can be a distance of 750 feet to the southwest cor the north side center marked SEC, thence who can be a distance of 750 feet to the southwest cor south a side center marked SEC, thence who can be a distance of 750 feet to the southwest cor south a side center marked SEC, thence who can be a distance of 750 feet to the southwest cor south a side center marked SEC, thence who can be a distance of 750 feet to the southwest cor south a side center marked SEC, thence who can be southwest cor south a side center marked SEC, thence who can be southwest cor south a side center marked SEC, thence who can be southwest cor south a side center marked SEC, thence who can be southwest cor south a side center marked SEC, thence who can be southwest cor south a side center marked SEC, thence who can be south as the sid	•		4	POOK &	23 page 41
The general course of said lode or vein is northerly and the undersigned claims 1470 feet in a westerly direction and 10 feet in an easterly direction from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta # 30  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100,00 , of which \$100,00 is applicable to this claim.  The corners and side centers of the claim are locate and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 500 feet to the southeast was marked SC or thence bearing west a distance of 750 feet to the southwest or southwast a distance of 750 feet to the southwest or the southwest or the corner was a distance of 500 feet to the southwest or the corner of the claim are located by the south side center of 500 feet to the southwest or the corner of 500 feet to the northwest or the southwest or the sou	File No.	muro te m			
The general course of said lode or vein is northerly and the undersigned claims 1470 feet in a westerly direction and 10 feet in an easterly direction from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta # 30  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100,00 , of which \$100,00 is applicable to this claim.  The corners and side centers of the claim are locate and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 500 feet to the southeast was marked SC or thence bearing west a distance of 750 feet to the southwest or southwast a distance of 750 feet to the southwest or the southwest or the corner was a distance of 500 feet to the southwest or the corner of the claim are located by the south side center of 500 feet to the southwest or the corner of 500 feet to the northwest or the southwest or the sou	Mining Clair	n was located by	B.K. Seele	v. Jr. on	the 30th
The general course of said lode or vein is northerly and the undersigned claims 1470 feet in a westerly direction and 10 feet in an easterly direction from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta \$ 30  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100,00 , of which \$100,00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner and marked as follows: Beginning at the NE corner, marked NE corner and marked SC or thence bearing south a distance of 500 feet to the southeast of 5750 feet to the south side center marked SSC thence bearing west a distance of 550 feet to the southwest or the south side center marked SSC thence bearing west a distance of 550 feet to the southwest or the south side center marked SSC thence bearing morth as a corn the side center marked SSC thence bearing west a distance of 550 feet to the southwest or the southwest or the south side center marked SSC thence bearing east a distance of 550 feet to the point of beginning. The location and discovery work referred to above in the location certificate was performed on or before at 4 x 4 x 4 y post.  The location and discovery work referred to above in April 26 1968, by or on behalf of the undersigned locator (Madress)  When of Locator (Madress)  When of Locator (Madress)	day of Jan	uary 19	68 in the Min	eral Hill	Mining
The general course of said lode or vein is northerly and the undersigned claims 1470 feet in a westerly direction and 10 feet in an easterly direction from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta # 30  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100,00 , of which \$100,00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SC or thence bearing southa distance of 500 feet to the southeast of 550 feet to the southeast and marked SC or the south side center marked SSC thence bearing west a distance of 750 feet to the southwest corner, marked SSC thence bearing west a distance of 750 feet to the southwest corner, marked SSC thence bearing west a distance of 750 feet to the southwest corner, marked SSC thence bearing west a distance of 750 feet to the southwest corner, marked SSC thence bearing west a distance of 750 feet to the north side center marked SSC thence bearing west a distance of 750 feet to the north side center marked SSC thence bearing west and situated of 750 feet to the point of beginning.  The location and discovery work referred to above in the location Certificate was performed on or before  The location and discovery work referred to above in April 26 1968, by or on behalf of the undersigned locator (Madress)  The location work was done upon the Beta # 30  The location and discovery work referred to above in April 26 1968, by or on behalf of the undersigned locator (Madress)  The location work was done upon the Beta # 30	District,	Lureka	County, St	ate of Nevada	, further
and the undersigned claims 1470 feet in a westerly direction and 10 feet in an easterly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Heta # 300  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100,00 , of which \$100,00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corners and marked as follows: Beginning at the NE corner, marked NE corners and distance of 500 feet to the southeast corners are distance of 5750 feet to the southwest a distance of 5750 feet to the southwest and distance of 5750 feet to the southwest and stance of 5750 feet to the north side center, marked SE or thence bearing west a distance of 5750 feet to the north as a distance of 5750 feet to the north side center, marked SE or thence bearing east a distance of 750 feet to the point of beginning.  The location and discovery work referred to above in a 4 x 4 x 4½ post.  The location and discovery work referred to above in April 26 , 1969, by or on behalf of the undersigned locator of the southwest of Location Certificate was performed on or before a 4 x 4 x 4½ post.  The location and discovery work referred to above in April 26 , 1969, by or on behalf of the undersigned locator of the southwest of Location Certificate was performed on or before a 4 x 4 x 4½ post.  The location and discovery work referred to above in April 26 , 1969, by or on behalf of the undersigned locator of the southwest corners is a Rock monument or location certificate was performed on or before a 4 x 4 x 4½ post.  The location and discovery work referred to above in the southwest corners is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above in the southwest corners is a Rock monument or a 4 x 4 x 4½ post.	described as	s being situated	Et Sec. 16	- T.26N - R.	52E. MDBAM
The location work was done upon the Beta # 30  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE cor thence bearing south a distance of 600 feet to the southeast of 750 feet to the southeast a distance of 750 feet to the southwest a distance of 750 feet to the southwest a distance of 750 feet to the southwest or marked SW cor thence bearing north a stance of 750 feet to the northwest cor marked SW cor thence bearing east a distance of 750 feet to the north side center marked NSC to the point of beginning.  The location and discovery work referred to above in the location and discovery work referred to above in the location certificate was performed on or before  B.K. Seeley, Jr. 1423 E. 9th Sc. Salt Lake City. Upon the County In WHICH LIEGIBLE CORY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH			<del></del>	<del></del>	
and the undersigned claims 1470 feet in a westerly direction and 10 feet in an easterly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Heta # 300  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100,00 , of which \$100,00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corners and marked as follows: Beginning at the NE corner, marked NE corners and distance of 500 feet to the southeast corners are distance of 5750 feet to the southwest a distance of 5750 feet to the southwest and distance of 5750 feet to the southwest and stance of 5750 feet to the north side center, marked SE or thence bearing west a distance of 5750 feet to the north as a distance of 5750 feet to the north side center, marked SE or thence bearing east a distance of 750 feet to the point of beginning.  The location and discovery work referred to above in a 4 x 4 x 4½ post.  The location and discovery work referred to above in April 26 , 1969, by or on behalf of the undersigned locator of the southwest of Location Certificate was performed on or before a 4 x 4 x 4½ post.  The location and discovery work referred to above in April 26 , 1969, by or on behalf of the undersigned locator of the southwest of Location Certificate was performed on or before a 4 x 4 x 4½ post.  The location and discovery work referred to above in April 26 , 1969, by or on behalf of the undersigned locator of the southwest corners is a Rock monument or location certificate was performed on or before a 4 x 4 x 4½ post.  The location and discovery work referred to above in the southwest corners is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above in the southwest corners is a Rock monument or a 4 x 4 x 4½ post.					^
and the undersigned claims 1470 feet in a westerly direction and 10 feet in an easterly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Heta # 300  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100,00 , of which \$100,00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corners and marked as follows: Beginning at the NE corner, marked NE corners and distance of 500 feet to the southeast corners are distance of 5750 feet to the southwest a distance of 5750 feet to the southwest and distance of 5750 feet to the southwest and stance of 5750 feet to the north side center, marked SE or thence bearing west a distance of 5750 feet to the north as a distance of 5750 feet to the north side center, marked SE or thence bearing east a distance of 750 feet to the point of beginning.  The location and discovery work referred to above in a 4 x 4 x 4½ post.  The location and discovery work referred to above in April 26 , 1969, by or on behalf of the undersigned locator of the southwest of Location Certificate was performed on or before a 4 x 4 x 4½ post.  The location and discovery work referred to above in April 26 , 1969, by or on behalf of the undersigned locator of the southwest of Location Certificate was performed on or before a 4 x 4 x 4½ post.  The location and discovery work referred to above in April 26 , 1969, by or on behalf of the undersigned locator of the southwest corners is a Rock monument or location certificate was performed on or before a 4 x 4 x 4½ post.  The location and discovery work referred to above in the southwest corners is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above in the southwest corners is a Rock monument or a 4 x 4 x 4½ post.		The gener	al gourge of ca	id lode or ud	in in northerly
and 10 feet in an easterly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta # 30  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100,00 , of which \$100,00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corthence bearing southa distance of 600 feet to the southeast of 750 feet to the southeast a distance of 600 feet to the southeast a distance of 750 feet to the southeast and distance of 750 feet to the southeast a distance of 750 feet to the southeast a distance of 750 feet to the southeast a distance of 100 feet to the southeast as a distance of 100 feet to the southeast as a distance of 100 feet to the southeast as a distance of 100 feet to the point of beginning.  The location and discovery work referred to above in 100 feet to 100 fe	and the unde	ersigned claims	1490 feet in	a westerl	y direction
The location work was done upon the Beta # 30  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE cor thence bearing south a distance of 600 feet to the southeast of 750 feet to the southeast a distance of 750 feet to the southwest a distance of 750 feet to the southwest or marked SW cor thence bearing north a second of 600 feet to the northwest cor marked SW cor thence bearing east a distance of 750 feet to the north side center marked NSC to the point of beginning.  The location and discovery work referred to above in the location certificate was performed on or before  B.K. Seeley, Jr. 1423 E. 9th Sc. Salt Lake City. Use (Name of Locator)  (Name of Locator) (Address)  William Certificate of Locator) (Address)	and /0	<u>feet in an easte</u>	rly direction	from the poi	nt of discovery
The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100,00, of which \$100,00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner, thence bearing southa distance of 600 feet to the southeast corners and side center, marked SE corner, marked SE corner	with a width	of 300 feet	on each side of	the center o	f the vein or
The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100,00 , of which \$100,00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner	lode atong a	the entire lengt	n or said crain	n	\ \
The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100,00 , of which \$100,00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 600 feet to the southeast cor , marked SE cor , thence bearing west a distance of 750 feet to the southwest bearing west a distance of 750 feet to the southwest cor , marked SW cor , thence bearing north a adistance of 600 feet to the northwest cor , marked NW cor , thence bearing east a distance of 750 feet to the north side center , marked NSC , thence bearing east a distance of 750 feet to the north side center , marked NSC , thence bearing east a distance of 750 feet to the north side center , marked NSC , thence bearing east a distance of 750 feet to the point of beginning.  The location and discovery work referred to above in a 4 x 4 x 4 post.  The location and discovery work referred to above in the location certificate was performed on or before the location cer	1		•		\ \ \
COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner thence bearing southa distance of 600 feet to the southeast corner. The south side center the southeast a distance of 750 feet to the south side center the southwest and stance of 750 feet to the southwest corner. The southwest corner thence bearing morth to the southwest corner thence bearing north to the north side center the northwest corner thence of 750 feet to the north side center to the northwest corner thence of 750 feet to the north side center to the north side center to the point of beginning.  The location and discovery work referred to above in the location certificate was performed on or before the location certificate was perfo		The locat	ion work was do	ne upon the	eta # 30
COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corners thence bearing southa distance of 600 feet to the southeast corners of 750 feet to the south side center, marked SEC; thence bearing west a distance of 750 feet to the southwest corners, marked SW corners thence bearing west a distance of 750 feet to the southwest corners was a distance of 750 feet to the northwest corners was a distance of 750 feet to the northwest corners was a distance of 750 feet to the north side center marked NSC to	نمان بار بران باسالی نمان در	<u> مستخدان مستحدان م</u>			
COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corners thence bearing southa distance of 600 feet to the southeast corners of 750 feet to the south side center, marked SEC; thence bearing west a distance of 750 feet to the southwest corners, marked SW corners thence bearing west a distance of 750 feet to the southwest corners was a distance of 750 feet to the northwest corners was a distance of 750 feet to the northwest corners was a distance of 750 feet to the north side center marked NSC to					
COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corners thence bearing southa distance of 600 feet to the southeast corners of 750 feet to the south side center, marked SEC; thence bearing west a distance of 750 feet to the southwest corners, marked SW corners thence bearing west a distance of 750 feet to the southwest corners was a distance of 750 feet to the northwest corners was a distance of 750 feet to the northwest corners was a distance of 750 feet to the north side center marked NSC to					
COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corners thence bearing southa distance of 600 feet to the southeast corners of 750 feet to the south side center, marked SEC; thence bearing west a distance of 750 feet to the southwest corners, marked SW corners thence bearing west a distance of 750 feet to the southwest corners was a distance of 750 feet to the northwest corners was a distance of 750 feet to the northwest corners was a distance of 750 feet to the north side center marked NSC to			/ _		
COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corners thence bearing southa distance of 600 feet to the southeast corners of 750 feet to the south side center, marked SEC; thence bearing west a distance of 750 feet to the southwest corners, marked SW corners thence bearing west a distance of 750 feet to the southwest corners was a distance of 750 feet to the northwest corners was a distance of 750 feet to the northwest corners was a distance of 750 feet to the north side center marked NSC to		mer land			Omen status
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corners and marked as follows: Beginning at the NE corner, marked NE corners thence bearing southa distance of 600 feet to the southeast corners and side center was a distance of 750 feet to the south side center was a distance of 750 feet to the southwest and distance of 750 feet to the southwest and distance of 750 feet to the southwest corners was a distance of 750 feet to the north side center marked NSC to the		The locat	ion work done o	consisted of:_	Trenening
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corners and marked as follows: Beginning at the NE corner, marked NE corners thence bearing southa distance of 600 feet to the southeast corners and side center was a distance of 750 feet to the south side center was a distance of 750 feet to the southwest and distance of 750 feet to the southwest and distance of 750 feet to the southwest corners was a distance of 750 feet to the north side center marked NSC to the					
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corners and marked as follows: Beginning at the NE corner, marked NE corners thence bearing southa distance of 600 feet to the southeast corners and side center was a distance of 750 feet to the south side center was a distance of 750 feet to the southwest and distance of 750 feet to the southwest and distance of 750 feet to the southwest corners was a distance of 750 feet to the north side center marked NSC to the				/ /	
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked Second NE corner, marked Second NE corner, marked Second NE corner, marked Second NE corner, marked NE corner, marke		TAL OF \$ 100.00	of which	1 \$100.00 is a	pplicable to
and marked as follows: Beginning at the NE corner, marked NE cor thence bearing south a distance of 600 feet to the southeast cor of 750 feet to the south side center , marked SSC ; thence bearing west a distance of 750 feet to the southwest bearing west a distance of 750 feet to the southwest cor , marked SW cor ; thence bearing north a pedistance of 600 feet to the northwest cor , marked NSC , thence bearing east a distance of 750 feet to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning.  The location and discovery work referred to above in a 4 x 4 x 4½ post.  The location and discovery work referred to above in the location certificate was performed on or before  B.K. Seeley, Jr. 1423 E. 9th So. Salt Lake City. Upon the Claim and A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH	this claim.				
and marked as follows: Beginning at the NE corner, marked NE cor thence bearing south a distance of 600 feet to the southeast cor f 750 feet to the south side center marked SSC thence bearing west a distance of 750 feet to the southwest a distance of 750 feet to the southwest cor marked SW cor thence bearing north a pedistance of 600 feet to the northwest cor marked SW cor thence bearing east a distance of 750 feet to the north side center marked NSC to the north side center marked NSC to the north side center marked NSC to the point of beginning.  The location and discovery work referred to above in a 4 x 4 x 4½ post.  The location and discovery work referred to above in the location certificate was performed on or before a 4 x 4 x 4½ post.  B.K. Seeley, Jr. 1423 E. 9th So. Salt Lake City. Upon the Claim and A control of the county in the county recorded of the county in which the county is a control of the county in which the county is control of the county in which the county is control of the county in which the county is control of the county in which the county is control of the county in which the county is control of the county in which the county is control of the county in which the county is control of the county in which the county is control of the county in which the county is control of the county in the county is control of the county in the county is control of the county in the county is control of the co					
and marked as follows: Beginning at the NE corner, marked NE cor thence bearing south a distance of 600 feet to the southeast cor f 750 feet to the south side center marked SSC thence bearing west a distance of 750 feet to the southwest a distance of 750 feet to the southwest cor marked SW cor thence bearing north a pedistance of 600 feet to the northwest cor marked SW cor thence bearing east a distance of 750 feet to the north side center marked NSC to the north side center marked NSC to the north side center marked NSC to the point of beginning.  The location and discovery work referred to above in a 4 x 4 x 4½ post.  The location and discovery work referred to above in the location certificate was performed on or before a 4 x 4 x 4½ post.  B.K. Seeley, Jr. 1423 E. 9th So. Salt Lake City. Upon the Claim and A control of the county in the county recorded of the county in which the county is a control of the county in which the county is control of the county in which the county is control of the county in which the county is control of the county in which the county is control of the county in which the county is control of the county in which the county is control of the county in which the county is control of the county in which the county is control of the county in which the county is control of the county in the county is control of the county in the county is control of the county in the county is control of the co		The corne	re and side cer	ters of the c	laim are located
thence bearing southa distance of 600 feet to the southeast  cor , marked SE cor ; thence bearing west a distance of 750 feet to the south side center , marked SSC ; thence bearing west a distance of 750 feet to the southwest  cor , marked SW cor ; thence bearing north a sedistance of 600 feet to the northwest cor , marked SW cor ; thence bearing east a distance of 750 feet to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning.  Second of the north side center , marked NSC ; thence is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above in Sthis Location Certificate was performed on or before   Second of the above described corners is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above in Second of the undersigned locator (Name of Locator) (Address)  (Name of Locator) (Address)  (Name of Locator) (Address)	and marked a	as follows: Beq	inning at the N	E corner, mar	ked NE cor
bearing west a distance of 750 feet to the southwest  COT , marked SW COT; thence bearing north a  paddistance of 600 feet to the northwest COT , marked  NW COT; thence bearing east a distance of 750 feet  to the north side center , marked NSC ; thence  No bearing east a distance of 750 feet to the point of beginning.  Each of the above described corners is a Rock monument or  April 26 , 1968, by or on behalf of the undersigned locator (  B.K. Seeley, Jr, 1423 E. 9th So. Salt Lake City. Upon the County of the Count	thence beari	ing southa dist	ance of 600 fe	et to the so	outheast
bearing west a distance of 750 feet to the southwest  COT , marked SW COT; thence bearing north a  paddistance of 600 feet to the northwest COT , marked  NW COT; thence bearing east a distance of 750 feet  to the north side center , marked NSC ; thence  No bearing east a distance of 750 feet to the point of beginning.  Each of the above described corners is a Rock monument or  April 26 , 1968, by or on behalf of the undersigned locator (  B.K. Seeley, Jr, 1423 E. 9th So. Salt Lake City. Upon the County of the Count	cor	marked SE cor	thence bea	ring west	a distance
The location and discovery work referred to above in this Location Certificate was performed on or before  April 26	of <u>750</u> fe	et to the south	side center	marked S	SC ; thence
The location and discovery work referred to above in this Location Certificate was performed on or before  April 26	bearing_wes	t a dista	nce of 750	feet to the	southwest
The location and discovery work referred to above in this Location Certificate was performed on or before  April 26	cor. r	narked SW cor	; thence bearing	ig north	a
The location and discovery work referred to above in this Location Certificate was performed on or before  April 26	[ ] Sdistance of_	600 feet	to the northw	est cor	marked
The location and discovery work referred to above in this Location Certificate was performed on or before  April 26	N HE NW COT	thence be	aring east	a distan	ce of /50 fe
The location and discovery work referred to above in this Location Certificate was performed on or before  April 26	ω ≥to the nort	h side center	marked	NSC	; thence
The location and discovery work referred to above in this Location Certificate was performed on or before  April 26	N bearing eas	t a distance	of <u>750</u> feet	to the point	of beginning.
The location and discovery work referred to above in this Location Certificate was performed on or before  April 26	Each of the	above described	corners is a	Rock monum	ent or ·
The location and discovery work referred to above in Sthis Location Certificate was performed on or before  April 26 , 1968, by or on behalf of the undersigned locator (  B.K. Seeley, Jr. 1423 E. 9th So. Salt Lake City. Up  (Name of Locator) (Address)  (Name of Locator) (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH	유통를 <b>a.4</b> _	x 4 x 45 post.			
The location and discovery work referred to above in Sthis Location Certificate was performed on or before  April 26 , 1968, by or on behalf of the undersigned locator (  B.K. Seeley, Jr. 1423 E. 9th So. Salt Lake City. Up  (Name of Locator) (Address)  (Name of Locator) (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH	1 005				
this Location Certificate was performed on or before  April 26 , 1968, by or on behalf of the undersigned locator(  B.K. Seeley, Jr. 1423 E. 9th So. Salt Lake City. Up  (Name of Locator) (Address)  (Name of Locator) (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A  LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH	돌! 뭐	The locat	ion and discove	ry work refer	red to above in
April 26 , 1968, by or on behalf of the undersigned locator (  B.K. Seeley, Jr. 1423 E. 9th So. Salt Lake City. Ut  (Name of Locator) (Address)  (Name of Locator) (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH	ਰੂ ^ਬ Sthis Locatio				
B.K. Seeley, Jr. 1423 E. 9th So. Salt Lake City. Us  (Name of Locator) (Address)  (Name of Locator) (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH	א ביי ויין ויין	19.68	by or on behalf	of the under	signed locator(
(Name of Locator) (Address)  (Name of Locator) (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH	g w		<del></del> -		,
(Name of Locator)  (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH			1423		
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A	(Nar	ne of Locator)	•	(Addres	s)
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A	Se	/ /			
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A	L B	me of Locator		(Addres	g.)
LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH	The state of the s	ur of wordenty	-	1	
LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)					
E ≯ THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)	LEGIBLE COPY	RECORDED WITH	THE COUNTY RECO	RDER OF THE C	OUNTY IN WHICH
	万字 THE CLAIM IS	S LOCATED WITHIN	90 DAYS AFTER	THE DATE OF I	OCATION.)
	8	•			
	육화				

THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A THE CLAIM IS LOCATED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

(Name of Locator)

3

유파

(Address)

40033	•	v	BOOKPAC	3E
File No	THIS IS TO C	ERTIFY that the	Beta # 32 Or. on the 30t Hill Minin of Nevada, further 26N - R. 52E, MDBA	Lode
Mining Claim was	located by	B.K. Seeley	r, on the 30th	h
day of January	19 <u>68</u>	in the Minera	Hill Minin	<u>~</u>
District, Eu	reka	County, State	of Nevada, further	
described as bei	.ng situated:	Et Sec. 16 - T	26N - R. 52E MDBA	<b>Y</b>
<del></del>				
<del></del>	<del></del>			
	The comment			
and the undersid	ned claims 199	course or said	lode or vein is not	ctner
and //) feet	in an easterly	Vreet in a_	westerly di	rection
with a width of	300 feet on	each side of the	e center of the vei	cover
lode along the e	ntire length o	f said claim.	s center of the AST	II OZ
	•		\ \	
	The location	work was done	upon the Beta # 32	<u>_</u> .
	<del>د منظمها</del> د			
				. 82
<del></del>			<del></del>	-
	The location	work done const	sted of: Trenching	
	3 250201011	"-IN GOING COUR!	Beed Of a Trendming	_
			<i>)</i>	
COSTING A TOTAL	OF \$ 100,00	_, of which \$10	0,00 is applicable	to
this claim.			/	7
		\ /		
	/ <u></u>			
	The corners a	and side centers	of the claim are	locate
and marked as fo	LLOWS: Beginn:	ing at the NE co	rner, marked NE co	r
chence bearing s	A SE CON	or out feet t	o the southeast	
of 750 foot to	ad on con	thence bearing	west a distar	ıce
hearing West	the south \$10	center na	rkedSSC; th	rence
meating west	a distance	or /50   reet	west a distarriked SSC; the to the southwest north a cor	
distance of 600	**************************************	the porthuset	north	١
S VM COL	thance heart to	THE HOLLIMEST	marke	• a
to the north sic	le center	marked NCA	_a distance or	Ie
bearing east	a distance of	750 feet to	a distance of 750; the point of beginn	reuce
Each of the above	described cor	ners is a R	ock monument or	rriid.
a 4 x 4 x	41 post.	/ /	morrangile or	
2				
	The location	and discovery w	ork referred to abo	ve in
this Location Cer	rtificate was p	erformed on or	before	
<b>A</b> pril 26	, 19 <u>68</u> , by c	or on behalf of	the undersigned loc	ator(
			_	
B.K. Seeley.	ur /	1423 E. 9	<u>th So. Salt Lake Ci</u>	ty. U
Name of	Locator)		(Address)	•
ထ	/ /			
(1)	/_/			
(Name of	Locator)		(Address)	
	. 00 1001000	110m an caster		
- (inis CERTIFICATE	DEPLETATION M	UST BE POSTED U	PON THE CLAIM AND A	
Charana corr were	NOOD WITH THE	COUNTY VECOVDSK	OF THE COUNTY IN W	HICH
, CENTRE 12 TOCA	TED MILLIN AO	unio after the	DATE OF LOCATION.)	
	•			

ile t	46634	-	***************************************	600K 23 Beta # 33	PACE 415
, 11 🖙 T		THIS IS TO CER	TIFY that the	Beta # 33	Lode
	Mining Claim was	located by	B.K. Seeley, Jr	on the	30th
	day of January	, 19 <u>68</u> 1	n the Mineral	H111 M	ining
	Mining Claim was day of January District, Eur described as bei	reka	County, State of	of Nevada, fur	ther
	described as bell	ng situated:t	5 Sec. 10 - T.Z	ON - R. 528.	KDRSW
			· — <del> </del>		
		The ceneral co	ourse of said lo	nde or vein is	northerly
	and the undersign	ned claims 1490	feet in a_	westerly 🔨	direction
	and /0 feet	in an easterly	_direction from	the point of	discovery,
	with a width of_ lode along the e			center of the	vein or
	Tode along the er	ncire length of	Said Claim,	\ \	
				_ \	22
		The location w	ork was done up	on the Beta	133
					\
				1	<del></del>
		The location w	ork done consis	ted of: Tren	hing
			/	<u> </u>	
	<del></del>		<del></del>	<del></del>	<del></del>
	COSTING A TOTAL	OF \$ 100,00	of which \$100	0.00 is applic	able to
	this claim.			1	
				/	
		_			
	and marked as fol	The corners an	d side centers	or the claim	are located
	thence bearing S	llows: beginnin	of 600 feet to	the southe	ast
	cor mark	ed SE cor	thence bearing	west ad	istance
	of 750 feet to	ed SE cor ; the south side	center mai	rkedSSC	_; thence
		a distance o	<u>f_750feet</u>	to the sout	hwest
	bearing west				
8 9 8	bearing west	d Sw cor ; the	nce bearing n	orth	<u>a</u>
Social App	bearing west cor, marked distance of 600	d SW cor ; the feet to t	he northwest c	ortn or ,	marked 750 fee
N) ·	bearing west cor, marked distance of 600 NW cor to the north sid	ie center	, marked Noc		_; thence
23	bearing west cor , marked distance of 600 NW cor to the north sid bearing east	a distance of_	750 feet to	the point of h	_; thence
2ω,	bearing west cor , marked distance of 600 NW cor to the north sid bearing east	a distance of_	750 feet to	the point of h	_; thence
23 29	bearing west cor , marked distance of 600 NW cor to the north sid bearing east Each of the above a 4 x 4 x	a distance of_	750 feet to	the point of h	_; thence
23 29	bearing west cor , marked distance of 600 NW cor to the north sid bearing east Each of the above a 4 x 4 x	a distance of e described corn c 4½ post.	750 feet to the resistance of	the point of h	eginning.
29 19 68	bearing west cor , marked distance of 600 NW cor to the north sid bearing east Each of the above a 4 x 4 x	a distance of e described corn 4½ post.  The location artificate was pe	750 feet to the residence of the residen	che point of h	eginning. r
29 19 68	bearing west cor , marked distance of 600 NW cor to the north sid bearing east Each of the above a 4 x 4 x	a distance of e described corn 4½ post.  The location artificate was pe	750 feet to the resistant Ro	che point of h	eginning. r
29 1968 ot	bearing_west cor, marked distance of 600 NW cor to the north sid bearing_east Each of the above a 4 x 4 x this Location Cer	The location a rtificate was per 1968, by or	750 feet to the result of the	ork referred to before undersigned	eginning. r o above in
23 of OFFICIAL RECOUNTS	bearing west  cor , marked distance of 600 NW cor  to the north sid bearing east Each of the above a 4 x 4 x  this Location Cer April 26	The location a rificate was per 1968, by or	750 feet to the result of the	ork referred to before the undersigned the So. Salt La	eginning. r o above in
29 19 68 or 50 mins.	bearing west  cor , marked distance of 600 NW cor  to the north sid bearing east Each of the above a 4 x 4 x  this Location Cer April 26	The location a rtificate was per 1968, by or	750 feet to the result of the	ork referred to before undersigned	eginning. r o above in
29 19 68 ot 50 mins. past	bearing_west cor, marked distance of600 NW cor to thenorth sid bearing_east Each of the above a 4 x 4 x  this Location Cer April 26  B.K. Seeley, Name of	The location a rtificate was pe, 19_68, by or	750 feet to the result of the	ork referred to the undersigned h So. Salt La (Address)	eginning. r o above in
29 1968 of 50 mins. past 41	bearing_west cor, marked distance of600 NW cor to thenorth sid bearing_east Each of the above a 4 x 4 x this Location Cer April 26 B.K. Seeley, Name of	The location a rificate was per 1968, by or	750 feet to the result of the	ork referred to before the undersigned the So. Salt La	eginning. r o above in
29 19 68 ot 50 mins. past	bearing west  cor , marked distance of 600 NW cor  to the north sid bearing east Each of the above a 4 x 4 x  this Location Cer April 26  B.K. Seeley, Name of	The location a rtificate was pe, 19_68, by or  Locator)	750 feet to the result of the	che point of hock monument of the control of the co	eginning.  co above in  docator(s
29 1968 of 50 mins past 2	bearing_west cor, marked distance of600 NW cor to thenorth sid bearing_east Each of the above a 4 x 4 x  this Location Cer April 26  B.K. Seeley, Name of Name of	The location a rtificate was pe, 19_68, by or	750 feet to the result of the	che point of hock monument of the che referred to the undersigned has a salt La (Address)  (Address)	eginning.  o above in d locator(s ke City, Ut
29 19 68 ot 50 minu past 2 P	bearing west  COT , marked distance of 600 NW cor  to the north sid bearing east Each of the above a 4 x 4 x  this Location Cer April 26  B.K. Seeley, Name of  (Name of CTHIS CERTIFICAT LEGIBLE COPY RECO	The location artificate was per locator)  Locator)  E OF LOCATION MUORDED WITH THE COMMENT OF LOCATION MUORDED WITH MUORDED WITH THE COMMENT OF LOCATION MUORDED WITH MUORDED	nd discovery we reformed on or he on behalf of the state	che point of hock monument of the control of the control of the country of the co	eginning.  o above in  d locator(s  ke City, Ut
29 1968 of 50 minu past 2 P	bearing_west cor, marked distance of600 NW cor to thenorth sid bearing_east Each of the above a 4 x 4 x  this Location Cer April 26  B.K. Seeley, Name of Name of	The location artificate was per locator)  Locator)  E OF LOCATION MUORDED WITH THE COMMENT OF LOCATION MUORDED WITH MUORDED WITH THE COMMENT OF LOCATION MUORDED WITH MUORDED	nd discovery we reformed on or he on behalf of the state	che point of hock monument of the control of the control of the country of the co	eginning.  o above in  d locator(s  ke City, Ut

Q . =

## CERTIFICATE OF LOCATION OF LODE MINING CLAIM

46636	BOOK 23 PAGE
ile No This is	TO CERTIFY that the Bets # 35 Lo
Mining Claim was located	by B.K. Seeley, Jr. on the 30th 19 65 in the Mineral Hill Mining
day of Jenuary	19 65 in the Mineral Hill Mining
described as being situat	County, State of Nevada, further ed: Et Sec. 16 - T.26N - R. 52E, MDB&M
	THE STATE OF THE S
The gen	eral course of said lode or vein is nort
and the undersigned claim	ns 1490 feet in a westerly dire
and // leet in an ear	sterly direction from the point of discout on each side of the center of the vein
lode along the entire len	igth of said claim.
-	\ \
me lee	interest on the Board W. 2
The Toc	ation work was done upon the Beta #35
The loc	ation work done consisted of: Trenching
this claim.	
	and seld number of the slade one la
The cor	ners and side centers of the claim are lo
The cor and marked as follows: B thence bearing southa di	eginning at the <u>NE</u> corner, marked <u>NE</u> cor stance of 600 feet to the southeast
The cor and marked as follows: B thence bearing south a di	eginning at the NE corner, marked NE cor stance of 600 feet to the southeast
The cor and marked as follows: B thence bearing south a di	eginning at the NE corner, marked NE cor stance of 600 feet to the southeast
The cor and marked as follows: B thence bearing south a di	eginning at the NE corner, marked NE cor stance of 600 feet to the southeast
The cor and marked as follows: B thence bearing south a di	eginning at the NE corner, marked NE cor stance of 600 feet to the southeast
The cor and marked as follows: B thence bearing south a di	eginning at the NE corner, marked NE cor stance of 600 feet to the southeast
The cor and marked as follows: B thence bearing south a di	eginning at the NE corner, marked NE cor stance of 600 feet to the southeast
The cor and marked as follows: B thence bearing south a di	eginning at the NE corner, marked NE cor stance of 600 feet to the southeast
The cor and marked as follows: B thence bearing south a di	eginning at the NE corner, marked NE cor stance of 600 feet to the southeast
The cor and marked as follows: B thence bearing southa di	stance of 600 feet to the southeast; thence bearing west a distance of 750 feet to the southwest; thence bearing north a set to the northwest cor marked bearing east a distance of 750 feet to the southwest bearing east a distance of 750 feet to the point of beginning a corners is a Rock monument or
The cor and marked as follows: B thence bearing southa di cor marked SE cor of 750 feet to the south bearing west a dis cor marked SW cor distance of 600 fe NW cor the north side center bearing east a distant Each of the above describe a 4 x 4 x 45 post.	eginning at the NE corner, marked NE corner.  stance of 600 feet to the southeast; thence bearing west a distance of 750 feet to the southwest; thence bearing north a set to the northwest cor marked bearing east a distance of 750 feet to the point of beginning edition and discovery work referred to above
The cor and marked as follows: B thence bearing southa di cor , marked SE cor of 750 feet to the south bearing west a dis cor , marked SW cor distance of 600 fe NW cor ; thence to the north side center bearing east a distant Each of the above describ a 4 x 4 x 4½ post.  The location Certificate	eginning at the NE corner, marked NE cor stance of 600 feet to the southeast; thence bearing west a distance of 750 feet to the southwest; thence bearing north a set to the northwest cor marked bearing east a distance of 750 feet to the point of beginning ed corners is a Rock monument or set on and discovery work referred to above was performed on or before
The cor and marked as follows: B thence bearing south a dicor marked SE cor of 750 feet to the south a discor marked SW cor distance of 600 feet to the north side center to the north side center bearing east a distant a distan	stance of 600 feet to the southeast; thence bearing west a distance of 750 feet to the southwest; thence bearing north a set to the northwest cor marked bearing east a distance of 750 feet to the southwest; thence bearing north a set to the northwest cor marked bearing east a distance of 750 feet to the point of beginning ed corners is a Rock monument or set to a set on and discovery work referred to above was performed on or before by or on behalf of the undersigned local
The cor and marked as follows: B thence bearing south a dicor marked SE cor of 750 feet to the south a discor marked SW cor distance of 600 feet to the north side center to the north side center bearing east a distant a distan	eginning at the NE corner, marked NE cor stance of 600 feet to the southeast; thence bearing west a distance of 750 feet to the southwest; thence bearing north a set to the northwest cor marked bearing east a distance of 750 feet to the point of beginning ed corners is a Rock monument or ation and discovery work referred to above was performed on or before by or on behalf of the undersigned local 1423 E. 9th So. Salt Lake City
The cor and marked as follows: B thence bearing south a dicor marked SE cor of 750 feet to the south a discor marked SW cor distance of 600 feet to the north side center to the north side center bearing east a distant a distan	eginning at the NE corner, marked NE cor stance of 600 feet to the southeast; thence bearing west a distance of 750 feet to the southwest; thence bearing north a set to the northwest cor marked bearing east a distance of 750 feet to the point of beginning ed corners is a Rock monument or ation and discovery work referred to above was performed on or before by or on behalf of the undersigned local 1423 E. 9th So. Salt Lake City
The cor and marked as follows: B thence bearing south a dicor marked SE cor of 750 feet to the south a discor marked SW cor distance of 600 feet to the north side center bearing east a distant a d	eginning at the NE corner, marked NE cor stance of 600 feet to the southeast; thence bearing west a distance of 750 feet to the southwest; thence bearing north a set to the northwest cor marked bearing east a distance of 750 feet to the point of beginning ed corners is a Rock monument or ation and discovery work referred to above was performed on or before by or on behalf of the undersigned local 1423 E. 9th So. Salt Lake City
The cor and marked as follows: B thence bearing south a dicor marked SE cor of 750 feet to the south a discor marked SW cor distance of 600 feet to the north side center to the north side center bearing east a distant a distan	stance of 600 feet to the southeast; thence bearing west a distance of 750 feet to the southwest; thence bearing north a set to the northwest cor marked bearing east a distance of 750 feet to the point of beginning of the distance of 750 feet to the point of beginning each and discovery work referred to above was performed on or before by or on behalf of the undersigned local 1423 E. 9th So. Salt Lake Citical Address (Address)
The cor and marked as follows: B thence bearing south a di cor , marked SE cor of 750 feet to the south bearing west a dis cor , marked SW cor distance of 600 fe NW cor ; thence to the north side center bearing east a distant Each of the above describe a 4 x 4 x 4½ post.  The location Certificate April 26 1968  M B.K. Seeley, Jr.  Name of Locator)  (Name of Locator)	stance of 600 feet to the southeast; thence bearing west a distance of 750 feet to the southwest; thence bearing north a set to the northwest cor marked NSC; the bearing east a distance of 750 feet to the point of beginning ed corners is a Rock monument or ation and discovery work referred to above was performed on or before by or on behalf of the undersigned local (Address)  (Address)
The cor and marked as follows: B thence bearing south adi cor marked SE cor of 750 feet to the south bearing west a dis cor marked SW cor distance of 600 fe NW cor thence to the north side center bearing east a distant Each of the above describe a 4 x 4 x 4; post The location Certificate April 26 1968  M B.K. Seeley, Jr. M (Name of Locator)  (Name of Locator)  (THIS CERTIFICATE OF LOCA	eginning at the NE corner, marked NE cor stance of 600 feet to the southeast; thence bearing west a distance the side center, marked SSC; the stance of 750 feet to the southwest; thence bearing north a set to the northwest cor, marked bearing east a distance of 750, marked NSC; the ce of 750 feet to the point of beginning ed corners is a Rock monument or set was performed on or before, by or on behalf of the undersigned local large forms.  [Address]  [Address]  TION MUST BE POSTED UPON THE CLAIM AND A
The cor and marked as follows: B thence bearing south adi cor , marked SE cor of 750 feet to the south bearing west a dis cor , marked SW cor distance of 600 fe NW cor ; thence to the north side center bearing east a distant Each of the above describe a 4 x 4 x 4; post.  The location Certificate x April 26 , 1968  M B.K. Seeley, Jr, M (Name of Locator)  (Name of Locator)  (THIS CERTIFICATE OF LOCATEGIBLE COPY RECORDED WITH	stance of 600 feet to the southeast; thence bearing west a distance of 750 feet to the southwest; thence bearing north a set to the northwest cor marked NSC; the bearing east a distance of 750 feet to the point of beginning ed corners is a Rock monument or ation and discovery work referred to above was performed on or before by or on behalf of the undersigned local (Address)  (Address)

46637	,		воок 23 рас	
Mining Claim was loday of January District, Eurek described as being	Chis is to certify cated by B.K.  1968 in the course situated: Et Se	that the Seeley, Jr. he Mineral Hanty, State of ec. 16 - T.26	Beta # 36 on the 30 ill Mini Nevada, furthe N - R, 52E, MDB	Lode th ng r
			Δ	
and the undersigned and /O feet in with a width of 30 lode along the enti	an easterly di: O feet on each :	rection from side of the c	the point of di	scover
7	The location work	was done upo	n the Beta # 3	6
			<u> </u>	$\overline{}$
			\	
T	The location work	done consist	ed of: Trenchin	ve
COSTING A TOTAL OF this claim.	\$ 100,00 , o	f which \$100.	00 is applicabl	e to
this claim.  I and marked as followhere bearing sou	The corners and some simulations and some simulations and stance of the distance of the some simulations and some simulations and some simulations are some simulations.	ide centers of t the NE corr 500 feet to	of the claim are er, marked_NE the southeast	locat
and marked as following thence bearing sou cor marked of 750 feet to the	The corners and some side corners and some side corners there south side cere	ide centers of the NE corn 600 feet to	of the claim are ser, marked NE the southeast a dist	locat
and marked as following sour cor marked of 750 feet to the	The corners and somes: Beginning at the distance of SE cor ; there is south side cer a distance of 75W cor ; thence feet to the chence bearing eacenter , madistance of 750	ide centers of the NE cornect to nee bearing need to northwest control of the NE center of the NEC starked NSC feet to the need to the nee	the claim are ser, marked NE the southeast a dist sed SSC to the southwe rth r marked for the southwe for the south of the	locator  ance thence st a ked 50 f thence
and marked as following thence bearing sou cor marked of 750 feet to the	The corners and somes: Beginning at the distance of SE cor ; there is south side cer a distance of 75W cor ; thence feet to the chence bearing eacenter , madescribed corners	ide centers of the NE cornect to nee bearing no northwest constants of the NSC feet to the need of the NSC feet to	the claim are ser, marked NE the southeast a dist sed SSC to the southwe rth r marked for the southwe for the south of the	locator  ance thence st a ked 50 f thence
and marked as following thence bearing sou cor marked of 750 feet to the bearing west cor marked following west for the north side to the north side feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 and feach of the above of a 4 x 4 x 4 a	The corners and somes: Beginning at the distance of SE cor; there a distance of 75 w cor; thence feet to the chence bearing eacenter adistance of 750 described corners a post.	ide centers of the NE corn conce bearing no northwest constants and Roc discovery work med on or bearing no bearing no concept and the concept necept	of the claim are er, marked NE the southeast a distred SSC to the southwerth marked of 7 distance of 7 the point of begins a monument or the control of the southwerth the control of the southwerth the control of the southwerth the point of the southwerth the control of the southwerth the so	locator  ance thence st a ked 50 f thence nning.
and marked as following thence bearing sour cor marked of 750 feet to the bearing west cor marked of 600 mw cor to the north side bearing east a seach of the above of a 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	The corners and sows: Beginning at the distance of SE cor; there a distance of TSW cor; thence feet to the center adistance of T50 distance of T50 described corners to post.  The location and of ficate was performed.	ide centers of the NE corn conce bearing no northwest constant and Roc discovery work med on or be behalf of the corn corn corn corn corn corn corn corn	of the claim are er, marked NE the southeast a distred SSC to the southwerth marked of 7 distance of 7 the point of begins a monument or the control of the southwerth the control of the southwerth the control of the southwerth the point of the southwerth the control of the southwerth the so	locator  ance thence st a ked 50 fthence nning.
and marked as following thence bearing sou cor marked of 750 feet to the bearing west cor marked following west for the north side to the north side feach of the above of a 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	The corners and somes: Beginning at the distance of SE cor; there is south side cer a distance of There is the corner is distance of The corner is post.  The location and of the corners is post.  The location and of the corner is post.	ide centers of the NE corn conce bearing no northwest constant and Roc discovery work med on or be behalf of the corn corn corn corn corn corn corn corn	of the claim are ser, marked NE the southeast a district of the southwerth respond to the southwert or respond to the southwert of the southwert	locator  ance thence st a ked 50 fthence nning.

1				MINING CLAIM	
	46638	(GROL	W OF CLAIMS)	BOOK 23PAGE_	419
	File No.	THIS IS TO CERTI	FY that the	Beta # 37 Lo	ode
; 	mining Claim was	v 1968 in	K. Seelev. Jr	on the 30th	
	District. Lur	reka ra	untu State o	6 November -	
	described as beli	ng situated: Was	<u> 30c. 9 - T.26N</u>	- R.52E MDBAM	<del></del>
-				) \	
	and the understan	The general cour	se of said lo	de or vein is nort	herly,
	and 1490 feet	in an easterly d	lrection from	westerly dire	ction verv
	## ## ## ## ## OF	300 feet on each tire length of sa	SIDE OF THE	center of the vein	or
		rength of Sa	Id Claim,		·
		The location wor	k was done on	on the Beta 18 #4	
	claim(s) for the	benetit of a cont	TOUGUE GYOUR A	of not more than to	n (10)
	Lode Mining Claim Bets #37,#38	ns, the specific n .#39.#40.#41.#42.#	ames of which 43.#97.#98.#9	are as follows:	$\overline{}$
		The location wor	k done consist	ted of: Drilling	
	<del></del>		<del>\ \</del>	/	
	COCMING & MOME TO	2 4 1000 00	$\sim$		
	COSTING A TOTAL O	F \$ 1000.00	of which \$100,	.00 is applicable t	0
	/				
		The corners and	side centers o	of the claim are lo	cated
	and marked as fol	lowe: Reginaing:	alt tha NF ac-	and the second MC and	1
	thence bearing so	0 00 COT . EUG	ence bearing	West a dietano	<del></del>
	OT TEEL FO	CUR SOUTH BYCE CE	nicer i morri	CAC SSC . Pha	nce
Book 2 EUREKA	bearing west cor marked	SW cor , thence	bearing no	rth a	<del></del>
21	distance of 600	feet to the	northwest co	rth a r, marked distance of 750	<b></b>
46	to the north side	center .	marked NSC	distance of 750; then the point of beginning	feet
		distance of 750	feet to th	e point of beginning	ng.
38°	a 4 x 4 x	4½ post.	15 4	x instinuistic of	
τυ :- α α :- α	} च	The location and	di convert ver	k referred to above	
1 1 10 P	this Location Cert	tificate was perfo	ormed on or be	fore	
	₩ April 26	_, 19 <u>68</u> , by or or	behalf of th	e undersigned locat	tor(s).
e page	B.K. Seeley, J		1423 E. 9th	So. Salt Lake City	Utah
5	(Name of 1	Locator)		(Address)	
c 🖺	10 0				
5 2 2	(Name of I	Locator)	<del></del>	(Address)	- <del></del>
니() [1	Ginio Coultificate	OF LOCATION MUST	BE POSTED UPO	n the claim and a	- 12 - 13
이승류는	LEGIBLE COPY RECORT	RDED WITH THE COUNTED WITHIN 90 DAYS	TY RECORDER O	F THE COUNTY IN WHI	CH
RDS					1. 1-11 2.0
£ 2 =					* []

	CERTIFICATE				1	
	5639	(GROUP OF	CLAIMS)	воок 23	•	42
File No	THIS IS	TO CERTIFY th	hat the I	Reta # 38	Lod	
Mining Cl	talm was located b	v B.K. Se	elev Jr	00 610		
day or	<u> January</u> , 1	9 68 in the	Mineral H		Mining	
District,	rureka	County.	State of	Nevada 6.		
described	d as being situate	d: Wa Sec.	9 - T.26N	- R.52E. MD	RAM	
<del></del>						
<del></del>	<u></u>					
		_				
	The gene	ral course of	said lod	e or vein i	s north	erly,
and the u	muersionen claime	111 ***				-
with a wi	O feet in an east	direct	ion from	the point o	f discov	ery,
47 Pri 4 47	dth of 300 feet ag the entire length	On each side	OT THE C	enter of th	e vein o	T .
2020 41011	is the entire length	cu or said Ci	.a.ım.	\	\	
				_	\	
	The loss:	tion made				
claim(e)	for the benefit of	tion work was	done upo	n the <u>Beta</u>	<b>248</b> #43	<del>- 122</del> ,
Lode Mini	for the benefit of	r a contiguou	is group o	r not more	than ten	(10)
Beta	#37, #38, #39, #40, #	A) NAO NAMES	OF Which	are as follo	OWS:	
	Wall Washington		11-20-133	<del></del>	<del>/ /</del>	
<del></del>			$\overline{}$	<del></del>		
				\		
	The look	tion work don			A	
	1119 10021	ctou work dou	e consist	ed OIS DUIT	ung	$\smile$
				<del></del>		
	<del></del>	//_	<del>/</del>	<del>/</del>		
	TOTAL OF \$ 1000					<u> </u>
	m.	\	` (			
and marke	The corne	ers and side	centers o	f the claim	are loca	
and marked thence bea	The corne	ers and side	centers o	f the claim	are loca	
thence bea	The corne d as follows: Beg aring southa dist	ers and side of the stance of 600	centers o	f the claim or, marked N	are loca E cor ast	
cor of 750	The corne d as follows: Beg aring southa dist _, marked SE cor feet to the south	ers and side ginning at the tance of 600 githence side center	centers of the corner of the c	f the claim er, marked N the souther est a c	are loca E cor ast Histance	ted
of 750	The corne d as follows: Beg aring southa dist _, marked SE cor feet to the south west a dista	ers and side ginning at th tance of 600 —, thence i side center	centers of the corner of the c	f the claim er, marked N the souther est a country	are loca E cor ast Histance	ted
of 750 bearing w	The corne d as follows: Beg aring southa dist _, marked SE cor feet to the south west a dista	ers and side ginning at th tance of 600 —, thence i side center	centers of the corner of the c	f the claim er, marked N the souther est a country	are loca E cor ast listance _; thenchwest	ted
of 750 bearing w	The corne d as follows: Beg aring southa dist , marked SE cor feet to the south vest a dista , marked SW cor	ers and side ginning at the tance of 600; thence iside center ance of 750; thence bear	centers of the corner of the c	f the claim  or, marked K  the souther  est a count  of SSC  the south	are loca E cor ast listance _; thence hwest	ted
thence beauting with the correction of 750 bearing with the correction of the correc	The corne d as follows: Beg aring southa dist , marked SE cor feet to the south west a dista , marked SW cor of 600 feet ; thence be	ers and side ginning at the tance of 600 side center ince of 750 thence is to the north aring east	centers of the corner of the c	f the claim or, marked Notes the souther of the south	are loca E cor ast listance ; thenchwest —_a marked	ited
thence beauting with the correction of 750 bearing with the correction of the correc	The corne d as follows: Beg aring southa dist , marked SE cor feet to the south west a dista , marked SW cor of 600 feet ; thence be	ers and side ginning at the tance of 600 side center ince of 750 thence is to the north aring east	centers of the corner of the c	f the claim  or, marked Note the souther  ost a country  othe souther  th	are local E cor ast listance ; thenchwest a marked 750	ted :e
of 750 bearing we get cor	The corne d as follows: Beg aring southa dist , marked SE cor feet to the south west a dista , marked SW cor of 600 feet crth side center	ers and side ginning at the cance of 600 ; thence is side center of 750 ; thence bearing east market	centers of the corner of the c	f the claim er, marked N the southe est a c ed SSC the sout th distance of	are local E cor ast listance ; thence hwest a marked 750	ted '
thence beauting we will be aring we will be a ring we will be a ring e record to the more bearing e	The corne d as follows: Beg aring southa dist , marked SE cor feet to the south vest a dista , marked SW cor of 600 feet ; thence be east a distance	ers and side ginning at the cance of 600 ; thence ince of 750 ; thence bear to the north earing east ; market of 750 for the cance of 750 for the cancel of 750 for the	centers of the confect to the confect to the confect to the confect to the center to t	f the claim er, marked N the southe est a c ed SSC the sout th distance of	are local E cor ast listance ; thence hwest ————————————————————————————————————	ted :e
thence beauting we will be aring we will be a ring we will be a ring e record to the more bearing e	The corne d as follows: Beg aring southa dist , marked SE cor feet to the south vest a dista , marked SW cor of 600 feet  orth side center east a distance the above described	ers and side ginning at the cance of 600 ; thence ince of 750 ; thence bear to the north earing east ; market of 750 for the cance of 750 for the cancel of 750 for the	centers of the confect to the confect to the confect to the confect to the center to t	f the claim er, marked N the southe est a c ed SSC the sout th distance of	are local E cor ast listance ; thence hwest ————————————————————————————————————	ted :e
thence beauting we will be a ring we will be a ring we will be a ring e	The corne d as follows: Beg aring southa dist , marked SE cor feet to the south vest a dista , marked SW cor of 600 feet ; thence be east a distance	ers and side ginning at the cance of 600 ; thence ince of 750 ; thence bear to the north earing east ; market of 750 for the cance of 750 for the cancel of 750 for the	centers of the confect to the confect to the confect to the confect to the center to t	f the claim er, marked N the southe est a c ed SSC the sout th distance of	are local E cor ast listance ; thence hwest ————————————————————————————————————	ted '
thence beauting with the more beauting with the more beauting expenses of the more beauting the more beautin	The corner of as follows: Begaring southa distance of the south west a distance of 600 feet orth side center east a distance he above described 4 x 4 x 4½ post.	ers and side ginning at the cance of 600 ; thence is side center ince of 750 ; thence bearing east ; marked of 750 for corners is a side corners in the corners is a side corners in the corners in the corners is a side corners in the corn	centers of the confect to the content of the conten	f the claim er, marked N the southe est a c ed SSC the sout th distance of point of h monument o	are local E cor ast listance ; thence hwest —_a marked s thence eginning	feet
thence beauting with the corporation of 750 bearing with the corporation of the corporati	The corner of as follows: Begaring southa distance of the south west a distance of 600 feet of the center of a distance of above described 4 x 4 x 4½ post.	ers and side ginning at the cance of 600; thence is side center once of 750; thence bearing east earing east of 750 for corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontin	centers of the corner of the c	the claim ar, marked Notes the souther south and SSC of the south the distance of monument of the contest of the south are south the south are south the sou	are local E cor ast listance ; thence hwest —_a marked s thence eginning	feet
thence beauting with the notation of the notat	The corner of as follows: Begaring southa distanced of the south west a distance of 600 feet or the side center of a distance of	ers and side ginning at the tance of 600; thence is side center ince of 750; thence bearing east, marked of 750 for corners is side corners is side corners as performed	centers of the corner of the c	f the claim ar, marked N the souther the souther the souther the sout th distance of point of the monument of the souther the	are local E cor ast listance : thence hwesta marked750; thence eginning r	feet
thence beauting with the notation of the notat	The corner of as follows: Begaring southa distanced of the south west a distance of 600 feet or the side center of a distance of	ers and side ginning at the cance of 600; thence is side center once of 750; thence bearing east earing east of 750 for corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontinuous control of the corners is a sion and discontin	centers of the corner of the c	f the claim ar, marked N the souther the souther the souther the sout th distance of point of the monument of the souther the	are local E cor ast listance : thence hwest a marked 750 ; thence eginning r	feet
thence beautoff of 750 bearing we are cor- bearing we cor- distance of distance of the norm to the norm bearing experience of the norm bearing experience o	The corner of as follows: Begaring southa distance of the south west a distance of 600 feet orth side center east a distance he above described 4 x 4 x 4 post.  The locate tion Certificate we 26 , 1968	ers and side ginning at the cance of 600 ; thence is ide center ince of 750 ; thence bearing east corners is a corners is a corners is a corners is a corner ince of 750 for an and discourse performed by or on behavior as performed incorners is a corner of 750 for an and discourse performed by or on behavior as performed incorner incor	centers of the content of the conten	f the claim er, marked N the souther est a continuous according to the sout the souther distance of the monument of the souther treferred to the souther the southers are southers are southers.	are local E cor ast listance ; thence hwesta markeds thence eginning r o above d locate	feet
thence beauting with the stance of 750 bearing with the stance of the st	The corner of as follows: Begaring southa distance of the south west a distance of 600 feet orth side center east a distance he above described 4 x 4 x 4 post.  The locate tion Certificate we 26 1968	ers and side ginning at the cance of 600 ; thence is ide center ince of 750 ; thence bearing east corners is a corners is a corners is a corners is a corner ince of 750 for an and discourse performed by or on behavior as performed incorners is a corner of 750 for an and discourse performed by or on behavior as performed incorner incor	centers of e NE cornected to the cornect	f the claim ar, marked N the souther set a control of the sout th distance of point of the monument of creferred to undersigne So, Salt La	are local E cor ast listance ; thence hwesta markeds thence eginning r o above d locate	feet
thence beaution of 750 bearing we will be the notice of th	The corner of as follows: Begaring southa distance of the south west a distance of 600 feet orth side center east a distance he above described 4 x 4 x 4 post.  The locate tion Certificate we 26 , 1968	ers and side ginning at the cance of 600 ; thence is ide center ince of 750 ; thence bearing east corners is a corners is a corners is a corners is a corner ince of 750 for an and discourse performed by or on behavior as performed incorners is a corner of 750 for an and discourse performed by or on behavior as performed incorner incor	centers of e NE cornected to the cornect	f the claim er, marked N the souther est a continuous according to the sout the souther distance of the monument of the souther treferred to the souther the southers are southers are southers.	are local E cor ast listance ; thence hwesta markeds thence eginning r o above d locate	feet
thence beauting work of 750 bearing work cor distance of the no bearing expension of the north control of the nort	The corner of as follows: Begaring southa distance of the south west a distance of 600 feet orth side center east a distance he above described 4 x 4 x 4 post.  The locate tion Certificate we 26 1968	ers and side ginning at the cance of 600 ; thence is ide center ince of 750 ; thence bearing east corners is a corners is a corners is a corners is a corner ince as performed by or on behavior at the corner is a corner ince as performed by or on behavior in the care incorner incorn	centers of e NE cornected to the cornect	f the claim ar, marked N the souther set a control of the sout th distance of point of the monument of creferred to undersigne So, Salt La	are local E cor ast listance ; thence hwesta markeds thence eginning r o above d locate	feet
thence bearing work of 750 bearing work cor distance of the no bearing experience of the north pearing experience of the north	The corner of as follows: Begaring southa distance of 600 feet of	ers and side ginning at the cance of 600 ; thence is ide center ince of 750 ; thence bearing east corners is a corners is a corners is a corners is a corner ince as performed by or on behavior at the corner is a corner ince as performed by or on behavior in the care incorner incorn	centers of e NE corners of the corne	the claim or, marked N the souther rest a contract of the south distance of the south point of the monument of the monument of the south creferred to the south south south and south the	are local E cor ast listance ; thence hwesta markeds thence eginning r o above d locate	feet
thence beauting to the cor of 750 bearing we are cor distance of the cor of t	The corner of as follows: Begaring southa distance of the south west a distance of 600 feet orth side center east a distance he above described 4 x 4 x 4 post.  The locate tion Certificate we 26 1968	ers and side ginning at the cance of 600 ; thence is ide center ince of 750 ; thence bearing east corners is a corners is a corners is a corners is a corner ince as performed by or on behavior at the corner is a corner ince as performed by or on behavior in the care incorner incorn	centers of e NE corners of the corne	f the claim ar, marked N the souther set a control of the sout th distance of point of the monument of creferred to undersigne So, Salt La	are local E cor ast listance ; thence hwesta markeds thence eginning r o above d locate	feet
thence beauting of the cor of 750 bearing we bearing we cor of the second of the secon	The corner of as follows: Begaring southa distance feet to the south west a distance of 600 feet feet as a distance feet as a distance feet as a distance feet feet as a distance feet feet feet feet feet feet feet fe	ers and side ginning at the tance of 600 ; thence is ide center ince of 750 ; thence bearing east parked of 750 for corners is a side corners is a side corner in the corner is a side corner ince of 750 for corner ince ideas performed by or on behind 142	centers of e NE corners of the corne	f the claim er, marked N the souther yest a condition of the south distance of the south point of the monument of the monument of the south creferred to the south distance of the south distance of the south so point of the monument of the monument of the south distance of the south the	are local E cor ast listance ; thence hwest a marked 750 ; thence eginning r o above d locate ke City	feet
thence bearing work of 750 bearing work cor bearing work cor bearing work cor bearing expension of the more core bearing work	The corner of as follows: Begaring_southa distance feet to the south west a distance of 600 feet feet as a distance he above described 4 x 4 x 4½ post.  The locate tion Certificate were considered to the south feet feet feet feet feet feet feet fe	ers and side ginning at the tance of 600 ; thence is ide center ince of 750 ; thence bear to the north earing east corners is a corners is a corners is a corner ince of 750 for an and discount income incom	centers of e NE corners of the corne	the claim or, marked Note of the souther souther souther souther south the south the south the south the monument of the monument of the core soundersigner so. Salt La Address)  Address	are local E cor ast listance ; thence hwest a marked 750 _; thence eginning r	feet in Utal
thence bearing work of 750 bearing work cor	The corner of as follows: Begaring_southa distance feet to the south west a distance of 600 feet feet as a distance he above described 4 x 4 x 4½ post.  The locate tion Certificate were considered for the content of	ers and side ginning at the tance of 600 ; thence is ide center ince of 750 ; thence bear to the north earing east corners is a corners is a corners is a corners is a corner ince of 750 for the country RE POTHE COUNTY RE	centers of e NE corners of the corne	the claim or, marked Notes outher souther souther souther souther south the south the south distance of monument or referred to regular south so	are local E cor ast listance ; thence hwest a marked 750 _; thence eginning r	feet in Utal
thence bearing work of 750 bearing work cor	The corner of as follows: Begaring_southa distance feet to the south west a distance of 600 feet feet as a distance he above described 4 x 4 x 4½ post.  The locate tion Certificate were considered to the south feet feet feet feet feet feet feet fe	ers and side ginning at the tance of 600 ; thence is ide center ince of 750 ; thence bear to the north earing east corners is a corners is a corners is a corners is a corner ince of 750 for the country RE POTHE COUNTY RE	centers of e NE corners of the corne	the claim or, marked Notes outher souther souther souther souther south the south the south distance of monument or referred to regular south so	are local E cor ast listance ; thence hwest a marked 750 _; thence eginning r	feet in Utah
thence bearing work of 750 bearing work cor	The corner of as follows: Begaring_southa distance feet to the south west a distance of 600 feet feet as a distance he above described 4 x 4 x 4½ post.  The locate tion Certificate were considered for the content of	ers and side ginning at the tance of 600 ; thence is ide center ince of 750 ; thence bear to the north earing east corners is a corners is a corners is a corners is a corner ince of 750 for the country RE POTHE COUNTY RE	centers of e NE corners of the corne	the claim or, marked Notes outher souther souther souther souther south the south the south distance of monument or referred to regular south so	are local E cor ast listance ; thence hwest a marked 750 _; thence eginning r	feet in Utah
thence bearing work of 750 bearing work cor	The corner of as follows: Begaring_southa distance feet to the south west a distance of 600 feet feet as a distance he above described 4 x 4 x 4½ post.  The locate tion Certificate were considered for the content of	ers and side ginning at the tance of 600 ; thence is ide center ince of 750 ; thence bear to the north earing east corners is a corner ince of 750 for an and discount of the corners is a corner ince of 750 for an and discount of the corner ince of 750 for an and discount of the corner ince of 750 for an and discount of the corner ince of 750 for an and discount of the corner ince of 750 for an and discount of the corner ince of the corner ince of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis of the corner ince of 750 for an analysis	centers of e NE corners of the corne	the claim or, marked Notes outher souther souther souther souther south the south the south distance of monument or referred to regular south so	are local E cor ast listance ; thence hwest a marked 750 _; thence eginning r	feet in Utah

**有X**至数。 在201 是了"是是"等的"是我们"也就是是一种的影響等

4664	14	(GROUP OF CI	AIMS) BOO	K 23 PAGE	A.
File No.	MUND TO I	TO CERTIFY that	the Reta #	40 100	ie.
Mining Cla	im was located by January 1 Eureka as being situated	y B.K. Seel	ey, Jr.	on the 30th	
day of	January 1	9 <u>68 in the Mi</u>	neral Hill	Mining	
District,_	Eureka	County, S	tate of Neva	da, further	
described	as being situate	d: <u> W<del>a</del> Sec. 9 -</u>	- T.26N $-$ R.5	ZE MDBAM	
				7	r '
			<del></del>	Λ	
	The gene	ral course of s	said lode or	vein is north	erl
and the un	dersigned claims feet in an east	teet 1	n a weste	cist of discor	7210
and 1490	th of 300 feet	on each side o	of the center	of the vein	or Arl
lode along	the entire leng	th of said clai	im.	\ \	٠.
				\ \	
				\ .\.	
	The loca	tion work was d	lone upon the	Beta 1812 43	<del></del>
claim(s) f	or the benefit o	f a contiguous	group of not	more than ter	) (I
Lode Minin	g Claims, the sp /37,#38,#39,#40,#	ecific names of	Which are a	s tottomes	<del></del>
De ta	171, 100, 179, 179, 170, 170, 170, 170, 170, 170, 170, 170	41, P42, F47, F71,	790,795		
<del></del>				1	
			/ /		
	The loca	tion work done	consisted of	<u>Drilling</u>	
	<del></del>				$\vee$
	TOTAL OF \$ 1000	00	-15 e100 00 de	analicable to	
		of water	cu aron no re	s applicable c	•
this claim	i.		<b>Y</b> /		
•					
	The sown	ers and side co	enters of the	claim are lo	cate
and marked	las follows: Be	orinning at the	NE corner. n	marked NE COI	
thence her	ring southa die	tance of 600 1	feet to the	soutneast	
cor	, marked SE cor eet to the sout	; thence be	earing west	a distance	8
of 750 f	eet to the sout	h side center	, marked	SSC ; the	nce
bearing W	est a dist	ance of 750	feet to the	southwest _	
cor.	est to the sourcest a dist marked SW cor of 600 fee rth side center	_, thence bear:	ing north	marked	
distance o	it oud lee	t to the noit	a diet	ance of 750	fe
NW COL	rth side center	earing east	NSC a dist	the	nce
Fach of th	ne above describe	d corners is a	Rock mon	ument or	
a	4 x 4 x 4 post.				
(e) ) :					
	The loca	tion and disco	very work re	terred to above	<b>e</b> 11
this Locat	ion Certificate	by or on behalf	on or delore	dereigned loca	tor
m April	<u> 1908 '</u>	by or on bene.	II OI CUB MU	reterdired toca	
BKS	eeley, Jr.	1423	B E. 9th So.	Salt Lake City	7. U
	lame of Locator)			ress)	
to	Alle of Docacot,	,	•=====		
n m					1 .
<u> </u>	lame of Locator)		(Add:	ress)	7.7
15					
(THIS CERT	PIFICATE OF LOCAT	TION MUST BE PO	STED UPON THE	E CLAIM AND A	TAU
EEGIBLE CO	PY RECORDED WITH	THE COUNTY RE	CORDER OF THE	B IUGPALUM ) R COOMII IM MW	
THE CLAIM	IS LOCATED WITH	M 30 DAYS WLIR	R THE LATE OF	E AMERILANI,	
					-
			di ana ana ana ana	E Norwa	i Sir in Sin

46642	(GROUP OF (	CLAIMS)	23 DKPAC	GE 4
ros red Tet	S IS TO CERTIFY that	t the Reta	# 41	Lode
Mining Claim was loca day of January	19 68 in the N	ineral Hill	Minir	1g
District, Eureka described as being si	county,	State or Ne	vaqa, Iurtnei	5
described as being si	tuated: WE Sec. 9	- T-25N - H	- 52E MUBAM	
m				
and the undersigned c	general course of laims 10 feet	in a West	r vein is <u>no</u> terly di	rect
and the undersigned c and 1490 feet in a	n easterly directi	on from the	point of dis	COVE
with a width of 300	_feet on each side	of the cent	er of the ver	in or
lode along the entire	e length of said cla	iim.	\ \	
-			_ \ \	
The	location work was	done upon ti	he Beta	#43
claim(s) for the bene Lode Mining Claims, t	fit of a contiguous	group of n	ot more than	ten
Beta #37. #38. #39.	ne specific names of #40,#41,#42,#43,#9	7.#98.#99	da rottoma!	
		1		
Ф	location work done	consisted a	of: Drilling	
1116	TOCACTON WOLK GOIN			
	//			
COSTING A TOTAL OF \$_	1000.00 of the	Ich \$300 00	is applicable	- to
this claim.	, OL WILL	C11 4200500	on abhareast	- 40
United Watering				
The and marked as follows	corners and side (	centers of t	he claim are	.O.c. TOCS
thence hearing South	a distance of 600	feet to the	southeast	
thence bearing south cor marked SE of 750 feet to the	cor ; thence h	pearing wes	t a dista	nce
of 750 feet to the	south side center	, marked_	SSC	thend
bearing west a cor marked SW distance of 600	distance of 750	feet to t	he soutnwes	<u>st</u>
Ediatance of 600	feet to the nort	hwest cor	. mar)	_a ked
NW cor ; the	nce bearing east	_a di	stance of 75	50
to the north side ce	nter, marked	NSC		thend
Phearing east a di	stance or <u>/ov</u> re	et to the p	oruc or nedri	untui
Each of the above des $a 4 \times 4 \times 4 \times 4$	<u>cribed corners is a nost.</u>	L ROCK IN	onument or_	
5 /5				
The	location and disco	overy work r	eferred to al	bove
this Location Certifi	cate was performed	on or befor	e	205
UI UI	9 <u>68</u> , by or on beha	TI OF THE U	udersidued 10	بتعتا
B.K. Seeley, Gr.	142	3 E. 9th So.	Salt Lake C	ity.
(Name of Loca			dress)	
co /	/			
(P		7	d====\	
(Name of Loca	torj	DA)	dress)	
(THIS CERTIFICATE OF	LOCATION MUST BE PO	STED UPON T	HE CLAIM AND	A
LLEGIBLE COPY RECORDED	WITH THE COUNTY RI	ecorder of t	HE COUNTY IN	WHI
THE CLAIM IS LOCATED	WITHIN 90 DAYS AFT	ER THE DATE	OF LOCATION.	,
·				

CERTIFICATE OF			

				3 1 - 1 - 1 - 1 125일 일 - 1 - 1 - 1 125일 중앙인 122일 - 122일	
	CERTIFICATE O	ድ ያለውልጥታለል ሊ	TARE UPIN	NO ATTA	
	GENTIFICATE C.		-		
46643		(GRODE OF CI	AIMS) BC	юк <u>23</u> т	PAGE 42
Homes-neconstruct	7****3 TO TO	CERTIFY that	: the Beta	#42	Lode
Mining Claim	n was located by anuary, 19 (	B.K. Seel	ey, Jr.	_on the 3	Oth
District.	Eureka , 19 (	County. S	tate of Ne	vada, furth	ing er
described as	Eureka being situated:	Wa Sec. 9	T.26N - R	52E MDBAM	
	<del></del>	<del></del>		$-\langle \cdot \rangle$	<del></del>
<del></del>				1 1	<del></del>
	The genera	l course of s	aid lode o	r vein ie T	northerl
and the unde	rsigned claims feet in an easter	10 feet i	na <u>wes</u>	terly	direction
and 1490	feet in an easter	ly direction	n from the	point of d	iscovery
lode along t	of 300 feet on the entire length	n each side ( of said clai	m. Trie Cent	er or the V	eln or
					\
	Man Janeti	38 wast	lone	no Poto site	5 AV-2
claim(s) for	The location the benefit of a	on work was d	group of n	ot more than	n ten (1
Lode Mining	Claims, the spect	ific names of	which are	as follows:	
Beta #3	7,#38,#39,#40,#41	#42.#43.#97.	#98 <b>. #</b> 99	<del></del>	/
		/ /	-+	<del></del>	-
			) )		
	The location	on work done	consisted	of: Drilling	7
		<del>\</del>	<del>-/-/-</del>		
			. /		
			$\sqrt{}$		
COSTING A TO	TAL OF \$ 1000.00	of which	h \$100.00	is applicab	le to
COSTING A TO this claim.	TAL OF \$ 1000.00	of which	h \$100.00	is applicab	le to
		, 01 4.1.0			
this claim.	The corners	and side ce	enters of t	he claim are	e locate
this claim.	The corners follows: Begin	s and side ce	enters of the corner.	he claim are marked NE	e locate cor
and marked a thence beari	The corners follows: Beging southa distanmarked SE cor	s and side ce nning at the nce of 600 f	enters of to NE corner, eet to the aring west	he claim are marked <u>NE</u> southeast a dist	e locate cor
and marked a thence beari cor of 750 fee	The corners follows: Beging southa distarmarked SE cor	s and side ce nning at the nce of 600 f ; thence be ide center	enters of to NE corner, eet to the aring west	he claim are marked NE southeast a dist	e locate cor tance thence
and marked a thence bearing of 750 fee bearing wes	The corners follows: Beging southa distarmarked SE coret to the south standard distance the south set to the set to the south set to the set	s and side ce nning at the nce of 600 f _; thence be ide center ce of 750	enters of to NE corner, eet to the aring west _, marked feet to to	he claim are marked NE southeast a dist SSC; he southwe	e locate cor tance thence
and marked a thence beari cor of 750 fee bearing wes	The corners of follows: Beging southard distant marked SE corect to the south of th	s and side ce nning at the nce of 600 f ; thence be ide center ce of 750 thence beari	enters of to NE corner, eet to the aring west, markedfeet to to no corth	he claim are marked_NE southeast a dist SSC; he southwe	e locate cor tance thence
and marked a thence bearing wes cor mistance of the cor	The corners of follows: Beging southard distant marked SE corect to the south of th	s and side cenning at the nce of 600 f.; thence be ide center ce of 750 thence bearing east	enters of to the corner, eet to the aring west, marked feet to to the mest cor a di	he claim are marked NE southeast a dist SSC he southwe	e locate cor tance thence est a rked
and marked a thence bearing wes cor, marked bearing wes cor, marked a thence bearing wes cor, marked bearing wes cor, marked bearing wes cor, marked bearing wes cor, marked bearing west	The corners of follows: Beging south a distant warked SE corner to the south of the	s and side ce nning at the nce of 600 f ; thence be ide center ce of 750 thence beari to the north cing east	enters of the corner, set to the aring west marked feet to the month west corner a display	he claim are marked NE southeast SSC he southwe stance of 7	e locate cor tance thence est a rked 750 fe
and marked a thence bearing wes cor. , m distance of the nort bearing eas	The corners of follows: Beging southard distant a distant a distant arked SW cor feet to the south starked SW cor feet to the side center to a distance of the side center to a distance of the side center to the side center	s and side centing at the the center	enters of to the corner, eet to the arring west, markedfeet to to the set cor a distance to the period of the p	he claim are marked NE southeast a dist SSC he southwe  man stance of 7	e locate cor tance thence est a rked 750 fe
and marked a thence bearing of 750 fee bearing wes cor. To the northearing eas Each of the	The corners of follows: Beging south a distant warked SE corner to the south of the	s and side centing at the the center	enters of to the corner, eet to the arring west, markedfeet to to the set cor a distance to the period of the p	he claim are marked NE southeast a dist SSC he southwe  man stance of 7	e locate cor tance thence est a rked 750 fe
and marked a thence bearing wes cor.  Cor.	The corners of follows: Beging southa distant marked SE corner to the south of the side center the south of t	s and side centing at the nee of 600 fer ide center ce of 750 thence bearing east marked for 750 fee corners is a	enters of too the corner, eet to the aring west , marked feet to too too too too too too too too t	he claim are marked NE southeast a dist SSC he southwe  stance of 7 oint of beginnment or	e locate cor tance thence est a rked 750 fe thence inning.
and marked a thence bearing wes cor marked bearing wes cor marked bearing wes cor marked bearing eas Each of the a 4	The corners of follows: Beging south a distant a distant arked SW cor feet to the south starked SW cor feet to the side center to a distance of above described ox 4 x 45 post.	a and side cenning at the nee of 600 fer thence bearing the north cing east formers is a corners is a con and discovers.	enters of to the corner, eet to the aring west, marked feet to the general north west cor a displayed to the per cor rock modern work re-	he claim are marked NE southeast a dist SSC; he southwe stance of 7 point of begin	e locate cor tance thence est a rked 750 fe thence inning.
and marked a thence bearing was cor of 750 fee bearing was cor of a cor to the north bearing eas this Location April 26	The corners of follows: Beging south a distant a distant a distant arked SW cor feet to the south starked SW cor feet to the side center to a distance of above described ox 4 x 4 x post.  The location Certificate was	a and side cenning at the nee of 600 fer thence bearing to the north ring east formers is a corners is a corners of performed of performed of performed of the need of the nee	enters of to the corner, eet to the aring west, marked feet to the general north west cor a displayed to the person or before	he claim are marked NE southeast a dist SSC; he southwe man stance of 7 point of begin	e locate cor tance thence est _a rked 750 fe thence inning.
and marked a thence bearing wes cor of 750 fee bearing wes cor of distance of NW cor to the nort bearing eas each of the a 4 control of April 26	The corners of follows: Beging south a distant a distant a distant arked SW cor feet to the south starked SW cor feet to the side center to a distance above described ox 4 x 4k post.  The location Certificate was 1968, by	s and side cenning at the ning at the ning at the nide center of 750 thence bearing east marked of 750 fee corners is a corner of north the ning east corners of ning east corner	nters of to the corner, seet to the aring west , marked feet to the general north west corner and to the part of the unit of the unit for the unit of the unit nor before for	he claim are marked NE southeast a dist SSC; he southwe stance of 7 oint of beginnent or eferred to a market and a market a market and	e locate cor tance thence est a rked 750 fe thence inning.
and marked a thence bearing wes bearing wes cor marked bearing wes cor to the nort bearing east this Location April 26	The corners of follows: Beging south a distant a distant a distant arked SW cor feet to the south starked SW cor feet to the center to a distance of a dista	s and side cenning at the ning at the ning at the nide center of 750 thence bearing east marked of 750 fee corners is a corner of north the ning east corners of ning east corner	enters of the corner, seet to the aring west marked feet to the mest corner and in the person work representation or before for the unit of the unit for the person or before for the unit for the corner for the unit for the corner for the unit for the u	he claim are marked NE southeast a dist SSC he southwe  stance of 7 oint of beginnement or eferred to a marked NE southwe marked NE southwe marked NE southwe stance of 7 oint of beginnement or eferred to a marked NE southwe stance of 7 oint of beginnement or eferred to a marked NE southwe stance of 7 oint of beginnement or eferred to a marked NE southwe stance of 7 oint of beginnement or eferred to a marked NE southeast so	e locate cor tance thence est a rked 750 fe thence inning.
and marked a thence bearing wes cor	The corners of follows: Beging south a distant a distant a distant arked SW cor feet to the south starked SW cor feet to the side center to a distance above described ox 4 x 4k post.  The location Certificate was 1968, by	s and side cenning at the ning at the ning at the nide center of 750 thence bearing east marked of 750 fee corners is a corner of north on and discover or on behalf	enters of the corner, seet to the aring west marked feet to the mest corner and in the person work representation or before for the unit of the unit for the person or before for the unit for the corner for the unit for the corner for the unit for the u	he claim are marked NE southeast a dist SSC; he southwe stance of 7 oint of beginnent or eferred to a market and a market a market and	e locate cor tance thence est a rked 750 fe thence inning.
and marked a thence bearing wes cor	The corners of follows: Beging south a distant a distant a distant arked SW cor feet to the south starked SW cor feet to the center to a distance of a dista	s and side cenning at the ning at the ning at the nide center of 750 thence bearing east marked of 750 fee corners is a corner of north on and discover or on behalf	enters of the corner, seet to the aring west marked feet to the mest corner and in the person work representation or before for the unit of the unit for the person or before for the unit for the corner for the unit for the corner for the unit for the u	he claim are marked NE southeast a dist SSC he southwe  stance of 7 oint of beginnement or eferred to a marked NE southwe marked NE southwe marked NE southwe stance of 7 oint of beginnement or eferred to a marked NE southwe stance of 7 oint of beginnement or eferred to a marked NE southwe stance of 7 oint of beginnement or eferred to a marked NE southwe stance of 7 oint of beginnement or eferred to a marked NE southeast so	e locate cor tance thence est a rked 750 fe thence inning.
and marked a thence bearing wes cor of 750 fee bearing wes cor to the nort bearing eas this Location April 26	The corners of follows: Beging south a distant a distant a distant arked SW cor feet to the south starked SW cor feet to the center to a distance of a dista	s and side cenning at the ning at the ning at the nide center of 750 thence bearing east marked of 750 fee corners is a corner of north on and discover or on behalf	enters of to the corner, eet to the aring west , marked feet to the mest cor a dispersion of the mest corner work ren or before f of the unit of the mest corner work ren or before f of the unit of the mest corner work ren or before f of the unit of the unit of the mest corner work ren or before f of the unit of the u	he claim are marked NE southeast a dist SSC he southwe  stance of 7 oint of beginnement or eferred to a marked NE southwe marked NE southwe marked NE southwe stance of 7 oint of beginnement or eferred to a marked NE southwe stance of 7 oint of beginnement or eferred to a marked NE southwe stance of 7 oint of beginnement or eferred to a marked NE southwe stance of 7 oint of beginnement or eferred to a marked NE southeast so	e locate cor tance thence est a rked 750 fe thence inning.
and marked a thence bearing was cor of 750 fee bearing was cor to the nort bearing eas this Location April 26 Name (Name of the control of th	The corners of follows: Beging south a distant a distant a distant arked SW cor ; 600 feet to the side center to a distance above described ox 4 x 4½ post.  The location Certificate was 1968, by ley, Jr.  e of Locator)	s and side cenning at the center of 600 fer thence bearing the north ring east formers is a corners is a center or on behal	enters of to the corner, seet to the aring west of the mest cor a discount of the person or before f of the unit of the mest cor f of the unit of the mest cor f of the unit of the mest cor f of the unit of the	he claim are marked NE southeast a dist SSC he southwe stance of 7 oint of beginnement or eferred to a stance of 8 Address Address Address Address Address	e locate cor tance thence est a rked 750 fe thence inning.
and marked a thence bearing of 750 fee bearing wes cor	The corners of follows: Beging south a distant a distant a distant arked SW cor feet to the south starked SW cor feet to the side center to distance above described ox 4 x 4k post.  The location Certificate was 1968, by ley, Jr.	s and side cenning at the ning at the ning at the ning enter se of 750 thence bearing east marked of 750 fee corners is a second or on behal	enters of the corner, eet to the aring west arked feet to the mest corner and discount west corner work more before fof the unit of the un	he claim are marked NE southeast a dist SSC; he southwe  stance of 7 oint of beginnment or eferred to a condensigned 1 Salt Lake iress) HE CLAIM ANI	e locate cor tance thence est a rked 750 fe thence inning.

Fee \$ 1.00

46644	(GROUP	OF CLAIMS)	воок_22	PAGE
le Re-THIS	IS TO CERTIFY	that the 3	30+0 # 43	Lod
Mining Claim was locate day of Jenuary	d by_ B.K.	Seeley. Jr.	on the	30th
day of <u>January</u>	, 19 <u>68 in th</u>	e' Mineral H	111 M1	ning
Distilct, Saleka	Coun	tv. State of	Nevada fort	מאל
described as being situ	ated: <u>War Sec</u>	9 - T.26N	- R.52E, MDBA	M
		<del></del>	-	
		<del> </del>	<del></del>	
			\ \	
The g	eneral course	of said loc	le or vein is_	northe
and the undersigned cla	ims 10 f	eet in a	westerly	_direct
and 1490 feet in an	easterly dir	ection from	the point of	discove
with a width of 300 f lode along the entire 1	eet on each s	ide of the c	enter of the	vein o
tode atomy the entitle t	ength of said	Claim.		\
	,			
The 1	ocation work	was done upo	n the Beta 🗷	DR #43
claim(s) for the benefi	t of a contigu	uous group c	f not more than	an ten
Lode Mining Claims, the	specific name	es of which	are as follows	B3
Beta #37, #38, #39, #4	U #41, #42, #45	#97 #98 #99	<del>\</del>	
<del></del>	<del>/_/</del>	<del></del>	<del></del>	
		)		
The 1	ocation work	done consist	ed of: Drilling	ıg
COCMING & MOMENT OR 4	000 700			
COSTING A TOTAL OF \$ 1	<u>000.00</u> , 01	Murcu \$100.	on is applicat	ore to
this claim.				
The c	orners and sid	de centers o	f the claim as	e loca
and marked as follows:	Beginning at	the NE corn	er/ marked NE	cor
thence bearing southa	distance of 60	o feet to	the southeas	<u>t</u>
of 750 feet to the so	thence	ce bearing	<u>west</u> a dis	stance
or 750 reet to the so	outh side cent	er , mark	ed SSC	thenc
COT. marked SW CO	r • thence l	hearing no	o tne <u>soutnw</u>	est
bearing west a discorrect and swift of the morth side center and swift of the morth swift of the mort	feet to the	orthwest co	r ma	a vrked
NW cor ; thence	e bearing eas	t/a	distance of	750
to the north side cente	r maı	rked <u>NSC</u>	;	thenc
DESTING CASE STUSIS	1/ICM UX /JU /	Teer to th	e coluc of pec	11 11 11 11 11 11
Each of the above descr	ibed corners i	is a Roc	k monument or	
a 4 x 4 x 4 x 9 pos	, L.	_ <del></del>	<del></del>	<del></del>
The 1	ocation and di	ecovery war	k referred to	ahove
Each of the above described a 4 x 4 x 4½ pos The lethis Location Certification April 26	he was nerform	recovery wor	tote v teretten fo	anove
April 26 196	8 by or on t		e undersigned	locato
m a	-, -, -, -, -, -, 1	m		
B.K. Seeley, Jr.		1423 E. 9th	So, Salt Lake	City.
(Name of Locator	=)		(Address)	
ß				
0				
10 (11-	<del></del>		<del>/</del>	
H (Name of rocato)	<del>()</del>		(Address)	
(Name of Locato)				In a
THIS CERTIFICATE OF LOC	CATION MUST BE	E POSTED UPO	N THE CLAIM AN	ID A
THIS CERTIFICATE OF LOCALDINATE OF L	CATION MUST BE	E POSTED UPO	N THE CLAIM AN F THE COUNTY I	N WHIC
(Name of Locator of This certificate of Loc	CATION MUST BE	E POSTED UPO	N THE CLAIM AN F THE COUNTY I	N WHIC

## CERTIFICATE OF LOCATION OF LODE MINING CLAIM

Fila	46645	•		воок 23	
* 11 <b>6</b> 5	Mining Claim was loday of January District, Eurek described as being	THIS IS TO CE	RTIFY that the_	Beta # 44	Lode
	day of January	ocated by	B,K, Seeley, J	on the	30 <b>t</b> h
	District, Eurek	(a	County, State	of Nevada furth	iing er
	described as being	situated:	5# Sec. 9	- T.26N - R.52E	MDB&M.
		<del>,</del>			- 0.0 <b>- </b> 0.0
	<del></del>				
				\ \	e e e e e e e e e e e e e e e e e e e
	nd the understand	The general co	ourse of said l	ode or vein is_	northerly
	and the undersigned and 1490 feet in	an easterly	ieet in a	m the point of d	direction
	with a Midth OL 30	U reet on ea	ich side of the	center of the v	ein or
	lode along the enti	re length of	said claim.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	-
					\
	7	The location w	vork was done u	pon the Beta #	44
•					
•					<u> </u>
•		<del></del>	/ /	<del>\</del>	<del>/-/-</del>
•		/	/ \	1	/ /
			( )	. ]	
	T	ne location w	ork done consi:	sted of: Trench	ing
•	<del>-</del>		$\overline{}$		<del></del>
				/	<del></del>
(	COSTING A TOTAL OF	# 100 00			
		\$IUU_UU	, of which \$100	0.00 is applicab	le to
	this claim.	\$_100,00	_, of which \$100	J.00 is applicab	le to
•	this claim.  Tand marked as follo	he corners an	d side centers g at the NE con	of the claim ar	e located
•	this claim.  Tand marked as follo	he corners an	d side centers g at the NE con	of the claim ar	e located
•	this claim.  Tand marked as follo	he corners an	d side centers g at the NE con	of the claim ar	e located cor
	and marked as follo thence bearing sour cor , marked of 750 feet to the bearing west	The corners and the distance SE cor ; le south side a distance of the cor ; the foot to the cor ; the foot to the cor ; the foot to the cor ; the core	of side centers of 600 feet to thence bearing center , man f 750 feet nce bearing n	of the claim ar rner, marked NE the southeas west a discked SSC; to the southworth	e located cor t tance thence
	and marked as follo thence bearing sour cor , marked of 750 feet to the bearing west	The corners and the distance SE cor ; le south side a distance of the cor ; the foot to the cor ; the foot to the cor ; the foot to the cor ; the core	of side centers of 600 feet to thence bearing center , man f 750 feet nce bearing n	of the claim ar rner, marked NE the southeas west a discked SSC; to the southworth	e located cor t tance thence
	and marked as follo thence bearing sour cor , marked of 750 feet to the bearing west	The corners and the distance SE cor ; le south side a distance of the cor ; the foot to the cor ; the foot to the cor ; the foot to the cor ; the core	of side centers of 600 feet to thence bearing center , man f 750 feet nce bearing n	of the claim ar rner, marked NE the southeas west a discked SSC; to the southworth	e located cor t tance thence
a Apr. 2	and marked as follo thence bearing sour cor , marked of 750 feet to the bearing west cor , marked distance of 600 NW cor ; to the north side of bearing east a	The corners and the distance SE cor ; le south side a distance of SW cor ; the feet to thence bearing center distance of	of side centers of 600 feet to thence bearing center , man f 750 feet nce bearing n he northwest c east , marked NSC	of the claim ar rner, marked NE the southeas west a disched SSC to the southworth or madistance of the point of beg	e located cor t tance thence est a rked 750 feet
on Apr. 29	and marked as follo thence bearing sour cor , marked of 750 feet to the bearing west	The corners and the distance SE cor; esouth side a distance of the feet to thence bearing center distance of escribed corn	of side centers of 600 feet to thence bearing center , man f 750 feet nce bearing n he northwest c east , marked NSC	of the claim ar rner, marked NE the southeas west a disched SSC to the southworth or madistance of the point of beg	e located cor t tance thence est a rked 750 feet
Mpr. 29 : 6	and marked as follo thence bearing sour cor marked of 750 feet to the bearing west cor marked distance of 600 NW cor to the north side of the above day 4 x 4 x 4	The corners and the distance SE cor ; le south side a distance of feet to the hence bearing center distance of escribed corner post.	of side centers ag at the NE con of 600 feet to thence bearing center , man f 750 feet nce bearing n he northwest co east , marked NSC 750 feet to t ers is a Ro	of the claim ar rner, marked NE the southeas west a discked SSC to the southworth or ma distance of the point of beginning the monument or	e located cor t tance thence est a rked 750 feet thence inning.
a Apr. 29 68	and marked as follow thence bearing sour cor marked of 750 feet to the bearing west cor marked distance of 600 NW cor to the north side of the above da 4 x 4 x 4	The corners and was: Beginning tha distance of south side a distance of feet to the hence bearing center distance of escribed corner he location a	of side centers of at the NE con of 600 feet to thence bearing center , man f 750 feet nce bearing n he northwest co east marked NSC 750 feet to t ers is a Ro nd discovery we	of the claim ar rner, marked NE the southeas west a dis rked SSC; to the southwe orth or , ma a distance of the point of beg ck monument or	e located cor t tance thence est a rked 750 feet thence inning.
m Apr. 29 168	and marked as follow thence bearing sour cor marked of 750 feet to the bearing west cor marked distance of 600 NW cor to the north side of the above day 4 x 4 x 4 to the source of the above day 4 x 4 x 4 to the source of the above day 5 to the above day 6 to the source of the above day 6 to the ab	The corners and was: Beginning tha distance of south side a distance of feet to the hence bearing center distance of escribed corners post.	of side centers of at the NE cor of 600 feet to thence bearing center , man f 750 feet nce bearing n he northwest co east marked NSC 750 feet to t ers is a Ro  nd discovery wo rformed on or h	of the claim ar rner, marked NE the southeas west a discked SSC to the southworth or ma distance of the point of beginning the point of beginning the referred to before	e located cor t tance thence est a rked 750 feet thence inning.
a Apr. 29 68	and marked as followed thence bearing sour cor marked of 750 feet to the bearing west cor marked of 600 feet to the morth side of 600 feet to the morth side of 600 feet to the morth side of 600 feet feet feet feet feet feet feet fe	The corners and was: Beginning tha distance of south side a distance of feet to the hence bearing center distance of escribed corners post.	of side centers of at the NE cor of 600 feet to thence bearing center , man f 750 feet nce bearing n he northwest co east marked NSC 750 feet to t ers is a Ro  nd discovery wo rformed on or h	of the claim ar rner, marked NE the southeas west a dis rked SSC; to the southwe orth or , ma a distance of the point of beg ck monument or	e located cor t tance thence est a rked 750 feet thence inning.
m Apr. 29 : 68 . 5	and marked as follo thence bearing sour cor marked of 750 feet to the bearing west cor marked distance of 600 kW cor to the north side of the above day 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	The corners and was: Beginning tha distance of south side a distance of feet to the hence bearing center distance of escribed corner post.  The location a ficate was periods and the secribed corner bearing center bearing center bearing center bearing center bearing center bearing center bearing post.	of side centers of at the NE cor of 600 feet to thence bearing center , man f 750 feet nce bearing n he northwest co east marked NSC 750 feet to t ers is a Ro  nd discovery wo rformed on or h on behalf of t	of the claim ar rner, marked NE the southeas west a disched SSC to the southworth or , ma a distance of the point of beginning the monument or or the core the undersigned the southwest to the southwest to be the southwest to be the southwest to be the southwest to the southwest	e located cor t tance thence est a rked 750 feet thence inning.
m Apr. 29 : 68 . 5	and marked as follo thence bearing sour cor marked of 750 feet to the bearing west cor marked distance of 600 NW cor to the north side of the above day 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	The corners and was: Beginning tha distance of south side a distance of feet to the hence bearing center distance of escribed corner post.  The location a ficate was periods and the secribed corner bearing center bearing center bearing center bearing center bearing center bearing center bearing post.	of side centers of at the NE cor of 600 feet to thence bearing center , man f 750 feet nce bearing n he northwest co east marked NSC 750 feet to t ers is a Ro  nd discovery wo rformed on or h on behalf of t	of the claim ar rner, marked NE the southeas west a disched SSC to the southworth or , ma a distance of the point of beginning the monument or the correction or the correction of the correctio	e located cor t tance thence est a rked 750 feet thence inning.
m Apr. 29 68 50 K.	and marked as followed thence bearing sour cor marked of 750 feet to the bearing west cor marked of 600 feet to the cor marked of 600 feet to the north side of the above dearing east a feath of the above dearing to the feet of the above dearing east a feath of the above deared feath of the feat	The corners and was: Beginning tha distance of south side a distance of feet to the hence bearing center distance of escribed corner post.  The location a ficate was periods and the secribed corner bearing center bearing center bearing center bearing center bearing center bearing center bearing post.	of side centers of at the NE cor of 600 feet to thence bearing center , man f 750 feet nce bearing n he northwest co east marked NSC 750 feet to t ers is a Ro  nd discovery wo rformed on or h on behalf of t	of the claim ar rner, marked NE the southeas west a disched SSC to the southworth or , ma a distance of the point of beginning the monument or or the core the undersigned the southwest to the southwest to be the southwest to be the southwest to be the southwest to the southwest	e located cor t tance thence est a rked 750 feet thence inning.
m Apr. 29 168 750 K. S	and marked as followed thence bearing sour cor marked to the bearing west cor marked distance of 600 kW cor to the north side of the above day 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	The corners and the distance of the corner o	of side centers of at the NE cor of 600 feet to thence bearing center , man f 750 feet nce bearing n he northwest co east marked NSC 750 feet to t ers is a Ro  nd discovery wo rformed on or h on behalf of t	of the claim ar rner, marked NE the southeas west a discrete SSC; to the southworth or , ma a distance of the point of beginning the point of beginning the undersigned the undersigned the southwest of	e located cor t tance thence est a rked 750 feet thence inning.
m Apr. 29 68 750 Post 2	and marked as follo thence bearing sour cor , marked of 750 feet to th bearing west cor , marked distance of 600 NW cor ; to to the north side of earing east a Each of the above d a 4 x 4 x 4  this Location Certic April 26  B.K. Seeley, Jr. (Name of Location	The corners and the distance SE cor	of side centers  of at the NE cor  of 600 feet to  thence bearing center , man  f 750 feet  nce bearing n  he northwest c east , marked NSC  750 feet to t ers is a Ro  nd discovery wo rformed on or b on behalf of t	of the claim ar rner, marked NE the southeas: west a district of the southwoorth or , ma a distance of , the point of beginning the monument or , the point of the ck monument or , the point of the ck monument or , the point of the ck monument or , the point of the point of the point of the ck monument or , the point of the monument or , the point of the ck monument or , the point of the ck monument or , the point of t	e located cor t tance thence est a rked 750 feet thence inning.
	and marked as follo thence bearing sour cor marked of 750 feet to the bearing west cor marked distance of 600 NW cor to the north side of the above day 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	The corners and the distance of a distance of feet to the corner distance of escribed corner distance was perfect to the location afficate was perfect distance of escribed corner distance of escribed corner distance of escribed corner distance was perfect distance of escribed corner distance	of side centers  of at the NE cor  of 600 feet to  thence bearing center , man  f 750 feet  nce bearing n  he northwest c east , marked NSC  750 feet to t ers is a Ro  nd discovery wo rformed on or h on behalf of t	of the claim ar rner, marked NE the southeas: west a disched SSC; to the southwoorth or , ma a distance of the point of beginner or the ck monument or the che undersigned the caddress (Address)  (Address)	e located cor t tance thence est a rked 750 feet thence inning. above in locator(s)
	and marked as follo thence bearing sour cor marked of 750 feet to the oearing west cor marked distance of 600 NW cor to the north side of the above day 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	The corners and the distance series to the cor ; the feet to the corner distance of escribed corner distance was perfect to the content of the location afficate was perfect to the location with the location with the content of the location with t	of side centers  g at the NE cor  of 600 feet to  thence bearing center , man  f 750 feet  nce bearing n  he northwest c  east , marked NSC  750 feet to t  ers is a Ro  nd discovery wo  rformed on or h  on behalf of t  1423 5 95	of the claim ar rner, marked NE the southeas: west a disched SSC; to the southwoorth or , ma a distance of the point of beginner or the ck monument or the undersigned the undersigned the caddress of the Claim and of the county in the county	e located cor tance tance thence est a rked 750 feet thence inning. above in locator(s)
	and marked as follo thence bearing sour cor marked of 750 feet to the bearing west cor marked distance of 600 NW cor to the north side of the above day 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	The corners and the distance series to the cor ; the feet to the corner distance of escribed corner distance was perfect to the content of the location afficate was perfect to the location with the location with the content of the location with t	of side centers  g at the NE cor  of 600 feet to  thence bearing center , man  f 750 feet  nce bearing n  he northwest c  east , marked NSC  750 feet to t  ers is a Ro  nd discovery wo  rformed on or h  on behalf of t  1423 5 95	of the claim ar rner, marked NE the southeas: west a disched SSC; to the southwoorth or , ma a distance of the point of beginner or the ck monument or the undersigned the undersigned the caddress of the Claim and of the county in the county	e located cor tance tance thence est a rked 750 feet thence inning. above in locator(s)
	and marked as follo thence bearing sour cor marked of 750 feet to the oearing west cor marked distance of 600 NW cor to the north side of the above day 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	The corners and the distance series to the cor ; the feet to the corner distance of escribed corner distance was perfect to the content of the location afficate was perfect to the location with the location with the content of the location with t	of side centers  g at the NE cor  of 600 feet to  thence bearing center , man  f 750 feet  nce bearing n  he northwest c east , marked NSC  750 feet to t ers is a Ro  nd discovery wo rformed on or h on behalf of t  1423 5 95  ST BE POSTED UP OUNTY RECORDER	of the claim ar rner, marked NE the southeas: west a disched SSC; to the southwoorth or , ma a distance of the point of beginner or the ck monument or the undersigned the undersigned the caddress of the Claim and of the county in the county	e located cor tance tance thence est a rked 750 feet thence inning. above in locator(s)

Fac \$ 1.00 Recorder

· · · · · · · · · · · · · · · · · · ·	CERTIFICATE OF IC	CATION OF LODE MINI	
46646			ok $23$ page $4$
File No.	THIS IS TO CER	TIFY that the Bet	# 45
Mining Claim was	s located by	B.K. Seeley, Jr.  n the Mineral Hill County, State of Ne Br Sec. 9 - T.2	on the 30th
day of Januar	<u>'Y</u> , 19 <u>68</u> 1	n the Mineral Hill	Mining
described as bei	ing situated:	County, State of Ne	Vada, further
			ON - K.JEL, MUBER
<del></del>			····
			$\wedge$
	The general co	urse of said lode o	r vein <u>is norther</u>
and the undersignand 1490 feet	ined claims //	feet in awesdirection from the	terlydirecti
with a width of	300 feet on ea	_direction from the cent	point of discover
lode along the e	entire length of	said claim.	or or cire veri or
		~	\ \
	The location w	ork was done upon t	he Bets # 45
	·		
	The location we	ork done consisted (	of: Trenching
			11 0.10112.13
		$\rightarrow$	
COSTING A TOTAL	OF \$ 100.00	of which \$100.00	
distance of 600 NW cor to the north side bearing east Each of the above a 4 x 4 x	d listance of the corner of the conter a distance of 7 described corner 45 post.  The location and relificate was per	chence bearing west center , marked 750 feet to th de bearing north he northwest cor east a dis marked NSC 50 feet to the po ers is a Rock mo end discovery work re formed on or before on behalf of the un	mea
B.K. Seeley.	1		
(Name of	Locator)	1421 5. 917 80.	Salt Take City : i
		1423 5. 9th 90. (Add	Balt Lake City : t tress)
Mama of		(Add	Sait Take Gitv. : iress)
Mama of Nama of CHIS CERTIFICATION CERTIFICA	Locator)  Locator)  E OF LOCATION MUS  ORDED WITH THE CO	(Add	ress)  E CLAIM AND A  E COUNTY IN WHICH
(Name of THIS CERTIFICATION OF COPY RECO	Locator)  Locator)  E OF LOCATION MUS  ORDED WITH THE CO	(Add  (Add  T BE POSTED UPON TH	ress)  E CLAIM AND A  E COUNTY IN WHICH
(Name of THIS CERTIFICATI LEGIBLE COPY RECO	Locator)  Locator)  E OF LOCATION MUS  ORDED WITH THE CO	(Add  (Add  T BE POSTED UPON TH	ress)  E CLAIM AND A  E COUNTY IN WHICH
(Name of THIS CERTIFICATI EGIBLE COPY RECO	Locator)  Locator)  E OF LOCATION MUS  ORDED WITH THE CO	(Add  (Add  T BE POSTED UPON TH	ress)  E CLAIM AND A  E COUNTY IN WHICH

The location and discovery work reterred to above in the location Certificate was performed on or before April 26 , 1968, by or on behalf of the undersigned locator(s).

B.K. Seeley, Jr. 1423 E. 9th So. Salt Lake City: Utah
(Name of Locator)
(Address)

(Name of Locator) (Address)

RECORDS

유항

(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A REGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

466	2 <b>15</b> Ω				воок. <b>2</b> 3	PAGE 4.2
the No		PLIC TO MO	Cabutev +F	-t the De	+= # 47	7 - 1 -
Mining Cl	ain was lo	cated by	B_K_ Se	at the <u>be</u> elev. Jr.	on the 11 Nevada, fur - R.52E.	Loge
day of J	anuary	19 6	in the	lineral Hi	11 N	ining
District,	Eurek	a	County,	State of	Nevada, fur	ther
described	as being	situated:_	Wt Sec.	<u> 16 - т.26</u> N	- R.52E. N	DBAM
		- <del></del>				
				<del></del>		
<b>`•</b> ,						<u>.</u>
	T	he general	course of	said lode	or vein is	northerly
and the u	ndersigned	claims/(	ly direct	in a W	be point of	direction discovery,
with a wi	dth of 30	0 feet on	each side	of the ce	nter of the	vein or
lode alon	g the enti	re length	of said cl	aim.	\ \	
					\	\
	n	The learning		dana sunan	the Beta	47
		ne locatio		done upon	CUR BOCK	
-						
	<b></b>	- 	<del></del>			
<del></del>	<del></del>	<del></del>				
	ı	he locatio	n work don	e consiste	d of: Tren	ching
					\	
<del></del>			$\leftarrow$		<del></del>	
		\$ 100.00	<del>\ \ \</del>	<del></del>	0 is applic	
and marke	T d as follo	he corners ws: Begin	and side	centers of e <u>NE</u> corne	the claim r, marked <u>N</u> he <u>southe</u>	are located
thence be	aring_sou	tha distan	ce of 600	_feet to t	he southe	ast
of 750	_, marked_ foot to th	a south s	_; tnence . ide center	bearing <u>w</u>	a c d SSC	thence
bearing V	vest	a distanc	e of 750	feet to	the sout	hwest
cor_	marked	Sw cor ,	thence bea	ring nor	th	a
distance	of 600	feet t	o the nort	thwest cor	the sout th	marked
NW COT	- 1 de la	hence bear	ing east	a NGC	distance of	750 fee thence peginning.
bearing 6	east a	distance o	marke f 750 f	eet to the	point of h	eginning.
Each of t	he above d	escribed c	orners is	Rock	monument of h	<u>r</u>
<u> </u>	4 x 4 x 4	s post.		/		
i de la companya de l						
d Abdo Toon	ľ Lion Corti	ne locatio ficate was	n and disc	overy work	releried t	o above in
□ April		1968 . bv	or on pep	alf of the	undersigne	d locator(
		-500_1 27				
	eeley, Jr		143			ke City. Ut
į (1	Name of Lo	cator)		(a	Address)	•
See		/ /				
	Name of Lo	cator)		(	Address)	
LTHIS CER	TIFICATE C	F LOCATION	MUST BE P	OSTED UPON	THE CLAIM	AND A
PEGIBLE C	JPY RECORD	IED MITH TH	E COUNTY R	ECUKDEK OF	THE COUNTY E OF LOCATI	ON )
LIE CININ	13 LUCATE	, mrintn b	y was act	mar and and a		
1						-
,						

FILE No. 246648

Fee \$ 1.00

46649	•		BOOK 23 PAGE 4
ZOUH)	THIS IS TO CRE	TTRY that the P	Reta # 48 Tada
Mining Claim wa	s located by	B.K. Seelev Jr	on the 30th  ill Mining  Nevada, further  N- R.52E, MDBAM
day of January	19 <u>68</u> i	n the Mineral H	ill Mining
District, Et	ıreka	County, State of	Nevada, further
described as be	ing situated: <u>W</u>	<b>1 Sec. 16 - T.26</b>	N - R.52E. MDRAM
	<del></del>	<del></del>	<del></del>
<del></del>			
	The general co	urse of said lod	e or vein is northerl
and the underside	gned claims ///	reet in a	westerly direction discovery
with a width of	300 feet on ea	_arrection from Ch side of the c	enter of the vein or
	entire length of		
-	_		\ \
			- th- Boto # 40
	The location w	ork was done upo	n the Beta # 48
		/	
	The learning	ork done service	ad of. Mnomabi
	the location w	ork done cousist	ed of: Trenching
<del></del>			1
<del></del>			/
COSTING A TOTAL	OF \$ 100.00	, of which \$100.	00 is applicable to
this claim.			
		\ (	
	The server of	d adda asst	of the elsim are least
and marked as f	ine corners an ollows: Beginnin	d at the NE corn	f the claim are locate er, marked <u>NE cor</u>
thomas bearing	souths distance	of 600 feet to	the southeast
cor mar	ked SE cor	thence bearing	west a distance ed SSC ; thence o the southwest rth a r , marked
of 750 feet to	o the south side	center , mark	edsc; thence
bearing west	a distance o	f 750   feet t	o the southwest
odistance of 60 NW cor	ed Sw cor; the	nce bearing no	rtna
odistance of bu	Teet to t	US HOLLUMERT CO	distance of 750 fe
who the north st	_; cheace bearing ide center	. marked NSC	distance of 750 fe , thence e point of beginning.
bearing east	a distance of	750 feet to th	e point of beginning.
a liversarii of rise abo.	AC GEOCLEDGG COTIL	410 10 4	k monument or
	x 45 post.		
a 4 x 4			
<u> </u>	The location a	nd discovery wor	k referred to above in
3 il lea	ertificate was pe	rrormed on or be	rore
April 26	, 19 <u>68</u> , by or	on behalf of th	e undersigned locator(
	Jr /	1423 E 9+h	So, Salt Lake City, U
	f Locator)		(Address)
S (0) / retire of			
in	/ /	<u> </u>	·
Name o	f Locator)		(Address)
(musa ======		Am Do DAAMED ****	N MUR OTATE AND A
JUNEATHIS CERTIFICA!	TE OF LOCATION MU	ST BE POSTED UPO	N THE CLAIM AND A
	CORDED WITH THE C CATED WITHIN 90 D	DOMI'I RECORDER C Avs after the Da	F THE COUNTY IN WHICH TE OF LOCATION.)
S THE CLAIM IS TO	CUIEN ATIBIN AN D	nes weigh the Mu	
THE CLAIM IS LO	and the state of the state of		
	2000年 2000年末二日 X 144 日 14 日 14 日 14 日 14 日 14 日 14 日	Do Kayansia ya 11 da ak	그리고 있는 사람들은 독일

THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A REGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

(Name of Locator)

RECORDS

(Address)

1423 E. 9th So.

THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH

THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

Seeley,

(Name of Locator)

(Name of Locator)

B.K.

유파

Lake City. Utah

Salt

(Address)

(Address)

					<del></del>
	46652	CERTIFICATE OF	LOCATION OF L	ode mining clai	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
E it.			·	BOOK 25	PAGE A
* 124	. 180	•			
	W-4n- Class	THIS IS TO C	BRTIFY that t	he Beta # 5/	Lode
	day of Janu	was located by 19 68	in the Mine	ral Hill	Mining
	District,	Eureka being situated:	County, Sta	te of Mévada, fi	irther
	described as	being situated:_	W# Sec. 16 -	1.26H - R.52E.	MURAM
		<del></del>		Λ	100
					\\ 
		The coners	course of sail	d lode or vein	- northerly
	and the unde	rsigned claims	O feet in	a westerly	direction
	and /490	rsigned claims feet in an easterl	y_direction	from the point	of discovery,
	with a width	of 300 feet on he entire length of	each side or of said claim.	the center of the	M ARIU OI
	1000 Blong C				
		,	<	and the Res	ی رسی ایس
		The location	MOLK ASS COL	e upon the Bets	
			$\overline{}$	<del></del>	
		/			
		The location	work done co	onsisted of: Tre	inching
				/ /	
:				/ _/	
		TAL OF \$ 100.00	, of which	\$100.00 is appl	rcapte fo
	this claim.				4
					•
i 		The corners s follows: Begin	and side cent	ers of the claim	We con
4	thence beari	ng southa distant	e of 600 fee	t to the south	least
	cor,	marked SE cor	; thence bear	ing west a	distance
	of 750 fee	ng southa distant marked SE cor.  t to the south si t a distance arked SW cor , 600 feet to , thence bear; h side center t a distance of above described co	of 750	marked 550	; thence make the state of t
	COI . I	arked SW cor	hence bearing	north	
upit.	distance of	600 feet to	the northwe	st cor	marked
	NW COI	thence bear:	ng east	NSC a distance	thence
ω <u>§</u>	bearing eas	t a distance of	750 feet	to the point of	beginning.
(D) - 10	Each of the	above described co	orners is a	Rock monument	<u> </u>
	Σ <u> </u>	x 4 x 44 1998t.			·
lcAg ē   α	) _e "	The location	n and discover	ry work referred	to above in
l R an B		n Cartificate was	performed on	or before	1
	M Apr11 26	, 19 <u>58,</u> by	or on penali	of the undersig	ued tocatolism
130	B K See	ley, Jr.	1423 E	9th So. Salt	ake City.
		s of Locator)		(Address)	
0 2	0		•	¥° 	3.8
	(Nan	e of Locator)		(Address)	1
	2 2				w avn a
1.1 - 6.11 7.1	. PRATRIB AATN	PICATE OF LOCATION RECORDED WITH THE	P COMPREY DESCRIPTION	PO 68 OF THE LINE	
lok 5).	THE CLAIM IS	LOCATED WITKIN 9	DAYS AFTER	THE DATE OF LOCA	TION.)
C. Alacor				All the second	
icordor					
1 7 7 7	)			3 N=2"	A STATE OF THE PARTY STREET, S

Anara	CERTIFICATE OF LOCA	TION OF LODE MINING CLAIM	
46653		BOOK 23 PAGE 12	4
File No.			
Mining Claim w	THIS IS TO CERTIF as located by B.A	K. Seeley, Jr. on the 30th the Mineral Hill Mining bunty, State of Nevada, further Sec. 16 - T.26N - R.52E, MDB&M	
day of Januar	cy 1968 in	the Mineral Hill Mining	_
District,	žureka Co	unty, State of Nevada, further	
described as b	eing situated: Wt	Sec. 16 - T.26N - R.52E, MDB&M	_
	<del></del>		-
and the unders	ioned claims /0	se of said lode or vein is norther1  feet in a westerly direction	Z,
and 1490 fe	et in an easterly d	feet in a <u>westerly</u> direction irection from the point of discovery	7.
with a width o	f 300 feet on each	side of the center of the vein or	
lode along the	entire length of sa	id Claim.	
	•		
	The location wor	k was done upon the Beta #52	
			_ ,
			_
	ma lacation and	d dans sangisted of Manahina	
	The location wor.	k done consisted of: Trenching	/
			_
	L OF \$ 100.00	of which \$100.00 is applicable to	
this claim.		\	
_	The corners and	side centers of the claim are locate	ed _
and marked as	follows: Beginning a	at the NE corner, marked NE cor 600 feet to the southeast	<b>-</b> 7
cor . ma	rked SE cor ; th	tence bearing west a distance enter , marked SSC ; thence 750 feet to the southwest e bearing north a northwest cor , marked east a distance of 750 feet to the point of beginning.	_
of 750 feet	to the south side Co	enter marked SSC thence	
bearing west	a distance of	750 feet to the southwest	<del>-</del>
po cor_ , mai	600 feet to the	northwest cor marked	
HONW COL	thence bearing	east a distance of 750 fe	et
, to the north	side center	marked NSC ; thence	
obearing east	a distance of 750	offeet to the point of beginning.	
ുള്മch of the al	ove described corner 4 x 4k post	S 18 d AOCK MOREMENT OF	<u> </u>
ω _ξ	<u>- 12-374 - 274</u>	marked NSC ; thence  o feet to the point of beginning.  s is a Rock monument or  discovery work referred to above in	_
· 1 <u></u>	1110 100001011 0110		n
this Location	Certificate was perf	ormed on or before	۲-۲
• Acril 26	, rabs_, by or o	on behalf of the undersigned locator	
B.K. Seele	v. Jr.	1423 E. 9th So. Salt Lake City. U	
Name (Name	of Locator)	(Address)	
E 00	/ /		:
(A)===	of Toolson	(Address)	<b>—</b>
IName	of Locator)	/wddiass)	1.1
		POSSED VIDON SUP OTATM AND A	
W House CEPTET	CATE OF LOCATION MUST	BE POSTED UPON THE CLAIM AND A	•
THIS CERTIFIC	RECORDED WITH THE COU	INTY RECORDER OF THE COUNTY IN WHICH	
THIS CERTIFIC	RECORDED WITH THE COU	INTY RECORDER OF THE COUNTY IN WHICH	
THIS CERTIFIC	RECORDED WITH THE COU	INTY RECORDER OF THE COUNTY IN WHICH	

file	No					PAGE 43
	Mining Claim was	THIS IS TO	CERTIFY that	the Beta	# 3 5	Lode
	day of January	19 -	68 in the Mi	neral Hill	_On the M:	ning
	day of <u>January</u> District, <u>Eu</u>	reka	County, S	tate of Nev	ada. furt	her
	described as bei	ng situated:	₩ Sec. 16	- T.26N -	R.52E. MD	BAM
		<del> </del>		<del></del>		·····
	<del></del>	<del></del>	<del></del>	<del></del>	<del></del>	
		The genera	l course of s	aid lode or	vein is_	northerly
	and the undersig and 1490 feet	ned claims <u>.</u> in an eastei	rly direction	n a <u>weste</u>	eriv	_direction
	with a width of	300 feet o	n each side o	the center	r of the	vein or
	lode along the e	entire length	of said claim	π.	\ \	
				~	\ \	
		The locati	on work was d	one upon th	e Beta.≢	3 3
•	<del></del>			and apon on		
•			·			-
		<del></del>				
•	<del>· · · · · · · · · · · · · · · · · · · </del>	<del></del>			<del></del>	<del>/ / </del>
		The locati	on work done	consisted o	f: Trenc	hing
	<del></del>		<del></del>	$\rightarrow$		
•	<del></del>		<del></del>	/_/		
•	COSTING A TOTAL	OF \$ 100.00	of which	s100 00 4	e applica	ble to
	this claim.	<u> </u>		1 7100,00 1	s apprica	Die co
	•					
		The corner	s and side ce	nters of the	e claim a	re located
i	and marked as fo	llows: Begi	nning at the !	E corner,	marked NE	cor
	thence bearing	llows: Begi southa dista	nning at the $^{ m L}$	E_corner, a	marked <u>NE</u> southea:	cor st
-	thence bearing, mark of 750 feet to	ollows: Beginsouth a distant	nning at the had not of 600 for the content of the	eet to the aring west	narked <u>NE</u> southea a di SSC	stance
	thence bearing, mark of 750 feet to	ollows: Beginsouth a distant	nning at the had not of 600 for the content of the	eet to the aring west	narked <u>NE</u> southea a di SSC	stance
-	thence bearing, mark of 750 feet to	ollows: Beginsouth a distant	nning at the had not of 600 for the content of the	eet to the aring west	narked <u>NE</u> southea a di SSC	stance
WECON.	thence bearing	southa distanted SE cor the south s distanted SW cor;	nning at the had not of 600 for the not bearing the center ce of 750 thence bearing to the northy	E corner, seet to the aring west marked feet to the north seet cor	marked NE southea a di SSC south	cor st stance ; thence west a
NODEN.	thence bearing	southa distanted SE cor the south s distanted SW cor;	nning at the had not of 600 for the not bearing the center ce of 750 thence bearing to the northy	E corner, seet to the aring west marked feet to the north seet cor	marked NE southea a di SSC south	cor st stance ; thence west a
RECORDED AT T	thence bearing	coutha distance of the south seed SE cor the south seed SW cor; thence bear de center a distance of the south seed seed seed seed seed seed seed see	nning at the note of 600 for the center to the northwring east for 750 feet	E corner, seet to the aring west marked feet to the morth sest cor a distance to the post to the post to the post cor to the post cor a distance to the post cor a distance to the post cor a distance to the post corner or t	southea southea a di SSC south	cor st stance ; thence west a arked 750 fee ; thence qinning.
RECORDED AT THE	thence bearing	coutha distance de center  a distance de center	nning at the note of 600 for the center to the northwring east for 750 feet	E corner, seet to the aring west marked feet to the morth sest cor a distance to the post to the post to the post cor to the post cor a distance to the post cor a distance to the post cor a distance to the post corner or t	southea southea a di SSC south	cor st stance ; thence west a arked 750 fee ; thence qinning.
On 29 TO BE SERVICE TO BE SERVICED AT THE REAL PROPERTY OF THE	thence bearing	coutha distance de center  a distance de center	nning at the note of 600 for the center to the northwring east for 750 feet	E corner, seet to the aring west marked feet to the morth sest cor a distance to the post to the post to the post cor to the post cor a distance to the post cor a distance to the post cor a distance to the post corner or t	southea southea a di SSC south	cor st stance ; thence west a arked 750 fee ; thence qinning.
Apr 29 1868	thence bearing	ollows: Beginsouth a distant of SE cor the south a distant of SW cor; thence bear de center a distance of described of Al; post.	nning at the hance of 600 for thence bearing to the northwring east corners is a corners is a	E corner, seet to the aring west marked feet to the good north sest cor a discovery work re-	marked NE southea a di SSC southe southea marked for the southead and	stance; thence west a arked 750 fee ; thence ginning.
April 29 1988	thence bearing	ollows: Beginsouth a distant of SE cor the south a distant of SW cor; thence bear de center a distance of described of Al; post.	nning at the hance of 600 for thence bearing to the northwring east corners is a corners is a	E corner, seet to the aring west marked feet to the good north sest cor a discovery work re-	marked NE southea a di SSC southe southea marked for the southead and	stance; thence west a arked 750 fee ; thence ginning.
Secondary Att No. 100 Secondary CI	thence bearing	ollows: Beginsouth a distant of SE cor the south a distant of SW cor; thence bear de center a distance of described of 4½ post.  The location of the south of the	nning at the hance of 600 for thence bearing to the northwring east corners is a corners is a	E_corner, reet to the_aring_west, marked_feet to the mg_north rest cora discorner, work more to the post corery work rest or before	marked NE southea a di SSC south tance of int of be nument or	stance; thence west arked 750 fee ginning.
TO A CONTROL AND THE MERCHAN CITY	thence bearing cor mark of 750 feet to bearing west cor marke distance of 60 NW cor to the north sibearing east Each of the above a 4 x 4 this Location Ce arril 26	ollows: Beginsouth a distant of SE cor the south a distant of SW cor; thence bear de center a distance of described of All post.  The location of the south of th	nning at the hance of 600 for thence bearing the northward for 750 feet corners is a corners is a corner or the northward for 750 feet corners is a corner or the northward for 750 feet corners is a corner or the northward for and discovery or on behalf	E_corner, reet to the_aring_west , marked_feet to the ng_north rest cora discorner, a discorner, work more representation of the understand rest cor	southea a di SSC south southea a di SSC south tance of tance of the tance of tance of the tance of tan	stance; thence westa arked 750 fee ; thence ginning.  above in locator(s
RECORDED AT THE REGULATION	thence bearing cor , mark of 750 feet to bearing west cor , marke distance of 60 NW cor to the north sibearing east Each of the abov a 4 x 4 this Location Ce Marril 26 E.K. Seeley	ollows: Beginsouth a distant of SE cor the south a distant of SW cor; thence bear decenter a distance of described of All post.  The location of the south of the	nning at the hance of 600 for thence bearing the northward for 750 feet corners is a corners is a corner or the northward for 750 feet corners is a corner or the northward for 750 feet corners is a corner or the northward for and discovery or on behalf	E_corner, set to the aring west marked feet to the general north set cor a discovery work report for the under the corner of the under the corner of the under the corner of the set to the post of the under the corner of the corner of the under the corner of the corner	southea southea a di SSC south tance of int of be nument or ferred to dersigned Salt Lake	stance; thence westa arked 750 fee ; thence ginning.  above in locator(s
RECORDED AT THE RESOLUTION OF THE PARTY OF T	thence bearing cor , mark of 750 feet to bearing west cor , marke distance of 60 NW cor to the north si bearing east Each of the abov a 4 x 4 this Location Ce Marril 26  E.K. Seeley, (Name of	ollows: Beginsouth a distant of SE cor the south a distant of SW cor; thence bear de center a distance of described of All post.  The location of the south of th	nning at the hance of 600 for thence bearing the northward for 750 feet corners is a corners is a corner or the northward for 750 feet corners is a corner or the northward for 750 feet corners is a corner or the northward for and discovery or on behalf	E_corner, set to the aring west marked feet to the general north set cor a discovery work report for the under the corner of the under the corner of the under the corner of the set to the post of the under the corner of the corner of the under the corner of the corner	southea a di SSC south southea a di SSC south tance of tance of the tance of tance of the tance of tan	stance; thence westa arked 750 fee ; thence ginning.  above in locator(s
RECORDED AT THE REGULAR OF THE PERSONS OF THE PERSO	thence bearing cor , mark of 750 feet to bearing west cor , marke distance of 60 NW cor to the north sibearing east Each of the abov a 4 x 4 this Location Ce Marril 26 E.K. Seeley	ollows: Beginsouth a distant of SE cor the south a distant of SW cor; thence bear decenter a distance of described of All post.  The location of the south of the	nning at the hance of 600 for thence bearing the northward for 750 feet corners is a corners is a corner or the northward for 750 feet corners is a corner or the northward for 750 feet corners is a corner or the northward for and discovery or on behalf	E_corner, set to the aring west marked feet to the general north set cor a discovery work report for the under the corner of the under the corner of the under the corner of the set to the post of the under the corner of the corner of the under the corner of the corner	southea southea a di SSC south tance of int of be nument or ferred to dersigned Salt Lake	stance; thence westa arked 750 fee ; thence ginning.  above in locator(s
RECORDED AT THE RESCRIPTION OF	thence bearing	ollows: Beginsouth a distant of SE cor the south a distant of SW cor; thence bear decenter a distance of described of All post.  The location of the south of the	nning at the hance of 600 for thence bearing the northward for 750 feet corners is a corners is a corner or the northward for 750 feet corners is a corner or the northward for 750 feet corners is a corner or the northward for and discovery or on behalf	E_corner, set to the aring west marked feet to the gest cor a dissect to the post of the uncertainty work rest of the uncertainty wo	southea southea a di SSC south tance of int of be nument or ferred to dersigned Salt Lake	stance; thence westa arked750fee ginning.
RECORDED AT THE REGULATION OF THE A	thence bearing	ollows: Beginsoutha distanted SE cor the south a distanted SW cor; thence bearded center a distance of described at 4½ post.  The location at the south sertificate was sertificated.	nning at the hance of 600 for thence bearing to the northwring east formers is a former or on and discover or on behalf	E_corner, set to the aring west aring west marked feet to the gest cor a distance work more for the uncertainty work rest of the unc	marked NE southean a di SSC southean control c	cor st stance ; thence westa arked 750 fee ; thence ginning.  above in locator(s
RECORDED AT THE REGION OF	thence bearing cor , mark of 750 feet to bearing west cor , marke distance of 60 NW cor to the north si bearing east Each of the abov a 4 x 4  this Location Ce Arril 26  B.K. Seeley, Name of Name of Name of	ollows: Beginsouth a distant of SE cor the south a distant of SW cor; the south set of SW cor; thence bear of the south of	nning at the hance of 600 for thence bearing to the northwring east marked of 750 feet corners is a 1423	E corner, set to the aring west aring west feet to the grant feet to the grant feet cor a distance for the post of the uncertainty work rest of the uncertainty w	marked NE southeas a di SSC southeas na di SSC southeas na di se s	cor st stance ; thence westa arked 750 fee ; thence ginning.  above in locator(see City, Utan
RECORDED AT THE RESCRIPTION OF THE PROPERTY OF	thence bearing cor , mark of 750 feet to bearing west cor , marke distance of 60 NW cor to the north si bearing east Each of the abov a 4 x 4  this Location Ce Arril 26  B.K. Seeley, (Name of Name of Name of Control Contro	ollows: Beginsouth a distant of the south a distant of the south seed SE cor the south seed SW cor; thence bear of the south of the sou	nning at the hance of 600 for thence bearing to the northwring east marked of 750 feet corners is a 1423  N MUST BE POSTEE COUNTY RECO	E corner, set to the aring west to the aring west marked feet to the grand feet to the grand feet cor a distance for the post of the uncertainty work rest of the uncertainty work rest of the uncertainty work feet upon the control of the uncertainty work feet upon	marked NE southeas a di SSC southeas a di SSC southeas a di SSC southeas a di SSC southeas a southe	cor st stance ; thence west a arked 750 fee ; thence ginning.  above in locator(s city, Uta
RECORDED ATTHE REPORTS OF 1	thence bearing cor , mark of 750 feet to bearing west cor , marke distance of 60 NW cor to the north si bearing east Each of the abov a 4 x 4  this Location Ce Arril 26  B.K. Seeley, Name of Name of Name of	ollows: Beginsouth a distant of the south a distant of the south seed SE cor the south seed SW cor; thence bear of the south of the sou	nning at the hance of 600 for thence bearing to the northwring east marked of 750 feet corners is a 1423  N MUST BE POSTEE COUNTY RECO	E corner, set to the aring west to the aring west marked feet to the grand feet to the grand feet cor a distance for the post of the uncertainty work rest of the uncertainty work rest of the uncertainty work feet upon the control of the uncertainty work feet upon	marked NE southeas a di SSC southeas a di SSC southeas a di SSC southeas a di SSC southeas a southe	cor st stance ; thence west a arked 750 fee ; thence ginning.  above in locator(s city, Uta
Apr 29 168 150 min per 2 P	thence bearing cor , mark of 750 feet to bearing west cor , marke distance of 60 NW cor to the north si bearing east Each of the abov a 4 x 4  this Location Ce Arril 26  E.K. Seeley, Name of Name of Name of Control	ollows: Beginsouth a distant of the south a distant of the south seed SE cor the south seed SW cor; thence bear of the south of the sou	nning at the hance of 600 for thence bearing to the northwring east marked of 750 feet corners is a 1423  N MUST BE POSTEE COUNTY RECO	E corner, set to the aring west to the aring west marked feet to the grand feet to the grand feet cor a distance for the post of the uncertainty work rest of the uncertainty work rest of the uncertainty work feet upon the control of the uncertainty work feet upon	marked NE southeas a di SSC southeas a di SSC southeas a di SSC southeas a di SSC southeas a southe	cor st stance ; thence west a arked 750 fee ; thence ginning.  above in locator(s city, Uta

CERT	IFICATE OF LOCATION	OF LODE MINING CLAI	:M
46655		воок 23	PAGE 436
Mining Claim was loday of January District, Eurek described as being	cated by B.K. S. 19 68 in the County situated: We Sec.	hat the Beta # 54 peley, Jr. on the Mineral Hill , State of Nevada, f 16 - T.26N - R.52E.	Lode ie30th _Mining urther MDRAM
and the undersigned and 1490 feet in	claims /O fee an easterly direc feet on each sid	f said lode or vein t in a westerly tion from the point e of the center of t laim,	direction
T		s done upon the Bet	a #54
т	he location work do	ne consisted of: <u>Tr</u>	enching
this claim.		hich \$100.00 is appl	
and marked as follo	ws: Beginning at t	centers of the claim he NE corner, marked feet to the south bearing west a feet to the south feet to t	NE cor
of 750 feet to the bearing west  Cor , marked to the bearing to the bearing to the bearing to the above decrease to the bearing to the above decrease to the bearing to the be	escribed cothers is	rthwest cor  a distance ed NSC feet to the point of a Rock monument	, marked of 750 feet ; thence beginning.
on this Location Certi	ficate was performe 19 <u>68</u> , by or on be	half of the undersig	ned locator(s).
B.K. Seeley, Jr.		123 E. 9th So. Salt (Address)	Lake City, Utah

(Name of Locator)
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A
EEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH
THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

(Address)

(Name of Locator)

Fen. 5 1.00

P. M. h.

46	5656	-		воок 23 р	AGE 437
File No.	to the supplemental state of the supplementa	MUTU TO MO OR	nm/EV 41-4 41-	Beta # 55	7
Minin	Maji. TClaim was 1	THIS IS TO CE	Kiiri that the B K Soolev J	T On the	Of h
yay o	j Claim was i F Jennery	19 68	in the Mineral	Hill Min	100
Distr	ct. Eure	ka	County, State	of Nevada, furth	er :
descr	ibed as being	situated: N	Sec. 9 - 1.26	r. on the 3 H111 Min of Nevada, furth N - R.52E, MDB&M	
			<del></del>	^	<del></del>
					<u>.</u> .
		The general co	ourse of said l	lode or vein is	northerl
and th	ne undersigne	d claims 14.90	feet in a	westerly on the point of d	directio
and	///feet 1	n an easterly	direction ire	ow the bolut of d	rscovery
		ire length of		e center of the v	sin of
1006	itong the ent	tre rendem or	Salu Claim.	_	
	•				سر بیا
		The location	work was done u	pon the Beta	<u> 22</u>
سنجشج					
		<del></del>			
				\ \	
				\ \\ _	
		The location	work done consi	lsted of: Trench	ing
			$\overline{}$	<del>/ / /</del>	
	<del>,</del>		<del>\</del>	/ /	
COCOTI	IC A TOTAL OF	100.00	of which \$10	00.00 is applicab	le to
		4 100100	-1 or willow Ar	o.co is appricab	78 60
this	:Tgim"				
	,		/ / '		
		The corners a	nd side center:	of the claim ar	e locate
and m	arked as foll	lower Beginni	ng at the NE co	orner, marked NE	COL
COL	, marked	SE cor	thence bearing	west a distance of the point of beg	tance
of 750	feet to t	he south side	e center , ma	rkedSSC;	thence
, beari	ng west	a distance (	of <u>750</u> feet	t to the southwe	<u>est</u>
ror g	, marked_	SW cor ; the	ence bearing	north	a
⊉ dista	ce of 600	feet to	the northwest	cor , ma	rked
となる NW C	or ,	thence bearing	g east	_a distance of	750 fe
۳ ato the	north side	center	markedNSC	,	thence
Netrario	ng east a	distance of_	<u>750</u> feet to	the point of beg	inning.
Each of	of the above	described cor	ners is a <u>R</u>	ock monument or	
15 E	<u>a4x4x</u>	4½ post,			
9 68 68 68 68 68 68 68 68 68 68 68 68 68					
		The location	and discovery v	ork referred to	above 1
		ificate was p	erformed on or	before	
င္ဆိုင္သာ 🗗 🛕	<u>pr11 26</u>	, 19 <u>68</u> , by o	r on behalf of	the undersigned	locator
			* · * = = =		<u> </u>
a a	K. Seeley, J.		1423 E. 9	th So Salt Lake	CIEY. U
, lo	(Name of L	ocator)		(Address)	:
968 - 43		/ /			
7 6	(Name of L	ocator)		(Address)	_
N/					
_ (THIS	CERTIFICATE	OF LOCATION M	UST BE POSTED I	JPON THE CLAIM AN	D A
( ). Kretto:	LE COPY RECOR	DED WITH THE	COUNTY RECORDE	R OF THE COUNTY I	N WHICH
THE C	AIM IS LOCAT	ED WITHIN 90	DAYS AFTER THE	DATE OF LOCATION	.)
울					
		•			
워ㅋ		•			

16657		POOK.	23 PAGE 438
THIS 1	S TO CERTIFY th		
Claim was located	by B.K. Se	eley, Jr. on	the 30th
<u>January</u>	19 68 in the	Mineral Hill	Mining
.ct, Eureka	County,	State of Nevada	, further
bed as being situa	ited: Na Bec. 9	- T.26M - R.52E.	NDBAN -
		<del></del>	<del></del>
<del></del>			A
		(	\
The ge	eneral course of	said lode or ve	in is northerly
e undersigned clai	ms /490 feet	in a westerly	cirection
width of 300 fe	et on each side	of the center o	f the vein or
long the entire le	ength of said cl	aim.	
-	-		\ \
	•		رس آه ک
The lo	cation work was	done upon the	Bota 156
			12 12 14 14
			521 <b>%</b> ,
		/ /	<u> </u>
	//	\ \ \ \ \	\ /
The lo	cation work don	e consisted of:_	Trenching
<del></del>	<del></del>		
<del></del>		_//	
G A TOTAL OF \$ 10	0.00 of wh	ich \$100.00 is a	oplicable to
laim.			
			•
hearing souths a	Hetance of 600	feet to the sc	outheast
, marked SE co	r , thence	bearing west	a distance
feet to the so	uth side center	marked SS	C thence
g West a di	stance of 750	feet to the	southwest
on of 600	ret to the TOT	ring north	a
OI + thance	bearing east.	a distant	ce of 750 fee
north side cente	r marke	a NSC	; thence
g east a dista	nce of 750 f	eet to the point	of beginning.
of the above descri	bed corners is	a Rock monume	ent or
4 4 X 4 X 45 COS	<u>.                                    </u>	<del></del>	
The le	cation and disc	overv work refer	red to above in
ocation Certificat	e was performed	on or before	
oril 26 . 196	by or on beh	alf of the under	eigned locator(s
/-			
(Name of Locator	,	Berddaj	8/
		•	
(Name of Locator	-	(Addres	
	•		
CERTIFICATE OF LOC			
	THE THE PLANTS TO		
E COPY RECORDED WI			
E COPY RECORDED WI AIM IS LOCATED WIT			
	The gase and series and series are series as follows:  The location Certificate and series are series as follows:  The location certificate and series are series as follows:  The location Certificate are series as follows:  (Name of Locator Center are series as follows:	THIS IS TO CERTIFY the general course of January 19.68 in the loct, Eureka County, lbed as being situateds He Sec. 9  The general course of the undersigned claims 1490 feet in an easterly direct a width of 300 feet on each side along the entire length of said claims.  The location work was the location work was the location work was bearing southa distance of 600 marked SE cor thence feet to the south side center a distance of 600 feet to the nor feet to the south side center marked SW cor thence bearing east a distance of 750 for the above described corners is a 4 x 4 x 4½ cost.  The location and discoccation Certificate was performed pril 26 19.68, by or on behavior of Locator)  (Name of Locator)	THIS IS TO CERTIFY that the Beta January 1968 in the Mineral Hill ct, Eureka County, State of Newada bed as being situated: We Sec. 9 - 7.26% - R.52E.  The general course of said lode or vere undersigned claims 1490 feet in a westerly of feet in a westerly of feet in a westerly width of 300 feet on each side of the center of along the entire length of said claim.  The location work was done upon the claim.  The location work was done upon the location work was done upon the state.  The corners and side centers of the carked as follows: Beginning at the NE corner, marked secure and side center to the scaring souths distance of 600 feet to the scaring west a distance of 750 feet to the scaring west a distance of 750 feet to the point of the above described corners is a Rock monume at X 4 X 4 1 post.  The location and discovery work reference of Locator) (Name of Locator) (Addres)

õ

유달

46660 BOOK 23 PAGE 4.4File No. THIS IS TO CERTIFY that the Bellocated by B.K. Seeley, Jr., 19 68 in the Mineral Hill Beta # 54 Lode Mining Claim was located by_ 30 th on the <u>January</u> District, Eureka County, State of Nevada, further St Sec. 9 - T.26N - R.52E, MDBAM described as being situated: The general course of said lode or vein is northerly and the undersigned claims 1490 feet in a westerly direction and 10 feet in an easterly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Beta The location work done consisted of: Trenching COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cortence bearing souths distance of 600 feet to the southeast cor marked SE cor thence bearing west a distance of 750 feet to the south side center marked SSC them bearing west a distance of 750 feet to the southwest corm, marked SW cor thence bearing north a Marked of 600 R. cor ... feet to the northwest cor marked Note a distance of 750 feet to the point of beginning.

The above described corners is a Rock monument or a 4 x 4 x 4 post. ω to the north side center ; thence The location and discovery work referred to above in this Location Certificate was performed on or before m April 26 , 1968, by or on behalf of the und , 1968, by or on behalf of the undersigned locator(s). B.K. Seeley, Jr. (Name of Locator) 1421 E. 9th So. Sale Lake City, itsh (Address) 8 (Name of Locator) (Address) THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A REGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.) MEO ₹

	CERTIFICATE OF LOCA	CATION OF LODE MINING CLAIM	
2 mg	46661	BOOK 23 PAGE 4A	2
	Mining Claim was located by B. day of January	IFY that the Bets # 60 Lode	-
	Mining Claim was located by B.	K, Seeley, Jr. on the 30th	
			7
	described as being situated:	ounty, State of Nevada, further  St Sec. 9 - T.26N - R.52E, MDB&M	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		OB Dec. 9 - 1.20N - R.52E, MDB&N	
1		A	-
} } }	•		<b>-</b> ;
	The general cour	ree of said late	
4	and the undersigned claims_/490	rse of said lode or vein is northerly feet in a westerly direction	Ľ,
1	and 10 feet in an easterly d	leet in a <u>westerly</u> direction direction from the point of discovery	n
*** 			1
	lode along the entire length of sa	aid claim,	
13 -			j.
1	The location wor	ck was done upon the Beta # 60	
À			٠.
3			<u> </u>
A N			_
1.			<u> </u>
			1
1	The location work	k done consisted of: Trenching	8
A			•
		<del></del>	
***	COSTING A TOTAL OF \$ 100.00	of which \$100,00 is applicable to	-
1	this claim.	or witch 4100,00 is applicable fo	4
	m/s		
		side centers of the claim are located	1
	cor , marked SE cor ; the	ence bearing west a distance	
	or 750 feet to the south side ce	enter , marked SSC ; thence	
on AE Book EUREKA	cor marked Sw cor	ence bearing west a distance enter , marked SSC ; thence 750 feet to the southwest	
₹ R   D3	distance of 600 foot to the	e nearting worth	
2 2 2	NW cor ; thence bearing e	northwest cor , marked east a distance of 750 fee marked NSC ; thence of feet to the point of beginning.	
	to the north side center . m	marked NSC thence	T.
200	pearing east a distance of 750	feet to the point of beginning.	1154 1154
	A	s is a Rock monument or	
9 68	2 4 X 4 X 49 DOSC.	/	
13√20 2 €	The location and	discovery work referred to above in-	1 1. 
10 m	carron certificate Mas Dello	Ormed on or hefore	
ORDS.	April 26 , 1968, by or on	behalf of the undersigned locator(s	1
nias paye	B.K. Seeley, Ur.		35.5
	(Name of Locator)	(Address)	) A
Pust 442	7.7	(wddf44\$)	
		· ·	
7 L	(Name of Locator)	(Address)	
12 IV IV 1 1	THIS CERTIFICATE OF LOCATION MUST I	DP DOCMED UNON THE ALLEY THE	
	cat vecourer Alle Jak Lille	MY DEPARTED AT MIN ASSISTE THE COLORS	
M. in RECORDS OF Recorder.	HE CLAIM IS LOCATED WITHIN 90 DAYS	AFTER THE DATE OF LOCATION )	X
	•		
를 유 =		- 100 mg -	- 10 - 10 - 10 - 10
			-73. G
		and the state of t	

The Signature of the second of the center of the claim are location work done consisted of:  The location work done consisted of:  The corners and side centers of the claim are location are desiring souths distance of 500 feet to the southeast of 750 feet to the south side center of the southwest of 750 feet to the southwest of the location and discovery work referred to above this Location Certificate was period.  The location and discovery work referred to above this Location Certificate was period.  The location and discovery work referred to above this Location Certificate was period.  The location and discovery work referred to above this Location Certificate was period.  The location and discovery work referred to above this Location Certificate was period.  The location and discovery work referred to above this Location Certificate was period.  The location and discovery work referred to above this Location Certificate was period.  The location and discovery work referred to above this Location Certificate was performed on or before appril 26 , 1968, by or on behalf of the undersigned loca.	This is To CERTIFY that the Beta 6 / 1 and or January 19 68 in the Mineral Hill Mining claim was located by B.K. Seeley. Jr. on the 30th ay of January 19 68 in the Mineral Hill Mining cistrict, Eureka County, State of Nevada, further escribed as being situated: St Sec. 9 - T.26N - R.52E, MI The general course of said lode or vein is nor and the undersigned claims /40 feet in a westerly direction from the point of disc of the away of the away of the westerly direction from the point of disc of the away of the entire length of said claim.  The location work was done upon the Beta # 6/  The location work was done upon the Beta # 6/  The location work was done upon the Beta # 6/  The location work done consisted of: Trenching the content of the claim are land marked as follows: Beginning at the NE corner, marked NE content of the country and the corner was a distance of 500 feet to the southeast cor marked SE cor the south side center marked SE cor marked SE cor the south side center marked SE cor marked SE cor the south side center marked SE cor the southwest cor marked SW cor thence bearing north a distance of 500 feet to the southwest cor marked SW cor thence bearing north are searing east a distance of 750 feet to the southwest cor marked SW cor thence bearing ast a distance of 750 feet to the southwest cor marked SW cor thence bearing east a distance of 750 feet to the point of begin each of the above described corners is a Rock monument or a 4 x 4 x 4 post.  The location and discovery work referred to about the search of Locator (Address)  This Certificate was performed on or before April 26 , 1968, by or on behalf of the undersigned locator (Cannot Locator) (Address)		BOOK 25 PAGE
Mining Claim was located by B.K. Seeley, Jr. on the John day of January , 19 68 in the Mineral Hill Mining District, Eureka County, State of Newada, further described as being situated: St Sec. 9 - T.26N - R.52E, MDB  The general course of said lode or vein is north and the undersigned claims /400 feet in a westerly direction from the point of discowith a width of 300 feet on each side of the center of the vein lode along the entire length of said claim.  The location work was done upon the Beta # 6/  The location work was done upon the Beta # 6/  The corners and side centers of the claim are location and marked as follows: Beginning at the NE corner, marked NE corthence bearing souths distance of 500 feet to the southeast cor marked SE cor , thence bearing west a distance of 750 feet to the south side center , marked SE cor , marked SW cor , thence bearing north a distance of 600 feet to the southwest cor , marked SW cor , thence bearing north a distance of 500 feet to the southwest cor , marked SW cor , thence bearing north a distance of 500 feet to the southwest cor , marked SW cor , thence bearing north a distance of 500 feet to the southwest cor , marked SW cor , thence bearing north a distance of 500 feet to the point of beginning east a distance of 750 feet to the point of beginning act in a 4 x 4 x 4½ post,  The location and discovery work referred to above this location Certificate was performed on or before	ining Claim was located by B.K. Seeley, Jr. on the 20th ay of January 1968 in the Mineral Hill Mining istrict, Eureka County, State of Newada, further escribed as being situated; County, State of Newada, further escribed as being situated; St. Sec. 9 - T.26N - R.52E, MD The general course of said lode or vein is nor not be described as being situated; St. Sec. 9 - T.26N - R.52E, MD The general course of said lode or vein is nor not have a westerly direction from the point of disciplination of the wind of the angle of the center of the vein ode along the entire length of said claim.  The location work was done upon the Beta # 6/  The location work was done upon the Beta # 6/  The location work was done upon the Beta # 6/  The corners and side centers of the claim are located as follows: Beginning at the NE corner, marked NE con the south a distance of 600 feet to the southeast cor, marked SE cor; thence bearing west a distance of foo feet to the southwest cor, marked SW cor; thence bearing north listance of 600 feet to the southwest cor, marked SW cor; thence bearing north side center marked SSC; to the north side center marked NSC for the north side center north side side center north side side center north side side side side side side side side	ባጥ	IS IS TO CERTIFY that the Beta # 6/ Lo
The general course of said lode or vein is north and the undersigned claims 1470 feet in a westerly direction from the point of disco with a width of 300 feet on each side of the center of the vein lode along the entire length of said claim.  The location work was done upon the Beta # 6/  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable this claim.  The corners and side centers of the claim are location work as follows: Beginning at the NE corner, marked NE corner, marked SE corner, thence bearing west a distance of 600 feet to the southeast corner, marked SE corner, thence bearing west a distance of 750 feet to the southwest corner, marked SE corner, thence bearing west a distance of 750 feet to the southwest corner, marked SE corner, thence bearing west a distance of 750 feet to the southwest corner, marked SE corner, thence bearing morth and istance of 600 feet to the southwest corner, marked SE corner, thence bearing morth and istance of 600 feet to the northwest corner, marked SE corner, thence bearing morth and sistance of 750 feet to the southwest corner, marked SE corner, thence bearing morth and sistance of 750 feet to the southwest corner, marked SE corner, marked S	The general course of said lode or vein is nor not the undersigned claims /40 feet in a westerly direction from the point of discrith a width of 300 feet on each side of the center of the vein ode along the entire length of said claim.  The location work was done upon the Beta # 6/  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable this claim.  The corners and side centers of the claim are 1 and marked as follows: Beginning at the NE corner, marked NE corner arked SE cor , thence bearing west a distance of 500 feet to the southeast cor , marked SE cor , thence bearing west a distance of 750 feet to the south side center , marked SE cor , thence bearing north side corner and side center , marked SE cor , thence bearing north side corner and side center , marked SE cor , thence bearing north side corner and side center , marked SE cor , thence bearing north side corner and side center , marked SE cor , thence bearing north side corner and side center , marked SE cor , thence bearing north side corner side and side center , marked SE cor , thence bearing north side corner side and side center , marked SE cor , thence bearing north side center , marked NSC , the search side	Mining Claim was loc	cated by B.K. Seeley, Jr. on the 30th
The general course of said lode or vein is north and the undersigned claims 1490 feet in a westerly direction from the point of discowers with a width of 300 feet on each side of the center of the vein lode along the entire length of said claim.  The location work was done upon the Beta # 6/  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner, thence bearing west corners and side centers of the southeast corners and side centers of the southeast corners are distance of 500 feet to the southeast corners are distance of 500 feet to the southeast corners are distance of 500 feet to the southeast corners are distance of 500 feet to the southeast corners are distance of 500 feet to the southeast corners are distance of 500 feet to the southeast corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet to the southwest corners are distance of 500 feet t	The general course of said lode or vein is nor not the undersigned claims /40 feet in a westerly direction from the point of discrith a width of 300 feet on each side of the center of the vein ode along the entire length of said claim.  The location work was done upon the Beta # 6/  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable this claim.  The corners and side centers of the claim are 1 and marked as follows: Beginning at the NE corner, marked NE corner arked SE cor , thence bearing west a distance of 500 feet to the southeast cor , marked SE cor , thence bearing west a distance of 750 feet to the south side center , marked SE cor , thence bearing north side corner and side center , marked SE cor , thence bearing north side corner and side center , marked SE cor , thence bearing north side corner and side center , marked SE cor , thence bearing north side corner and side center , marked SE cor , thence bearing north side corner and side center , marked SE cor , thence bearing north side corner side and side center , marked SE cor , thence bearing north side corner side and side center , marked SE cor , thence bearing north side center , marked NSC , the search side	District. Eureka	County, State of Nevada, further
The general course of said lode or vein is north and the undersigned claims 1990 feet in a westerly direction from the point of disco with a width of 300 feet on each side of the center of the vein lode along the entire length of said claim.  The location work was done upon the Beta # 6/  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable this claim.  The corners and side centers of the claim are location work as follows: Beginning at the NE corner, marked NE corner, marked SE corner, mark	The general course of said lode or vein is nor not the undersigned claims /40 feet in a westerly direction from the point of discrith a width of 300 feet on each side of the center of the vein ode along the entire length of said claim.  The location work was done upon the Beta # 6/  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable this claim.  The corners and side centers of the claim are 1 and marked as follows: Beginning at the NE corner, marked NE corner arked SE cor , thence bearing west a distance of 500 feet to the southeast cor , marked SE cor , thence bearing west a distance of 750 feet to the south side center , marked SE cor , thence bearing north side corner and side center , marked SE cor , thence bearing north side corner and side center , marked SE cor , thence bearing north side corner and side center , marked SE cor , thence bearing north side corner and side center , marked SE cor , thence bearing north side corner and side center , marked SE cor , thence bearing north side corner side and side center , marked SE cor , thence bearing north side corner side and side center , marked SE cor , thence bearing north side center , marked NSC , the search side	described as being s	situated: St Sec. 9 - T.26N - R.52E, MDB
The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100,00 , of which \$100,00 is applicable this claim.  The corners and side centers of the claim are location marked as follows: Beginning at the NE corner, marked NE corner, marked SE cor , thence bearing west a distance of 750 feet to the southwest cor , marked SE cor , thence bearing west a distance of 600 feet to the southwest cor , marked SE cor , thence bearing west a distance of 600 feet to the southwest cor , marked SE cor , thence bearing west a distance of 600 feet to the southwest cor , marked SE cor , thence bearing west a distance of 600 feet to the southwest cor , marked SE cor , thence bearing west a distance of 600 feet to the southwest cor , marked SE cor , thence bearing west a distance of 600 feet to the southwest cor , marked SE cor , thence bearing north a distance of 600 feet to the northwest cor , marked SE cor , thence bearing east a distance of 750 feet to the southwest cor , marked SE cor , thence bearing east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a d	The location work done consisted of:  The location work was done upon the Beta # 6/  The location work was done upon the Beta # 6/  The location work was done upon the Beta # 6/  The location work done consisted of:  Trenching  The location work done consisted of:  Trenching  The corners and side centers of the claim are location worked as follows: Beginning at the NE corner, marked NE conchence bearing south a distance of 600 feet to the southeast cor, marked SE cor, thence bearing west a distance of 750 feet to the southwest cor, marked SW cor, thence bearing north  The corners and side center marked SSC ; the same wast a distance of 750 feet to the southwest cor, marked SW cor; thence bearing north  The corners and side center marked SSC ; the same wast a distance of 750 feet to the southwest cor, marked SW cor; thence bearing north  The corners and side center marked SSC ; the same wast a distance of 750 feet to the southwest cor, marked SW cor; thence bearing north  The location dearing east a distance of 750 feet to the southwest cor marked SW cor; thence bearing set a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging each of the above described corners is a Rock monument or a 4 x 4 x 4 x post.  The location and discovery work referred to about the southwest corners are re		
The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100,00 , of which \$100,00 is applicable this claim.  The corners and side centers of the claim are location marked as follows: Beginning at the NE corner, marked NE corner feet to the southeast corner marked SE corner thence bearing west a distance of 750 feet to the south side center marked SEC; thence bearing west a distance of 750 feet to the southwest corner marked SEC; thence bearing west a distance of 750 feet to the southwest corner marked SEC; thence bearing west a distance of 750 feet to the southwest corner marked SEC; thence bearing west a distance of 750 feet to the southwest corner marked SEC; thence bearing west a distance of 750 feet to the southwest corner marked SEC; thence bearing west a distance of 750 feet to the southwest corner marked SEC; thence bearing west a distance of 750 feet to the southwest corner marked SEC; thence bearing west a distance of 750 feet to the southwest corner marked SEC; thence bearing west a distance of 750 feet to the southwest corner marked SEC; thence bearing east and stance of 750 feet to the point of beginning east and distance of 750 feet to the point of beginning east and distance of 750 feet to the point of beginning east and distance of 750 feet to the point of beginning east and distance of 750 feet to the point of beginning east and distance of 750 feet to the point of beginning east and distance of 750 feet to the point of beginning east and distance of 750 feet to the point of beginning east and distance of 750 feet to the point of beginning east and distance of 750 feet to the point of beginning east and distance of 750 feet to the point of beginning east and distance of 750 feet to the point of beginning east and distance east and discovery work referred to above the location and discov	The location work done consisted of:  The location work was done upon the Beta # 6/  The location work was done upon the Beta # 6/  The location work was done upon the Beta # 6/  The location work done consisted of:  Trenching  The location work done consisted of:  Trenching  The corners and side centers of the claim are location worked as follows: Beginning at the NE corner, marked NE conchence bearing south a distance of 600 feet to the southeast cor, marked SE cor, thence bearing west a distance of 750 feet to the southwest cor, marked SW cor, thence bearing north  The corners and side center marked SSC ; the same wast a distance of 750 feet to the southwest cor, marked SW cor; thence bearing north  The corners and side center marked SSC ; the same wast a distance of 750 feet to the southwest cor, marked SW cor; thence bearing north  The corners and side center marked SSC ; the same wast a distance of 750 feet to the southwest cor, marked SW cor; thence bearing north  The location dearing east a distance of 750 feet to the southwest cor marked SW cor; thence bearing set a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging each of the above described corners is a Rock monument or a 4 x 4 x 4 x post.  The location and discovery work referred to about the southwest corners are re		
and the undersigned claims   140   feet in a   westerly   direction from the point of discowith a width of 300   feet on each side of the center of the vein   lode along the entire   length of said claim.  The location work was done upon the   Beta   6    The location work done consisted of:   Trenching    The location work done consisted of:   Trenching    COSTING A TOTAL OF \$ 100.00   of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located as follows: Beginning at the NE corner, marked NE corner thence bearing southa distance of 600   feet to the   southeast   cor   marked SE cor   thence bearing   west   a distance of 750   feet to the   south side center   marked   SSC   ; the bearing   west   a distance of 750   feet to the   south side center   marked   SSC   ; the distance of   feet to the   southwest   cor   marked   SW cor   ; thence bearing   north   a   distance of   feet to the   northwest   feet to   marked   SW cor   ; thence bearing   marked   feet   marked   feet   marked   feet   marked   feet   feet   marked   feet   feet	The location work done consisted of:  The location work was done upon the Beta # 6/  The location work was done upon the Beta # 6/  The location work was done upon the Beta # 6/  The location work done consisted of:  Trenching  The location work done consisted of:  Trenching  The corners and side centers of the claim are location worked as follows: Beginning at the NE corner, marked NE conchence bearing south a distance of 600 feet to the southeast cor, marked SE cor, thence bearing west a distance of 750 feet to the southwest cor, marked SW cor, thence bearing north  The corners and side center marked SSC ; the same wast a distance of 750 feet to the southwest cor, marked SW cor; thence bearing north  The corners and side center marked SSC ; the same wast a distance of 750 feet to the southwest cor, marked SW cor; thence bearing north  The corners and side center marked SSC ; the same wast a distance of 750 feet to the southwest cor, marked SW cor; thence bearing north  The location dearing east a distance of 750 feet to the southwest cor marked SW cor; thence bearing set a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging east a distance of 750 feet to the point of beging each of the above described corners is a Rock monument or a 4 x 4 x 4 x post.  The location and discovery work referred to about the southwest corners are re	m-	
The location work done consisted of: Trenching  The location work done consisted of: Trenching  The location work done consisted of: Trenching  The corners and side centers of the claim are location.  The corners and side centers of the claim are location.  The corners and side centers of the claim are location.  The corners and side centers of the claim are location.  The corners and side centers of the claim are location.  The corners and side centers of the claim are location.  The corners and side centers of the claim are location.  The corners and side centers of the claim are location.  The corners and side centers of the claim are location.  The corners and side centers of the claim are location.  The corners and side centers, marked NE corners, marked SE corners, marked SE corners, marked SE corners, marked SEC, the bearing west a distance of 500 feet to the southwest corners, marked SW corners, thence bearing north and sistance of southwest corners, marked SW corners, the southwest corners, marked SW corners, the southwest corners, marked SW corners, marked NEC, marked SW corners, marked NEC, marked NEC, the bearing east a distance of 750 feet to the point of beginning the southwest corners and side centers, marked NEC, the bearing east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east and stance of 750 feet to the point of beginning east and stance of 750 feet to the point of beginning east and stance of 750 feet to the point of beginning east and stance of 750 feet to the point of beginning east and stance of 750 feet to the point of beginning east and stance of 750 feet to the point of beginning east and stance of 750 feet to the point of beginning east and stance of 750 feet to the point of beginning east and stance of 750 feet to the point of beginning east and stance of 750 feet to the point of beginning east and stance of 750 feet to the point of beginning east and stance of 750 feet to the point of beginning east and stance of 750 feet t	The location work done consisted of:  The location work was done upon the Beta # 6/  The location work done consisted of:  The corners and side centers of the claim are location.  The corners and side centers of the claim are location worked as follows:  Beginning at the NE corner, marked NE corner, marked NE corners and distance of 500 feet to the southeast corners and side center was a distance of 500 feet to the southeast of 500 feet to the southeast or follows:  The corners and side centers of the claim are locating west a distance of 500 feet to the southeast or follows:  The corners and side center was a distance of follows:  The corners and side centers of the claim are locating west a distance of 500 feet to the southeast or follows:  The corners and side center was ked NE corners of the corners of the southeast or follows:  The corners and side centers was ked NE corners of the southeast or follows:  The corners and side centers of the southeast or follows:  The corners and side centers of the southeast or follows:  The corners and side centers of the southeast or follows:  The corners and side centers of the southeast or follows:  The corners and side centers of the southeast or follows:  The corners and side centers of the southeast or follows:  The corners and side centers of the count was a distance of follows:  The corners and side centers of the count of beginners of the above described corners is a Rock monument or a 4 x 4 x 4 ky post.  The location and discovery work referred to about the southeast of the undersigned location of the undersigned location certificate was performed on or before the follows:  The corners and centers of the count of the undersigned location certificate was performed on or before the follows:  The corners and centers of the count of the undersigned location certificate was performed on or before the follows:  The corners and centers of the centers of the	and the undersigned	claims /490 feet in a westerly dire
The location work was done upon the Beta # 6/  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are location and marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner, thence bearing souths distance of 600 feet to the southeast corner, marked SE corner, thence bearing west a distance of 750 feet to the south side center, marked SE corner, marked SE c	The location work was done upon the Beta # 6/  The location work done consisted of: Trenching  The location work done consisted of: Trenching  The corners and side centers of the claim are lead marked as follows: Beginning at the NE corner, marked NE corner, marked SE cor, thence bearing southa distance of 600 feet to the southeast of 750 feet to the southeast of 600 feet to 600 feet feet feet of 600 feet feet feet feet feet feet feet fe	and /D feet in	an easterly direction from the point of disco
The location work was done upon the Beta # 6/  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are location marked as follows: Beginning at the NE corner, marked NE corner, marked NE corner, marked SE corner, thence bearing west a distance of 500 feet to the southeast corner, marked SEC ; the bearing west a distance of 750 feet to the southwest adistance of 600 feet to the morthwest corner, marked SW corner, thence bearing north adistance of 600 feet to the northwest corner, marked SW corner, marked	The location work was done upon the Beta # 6/  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable this claim.  The corners and side centers of the claim are I and marked as follows: Beginning at the NE corner, marked NE co thence bearing southa distance of 600 feet to the southeast  COT , marked SE COT ; thence bearing west a distance and istance of 500 feet to the southwest  COT , marked SW COT ; thence bearing north a distance of 600 feet to the northwest COT , marked  NW COT ; thence bearing east a distance of 750  The north side center marked NSC ; the cering east a distance of 750 feet to the point of beging ach of the above described corners is a Rock monument or a 4 x 4 x 44 post.  The location and discovery work referred to abo this Location Certificate was performed on or before April 26 , 1968, by or on behalf of the undersigned loc  S.K. Seeley, Jr. (Name of Locator)  THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND J BEGINLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN A BEGINLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN A BEGINLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN A BEGINLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN A BEGINLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN A BEGINLE COPY RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN A BEGINLE COPY RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN A BEGINLE COPY RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN A BEGINLE COPY RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN A BEGINLE COPY RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN A BEGINLE COPY RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN A BEGINLE COPY RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN A BEGINLE COPY RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN A BEGINLE COPY RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN A BEGINLE COPY RECORDER WITH THE COUNTY RECORDER OF THE COUNTY RECORDER OF THE COUNTY RECORDER OF THE COUNTY	with a width of 300	feet on each side of the center of the vein
The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are location and marked as follows: Beginning at the NE corner, marked NE corner. Marked SE corner, marked NE corner, marked SE corne	The location work done consisted of: Trenching costing A Total of \$ 100.00 , of which \$100.00 is applicable this claim.  The corners and side centers of the claim are in the connect bearing south a distance of 500 feet to the southast cor , marked SE cor , thence bearing west a distance of 500 feet to the southwest cor , marked SSC ; the correct of 750 feet to the southwest cor , marked SW cor , thence bearing north a distance of 600 feet to the northwest cor , marked SW cor , thence bearing north a distance of 600 feet to the northwest cor , marked NW cor , thence bearing east a distance of 750 feet to the point of beginn earling east a distance of 750 feet to the point of beginn each of the above described corners is a Rock monument or a 4 x 4 x 4 y post.  The location and discovery work referred to about the country of the country is a series of 1968, by or on behalf of the undersigned location certificate was performed on or before April 26 , 1968, by or on behalf of the undersigned location is control to the country in t	Tode along the entir	to length of bala claim,
The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable this claim.  The corners and side centers of the claim are location and marked as follows: Beginning at the NE corner, marked NE corner.  The corners and side centers of the claim are location.  The corners and side centers of the claim are location.  The corners and side centers of the claim are location.  The corners and side centers of the claim are location.  The location get to the NE corner, marked NE corners and sistance of 500 feet to the southeast of 750 feet to the southwest of the location of 500 feet to the northwest corners of the location of the solution of	The location work done consisted of: Trenching costing A Total of \$ 100.00 , of which \$100.00 is applicable this claim.  The corners and side centers of the claim are in the connect bearing south a distance of 500 feet to the southast cor , marked SE cor , thence bearing west a distance of 500 feet to the southwest cor , marked SSC ; the correct of 750 feet to the southwest cor , marked SW cor , thence bearing north a distance of 600 feet to the northwest cor , marked SW cor , thence bearing north a distance of 600 feet to the northwest cor , marked NW cor , thence bearing east a distance of 750 feet to the point of beginn earling east a distance of 750 feet to the point of beginn each of the above described corners is a Rock monument or a 4 x 4 x 4 y post.  The location and discovery work referred to about the country of the country is a series of 1968, by or on behalf of the undersigned location certificate was performed on or before April 26 , 1968, by or on behalf of the undersigned location is control to the country in t	rm.	no location work was done upon the Beta # 6/
The corners and side centers of the claim are location and marked as follows: Beginning at the NE corner, marked NE corner thence bearing south a distance of 600 feet to the southeast cor marked SE cor thence bearing west a distance of 750 feet to the south side center marked SSC the bearing west a distance of 750 feet to the southwest cor marked SW cor thence bearing north a distance of 600 feet to the northwest cor marked SW cor m	The corners and side centers of the claim are land marked as follows: Beginning at the NE corner, marked NE corner bearing south a distance of 600 feet to the southeast cor marked SE cor thence bearing west a distance of 750 feet to the south side center marked SSC the corner marked SSC the northwest corner marked SSC the north side center marked SSC the corner side and stance of 750 feet to the point of beginn each of the above described corners is a marked SSC the corner at 4 x 4 x 4½ post.  The location and discovery work referred to about the corner side of the undersigned location certificate was performed on or before April 26 (Name of Locator) (Address)  (Name of Locator) (Address)  THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A DEGIBLE COPY RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN the		
The corners and side centers of the claim are location and marked as follows: Beginning at the NE corner, marked NE cortence bearing southa distance of 600 feet to the southeast cor marked SE cor; thence bearing west a distance of 750 feet to the south side center marked SSC; the bearing west a distance of 750 feet to the southwest bearing west a distance of 750 feet to the southwest cor marked SW cor; thence bearing north a distance of 600 feet to the northwest cor marked SW cor; thence bearing north a distance of 600 feet to the northwest cor marked SW cor; thence bearing east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east advance of 750 feet to the point of beginning east advance of 750 feet to the point of beginning east advance of 750 feet to the point of beginning east advance of 750 feet to the point of beginning east advance of 750 feet to the point of beginning east advance of 750 feet to the point of beginning east east east east east east east east	The corners and side centers of the claim are land marked as follows: Beginning at the NE corner, marked NE corner bearing south a distance of 600 feet to the southeast cor marked SE cor thence bearing west a distance of 750 feet to the south side center marked SSC the corner marked SSC the northwest corner marked SSC the north side center marked SSC the corner side and stance of 750 feet to the point of beginn each of the above described corners is a marked SSC the corner at 4 x 4 x 4½ post.  The location and discovery work referred to about the corner side of the undersigned location certificate was performed on or before April 26 (Name of Locator) (Address)  (Name of Locator) (Address)  THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A DEGIBLE COPY RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN the		
COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are loo and marked as follows: Beginning at the NE corner, marked NE cor thence bearing south a distance of 600 feet to the southeast cor marked SE cor; thence bearing west a distance of 750 feet to the south side center marked SSC; the bearing west a distance of 750 feet to the southwest cor marked SW cor; thence bearing north a distance of 600 feet to the northwest cor marked SW cor; thence bearing north a distance of 600 feet to the northwest cor marked NSC ; the bearing east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east advance of 750 feet to the point of beginning east advance of 750 feet to the point of beginning east advance of 750 feet to the point of beginning east advance of 750 feet to the point of beginning east east east east east east east east	The corners and side centers of the claim are land marked as follows: Beginning at the NE corner, marked NE corner bearing south a distance of 600 feet to the southeast cor marked SE cor thence bearing west a distance of 750 feet to the south side center marked SSC the corner marked SSC the northwest corner marked SSC the north side center marked SSC the corner side and stance of 750 feet to the point of beginn each of the above described corners is a marked SSC the corner at 4 x 4 x 4½ post.  The location and discovery work referred to about the corner side of the undersigned location certificate was performed on or before April 26 (Name of Locator) (Address)  (Name of Locator) (Address)  THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A DEGIBLE COPY RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN the		
The corners and side centers of the claim are location and marked as follows: Beginning at the NE corner, marked NE cortence bearing southa distance of 600 feet to the southeast cor marked SE cor; thence bearing west a distance of 750 feet to the south side center marked SSC; the bearing west a distance of 750 feet to the southwest bearing west a distance of 750 feet to the southwest cor marked SW cor; thence bearing north a distance of 600 feet to the northwest cor marked SW cor; thence bearing north a distance of 600 feet to the northwest cor marked SW cor; thence bearing east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east advance of 750 feet to the point of beginning east advance of 750 feet to the point of beginning east advance of 750 feet to the point of beginning east advance of 750 feet to the point of beginning east advance of 750 feet to the point of beginning east advance of 750 feet to the point of beginning east east east east east east east east	The corners and side centers of the claim are land marked as follows: Beginning at the NE corner, marked NE corner bearing south a distance of 600 feet to the southeast cor marked SE cor thence bearing west a distance of 750 feet to the south side center marked SSC the corner marked SSC the northwest corner marked SSC the north side center marked SSC the corner side and stance of 750 feet to the point of beginn each of the above described corners is a marked SSC the corner at 4 x 4 x 4½ post.  The location and discovery work referred to about the corner side of the undersigned location certificate was performed on or before April 26 (Name of Locator) (Address)  (Name of Locator) (Address)  THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A DEGIBLE COPY RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN the	<del></del>	
The corners and side centers of the claim are location and marked as follows: Beginning at the NE corner, marked NE corner thence bearing south a distance of 600 feet to the southeast cor marked SE cor thence bearing west a distance of 750 feet to the south side center marked SSC the bearing west a distance of 750 feet to the southwest cor marked SW cor thence bearing north a distance of 600 feet to the northwest cor marked SW cor m	The corners and side centers of the claim are land marked as follows: Beginning at the NE corner, marked NE corner bearing south a distance of 600 feet to the southeast cor marked SE cor thence bearing west a distance of 750 feet to the south side center marked SSC the corner marked SSC the northwest corner marked SSC the north side center marked SSC the corner side and stance of 750 feet to the point of beginn each of the above described corners is a marked SSC the corner at 4 x 4 x 4½ post.  The location and discovery work referred to about the corner side of the undersigned location certificate was performed on or before April 26 (Name of Locator) (Address)  (Name of Locator) (Address)  THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A DEGIBLE COPY RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN the	rm.	be leasting work done congleted of. Trenching
The corners and side centers of the claim are lo and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 600 feet to the southeast cor marked SE cor; thence bearing west a distance of 750 feet to the south side center marked SSC; the bearing west a distance of 750 feet to the southwest cor. marked SW cor; thence bearing north adistance of 600 feet to the northwest cor marked SW cor; thence bearing north adistance of 750 feet to the north side center marked NSC; the bearing east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east adistance of 750 feet to the point of beginning east adistance of 750 feet to the point of beginning east adistance of 750 feet to the point of beginning east adistance of 750 feet to the point of beginning east adistance of 750 feet to the point of beginning east adistance of 750 feet to the point of beginning east adistance of 750 feet to the point of beginning east adistance of 750 feet to the point of beginning east adistance of 750 feet to the point of beginning east adistance of 750 feet to the point of beginning east east east east east east east east	The corners and side centers of the claim are land marked as follows: Beginning at the NE corner, marked NE contended bearing south a distance of 600 feet to the southeast cor marked SE cor; thence bearing west a distance of 750 feet to the south side center marked SSC; the corner marked SW cor; thence bearing north a distance of 600 feet to the southwest cor, marked SW cor; thence bearing north a distance of 600 feet to the northwest cor, marked NW cor; thence bearing east a distance of 750 feet to the point of begins ach of the above described corners is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to about the corner of the undersigned location certificate was performed on or before the location certificate was performed to the location certificate w	Tr.	ne location work done consisted of
The corners and side centers of the claim are loand marked as follows: Beginning at the NE corner, marked NE corthence bearing southa distance of 600 feet to the southeast cor marked SE cor; thence bearing west a distance of 750 feet to the south side center marked SSC; the bearing west a distance of 750 feet to the southwest cor marked SW cor; thence bearing north addistance of 600 feet to the northwest cor marked SW cor; thence bearing north addistance of 750 feet to the north side center marked NSC; the bearing east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of beginning east addistance of 750 feet to the point of 800 feet feet east addistance of 750 feet to the 900 feet feet east addistance of 750 feet feet feet east addistance of 750 feet feet feet east addistance of 750 feet feet feet east addi	The corners and side centers of the claim are land marked as follows: Beginning at the NE corner, marked NE contended bearing south a distance of 600 feet to the southeast cor marked SE cor; thence bearing west a distance of 750 feet to the south side center marked SSC; the corner marked SW cor; thence bearing north a distance of 600 feet to the southwest cor, marked SW cor; thence bearing north a distance of 600 feet to the northwest cor, marked NW cor; thence bearing east a distance of 750 feet to the point of begins ach of the above described corners is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to about the corner of the undersigned location certificate was performed on or before the location certificate was performed to the location certificate w		
The corners and side centers of the claim are loand marked as follows: Beginning at the NE corner, marked NE corthence bearing southa distance of 600 feet to the southeast cor marked SE cor; thence bearing west a distance of 750 feet to the south side center, marked SSC; the bearing west a distance of 750 feet to the southwest cor, marked SW cor; thence bearing north a distance of 600 feet to the northwest cor, marked SW cor; thence bearing north a distance of 600 feet to the northwest cor, marked SW cor; thence bearing east a distance of 750 to the north side center, marked NSC; the bearing east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east and stance of 750 feet to the point of beginning east and all stance of 750 feet to the point of beginning east and all stance of 750 feet to the point of beginning east and all stance of 750 feet to the point of beginning east and all stance of 750 feet to the point of beginning east and all stance of 750 feet to the point of beginning east and all stance of 750 feet to the point of beginning east and all stance of 750 feet to the point of beginning east and 950 feet to the point of beginning east and 950 feet to the point of beginning east and 950 feet to the point of beginning east and 950 feet to the point of beginning east and 950 feet to the point of beginning east and 950 feet to the point of beginning east and 950 feet to the point of beginning east and 950 feet to the 950 feet to	The corners and side centers of the claim are land marked as follows: Beginning at the NE corner, marked NE contended bearing south a distance of 600 feet to the southeast cor marked SE cor; thence bearing west a distance of 750 feet to the south side center marked SSC; the corner marked SW cor; thence bearing north a distance of 600 feet to the southwest cor, marked SW cor; thence bearing north a distance of 600 feet to the northwest cor, marked NW cor; thence bearing east a distance of 750 feet to the point of begins ach of the above described corners is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to about the corner of the undersigned location certificate was performed on or before the location certificate was performed to the location certificate w		300 00 -
( <u>*                                    </u>	(Name of Locator)  (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)  THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A DEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN	and marked as follow	was Regioning at the NE corner marked NE COI
	THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A SECURIZE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN	bearing west cor marked S distance of 600 NW cor to the north side of bearing east a c Each of the above de a 4 x 4 x 4 The this Location Certifum April 26	cha distance of 600 feet to the southeast  Example cor ; thence bearing west a distance e south side center , marked SSC ; the a distance of 750 feet to the southwest  Example cor ; thence bearing north a  feet to the northwest cor , marked hence bearing east a distance of 750  center marked NSC ; the distance of 750 feet to the point of beginning escribed corners is a Rock monument or spost.  The location and discovery work referred to above ficate was performed on or before  1968, by or on behalf of the undersigned local  1421 2. The second counters is a southwest and in the southwest cor , marked
	THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A SECURIZE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN	bearing west  Cor marked S  Gistance of 600  NW cor  to the north side of bearing east a company at the second of the above de a 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	cha distance of 600 feet to the southeast  Example cor ; thence bearing west a distance e south side center , marked SSC ; the a distance of 750 feet to the southwest  Example cor ; thence bearing north a  feet to the northwest cor , marked hence bearing east a distance of 750  center marked NSC ; the distance of 750 feet to the point of beginning escribed corners is a Rock monument or spost.  The location and discovery work referred to above ficate was performed on or before  1968, by or on behalf of the undersigned local  1421 2. The second counters is a southwest and in the southwest cor , marked
0 0	REGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN F	bearing west  Cor marked S  Gistance of 600  NW cor  to the north side of bearing east a company at the second of the above de a 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	cha distance of 600 feet to the southeast  Example cor ; thence bearing west a distance  e south side center , marked SSC ; the a distance of 750 feet to the southwest  Ew cor ; thence bearing north a  feet to the northwest cor , marked hence bearing east a distance of 750 center , marked NSC  distance of 750 feet to the point of beginning east to the point of beginning east a Rock monument or post.  he location and discovery work referred to above ficate was performed on or before  1968, by or on behalf of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the undersigned location and discovery work referred to above the south of the south of the south of the sou
(Name of Locator) (Address)	HE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)	bearing west cor marked S distance of 600 minw cor to the north side of bearing east a d Each of the above de a 4 x 4 x 4 this Location Certifu April 26  X B.K. Seeley Jr. (Name of Loc	cator)  cha distance of 600 feet to the southeast character ; thence bearing west a distance e south side center , marked SSC ; the a distance of 750 feet to the southwest a distance of 750 feet to the southwest cor ; thence bearing north a feet to the northwest cor , marked hence bearing east a distance of 750 center , marked NSC ; the distance of 750 feet to the point of beginni escribed corners is a Rock monument or g post.  1421 2. 9th Se. Salt lake Cit (Address)  (Address)
(Name of Locator)  (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A DEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WE		bearing west cor marked S distance of 600 Why cor The north side of bearing east a c Each of the above de a 4 x 4 x 4 This Location Certifum April 26  X S.K. Seeley Jr. Name of Loc (Name of Loc THIS CERTIFICATE OF THEGREE COPY RECORDS	cator)  cha distance of 600 feet to the southeast of cor ; thence bearing west a distance of south side center , marked SSC ; the a distance of 750 feet to the southwest of cor ; thence bearing north a feet to the northwest cor , marked feet to the northwest cor , marked feet to the northwest cor ; thence bearing east a distance of 750 feet to the point of beginning escribed corners is a feet to the point of beginning post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked post.  Cator feet to the southwest cor , marked
(Address)		cor. marked S cor.	cator)  cha distance of 600 feet to the southeast of 50 cor ; thence bearing west a distance of south side center , marked SSC ; the a distance of 750 feet to the southwest of sw cor ; thence bearing north a feet to the northwest cor , marked feet to the northwest cor , marked feet to the northwest cor ; thence bearing east a distance of 750 feet to the point of beginning excribed corners is a feet to the point of beginning post.  The location and discovery work referred to above ficate was performed on or before 1968, by or on behalf of the undersigned location and discovery work referred to above ficate was performed on or before 1968, by or on behalf of the undersigned location for the undersigned location and discovery work referred to above ficate was performed on or before 1968, by or on behalf of the undersigned location with the county recorder of the county in with the county in t

The location Certificate

This Location Certificate

The location Cert

M. M. M. 1421 5. Sth So. Salt Lake City. Usah (Address)

(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

(Address)

CERI	PIFICATE OF LOCATION	N OF LODE M	INING CLAIM	
46664	•		воок 23	
File No	THIS IS TO CERTIFY	that the	Beta # 63	Lode 30th
Mining Claim was lodgy of January District, Eurek described as being	19 68 in the	Mineral Hi	11 Mi	ning
described as being	situated:	St Sec. 9 -	T.26N - R.521	E. MDB&M
and the undersigned and 10 feet in with a width of 30 lode along the entite and the entite and the entite and the entite entite and the entite	on easterry direction of the control	eet in a <u> </u>	the point of	discovery.
	The location work	was done upo	n the Beta	#63
				/ /
			<del>\                                    </del>	$\rightarrow$
	The location work	done consist	ed of: Tren	ching
COSTING A TOTAL OF this claim.	\$ 100.00 , of	which \$100.	00 is applic	able to
and marked as foll thence bearing so	The corners and si ows: Beginning at utha distance of 6	de centers of the NE corr	of the claim mer, marked N the souther	are located E cor ast
and marked as foll thence bearing so cor marked of 750 feet to t bearing west cor marked Zistance of 600	he south side cen	ter , mark 50 _feet t	red SSC to the sout	; thence
cor , marked Wistance of 600	SW cor ; thence feet to the	bearing no northwest co	rth	a marked : 750 fee
03.01	digtance of 750	feet to ti	ne point of F	eginning.
Rach of the above	described corners	18 a		<u> </u>
this Location Cert April 26	The location and difficate was perform, 1968, by or on	discovery wor rmed on or be behalf of the	rk referred tefore efore he undersigne	
April 26	_, 19 <u>00</u> _, Dy 01 On	1423 8. 912	So. Salt la	
(Name of			(Address)	;

THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

(Name of Locator)

(Address)

This is to certify that the Beta # 64 Lode  Mining Claim was located by B.K. Seeley, Jr. on the Joth day of January 19 68 in the Mineral Hill Mining District, Eureka County, State of Nevada, further described as being situated: Wi Sec. 16 - T.26N - R.52E, MDBAM  The general course of said lode or vein is norther and the undersigned claims /490 feet in a westerly directi and 10 feet in an easterly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta # 64  The location work was done upon the Beta # 64  The corners and side centers of the claim are locat and marked as follows: Beginning at the NE corner, marked sec cor marked SE cor thence bearing west a distance of 750 feet to the south side center bearing west be distance of 600 feet to the southwest distance of 600 feet to the southwest of The north side center marked SE cor thence bearing morth distance of food feet to the southwest of The north side center marked SE cor thence bearing morth distance of food feet to the southwest west a distance of food feet to the southwest of the horth side center marked SE cor marked distance of food feet to the southwest and side center marked SE cor marked SE
Mining Claim was located by B.K. Seeley, Jr. on the 20th day of January , 19 68 in the Mineral Hill Mining District, Eureka County, State of Nevada, further described as being situated: Wi Sec. 16 - T.26N - R.52E. MDRAM  The general course of said lode or vein is norther and the undersigned claims /490 feet in a westerly direction and /0 feet in an easterly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta #64  The location work was done upon the Beta #64  The corners and side centers of the claim are locat and marked as follows: Beginning at the NE corner, marked NE cor thence bearing souths distance of 600 feet to the southeast cor, marked SE cor, thence bearing west a distance of 500 feet to the southwest a distance of 500 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 4 b post.  The location and discovery work referred to above is
Mining Claim was located by B.K. Seeley, Jr. on the 20th day of January 1968 in the Mineral Hill Mining District, Eureka County, State of Nevada, further described as being situated: Was Bec. 16 - T.26N - R.52E. MDRAM  The general course of said lode or vein is norther and the undersigned claims 1990 feet in a westerly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta #64  The location work was done upon the Beta #64  The corners and side centers of the claim are locat and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 600 feet to the southeast cor, marked SE cor, thence bearing west a distance of 750 feet to the southwest a distance of 750 feet to the southwest cor, marked SE cor, thence bearing west a distance of 600 feet to the southwest cor, marked SE cor, thence bearing west a distance of 750 feet to the southwest cor, marked SE cor, thence bearing north a distance of 600 feet to the southwest cor, marked SE cor, thence bearing north a continue of 600 feet to the southwest and distance of 750 feet to the southwest or the north side center, marked NSC , thence bearing east a distance of 750 feet to the point of beginning. Beach of the above described corners is a Rock monument or a 4 x 4 x 45 post.
The general course of said lode or vein is norther and the undersigned claims 1490 feet in a westerly direction and 10 feet in an easterly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta # 64  The location work was done upon the Beta # 64  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner, marked
The general course of said lode or vein is norther and the undersigned claims /4/0 feet in a westerly direction and /0 feet in an easterly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta # 64  The location work was done upon the Beta # 64  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE cor thence bearing south a distance of 600 feet to the southeast cor, marked SE cor, thence bearing west a distance of 550 feet to the southwest adistance of 600 feet to the southwest a distance of 550 feet to the southwest a distance of 550 feet to the southwest and searing east a distance of 550 feet to the point of beginning. Search of the above described corners is a Rock monument or a 4 x 4 x 4 x 9 post.  The location and discovery work referred to above in the southwest the location and discovery work referred to above in the southwest the location and discovery work referred to above in the location and discovery work referred to above in the location and discovery work referred to above in the location and discovery work referred to above in the location and discovery work referred to above in the location and discovery work referred to above in the location and discovery work referred to above in the location and discovery work referred to above in the location and discovery work referred to above in the location and discovery work referred to above in the location and discovery work referred to above in the location and discovery work referred to above in the location and discovery work referred to above in the location a
The general course of said lode or vein is norther and the undersigned claims 1490 feet in a westerly direction and 10 feet in an easterly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta # 64  The location work was done upon the Beta # 64  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE cor thence bearing souths distance of 600 feet to the southeast cor for feet to the south side center, marked SEC; thence bearing west a distance of 500 feet to the southwest adistance of 600 feet to the southwest adistance of 600 feet to the northwest cor marked SW cor; thence bearing north a distance of 600 feet to the northwest cor marked SW cor; thence bearing ast a distance of 750 feet to the northwest cor marked SW cor; thence bearing ast a distance of 750 feet to the southwest cor marked SW cor thence bearing north a distance of 600 feet to the northwest cor marked SW cor; thence bearing east a distance of 750 feet to the point of beginning. Second feet a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 4 x 9 post.
The general course of said lode or vein is norther and the undersigned claims 1490 feet in a westerly direction and 10 feet in an easterly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta # 64  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE cor , thence bearing west a distance of 500 feet to the southeast cor , marked SE cor , thence bearing west a distance of 500 feet to the southwest cor , marked SW cor , thence bearing north a distance of 600 feet to the northwest cor , marked SW cor , thence bearing north a distance of 600 feet to the northwest cor , marked SW cor , thence bearing north a distance of 600 feet to the northwest cor , marked SW cor , thence bearing east a distance of 750 feet to the north side center marked NSC , thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 45 post.  The location and discovery work referred to above it
and the undersigned claims / 1/90 feet in a westerly direction and /0 feet in an easterly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta # 64  The location work was done upon the Beta # 64  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are locat and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 600 feet to the southeast cor , marked SE cor ; thence bearing west a distance of 750 feet to the south side center , marked SSC ; thence bearing west a distance of 150 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the north a distance of 750 feet to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 45 post.  The location and discovery work referred to above in the content of the south side center . The location and discovery work referred to above in the south of
and the undersigned claims / 1/90 feet in a westerly direction and /0 feet in an easterly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta # 64  The location work was done upon the Beta # 64  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are locat and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 600 feet to the southeast cor , marked SE cor ; thence bearing west a distance of 750 feet to the south side center , marked SSC ; thence bearing west a distance of 150 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the north a distance of 750 feet to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 45 post.  The location and discovery work referred to above in the content of the south side center . The location and discovery work referred to above in the south of
and the undersigned claims 1490 feet in a westerly direction and 10 feet in an easterly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta # 64  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner, thence bearing west a distance of 500 feet to the southwest corner, marked SE corner, thence bearing north and distance of 600 feet to the northwest corner, marked SE corner, thence bearing east a distance of 750 feet to the north side center marked NSC thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 45 post.  The location and discovery work referred to above in the side center and the southwest corners are all the southwest corners and side center and season and s
The location work was done upon the Beta #64  The location work was done upon the Beta #64  The location work done consisted of: Trenching  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100,00 , of which \$100,00 is applicable to this claim.  The corners and side centers of the claim are locat and marked as follows: Beginning at the NE corner, marked NE cor thence bearing south a distance of 600 feet to the southeast cor , marked SE cor ; thence bearing west a distance of 750 feet to the southwest a distance of 750 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the southwest a distance of 750 feet to the northwest cor , marked NE cor , thence bearing east a distance of 750 feet to the north side center , marked NE ; thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 4 y post.  The location and discovery work referred to above in the south of
The location work was done upon the Beta #64  The location work was done upon the Beta #64  The location work done consisted of: Trenching  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are locat and marked as follows: Beginning at the NE corner, marked NE cor thence bearing south distance of 600 feet to the southeast cor , marked SE cor ; thence bearing west a distance of 750 feet to the southwest a distance of 750 feet to the northwest cor , marked NW cor ; thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above in the content of the content of the corners of the content of the corners of the content of the corner of the
The location work was done upon the Beta #64  The location work done consisted of: Trenching  The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00, of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are locat and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 600 feet to the southeast cor, marked SE cor, thence bearing west a distance of 750 feet to the southwest a distance of, thence bearing west a distance of, marked SW cor, thence bearing and a distance of, marked
The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are locat and marked as follows: Beginning at the NE corner, marked NE cor thence bearing south a distance of 600 feet to the southeast cor , marked SE cor ; thence bearing west a distance of 750 feet to the south side center , marked SSC ; thence bearing west a distance of 750 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the northwest cor , marked SW cor ; thence bearing east a distance of 750 feet to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 4 post.  The location and discovery work referred to above 1
The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00, of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are locat and marked as follows: Beginning at the NE corner, marked NE cor thence bearing souths distance of 600 feet to the southeast cor, marked SE cor; thence bearing west a distance of 750 feet to the south side center, marked SSC _; thence bearing west a distance of 750 feet to the southwest cor, marked SW cor, thence bearing north a distance of 600 feet to the north a distance of feet to the
The location work done consisted of: Trenching  COSTING A TOTAL OF \$ 100.00, of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are locat and marked as follows: Beginning at the NE corner, marked NE cor thence bearing souths distance of 600 feet to the southeast cor, marked SE cor; thence bearing west a distance of 750 feet to the south side center, marked SSC _; thence bearing west a distance of 750 feet to the southwest cor, marked SW cor, thence bearing north a distance of 600 feet to the north a distance of feet to the
COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are locat and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 600 feet to the southeast cor , marked SE cor ; thence bearing west a distance of 750 feet to the south side center , marked SSC ; thence bearing west a distance of 750 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the northwest cor , marked NW cor ; thence bearing east a distance of 750 feet to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 4 y post.  The location and discovery work referred to above 1
COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are locat and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 600 feet to the southeast cor , marked SE cor ; thence bearing west a distance of 750 feet to the south side center , marked SSC ; thence bearing west a distance of 600 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the northwest cor , marked NW cor ; thence bearing east a distance of 750 feet to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 4 y post.  The location and discovery work referred to above 1
COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked NE corner, marked SE corner, marked SE corner, marked SE corner, marked SE corner, marked SSC ; thence bearing west a distance of 750 feet to the south side center , marked SSC ; thence bearing west a distance of 750 feet to the southwest corner, marked SW corner, marked SW corner, marked SW corner, marked southwest corner, marked SW corner, marked southwest corner, marked SW co
COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are locat and marked as follows: Beginning at the NE corner, marked NE cor thence bearing south distance of 600 feet to the southeast cor , marked SE cor ; thence bearing west a distance of 750 feet to the south side center , marked SSC ; thence bearing west a distance of 750 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the northwest cor , marked NW cor ; thence bearing east a distance of 750 feet to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 45 post.  The location and discovery work referred to above 1
COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are locat and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 600 feet to the southeast cor , marked SE cor ; thence bearing west a distance of 750 feet to the south side center , marked SSC ; thence bearing west a distance of 750 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the northwest cor , marked NW cor ; thence bearing east a distance of 750 feet to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 4 y post.  The location and discovery work referred to above 1
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked SE corne
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked SE corner, thence bearing west a distance of 750 feet to the southwest nearly west a distance of 750 feet to the southwest nearly marked NE corner, marked NE corner, marked north north side center nearly east a distance of 750 feet to the north side center nearly nea
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked SE corner, thence bearing west a distance of 750 feet to the southwest nearly west a distance of 750 feet to the southwest nearly marked NE corner, marked NE corner, marked north north side center nearly east a distance of 750 feet to the north side center nearly nea
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked SE corner, marked SE corner, marked SSC, thence bearing west a distance of 750 feet to the southwest north and distance of 600 feet to the northwest corner marked NE corner north and distance of 600 feet to the northwest corner north side center northwest corner north north side center northwest corner north north side center northwest corner
and marked as follows: Beginning at the NE corner, marked NE cor thence bearing south a distance of 600 feet to the southeast cor marked SE cor; thence bearing west a distance of 750 feet to the south side center, marked SSC; thence bearing west a distance of 750 feet to the southwest cor, marked SW cor; thence bearing north a distance of 600 feet to the northwest cor, marked NSC; thence bearing east a distance of 750 feet to the north side center; marked NSC; thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 45 post.  The location and discovery work referred to above it
and marked as follows: Beginning at the NE corner, marked NE cor thence bearing south a distance of 600 feet to the southeast cor marked SE cor; thence bearing west a distance of 750 feet to the south side center, marked SSC; thence bearing west a distance of 750 feet to the southwest cor marked SW cor; thence bearing north a distance of 600 feet to the northwest cor marked SW cor; thence bearing east a distance of 750 feet to the north side center; marked SSC; thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 45 post.  The location and discovery work referred to above it
and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 600 feet to the southeast cor marked SE cor; thence bearing west a distance of 750 feet to the south side center, marked SSC; thence bearing west a distance of 750 feet to the southwest cor, marked SW cor; thence bearing north a distance of 600 feet to the northwest cor, marked NW cor; thence bearing east a distance of 750 feet to the north side center; marked NSC; thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 45 post.  The location and discovery work referred to above it
thence bearing south distance of 600 feet to the southeast  cor , marked SE cor ; thence bearing west a distance of 750 feet to the south side center , marked SSC ; thence bearing west a distance of 750 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the northwest cor , marked NW cor ; thence bearing east a distance of 750 feet to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 45 post.  The location and discovery work referred to above it
cor , marked SE cor ; thence bearing west a distance of 750 feet to the south side center , marked SSC ; thence bearing west a distance of 750 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the northwest cor , marked NW cor ; thence bearing east a distance of 750 feet to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 4 y post.  The location and discovery work referred to above it
bearing west a distance of 750 feet to the southwest cor , marked SW cor , thence bearing north a distance of 600 feet to the northwest cor , marked NW cor , thence bearing east a distance of 750 feet to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 45 post.  The location and discovery work referred to above it
bearing west a distance of 750 feet to the southwest cor , marked SW cor , thence bearing north a distance of 600 feet to the northwest cor , marked NW cor , thence bearing east a distance of 750 feet to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above in the southwest to the so
The location and discovery work referred to above i
The location and discovery work referred to above i
The location and discovery work referred to above i
The location and discovery work referred to above i
The location and discovery work referred to above i
The location and discovery work referred to above i
The location and discovery work referred to above i
The location and discovery work referred to above i
The location and discovery work referred to above i
this Location Certificate was performed on or before
Maril 26 1968, by or on behalf of the undersigned locator
B.K. Seeley, Jr. 1423 E. 9th So. Salt Lake City.
(Name of Locator) (Address)
name of pocacoly (address)
n .
(Name of Locator) (Address)
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A
LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH
THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

RECORDS

(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A REGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN MELCE THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

(Name of Locator)

(Address)

(Address)

46668			гоок <b>2</b> 3	PAGE GA
File No.	IS IS TO CERTIFY	that the Re	4-4/7	7
Mining Claim was located of January District, Eureka described as being s	ated by B.K.	Seeley, Jr.	on the_	30th
day of <u>January</u>	, 19 <u>68</u> in the	Mineral Hi	11 Mi	ning
District, Eureka	Count	y, State of	Nevada, furt	her
described as being s	ituated: WE Sec	10 - T.20N	- R.52E, MD	H6M
	e general course			northerl
and the undersigned	claims /490 fe	etina W	esterly	directio
and /O feet in a	an easterly dire	ection from t	he point of	discovery
with a width of 300	feet on each si	de of the ce	nter of the	vein or
lode along the entire	e tengin or said	Claim,	\ \	
			\ \	157
Th	e location work w	ras done upon	the Beta #	61
				1
m-	e location work d	ione consists	d of: Tranc	hing
Th.	e location work o	TOUG COURTRE	d or . Trene	
			1	
COSTING A TOTAL OF \$	100.00 of	which \$100.0	00 is applica	bie to
this claim.			/	
Th.	e corners and sid	a centers of	the claim a	re locate
and marked as follow	e. Reginning at	the NE corne	er, marked NE	COL
thence bearing south	ha distance of 60	0 feet to t	he southea	st
thence bearing sout  cor	E cor thence	e bearing w	est a di	stance
of 750 feet to the	south side cent	er, marke	the south	tnence
bearing west	W cor . thence b	pering nor	th	a
distance of 600	feet to the n	orthwest cor	, п	arked
bo NW cor ; th	ence bearing eas	t a	distance of_	750 te
to the north side co	enter mai	ked NSC		; thence
bearing east a d	istance of 750	_reet to the	point of be	ginning.
Seach of the above de	scriped corners :	s a ROCK	. MOHAMENT OF	
thence bearing south cor , marked S  of 750 feet to the bearing west cor , marked S  distance of 600  NW cor ; th  the to the north side cor bearing east a d  NEach of the above de a 4 x 4 x 45  this location Certif		/	·	
ord org	e location and di	scovery work	c referred to	above in
. / bbis Incation Cortit	"ICATA WAS DEFICIO	med on or del	UIE	
April 26	19 <u>68</u> , by or on 1	sehalf of the	e undersigned	Tocator
B.K. Seeley, Jr.		1423 E 9th	So, Salt Lak	e Citv: U
(Name of Loc	ator)		Address	
3/	7 3 7 7	·		
(Name of Loc			<del></del>	
(Name of Loc	ator)		(Address)	
1/19		D. BOGMED TIPO	a mud otatu s	. א חוא
THIS CERTIFICATE OF	LOCATION MUST BI	s progred upoi	N THE CLAIM A	IN WHICH
THE CLAIM IS LOCATED	O WITH THE COUNTY	AFTER THE DAY	TE OF LOCATIO	N.)
र्ग 🗟 🗇	* ******** *** ***** *			
0				

3	CERTIFICATE OF LOCATION OF		
	che Na	воок 26	PAGE
	THIS IS TO CERTIFY that Mining Claim was located by B.K. Seeler day of January 1968 in the Min District, Eureks County, St described as being situated: Ye Sec. 16	the Bota # 69	Lode
	day of January 1968 in the Min	relifili Mini	on Ng
	described as being situated: Ye see, 16	te of Meveda, further	
Museum Control		の は は は は は は は は は は は は は	
	The general course of sa	ld lode or vein is no	rtherly
	and the undersigned claims 1440 feet in an easterly direction	a westerly di	rectio
	with a width of 300 feet on each side of lode along the entire length of said claim.	the center of the ver	n or
iii Barangan		\ \	A 3
	The location work was don	ne upon the Bots # 6	9
		ALLONG CONTRACTOR OF THE STATE	
			10 전 개념(1) 
	The location work done co	maisted of Premoter	. 100000. 10000 10000
<b>点题</b> 赞	COSTING A TOTAL OF \$ 100,00 of which this claim.	\$100.00 is applicable	to
			1
	The corners and side cent	ers of the claim are	locate
	and marked as follows: Beginning at the NE	corner marked NE c	AP
	thence bearing souths distance of 600 fee	ing west a dista	nce 📑
	of 750 feet to the south side center bearing west a distance of 750	eet to the southwes	nence t
	distance of 600 feet to the northern NW cor , thence bearing east to the north side center marked bearing east a distance of 750 feet	a distance of 75	) fee
			nence ning.
우 의 아뉴	Each of the above described corners is a	Rock monument or	
OFFICIAL OFFICIAL		trainer information in	
100	this Location Certificate was performed on	or before	
6 9 P			1000
E E	B.K. Seeley, Jr. 1423 B. (Name of Locator)	9th So. Selt Lake C. (Address)	ty
mino pay	ំ ស		
	(Name of Locator)	(Address)	7 1 7 7 8 44 7 1 1 7 8 44
Ne		12 B	
NK + V	- alternative and a series of the contract of	REAL THE CHATE WITH A	
$V \in W \cap V$	TRRIBLE CORY RECORDED MITH THE COUNTY RECOR	DER OF THE COUNTY IN	MICE :
	LEGIBLE COPY RECORDED WITH THE COUNTY RECORDED WITHIN 90 DAYS AFTER TO	DER OF THE COUNTY IN	

C	ERTIFICATE OF LOCA	TION OF LODE		
46672	•		BOOK 23 PAGE	453
Mining Claim was	. laastad Loo R 1	K Sociev Jr	Beta # 7/ Lod on the 30th Hill Mining	
District, Eu described as bei	reka Co ng situated: Wa	unty, State ( Sec. 16 - T.	Hill Mining of Nevada, further 26N - R.52E, MDB&M	
and <u>/0</u> _feet	ned claims /490	_feet in a_ lirection from a side of the	ode or vein is north westerly direct a the point of discovered the vein of	ction /ery,
	The location wor	k was done u	pon the Bets # 7/	
	3. 3. 7. 7.		<del></del>	
		$\angle$		
	The location wor	rk done consi	sted of: Trenching	<u></u>
thence bearing cor mark of 750 feet to bearing west cor mark distance of 60 MW cor  bearing east No bearing east No bearing east No bearing east April 26  B.K. Seelev	The corners and ollows: Beginning south a distance of ked SE cor ; the corner than a distance of a distance of feet to the corner than a distance of 75 ve described corner x 45 post.  The location and ertificate was periods.	side centers at the NE co f 600 feet to hence bearing enter ma 750 feet to bearing a northwest east marked NSC foo feet to rs is a R d discovery w formed on or on behalf of	rkedSSC; the to thesouthwest cor, marked a distance of750; the the point of beginni ock monument or  ork referred to abov before the undersigned loca th SoSalt_Lake_Cit	fee in tor(s
(Name o	f Locator)	1423 E. 9	(Address)	
μη σ (Name O	f Locator)		(Address)	
(THIS CERTIFICA	מאלפטיטי מאלפטיטי THE CO	UNIY KECUKDEI	UPON THE CLAIM AND A R OF THE COUNTY IN WE DATE OF LOCATION.)	IICH

C RECORDS

$\frac{46673}{}$	BOOK 23 PAGE 454
ie No	THIS IS TO CERTIFY that the Bets # 72 Lode
Mining Claim was 1	located by B.K. Seeley, Jr. on the 30th  19 68 in the Mineral Hill Mining  eka County, State of Nevada, further  g situated: Wa Sec. 16 - T.26N - R.52E. MDB&M
lav of January	19 68 in the Mineral Hill Mining
District. Eure	ka County, State of Nevada, further
described as being	situated: Wa Sec. 16 - T.26N - R.52E, MDB&M
	The general course of said lode or vein is northerly
and the undersian	ed claims /490 feet in a westerly direction
and //) feet:	ed claims 1490 feet in a westerly direction in an easterly direction from the point of discovery,
with a width of i	300' IGGE ON GYCU BIGG OF CHA CAHEAT OF CHE ATT. AT
lode along the en	tire length of said claim,
•	
	Date # 77
	The location work was done upon the Bets # 72
	/ / \ \ \ \ \ )
	The location work done consisted of: Trenching
· · · · · · · · · · · · · · · · · · ·	= 100 00 ef which \$100 00 is applicable to
COSTING A TOTAL O	F \$ 100.00 , of which \$100,00 is applicable to
this claim.	
	The corners and side centers of the claim are located
and marked as fol	love. Reginning at the NE corner, marked NE cor
cor marke	d SE cor ; thence bearing west a distance
of 750 feet to	the south side center , marked SSC , thence the south side center , marked SSC , thence
bearing west	a distance of 750 feet to the southwest
, cor marked	SW cor , thence bearing north
distance of 600	feet to the northwest cor marked
NW cor	the south side center , marked SSC ; thence  a distance of 750 feet to the southwest  SW cor ; thence bearing north a  feet to the northwest cor , marked thence bearing east a distance of 750 feet e center , marked NSC ; thence a distance of 750 feet to the point of beginning.  A described corners is a Rock monument or
to the north sid	e center marked Not point of heginning
bearing east	a distance of /50   Rock monument or
Each of the above	described corners is a Rock monument or 45 post.
d 4 X 4 X	37 V(85)
	The location and discovery work referred to above in
i Lui Instinct Con	
this Location cer	1968, by or on behalf of the undersigned locator(s
April 26	
B.K. Seeley,	Jr. 1423 E. 9th So. Salt Lake City. Ut
2,1, 30010	Locator) (Address)
, /Name Or	appete to a 1
N 0	/ /
	Locator) (Address)
0	
(THIS CERTIFICATI	E OF LOCATION MUST BE POSTED UPON THE CLAIM AND A
TRATER CORV DEC	ODDDO WITH THE COUNTY RECURDER OF IND COUNTY AND INCOME.
THE CLAIM IS LOC	ATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)
	:
	the second of th
neergaling ya innikasi dheakh	algeria, lettermetitä vaituus, eria oo lette turinen allemanistettiin ja kunnastati ja järken käitäitä. T

EUREKA CCU

46674	RITTICATE OF LOC	ATION OF LODE MINI		سوس
File Ite			DK 25 PAGE 4	
	THIS IS TO CERT located by B	IFY that the <u>Beta</u> K. Seeley, Jr.	# 73 Lode	. : 
day of January District Eure	, 19 <u>6</u> 8 in	the Mineral Hill	Mining	
Mining Claim was day of January District, Eure described as being	g situated: Es	Sec. 8 - T.26N - R	.52E MDB&M	- 2
<del></del>				
<del></del>	<del></del>	<del></del>		
	<b></b>		$\wedge$	. :
and the undersione	The general cou ed claims 10	rse of said lode o	r vein is norther	ŀΣ,
and 1490 feet	in an easterly	direction from the	terly direction of discovery	у,
lode along the en	icet on esc	h side of the cent	er of the vein or	
		ara Cratini	\ \	
	The location wo	rk was dans was t	ha . Baka # 73	41
	-ne rocation wo	rk was done upon t	NG BAN 1	44
				3
	<del></del>			
	,		7 7	_
	The location was	rk done consisted (	nga Thomphism	
<del></del>	Tocacton wo	LA GONE CONSISTED	JI SHUMINK	
		$\leftarrow$		<b>_</b>
COSTING A TOTAL OF	\$ 100.00	of which \$100.00	is applicable to	
this claim.				45
	The corners and	side centers of the	he claim are locate	be.
and marked as foll	lows: Beginning	at the NE corner,	marked NE cor	7
thence bearing so cor , marked of 750 feet to t	SE cor , th	nence bearing west	a distance	<b>-</b>
of 750 feet to t	he south side o	enter marked	SSC thence	
Dearing west marked	a distance of SW cor . then	e bearing north	ne southwest	— 表
distance of 600  Below cor	feet to the	northwest cor	, marked	9
to the north side	thence bearing_	east a di	stance of 750 f	<b>Met</b>
bearing east a	distance of 75	0 feat to the po	oint of beginning	
bearing west  cor	described corner	s is a Rock mo	nument or	
F 8	4% post,	<del>/ /                                  </del>		<b>-</b>
000	The location and	discovery work re	eferred to above in	n .
this Location Cert	ificate was perf	formed on or before		
Om 401.11 50	" TA <u>no</u> " DA OL C	n benail of the di	ndersigned locator	.=),
B.K. Seeley, J			Salt Lake City U	الميا
(Name of L	ocator)	' (Add	iress)	
F	/ /		(2) (2) (3)	NY SE
(Name of L	ocator)	(Add	lress)	
THIS CERTIFICATE	OF TOCAMION MUCH	i ar bacmen iman «	O OTATH AND A C	
LEGIBLE COPY RECOR	DED WITH THE COU	NTY RECORDER OF TH	E COUNTY IN WHICH	
	ED WITHIN 90 DAY	S AFTER THE DATE (	F LOCATION.)	*
FHE CLAIM IS LOCAT				
<b>3</b>		-		
				) (A) (B)

できる おおとう あろい

	CERTIFICATE OF LOCATION OF LODE MINING CLAIM
Å	93
	46676 PAGE 457
<b>3</b>	300/6
	No THIS IS TO CERTIFY that the Bets # / Lode
	Mining Claim was located by B.K. Seeley, Jr. on the 30th
	day of January , 19 68 in the Mineral Hill Mining
	Mining Claim was located by B.K. Seeley, Jr. on the 30th day of January 1968 in the Mineral Hill Mining District, Eureka County, State of Nevada, further described as being situated: Et Sec. 8 - T.26N - R.52E, MDB6M
-[	described as being situated: Et Sec. 8 - T.26N - R.52E. MDB&M
ā.	
1	
-	The general course of said lode or vein is northerly,
·[	and the undersigned claims 10 feet in a westerly direction
1	and the undersigned claims 10 feet in a westerly direction and 1490 feet in an easterly direction from the point of discovery,
:[	with a width or look leat on each side of the center of the vein or
	lode along the entire length of said claim.
]	
1	578-
ſ	The location work was done upon the Reta # 15
Į	
1	
]	/ /
1	The location work done consisted of: Trenching
ŀ	
· ·	
1 .	
1	COSTING A TOTAL OF \$ 100,00 , of which \$100,00 is applicable to
	this claim,
]	
1	The corners and side centers of the claim are located
{	and marked as follows: Reginning at the NE gorner marked NE cor
ſ	thence bearing SOUCDs distance of 500 feet to the southeast
	cor , marked SE cor ; thence bearing west a distance
Į	cor , marked SE cor ; thence bearing west a distance of 750 feet to the south side center , marked SSC ; thence bearing west a distance of 750 feet to the southwest
	bearing west a distance of 750 feet to the southwest
Book EUREKA	2 CUL - MATYAN DW COF + THARAA NASTINA DATTH
Book EUNEICA	distance of 600 feet to the northwest cor , marked of NW cor , thence bearing east a distance of 750 feet to the north side center , marked NSC , thence bearing east a distance of 750 feet to the point of beginning.
° 5   K	g NW COT thence bearing east a distance of 750 feet
	to the north side center marked NSC , thence
	bearing east a distance of 750 feet to the point of beginning.
1 5 A	medical of the above described corners is a ROCK monument or
<b>6</b> 8 <b>6</b>	a 4 x 4 x 45 post.
OFFICIAL RIC	V2
ABA CIAL	Fig. 100 TOCACTON GIRT GIRCOARTA MOLY ISTRIFE FO GDOAG 70 HI
1 63 4	this Location Certificate was performed on or before
1 12 1.	April 26 , 1968, by or on behalf of the undersigned locator(s)
No c	
E 2.2	1423 E. 9th SO. Salt Lake City. Util
page	(Name of Locator) (Address)
2 2	No.
7,745	1 2
1 12 121	(Name of Locator) (Address)
200	THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A
	LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH
8  <u>7</u> ,8 ≥	THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)
Series Series N	
O Recorder	
ी. है 🔒 🗉	

	GERTIFICATE OF LOCATION OF LODE MINING CLAIM  800K 2.3 PAGE 45
rii	is No.
	Mining Claim was located by B.K. Seeley, Jr. on the 30th day of January , 1968 in the Mineral Hill Mining District, Eureka County, State of Nevada, further described as being situated: Et Sec. 8 - T.26N - R.52E, MDBAM
	day of January 1968 in the Mineral Hill Mining
	District, Eureka County, State of Nevada, further
	described as being situated: Et Sec. 8 - T.26N - R.52E, MDBAM
	The general course of said lode or vein is northerly
	and the undersigned claims 10 feet in a westerly direction and 1490 feet in an easterly direction from the point of discovery,
	and 1490 feet in an easterly direction from the point of discovery,
	with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.
	and assigned the state of the s
-	The Jacobian spale and done upon the Bota 4/76
	The location work was done upon the Beta # 76
Ò	
	The location work done consisted of: Trenching
	COSTING A TOTAL OF \$ 100.00 , of which \$100.00 is applicable to
	this claim.
	The corners and side centers of the claim are located
	and marked as follows: Beginning at the NE corner, marked NE cor thence bearing south a distance of 600 feet to the southeast
	cor marked SE cor thence bearing west a distance
	cor , marked SE cor ; thence bearing west a distance of 750 feet to the south side center , marked SSC ; thence
9	bearing west a distance of 750 feet to the southwest
·	bearing west a distance of 750 feet to the southwest    cor
N R	NW cor ; thence bearing east a distance of 750 fee
ω _. .	to the north side center marked NSC thence
့်ဖြ	Each of the above described corners is a Rock monument or
ੋਂ 6	a 4 x 4 x 4 post.
[6	
<u> </u>	The location and discovery work referred to above in this Location Certificate was performed on or before
5	April 26 , 1968, by or on behalf of the undersigned locator(
1	
\a.	B.K. Seeley, Jr. 1423 E. 9th So. Salt Lake City. Ut
8	(Name of Locator) (Address)
ы Р ^ж /	(Name of Locator) (Address)
Д ^Т Д	
4 5 2 4 5 8	of the state of th
458 2 P.	(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH
22 P	of the state of th
4 T. R. 2 P.M. 19	(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

46678	-	800K	2ි _{පැහැ} <b>459</b>
THIS Mining Claim was locate day of January District, Eureka described as being situ	IS TO CERTIFY +1	at the Bots # 7	77 Lode :
Mining Claim was locate	d by B.K. Se	eley, Jr. on	the 30th
day of January	, 19 68 in the	Mineral Hill	Mining 188
District, Eureka	County	State of Mevada	further 3
described as being situ	ated: Et Bec.	3 - 1,203 - A,524	XDBAH S
<u> </u>	<del></del>	1 2 2 2 2	-13
		1 2 3 4 4 1	100
-		·	,
The o	eneral course of	said lode or ve	in is northerly
and the undersigned cla and 1990 feet in an	ims 10 feet	in a westerly	direction
and 1390 feet in an	easterly_direct	tion from the poi	nt of discovery,
with a width of 300 f	eet on each side	e of the center of	the vein or
lode along the entire 1	ength of said c	laim,	\ \
			\ \
One 1	ocation work was	done upon the	Rete # 77
1116	OCECTON MOTH ME	dotte after and	
			7 9 15 A
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
The:	location work do	ne consisted of:_	Trenching
		<del></del>	
<del></del>	<u> </u>		
COSTING A TOTAL OF \$ 1	00 00	high \$100 00 is a	pplicable to
COSTING A TOTAL OF \$ 1	01 W	intell \$100.00 is a	Philospie es
this claim.		\ / /	
The C	orners and side	centers of the c	laim are located
and marked as follows:	Beginning at t	he NE corner, mar	ked NB cor
thence bearing souths	distance of 600	feet to these	outheast
COT , marked SE C	or thence	bearing west	_ a distance
of 750 feet to the	outh side center	marked 8	sc ; thence
bearing West	istance of 150	Zeer to the	Boutimest
a cor merked 38 c	Thence De	NET THE CASE	
distance of but	rest to the no	Matan	ce of 750 fee
thence bearing southan cor marked SE cor marked SE cor marked SE cor marked SW cor marked SW cor the morth side cent bearing east a distance of the above description of the above description.	Desiring wast	ad BC	thence
hearing east a Air	ance of 750	feet to the point	of beginning
Each of the above descri	ribed corners is	a Rock monum	nt or
8 4 x 4 x 45 pc			
13		/	and to show th

this Location Certificate was performed on or before 1968, by or on behalf of the undersigned locator April 26 B,K, Seeley, Jr. (Mame of Locator) So Salt (Address)

(Name of Locator)

Heye, 46678

459

(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDED OF THE COUNTY IN THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DAYS OF LOCATION,)

46679	-	воок	25 PAGE 4
гиа Мо	THE TO THE OPEN	TPV that the Bets	# 78 Total
Mining Claim was day of January	located by B	K. Seeley, Jr. the Mineral Hill ounty, State of Nev Sec. 8 - T.26N - R.	on the 30th Mining
District, Eur	eka C	ounty, State of Nev	ada, further
described as being	ng situated: Es	Sec. 5 - T.20N - R.	SZE. MUBSA
and the undersign	The general couned claims 10	rse of said lode or feet in a west direction from the	vein is north
and 1490 feet with a width of lode along the er	300 feet on eac	h side of the cente	point of discover of the vein of
	The location wo	rk was done upon th	e Reta# 78
			بجراها إستاج
	The location wo	rk done consisted o	f: Trenching
		Z 1	
COSTING A TOTAL of this claim.	of \$ 100.00	of which \$100.00 i	s applicable to
and marked as fo	llows: Beginning	side centers of the at the NE corner,	marked NE COL
cor mark	ed SE cor	f 600 feet to the	a distanc
	the south side	center , marked	- courte
bearing west	a distance of	750 reet to the	a southwest
bearing west  cor, market	a distance of SW cor; then the feet to the	ce bearing north	a southwest a , marked
bearing west cor, market distance of 600	a distance of SW cor ; there to the there bearing	ce bearing north northwest cor east a dis	a southwest a , marked tance of 750
bearing west  cor, marked distance of 600 NW cor  to the north sid	a distance of SW cor , then feet to the theorem is center	ce bearing north le northwest cor east a dis marked NSC	a southwest  a a  marked tance of 750  the
:== 011		center , marked  750	, marked tance of 750 ; the int of beginning
a 4 x 4 x	The location an	nd discovery work re	ferred to above
this Location Cer	The location ar	//	ferred to above
this Location Cer April 26 B.K. Seeley,	The location arrtificate was per , 19 <u>68</u> , by or 	nd discovery work reformed on or before on behalf of the un	ferred to above dersigned local Salt Lake City
this Location Cer April 26 B.K. Seeley,	The location arrificate was per	nd discovery work reformed on or before on behalf of the un	ferred to above
this Location Cer April 26 B.K. Seeley.	The location arrtificate was per , 19 <u>68</u> , by or 	nd discovery work reformed on or before on behalf of the un	ferred to above dersigned loca Salt Lake City
this Location Cer April 26  B.K. Seeley.  (Name of  (Name of	The location arrificate was per , 1968, by or Ur, Locator)  E OF LOCATION MUSCORDED WITH THE CO	d discovery work reformed on or before on behalf of the un 1423 E. 9th So. (Add Care BE POSTED UPON THOUSTY RECORDER OF THE	dersigned loca Salt Lake City Iress) Iress) IE CLAIM AND A IE COUNTY IN WH
this Location Cer April 26  B.K. Seeley.  (Name of  (Name of	The location arrificate was per , 1968, by or Ur, Locator)  E OF LOCATION MUSCORDED WITH THE CO	d discovery work reformed on or before on behalf of the un	dersigned local Salt Lake City Iress) Iress) IC CLAIM AND A IC COUNTY IN WH

4668		F LOCATION OF LO	▶ всок 23	PAGE 461
File No				and I the to an address of the same
	THIS IS TO	CERTIFY that the	eBeta # / /	Lode
Mining Clair	m was located by nuary 19_	B,K, Seeley,	Jr. on the	30 th
day of Ja	inuary 19_	69 in the Minera	1 H111 M	lning
District,	Eureka s being situated:	County, State	e or Nevada, IUC)	cner
described as	s being situated:	FE Sec. 0 - T.	ZON R. JER. MUDI	eM
-	The genera	l course of said	lode or vein is	northerly,
and the und	ersigned claims_ feet in an easte	10 feet in a	Westerly	direction
and 1490	feet in an easte h of 300 feet o	rry direction i	he center of the	vein or
with a width	n or 300 reat the entire length	on each side of t	He Caucar or circ	,
rode groud	cue aucita rando	i or sard crasm.	_	\
	Į.	/		770
	The locati	on work was done	upon the Beta	# 77
	والمراز			
ِ <b>متحصیہ ک</b> ۔			<del></del>	
<del></del>				<del>/ / </del>
			\ \	
	mes lages	ion work done con	sisted of: Tran	ching
	The locati	TOU MOLK GOUE COU	1919C44 011 11-1-1-	
<del></del>				<del></del>
			/ /	
<del></del>		<del></del>	/-/	
COSTING A T	OTAL OF \$ 100.00	of which \$	100.00 is applic	able to
COSTING A T	OTAL OF \$ 100.00	, of which	100.00 is applic	able to
COSTING A T	OTAL OF \$ 100.00	, of which	100.00 is applic	able to
COSTING A T				
this claim.	The corner	rs and side cente	ers of the claim	are located
this claim.	The corner	rs and side cente	ers of the claim	are located E cor
this claim.	The corner	rs and side cente	ers of the claim	are located E cor
and marked thence bear cor	The corner as follows: Beg ing southa dista marked SE cor	rs and side cente inning at the NE ance of 600 feet thence beari	ers of the claim corner, marked No. to the souther ong west a	are located E cor ast istance
and marked thence bear cor	The corner as follows: Beg ing southa dista marked SE cor	rs and side cente inning at the NE ance of 600 feet thence beari	ers of the claim corner, marked No. to the souther ong west a	are located E cor ast istance
and marked thence bear cor	The corner as follows: Beg ing southa dista marked SE cor	rs and side cente inning at the NE ance of 600 feet thence beari	ers of the claim corner, marked No. to the souther ong west a	are located E cor ast istance
and marked thence bear cor	The corner as follows: Beg ing southa dista marked SE cor	rs and side cente inning at the NE ance of 600 feet thence beari	ers of the claim corner, marked No. to the souther ong west a	are located E cor ast istance
and marked thence bear cor	The corner as follows: Beg ing southa dista marked SE cor	rs and side cente inning at the NE ance of 600 feet thence beari	ers of the claim corner, marked No. to the souther ong west a	are located E cor ast istance
and marked thence bear cor of 750 fe bearing we cor-	The corner as follows: Beg: ing southa dista marked SE cor et to the south st a dista marked SW cor 600 feet ; thence be	rs and side center inning at the NE ance of 600 feet ; thence bearing to the northwest aring east	corner, marked Note to the souther marked SSC set to the souther morth toor a distance of	are located E cor ast listance ; thence hwest marked 750 fee
and marked thence bear cor of 750 fe bearing we cor-	The corner as follows: Beg: ing southa dista marked SE cor et to the south st a dista marked SW cor 600 feet ; thence be	rs and side center inning at the NE ance of 600 feet ; thence bearing to the northwest aring east	corner, marked Note to the souther marked SSC set to the souther morth toor a distance of	are located E cor ast listance ; thence hwest marked 750 fee
and marked thence bear cor of 750 fe bearing we cor-	The corner as follows: Beg: ing southa dista marked SE cor et to the south st a dista marked SW cor 600 feet ; thence be	rs and side center inning at the NE ance of 600 feet ; thence bearing to the northwest aring east	corner, marked Note to the souther marked SSC set to the souther morth toor a distance of	are located E cor ast listance ; thence hwest marked 750 fee
and marked thence bear cor of 750 fe bearing we cor-	The corner as follows: Beg: ing southa dista marked SE cor et to the south st a dista marked SW cor 600 feet ; thence be	rs and side center inning at the NE ance of 600 feet ; thence bearing to the northwest aring east	corner, marked Note to the souther marked SSC set to the souther morth toor a distance of	are located E cor ast listance ; thence hwest marked 750 fee
and marked thence bear cor of 750 fe bearing we cor-	The corner as follows: Beg: ing southa dista marked SE cor et to the south st a dista marked SW cor 600 feet th side center st a distance e above described x 4 x 4 post.	rs and side center inning at the NE ance of 600 feet in side center ince of 750 feet to the northwest aring east marked Nof 750 feet to corners is a	corner, marked Note to the souther marked SSC marked SSC and morth to cor a distance of SC cock monument of the co	are located E cor ast listance ; thence hwest a marked 750 fee ; thence beginning.
and marked thence bear cor of 750 fe bearing we cor to the nor bearing each of the	The corner as follows: Beg: ing southa distanted SE corner to the south st a distanted SW corner follows: 600 feet the side center st a distance above described x 4 x 4 post.  The locat	rs and side center inning at the NE ance of 600 feet in side center ince of 750 feet in the northwest aring east marked Nof 750 feet in corners is a ion and discovery	rs of the claim corner, marked N to the southe ng west a d marked SSC est to the sout north t cor a distance of Rock monument of work referred to	are located E cor ast listance ; thence hwest a marked 750 fee ; thence beginning.
and marked thence bear cor of 750 fe bearing we cor to the nor bearing ea a 4	The corner as follows: Beg: ing_southa distanted SE corner to the south a distanted SW corresconding the context a distance to the side center a distance above described x 4 x 4 post.  The location Certificate w	rs and side center inning at the NE ance of 600 feet grant feet feet feet feet feet feet feet fe	corner, marked Note to the souther marked SSC set to the south morth st cor a distance of Rock monument of the corner of the cor	are located E cor ast listance ; thence hwest a marked 750 fee ; thence beginning. r
and marked thence bear cor of 750 fe bearing we cor to the nor bearing each of the	The corner as follows: Beg: ing_southa distanted SE corner to the south a distanted SW corresconding the context a distance to the side center a distance above described x 4 x 4 post.  The location Certificate w	rs and side center inning at the NE ance of 600 feet in side center ince of 750 feet in the northwest aring east marked Nof 750 feet in corners is a ion and discovery	corner, marked Note to the souther marked SSC set to the south morth st cor a distance of Rock monument of the corner of the cor	are located E cor ast listance ; thence hwest a marked 750 fee ; thence beginning. r
and marked thence bear cor of 750 fe bearing we cor to the nor cobearing each of the marked thence bearing each of the horizon a 4 company of the horizon and the horizon a	The corner as follows: Beg: ing south a distant a distant a distant a follows: Thence begins a distance above described x 4 x 4 post.  The location Certificate with the context a distance above described a distance a d	rs and side center inning at the NE ance of 600 feet ; thence bearing to the northwest aring east marked Nof 750 feet to corners is a ion and discovery as performed on the corner on by or on behalf of the corner	ers of the claim corner, marked No to the souther marked SSC est to the souther morth et cor a distance of Rock monument of the corner of the undersigned of the undersigned south south state of the south section of the south section of the undersigned of the undersigned south south section of the undersigned section	are located E cor ast listance ; thence hwest a marked 750 fee ; thence beginning. co above in ed locator(s
and marked thence bear cor of 750 fe bearing we cor to the nor cobearing ea this Locati	The corner as follows: Beg: ing south a distant a distant a distant a follows: The location Certificate with side center and selection certificate with selec	rs and side center inning at the NE ance of 600 feet ; thence bearing to the northwest aring east marked Nof 750 feet to corners is a ion and discovery as performed on the corner on by or on behalf of the corner	rs of the claim corner, marked N to the southe ng west a d marked SSC est to the sout north t cor a distance of Rock monument of y work referred to before of the undersigne 9th So, Salt La	are located E cor ast listance ; thence hwest a marked 750 fee ; thence beginning. co above in ed locator(s
and marked thence bear cor of 750 fe bearing we cor to the nor bearing each of the a 4 this Locati	The corner as follows: Beg: ing south a distant a distant a distant a follows: Thence begins a distance above described x 4 x 4 post.  The location Certificate with the context a distance above described a distance a d	rs and side center inning at the NE ance of 600 feet ; thence bearing to the northwest aring east marked Nof 750 feet to corners is a ion and discovery as performed on the corner on by or on behalf of the corner	ers of the claim corner, marked No to the souther marked SSC est to the souther morth et cor a distance of Rock monument of the corner of the undersigned of the undersigned south south state of the south section of the south section of the undersigned of the undersigned south south section of the undersigned section	are located E cor ast listance ; thence hwest a marked 750 fee ; thence beginning. co above in ed locator(s
and marked thence bear cor of 750 fe bearing we cor to the nor bearing each of the a 4 this Locati	The corner as follows: Beg: ing south a distant a distant a distant a follows: The location Certificate with side center and selection certificate with selec	rs and side center inning at the NE ance of 600 feet ; thence bearing to the northwest aring east marked Nof 750 feet to corners is a ion and discovery as performed on the corner on by or on behalf of the corner	rs of the claim corner, marked N to the southe ng west a d marked SSC est to the sout north t cor a distance of Rock monument of y work referred to before of the undersigne 9th So, Salt La	are located E cor ast listance ; thence hwest a marked 750 fee ; thence beginning. co above in ed locator(s
and marked thence bear cor of 750 fe bearing we cor to the nor bearing each of the a 4 bear bear bear bear bear bear bear bear	The corner as follows: Beging south a distanted SE corner to the south st a distanted SW corner follows: 600 feet the side center st a distance above described x 4 x 4½ post.  The location Certificate with the side center st a distance above described to the side center st a distance above described to the side center st a distance above described to side side side side side side side side	rs and side center inning at the NE ance of 600 feet ; thence bearing to the northwest aring east marked Nof 750 feet to corners is a ion and discovery as performed on the corner on by or on behalf of the corner	rs of the claim corner, marked N to the southe ng west a d marked SSC est to the sout north t cor a distance of Rock monument of y work referred to before of the undersigne 9th So, Salt La	are located E cor ast listance ; thence hwest a marked 750 fee ; thence beginning. co above in ed locator(s
and marked thence bear cor of 750 fe bearing we cor to the nor bearing each of the a 4 this Locati bearing bearing a 4 this Locati bearing bea	The corner as follows: Beg: ing_southa distance at to the south a distance of Locator)  The corner as follows: Beg: ing_southa distance adistance at a distance above described x 4 x 4 post.  The location Certificate w 26 , 1968, in the locator and locator are of Locator)	rs and side center inning at the NE ance of 600 feet ; thence bearing to the northwest aring east corners is a ion and discovery as performed on by or on behalf of 1423 E.	ers of the claim corner, marked No to the souther marked SSC set to the souther morth st cor a distance of Rock monument of the work referred to the fore of the undersigned state of the distance of the dist	are located E cor ast istance ; thence hwest a marked 750 fee ; thence beginning. r co above in ed locator(s ke City, Ut
and marked thence bear cor of 750 fe bearing we cor to the nor bearing ea a 4 this Locati April B.K. Se	The corner as follows: Beg: ing_southa distantanted SE corner to the south st a distantanted SW cor.  600 feet feet feet feet a distance the side center st a distance above described x 4 x 4 post.  The location Certificate with side feet feet feet feet feet feet feet fe	rs and side center inning at the NE ance of 600 feet reside center ince of 750 feet to the northwest aring east marked Nof 750 feet to corners is a serformed on the corner is a	ers of the claim corner, marked N to the southe marked SSC eet to the sout north t cor a distance of Rock monument of work referred to be fore of the undersigne 9th So. Salt La (Address)  O UPON THE CLAIM	are located E cor ast istance ; thence hwest a marked 750 fee ; thence eginning. r co above in ed locator(s ke City, Ut
and marked thence bear cor of 750 fe bearing we cor to the nor bearing ea April RB.K. Se (Name of the cor the cor this Location of the cor this Location of the cor this Location of the cor the cor this Location of the cor	The corner as follows: Beg: ing_southa distance ext to the_south st a distance follows: Beg: marked SE cor a distance the side center st a distance above described x 4 x 4 post.  The locat ion Certificate w 26 , 1968, eley, Jr, ame of Locator)  IFICATE OF LOCATI	rs and side center inning at the NE ance of 600 feet reside center ince of 750 feet to the northwest aring east range as performed on the corners is a specific process of 1423 E.  ON MUST BE POSTE: THE COUNTY RECOR	ers of the claim corner, marked N to the southe marked SSC eet to the sout north t cor a distance of Rock monument of work referred to be fore of the undersigne 9th So. Salt La (Address)  UPON THE CLAIM DER OF THE COUNT	are located E cor ast istance ; thence hwest a marked 750 fee ; thence heginning. r co above in ed locator(s ke City, Ut
and marked thence bear cor of 750 fe bearing we cor to the nor bearing ea April RB.K. Se (Name of the cor the cor this Location of the cor this Location of the cor this Location of the cor the cor this Location of the cor	The corner as follows: Beg: ing_southa distance at to the south a distance of Locator)  The corner as follows: Beg: ing_southa distance adistance at a distance above described x 4 x 4 post.  The location Certificate w 26 , 1968, in the locator and locator are of Locator)	rs and side center inning at the NE ance of 600 feet reside center ince of 750 feet to the northwest aring east range as performed on the corners is a specific process of 1423 E.  ON MUST BE POSTE: THE COUNTY RECOR	ers of the claim corner, marked N to the southe marked SSC eet to the sout north t cor a distance of Rock monument of work referred to be fore of the undersigne 9th So. Salt La (Address)  UPON THE CLAIM DER OF THE COUNT	are located E cor ast istance ; thence hwest a marked 750 fee ; thence heginning. r co above in ed locator(s ke City, Ut

ē

46682	POOK 23 PAGE 4
THIS IS TO C	ERTIFY that the Beta # 8/ Lode
Mining Claim was located by	B.K. Seeley, Jr. on the 30th in the Mineral Hill Mining County, State of Nevada, further
day of January 19 65	in the Mineral Bill Mining
described as being situated:	County, State of Nevada, further Es Sec. 9 - T.26N - R.52E, MDB/M
· · · · · · · · · · · · · · · · · · ·	
	\ \
The general	course of said lode or vein is norther
and the undersigned claims to and 1490 feet in an easter!	feet in a westerly direct  direction from the point of discove
with a width of 300 feet on	each side of the center of the vein or
lode along the entire length o	f said claim.
The location	work was done upon the Bets # 8/
/	
The location	work done consisted of: Trenching
COSTING A TOTAL OF \$ 100.00	, of which \$100.00 is applicable to
thence hearing southa distance	ing at the NE corner, marked NE cor e of 600 feet to the southeast ; thence bearing west a distance
of /50 feet to the south si	thence bearing west a distance de center , marked SSC ; thence
of 750 feet to the south sinbearing west a distance cor marked SW cor ; t	de center , marked SSC ; thence of 750 feet to the southwest hence bearing north a
of 750 feet to the south sine bearing west a distance cor , marked SW cor , to distance of 600 feet to	de center , marked SSC ; thence of 750 feet to the southwest hence bearing north a the northwest cor , marked
of 750 feet to the south side bearing west a distance cor , marked SW cor ; to the north side center	de center , marked SSC ; thence of 750 feet to the southwest hence bearing north a the northwest cor , marked ng east a distance of 750 marked NSC ; thence
of 750 feet to the south side corring west a distance of 600 feet to the north side center bearing east a distance of	de center , marked SSC ; thence of 750 feet to the southwest hence bearing north a the northwest cor , marked ng east a distance of 750 , marked NSC ; thence 750 feet to the point of beginning
bearing west a distance of cor , marked SW cor ; to the north side center bearing east a distance of Each of the above described co	de center , marked SSC ; thence of 750 feet to the southwest hence bearing north a the northwest cor , marked ng east a distance of 750 , marked NSC ; thence 750 feet to the point of beginning rners is a Rock monument or
bearing west a distance  cor , marked SW cor ; t  distance of 600 feet to  NW cor ; thence beari  to the north side center  bearing east a distance of  Each of the above described co  a 4 x 4 x 4½ post.	hence bearing north a the northwest cor , marked ng east a distance of 750 , marked NSC ; thence 750 feet to the point of beginning rners is a Rock monument or
bearing west a distance  cor , marked SW cor ; t  distance of 600 feet to  NW cor ; thence beari  to the north side center  bearing east a distance of  Each of the above described co  a 4 x 4 x 4½ post.  The location	hence bearing north a the northwest cor , marked ng east a distance of 750 , marked NSC ; thence 750 feet to the point of beginning rners is a Rock monument or and discovery work referred to above
bearing west a distance , cor , marked SW cor , t distance of 600 feet to NW cor ; thence beari to the north side center bearing east a distance of Each of the above described co a 4 x 4 x 4½ post.  The location	hence bearing north a the northwest cor , marked ng east a distance of 750 , marked NSC ; thence 750 feet to the point of beginning rners is a Rock monument or and discovery work referred to above performed on or before
bearing west a distance cor , marked SW cor ; t distance of 600 feet to NW cor ; thence beari to the north side center bearing east a distance of Each of the above described co a 4 x 4 x 4½ post.  The location this Location Certificate was Arril 26 , 1968, by	hence bearing north a the northwest cor , marked ng east a distance of 750 , marked NSC ; thence 750 feet to the point of beginning orners is a Rock monument or search and discovery work referred to above performed on or before or on behalf of the undersigned locators.
bearing west a distance cor , marked SW cor , t distance of 600 feet to NW cor ; thence beari to the north side center bearing east a distance of Each of the above described co a 4 x 4 x 4½ post.  The location this Location Certificate was Arril 26 , 1968, by  B.K. Seeley, Jr.	hence bearing north a the northwest cor , marked ng east a distance of 750 , marked NSC ; thence 750 feet to the point of beginning orners is a Rock monument or performed on or before or on behalf of the undersigned locato 1423 E. 9th So. Salt Lake City.
bearing west a distance cor , marked SW cor ; t distance of 600 feet to NW cor ; thence beari to the north side center bearing east a distance of Each of the above described co a 4 x 4 x 4½ post.  The location this Location Certificate was Arril 26 , 1968, by	hence bearing north a the northwest cor , marked ng east a distance of 750 , marked NSC ; thence 750 feet to the point of beginning orners is a Rock monument or serious and discovery work referred to above performed on or before or on behalf of the undersigned locators.
bearing west a distance cor , marked SW cor ; t distance of 600 feet to NW cor ; thence beari to the north side center bearing east a distance of Each of the above described co a 4 x 4 x 4½ post.  The location this Location Certificate was Arril 26 , 1968, by  B.K. Seeley, Jr.  (Name of Locator)	hence bearing north a the northwest cor , marked ng east a distance of 750 , marked NSC ; thence 750 feet to the point of beginning rners is a Rock monument or and discovery work referred to above performed on or before or on behalf of the undersigned locato (Address)
bearing west a distance cor , marked SW cor , t distance of 600 feet to NW cor ; thence beari to the north side center bearing east a distance of Each of the above described co a 4 x 4 x 4½ post.  The location this Location Certificate was Arril 26 , 1968, by  B.K. Seeley, Jr.	hence bearing north a the northwest cor , marked ng east a distance of 750 , marked NSC ; thence 750 feet to the point of beginning orners is a Rock monument or early and discovery work referred to above performed on or before or on behalf of the undersigned locator 1423 E. 9th So. Salt Lake City.
bearing west a distance cor , marked SW cor ; t distance of 600 feet to NW cor ; thence beari to the north side center bearing east a distance of Each of the above described co a 4 x 4 x 4½ post.  The location this Location Certificate was Acril 26 , 1968, by  B.K. Seeley, Jr. (Name of Locator)	hence bearing north a the northwest cor , marked ng east a distance of 750 , marked NSC ; thence 750 feet to the point of beginning rners is a Rock monument or and discovery work referred to above performed on or before or on behalf of the undersigned locato (Address)  (Address)
bearing west a distance cor , marked SW cor , t distance of 600 feet to NW cor , thence beari to the north side center bearing east a distance of Each of the above described co a 4 x 4 x 4½ post.  The location this Location Certificate was April 26 , 1968, by  B.K. Seeley, Jr.  (Name of Locator)  (THIS CERTIFICATE OF LOCATION LEGIBLE COPY RECORDED WITH THE	hence bearing north a the northwest cor , marked ng east a distance of 750 , marked NSC ; thence 750 feet to the point of beginning rners is a Rock monument or and discovery work referred to above performed on or before or on behalf of the undersigned locato (Address)  (Address)  MUST BE POSTED UPON THE CLAIM AND A COUNTY RECORDER OF THE COUNTY IN WHICE
bearing west a distance  cor , marked SW cor ; t  distance of 600 feet to  NW cor ; thence beari  to the north side center  bearing east a distance of  Each of the above described co  a 4 x 4 x 4½ post.  The location  this Location Certificate was  Arril 26 , 1968, by  B.K. Seeley, Jr.  (Name of Locator)  (THIS CERTIFICATE OF LOCATION  LEGIBLE COPY RECORDED WITH THE	hence bearing north a the northwest cor , marked ng east a distance of 750 , marked NSC ; thenc 750 feet to the point of beginning rners is a Rock monument or  and discovery work referred to above performed on or before or on behalf of the undersigned locato  1423 E. 9th So. Salt Lake City.  (Address)
bearing west a distance of cor , marked SW cor , t distance of 600 feet to NW cor ; thence bearing to the north side center bearing east a distance of Each of the above described coa 4 x 4 x 4½ post.  The location this Location Certificate was April 26 , 1968, by B.K. Seeley, Jr.  (Name of Locator)  (This Certificate Of Locator)  (This Certificate Of Locator)	hence bearing north a the northwest cor , marked ng east a distance of 750 , marked NSC ; thence 750 feet to the point of beginning rners is a Rock monument or and discovery work referred to above performed on or before or on behalf of the undersigned locato (Address)  (Address)  MUST BE POSTED UPON THE CLAIM AND A COUNTY RECORDER OF THE COUNTY IN WHICE
bearing west a distance of cor , marked SW cor ; to distance of 600 feet to NW cor ; thence bearing to the north side center bearing east a distance of Each of the above described coa 4 x 4 x 4½ post.  The location this Location Certificate was Arril 26 , 1968, by B.K. Seeley, Jr. (Name of Locator)  (Name of Locator)  (THIS CERTIFICATE OF LOCATION LEGIBLE COPY RECORDED WITH THE	hence bearing north a the northwest cor , marked ng east a distance of 750 , marked NSC ; thenc 750 feet to the point of beginning rners is a Rock monument or  and discovery work referred to above performed on or before or on behalf of the undersigned locato  1423 E. 9th So. Salt Lake City.  (Address)  MUST BE POSTED UPON THE CLAIM AND A COUNTY RECORDER OF THE COUNTY IN WHICE

File No. 466688

1.00

## CERTIFICATE OF LOCATION OF LODE MINING CLAIM

46683	•		воок 20	PAGE 464
File No.	THIS IS TO C	ERTIFY that the	Reta # 82	Lode
Mining Claim was day of Jenuary District, Eur described as being	located by	B.K. Seeley, J	r. on the	30th
day of January	19_68	in the Mineral	Hill M	lning
described as being	era	Ta Sec. 17 - To	or nevada, iuri 26m - D.52F Min	cher Ram
described as beli	y sicuaceu	De Deci II	EUM - N. JEE. MA	<u> </u>
	The general	course of said l	ode or vein te	northerly
and the undersign	ed claims 10	feet in a	westerly	direction
and the undersign and 1490 feet	in an easterl	Y_direction fro	m the point of	discovery,
with a width of	300 feet on	each side of the	center of the	vein or
lode along the en	itire length o	i said claim.	\ \	
				\ _
	The location	work was done u	pon the Beta	#82
		والمسترب والمستربا		
·	<del></del>		<del></del>	$\overline{}$
	· · · · · · · · · · · · · · · · · · ·		<del>\</del>	/ /
			\	
	The location	work done consi	sted of: Tren	ching
		/		
COSTING A TOTAL C	F \$ 100.00	$_{-}$ , of which $$10$	0.00 is applica	able to
this claim.		\		-
	The corners	and side centers	of the claim a	re located
and marked as fol	lows: Beginn	ing at the NE co	rner, marked NE	cor _
thence bearing S	outha distance	e of 600 feet t	o the southea	st
cor , marke of 750 feet to	d SE cor	; thence bearing	west a di	Lstance
of 750 feet to	the south si	de center , ma	rked <u>SSC</u>	_; thence
of /50 feet to bearing west cor marked for his cor marked for his cor for the north side for the	a distance	of 750 feet	to the south	west
g_cor, marked	Sw cor	hence bearing	noren	a
gaistance or 600	Jeet to	Lue uoi rimasc i	_a distance of	markeu 750 <b>fa</b> a
to the north side	e center	marked NSC		• thence
pearing east	a distance of	750 feet to	the point of be	eginning.
"LOCCII OI LITE ADOVE	described co	rners is a Re	ock monument or	
- ⁽⁴⁾				
0 <del></del>				
S. C.	The location	and discovery w	ork referred to	o above in
றங்his Location Cer	tificate was	performed on or	before	
whis Location Cer	, 19 <u>68</u> , by	or on behalf of	the undersigned	l locator(a
. 1.		3.400 8 0	Ca Cale Tak	- 04 114
		1423 E. 9	th So. Salt Lax	G CIEV. UE
(Name of	LOCATOI/	•	(Address)	
<u>e</u>	/ /			-
			72.22	
(Name of	Locator)		(Address)	
(Maine Of				
THIS CERTIFICATE	of LOCATION	MUST BE POSTED U	PON THE CLAIM	AND A
THIS CERTIFICATE LEGIBLE COPY RECO	OF LOCATION ORDED WITH THE	COUNTY RECORDER	PON THE CLAIM A	IN WHICH
/ (Malue OT	OF LOCATION ORDED WITH THE	COUNTY RECORDER	PON THE CLAIM A	IN WHICH
THIS CERTIFICATE	OF LOCATION ORDED WITH THE	COUNTY RECORDER	PON THE CLAIM A	IN WHICH
THIS CERTIFICATE	OF LOCATION ORDED WITH THE	COUNTY RECORDER	PON THE CLAIM A	IN WHICH

	LOCATION OF LODE MINING CLAIM
46684	BOOK 23 PAGE 46
File No	· · · · · · · · · · · · · · · · · · ·
Mining Claim was located by	ERTIFY that the Beta # 8.3 Lode B.K. Seeley, Jr. on the 30th
day of January , 1968	B.K. Seeley, Jr. on the 30th in the Mineral Hill Mining County, State of Nevada, further Et Sec. 17 - T.26N - R.52E, MDB&M
District, Eureka	County, State of Nevada, further
described as being situated:	E8 Sec. 1/ - 1.20N - R.52L. MDB6M
1.	
The general o	course of said lode or vein is northerly
and the undersigned claims 10	feet in a <u>westerly</u> direction direction from the point of discovery
and 1490 feet in an easterly	direction from the point of discovery each side of the center of the vein or
lode along the entire length of	f said claim.
1000 01011, 0110 01100110 1011, 111	
m. Janahian	words and done when the Rote #83
The location	work was done upon the Beta #83
<del></del>	
/	
The location	work done consisted of: Trenching
COCUTAC A MOMAT OF \$ 100 00	, of which \$100.00 is applicable to
this claim.	
	and the continue of the claim are logate
and marked as follows: Region	and side centers of the claim are located ing at the NE corner, marked NE corner of 600 feet to the southeast; thence bearing west a distance decenter, marked SSC; thence of 750 feet to the southwest hence bearing north a the northwest cor marked ng east a distance of 750 feet to the point of beginning.  The southwest cor marked ng east a distance of 750 feet to the point of beginning.  The southwest cor marked ng east a Rock monument or and discovery work referred to above in and discovery work referred to above in the southwest in the southwest named to a southwest named to a southwest named
thence bearing southa distance	e of 600 feet to the southeast
cor marked SE cor	thence bearing west a distance
of 750 feet to the south side	ie center , marked southwest
bearing west a distance bearing west a distance	hence hearing north a
N Hedistance of 600 feet to	the northwest cor, marked
NW cor ; thence beari	ng_east a distance of 750 fe
to the north side center	
*   mbearing east a distance of	rners is a Rock monument or
a 4 x 4 x 4 x post.	Inela la u
5 1 co i	
The location	and discovery work referred to above in
this Location Certificate was	performed on or belore or on behalf of the undersigned locator
	or du parkett of the duderstance recessi.
B.K. Seeley, Jr.	1423 E. 9th So. Salt Lake City. U
	(Address)
Name of Locator)	
(Name of Locator)	(Address)
(Name Of Locator)	· feature and /
THIS CERTIFICATE OF LOCATION	MUST BE POSTED UPON THE CLAIM AND A
LEGIBLE COPY RECORDED WITH THE	COUNTY RECORDER OF THE COUNTY IN WHICH
THE CLAIM IS LOCATED WITHIN 90	DAYS AFTER THE DATE OF LOCATION.)
THE CLAIM IS LOCATED WITHIN 90	

}	46685	CERTIFICATE OF LO	CATION OF LODE		16 <b>6</b>
, F	lla No			воок_ <b>2</b> 8	.PAGE
	· ·	THIS IS TO CERT	TIFY that the_	Beta # 84	Lode
	mining Claim wa	s located by E 19 68 in ureka (ing situated: E	the Mineral	on the	30 th
	District, E	ureka	County, State o	f Nevada, furt	her
<u> </u>	described as be	ing situated: E	Sec. 17 - T.2	6N - R.52E, MD	D&H
			······································		
					1
	فيستقسد مطع قسم	The general cou	rse of said lo	de or vein is_	northerly,
	and the undersi	gned claims 10 t in an easterly	reet in a direction from	the point of	_direction   discovery.
	MICH & WIGEN OF	300 feet on eac entire length of a	n side of the	center of the	vein or
53s.	Tode atong the	aucita laudeu of E	said Claim.	\	\
(1965) (1454)		ma landa			"\@\
		The location wo	ork was done up	on the Beta	8
(					
		The location wo	ork done consis	ted of: Trend	chine
			<u> </u>		
			<del></del>	<del></del>	
	COSTING A TOTAL	OF \$ 100,00	of which \$100	.00 is applica	ble to
•	this claim,				• .
			. \ <	•	,
	and marked as fo	The corners and	l side centers	of the claim a	re located
	thence bearing_	ollows: Beginning southa distance of	f 600 feet to	the southea	st
	of 750 feet to	ked SE cor , to the south side	hence bearing_ center mar	west a di	stance .
m m 2º 2 :	bearing west	a distance of	750 feet	to the south	west
Book Z	distance of 60	ked SE cor , to the south side a distance of SW cor , then	ce bearing no	orth m	a arked
S SH	g NW cor	; thence bearing	east	a distance of	750 feet
CARPARATEDAY	≥to the <u>north si</u> -bearing east	thence bearing de center a distance of 7	marked <u>NSC</u> 50 feet to t	he point of he	; thence
		ve described corne	rs is a Roc	k monument or	y
CALLICIVE OUT OF 98	<u>a4 x 4</u>	x 45 post.			<del></del>
P 5 3	4	The location an			above in
50	i inni 1 oc	ertificate was per . 1968. by or	cormed on or be on behalf of the		locator(s)
	1			•	
P. 4	B.K. Seeley.	Locator)	1423 E. 9t1	So, Salt Lake (Address)	City, Utah
[/::4₁[/]	0 N	////		(	
1 100	(Name Of	Locator)	<del></del>	(Address)	
Fig. 2	× /			-	
		TE OF LOCATION MUS CORDED WITH THE CO			
しんださり		CATED WITHIN 90 DA			
				•	
ត្តិ <b>ពួ</b> ធ្នា	 		tea est est <u>est est est est est est est est est est</u> en la companya de la compan	en <u>ilota analandi</u> 1925 e energia 24	ing The said said was the

	1947년 시간 10년 1월 1일 1일 - 12일 - 12일 - 12일 - 12일 - 12일 - 12일 - 12일 -					
		COUNTRICATE	OF TOCAM	ON AF LADE	MINING CLAIM	法是人工可能
	46686	CERTIFICATO	OF LUCIAL	on or bobs i	23	PAGE 467
tina 1	Noan					
+ tite	401	TRIS IS	TO CERTIFY	that the	Beta # 85	Lode
	Mining Claim	was located b	γ		OII CIIG	
	day of Janua	iry , 1	9 <u>68</u> in th	e Mineral I	Maria de Maria	ining
	District,	being situate	Cour	c. 17 - T.26	f Nevada, fur SN - R.52E, MI	B&M
						<del></del>
		<del> ,</del>	·		$\sim$	
	-					
		The gene	ral course	of said lo	de or vein is	northerly,
	and the under	signed claims eet in an east	terly di	cection from	the point of	discovery.
	with a width	of 300 feet	on each s	side of the	center of the	vein or
	lode along the	ne entire leng	th of said	i claim.	\	\
						\
		The loca	tion work	was done up	on the Beta	#85
- 1			<u> </u>			
		The leas	tion work	done consis	ted of: Tren	ehing
		The Toca	CION WOLK	GOUE COURTS		
					/	3.3- 4-
		PAL OF \$ 100.0	00, 61	r Mujou žioo	.00 is applic	able to
	this claim.					
		The corn	ers and s	ide centers	of the claim	are located
	and marked a	s follows: Be	ginning a	ioo feet to	the souther	ast
	cor	narked SE COI	ther	nce bearing	west ad	istance
	of 750 fee	marked SE cor	h side cer	iter mar	ked SSC	_; thence
<u> </u>	bearing west	a dist	ance of	50 feet	to the sout	hwest
후	Scor m	a dist	_: thence	bearing n	orth	a
		16/11/1 #644	<b>+ + A + B A</b>	DOLLUMBER C	or -	MELL KENA
Book 23 of OFFICIAL R	NW cor	thence b	earing ea	AST NEC	a distance of	750 feet thence
ž	to the north	side center		arked Noc	he moint of h	_, chence
< <u>0</u>	bearing east	a distanc	e or/30_	Teet to t	ok monument o	egimiing.
	sach of the	thence by side center a distance describe 4 x 45 post,	d Colusia	18 a	CA MONAMENTE C.	
	A 44	a distance above describe (4 x 4) post.				
ે (≟ વે જીવા	- <del></del>	The loca	tion and	discovery wo	rk referred t	o above in
\્રું ૄ	ithis Locatio	. Cortificato	was nerfo	rmed on or b	efore	
	M April 26	19 <u>68</u> ,	by or on	behalf of t	he undersigne	d locator(s)
10 m	Y.	/ )			h So. Salt La	
1	Name (Name	e of Locator)			(Address)	
1 2 2	o Man	G OT TOCAGOI.			<u>-</u> <del>- •</del>	
[OI]	ID.	///		<del></del> _	(144)	
3/7/2	(Nam	e of Locator)			(Address)	
(V P	THIS CEPTIE	ICATE OF LOCAT	TON MUST	BE POSTED U	ON THE CLAIM	AND A
٠١لڇ	LEGIBLE COPY	RECORDED WITH	I THE COUN	TY RECORDER	OF THE COUNTY	IN MUTCU
S X	THE CLAIM IS	LOCATED WITHI	N 90 DAYS	AFTER THE I	ATE OF LOCATI	ON.)
RECORDS OF						
d a	•					•
		الموسية والمعاور والمعاول المعاول المتعاول المتعاود والمعاولة المتعاود والمعاول المتعاولة المتعا	A STATE OF THE STA			<u></u>

유파

	CERTIFICATE	OF LOCATI	ON OF LODE N	MINING CLAIM	<u>्रा संभागिताल विकास विकास ।</u>
466	89			воок <b>2</b> 3	PÂGE 4
Mining Claim v day of Januar District, described as h	TAIS IS	TO CERTIFY	that the	Boto # 88	• - • · ·
Mining Claim v	vas located b	y B.K.	Seeley, Jr.	on the	Lode
day of Januar	<u>°y</u> 1	9 <u>6</u> \$ in th	e <u>Mineral H</u>	111 Mi	ning
District, described as h	eing situate	Coun	ty, State of	Nevada, furt	her
		m. <u> </u>	C. [/ = T.20	N - K.525. MU	BeM
					*
				^	
*	The gene	ral course	of said loa	e or vein is_	northerly
and the unders and 1490 fe	igned claims	10 f	eet in a	westerly	directio
with a width o	et in an <u>eas</u> f 300 feat	certy dir	ection from	the point of	discovery
with a width o lode along the	entire leng	th of said	claim.	enter or the	vein or
•				\ \	
	The lear	44 an		\	90
	Tue Toca	tion work	was done upo	n the Beta	I OD
نادر سندسادي ا					
		<del></del>			
<del></del>	<del></del>				
				\	
	The loca	tion work o	ione consist	ed of: Trend	hing
<del></del>	<del></del>	-			
<del></del>	<del></del>	_	<del></del>	<del></del>	
COSTING A TOTA	L OF \$ 100.0	00 of	which \$100.	00 is applical	ole to
this Location (	southa districted SE cor to the south a districted SW cor 600 feet ; thence beside center a distance ove described ix 4½ post.  The locat Certificate w	ginning at tance of 60  ; thence of 75  ; thence of 75  ; thence of 75  ; thence of 750  dearing eas  cof 750  do corners of 750  corners of 750  do corners of 750	the NE corne 0 feet to e bearing we er , marke 0 feet to earing nor orthwest cor t a ked NSC feet to the s a Rock scovery work ed on or bef ehalf of the	the southeast a distance of monument or creferred to a distance of the southway and the southway are point of beginning to the southway are point of beginning to the southway are southway and the southway are sout	cor stance thence thence arked 750 fee thence ginning. above in
B.K. Seeley		·	1423 E. 9th	So. Salt Lake	City. Ut
Name o	of Locator)			Address)	
\ \sigma_\text{Sigma}                                                                                                                                                                                                                                                                                                                                  \qquad     \qq           \qu	/_/				:
47 0 (Name o	f Locator)	· · .— ·	(	Address)	
THIS CERTIFICAL LEGIBLE COPY RE	TE OF LOCATI	ON MUST BE	POSTED UPON RECORDER OF	THE CLAIM AN	D A N WHICH
	CATED WITHIN	90 DAYS A	FTER THE DAT	E OF LOCATION	.)
iii					
RECORDS					
Other fallow with the property of	AND	a secondical de la constanta d	ranikarian distributa dis	udurini dak en irrida sek - År a kl-	ino 44 su 4 milia del

· in a

CERTIFICATE OF

46690	(CROUP	OF CLAIMS)	POOK 23 PAGE	471
Mining Claim was 1 day of January District, Eure described as being	THIS IS TO CERTIFY ocated by B.K.  19 68 in the country situated: Ex Sec	that the B Seeley, Jr. Mineral H1 Sty, State of 17 - T.26N	eta # 89 Loc on the 30th 11 Mining Nevada, further - R.52E, MDB&N	le
and the undersigne and 1490 fee: i with a width of 3 lode along the ent	00 feet on each s	eet in a we ection from to de of the ce	esterly direction direction discovered the discovered terms of dis	tion ery.
claim(s) for the b Lode Mining Claims Beta #89, #90	The location work enefit of a contig , the specific name	uous group of	not more than ten	(10)
	The location work	done consiste	d of: Trenching	$\rightarrow$
COSTING A TOTAL OF this claim.	\$ 200.00 , of	which \$100.0	0 is applicable to	
and marked as foll thence bearing solver for marked of 750 feet to the bearing west bearing west  Figure cor marked of 600  No bearing east a Each of the above	tha distance of 60 SE cor; then he south side central a distance of 70 SW cor; thence feet to the thence bearing east center madistance of 750 described corners	the NE corne of feet to to ce bearing we ter, marke 50     feet to bearing northwest cor sta rkedNSC feet to the	r, marked NE cor he southeast ast a distance d SSC , then the southwest th a  marked distance of 750  , then point of beginning	feet
11 72 6 300 55	The location and dificate was perfor, 19 <u>68</u> , by or on	med on or bef behalf of the 1423 E. 9th 3	referred to above ore undersigned location Salt Lake City Address)	or(s).
Name of L	ocator)		Address)	<del></del> :
(THIS CERTIFICATE LEGIBLE COPY RECORT THE CLAIM IS LOCATED TO THE CLAIM IS LOC	DED WITH THE COUNT	y recorder of	THE COUNTY IN WHI	CH

46691	(Capul, Ca aration)
File No.	(group of claims) fook $23$ page $4$
THIS Mining Claim was locate	IS TO CERTIFY that the Beta # 90 Lode and by B.K. Seeley, Jr. on the 30th
day of January	ed by B.K. Seeley, Jr. on the 30th  , 19 6S in the Mineral Hill Mining  County, State of Nevada further
District, Eureka	County, State of Nevada, further
described as being situ	nated: Es Sec. 17 - T.26N - R.52E, VDR&M
<del></del>	
•	\ \
The g	general course of said lode or vein is northerl
and the undersigned cla	ims 10 feet in a westerly direction
and 1490 feet in an	ims 10 feet in a westerly direction easterly direction from the point of discovery
with a width of 300 f	feet on each side of the center of the vein or
lode along the entire 1	length of said claim,
rm t	lambin make 100
claim(c) for the benefi	location work was done upon the <u>Beta #89</u> It of a contiguous group of not more than ten (
Lode Mining Claims the	e specific names of which are as follows:
Bets #39, #90	. Specific makes of which are as follows:
The 1	location work done consisted of: Trenching
COSTING A TOTAL OF \$ 2	200.00
this claim.	of which \$100.00 is applicable to
CHEATHE	
The c	corners and side centers of the claim are locate
and marked as follows:	Beginning at the NE corner, marked NE cor
thence bearing southa	distance of 600 feet to the southeast
thence bearing southa	distance of 600 feet to the southeast
cor , marked SE co of 750 feet to the se	distance of 600 feet to the southeast or ; thence bearing west a distance outh side center , marked SSC ; thence
thence bearing southacor , marked SE coof 750 feet to the sobearing west a d	distance of 600 feet to the southeast or ; thence bearing west a distance outh side center , marked SSC ; thence distance of 750 feet to the southwest
thence bearing southacor , marked SE coof 750 feet to the southacord west and coof seed to the southacord seed to	distance of 600 feet to the southeast or ; thence bearing west a distance outh side center , marked SSC ; thence distance of 750 feet to the southwest
thence bearing southacor , marked SE coof 750 feet to the southacord west and coof seed to the southacord seed to	distance of 600 feet to the southeast or ; thence bearing west a distance outh side center , marked SSC ; thence distance of 750 feet to the southwest
thence bearing southacor , marked SE cor of 750 feet to the sebearing west a distance of 600 NW cor ; thence	distance of 600 feet to the southeast  or ; thence bearing west a distance outh side center , marked SSC ; thence distance of 750 feet to the southwest or ; thence bearing north a feet to the northwest cor , marked the bearing east a distance of 750 feet to the southwest cor , marked the southwest cor , marked the searing east a distance of 750 feet to the southwest cor , marked the searing east a distance of 750 feet to the southwest cor , marked the searing east a distance of 750 feet to the southwest cor , marked the search control of the southwest cor , marked the search control of the southwest cor , marked the search control of the search control
thence bearing southacor , marked SE corof 750 feet to the southacorom marked SW corof 600 NW corof the north side center of the north side center of the south side center	distance of 600 feet to the southeast  or ; thence bearing west a distance outh side center , marked SSC ; thence distance of 750 feet to the southwest or ; thence bearing north a feet to the northwest cor , marked bearing east a distance of 750 feet marked NSC ; thence er marked NSC ; thence
thence bearing southacor , marked SE corof 750 feet to the southacorom marked SW corof 600 NW corof the north side center of the north side center of the south side center	distance of 600 feet to the southeast  or ; thence bearing west a distance outh side center , marked SSC ; thence distance of 750 feet to the southwest or ; thence bearing north a feet to the northwest cor , marked bearing east a distance of 750 feet marked NSC ; thence er marked NSC ; thence
thence bearing southacor , marked SE corof 750 feet to the southacorom marked SW corof 600 NW corof the north side center of the north side center of the south side center	distance of 600 feet to the southeast  or ; thence bearing west a distance outh side center , marked SSC ; thence distance of 750 feet to the southwest  or ; thence bearing north a feet to the northwest cor , marked the bearing east a distance of 750 feet  or marked NSC ; thence
thence bearing southacor , marked SE corof 750 feet to the southacorom marked SW corof 600 NW corof the north side center of the north side center of the south side center	distance of 600 feet to the southeast or ; thence bearing west a distance outh side center , marked SSC ; thence distance of 750 feet to the southwest or ; thence bearing north a feet to the northwest cor , marked the bearing east a distance of 750 feet or marked NSC ; thence
thence bearing southa  cor , marked SE co  of 750 feet to the so  bearing west a d  cor , marked SW co  distance of 600  NW cor , thence  to the north side cent  bearing east a dist  Each of the above descr  a 4 x 4 x 45 pos  The 1	distance of 600 feet to the southeast or ; thence hearing west a distance outh side center , marked SSC ; thence distance of 750 feet to the southwest or ; thence hearing north a feet to the northwest cor , marked the hearing east a distance of 750 feet er , marked NSC ; thence cance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning.
thence bearing southa  cor , marked SE co  of 750 feet to the so  bearing west a d  cor , marked SW co  distance of 600  NW cor , thence  to the north side cent  bearing east a dist  Each of the above descr  a 4 x 4 x 45 pos  The 1	distance of 600 feet to the southeast  or ; thence hearing west a distance outh side center , marked SSC ; thence distance of 750 feet to the southwest or ; thence hearing north a feet to the northwest cor , marked the hearing east a distance of 750 feet er , marked NSC ; thence cance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning.
thence bearing southa  cor , marked SE co  of 750 feet to the so  bearing west a d  cor , marked SW co  distance of 600  NW cor , thence  to the north side cent  bearing east a dist  Each of the above descr  a 4 x 4 x 45 pos  The 1  this Location Certifica	distance of 600 feet to the southeast  or ; thence hearing west a distance outh side center , marked SSC ; thence distance of 750 feet to the southwest or ; thence hearing north a feet to the northwest cor , marked the hearing east a distance of 750 feet er , marked NSC ; thence cance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning.
thence bearing southa  cor , marked SE co  of 750 feet to the so  bearing west a d  cor , marked SW co  distance of 600  NW cor , thence  to the north side cent  bearing east a dist  Each of the above descr  a 4 x 4 x 4 pos  The 1  this Location Certificat  April 26 , 19	distance of 600 feet to the southeast or ; thence hearing west a distance outh side center , marked SSC ; thence distance of 750 feet to the southwest or ; thence hearing north a feet to the northwest cor , marked he hearing east a distance of 750 feet to the point of heginning. The control of the point of heginning st.  coation and discovery work referred to above in the was performed on or before 68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on behalf of the undersigned locator (68, by or on
thence bearing southa  cor , marked SE co of 750 feet to the so bearing west a d  cor , marked SW co distance of 600  NW cor , thence to the north side cent bearing east a dist Each of the above descr a 4 x 4 x 4½ pos  The 1  this Location Certificat April 26 , 19	distance of 600 feet to the southeast or ; thence hearing west a distance outh side center , marked SSC ; thence distance of 750 feet to the southwest or ; thence hearing north a feet to the northwest cor , marked he hearing east a distance of 750 feet to the point of beginning. Thence cance of 750 feet to the point of beginning. The stance of 750 feet to the point of beginning.  St. coation and discovery work referred to above in the was performed on or before 68, by or on behalf of the undersigned locator (1423 E. 9th So. Salt Lake City. U
thence bearing southa  cor , marked SE co of 750 feet to the so bearing west a d  cor , marked SW co distance of 600  NW cor , thenc to the north side cent bearing east a dist Each of the above descr a 4 x 4 x 4½ pos  The 1 this Location Certifica April 26 , 19  X B.K. Seeley, Jr.  (Name of Locato	distance of 600 feet to the southeast  or ; thence hearing west a distance outh side center , marked SSC ; thence distance of 750 feet to the southwest or ; thence hearing north a feet to the northwest cor , marked the hearing east a distance of 750 feet for marked NSC ; thence the corners is a Rock monument or st.  ocation and discovery work referred to above in the was performed on or before 68, by or on behalf of the undersigned locator( 1423 E. 9th So. Salt Lake City. U
thence bearing southacor , marked SE cor of 750 feet to the south and cor , marked SW cor , marked SW cor distance of 600 NW cor , thence to the north side center bearing east a distance of the above descrada 4 x 4 x 4½ post finis Location Certificate April 26 , 19 cor Name of Locator (Name of Locator)	distance of 600 feet to the southeast  or ; thence hearing west a distance outh side center , marked SSC ; thence distance of 750 feet to the southwest or ; thence hearing north a feet to the northwest cor , marked be hearing east a distance of 750 feet or marked NSC ; thence cance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet to the point of heginning. The stance of 750 feet t
thence bearing southa  cor , marked SE co of 750 feet to the so bearing west a d  cor , marked SW co distance of 600  NW cor , thenc to the north side cent bearing east a dist Each of the above descr a 4 x 4 x 4½ pos  The 1 this Location Certifica April 26 , 19  X B.K. Seeley, Jr.  (Name of Locato	distance of 600 feet to the southeast or ; thence hearing west a distance outh side center , marked SSC ; thence distance of 750 feet to the southwest or ; thence hearing north a feet to the northwest cor , marked the hearing east a distance of 750 feet fer marked NSC ; thence tance of 750 feet to the point of heginning. The fibed corners is a Rock monument or st.  cocation and discovery work referred to above in the was performed on or hefore 68, by or on healf of the undersigned locator( 1423 E. 9th So. Salt Lake City. Upon)  (Address)

THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

1423 E. 9th So. Salt Lake City. Utah

(Address)

(Address)

B.K. Seeley, Jr.

(Name of Locator)

(Name of Locator)

See

46693	(GROUP OF			
TH.	IS IS TO CERTIFY t	hat the	Bots # 72	Lode
Mining Claim was loc day of January District, Eureka described as being s	19 68 in the	Mineral H	111	Mining
uay or <u>ownuary</u> District Eureka	County	. State of	Nevada, fu	irther
described as being s	ituated: 8 Sec.	4 - T.26N	- R.52E MI	BAN
			-	<del></del>
<del></del>		<del> </del>	<del></del>	
			\ \	_
Th	e general course o	f said lod	e or vein i	s northe
and the undersigned and 1490 feet in	claims IV fee	tion from	the point o	olrect
with a width of 300	feet on each sid	e of the c	enter of th	me vein or
lode along the entir	e length of said o	laim.	\	\
	-			\
<b>m</b> _	e location work wa	a done um	n the Bet-	#92
claim(e) for the ben	efit of a contigue	ous group C	of not more	than ten
Lode Mining Claims,	the specific names	of which	are as ion	Loks:
Rets #1,#2,#19,#20	1 491 492 493 494	195 and 196	<b></b>	
	/_/		<del>\</del>	
		)	1	
Th	e location work do	ne consist	ted of: <u>Dri</u>	111ng
			/	
		\	/	
		<del>-\-//</del>		
COOMENS & COMES AT A	1000 00 -4		00 10 2001	icable to
COSTING A TOTAL OF	1000.00, of v	which \$100,	,00 is appl	icable to
COSTING A TOTAL OF S	1000.00 , of w	/hich \$100,	,00 is appl:	icable to
this claim.				
this claim.	ne corners and side	e centers (	of the claim	m are loc
this claim.  The and marked as follow	ne corners and side	e centers (	of the claim	m are loc
this claim.  The and marked as follow	ne corners and side	e centers (	of the claim	m are loc
this claim.  The and marked as follow	ne corners and side	e centers (	of the claim	m are loc
this claim.  The and marked as follow	ne corners and side	e centers (	of the claim	m are loc
this claim.  The and marked as follow	ne corners and side	e centers (	of the claim	m are loc
this claim.  The and marked as follow	ne corners and side	e centers (	of the claim	m are loc
this claim.  The and marked as follow	ne corners and side	e centers (	of the claim	m are loc
and marked as follow thence bearing sout cor marked S of 750 feet to the bearing west distance of 600 kW cor the north side of bearing east a correct the south of the south side of the south s	me corners and side as: Beginning at the second and stance of 600 and side center a distance of 750 and second a distance of 600 and second a distance of 750 and second and sec	e centers ( the NE corr feet to bearing r orthwest co ked NSC feet to the	of the claim	m are loc
and marked as follow thence bearing sout cor marked S of 750 feet to the bearing west distance of 600 kW cor the north side of the bearing east a distance of the south of the above defeath of the above defeath of the above defeath.	me corners and side as: Beginning at the second of the side center a distance of 750 w cor; thence bearing east enter markets and stance of 750 mence bearing east enter markets of 750 mescribed corners in	e centers ( the NE corr feet to bearing r orthwest co ked NSC feet to the	of the claim	m are loc
and marked as follow thence bearing sout cor marked S of 750 feet to the bearing west distance of 600 kW cor the north side of bearing east a correct the south of the south side of the south s	me corners and side as: Beginning at the second of the side center a distance of 750 w cor; thence bearing east enter markets and stance of 750 mence bearing east enter markets of 750 mescribed corners in	e centers ( the NE corr feet to bearing r orthwest co ked NSC feet to the	of the claim	m are loc
and marked as follow thence bearing sout cor marked S of 750 feet to the bearing west stance of 600 kW cor to the north side cor bearing east a co	me corners and side as: Beginning at in the distance of 600 E cor ; thence a distance of 750 W cor ; thence be feet to the note to the note that are the secribed corners is post.	e centers ( the NE corr ) feet to e bearing r feet ( earing no orthwest co ked NSC feet to the Roc	of the claim ner, marked the south west a ked SSC to the sou orth or a distance the point of the monument	m are local NE cor heast distance; then the stance a marked of 750; then beginning
and marked as follow thence bearing sout cor marked S of 750 feet to the bearing west stance of 600 kW cor to the north side cor bearing east a co	me corners and side as: Beginning at in the distance of 600 E cor ; thence a distance of 750 W cor ; thence be feet to the nonence bearing east enter , mark distance of 750 escribed corners in post.	e centers ( the NE corr ) feet to e bearing r feet ( earing no orthwest co ked NSC feet to the Roce scovery work ad on or be	of the claimer, marked the south west a ked SSC to the south or a distance the point of the monument of the monument of the south of the so	m are locine NE cor neast distance; then the stance a marked of 750; then beginnin or to above 1 26 1968
and marked as follow thence bearing sout cor marked S of 750 feet to the bearing west stance of 600 kW cor to the north side cor bearing east a co	me corners and side as: Beginning at in the distance of 600 E cor ; thence a distance of 750 W cor ; thence be feet to the nonence bearing east enter , mark distance of 750 escribed corners in post.	e centers ( the NE corr ) feet to e bearing r feet ( earing no orthwest co ked NSC feet to the Roce scovery work ad on or be	of the claimer, marked the south west a ked SSC to the south or a distance the point of the monument of the monument of the south of the so	m are locine NE cor neast distance; then the stance a marked of 750; then beginnin or to above 1 26 1968
and marked as follow thence bearing sout cor marked Sof 750 feet to the bearing west sout cor marked Sof 600 NW cor the north side cor the above de a 4 x 4 x 4 this Location Certification cortico de south	me corners and side as: Beginning at in the distance of 600 E cor ; thence a distance of 750 W cor ; thence be feet to the nonence bearing east enter mark istance of 750 escribed corners in post.  The location and distinct was performed 1968, by or on be asserted.	e centers ( the NE corr ) feet to e bearing r feet ( earing no orthwest co ked NSC feet to the Room scovery work ad on or be ehalf of the	of the claimer, marked the south west a ked SSC to the south or a distance the point of k monument of the workers a distance the work referred afore April the undersigned	mare location are location with the marked of 750 then beginnin or the location with the locat
and marked as follow thence bearing sout cor marked Sof 750 feet to the bearing west for marked Sof 600 feet for the north side core at 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	me corners and side as: Beginning at in the distance of 600 E cor ; thence a distance of 750 W cor ; thence bearing east enter marilistance of 750 escribed corners is post.  The location and distinct was perform 1968, by or on be	e centers ( the NE corr ) feet to e bearing r feet ( earing no orthwest co ked NSC feet to the Room scovery work ad on or be ehalf of the	of the claim ner, marked the south west a ked SSC to the sou orth or a distance the point of the monument rk referred efore Anri the undersig	mare location are location with the marked of 750 then beginnin or the location with the locat
and marked as follow thence bearing sout cor marked sof 750 feet to the bearing west sout cor marked sout cor the morth side cor the morth side cor cor to the morth side cor cor to the morth side cor cor to the sout cor to	me corners and side as: Beginning at in the distance of 600 E cor ; thence a distance of 750 W cor ; thence bearing east enter marilistance of 750 escribed corners is post.  The location and distinct was perform 1968, by or on be	e centers ( the NE corr ) feet to e bearing r feet ( earing no orthwest co ked NSC feet to the Room scovery work ad on or be ehalf of the	of the claimer, marked the south west a ked SSC to the south or a distance the point of k monument of the workers a distance the work referred afore April the undersigned	mare location are location with the marked of 750 then beginnin or the location with the locat
and marked as follow thence bearing sout cor marked Sof 750 feet to the bearing west for marked Sof 600 feet to the north side of the above dearing east a contract of the above dearing east at a 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	me corners and side as: Beginning at in the distance of 600 E cor ; thence a distance of 750 W cor ; thence bearing east enter marilistance of 750 escribed corners is post.  The location and distinct was perform 1968, by or on be	e centers ( the NE corr ) feet to e bearing r feet ( earing no orthwest co ked NSC feet to the Room scovery work ad on or be ehalf of the	of the claim ner, marked the south west a ked SSC to the sou orth or a distance the point of the monument rk referred efore Anri the undersig	mare location are location with the marked of 750 then beginnin or the location with the locat
and marked as follow thence bearing sout cor marked S of 750 feet to the bearing west stance of 600 NW cor to the north side cor bearing east a co	me corners and side as: Beginning at in the distance of 600 E cor ; thence a distance of 750 W cor ; thence bearing east enter mark distance of 750 escribed corners is post.  The location and distinct was perform 1968, by or on be easter	e centers ( the NE corr ) feet to e bearing r feet ( earing no orthwest co ked NSC feet to the Room scovery work ad on or be ehalf of the	of the claim ner, marked the south west a ked SSC to the SOU orth or a distance the point of the monument ork referred efore Apri he undersig the South (Address)	mare location are location with the marked of 750 then beginnin or the location with the locat
and marked as follow thence bearing sout cor marked Sof 750 feet to the bearing west source marked Sof 600 NW cor the north side core at 4 x 4 x 4 this Location Certification Certification (Name of Location Certification Certi	me corners and side as: Beginning at it ha distance of 600 E cor ; thence a distance of 750 W cor ; thence be feet to the not nence bearing east enter , mark itstance of 750 escribed corners in post.  The location and distance was perform 1968, by or on be cator)	e centers of the NE correction of the NE correction of the test of	of the claimer, marked the south west a ked SSC to the south or a distance of the point of the monument of the undersign So Salt (Address)	m are locine NE cor heast distance; then the stance at heast for 750; then beginnin or to above 1 26 1968 and locat Lake City
and marked as follow thence bearing sout cor marked S of 750 feet to the bearing west bearing west distance of 600 kW cor the north side of the above day a 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	me corners and side as: Beginning at it ha distance of 600 E cor thence a distance of 750 W cor; thence bearing east enter markets and corners is post.  The location and distinct was performed by or on be cator)	e centers ( the NE corr feet to bearing r feet to bearing no orthwest co ked NSC feet to the a Roce scovery work ad on or be half of the	of the claim ner, marked the south west a ked SSC to the south orth a distance he point of k monument rk referred efore Apri he undersig (Address)  (Address)	m are located to above lake City
and marked as follow thence bearing sout cor marked S of 750 feet to the bearing west bearing west distance of 600 kW cor the north side of bearing east a death of the above day a 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	me corners and side as: Beginning at it ha distance of 600 E cor thence a distance of 750 W cor; thence be feet to the note that the secretary east enter marked as a corners is post.  The location and distinct was performed by or on be cator.  The location MUST BE SECRETARY THE COUNTY BE WITH THE COUNTY	e centers ( the NE corr feet to bearing no orthwest co ked NSC feet to the a Roce scovery work ad on or be half of the POSTED UP RECORDER	of the claim ner, marked the south west a ked SSC to the south orth a distance he point of k monument rk referred efore Apri he undersig (Address)  (Address)  ON THE CLAI OF THE COUN	m are located to above lake City  MAND A
and marked as follow thence bearing sout cor marked S of 750 feet to the bearing west bearing west distance of 600 kW cor the north side of bearing east a death of the above day a 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	me corners and side as: Beginning at it ha distance of 600 E cor thence a distance of 750 W cor; thence be feet to the note that the secretary east enter marked as a corners is post.  The location and distinct was performed by or on be cator.  The location MUST BE SECRETARY THE COUNTY BE WITH THE COUNTY	e centers ( the NE corr feet to bearing no orthwest co ked NSC feet to the a Roce scovery work ad on or be half of the POSTED UP RECORDER	of the claim ner, marked the south west a ked SSC to the south orth a distance he point of k monument rk referred efore Apri he undersig (Address)  (Address)  ON THE CLAI OF THE COUN	m are located to above lake City  MAND A

CERTIFICATE OF	TOCVALION OF	, TODE HIN	ING CLAIM

This Is To CERTIFY that the Beta #92	46694	(GROUP OF CLAIMS) ROOK PAGE PAGE
The general course of said lode or vein is norther and the undersigned claims 10 feet in a westerly direct and 1490 feet in an easterly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta #92 claim(s) for the benefit of a contiguous group of not more than ten Lode Mining Claims, the specific names of which are as follows:  Bets #1, #2, #19, #20, #91, #92, #93, #94, #95 and #35  The location work done consisted of: Drilling  COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are location work done consisted of: Drilling  COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are location work done consisted of: Drilling  COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are location work done consisted of: Drilling  COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to the south a distance of 600 feet to the southeast cor, marked SEC or the count of the south and the second of the content of the south and the second of the content of the south and the second of the content of the second of the second of the content of the second of t	FII. No	TRIS IS TO CERTIFY that the Bets # 93 Lode
The general course of said lode or vein is norther and the undersigned claims 10 feet in a westerly direct and 1490 feet in an easterly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Bets #92 claim(s) for the benefit of a contiguous group of not more than ten Lode Mining Claims, the specific names of which are as follows:  Bets #1, #2, #19, #20, #91, #92, #93, #94, #95 and #36  The location work done consisted of: Drilling  The location work done consisted of: Drilling  COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are loce and marked as follows: Beginning at the NE corner, marked NE cor thence bearing souths distance of 600 feet to the southeast cor, marked SE or thence bearing west a distance of 750 feet to the south side center marked SE ; thence bearing west a distance of 500 feet to the southwest cor , marked SW cor ; thence bearing morth a distance of 600 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the point of beginning Each of the above described corners is a Rock monument or a 4 x 4 x 45 peet.  The location and discovery work referred to above this Location Certificate was performed on or before annul 26, 1968 because of 1968, by or on behalf of the undersigned locate (Name of Locator)  (Name of Locator)  (Address)	dining Claim was	s located by B.K. Seeley, Jr. on the 30th
The general course of said lode or vein is norther and the undersigned claims 10 feet in a westerly direction from the point of discoverith and 1490 feet in a measterly direction from the point of discoverith and 1490 feet in a side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Bets #92 claim(s) for the benefit of a contiguous group of not more than ten Lode Mining Claims, the specific names of which are as follows:  Rets #1, #2, #19, #20, #91, #92, #93, #94, #95 and #96  The location work done consisted of: Drilling  COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are loce and marked as follows: Beginning at the NE corner, marked NE cor thence bearing South a distance of 600 feet to the southeast cor , marked SE cor , thence bearing west a distance of 750 feet to the southwest a distance of 750 feet to the southwest a distance of 500 feet to the southwest which we cor , thence bearing morth a corner of the corner shared SW cor , thence bearing north a corner of the corner shared SW cor , thence bearing north a corner of the center , marked SW cor , thence bearing north a corner of 500 feet to the northwest cor , marked SW cor , thence bearing north a corner of 500 feet to the point of beginning Each of the above described corners is a Rock monument or at A 4 4 4 4 post.  The location and discovery work referred to above this Location Certificate was performed on or before annil 26, 1668 at A 4 4 4 post.  The location and discovery work referred to above this Location Certificate was performed on or before annil 26, 1668 at A 2 4 4 4 post.  The location and discovery work referred to above this Location Certificate was performed on or before annil 26, 1668 at A 2 4 4 4 post.  (Address)  (Mame of Locator)  (Address)	lay ofJanuar	ry 19 68 in the Mineral Hill Mining
The general course of said lode or vein is northed and the undersigned claims 10 feet in a westerly direction from the point of discoverith and 1490 feet in a measterly direction from the point of discoverith and 1490 feet in a side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta #92 claim(s) for the benefit of a contiguous group of not more than ten Lode Mining Claims, the specific names of which are as follows;  Beta #1, #2, #19, #20, #91, #92, #93, #94, #95 and #96  The location work done consisted of: Drilling  COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are loce and marked as follows: Beginning at the NE corner, marked NE cor thence bearing South a distance of 600 feet to the southeast cor , thence bearing west a distance of 750 feet to the south side center marked SSC ; thence bearing west a distance of 500 feet to the southwest of the corner of the corner shared SW cor ; thence bearing north a distance of 500 feet to the southwest to the northwest cor , marked SW cor ; thence bearing north a corner shared SW cor ; thence bearing north a southwest to the northwest cor , marked SW cor ; thence bearing north a southwest cor , marked SW cor ; thence bearing north a southwest to the northwest cor , marked SW cor ; thence bearing north a southwest cor , marked SW cor ; thence bearing north a southwest cor , marked SW cor ; thence bearing north a southwest cor , marked SW cor ; thence bearing north a southwest cor , marked SW cor ; thence bearing north a southwest cor , marked SW cor ; thence bearing north a southwest cor , marked SW cor ; thence bearing east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginnin	District, M	ureka County, State of Nevada, further
The general course of said lode or vein is norther and 1490 feet in an easterly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta #92 claim(s) for the benefit of a contiguous group of not more than ten Lode Mining Claims, the specific names of which are as follows:  Beta #1.#2.#19.#20.#01.#02.#03.#04.#05 and #36  The location work done consisted of: Drilling  COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are loce the southeast cor , marked SE cor ; thence bearing west a distance of 550 feet to the southeast cor , marked SW cor ; thence bearing most a distance of 5750 feet to the southeast cor , marked SW cor ; thence bearing nost a distance of 500 feet to the southeast cor , marked SW cor ; thence bearing nost a distance of 500 feet to the southeast cor , marked SW cor ; thence bearing nost a distance of 500 feet to the southeast cor , marked SW cor ; thence bearing nost a distance of 500 feet to the northwest cor , marked SW cor ; thence bearing nost a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a	described as be	ing situated: St Sec. 4 - T.26N - R.52E. MDB&M
and the undersigned claims 10 feet in a westerly direction and 1490 feet in an easterly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Beta 192 claim(s) for the benefit of a contiguous group of not more than ten Lode Mining Claims, the specific names of which are as follows:  Beta 11, 12, 119, 120, 191, 192, 191, 194, 195 and 194.  The location work done Consisted of: Drilling  COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are loce and marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner, marked SE corner, marked SE corners and side center marked NE corners and side side side side side side side sid		
and the undersigned claims 10 feet in a westerly direct and 1490 feet in an easterly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Bets #92 claim(s) for the benefit of a contiguous group of not more than ten Lode Mining Claims, the specific names of which are as follows:  Bets #1, #2, #10, #20, #01, #02, #01, #05 and #96  The location work done consisted of: Drilling  The location work done consisted of: Drilling  COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are loce and marked as follows: Beginning at the NE corner, marked NE cor thence bearing souths distance of 600 feet to the southeast cor , marked SE cor ; thence bearing west a distance of 750 feet to the south side center , marked SEC ; thence bearing west a distance of 750 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the northwest cor , marked SW cor ; thence bearing as a distance of 750 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing as a distance		
and the undersigned claims 10 feet in a westerly direct and 1490 feet in an easterly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Bets #92 claim(s) for the benefit of a contiguous group of not more than ten Lode Mining Claims, the specific names of which are as follows:  Bets #1, #2, #10, #20, #01, #02, #01, #05 and #96  The location work done consisted of: Drilling  The location work done consisted of: Drilling  COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are loce and marked as follows: Beginning at the NE corner, marked NE cor thence bearing souths distance of 600 feet to the southeast cor , marked SE cor ; thence bearing west a distance of 750 feet to the south side center , marked SEC ; thence bearing west a distance of 750 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the northwest cor , marked SW cor ; thence bearing as a distance of 750 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing ast a distance of 500 feet to the point of beginning bearing as a distance	<del></del>	
and the undersigned claims 10 feet in a westerly direction and 1490 feet in an easterly direction from the point of discover with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The location work was done upon the Bets #92 claim(s) for the benefit of a contiguous group of not more than ten Lode Mining Claims, the specific names of which are as follows:  Bets #1, #2, #10, #20, #01, #02, #03, #04, #95 and #96  The location work done consisted of: Drilling  The corners and side centers of the claim are loce and marked as follows: Beginning at the NE corner, marked NE cor thence bearing souths distance of 600 feet to the southeast cor, marked SE cor, thence bearing west a distance of 750 feet to the south side center, marked SEC; thence bearing west a distance of 750 feet to the southwest cor, marked SW cor; thence bearing north a distance of 600 feet to the southwest cor, marked SW cor; thence bearing north a distance of 600 feet to the southwest cor, marked SW cor; thence bearing north a distance of 600 feet to the northwest cor, marked SW cor; thence bearing north a distance of 500 feet to the southwest cor, marked SW cor; thence bearing asst a distance of 750 feet to the point of beginning to the north side center, marked NSC; thence bearing asst a distance of 500 feet to the point of beginning to the north side center, marked NSC; thence bearing asst a distance of 500 feet to the point of beginning to the north side center as a Rock monument or a 4 x 4 x 45 post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26, 1968.  B.K. Seeley, Jr.  1423 E. 9th So. Salt Lake City.  (Name of Locator)  (Address)		Mha mariant agus as and take as said to morthe
The location work was done upon the Reta #92  Claim(s) for the benefit of a contiguous group of not more than ten Lode Mining Claims, the specific names of which are as follows:  Sets #1, #2, #19, #20, #01, #02, #03, #04, #05 and #96  The location work done Consisted of: Drilling  COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor thence bearing Southa distance of 600 feet to the southeast cor , marked SE cor , thence bearing west a distance of 750 feet to the south side center , marked SSC ; thence bearing west a distance of 750 feet to the southwest cor , marked SW cor , thence bearing north a distance of 600 feet to the northwest COr , marked NW cor ; thence bearing east a distance of 750  To the north side center , marked NSC , thence bearing east a distance of 750 feet to the point of beginning Each of the above described corners is a Rock monument or a 4 x 4 x 4 post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26, 1968  The location and discovery work referred to above this Location Certificate was performed on or before April 26, 1968  The location and discovery work referred to above this Location Certificate was performed on or before April 26, 1968  Now of Locator)  (Name of Locator)  (Name of Locator)  (Address)	الله و س	and claims 10 fact in a westerly direct
The location work was done upon the Beta #92  Claim(s) for the benefit of a contiguous group of not more than ten.  Lode Mining Claims, the specific names of which are as follows:  Beta #1, #2, #19, #20, #01, #02, #01, #05 and #96  The location work done consisted of: Drilling  COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner,	ing the undersi	or in an easterly direction from the point of discovery
The location work was done upon the Beta #92  claim(s) for the benefit of a contiguous group of not more than ten Lode Mining Claims, the specific names of which are as follows:	and 1770 tee	300 feet on each side of the center of the vein or
The location work was done upon the Beta #92  claim(s) for the benefit of a contiguous group of not more than ten Lode Mining Claims, the specific names of which are as follows:  Beta #1, #2, #19, #20, #91, #92, #93, #94, #95 and #96  The location work done consisted of: Drilling  COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are loce and marked as follows: Beginning at the NE corner, marked NE cor thence bearing Southa distance of 600 feet to the southeast cor , marked SE cor , thence bearing west a distance of 750 feet to the south side center , marked SSC , thence bearing west a distance of 750 feet to the southwest cor , marked SW cor , thence bearing north a distance of 600 feet to the northwest cor , marked NW cor , thence bearing north a distance of 600 feet to the northwest cor , marked NW cor , thence bearing as a distance of 750  To the north side center , marked NSC , thence bearing east a distance of 750 feet to the point of beginning Each of the above described corners is a Rock monument or a 4 x 4 x 45 post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26, 1968  B.K. Seeley, Jr, 1423 E, 9th So, Salt Lake City. (Maddress)  (Maddress)  (Address)  (Address)	vicu a width of	entire length of said claim.
Claim(s) for the benefit of a contiguous group of not more than teal Lode Mining Claims, the specific names of which are as follows:  Bets #1, #2, #19, #20, #91, #92, #93, #94, #95 and #95  The location work done consisted of:	TOTE STORY CUS	. \ \
Claim(s) for the benefit of a contiguous group of not more than teal Lode Mining Claims, the specific names of which are as follows:  Bets #1, #2, #19, #20, #91, #92, #93, #94, #95 and #95  The location work done consisted of:		\ \ \
COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are loce and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southa distance of 500 feet to the southeast cor , marked SE cor , thence bearing west a distance of 750 feet to the south side center, marked SSC ; thence bearing west a distance of 500 feet to the southwest a distance of 500 feet to the northwest cor , thence bearing north a distance of 500 feet to the northwest cor , thence bearing east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to the point of beginning east a distance of 500 feet to 500 f		The location work was done upon the Beta #92
The location work done consisted of: Drilling  The corners and side centers of the claim are location marked as follows: Beginning at the NE corner, marked NE corners and marked as follows: Beginning at the NE corner, marked NE corner, marked SE	claim(s) for +h	to benefit of a contiguous group of not more than ten
The location work done consisted of: Drilling  COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner	Inde Mining Cla	lims. the specific names of which are as rollows
The location work done consisted of: Drilling  COSTING A TOTAL OF \$ 1000.00 , of which \$100.00 is applicable to this claim.  The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corthence bearing souths distance of 600 feet to the southeast cor, marked SE cor, thence bearing west a distance of 750 feet to the southwest a distance of 750 feet to the southwest cor, marked SW cor, thence bearing north a distance of 600 feet to the northwest Cor, marked SW cor, thence bearing east a distance of 750 feet to the southwest to the north side center, marked NSC , thence bearing east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of 850 feet feet to 750 feet to the 750 feet to the 750 feet feet feet feet feet feet feet fee	Bets #1 #2 #1	19 #20 #91 #92 #03 #94 #95 and #96
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner, marked NE corne		
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner, marked NE corner, marked SE corner, marked NE corner, marked SE corne		
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corne		m. 1
The corners and side centers of the claim are local and marked as follows: Beginning at the NE corner, marked NE corner, thence bearing southa distance of 600 feet to the southeast corner, marked SE corner, thence bearing west a distance of 750 feet to the south side center, marked SSC ; thence bearing west a distance of 750 feet to the southwest corner, marked SW corners, thence bearing north adistance of 600 feet to the northwest corners and distance of 600 feet to the northwest corners and distance of 750 feet to the northwest corners and distance of 750 feet to the north side center marked NSC to the northwest continue to the		The location work done consisted or: Drilling
The corners and side centers of the claim are local and marked as follows: Beginning at the NE corner, marked NE corner, thence bearing south a distance of 600 feet to the southeast corner, marked SE corner, thence bearing west a distance of 750 feet to the south side center, marked SSC ; thence bearing west a distance of 750 feet to the southwest corner, marked SW corners, thence bearing north a distance of 600 feet to the northwest corners and distance of 750 feet to the southwest corners was a distance of 750 feet to the northwest corners and distance of 750 feet to the north side center marked NSC to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east at a distance of 750 feet to the point of beginning east at a distance of 750 feet to the point of beginning east at a distance of 750 feet to the point of beginning each of the above described corners is a Rock monument or at 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26, 1968 feet of the undersigned location and find the undersigned location and find the undersigned location feet feet feet feet feet feet feet fee		
The corners and side centers of the claim are local and marked as follows: Beginning at the NE corner, marked NE corner, thence bearing south a distance of 600 feet to the southeast corner, marked SE corner, thence bearing west a distance of 750 feet to the south side center, marked SSC thence bearing west a distance of 750 feet to the southwest corner, marked SW corner, thence bearing north a distance of 600 feet to the southwest corner, marked SW corner, thence bearing north adistance of 600 feet to the northwest corner, marked NSC to the north side center marked NSC to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east at x 4 x 4 x 4 x post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26, 1968 by or on behalf of the undersigned location and control of the undersigned location (Name of Locator) (Address)  (Name of Locator) (Address)		
The corners and side centers of the claim are local and marked as follows: Beginning at the NE corner, marked NE corner, thence bearing south a distance of 600 feet to the southeast corner, marked SE corner, thence bearing west a distance of 750 feet to the south side center, marked SSC thence bearing west a distance of 750 feet to the southwest corner, marked SW corner, thence bearing north a distance of 600 feet to the southwest corner, marked SW corner, thence bearing north adistance of 600 feet to the northwest corner, marked NSC to the north side center marked NSC to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east at x 4 x 4 x 4 x post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26, 1968 by or on behalf of the undersigned location and control of the undersigned location (Name of Locator) (Address)  (Name of Locator) (Address)		OF # 1000 00 -5 -his #100 00 is1i-shie #0
The corners and side centers of the claim are local and marked as follows: Beginning at the NE corner, marked NE corner, thence bearing southa distance of 600 feet to the southeast corner, marked SE corner, thence bearing west a distance of 750 feet to the south side center marked SSC themse bearing west a distance of 750 feet to the southwest corner marked SW corner, thence bearing morth and distance of 600 feet to the northwest corner marked SW corner marked NSC marked SW corner marked NSC marked NSC monument or side center marked NSC marked NSC monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26,1968 marked NSC monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26,1968 marked NSC marked NSC monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26,1968 marked NSC monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26,1968 marked NSC marke		of a fonding ' of Autou aroning the abbitconte co
The corners and side centers of the claim are local and marked as follows: Beginning at the NE corner, marked NE corner, thence bearing southa distance of 600 feet to the southeast corner, marked SE corner, thence bearing west a distance of 750 feet to the south side center marked SSC themse bearing west a distance of 750 feet to the southwest corner marked SW corner, thence bearing morth and distance of 600 feet to the northwest corner marked SW corner marked NSC marked SW corner marked NSC marked NSC monument or side center marked NSC marked NSC monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26,1968 marked NSC monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26,1968 marked NSC marked NSC monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26,1968 marked NSC monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26,1968 marked NSC marke	this claim.	\ \ / /
and marked as follows: Beginning at the NE corner, marked NE cor thence bearing souths distance of 600 feet to the southeast cor marked SE cor thence bearing west a distance of 750 feet to the south side center marked SSC; theme bearing west a distance of 750 feet to the southwest cor marked SW cor; thence bearing north a distance of 600 feet to the northwest cor marked NW cor; thence bearing east a distance of 750 to the north side center marked NSC theme bearing east a distance of 750 feet to the point of beginning each of the above described corners is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26 1968 bearing location and discovery work referred to above this Location Certificate was performed on or before April 26 1968 bearing location (Name of Locator) (Address)  (Name of Locator) (Address)	=	\ \/ /
and marked as follows: Beginning at the NE corner, marked NE cor thence bearing souths distance of 600 feet to the southeast cor marked SE cor thence bearing west a distance of 750 feet to the south side center, marked SSC; theme bearing west a distance of 750 feet to the southwest cor, marked SW cor; thence bearing north a distance of 600 feet to the northwest cor marked NW cor; thence bearing east a distance of 750 feet to the north side center, marked NSC to the north side center, marked NSC to the north side center marked NSC to the point of beginning east a distance of 750 feet to the point of beginning each of the above described corners is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26 1968 by 1968, by or on behalf of the undersigned located (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)		\ \ \ /
and marked as follows: Beginning at the NE corner, marked NE cor thence bearing souths distance of 600 feet to the southeast cor marked SE cor thence bearing west a distance of 750 feet to the south side center, marked SSC; thence bearing west a distance of 750 feet to the southwest cor, marked SW cor; thence bearing north a distance of 600 feet to the northwest cor, marked NW cor; thence bearing east a distance of 750 feet to the point of beginning bearing east a distance of 750 feet to the point of beginning bearing east a distance of 750 feet to the point of beginning each of the above described corners is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26 1968 by 1968, by or on behalf of the undersigned located (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)	•	
thence bearing Southa distance of 1000 feet to the cor , marked SE cor ; thence bearing west a distance of 750 feet to the south side center , marked SSC ; thence bearing west a distance of 750 feet to the southwest cor , marked SW cor , thence bearing north a distance of 600 feet to the northwest cor , marked NW cor ; thence bearing east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning each of the above described corners is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26, 1968 by or on behalf of the undersigned located (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)		The corners and side centers of the claim are loc-
of 750 feet to the south side center , marked SSC ; them bearing west a distance of 750 feet to the southwest cor , marked SW cor , thence bearing north a distance of 600 feet to the northwest cor , marked NW cor ; thence bearing east a distance of 750 to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning each of the above described corners is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26, 1968 by 1968, by or on behalf of the undersigned located NSC (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)	מיש אות את	sollars boginging at the NE corner, marked NE COI
of 750 feet to the south side center , marked SSC ; them bearing west a distance of 750 feet to the southwest cor , marked SW cor ; thence bearing north a distance of 600 feet to the northwest cor , marked NW cor ; thence bearing east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning each of the above described corners is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26.1968 by or on behalf of the undersigned located by (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)	Llunes besident	follows: Beginning at the NE corner, marked NE cor-
cor , marked SW cor ; thence bearing north a distance of 600 feet to the northwest cor , marked NW cor ; thence bearing east a distance of 750 to the north side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning east a distance of 750 feet to the point of beginning each of the above described corners is a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26 1968 by or on behalf of the undersigned located by the second of the locator (Name of Locator) (Address)  (Name of Locator) (Address)  (This Certificate of Locator) (Address)	Llunes besident	follows: Beginning at the NE corner, marked NE cor-
to the north side center  bearing east a distance of 750 feet to the point of beginning bearing east a distance of 750 feet to the point of beginning bearing east a distance of 750 feet to the point of beginning bearing east a distance of 750 feet to the point of beginning bearing east a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26, 1968 by or on behalf of the undersigned located by 1968, by or on behalf of the undersigned located (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A COUNTY RECORDER OF THE COUNTY IN WHI	thence bearing cor mar	follows: Beginning at the NE corner, marked NE corsouth a distance of 600 feet to the southeast rked SE cor; thence bearing west a distance seem to be southeast a distance seem to be southeast a distance seem to be seem
to the north side center  bearing east a distance of 750 feet to the point of beginning bearing east a distance of 750 feet to the point of beginning bearing east a distance of 750 feet to the point of beginning bearing east a distance of 750 feet to the point of beginning bearing east a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26, 1968 by or on behalf of the undersigned located by 1968, by or on behalf of the undersigned located (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A COUNTY RECORDER OF THE COUNTY IN WHI	thence bearing cor mar	follows: Beginning at the NE corner, marked NE corsouth a distance of 600 feet to the southeast rked SE cor; thence bearing west a distance seem to be southeast a distance seem to be southeast a distance seem to be seem
to the north side center  bearing east a distance of 750 feet to the point of beginning Each of the above described corners is a Rock monument or  a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26, 1968  by or on behalf of the undersigned locate  B.K. Seeley, Jr. 1423 E. 9th So. Salt Lake City.  (Name of Locator)  (Address)  (Name of Locator)  (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A	thence bearing cor mar	follows: Beginning at the NE corner, marked NE corsouth a distance of 600 feet to the southeast rked SE cor; thence bearing west a distance seem to be southeast a distance seem to be southeast a distance seem to be seem
to the north side center  bearing east a distance of 750 feet to the point of beginning bearing east a distance of 750 feet to the point of beginning bearing east a distance of 750 feet to the point of beginning bearing east a distance of 750 feet to the point of beginning bearing east a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26, 1968 by or on behalf of the undersigned located by 1968, by or on behalf of the undersigned located (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A COUNTY RECORDER OF THE COUNTY IN WHI	cor mar of 750 feet to bearing west cor mark	follows: Beginning at the NE corner, marked NE corner south a distance of 600 feet to the southeast rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; then a distance of 750 feet to the southwest ked SW cor ; thence bearing north a
to the north side center  bearing east a distance of 750 feet to the point of beginning bearing east a distance of 750 feet to the point of beginning bearing east a distance of 750 feet to the point of beginning bearing east a distance of 750 feet to the point of beginning bearing east a Rock monument or a 4 x 4 x 4½ post.  The location and discovery work referred to above this Location Certificate was performed on or before April 26, 1968 by or on behalf of the undersigned located by 1968, by or on behalf of the undersigned located (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A COUNTY RECORDER OF THE COUNTY IN WHI	cor mar of 750 feet to bearing west cor mark	follows: Beginning at the NE corner, marked NE corner south a distance of 600 feet to the southeast rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; then a distance of 750 feet to the southwest ked SW cor ; thence bearing north a
B.K. Seeley, Jr.  (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)  (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A	cor mar of 750 feet to bearing west cor mark	follows: Beginning at the NE corner, marked NE corner south a distance of 600 feet to the southeast rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; then a distance of 750 feet to the southwest ked SW cor ; thence bearing north a
B.K. Seeley, Jr.  (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)  (Address)  (Address)	cor mar of 750 feet to bearing west cor mark	follows: Beginning at the NE corner, marked NE corner south a distance of 600 feet to the southeast rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; then a distance of 750 feet to the southwest ked SW cor ; thence bearing north a
B.K. Seeley, Jr.  (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)  (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A	cor mar of 750 feet to bearing west cor mark	follows: Beginning at the NE corner, marked NE corner south a distance of 600 feet to the southeast rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; then a distance of 750 feet to the southwest ked SW cor ; thence bearing north a
B.K. Seeley, Jr.  (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A	cor mar of 750 feet to bearing west cor mark	follows: Beginning at the NE corner, marked NE corner south a distance of 600 feet to the southeast rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; then a distance of 750 feet to the southwest ked SW cor ; thence bearing north a
B.K. Seeley, Jr.  (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A	cor mar of 750 feet to bearing west cor mark	follows: Beginning at the NE corner, marked NE corner south a distance of 600 feet to the southeast rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; then a distance of 750 feet to the southwest ked SW cor ; thence bearing north a
B.K. Seeley, Jr.  (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A	thence bearing cor mark of 750 feet to bearing west cor mark distance of 6 NW cor to the north searing east Each of the about a 4 x 4	follows: Beginning at the NE corner, marked NE corner south a distance of 600 feet to the southeast rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; then a distance of 750 feet to the southwest ked SW cor ; thence bearing north a southwest cor , thence bearing east a distance of 750 feet to the point of beginning over described corners is a Rock monument or 4 x 4½ post.
B.K. Seeley, Jr.  (Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A	thence bearing cor mark of 750 feet to bearing west cor mark distance of 6 NW cor to the north searing east Each of the about a 4 x 4	follows: Beginning at the NE corner, marked NE corner south a distance of 600 feet to the southeast rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; then a distance of 750 feet to the southwest ked SW cor ; thence bearing north a southwest cor , thence bearing east a distance of 750 feet to the point of beginning over described corners is a Rock monument or 4 x 4½ post.
(Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)  (Address)  (Address)	thence bearing cor mark feet to bearing west cor mark distance of 6 NW cor to the north searing east Each of the about 4 x 4 this Location (	follows: Beginning at the NE corner, marked NE corsouth a distance of 600 feet to the southeast rked SE cor; thence bearing west a distance to the south side center, marked SSC; then a distance of 750 feet to the southwest ked SW cor; thence bearing north a 600 feet to the northwest cor, marked thence bearing east a distance of 750 feet to the point of beginning over described corners is a Rock monument or 4 x 4½ post.  The location and discovery work referred to above contributes was performed on or before April 26, 1968
(Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)  (Address)  (Address)	thence bearing cor mark feet to bearing west cor mark distance of 6 NW cor to the north searing east Each of the about 4 x 4 this Location (	follows: Beginning at the NE corner, marked NE corsouth a distance of 600 feet to the southeast rked SE cor; thence bearing west a distance to the south side center, marked SSC; then a distance of 750 feet to the southwest ked SW cor; thence bearing north a 600 feet to the northwest cor, marked thence bearing east a distance of 750 feet to the point of beginning over described corners is a Rock monument or 4 x 4½ post.  The location and discovery work referred to above contributes was performed on or before April 26, 1968
(Name of Locator)  (Name of Locator)  (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A	thence bearing cor marked for form for form feet to bearing west cor marked for form for for form for form for for form for	southa distance of 600 feet to the southeast rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; thence to the south side center , marked SSC ; thence to the southwest a distance of 750 feet to the southwest ked SW cor ; thence bearing north a feet to the northwest cor , marked feet to the northwest cor , marked if thence bearing east a distance of 750 feet to the point of beginning a distance of 750 feet to the point of beginning over described corners is a Rock monument or 4 x 4½ post.  The location and discovery work referred to above Certificate was performed on or before April 26 1968 , 1968, by or on behalf of the undersigned located.
(Name of Locator)  (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A	thence bearing cor mark of 750 feet to bearing west cor mark distance of 6 NW cor to the north searing east Each of the about this Location (b) B.K. Seeley	southa distance of 600 feet to the southeast rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; thence a distance of 750 feet to the southwest a distance of 750 feet to the southwest ked SW cor ; thence bearing north a northwest cor , marked j thence bearing east a distance of 750 side center , marked NSC ; then a distance of 750 feet to the point of beginning over described corners is a Rock monument or 4 x 4½ post.  The location and discovery work referred to above Certificate was performed on or before April 26 1968 , 1968, by or on behalf of the undersigned locator.
(Name of Locator)  (Address)  (Address)  (THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A	thence bearing cor mark of 750 feet to bearing west cor mark distance of 6 NW cor to the north searing east Each of the about this Location (b) B.K. Seeley	southa distance of 600 feet to the southeast rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; thence a distance of 750 feet to the southwest a distance of 750 feet to the southwest ked SW cor ; thence bearing north a northwest cor , marked j thence bearing east a distance of 750 side center , marked NSC ; then a distance of 750 feet to the point of beginning over described corners is a Rock monument or 4 x 4½ post.  The location and discovery work referred to above Certificate was performed on or before April 26 1968 , 1968, by or on behalf of the undersigned locator.
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A	thence bearing cor mark of 750 feet to bearing west cor mark distance of 60 NW cor to the north searing east a 4 x 4 to this Location (b) this Location (c) B.K. Seeley (Name of the searing correction (c) bearing east a 4 x 4 to this Location (c) B.K. Seeley (Name of the searing correction (c) bearing east a 4 x 4 to this Location (c) B.K. Seeley (Name of the search correction (c) bearing east a 4 x 4 to this Location (c) B.K. Seeley (Name of the search correction (c) bearing east a 4 x 4 to this Location (c) B.K. Seeley (Name of the search correction (c) bearing east a	southa distance of 600 feet to the southeast rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; thence a distance of 750 feet to the southwest a distance of 750 feet to the southwest ked SW cor ; thence bearing north a northwest cor , marked j thence bearing east a distance of 750 side center , marked NSC ; then a distance of 750 feet to the point of beginning over described corners is a Rock monument or 4 x 4½ post.  The location and discovery work referred to above Certificate was performed on or before April 26 1968 , 1968, by or on behalf of the undersigned locator.
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A	thence bearing cor mark of 750 feet to bearing west cor mark distance of 6 NW cor to the north searing east Each of the act a 4 x 4  this Location (B)  B.K. Seeley (Name of the seeley)	southa distance of 600 feet to the southeast rked SE cor; thence bearing west a distance to the south side center, marked SSC; then a distance of 750 feet to the southwest ked SW cor; thence bearing north a southwest cor , marked j thence bearing east a distance of 750 side center , marked NSC , then a distance of 750 feet to the point of beginning over described corners is a Rock monument or 4 x 4½ post.  The location and discovery work referred to above Certificate was performed on or before April 26, 1968 , 1968 , by or on behalf of the undersigned location of Locator)  (Address)
HIDOTALS COME DECORDED WITH THE COUNTY RECURDER OF ING COUNTY IN THE	thence bearing cor mark of 750 feet to bearing west cor mark distance of 6 NW cor to the north searing east Each of the act a 4 x 4  this Location (B)  B.K. Seeley (Name of the seeley)	southa distance of 600 feet to the southeast rked SE cor; thence bearing west a distance to the south side center, marked SSC; then a distance of 750 feet to the southwest ked SW cor; thence bearing north a southwest cor , marked j thence bearing east a distance of 750 side center , marked NSC , then a distance of 750 feet to the point of beginning over described corners is a Rock monument or 4 x 4½ post.  The location and discovery work referred to above Certificate was performed on or before April 26, 1968 , 1968 , by or on behalf of the undersigned location of Locator)  (Address)
HIDOTALS COME DECORDED WITH THE COUNTY RECURDER OF ING COUNTY IN THE	thence bearing cor mark of 750 feet to bearing west cor mark distance of 6 NW cor to the north searing east Each of the about this Location (Name of Name of N	southa distance of 600 feet to the southeast rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; then a distance of 750 feet to the southwest ked SW cor ; thence bearing north a 600 feet to the northwest cor , marked ; thence bearing east a distance of 750 feet to the point of beginning over described corners is a Rock monument or 4 x 4½ post.  The location and discovery work referred to above Certificate was performed on or before April 26, 1968
THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.	thence bearing cor marked from the cor marked	southa distance of 600 feet to the southeast  rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; then a distance of 750 feet to the southwest ked SW cor ; thence bearing north a 600 feet to the northwest cor , marked ; thence bearing east a distance of 750 side center marked NSC ; then a distance of 750 feet to the point of beginning over described corners is a Rock monument or 4 x 4½ post.  The location and discovery work referred to above Certificate was performed on or before April 26 1968 , 1968 , by or on behalf of the undersigned locatery, Jr. 1423 E. 9th So. Salt Lake City of Locator)  (Address)
	thence bearing cor marked for the cor marked for the cor marked for the north searing east for the above a 4 x 4 for the cor marked for the cor ma	southa distance of 600 feet to the southeast  rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; thence to the south side center , marked SSC ; thence to the southwest ; thence bearing north a distance of 750 feet to the southwest cor , marked side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning over described corners is a Rock monument or 4 x 4½ post.  The location and discovery work referred to above Certificate was performed on or before April 26, 1968 , 1968, by or on behalf of the undersigned locatery, Jr. 1423 E. 9th So. Salt Lake City of Locator)  (Address)  CATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN WHI
	thence bearing cor marked for the cor marked for the cor marked for the north searing east for the above a 4 x 4 for the cor marked for the cor ma	southa distance of 600 feet to the southeast  rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; thence to the south side center , marked SSC ; thence to the southwest ; thence bearing north a distance of 750 feet to the southwest cor , marked side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning over described corners is a Rock monument or 4 x 4½ post.  The location and discovery work referred to above Certificate was performed on or before April 26, 1968 , 1968, by or on behalf of the undersigned locatery, Jr. 1423 E. 9th So. Salt Lake City of Locator)  (Address)  CATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN WHI
	thence bearing cor marked for the cor marked for the cor marked for the north searing east for the above a 4 x 4 for the cor marked for the cor ma	southa distance of 600 feet to the southeast  rked SE cor ; thence bearing west a distance to the south side center , marked SSC ; thence to the south side center , marked SSC ; thence to the southwest ; thence bearing north a distance of 750 feet to the southwest cor , marked side center , marked NSC ; thence bearing east a distance of 750 feet to the point of beginning over described corners is a Rock monument or 4 x 4½ post.  The location and discovery work referred to above Certificate was performed on or before April 26, 1968 , 1968, by or on behalf of the undersigned locatery, Jr. 1423 E. 9th So. Salt Lake City of Locator)  (Address)  CATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A RECORDER WITH THE COUNTY RECORDER OF THE COUNTY IN WHI

File No. I

For \$ 1.00

46695	(Grou	F OF CLAIMS)	воок <b>2</b> 3	PAGE
cu. Na				<b>.</b> _ <b>.</b> .
Mining Claim was locat	S IS TO CERTI	.FY that the_ K. Seelev. Jr	Beta # 77	Lode 30th
Mining Claim was local day of January	19 68 in	the Mineral	Hill M	ining
District, Eureka described as being si	Co	unty, State	of Nevada, fur	ther
described as being si	tuated: St	Sec. 4 - T.26	N - R.52E. M.D.	3 <b>6M</b>
		<del></del>		
	<del></del>	· · · · · · · · · · · · · · · · · · ·		<del></del>
	_		_ /\.	
The	general cour	se of said lo	ode or vein is	direct
and the undersigned cand 10 feet in a	n easterly d	_reet in a	n the point of	discove
with a width of 300	_feet on each	side of the	center of the	vein o
lode along the entire	length of sa	id claim.	\ \	\
			\	\
The	location wor	k was done u	oon the Beta	#92
claim(s) for the bene:	fit of a cont	lquous group	of not more t	han ten
Lode Mining Claims, th	he specific n	names of which	h are as follo	WB:
Reta #1,#2,#19,#20	J <b>.#</b> 91 <b>.#</b> 92 <b>.#</b> 93	#94.#95. and	<b>#</b> 96	
		/ _	\	/ /
			\	
The	location wor	k done consid	sted of: <u>Dril</u>	ling
		<del></del>	<del></del>	
		<del></del>	<del></del>	
COSTING A TOTAL OF \$_	1000.00	of which \$10	0.00 is applic	able to
this claim.	1000100	OL WILLIAM	o.po as appare	-2-0 00
CHIS CIAIM,		\ \ \ /		
The	corners and	side centers	of the claim	are loca
and marked as follows	: Beginning	at the NE con	rner, marked <u>N</u>	E cor
thence bearing south	a distance of	600 feet to	o the southe	ast
of 750 feet to the	cor ; th	enter bearing	west a d	istance _: then
bearing west a	distance of	750 feet	to the sout	_; chem hwest
cor marked SW	cor : thenc	e bearing I	orth	a
distance of 600	feet to the	northwest c	or	marked
NW cor : the to the north side cer	nce bearing_	east	a distance of	750
to the north side cer	nter	marked NSC		_; then
bearing east a di	stance of 75	reet to	the point of b	eginnin(
Each of the above desc		2 18 a	<u>~∨ inAtimiliatir Ω</u>	<del></del>
a 4 x 4 x 4 5 p	location and	discovery we	ork referred t	o above
this Location Certific	cate was perf	ormed on or 1	before	
w April 26	9 <u>68</u> , by or o	on behalf of	the undersigne	d locat
B.K. Seeley, Jr.		1423 E 9+	h So. Salt La	ke City
(Name of Loca	tor)		(Address)	
σ /	7			
(D)	/	<u> </u>		
o (Name of Loca	tor)		(Address)	•
/muro apperatores of	TOOLUTON WY	ine moeman tu	BAN MUD ATATM	AND A
(THIS CERTIFICATE OF LEGIBLE COPY RECORDED	MITTHE THE COL	INTY PROGRED UPP PROGRED UP	OF THE COUNTY	'IN WHI
THE CLAIM IS LOCATED	WITHIN 90 DAY	S AFTER THE	DATE OF LOCATI	ON.)
ę				
				a depoter

the unders 10 fe ha width ce along the Bets #1.22	The signed class of 300 entire  The che benefiaims, the 2,119,120	general aims 1 easter feet on length location it of a le speci	l course 1490 f Ly din n each a of said on work a contig ific nar	e of safeet in rection side of d claim was do guous g mes of 194, 195,	from the consumption	de or ve wester! the poi center o	in is y nt of the	norther direct discove vein or
the unders 10 fe h a width of e along the im(s) for the Mining Cl Beta #1.#2	The signed classes in an of 300 entire.  The che benefiaims, the 2, #19, #20	general aims 1 easter feet on length location it of a e speci	l course 1490 f Ly din n each a of said on work a contig ific nar	e of safeet in rection side of d claim was do guous g mes of 194, 195,	from the consumption	de or ve wester! the poi center o	in is y nt of the	norther direct discove vein or
the unders 10 fe h a width of e along the im(s) for the Mining Cl Beta #1.#2	The signed classes in an of 300 entire.  The che benefiaims, the 2, #19, #20	general aims 1 easter feet on length location it of a e speci	l course 1490 f Ly din n each a of said on work a contig ific nar	e of safeet in rection side of d claim was do guous g mes of 194, 195,	from the consumption	de or ve wester! the poi center o	in is y nt of the	norther direct discove vein or
the unders 10 fe h a width of e along the im(s) for the Mining Cl Beta #1.#2	The signed classes in an of 300 entire.  The che benefiaims, the 2, #19, #20	general aims 1 easter feet on length location it of a e speci	l course 1490 f Ly din n each a of said on work a contig ific nar	e of safeet in rection side of d claim was do guous g mes of 194, 195,	from the consumption	de or ve wester! the poi center o	in is y nt of the	norther direct discove vein or
the unders 10 fe h a width of e along the im(s) for the Mining Cl Beta #1.#2	The signed classes in an of 300 entire.  The che benefiaims, the 2, #19, #20	general aims 1 easter feet on length location it of a e speci	l course 1490 f Ly din n each a of said on work a contig ific nar	e of safeet in rection side of d claim was do guous g mes of 194, 195,	from the consumption	de or ve wester! the poi center o	in is y nt of the	norther direct discove vein or
h a width of along the im(s) for the Mining Cl Beta #1,#2	et in an of 300 entire  The the beneficians, the 2, #19, #20	aims 1 easter feet on length location it of a se speci	1490 fixed of said on work a contiguitie nar	feet in rection side of d claim was do guous g mes of 194.195.	the consumptions of the consumption of the consumptions of the consumption of the consumptions of the cons	westerly the poi center o on the of not m	nt of f the	_direct discove vein or
h a width of along the im(s) for the Mining Cl Beta #1,#2	et in an of 300 entire  The the beneficians, the 2, #19, #20	aims 1 easter feet on length location it of a se speci	1490 fixed of said on work a contiguitie nar	feet in rection side of d claim was do guous g mes of 194.195.	the consumptions of the consumption of the consumptions of the consumption of the consumptions of the cons	westerly the poi center o on the of not m	nt of f the	_direct discove vein or
h a width of along the im(s) for the Mining Cl Beta #1,#2	et in an of 300 entire  The the beneficians, the 2, #19, #20	aims 1 easter feet on length location it of a se speci	1490 fixed of said on work a contiguitie nar	feet in rection side of d claim was do guous g mes of 194.195.	the consumptions of the consumption of the consumptions of the consumption of the consumptions of the cons	westerly the poi center o on the of not m	nt of f the	_direct discove vein or
h a width of along the im(s) for the Mining Cl Beta #1,#2	et in an of 300 entire  The the beneficians, the 2, #19, #20	aims 1 easter feet on length location it of a se speci	1490 fixed of said on work a contiguitie nar	feet in rection side of d claim was do guous g mes of 194.195.	the consumptions of the consumption of the consumptions of the consumption of the consumptions of the cons	westerly the poi center o on the of not m	nt of f the	_direct discove vein or
h a width of along the im(s) for the Mining Cl Beta #1,#2	et in an of 300 entire  The the beneficians, the 2, #19, #20	aims 1 easter feet on length location it of a se speci	1490 fixed of said on work a contiguitie nar	feet in rection side of d claim was do guous g mes of 194.195.	the consumptions of the consumption of the consumptions of the consumption of the consumptions of the cons	westerly the poi center o on the of not m	nt of f the	_direct discove vein or
h a width of along the im(s) for the Mining Cl Beta #1,#2	of 300 entire  The the beneficians, the 2,419,420	feet on length location it of a e speci	of said	side of d claim was do guous g mes of 194,195	ne upo proup c which	on the are as	Beta :	Vein or #92
h a width of along the im(s) for the Mining Cl Beta #1,#2	of 300 entire  The the beneficians, the 2,419,420	feet on length location it of a e speci	of said	side of d claim was do guous g mes of 194,195	ne upo proup c which	on the are as	Beta :	Vein or #92
im(s) for the Mining Cl Beta #1.#2	The the beneficians, the 2,#19,#20	length location it of a se speci	of said on work a contig ific name 22,493,4	d claim was do guous g mes of	one upo group o which	on the_ of not m	Beta :	<b>#92</b>
im(s) for t e Mining Cl Beta #1.#2	The the beneficial th	location it of a speciment of the specim	on work a contig ific nar 22,#93,4	was do guous g mas of 194,195,	ne upo roup c which	are as	Beta ore th follow	#92 Van ten
Beta #1.	the beneficial the latest the lat	it of a e speci #91.#9	ific nar	guous g mes of 194, 195,	roup c	are as	Beta ore th follow	192 Van ten 188
Beta #1.	the beneficial the latest the lat	it of a e speci #91.#9	ific nar	guous g mes of 194, 195,	roup c	are as	ore th	wan ten
Beta #1.	the beneficial the latest the lat	it of a e speci #91.#9	ific nar	guous g mes of 194, 195,	roup c	are as	follow	rsi_cen
Beta #1.	19, 20	· PY I · PY	12,193,1	94. 95.	waich and	#96	.01106	
Beta #1.	19, 20	· PY I · PY	12,193,1	94. 95.	and	EAD.		$\overline{}$
					$\leftarrow$	\	<del></del>	/
TING & TOTAL	The	locatić	on work			\		
TING & TOTAL	The	locatio	on work		16.	1		
TING A TOTAL	The	_ocatio	un work		. المحمر		The 4 2 7	1ne
MING A MODE				uone C	ons1st.	uga OI:_	ne i i i	AUK
TING & TOTAL			<del></del>	<del></del>	/_	1		
THE A TOTAL		<del></del>			_/	/		
TING A TOP		100			1	<u> </u>		151-
	LOF \$	7000 <u>00</u>	ه ،ـــــ	which	1 ¥100.	,UU 18 a	pplica	TOTO CO
s claim.								
	//					٠. م	.1	.ee 9= '
					1770		NIE	7 464
marked as					1770		NIE	7 464
nce bearing	southa	dista	nce of t	ουυ_fe	et to	THE S	<u>nn rue</u>	- <u></u>
cor m	iked SE	COL	j the	nce bea	rring_	WEST	ु a di	*orance
750 feet	to the	south s	side cel	nter Jex	mar)	Ked <u>.</u> S		_, cnenc
ring west	<u>_</u> a	distant	ce of	/3U	reet (	co the_	_south	.west
or man	rked SW	cor ;	thence	bearin	ng no	TE CEL		
tance of	600	_feet	to the_	northw	est co	<u>) E</u>	, I	TEC TEC
cor	_; then	ice bear	ring e	ast		a dista:	nce of	120
the north	side cen	ter		arked_	NSC			_, chenc
ring east	a dis	tance o	of <u>750</u>	feet	t to ti	ne point	of be	eginning
THE CT CHE BY	DO A E ME'L		corners	1 18 a	Roc	K MODUM	ent or	<u> </u>
a 4 x	4 x 45 p	ost.						
	The	location	on and	discove	ery wo	rk refe	rred to	o above
s Location	Cartific	ate was	s parfo	ormed on	n or be	efore.		_ <u></u>
April 26	10	68 b	y or on	behalf	f of t	he under	rsigne	d locate
<u></u>	/	7						•
B.K Secto	y, Jr	/		1423	E. 9t)	So. Sa	lt La	Ke City.
		orl						
/ name	U. MCES	/					=	¥
	/ /			_				<u> </u>
7st== -	of Year	:OF )				Addre	85)	
ITC CEDET	<u></u>	ውስ አመት ስ	N MIICH	BE Poer	מוז מפץ	ON THE	CLAIM A	AND A
TOTE CODY	DECODINED.	WITTH T	HE COUN	NTY RECC	ORDER	OF THE	COUNTA	TN MOT
ZABLE COPY	NECUKUED	TOTAL	OU DEAL		THE P	ATE OF	LOCATT	ON.)
S CLAIM IS	LUCATED N	MINITA	A THEY'S	, astan	الله : حدد ب	<b>. V</b> E '	ا <b>ڪ ته دست</b> سند.	
· • .								
		TAS SHALL	ू सुर्वे के तम	general e	Service Andre	, <del></del>	er gaza ase S	ded See See See See See See See See See See
ar <u>ilakasto</u> nske.		أمره البيارة	<u> </u>	Sandrida ar		<u>r jeur jeun zelik</u>		<u>an an an Albaha</u>
	gwan nghan.		Se superior					
	ence bearing cor , ma 750 feet aring west cor , mai stance of V cor the north aring east ch of the al a 4 x  is Location April 26  B.K. Seele (Name HIS CERTIFIC	marked as follows: ence bearing southat cor	marked as follows: Beginer bearing south a distance of feet to the south saring west a distance of 600 feet of the north side center aring east a distance of the above described a 4 x 4 x 4 x post.  The location Certificate wa April 26 1968, b  B.K. Seeley, Jr.  (Name of Locator)  HIS CERTIFICATE OF LOCATION CERTIFIC	marked as follows: Beginning a conce bearing south a distance of cor , marked SE cor ; the 750 feet to the south side ce aring west a distance of cor , marked SW cor ; thence stance of 600 feet to the cor ; thence bearing extended to the north side center aring east a distance of 750 ch of the above described corners a 4 x 4 x 4 x 4 x post.  The location and is Location Certificate was perfect April 26 , 1968, by or or B.K. Seeley, Jr.  (Name of Locator)  HIS CERTIFICATE OF LOCATION MUST CIPLE CODY PROOPDED WITH THE COURT	marked as follows: Beginning at the Name of Location  marked as follows: Beginning at the Name of Locator)  marked SE cor   ; thence bearing west	marked as follows: Beginning at the NE correct bearing south a distance of 600 feet to cor marked SE cor thence bearing 750 feet to the south side center marked sering west a distance of 750 feet for marked SW cor thence bearing no stance of 600 feet to the northwest correct the north side center marked NSC aring east a distance of 750 feet to the north side center marked NSC aring east a distance of 750 feet to the following feet to the north side center marked NSC aring east a distance of 750 feet to the north side center marked NSC aring east a distance of 750 feet to the north side center marked NSC aring east a distance of 750 feet to the north side center marked NSC aring east a distance of 750 feet to the north side center marked NSC aring east a distance of 750 feet to the north side center marked NSC aring east a distance of 750 feet to the north side center marked NSC aring east a distance of 750 feet to the north side center marked NSC aring east a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750 feet to the northwest con a distance of 750	marked as follows: Beginning at the NE corner, marked sence bearing souths distance of 600 feet to the secondary marked north side center marked near marked north side center marked near marked secondary marked secondary marked secondary marked north side center marked near north side center north side cen	The location and discovery work referred to is Location Certificate was performed on or before  April 26

CERTIFICATE OF LOC	ATION OF LODE MINING CLAIM
	UP OF CLAIMS) POOK 23 PAGE
7116 (ND	
THIS IS TO CERT	IFY that the Reta # 96 Lod K. Seeley Jr. on the 30th
day of January 10 69 45	K. Seeley, Jr. on the 30th
District, Eureka Co	Dunty State of Newsca function
day of January 19 68 in District, Eureka Codescribed as being situated: 88	Sec. 4 - T. 26N - R. 52E MDRAW
The general cour	rse of said lode or vein is northe
and the undersigned claims 1490	_feet in awesterly direct
and reet in an easterly of	feet in a westerly direct direction from the point of discover
lode along the entire length of sa	1 Slop of the center of the water a
sile chicita langen of Ba	ita ciaim.
The location wor	ck was done upon the Beta #92
Claim(s) for the benefit of a cont	iminus group of pet
Lode Mining Claims, the specific management Holder 1, 12, 19, 120, 191, 192, 193	lames of which are as follows:
	. 194. 95. and 196
The location wor	k done consisted of: Drilling
	_/_/
thence bearing south a distance of cor , marked SE cor ; the bearing west a distance of food feet to the south side cor , marked SW cor ; thence of 600 feet to the SNW cor ; thence bearing to the north side center bearing east a distance of 750 feach of the above described corner.	ence bearing west a distance enter , marked SSC ; thence 750 feet to the southwest e bearing north a northwest cor , marked east a distance of 750 marked NSC ; thence 750 mar
a 4 x 4 x 4 post.  The location and	
The location and	discovery work referred to above
cents pocation certificate was believed	ormed on or before
April 25 19.68 by or or	n behalf of the undersigned locator
μ	
	1423 E. 9th So. Salt Lake City.
(Name of Locator)	(Address)
Se	
(Name of Locator)	(Address)
lo la	
THIS CERTIFICATE OF LOCATION MUST	BE POSTED UPON THE CLAIM AND A
LEGIBLE COPY RECORDED WITH THE COUN	NTY RECORDER OF THE COUNTY IN WHICH
THE CLAIM IS LOCATED WITHIN 90 DAYS	AFTER THE DATE OF LOCATION.)

FILE NO. 45697

Fee S 1.00

4 - 7 - 1		CROUP OF CLAIM			67
46698			-		
Mining Claim wa day of	THIS IS TO	CERTIFY that the B.K. Seeley,	e <u>Beta#</u>	the 30th	ode
District. E	reka	County Stat	e of Nevada	further	
described as be	ing situated:_	Se Sec. 4 - T.	26N - R.52E	MDBAM	
					1.0 1.0
•				$\wedge$	
and the undersi and 1490 fee with a width of lode along the	gned claims 10 t in an easter 300 feet on	each side of t	westerly rom the poi	nt of disc	ectio overy
claim(s) for th Lode Mining Cla Beta #37,#38	e benefit of a	n work was done contiguous grofic names of wh	up of not m	ore than to	ea (1
					_
	The location	n work done con	sisted of:	Drilling	
		/_/_			1
<del></del>		<del>/ / /                                  </del>	<del></del>	<del></del>	
COSTING A TOTAL	of \$ 1000.00	, of which \$	100.00 is a	pplicable	to
and marked as f thence bearing_ cor, mar of_750feet t bearing_west cor, mark distance of60	ollows: Begin	of 600 foot	corner, mar	ked NE cor	<u> </u>
nearing West	a distanc	e of 750 fe	et to the	southwest	511CB
cor mark	ed SW cor	thence bearing_	north	a	
distance of 60	)0 feet to	o the northwest	cor	, marke	d _
NW cor	_; thence bear:	ing east Ni	a distan	ce of 750 the	I@
to the north si	iae center	f_750feet t	,		enca
Each of the abo	ve described co	orners is a	Rock monum	ent or	
		///	<del></del>		
	The location	n and discovery	work refer	red to abo	ve in
this Location C m April 26	ertificate was	performed on o or on behalf o	r belore <u> </u>	signed loca	ator(
R V Seeler	, 19 <u>.00</u> , by				
B.K. Seeley		1423 E.	9th So. Sa		للبلا
	f Locator)		(Addres	s)	•
8	/ /				

(Name of Locator) (Address)

(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION.)

EUREKA COUNTY NEVADA Z

TO OF THIS IS TO THE

G. 20

RECORDS OF

T-: 5 1.00

	46699 (GR	COUP OF CLAIMS) BOOK 23 PAGE 480
	This is To CER Mining Claim was located by day of	Brief that the Bela # 98 Lode B.K. Seeley, Jr. on the 30th on the Nineral Hill Mining County, State of Nevada, further Sec. 4 - T.26N - R.52E, MUBSM
	and the undersigned claims 10 and 1490 feet in an easterly	feet in a westerly direction direction from the point of discovery; ch side of the center of the vein or said claim,
	claim(s) for the benefit of a co	ork was done upon the Beta 143 143 ontiguous group of not more than ten (10 names of which are as follows:
	The location w	ork done consisted of: Drilling
	COSTING A TOTAL OF \$ 1000.00 this claim.	, of which \$100.00 is applicable to
	and marked as follows: Beginning thence bearing south adistance	of side centers of the claim are located ag at the NE corner, marked NE corner, of 600 feet to the southeast thence bearing west a distance center, marked SSC; thence of 750 feet to the southwest once bearing north a continuest corner and marked seast a distance of 750 feet of marked seast a distance of 750 feet of point of beginning.
Jock A	distance of 600 feet to t	he northwest cor , marked east a distance of 750 fee
m Apr. 29 19 6	to the north side center bearing east a distance of Each of the above described corn a 4 x 4 x 4 post.	, marked NSC , thence 750 feet to the point of beginning, mers is a Rock monument or
2	this Location Certificate was pe April 25 , 1953, by or	and discovery work referred to above in erformed on or before on behalf of the undersigned locator(s
minu.	ゅ。 B.K. Seeley, <i>Jr</i> 。 ス (Name of Locator)	1423 S. 9th So. Salt Leke City. Us (Address)
1 A 3	ν.	(222000)
BO KEGONDS OF	(Name of Locator) (THIS CERTIFICATE OF LOCATION MULLEGIBLE COPY RECORDED WITH THE CENTRE CLAIM IS LOCATED WITHIN 90 1	(Address) UST BE POSTED UPON THE CLAIM AND A COUNTY RECORDER OF THE COUNTY IN WHICH WAYS AFTER THE DATE OF LOCATION.)
후 유 🕦	LE 的复数自由主义企业 Example and 医电影中心主义是	

LOCATION OF LODE MINING

CERTIFICATE OF

CERTIFICATE OF LOCAT	ION OF LODE MINING CLAIM
<b>4</b> 0.00	OF CLAIMS) POOK 25 PAGE 491
THIS IS TO CERTIF  Mining Claim was located by B,K  day of January 1968 in t	Y that the Beta # 99 Lode, Seeley, Jr. on the 30th
day of January , 1965 in t District, Eureka Cou described as being situated: St Se	nty, State of Nevada, further c. 4 - T.26N - R.52E, MDB&M
The general cours	e of said lode or vein is northerly,
and the undersigned claims 10 and 1490 feet in an easterly di with a width of 300 feet on each lode along the entire length of sai	feet in a <u>westerly</u> direction rection from the point of discovery, side of the center of the vein or d claim.
The location work claim(s) for the benefit of a conti Lode Mining Claims, the specific na Reta #37, #38, #39, #40, #41, #42, #43	was done upon the Beta 243 443 guous group of not more than ten (10) mes of which are as follows:
The location work	done consisted of: Drilling
COSTING A TOTAL OF \$ 1000.00 , o this claim.	
and marked as follows: Beginning a	ide centers of the claim are located t the NE corner, marked NE cor feet to the southeast
thence bearing southa distance of cor , marked SE cor ; the of 750 feet to the south side ce	nce bearing west a distance nter , marked SSC ; thence
bearing West a distance of	bearing north a
Odistance of 600 feet to the the core of t	northwest cor, marked asta distance of 750 feet
NW cor ; thence bearing expenses to the north side center makes to the north side center makes a distance of 750 bearing east a distance of 750 bearing east a distance corners	feet to the point of beginning. is a Rock monument or
a 4 x 4 x 4½ post.  The location and	discovery work referred to above in
4 othis Location Certificate was perio	rmed on or before behalf of the undersigned locator(s).
B,K, Saeley, Jr.	1423 E. 9th So. Salt Lake City. Utah
(Name of Locator)	(Address)
(Name of Locator)	
	(Address)
THIS CERTIFICATE OF LOCATION MUST LEGIBLE COPY RECORDED WITH THE COUNTRY OF THE CLAIM IS LOCATED WITHIN 90 DAYS	TY RECORDER OF THE COUNTY IN WHICH
	그는 사람이 가장 보는 그 사람들이 가장 하고 있다. 그는 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은

File No. 461700 VADA

F. s. 1.00

CERTIFICATE OF LO	OCATION OF LODE MINING CLAIM
46701	23 48
rije No.	POORFAGE
THIS IS TO CER	RTIFY that the Beta # /00 Lode B.K. Seeley, Jr. on the 30th In the Mineral Hill Mining County, State of Nevada, further St Sec. 4 - T.26N - R.52E, MDBAM
Mining Claim was located by	B.K. Seeley, Jr. on the 30th
District Europa 19 68 1	n the Mineral Hill Mining
described as being situated:	County, State of Nevada, further
	DE DEC. 4 - T.20N - R.52E, MDBAM
	<del></del>
	^
m	
and the undersigned claims 1400	ourse of said lode or vein is norther!feet in awesterlydirection
and /o feet in an easterly	direction from the point of discovery
lode along the entire length of	said claim,
	\ \
The location w	Ork was done were the Date // /00
Contract of the Contract of th	ork was done upon the Heta # /00
/	
The location w	ork done consisted of: Trenching
	ork done consisted or Trenching
COOMENIA	
this claim.	, of which \$100,00 is applicable to
cuts Claim.	
The corners and	d side centers of the claim are locate
thence bearing southa distance of	of 600 feet to the southeast
of 750 forth to the core	hence bearing west a distance
bearing West	denter , marked SSC ; thence
# cor , marked SW cor , then	of 600 feet to the southeast thence bearing west a distance center , marked SSC ; thence 750 feet to the southwest ace bearing north a ne northwest cor , marked east a distance of 750 feet marked NSC ; thence 50 feet to the point of beginning.
gdistance of 600 feet to th	ne northwest cor
NW cor ; thence bearing	east a distance of 750 for
to the north side center	marked NSC : thence
Dearing east a distance of 7	feet to the point of beginning.
Each of the above described corne a 4 x 4 x 4; post.	rs is a Rock monument or
The legation an	
The location an	d discovery work referred to above in
cuts rocation certificate was per	Tormed on or before
April 26 , 1968, by or	on behalf of the undersigned locator(
B.V. Banton Tu	
(Name of Locator)	1423 8. 9th So. Salt Lake City. Ut
	(Address)
S C	
(Name of Locator)	(Address)
	·
ATRIS CERTIFICATE OF LOCATION MUST	T BE POSTED UPON THE CLAIM AND A
MEGISTE COPY RECORDED WITH THE COL	UNTY RECORDER OF THE COUNTY IN WHICH
THE CLAIM IS LOCATED WITHIN 90 DAY	YS AFTER THE DATE OF LOCATION.)
. : - <b>ኒ</b>	

	CERTIFICATE OF	COCATION OF TODE	E MINING CLAIM	
110 110 46'702		<u> </u>	воок 23	483
1	THIS IS TO C	ERTIFY that the	Bata # /D/	1.4.
Mining Claim	was located by ary 1968 Eureka	B.K. Seeley, J	r. on the 3	Oth
day of Janu	ary 1968	in the Mineral	Hill Mir	ning
District,	Lureka	County, State	of Nevada, furth	ier
described as	being situated:	DE Bec. 4 - T.	20N - R.52E, MDB	KM
		<del></del>		
	The ceneral	course of said 1	lode or vein is_	
and the unde	rsigned claims: [4-6	Mo feet in a	wester]v	44-00-40-
and	feet in an easterly of 300 feet on	direction fro	m the point of d	iscovery,
with a width	of 300 feet on the entire length of	each side of the	center of the v	ein or
tode along t	ne encite tenden o	said Claim.	\ \	
			\ \	
-	The location	work was done u	pon the Beta #	101
				er enderer v
			eren eren eren eren eren eren eren eren	
	The location	work done conef	sted of: Trench	1-2
<del></del>			aced or	
<del></del>				
COCOTAGO A GO	TAL OF \$ 100.00	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
	TAT OF 2 TOO OO			
4447-1-		- or mulcu \$10	0.00 is applicab	le to
this claim.	· · · · · · · · · · · · · · · · · · ·	_, or which \$10	0.00 is applicab	le to
this claim.		or water \$10	0.00 is applicab	le to
this claim.				
and marked as	The corners as s follows: Beginni	nd side centers	of the claim ar	e located
and marked as	The corners as follows: Beginning souths distance	and side centers	of the claim ar	e located
and marked as	The corners as follows: Beginning souths distance	and side centers	of the claim ar	e located
and marked as thence bearing cor , no feet	The corners as follows: Beginning southa distance marked SE cor	and side centers and at the NE co a of 600 feet t thence bearing	of the claim ar rner, marked NE o the southeas west a dis	e located
and marked as thence bearing cor , no feet	The corners as follows: Beginning southa distance marked SE cor	and side centers and at the NE co a of 600 feet t thence bearing	of the claim ar rner, marked NE o the southeas west a dis	e located
and marked as thence bearing cor , no feet	The corners as follows: Beginning southa distance marked SE cor	and side centers and at the NE co a of 600 feet t thence bearing	of the claim ar rner, marked NE o the southeas west a dis	e located
and marked as thence bearing of 750 feet bearing west	The corners as follows: Beginning south a distance marked SE cor to the south side arked SW cor; the 600 feet to	and side centers and at the NE co of 600 feet to thence bearing e center man of 750 feet thence bearing I the northwest of th	of the claim ar rner, marked NE o the southeas west a dis rked SSC; to the southwestorth	e located cor t tance thence
and marked as thence bearing of 750 feet bearing west cor marked as the cor marked a	The corners as follows: Beginning south a distance to the south side a distance arked SW cor; the feet to the side center	and side centers and at the NE co a of 600 feet to thence bearing e center , man of 750 feet ence bearing I the northwest of g east marked NSC	of the claim ar rner, marked NE o the southeas west a dis rked SSC; to the southweet corth cort corth cort corth cort corth cort corth cort corth cort	e located cor t tance thence est a rked 750 feet
and marked as thence bearing of 750 feet bearing west cor marked as the cor marked a	The corners as follows: Beginning south a distance marked SE cor to the south side arked SW cor; the following thence bearing side center a distance of	and side centers and side centers and at the NE co of 600 feet to thence bearing center , ma of 750 feet the northwest of geast marked NSC 750 feet to	of the claim ar rner, marked NE o the southeas west a district of the southwest of the southwest of the southwest of the point of beginning the point of beginning a distance of the southwest of	e located cor t tance thence est a rked 750 feet
and marked as thence bearing of 750 feet bearing west cormodistance of to the north bearing east beach of the a	The corners as follows: Beginning south a distance to the south side a distance of the side center a distance of above described cor	and side centers and side centers and at the NE co of 600 feet to thence bearing center , ma of 750 feet the northwest of geast marked NSC 750 feet to	of the claim ar rner, marked NE o the southeas west a district of the southwest of the southwest of the southwest of the point of beginning the point of beginning a distance of the southwest of	e located cor t tance thence est a rked 750 fee
and marked as thence bearing of 750 feet bearing west cormodistance of the north bearing east	The corners as follows: Beginning south a distance to the south side a distance arked SW cor; the feet to the side center	and side centers and side centers and at the NE co of 600 feet to thence bearing center , ma of 750 feet the northwest of geast marked NSC 750 feet to	of the claim ar rner, marked NE o the southeas west a district of the southwest of the southwest of the southwest of the point of beginning the point of beginning a distance of the southwest of	e located cor t tance thence est a rked 750 fee
and marked as thence bearing of 750 feet bearing west cormodistance of the north bearing east a 4 x	The corners as follows: Beginning south a distance marked SE cor to the south side a distance of the side center a distance of above described cor a 4 x 45 post.	and side centers and side centers and at the NE co of 600 feet to thence bearing e center , ma of 750 feet ence bearing I the northwest of g east , marked NSC 750 feet to ners is a Ro	of the claim ar rner, marked NE o the southeas; west a dis rked SSC; to the southweath cor a distance of the point of begack monument or	e located cor t tance thence est a rked 750 fee inning.
and marked as thence bearing cor of 750 feet bearing west cor marked as the cor mark	The corners as follows: Beginning south a distance arked SE cor to the south side arked SW cor the feet to fee	and side centers  ng at the NE co  of 600 feet to  thence bearing e center , man  of 750 feet ence bearing I the northwest of g east  750 feet to ners is a Ro  and discovery we	of the claim ar rner, marked_NE o the southeas; west a dis rked_SSC; to the southwe north cor , ma a distance of ; the point of beg ock monument or	e located cor t tance thence est a rked 750 fee inning.
and marked as thence bearing cor of 750 feet bearing west cor marked as the corresponding to the	The corners as follows: Beginning south a distance arked SE cor to the south side arked SW cor; the feet to feet to feet to side center a distance of above described cor 4 x 4½ post.  The location of Certificate was personned as follows as fo	and side centers  ng at the NE co  of 600 feet to  thence bearing e center , man  of 750 feet ence bearing I the northwest of g east , marked NSC 750 feet to ners is a Ro  and discovery we erformed on or least	of the claim ar rner, marked_NE o the southeas: west a dis rked_SSC; to the southwe north cor , ma a distance of ; the point of beg ock monument or ork referred to a before	e located cor t tance thence est a rked 750 fee thence inning.
and marked as thence bearing of 750 feet bearing west cor marked as the correct of the correct o	The corners as follows: Beginning south a distance arked SE cor to the south side arked SW cor; the feet to feet to feet to side center a distance of above described cor 4 x 4½ post.  The location of Certificate was personned as follows as fo	and side centers  ng at the NE co  of 600 feet to  thence bearing e center , man  of 750 feet ence bearing I the northwest of g east , marked NSC 750 feet to ners is a Ro  and discovery we erformed on or least	of the claim ar rner, marked_NE o the southeas; west a dis rked_SSC; to the southwe north cor , ma a distance of ; the point of beg ock monument or	e located cor t tance thence est a rked 750 fee thence inning
and marked as thence bearing cor of 750 feet bearing west cor marked as the correct of the morth bearing east at this Location April 26	The corners as follows: Beginning southa distance marked SE cor to the south side arked SW cor the following the following the side center and a distance of a distance of 4 x 4½ post.  The location of Certificate was present the following t	and side centers and side centers and at the NE co a of 600 feet to thence bearing e center , ma of 750 feet ence bearing I the northwest of g east 750 feet to ners is a Ro and discovery weerformed on or is r on behalf of in	of the claim ar rner, marked NE o the southeas; west a dis rked SSC; to the southwe north or , ma a distance of ; the point of beg ock monument or or core the southwe see the southwent or the point of beg ock monument or or the see the undersigned in the southwent or the see the see the southwent or the see the see the see the see the southwent or the see	e located cor t tance thence est a rked 750 fee thence inning.
and marked as thence bearing cor of 750 feet bearing west cor marked as the correct of the morth bearing east at this Location April 26	The corners as follows: Beginning south a distance arked SE cor to the south side arked SW cor the following feet to feet to the side center a distance of above described cor 4 x 4½ post.  The location Certificate was post, 1968, by one sy, Jr.	and side centers and side centers and at the NE co a of 600 feet to thence bearing e center , ma of 750 feet ence bearing I the northwest of g east 750 feet to ners is a Ro and discovery weerformed on or is r on behalf of in	of the claim ar rner, marked NE o the southeas; west a dis rked SSC; to the southwent or marked of the point of begins of the point of begins of the point of begins of the undersigned the undersigned the so. Salt Lake	e located cor t tance thence est a rked 750 fee thence inning.
and marked as thence bearing cor of 750 feet bearing west cor marked as the cor of the north bearing east hearing east at this Location April 26 Name	The corners as follows: Beginning southa distance marked SE cor to the south side arked SW cor the following the following the side center and a distance of a distance of 4 x 4½ post.  The location of Certificate was present the following t	and side centers and side centers and at the NE co a of 600 feet to thence bearing e center , ma of 750 feet ence bearing I the northwest of g east 750 feet to ners is a Ro and discovery weerformed on or is r on behalf of in	of the claim ar rner, marked NE o the southeas; west a dis rked SSC; to the southwe north or , ma a distance of ; the point of beg ock monument or or core the southwe see the southwent or the point of beg ock monument or or the see the undersigned in the southwent or the see the see the southwent or the see the see the see the see the southwent or the see	e located cor t tance thence est a rked 750 fee thence inning.
and marked as thence bearing cor of 750 feet bearing west cor marked as the cor of the north bearing east at a 4 x cor	The corners as follows: Beginning south a distance arked SE cor to the south side arked SW cor the following feet to feet to the side center a distance of above described cor 4 x 4½ post.  The location Certificate was post, 1968, by one sy, Jr.	and side centers and side centers and at the NE co a of 600 feet to thence bearing e center , ma of 750 feet ence bearing I the northwest of g east 750 feet to ners is a Ro and discovery weerformed on or is r on behalf of in	of the claim ar rner, marked NE o the southeas; west a dis rked SSC; to the southwent or marked of the point of begins of the point of begins of the point of begins of the undersigned the undersigned the so. Salt Lake	e located cor t tance thence est a rked 750 fee thence inning.
and marked as thence bearing cor of 750 feet bearing west cor , marked as the correct of the north bearing east at this Location April 26 Name (Name	The corners as follows: Beginning south a distance arked SE cor to the south side arked SW cor the following feet to feet to feet to side center a distance of above described cor 4 x 4½ post.  The location Certificate was pure 1968, by one sy, Jr.  s of Locator)	and side centers and side centers and at the NE co a of 600 feet to thence bearing e center , ma of 750 feet ence bearing I the northwest of g east 750 feet to ners is a Ro and discovery weerformed on or is r on behalf of in	of the claim ar rner, marked NE of the southeas; west a distributed to the southwent of the southwent of the point of beginning the undersigned the undersigned the (Address)	e located cor t tance thence est a rked 750 fee thence inning.
and marked as thence bearing cor of 750 feet bearing west stance of west with the stance of the a 4 x of this Location April 26 Name of Name o	The corners as follows: Beginning south a distance marked SE cor to the south side a distance of feet to feet feet	and side centers and side centers and at the NE co of 600 feet to thence bearing e center , ma of 750 feet hence bearing I the northwest of g east , marked NSC 750 feet to ners is a Ro and discovery we erformed on or I r on behalf of the	of the claim ar rner, marked NE of the southeas; west a district of the southwent or marked of the point of beginning the point of beginning the undersigned the undersigned the call of the call of the call of the undersigned the call of the call	e located cor t tance thence est a rked 750 fee thence inning above in locator(s)
and marked as thence bearing cor of 750 feet bearing west bearing west with the north bearing east bearing east at this Location April 26 Name (Name of the Section of the	The corners as follows: Beginning south a distance marked SE corner to the south side arked SW corner to the feet to f	and side centers and side centers and at the NE co of 600 feet to thence bearing center man of 750 feet ence bearing rence bearing rence bearing rence for the northwest of the	of the claim ar rner, marked NE the southeas west a dis rked SSC 7 to the southwent or a distance of the point of begack monument or the undersigned the undersigned the so. Salt Lake (Address)	e located cor t tance thence esta rked 750 feet thence inning. above in locator(s)
and marked as thence bearing cor of 750 feet bearing west distance of NW cor of the north bearing east at this Location April 26 Name (Name of the Segible Copy	The corners as follows: Beginning south a distance marked SE cor to the south side arked SW cor, the following feet to the side center adistance of above described cor 4 x 4½ post.  The location of Certificate was performed for the following feet to the side center above described cor 2 4 x 4½ post.  The location of Certificate was performed for the following feet to the feet to the following feet to the feet t	and side centers and side centers and at the NE co of 600 feet to thence bearing center	of the claim ar rner, marked NE o the southeas west a dis rked SSC 7 to the southwent or a distance of a distance of the point of begock monument or or referred to before the undersigned the so. Salt Lake (Address)  (Address)  PON THE CLAIM AND OF THE COUNTY I	e located cor t tance thence est a rked 750 feet thence inning. above in locator(s)
and marked as thence bearing cor of 750 feet bearing west distance of NW cor of the north bearing east at this Location April 26 Name (Name of the Segible Copy	The corners as follows: Beginning south a distance marked SE corner to the south side arked SW corner to the feet to f	and side centers and side centers and at the NE co of 600 feet to thence bearing center	of the claim ar rner, marked NE o the southeas west a dis rked SSC 7 to the southwent or a distance of a distance of the point of begock monument or or referred to before the undersigned the so. Salt Lake (Address)  (Address)  PON THE CLAIM AND OF THE COUNTY I	e located cor t tance thence est a rked 750 feet thence inning. above in locator(s)
and marked as thence bearing cor of 750 feet bearing west cor marked as cor marked as the cor marked a	The corners as follows: Beginning south a distance marked SE cor to the south side arked SW cor, the following feet to the side center adistance of above described cor 4 x 4½ post.  The location of Certificate was performed for the following feet to the side center above described cor 2 4 x 4½ post.  The location of Certificate was performed for the following feet to the feet to the following feet to the feet t	and side centers and side centers and at the NE co of 600 feet to thence bearing center	of the claim ar rner, marked NE o the southeas west a dis rked SSC 7 to the southwent or a distance of a distance of the point of begock monument or or referred to before the undersigned the so. Salt Lake (Address)  (Address)  PON THE CLAIM AND OF THE COUNTY I	e located cor t tance thence est a rked 750 feet thence inning. above in locator(s)

1: }	46703					BOOK .	93	48
ያዘል የ	ła			·		BUUK		PAGE48
	ning Claim y of Janua strict, scribed as	T	HIS IS TO	O CERTIFY	that the_	Beta #	102	Lode
Mi	ning Claim	was lo	cated by	B.K.	Seeley, J	ror	the	ning
day	y of Janus	ry Furak	, 19	es in th	e Mineral	of Nevada	furt	her
Dis	strict,	baing	cituated	8 B	ec. 4 - T.	26N - R.5	SE WDE	M8
ge:	scribed as	permy	51 Cua cea	·		· · · · · · · · · · · · · · · · · · ·		
							^	
		er.		al course	of said I	ode or v	ein is	northerly
	d the unde				COL IN B	Wester		GILECTIO
4	+h ≥ width	റ£ 30	U feet	on each s	Toe or rue	center of	of the	vein or
10	de along t	he enti	re lengt	h of said	claim.		\ \	
					_		\ \	445
		T	The locat	ion work	was done	pon the_	Beta /	102
-								Station Brown Services
-								- १ स्टब्स्ट्रिक्ट्रिक
		<b>.</b>	<del>_</del>	<del></del>				
_						/		
							_	
		7	The locat	ion work	done cons	isted of:	Trend	ning
_				$\leftarrow$		<del>\                                    </del>		
				<del></del>		/ /		- V - V - V
~	COTNC A TO	TAT. OF	\$ 100.0	0 0	f which \$1	00,00 is	applica	ble to
CC +2	STING A TO	TAL OF	\$ 100.0	0, 0:	f which \$1	00,00 is	applica	ble to
CC tì	STING A TO	TAL OF	\$ 100.0	0, 0:	f which \$1	00,00 is	applica	ble to
tì	STING A TO				$\setminus \setminus$			
tì	nis claim.				ido conter	e of the	claim a	ire locate
tì an	nis claim. nd marked a	as foll	The corn	ers and s	ide center	s of the	claim a	re locate
tì an	nis claim. nd marked a	as foll	The corn	ers and s	ide center	s of the	claim a	re locate
th ar th	nis claim,  nd marked a  nence bear;  cor	as folloing sou	The cornors: Begintha dis	ers and s ginning a tance of	ide center t the NE c 500 feet nce bearin	s of the orner, may to the g west	claim a rked NE southea a d	ere locate cor est istance thence
ar tr	nd marked and marked and marked and marked and and and and and and and and and an	is following sound marked	The corners Berutha dis	ers and s ginning a tance of ; the n side ce	ide center t the NE c 500 feet nce bearin nter , m	s of the orner, mate to the gwest arked to the	claim a rked NE southed a d	ere locate cor st istance ; thence
ar th O1	nd marked and marked a	as folling soumarked	The corners at the corners of the co	ers and s ginning a tance of ; the n side cer ance of ; thence	ide center t the NE cooo feet nce bearin nter fee bearing	s of the orner, mate to the gwest arked to the north	claim a rked_NE southea a d SSC south	ere locate cor est istance : thence ewesta
ar th O1	nd marked and marked a	as folling soumarked	The corners at the corners of the co	ers and s ginning a tance of ; the n side cer ance of ; thence	ide center t the NE cooo feet nce bearin nter fee bearing	s of the orner, mate to the gwest arked to the north	claim a rked_NE southea a d SSC south	ere locate cor est istance : thence ewesta
ar th O1	nd marked and marked a	as folling soumarked	The corners at the corners of the co	ers and s ginning a tance of ; the n side cer ance of ; thence	ide center t the NE cooo feet nce bearin nter fee bearing	s of the orner, mate to the gwest arked to the north	claim a rked_NE southea a d SSC south	ere locate cor est istance : thence ewesta
ar th O1	nd marked and marked a	as folling soumarked	The corners at the corners of the co	ers and s ginning a tance of ; the n side cer ance of ; thence	ide center t the NE cooo feet nce bearin nter fee bearing	s of the orner, mate to the gwest arked to the north	claim a rked_NE southea a d SSC south	ere locate cor est istance : thence ewesta
ar th O1	nd marked and marked a	as folling soumarked	The corners at the corners of the co	ers and s ginning a tance of ; the n side cer ance of ; thence	ide center t the NE cooo feet nce bearin nter fee bearing	s of the orner, mate to the gwest arked to the north	claim a rked_NE southea a d SSC south	ere locate cor est istance : thence ewesta
ar th O1	nd marked and marked a	as folling soumarked	The corners at the corners of the co	ers and s ginning a tance of ; the n side cer ance of ; thence	ide center t the NE cooo feet nce bearin nter fee bearing	s of the orner, mate to the gwest arked to the north	claim a rked_NE southea a d SSC south	ere locate cor est istance : thence ewesta
ar th O1	nd marked and marked a	as folling soumarked	The corners at the corners of the co	ers and s ginning a tance of ; the n side cer ance of ; thence	ide center t the NE cooo feet nce bearin nter fee bearing	s of the orner, mate to the gwest arked to the north	claim a rked_NE southea a d SSC south	ere locate cor est istance : thence ewesta
ar th O1	nd marked and marked a	as folling soumarked	The corners at the corners of the co	ers and s ginning a tance of ; the n side cer ance of ; thence	ide center t the NE cooo feet nce bearin nter fee bearing	s of the orner, mate to the gwest arked to the north	claim a rked_NE southea a d SSC south	ere locate cor est istance : thence ewesta
ar th O1	nd marked and marked a	as folling soumarked	The corners at the corners of the co	ers and s ginning a tance of ; the n side cer ance of ; thence	ide center t the NE cooo feet nce bearin nter fee bearing	s of the orner, mate to the gwest arked to the north	claim a rked_NE southea a d SSC south	ere locate cor est istance : thence ewesta
ar th O1	nd marked and marked a	as folling soumarked	The corners at the corners of the co	ers and s ginning a tance of ; the n side cer ance of ; thence	ide center t the NE cooo feet nce bearin nter fee bearing	s of the orner, mate to the gwest arked to the north	claim a rked_NE southea a d SSC south	ere locate cor est istance : thence ewesta
ti lo a retroide vi or il reluss to 50 on April 29 19 68 or 50	nd marked anence bear: cor f 750 fee earing wes cor istance of W cor the nort earing eas ach of the a 4 his Locati April 26	marked 600  th side st a above x 4 x con Cert	The corne ows: Beg itha dist SE cor he south a dist SW cor fee thence b center distanc describe 4½ post. The loca ificate 1968,	ers and s ginning a tance of ; the n side cer ance of ; thence	ide center t the NE cooo feet nce bearin nter fee bearing	s of the orner, may to the gwest arked to the north cor a distance work refer the under the under the so.	claim arked Ni southed a discouth ance of the south arked to the series of the series	ere locate cor est istance : thence ewesta
th at   O A retroited by April Retroit of 8 K	nd marked anence bear: cor f 750 fee earing wes cor istance of W cor the nort earing eas ach of the a 4 his Locati April 26	marked 600  th side st a above x 4 x con Cert	The corners at the corners of the co	ers and s ginning a tance of ; the n side cer ance of ; thence	ide center t the NE cooo feet nce bearin nter fee bearing	s of the orner, mate to the gwest arked to the north	claim arked Ni southed a discouth ance of the south arked to the series of the series	ere locate cor est istance : thence ewesta
立 lon Relocolvi, April Recogn of 50 mins, po	nd marked anence bear: cor f 750 fee earing wes cor istance of W cor the nort earing eas ach of the a 4 his Locati April 26	marked 600  th side st a above x 4 x con Cert	The corne ows: Beg itha dist SE cor he south a dist SW cor fee thence b center distanc describe 4½ post. The loca ificate 1968,	ers and s ginning a tance of ; the n side cer ance of ; thence	ide center t the NE cooo feet nce bearin nter fee bearing	s of the orner, may to the gwest arked to the north cor a distance work refer the under the under the so.	claim arked Ni southed a discouth ance of the south arked to the series of the series	ere locate cor est istance : thence ewesta
立 lon Relocolvi, April Recogn of 50 mins, po	nd marked an ence bear cor f 750 fee earing wes cor the norte earing eas ach of the April 26  B.K. See (Na	marked 600  th side above x 4 x 2 marked for Certification Certification of I	The corne cws: Beg itha dist SE cor he south a dist SW cor fee thence b center describe 4k post. The loca ificate 1968, r.	ers and s ginning a tance of ; the n side cer ance of ; thence	ide center t the NE cooo feet nce bearin nter fee bearing	s of the orner, may to the gwest arked to the north cor a distance work refer the under the under the so.	claim arked Ni southed a di SSC south ance of the control of burnent or the cred the	ere locate cor est istance : thence ewesta
The second of th	nd marked and marked a	as folling soi marked to to the side st a above x 4 x a on Cert	The corner ows: Bereith distance describe 415 post.  The locatificate 1968.  r.  ocator)	ers and s ginning a tance of ; the n side cer ance of ; thence t to the earing er e of 750 d corners tion and was perfo	ide center t the NE c 500 feet nce bearing 750 fee bearing northwest arked NS feet to is a  discovery rmed on or behalf of	s of the orner, may to the gwest arked to the north cor a distance work reference the under the defore the under the unde	claim arked NE souther a dissouth ance of the south arked to the south	are located cor listance represented from the cor listance represented from the correct fro
The second of th	nd marked an ence bear: cor f 750 fee aring wes cor , i istance of lw cor the nort earing eas ach of the a 4 his Locati April 26 B.K. See (Na	as folloing soon marked to	The corne ows: Becath dis SE cor he south a disti- SW cor fee thence b center distanc describe 41; post. The loca ifficate 1968.	ers and s ginning a tance of ; the n side cer ance of ; thence t to the earing er e of 750 d corners tion and was perfor by or or	ide center t the NE c 500 feet nce bearing nter , n 750 fee bearing northwest arked NS feet to is a discovery rmed on or behalf of	s of the orner, may to the gwest arked to the north Cor a dista correct the point Rock monutation work refer to the under the	claim a rked NE southes a discouth of south of s	are located cornect istance; thence amarked 750 for thence eginning.
The second of th	nd marked an ence bear: cor f 750 fee aring wes cor , i istance of W cor the nort earing eas ach of the April 26 B.K. See (Na	as folling soin marked to	The corner ows: Bereith distance of Locator)  The locator of Locator of Locator of Locator	ers and s ginning a tance of ; the side cer ance of ; thence t to the earing er e of 750 d corners tion and was perfor by or on	ide center t the NE c 500 feet nce bearing nter 750 fee bearing northwest arked NS feet to is a discovery rmed on or behalf of	s of the orner, may to the gwest arked to the north COr a dista con the point of the point of the under th	claim a rked NE southes a discount of b ment of berred tersigned alt La ess)	are located cor listance restricted from the converted from the conver
th at   on April 29 10 68 or 50 mins, post 2 P	nd marked and marked a	as folling soin marked to	The corner ows: Bereith distance of Locator)  The locator of Locator of Locator of Locator	ers and s ginning a tance of ; the side cer ance of ; thence t to the earing er e of 750 d corners tion and was perfor by or on	ide center t the NE c 500 feet nce bearing nter 750 fee bearing northwest arked NS feet to is a discovery rmed on or behalf of	s of the orner, may to the gwest arked to the north COr a dista con the point of the point of the under th	claim a rked NE southes a discount of b ment of berred tersigned alt La ess)	are located cornect istance; thence west 750 fe; thence eginning.  To above in d locator ke City.
The second of th	nd marked an ence bear: cor f 750 fee aring wes cor , i istance of W cor the nort earing eas ach of the April 26 B.K. See (Na	as folling soin marked to	The corner ows: Bereith distance of Locator)  The locator of Locator of Locator of Locator	ers and s ginning a tance of ; the side cer ance of ; thence t to the earing er e of 750 d corners tion and was perfor by or on	ide center t the NE c 500 feet nce bearing nter 750 fee bearing northwest arked NS feet to is a discovery rmed on or behalf of	s of the orner, may to the gwest arked to the north COr a dista con the point of the point of the under th	claim a rked NE southes a discount of b ment of berred tersigned alt La ess)	are located cor listance restricted from the converted from the conver