воок 24

AGE 002

RECORDS OF Recorder.

1.00

### CERTIFICATE OF LOCATION

#### LODE-QUARTZ

THIS IS TO CERTIFY that the Bowser	No 43	lode mining
claim was located by		
Robert B. Daniel Hal Jensen		ka, Nev.
on the 10th day of Mar, Mining D	District, Funka	County,
State of <u>Nev.</u> ,	and about 500 Ff. 5	88° w of
State of Nev. , Mt Hope Spg. in Sec	: 36 of T23N	<u>' R51F</u>
We (or I) claim 1500 linear	feet along the course of the r	nineral-hearing
ledge, lode or vein, extending 23		
in a <u>Southerly</u> direction, and <u>Northerly</u> direction, together v	with 300	feet on
each side of the center of the ledge for the entire		
The discovery work consists of a located about 25 feet in a 100 monument, and its dimensions are 12 and 4 feet deep, ex	feet wide, 20  sposing ledge, lode or vein in p	lace. inscribed "NW
Corner of the <u>Bowser No.43</u> Corner of the <u>Bowser</u> No.43	Corner of the	s marked by a
Claim", the southeast corner is marked by a	South of the Dowser	NO 23
Claim"; the southeast corner is marked by a  "SE Corner of the Bowser No 43  Ocs F F feet high, inscribed "NE Claim." There is also a Aff cos F a  work has been done, and the location complete	Claim"; the northeast corner is Corner of the Bourser of the the center of each side line.	s marked by a  Wo 43  The discovery  1968
		) -
LOCATORS  Dated May 15 , 19 68	Folust B WH	and _
(Section 517.050, Nevada Revised Statutes, provides July 1, 1941, shall be absolutely void unless a certi recorder of the county in which the claim is located	that every location of a mining clair ficate of location thereof is recorded wi	th the county ition.)

EUREKA COUNTY, NEV

LODE-QUARTZ

THIS IS TO CERTIFY that the	Bows	ser_	No. 41	lode mining
claim was located by	<b>,</b> -			
Robert B. War	riel	Box	(print post office	address)
Hal Jensen				
on the 10th day of Mar	Mining (	19 <u>68</u>	situated in the	Mf. Hope County,
State of Nov.	,	and abou	K20 9	86° w of
State of Nev. NH Hope Spg	in J	Sec. 36	ef 7	-235 R51E
We (or I) claim 150	o linear	r feet alon	g the course of	the mineral-bearing
ledge, lode or vein, extending	25		feet from the	location monument
in a Northerly direct	_direction, and		1475	feet in a
50vtherly direct	tion, together v	with	300	feet on
each side of the center of the lec	lge for the enti	ire length o	of the claim.	
The discovery work co	nsists of a	zut.		
located about 25 fee	et in a	His	directi	ion from the location
monument, and its dimensions a	re <u>/2</u>	fee	f wide,	feet long
and 4	reer deep, e	thosing led	ige, love or veil	i iii piace.
The northwest corner i	s marked by a	Post	∠ <u>⊬</u> feet	high, inscribed "NW
Corner of the	1644	Claim"; th	ie southwest co	rner is marked by a
00sf 4 feet high,	inscribed "SW	Corner of	the Bour	ser No. 44
post 4 feet high, Claim"; the southeast corner is m	arked by a	oosf	4	feet high, inscribed
"SE Corner of the Bows	er No 44	Claim";	he northeast co	rner is marked by a
00.5 + 4 feet high, i	inscribed "NE (	Corner of t	he Bows	er No 44
Claim." There is also a 4 f	f post a	at the cent	er of each side	line. The discovery
work has been done, and the lo	cation complete	ed since	Mar_ 10	, 19 <i>68</i>
				$\sim$ 1
	1	1	IFA	( ) i
Loca	ATORS	7.4	tol De	Mance!
- M	10 6		<i></i>	
Dated Nay 10	_' ' '' <u>'' &amp;                           </u>	<b> </b>		
(Section 517.050, Nevada Revised July 1, 1941, shall be absolutely t	Statutes, provide void unless a certi	s that every ificate of loca	location of a minim tion thereof is recor	g claim mode after rded with the county

recorder of the county in which the claim is located within 90 days after the date of location.)

RECEBBED AF THE COME OF RE	obert Danie	1
May 10 <sub>10</sub> 68 at 15	m at nast 4	P . M is
Foot 24 of OFFICIAL RECORDS.	003	RECORDS OF
FUREYA COUNTY NEVADA HELLE	i a. Del	asli Recorder.
ECOL 24 OF OFFICIAL REGIONS, EUREKA COUNTY, NEVADA FALLA	5.4.5	1.00

### CERTIFICATE OF LOCATION

#### LODE-QUARTZ

claim was located by Hall The Far (print name of locator)  Robert B. Daniel  On the 8th day of Nav . 1968, situated in the Mt. Hoce	IS IS TO CERTIFY that the Bowse	r No. 45	lode mining
Mining District, Fulleta Count  Mining District, Fulleta Count  State of Nev., and about 900 ff. N. 69° W  Of Mt. Hope. Spring in Sec. 36 of 723 N  R 51 E  We (or I) claim 1500 linear feet along the course of the mineral-bearin ledge, lode or vein, extending feet from the location monumer in a Southerly direction, together with 300 feet or each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a cottled about 25 feet in a wortherly direction from the location monument, and its dimensions are 12 feet wide, 20 feet lon feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a post 4 feet high, inscribed "NV  Corner of the Bowser No 45 Claim"; the southwest corner is marked by post 4 feet high, inscribed "SW Corner of the Bowser No 45  Claim"; the southwest corner is marked by a post 4 feet high, inscribed "SE Corner of the Bowser No 45  Claim"; the rorthwest corner is marked by a feet high, inscribed "NE Corner of the Bowser No 45  Claim"; the rorthwest corner is marked by a feet high, inscribed "NE Corner of the Bowser No 45  Claim". There is also a 4 ft. post at the center of each side line. The discovery work has been done, and the location completed since Mark 1, 1965  Florant Browner  Add Corner of the Bowser No 45  Claim". There is also a 4 ft. post at the center of each side line. The discovery work has been done, and the location completed since Mark 1, 1965	im was located by	,	
Mining District, Fure La Count  Of Mev., and about 900 ff. N. 69° W  Of Mit. Hope. Spring in Sec. 36 of 723 N  R 51 E  We (or I) claim 1500 linear feet along the course of the mineral-bearin  ledge, lode or vein, extending 150 feet from the location monumer  in a Jostherly direction, together with 300 feet in  Northerly direction, together with 300 feet or  seach side of the center of the ledge for the entire length of the claim.  The discovery work consists of a 150 feet in a 150 feet in a 150 feet wide. 20 feet lon  monument, and its dimensions are 12 feet wide. 20 feet lon  feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a 150 feet high, inscribed "NV  Corner of the 150 Sec No 45 Claim"; the southwest corner is marked by  Post 4 feet high, inscribed "SW Corner of the 150 Sec No 45  Claim"; the southeast corner is marked by a 150 feet high, inscribed "NV  Post 4 feet high, inscribed "NV Corner of the 150 Sec No 45  Claim"; the southeast corner is marked by a 150 feet high, inscribed "NV Corner of the 150 Sec No 45  Claim"; the southeast corner is marked by a 150 feet high, inscribed "NV Corner of the 150 Sec No 45  Claim". There is also a 4 ft. 150 feet high inscribed since 150 feet high inscribed si	Hal Jensen	E(4.	VEV.
Mining District, Fure La Count  Mining District, Fure La Count  State of Nev., and about 900 ff. N. 69° W  Of Mt. Hope. Spring in Sec. 36 of 723 N  R 51 E  We (or I) claim 1500 linear feet along the course of the mineral-bearin ledge, lode or vein, extending feet from the location monumer in a Southerly direction, together with 300 feet or seach side of the center of the ledge for the entire length of the claim.  The discovery work consists of a costed about 25 feet in a 100 feet wide, 20 feet lon monument, and its dimensions are Interest deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a 100 feet high, inscribed "NV  Corner of the 100 Sec. No 45 Claim"; the southwest corner is marked by  Past 4 feet high, inscribed "SW Corner of the 100 sec. No 45  Claim"; the southeast corner is marked by a 100 feet high, inscribed "SE Corner of the 100 sec. No 45  Claim"; the southeast corner is marked by 100 feet high, inscribed "NV  Past 4 feet high, inscribed "SW Corner of the 100 sec. No 45  Claim"; the southeast corner is marked by 100 feet high, inscribed "NE Corner of the 100 sec. No 45  Claim". There is also a 4 ft. past at the center of each side line. The discovery work has been done, and the location completed since 100 feet NV  Past 1 Past 100 feet Minimum 100 feet NV  Past 2 Past 1 Past 1 The northeast Corner is marked by 100 feet high, inscribed "NE Corner of the 100 feet high, inscribed "N	(print name of locator)	(print pos	t office address)
Mining District, Furka Count  State of Nev., and about 900 ff N 69° w  of Mt. Hope Spring in 520.36 of 723N  R 51 E  We (or I) claim 1500 linear feet along the course of the mineral-bearing ledge, lode or vein, extending 25 feet from the location monument and is direction, together with 300 feet on a coated about 25 feet in a worther y direction from the location monument, and its dimensions are 12 feet wide, 20 feet lone feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a post 4 feet high, inscribed "No Corner of the Bowser No 45 Claim"; the southwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "No Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "No Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "No Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "No Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "No Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "No Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "No Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "No Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "No Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "No Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "No Corner of the Bowser No 45 Claim"; the northeast corner is	Sobert B. Vaniel	Bex 283	3, Eureka, Vov
Mining District, Fure La Count State of Nev., and about 900 ff N 69° wo of Mt. Happe Spring in 520. 36 of 723 N 851 E  We (or 1) claim 1500 linear feet along the course of the mineral-bearing edge, lode or vein, extending 25 feet from the location monument and its dimensions are 12 feet wide, 20 feet lone feet deep, exposing ledge, lode or vein in place. The northwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the southwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "New York has been done, and the location completed since No 45 Claim".			$\wedge$
Mining District, Fure La Count State of Nev., and about 900 ff N 69° wo of Mt. Happe Spring in 520. 36 of 723 N 851 E  We (or 1) claim 1500 linear feet along the course of the mineral-bearing edge, lode or vein, extending 25 feet from the location monument and its dimensions are 12 feet wide, 20 feet lone feet deep, exposing ledge, lode or vein in place. The northwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the southwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "New York has been done, and the location completed since No 45 Claim".			
Mining District, Fure La Count State of Nev., and about 900 ff N 69° wo of Mt. Happe Spring in 520. 36 of 723 N 851 E  We (or 1) claim 1500 linear feet along the course of the mineral-bearing edge, lode or vein, extending 25 feet from the location monument and its dimensions are 12 feet wide, 20 feet lone feet deep, exposing ledge, lode or vein in place. The northwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the southwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "New York has been done, and the location completed since No 45 Claim".	the affection of 12	10 (4) aitment i	- do / //
State of Nev., and about 900 ff. N 69° W of Nt. Hope. Spring in 500 st 723 N    We (or I) claim 1500 linear feet along the course of the mineral-bearing of the from the location monumer feet in a southerly direction, and 1475 feet in a notated about 25 feet in a nonument, and its dimensions are 12 feet wide, 20 feet long feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a post 4 feet high, inscribed "Nu feet high, inscribed "See Corner of the southeast corner is marked by a post 4 feet high, inscribed "See Corner of the southeast corner is marked by a post 4 feet high, inscribed "See Corner of the southeast corner is marked by a post 4 feet high, inscribed "See Corner of the southeast corner is marked by a post 4 feet high, inscribed "See Corner of the southeast corner is marked by a post 4 feet high, inscribed "New Corner of the southeast corner is marked by a post 4 feet high, inscribed "New Corner of the southeast corner is marked by a post 4 feet high, inscribed "New Corner of the southeast corner is marked by a post 4 feet high, inscribed "New Corner of the southeast corner is marked by a post 4 feet high, inscribed "New Corner of the southeast corner is marked by a post 4 feet high, inscribed "New Corner of the southeast corner is marked by a post 4 feet high, inscribed "New Corner of the southeast corner is marked by a post 4 feet high, inscribed "New Corner of the southeast corner is marked by a post 4 feet high, inscribed "New Corner of the southeast corner is marked by a post 4 feet high, inscribed "New Corner of the southeast corner is marked by a post 4 feet high, inscribed "New Corner of the southeast corner is marked by a post 4 feet high, inscribed "New Corner of the southeast corner is marked by a post 4 feet high, inscribed "New Corner of the southeast corner is marked by a post 4 feet high, inscribed "New Corner of the southeast corner is marked by a post 4 feet high, inscribed "New Corner of the southeast corner is marked by a post 4 feet high, inscribed "Ne			
We (or 1) claim    1500   linear feet along the course of the mineral-bearing edge, lode or vein, extending   155   feet from the location monument   1475   feet in     Northerly   direction, together with   300   feet of ach side of the center of the ledge for the entire length of the claim.  The discovery work consists of a   155   feet in a   150   feet wide,   150   feet lon     Northerly   direction from the location   feet wide,   150   feet lon     Northerly   direction from the location   feet wide,   150   feet lon     Northerly   direction from the location   feet wide,   150   feet lon     Northerly   direction from the location   feet wide,   150   feet lon     Northerly   direction from the location   feet wide,   150   feet lon     Northerly   direction from the location   feet wide,   150   feet lon     Northerly   direction from the location   feet wide,   150   feet lon     Northerly   direction from the location   feet wide,   150   feet lon     Northerly   direction from the location   feet wide,   150   feet lon     Northerly   direction   feet wide,   150	In of	ning District,	County,
We (or 1) claim    1500   linear feet along the course of the mineral-bearing edge, lode or vein, extending   1500   linear feet from the location monumer feet in   1475   feet in     1500   Mortherly   direction, together with   1500   feet of     1600   lack side of the center of the ledge for the entire length of the claim.  The discovery work consists of a   1500   feet in a   1500   feet wide,   1500   feet lone     1500   feet in a   1500   feet wide,   1500   feet lone     1500   feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a   1500   feet high, inscribed "No     1500   feet high, inscribed "SW Corner of the   1500   feet high, inscribed "SW Corner of the   1500   feet high, inscribed "SW Corner of the   1500   feet high, inscribed "SE Corner of the   1500   feet high, inscribed "No   1500   feet h	of had those 5:	, and about <u>300</u>	17 N 69 W
feet from the location monument of the location monument of the location, and large from the location monument of the ledge for the entire length of the claim.  The discovery work consists of a located about 25 feet in a located about 25 feet in a located deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a located leaf high, inscribed "Not corner of the located leaf high, inscribed "SW Corner of the located leaf"; the southwest corner is marked by a leaf high, inscribed "SW Corner of the leaf high, inscribed "NE Corner of the le	EFIF	9-11 SEC. 31	6 of 123N
feet from the location monument of the state of the center of the ledge for the entire length of the claim.  The discovery work consists of a control of the deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a post of the southwest corner is marked by a post of the southwest corner is marked by a post of the southwest corner is marked by a post of the southwest corner is marked by a post of the southwest corner is marked by a post of the southwest corner is marked by a post of the southwest corner is marked by a post of the southwest corner is marked by a post of the southwest corner is marked by a post of the southwest corner is marked by a post of the southwest corner is marked by a post of the southwest corner is marked by a post of the southwest corner is marked by a post of the southwest corner is marked by the southwest corner is marked by a post of the southwest corner is marked by the southwest corner is mar			
feet from the location monument of the location monument of the location, and large from the location monument of the ledge for the entire length of the claim.  The discovery work consists of a located about 25 feet in a located about 25 feet in a located deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a located leaf high, inscribed "Not corner of the located leaf high, inscribed "SW Corner of the located leaf"; the southwest corner is marked by a leaf high, inscribed "SW Corner of the leaf high, inscribed "NE Corner of the le			
feet from the location monument of the location monument of the location, and large from the location monument of the ledge for the entire length of the claim.  The discovery work consists of a located about 25 feet in a located about 25 feet in a located deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a located leaf high, inscribed "Not corner of the located leaf high, inscribed "SW Corner of the located leaf"; the southwest corner is marked by a leaf high, inscribed "SW Corner of the leaf high, inscribed "NE Corner of the le			
feet from the location monument of the location monument of the location, and large from the location monument of the ledge for the entire length of the claim.  The discovery work consists of a located about 25 feet in a located about 25 feet in a located deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a located leaf high, inscribed "Not corner of the located leaf high, inscribed "SW Corner of the located leaf"; the southwest corner is marked by a leaf high, inscribed "SW Corner of the leaf high, inscribed "NE Corner of the le	We (or 1) claim 1500	linear feet along the cour	se of the mineral-bearing
The discovery work consists of a	ge, lode or vein, extending	25 feet fro	m the location monument
The discovery work consists of a	500 therly direction	, and 1475	feet in a
The discovery work consists of a	lerfherly direction, toget	ther with 300	feet on
feet in a worther y direction from the location	side of the center of the ledge for the	e entire length of the claim	n.
feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a post 4 feet high, inscribed "Not orner of the Bowser No 45 Claim"; the southwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45"  SE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a post 4 feet high, inscribed "SE Corner of the Bowser No 45"  SE Corner of the Bowser No 45"  Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45"  Islaim." There is also a 4 ft post at the center of each side line. The discovery ork has been done, and the location completed since No 2000 Corner of the Bowser No 45"  About Divinited "Ne Corner of the Bowser No 45"  About Divinited "Ne Corner of the Bowser No 45"  About Divinited Divinited "Ne Corner of the Bowser No 45"  About Divinited Divinited "Ne Corner of the Bowser No 45"  About Divinited	The discovery work consists of a	Cut	
feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a post 4 feet high, inscribed "No corner of the Bowser No 45 Claim"; the southwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No 45"  Claim"; the southeast corner is marked by a post 4 feet high, inscribed "SE Corner of the Bowser No 45"  Claim"; the northeast corner is marked by a post 4 feet high, inscribed "SE Corner of the Bowser No 45"  Claim"; the northeast corner is marked by a post 4 feet high, inscribed "NE Corner of the Bowser No 45"  Claim." There is also a 4 ft post at the center of each side line. The discovery ork has been done, and the location completed since No 200 Across Acr	1 /		direction from the location
The northwest corner is marked by a post 4 feet high, inscribed "No post 4 feet high, inscribed "SW Corner of the Bowser No 45" Claim"; the southwest corner is marked by a feet high, inscribed "SW Corner of the Bowser No 45" Glaim"; the southeast corner is marked by a feet high, inscribed "SE Corner of the Bowser No 45" Claim"; the northeast corner is marked by cost 4 feet high, inscribed "NE Corner of the Bowser No 45" Claim." There is also a 4 ft post at the center of each side line. The discoveryork has been done, and the location completed since No 1965 Claim."	ument, and its dimensions are	z feet wide,	z an feet long
The northwest corner is marked by a post 4 feet high, inscribed "No post 4 feet high, inscribed "SW Corner of the Bowser No 45 laim"; the southeast corner is marked by a post 4 feet high, inscribed "SE Corner of the Bowser No 45 Claim"; the northeast corner is marked by the southeast corner is marked by feet high, inscribed "NE Corner of the Bowser No 15 laim." There is also a 4 ft. post at the center of each side line. The discovery took has been done, and the location completed since No 15 Robust Browner.			
Joseph Jo	· )	/ /	-
laim"; the southeast corner is marked by a past 4 feet high, inscribed "SW Corner of the Bowser No. 45"  SE Corner of the Bowser No. 45" Claim"; the northeast corner is marked by seast 4 feet high, inscribed "NE Corner of the Bowser No. 45" laim." There is also a 4 ft. past at the center of each side line. The discovery tork has been done, and the location completed since No. 45"  Rocket Browner  Sol Jensen	ner of the Boursey I'm a	Claim": the southwe	est corner is marked by a
SE Corner of the Bowser No 45 Claim"; the northeast corner is marked by a cost 4 feet high, inscribed "NE Corner of the Bowser No 45 laim." There is also a 4 ft. post at the center of each side line. The discovery ork has been done, and the location completed since for the feet high, inscribed "NE Corner of the Bowser No 45 laim." There is also a 4 ft. post at the center of each side line. The discovery ork has been done, and the location completed since for the feet high, inscribed to the control of the feet high, inscribed "NE Corner of the feet high, inscribed "NE Corner of the feet high, inscribed to the feet high, inscribed "NE Corner of the feet high, inscribed to the feet high, inscribed "NE Corner of the feet high, inscribed to the feet high, inscribed "NE Corner of the feet high, inscribed to the feet h	4 feet high, inscribed	"SW Corner of the R.	or corner is illaiked by a
SE Corner of the Bowser No 45 Claim"; the northeast corner is marked by specific feet high, inscribed "NE Corner of the Bowser No 45 laim." There is also a 4 ft. post at the center of each side line. The discovery ork has been done, and the location completed since for the Bowser of the Bowser o	n"; the southeast corner is marked by		
feet high, inscribed "NE Corner of the Bowser No 45- laim." There is also a 4 ft. post—at the center of each side line. The discovery ork has been done, and the location completed since  Acoust Browner  Sol Jensen			
laim." There is also a 4 ft. post at the center of each side line. The discovery ork has been done, and the location completed since for 8, 1965			
ork has been done, and the location completed since Mar 8, 1965  Robert Browner	n." There is also a 4 ft part	at the center of each	side line. The discovery
Hotest Brownel			of 10 / C
LOCATORS LOCATORS		Alar	1968
LOCATORS Dol Jensen		flower 1	10 anel
* ************************************	LOCATORS	200 Jes	yen
		\	<del></del>
ated A May 9 , 1968	d D. Mara 9 . 19/	(x) -	
	0		
(Section 517.056, Nevada Revised Statutes, provides that every location of a mining claim made after July 1, 1941, shall be absolutely void unless a certificate of location thereof is recorded with the county recorder of the county in which the claim is located within 90 days after the date of location.)	July 1, 1941, shail be absolutely void unless a	certificate of location thereof is	recorded with the county
RE MARKED AT THE PROPERT OF ROBERT Daniel		RE READED AT THE PEQUEST OF	Robert Daniel
Beek 24 of OFFICIAL RECORDS, page 004 AEC		there are the contraction and the	7 - T
FILE NO. 16797 Fac 1.00		71652562	1 1311

LODE-QUARTZ

THIS IS TO CERTIFY that the Bowser No. 4	lode mining
claim was located by	
(print name of locator) , (print	t post office address)
Robort B Donie   Boy 2;	13 Euroka Vev.
Hal Jensen Ely,	Nev
on the BHh day of March , 1968, situa	ited in the Mf Hope
Mining District,	Eure Ka County,
State of New and about A 69° W of Mt Hope Sp. of T23 N. R51 E.	400 Ft
N 69°W of Mt Hope 50	q. in Sec. 36
of T23 N. R51E. '0	7
	$\rightarrow$
We (or I) claim 35 linear feet along the	govern of the mineral bassins
ledge, lode or vein, extending 25 fee	total me location monument
in a Northerly direction, and	teer in a
Joutherly direction, together with	
each side of the tenter of the ledge for the entire length of the	claim.
The discovery work consists of a	
located about 25 feet in a Souther	direction from the location
monument, and its dimensions arefeet wid	e, 20 feet long
and 4 feet deep, exposing ledge, l	
The northwest corner is marked by a post	
Corner of the <u>Bocoser No 46</u> Claim"; the sou	
post 1 feet high, inscribed "SW Corner of the	Bowser No 46
Claim"; the southeast corner is marked by a past	4 feet high, inscribed
"SE Corner of the Bocoser No 46 Claim"; the no	ortheast corner is marked by a
est 4 feet high, inscribed "NE Corner of the	Bowser No 46
Claim." There is also a A F7. Fost at the center of	each side line. The discovery
work has been done, and the location completed since Mark	8 , 1968
\	A-DD-30
Testing 3	1 No Concell
LOCATORS	Janon
Dated May 9 , 1968	
(Section 517.050, Nevada Revised Statutes, provides that every location	n of a mining claim made after

July 1, 1941, shall be absolutely void unless a certificate of location thereof is recorded with the county recorder of the county in which the claim is located within 90 days after the date of location.)

RECLIENCIAL MELLANCHY OF	rt Daniel
en May 10 10 68 1 15 min	as rost 4 P. M.
Buck24 of OFFICIAL SICORDS, pag	005 RECORDS O
TURERA COUNTY, HEYADA. HULLIN	a. De Taolisecorde
ыл. 24 — ы бүүлэл тэсбев, рег гинека соймту нехара <i>Эйлий</i> голо 46798	Fee 5 1.00

### CERTIFICATE OF LOCATION

LODE-QUARTZ

THIS IS TO CERTIFY that the Frowsa	r No , 47 lode mi
claim was located by	Roy 203 Freek
(print name of locator)	(print post office address)
Hobert & Daniel (print name of locator) Hal Tensen	Ely Nev.
	· O ,
on the Sth day of Mar Mining State of Nev. of Mt Hope spg. 1	, 1969, situated in the NA Hope
Mining	District, Furnka Cou
State of Nev.	, and about 1800 ft N 69
of Mt Have and	n See 31 of Taxi
R 515	OCC JE OI JEJN
We (or I) claim (SOD) lines	ar feet along the course of the mineral-bea
in a <u>southerly</u> direction, and	Took well and tocalion monoton
the disease Asset of	
northerly direction, together	wiin 300 teel
each side of the center of the ledge for the ent	
The discovery work consists of a	
ocated about 2.5 feet in a 1	or therly direction from the local
monument, and its dimensions are 17	feet wide,
and 4 , feet deep, e	
\ \	past 4 feet high, inscribed "
Corner of the Bowser No.47	Claim" the couthwest serves is and to
L Carlist with 1900	Control of the southwest corner is marked by
feet high, inscribed "SW laim"; the southeast corner is marked by a	Corner of the Bowser No. 4
Liaim"; the southeast corner is marked by a	past 4 feet high, inscrib
SE Corner of the post Bowser No 4	Claim"; the northeast corner is marked b
cost 4 feet high, inscribed "NE	Corner of the Bowser No 47
Claim." There is also a 4 ft. post	at the center of each side line. The discov
vork has been done, and the location complete	
	1-00
	4750 I 19 12/10 X
	francia in the contract
	Hal Insen
LOCATORS	Hol Insen
LOCATORS	Hol Ina
LOCATORS Dated May 9 , 1968	Hal Drum

recorder of the county in which the claim is located within 90 days after the date of location.)

### POOR 24 PAGE 007

### CERTIFICATE OF LOCATION

THIS IS TO CERTIFY that the <u>Bows</u>	er Vo.	48	_lode mining
claim was located by			
(-sint name of locator)		int post office address	<u></u>
Robert B. Danie	Roy	283 Funk	a. Nev
	<del>-   -   -  </del>	· ·	^
Hal Jensen	_ Ely,	ver	<del>//</del>
		\	
on the 8fh day of Mar	, 19 <u>68</u> , situ	rated in the	+ Hgoe
Mi	ning District,	Eureka	County,
State of Vev.	, and about	400 5 68	ow_
at the Wit Ho	n 509.	in Sec 3	6
State of Nev.  of the Wit Ho.  of T23N R5	-/ F		
OT / AUG			
We (or I) claim 1500	linear feet along th	e course of the m	
we (or i) claim 1300		f the l:	
ledge, lode or vein, extending	2.5 <sup>16</sup>	ser from the location	on monument
in a <u>northerly</u> direction, togetherly	n, and /4/7	5	feet in a
Southerly direction, toge	ether with	300	feet on
each side of the center of the ledge for the	ne entire length of th	ie claim.	
The discovery work consists of			
			m the location
located about 25 feet in a monument, and its dimensions are	→ feet wi	ide.	feet long
	eep, exposing ledge,	lode or vein in ni:	
The northwest corner is marked	by a post	teet high, i	inscribed "NVV
Corner of the Bowser No	<u>48</u> Claim"; the s	outhwest corner is	marked by a
feet high, inscribed	! "SW Corner of the	Dowser	- No.48
Claim"; the southeast corner is marked by	a post	2 ff feet h	nigh, inscribed
"SE Corner of the Bowsev No	Lo Claim": the	northeast corner is	marked by a
Se conter of the provident	"NE Corner of the	<i>D</i>	11 10
	"NE Corner of the		<u> NO, 70</u>
Claim." There is also a 4 ff. pos	at the center o	it each side line.	
work has been done, and the location co	mpleted since	ar 8	_, 19 <u>68</u>
	2	P-D 8	2
	Texas	of to rec	<del>Zeree O</del> r
LOCATORS	140	L. Jacon	
LOCATORS	}		
ri.	(1)		
Dated May 9 , 19	68_		
(Section 517.050, Nevada Revised Statutes,	provides that every local	tion of a mining claim	made after
July 1, 1941, shall be absolutely void unless recorder of the county in which the claim i	n certificate of location	flicted is recorded was	A THE COURS

### FHe No. 46801

## 24 PAGE 008

### CERTIFICATE OF LOCATION

LODE-QUARTZ

THIS IS TO CERTIFY that the Bow	Ser No 49 lode mining
claim was located by	
(print name of locator)	(print post office address),
Robert & Daniel	Boy 283, Euroka Nev.
11/ -	EL Vail
Hal Jensen	- Ely Nev.
on the 8th day of Max	, 1968, situated in the Mf Hope
Mining	g District, Fureka. County.
State of Nev.	in 500 35 & 36 of
of Mt. Hope Sug.	in Soc 358 36 of
23 N R 51 F	
We (or I) claim 1506 lin	ear feet along the course of the mineral-bearing
ledge, lode or vein, extending	feet from the location monument
in a S. Handy direction, as	nd 14 75 feet in a
northerly direction, together	r with 300 feet on
each side of the center of the ledge for the e	ative length of the claim
The discovery work consists of a	cut direction from the location
located about 25 feet in a	ortherly direction from the location
monument, and its dimensions are 12	feet wide, 20 feet long
andfeet deep,	exposing ledge, lode or vein in place.
The northwest corner is marked by	a cast 4 feet high, inscribed "NW
Corner of the Banasar No. 49	Claim"; the southwest corner is marked by a
feet high, inscribed "S	W Corner of the Boussey No. 49
Chim", the coutheast corner is marked by a	post 4 feet high, inscribed
"CF Course of the \$7	Claim", the northeast corner is marked by a
SE Corner of the Powser No. 7	Claim"; the northeast corner is marked by a
	Corner of the Bocaser No 49
Claim." There is also a 4 Ft. post	at the center of each side line. The discovery
work has been done, and the location compl	eted since, 19
	6180
	Jacus Colomes
LOCATORS	Mal June
LOGATORS	
. 11 0 1	
Dated May 9 , 1968	<u> </u>
(Section 517.050, Nevada Revised Statutes, prov	ides that every location of a mining claim made after
July 1, 1941, shall be absolutely void unless a correcorder of the county in which the claim is loca	erlificate of location thereof is recorded with the county

on May 10 10 68 of 15 mins, past 4 P. M. in took 24 of OFFICIAL RECORDS, page 008 RECORDS OF EUREKA COUNTY, NEY 198 1880 OF Metaolic Recorder.

ROOK 24 PAGE 009

### CERTIFICATE OF LOCATION

LODE-QUARTZ

THIS IS TO CERTIFY	that the Bow.	ser N	0,50	lode mining
claim was located b	у			
Robert &	name of locator)	— — 	(print post office	address)
Hal Jen		_ E	ly Nev.	
on the 8 H, day	of Mi Pe Mi Hope Sp R51E	, 19 <u>68</u>	_, situated in the_	Toroko-
MT. He	<u>ee</u>	and abo	Dul 2000	Ct NEGOW
F 1/17	1 Hope 50		See 35	8 36 of
T23N	R51E			
				<del></del>
We (or I)	claim <i>[500</i>	linear feet ald	ong the course of t	the mineral-bearing
ledge, lode or vein	, extending	- - 	feet from the	location monument
ina parth	extending direction, direction, toge	, and	14 75	feet in a
- thad	, direction, toge	ther with	300	feet on
each side of the cen	ter of the ledge for th	 ne entire length	n of the claim.	<del></del>
	very work consists of			
located about	feet in a	Touth	orly direction	on from the location
monument, and its	dimensions are	7 1	eet wide,	· feet long
and 4	feet de	ep, exposing l	ledge, lode or vein	in place.
	west corner is marked	\		
	wser No 5			
Claim": the southear	上 feet high, inscribed st corner is marked by	a	1 20005	feet high, inscribed
	Bowser No			
+ 4	feet high, inscribed	"NE Corner of	f the F	- 16 Sh
Claim " There is also	0 a 4 ft po	tat the ce	nter of each side li	ine. The discovery
	e, and the location co			, 1968
(701K 1103 BCC11 GG11		_		
		1		<del>()</del>
	LOCATORS	190	olus (1)	dance
	LOCATORS	1 7	Tol Jan	su.
Dated May	9°, 19	(8)		
			loonties of a minima	elaim made after
July 1, 1941, shall	Nevada Revised Statutes, be absolutely void unless upty in which the claim is	a certificate of k	scation thereof is record	tog with the count)

Robert Daniel

on May 10 10 68 of 15 min post 4 P. M. in

Book 24 of OFFICIAL RECERDS, pure 009 RECORDS OF

EUREKA COUNTY NEWADA Skellen a Alexandre.

File No. Fee \$ 1.00

LODE-QUARTZ

THIS IS TO CERTIF	Y that the	Powser	No 5	/	lode mining
claim was located	by				
(prin	B Dance		(print po	ost office address)	1. 160
			~ /		Ra Nev.
Hal Vo	insen	<del></del> •	Ely, N	eV	1
on the SH da	y of Mar.	, 1	9 <u>68</u> , situated	in the Mt	Hope
			trict, <u>E</u> o		
State of Ne	v	, ar	nd about 260	20 ft.	N 69°W
8 36 0	he Mt f T23N	Hope . R 51 I	5 eg. 11	2 <i>5e c S</i> ,	<u>35</u>
					<del></del>
We (or	1) claim	o linear fe	et along the co	urse of the min	eral-bearing
ledge, lode or vei	in, extending	25	feet fr	om the location	monument
in a Jouth	per/y direction,	ection, and	1475		feet in a
norther	direction,	, together wit	n	20	teet on
	enter of the ledge				
The disc	covery work consist	is of a	Cut		
located about	feet in feet in dimensions are	13_port	herly	_direction from	the location
monument, and it	s dimensions are_	12	teet wide,_	20	teer long
and $4$			sing ledge, lode لا ك		
	thwest corner is m	. 7		_	
	Boxusor No				
post	feet high, insc	cribed "SW Co	rner of the	owser A	10.5.
	east corner is marke	,			
"SE Corner of the	Bowser	No 51.	Claim"; the north	east corner is n	narked by a
post	feet high, inscr	ribed "NE Cor	ner of the $B_o$	WSER	Vo51
Claim." There is a	$\mathcal{L}$ feet high, inscr Iso a $\mathcal{L}$ $\mathcal{L}$ $\mathcal{L}$	05 t at 1	he center of eac	h side line. Th	ie discovery
	one, and the location			r 8	, 19 <u>68</u>
	///			10	<del>}</del>
	//		Holius	TOM	quel 8
	LOCATO	)RS	Tol	Jensen	
Dated May	9,	1968	<u> </u>		
' //		,			ada after
(Section 517.050, July 1, 1941, shi	, Nevada Revised Stal ail be absolutely void	lutes, provides th unless a certifier	at every location of ite of location thereo	a mining claim m	nge atter

recorder of the county in which the claim is located within 90 days after the date of location.)

AN GROED AT THE PERCENT OF LINE	bert Daniel	
May 10 ,1968 , ct 15	mins cost 4 P M.	ia
Book 24 of OFFICIAL RECORDS. EUREKA COUNTY, HEV-DA HILLIA	naue 10 RECO	RDS OF
Book 61 OTTICLE ST. 00	a Retacki	Racarder
EUREKA COUNTY, NEVEDA ZEZZA	Fee 5 1.00	
res. Ma. (185/3674)	Fee 5 1.00	

LODE-QUARTZ

THIS IS TO CERTIFY that the Ross ser_	No 52 lode mini
claim was located by	
(print name of locator)	(print post office address)
Robert B. Daniel	By 283 Fureka Nev
Troper I Danie -	
Hol Tensen	Ely, Nev.
on the 8th day of Mar	1968, situated in the Mt Hope
Mining D	District, Eureka Coun
State of Ne.V. from Mt. Hope Spg.	and about 2100 ft W68"
T. 14 11.00 5	in Sec 26 of 723
From MI. Hope Spg.	11) Dec, 36 91 1 22
K51 E	
M- ( I) daine - Boose	feet along the course of the mineral heari
vve (or i) claim 1500inteat	feet along the course of the mineral-beari
ledge, lode or vein, extending 2.5	feet from the location monum
in a Northerly direction, and Southerly direction, together w	
Southerly direction, together w	vithfeet
each side of the center of the ledge for the entir	re length of the claim.
The discovery work consists of a	Cut.
located about 25 feet in a	arther/4 direction from the location
nonument, and its dimensions are 12	feet wide, 23 feet lo
foot doop ov	enosing ledge lode or vein in place
and 4 feet deep, ex	L # to 11 to 1 to 1 to 1
The northwest corner is marked by a	Post 4 feet high, inscribed "N
Corner of the Bowser No. 52 C	laim"; the southwest corner is marked by
Claim"; the southeast corner is marked by a	Corner of the Bow.ser No 5
Claim"; the southeast corner is marked by a	oost 4 feet high, inscrib
"SE Corner of the Bouser No. 52	Claim"; the northeast corner is marked by
ans f feet high, inscribed "NE C	Corner of the Bowser No. 5.
claim." There is also a 4 ft post a	t the center of each side line. The discover
work has been done, and the location complete	
Work has been done, and me recommend	
	Folust 19 Manuel
	Wil Densin
LOCATORS	
Dated Mar. 8 , 19 <u>68</u>	
(Section 517.050, Nevada Revised Statutes, provides	that every location of a mining claim made after

July 1, 1941, shall be absolutely void unless a certificate of location thereof is recorded with the county recorder of the county in which the claim is located within 90 days after the date of location.)

PECOTOED AT THE REACEST OF	Robert Da	<u>niel</u>		
. маv 10 те68 д 15	m or 120st	4 P	• M.	in
not 24 of OFFICIAL SECOR	5. pg 11		RECORDS	OF
HIBEKA COUNTY NEVADA 9	12. O. A.	ota	o-Cc Roco	rđer.
ook 24 of OFFICIAL RESORT BUREKA COUNTY NEVADA 2616 BIE No. 16804		Foc. S	1.00	
HE IXU				

### FILE No. 46805

## ROOK 24 PAGE 012

## CERTIFICATE OF LOCATION

#### LODE-QUARTZ

THIS IS TO CERTIFY that the Bowser A	Vo. 53 lode mining
claim was located by	
Robert B. Danie / E	(print post office address) Box 283 Eureka, Nev.
Hal Tensen	
on the 8fh day of Mar., 196	68, situated in the MF Hope
State of Alex , and al	, Euroka County, bout 8200 ff 1169°W
State of Nev., and all of Mf. Hope. Spg. in Sec. R 51 E.	ec 36 of T23N
	$\overline{}$
We (or I) claim 1500 linear feet a	along the course of the mineral-bearing
in a Southerly direction, and	feet from the location monument
in a Southerly direction, and	14.7.5 feet in a
norther direction, together with	300 feet on
each side of the center of the ledge for the entire leng	gth of the claim.
The discovery work consists of a	+
The discovery work consists of a CU located about 25 feet in a marthe	direction from the location
monument, and its dimensions are 12	feet wide, 20 feet long
and 4 feet deep, exposing	
The northwest corner is marked by a	/ 4
Corner of the Rowser No. 53 Claim";	
pest 4 feet high, inscribed "SW Corner	
Claim"; the southeast corner is marked by a	
	m"; the northeast corner is marked by a
feet high, inscribed "NE Corner	of the Bouse 1653
Claim." There is also a 4 ff. post at the cowork has been done, and the location completed since	center of each side line. The discovery
work has been done, and the location completed since	e Mar 8 , 1968
LOCATORS	Hol Jones
Dated May 9 , 1968	
(Section 517.050, Nevada Revised Statutes, provides that or July 1, 1941, shall be absolutely void unless a certificate of recorder of the county in which the claim is located within	f location thereof is recorded with the county

RECORDED AT THE REQUEST OF ROBERT Daniel

on May 10 10 68 of 15 mins past 4 P. M. in

Book 24 of OFFICIAL RECORDS, page 12 RECORDS OF

EUREKA COUNTY NEVADA. 96000 C. April Recorder.

File No. 46805

### Fite No. 16806

### BOOK 24 - PAGE -013

### CERTIFICATE OF LOCATION

### LODE-QUARTZ

THIS IS TO CERTIFY that the Bourser No. 54 lode mining
claim was located by
(print name of locator) (print post office address),
Kebert B. Dasiel Bex : 83, Eureka, Nev.
Hal Jensen Ely, Nev.
on the 8th day of Mar, 1968, situated in the 1st Hope.  Mining District, Fureka County,
State of Nev., and about 3200 ff N. 69°W  of Mt Hope 5pg. in Sec 36 of 723N  P 5/ E
of Mt Hope Soe in Sec 36 of T23N
R51E
A 0 1 1
We (or I) claimlinear feet along the course of the mineral-bearing
ledge, lode or vein, extending 25 feet from the location monument
in a northerly direction, and 1475 feet in a
Southerly direction, together with feet on
each side of the center of the ledge for the entire length of the claim.
The discovery work consists of a
located about 25 feet in a 500 therety direction from the location
monument, and its dimensions are /2 feet wide, 20 feet long
and feet deep, exposing ledge, lode or vein in place.
The northwest corner is marked by a past 4 feet high, inscribed "NW
Corner of the Bowser No 54 Claim"; the southwest corner is marked by a
post 4 feet high, inscribed "SW Corner of the Bowser No 54
Claim"; the southeast corner is marked by a
"SE Corner of the Bowser No 54 Claim"; the northeast corner is marked by a
gas + 4 feet high, inscribed "NE Corner of the Garages No. 54
Claim." There is also a 4 ff oas t at the center of each side line. The discovery
Claim." There is also a 4 ff post at the center of each side line. The discovery work has been done, and the location completed since Mar 8 , 1968
LOCATORS Holden
Dated Nay 9 , 1968
(Section 517.050, Nevada Revised Statutes, provides that every location of a mining claim made after July 1, 1941, shall be absolutely void unless a certificate of location thereof is recorded with the county recorder of the county in which the claim is located within 90 days after the date of location.)

### CERTIFICATE OF LOCATION

### LODE-QUARTZ

THIS IS TO CERTIFY that the Bowser	No 55 lode mining
claim was located by	
(print name of locator)	(print post office address)
Robert B. Daniel	Box 283, Eureka, Nev.
Hal Jensen	Fly , Nevaaa.
on the 8Hb day of Mar	, 1968, situated in the Mf Hope
	District, Eureka County,
State of 10.0	and about 2900 Ff N 200F
C 15 mal 11 c	300 TI NS/E
of the WIT hope sp	, and about 3800 ff N39°E
1 23 N JE31 E	
We (or I) claim	r feet along the course of the mineral-bearing
leage, lode or vein, extending	feet from the location monument
in a 500 ther/y direction, and	
each side of the center of the ledge for the ent	ire length of the claim.
The discovery work consists of a	feet wide, 20 feet long
located about 25 feet in a	Southerly direction from the location
monument, and its dimensions are	feet wide, 20 feet long
andfeet deep, e	exposing ledge, lode or vein in place.
The northwest corner is marked by	post 4 feet high, inscribed "NW
Corner of the Prince of the Pr	Claim" the couthwest corner is marked by a
	Claim"; the southwest corner is marked by a
cost 4 reer night, inscribed SVI	Corner of the Buser No. 55
Claim"; the southeast corner is marked by a	feet high, inscribed 5-Claim"; the northeast corner is marked by a
"SE Corner of the Bouser No.5.	5-Claim"; the northeast corner is marked by a
post 4 feet high, inscribed "NE	Corner of the Bauser No. 55
Claim." There is also a 4 ft. post	at the center of each side line. The discovery
work has been done, and the location complet	Corner of the $\frac{Bauser}{No.55}$ at the center of each side line. The discovery ted since $\frac{Mar}{8}$ , 1968
	1 BHO
LOCATORS	Jalust 10 Marine
LOOAIONS	) Tal Jense
Dated May 9 , 1965	
Dated May 7 , 1963	-
(Section 517.050, Nevada Revised Statutes, provid	es that every location of a mining claim made after
recorder of the county in which the claim is locate	
RECORD AECORD	ED AT THE REQUEST OF Robert Daniel

cn May 10 ,1968, of 15 mins, past 4 P. M. Book 24 of OFFICIAL RECORDS, page 14 ,RECORDS

EUREKA COUNTY, NE

File No.

\_\_\_\_, RECORDS OF

Fee \$1.00

\_ Recorder.

### PR. No. 46808

### **24**POOK 2 PAG

#### 015

RECORDS OF

Cotarle Recorder.

### CERTIFICATE OF LOCATION

#### LODE-QUARTZ

THIS IS TO CERTIFY that the Bowser N	a 56 lode mining
claim was located by	
Robert B. Danie B	(print post office address)
Hal Jensen E	
on the Sth day of Nav , 196 Mining District	, Fireka County,
State of Nevada, and a of NIT Hope Spring in R:51E;	Sec. 36 of T23N
We (or 1) claim 1500 linear feet	along the course of the mineral-bearing
	feet from the location monument
in a Northerly direction, and	1475 feet in a
in a Northerly direction, and direction, together with	.300 feet on
each side of the center of the ledge for the entire leng	gth of the claim.
The discovery work consists of a	cut
nonument, and its dimensions are 12	direction from the location
monument, and its dimensions are 12	feet wide, 20 feet long
and 4 feet deep, exposing	
The northwest corner is marked by a pas	1
Corner of the Bowser No. 56 Claim"	; the southwest corner is marked by a
pas + 4 feet high, inscribed "SW Corne	
claim"; the southeast corner is marked by a	
"SE Corner of the <u>Bowser Na. 56</u> Clair	n"; the northeast corner is marked by a
post 4 feet high, inscribed "NE Corner	of the Bowser No 56
Claim." There is also a 4 ft post at the	center of each side line. The discovery
work has been done, and the location completed sinc	e Mar 8 , 1968
, <del>y</del>	Fourt Braniel
Logarons	Hol Jonaen
LOCATORS	<u> </u>
Dated May 9 , 1968 _	
(Section 517.050, Nevada Revised Statutes, provides that e July 1, 1941, shail be absolutely void unless a certificate or recorder of the county in which the claim is located within	f location thereof is recorded with the county 90 days after the date of location.)
مادلان مادلان مر May 10	Robert Daniel

Book 24 of OFFICIAL ASCORDS, FORE

46809

PAGE 016

Fee \$ 1.00

### CERTIFICATE OF LOCATION

THIS IS TO CERTIFY that the	Bornse	2/	No.	57	lode mining
claim was located by					
(			/nai-	t post office	\\\\
(print name of locator) Robert B. Danie	. /	. 12	(prin	t post office	as to the
Hal Jenson	<del></del>	_ /	=/4	Nev.	$\Delta$
-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			0		
on the <u>8</u> th day of <u>Ma</u>	<u> </u>	196	g, situa	ted in the	Mt Hope
	Mining D	istrict,		Eure ka	County,
State of Nev.  of NIF Hope S		and a	bout	400 1	Cf NG9°E
of NIT Hope 5	pg in	50	c 36	of.	T23 N R5
· , , , , , , , , , , , , , , , , , , ,	0				
			_		
				//	
We (or 1) claim 1.50	a linear	feet a	alona the	course of t	he mineral-bearing
· / /		1		i Hom me	ocanon monumeni
ledge, lode or vein, extending in a <u>southerly</u> <u>hartherly</u> directi	direction, and_			75	teet in a
partherly directi	ion, together w	/ith_		300	feet on
each side of the center of the lec	ge for the entir	e leng	yth of the	claim.	
The discovery work conlocated about 25 feet	isists of a		Cut		1
located about	tin'a 🔑	1.60	./.	directio	n from the location
manument and its dimensions as		ner	Joseph Wild		facellar.
monument, and its dimensions ar					
and 4					
The northwest corner is	marked by a_	pa.	<u>5 †                                    </u>	4 feet h	igh, inscribed "NW
Corner of the <u>Bowser</u>	No.57 C	laim";	ihe sou	othwest corr	ner is marked by a
feet high, i Claim"; the southeast corner is ma	arked by a		_	11	eet high, inscribed
					ner is marked by a
"SE Corner of the Bowse					· · · · · · · · · · · · · · · · · · ·
feet high, in	iscribed "NE C	orner	of the	Bowse	C No5/
Claim." There is also a 4 Ff	post al	t the d	center of	each side li	ne. The discovery
Claim." There is also a 4 Ff	ation completed	d since	e Mar	-8	, 19 <i>68</i>
	1			1-116	
1001		L	Toliest	1010	and
LOCA	TORS	_	77of	Dens	
	1				·
Dated Nay 9	_, 1968				
(Section 517.050, Nevada Revised S July 1, 1941, shall be absolutely ve recorder of the county in which the	Statutes, provides old unless a certif	icate of	location th	ereof is record	ed with the county
recorder or the county in which the				Robert	
	on May 1	<u>0,159</u>	58., et 15	mins, past _	
•	ገለ				
		_ pr Ori	HEINL EIGOI	OS, page	le acti Recorder.

### LODE-QUARTZ

THIS IS TO CERTIFY that the Bows	er No. 58 lode mining
claim was located by	
(print name of locator)	(print post office address)
Robert & Daniel	(print post office address) Bex 283, Eureka, Nev.
Hal Jenson	Ely Nev
	10 64 11 11 11 11 11 11
	, 1968, situated in the Mf Hope  ning District, Fireka County,
Mir	ning District, Fureka County,
State of Nev	and about 4400 ft N 69°E ing in Sec 36 of T 23 N Henderson Summit
of MA Hope Spr.	ing in Sec 36 of 123N
K 31 E OT	tenderson Jummit
We (or I) claim 1500	linear feet along the course of the mineral-bearing
ledge, lode or vein, extending	feet from the location monument
in a Northerly direction	, and 1475 feet in a ther with 300 feet on
Southerly direction, toge	ther with 300 feet on
each side of the center of the ledge for the	e entire length of the claim.
The discovery work consists of a	Cut
located about 25 feet in a	500 there y direction from the location
monument, and its dimensions are	12 feet wide, 20 feet long
and A feet de	
The northwest corner is marked	by a gost 4 feet high, inscribed "NW
Corner of the Bourser No. 5	Claim"; the southwest corner is marked by a
	"SW Corner of the Bowser No 58
Claim"; the southeast corner is marked by	a post 4 feet high, inscribed
"SE Corner of the Bouser No	58 Claim"; the northeast corner is marked by a
post 4 feet high, inscribed	"NE Corner of the Bouser No 58  at the center of each side line. The discovery
Claim." There is also a 4 ft. pos	at the center of each side line. The discovery
work has been done, and the location con	
	-0.1
	Wohnt Blanch
LOCATORS	Fol On me
Dated May 9 , 190	68
(Sc:tion 517.050, Nevada Revised Statutes, p July 1, 1941, shall be absolutely void unless recorder of the county in which the claim is	rovides that every location of a mining claim made after a certificate of location thereof is recorded with the county located within 90 days after the date of location.)
	RECORDED AT THE REQUEST OF ROBert Daniel
	on, May 10 19 68 of 15 may rost 4 P. M.  Book 24 of OFFICIAL RECORDS, page 17  RECORDS

Book 24 of OFFICIAL RECORDS, page EUREKA COUNTY NEVADA FILLERS C

RECORDS OF

We lask Recorder.

Fee § 1.00

THIS IS TO CERTIFY that the Sousev	No. 59	lode mining
claim was located by		
(print name of locator)	(print post office add	irese)
Robert B. Danie	B-y 283 Eu	cata Nevi
Hal Jensen	Ely, Nev.	<u> </u>
	V	
		. / //
on the 8th day of Mer	1968, situated in the	VIT Hope
Mining (	District, Eureka	County,
State of 1/2/	and about 5000 Et	1 N69°W
State of Nev.  of the Mt Hope Spg.  2 sec: 36 of T238	<u> </u>	50- 35
of the III Tipe spy.	PCIS E E	1/2 /2000
2. Sec. 136 of 7.23 S	KOIL LOF	<u>Fignatersor</u> i
Summit.	$\overline{}$	
	<del></del>	
We (or 1) claim 1500 linear	feet along the course of the	mineral-bearing
ledge, lode or vein, extending	feet from the loc	cation monument
in a - Hand direction and		feet in a
Southerty The same same same same same same same sam		
in a <u>southerly</u> direction, and <u>northerly</u> direction, together w	300	feet on
each side of the center of the ledge for the enti-	re length of the claim.	
The discovery work consists of a	Cut	•
located about 25 feet in a no	-they/u direction	from the location
	foot wide a	fact land
monoment, and its differsions are	ieei wide,	,reer long
andfeet deep, ex	posing ledge, lode or vein in	place.
The northwest corner is marked by a	post 4 feet hig	h, inscribed "NW
Corner of the Bowser No. 59	Claim"; the southwest corner	r is marked by a
past 4 feet high, inscribed "SW	Corner of the	16 59
Claim"; the southeast corner is marked by a	1 1 1	
Craim ; the southeast corner is marked by a	0057 4	a mgn, mscribeu
"SE Corner of the Bowser No.59	Claim"; the northeast corne	r is marked by a
oos + 4 feet high, inscribed "NE (	Corner of the Bowser	No 59
Claim." There is also a 4 ft, past a	it the center of each side line	. The discovery
Claim." There is also a 4- ft. post a work has been done, and the location complete	ed since 10 8	1968
		A
}	Folust Com	towell
LOCATORS	95. O.	
}	(10)	
20 /0	<del></del>	
Dated May 9 , 19 68		
(Section 517.050, Nevada Revised Statutes, provides	that every location of a mining cl	nim made after
July 1, 1941, shall be absolutely void unless a certi recorder of the county in which the claim is located	l within 90 days after the date of l	ocation.)
RECORD	ED AT THE REQUEST OF RObert	Daniel
onM	lay 10 15 68 ct 15 mins. pas	1 <u>4 P.</u> M.
Book	24 of OFFICIAL RECORDS, page	18 RECORDS
EUREKA File No.	COUNTY, NEVADA Hillis G	fec \$1.00
file No.	· ·	

### LODE-QUARTZ

THIS IS TO CERTIFY that the	Bowse	- No.	60	lode mining
claim was located by	•			
Robert B. Danie	ė/	Boy 25	post office address	ka, Nev.
Hal Jensen		Ely,	Nev.	
on the 84h day of Mar			ed in the M	
State of Nev.	, ai	nd about 5	000 N	69°W
of Nt Hope of T. 23 N R & of Henderson	Spg.	in Sea	90 ju	36 st E.
of Henderson	Summi T	-	2 -	
	$\leftarrow$			
We (or I) claim	linear f	eet along the	course of the n	nineral-bearing
ledge, lode or vein, extending	<u> </u>	feer	from the locati	
in a northerly direction,	together wit		5	feet in a
each side of the center of the ledge f	for the entire	longth of the	<u>90</u>	feet on
/ /				
The discovery work consist located about 25 feet in				m the location
monument, and its dimensions are_	12	feet wide	. 20	feet long
and 4 fe	,	1 1		
The northwest corner is ma	arked by a	post "	🖊 feet high,	inscribed "NW
Corner of the Bowser No	60 Cla	im"; the sou	thwest corner is	s marked by a
post 4 feet high, insc	ribed "SW Co	orner of the	Bowser	No 60
Claim"; the southeast corner is marke	ed by a	ost_	4 feet	high, inscribed
"SE Corner of the Boulen	No 60	Claim"; the no	rtheast corner is	s marked by a
Claim." There is also a 4 ft power work has been done, and the location	ibed "NE Co	rner of the	Bowser	No. 60
Claim." There is also a 4 ft. p	05.7 at	the center of e	each side line.	The discovery
work has been done, and the locatio	n completed	since	~ 8	, 1968
			<u>G</u>	
LOCATO  Dated Nay 9	ers	Folum Wol	1 Bal	Emel -
Dated May 9	19 68			
(Section 517.050, Nevada Revised State July 1, 1941, shall be absolutely void a recorder of the county in which the cla	inless a certific	ate of location the	reof is recorded wit	th the county

RECORDED AT THE REQUEST OF RObert Daniel

on May 10 19 68 of 15 mins post 4 P. M. in

Book 24 of OFFICIAL SECORDS, page 19 RECORDS OF

EUREKA COUNTY, NEVADA MILLIA 6. Recorder.

Fig. No. Fee S 1.00

### 24 PAGE 020

### CERTIFICATE OF LOCATION

### LODE-QUARTZ

THIS IS TO CERTIFY that the Bowser No. 6/ lode mining
claim was located by
(print name of locator) (print post office address)
Robert B. Daniel Sox 382, Eureka, New
Hal Jensen Ely, Nev.
on the 10 th day of Mar , 1968, situated in the 11th Hope
Mining District, Eureka County,
State of Nev., and about 5000 ff 5 15° W
of Mt Hope Spg. JE of Henderson Summit
on N. slage Mt. Hope
We (or I) claim 1500 linear feet along the course of the mineral-bearing
ledge, lode or vein, extending 25 feet from the location monument in a <u>southerly</u> direction, and <u>1475</u> feet in a <u>Inartherly</u> direction, together with <u>300</u> feet on each side of the center of the ledge for the entire length of the claim.
in a <u>Southerly</u> direction, and 1475 feet in a
nactherly direction, together with 300 feet on
each side of the center of the ledge for the entire length of the claim.
The discovery work consists of a
The discovery work consists of a
monument, and its dimensions are 12 feet wide, 20 feet long
feet deep, exposing ledge, lode or vein in place.
The northwest corner is marked by a post 4 feet high, inscribed "NW
Corner of the Bow, ser No. 6/ Claim"; the southwest corner is marked by a
feet high inscribed "SW Corner of the
Post 4 feet high, inscribed "SW Corner of the Bowser No 6/ Claim"; the southeast corner is marked by a Past 4 feet high, inscribed
'SE Corner of the Bowser No.6 / Claim"; the northeast corner is marked by a
Post 4 feet high, inscribed "NE Corner of the Bowser No 61 Claim." There is also a 4 ff. post at the center of each side line. The discovery
Claim." There is also a $\frac{4}{4}$ $\frac{4}{4}$ $\frac{4}{6}$ $\frac{4}{6}$ at the center of each side line. The discovery
work has been done, and the location completed since <u>Mary 10</u> , 19 <u>68</u>
D. F. B. Doniel
25/ ()
LOCATORS
Dated May 9 , 1968
(Section 517.050, Nevada Revised Statutes, provides that every location of a mining claim made after July 1, 1941, shall be absolutely void unless a certificate of location thereof is recorded with the county recorder of the county in which the claim is located within 90 days after the date of location \

REJURDED AT THE REQUEST CT\_Robert\_Daniel

May 10 19 68 at 15 min post 4 P. M. in

Book 24 of OFFICIAL RECORDS page 20 RECORDS OF

EUREKA COUNTY NEVADA STATELLIS G. All Captur Recorder.

Fig. 13. 16813

### LODE-QUARTZ

THIS IS TO CERTIFY that the Bowser	No 62 lode mining
claim was located by	
(print name of locator)	(print post office address)
Robert B. Daniel	(print post office address)  Box 382, Euroka, Nev.
Hal Jensen	Ely Nev
on the 10th day of Mar	, 1968 , situated in the Mt. Hope
Mining	, 1968, situated in the Mt. Hope  District, Euroka. County,
State of Nev.	, and about 5000 ff. 574°C
of the Mount Hope	, and about 5000 ft. 574°C. Sog. on the N. Slope Henderson Jummit
of Mt Hope S. F. of	Henderson Jummit
We (or I) claim 1500 line	ar feet along the course of the mineral-bearing
ledge, lode or vein, extending	feet from the location monument
in a Northerly direction, and	with 300 feet on
Toutherly direction, together	with 300 feet on
each side of the center of the ledge for the en	tire length of the claim.
The discovery work consists of a	0 +
located about 2 - feet in a	Stherly direction from the location
monument and its dimensions are	foot wide
and foot door o	feet wide, 20 feet long
The northwest series is sould be	exposing ledge, lode or vein in place.  3 005 + 4 feet high, inscribed "NW
The normwest corner is marked by a	ost 4 teet high, inscribed "NW
DOCUSET IVO. 62	cigin 1 line soontimest could is marked by a
ocst 4 teet high, inscribed "SW	Corner of the Bowser No. 62
Liaim; the southeast corner is marked by a	oost 4 feet high, inscribed
SE Corner of the Bowser No 62	Claim"; the northeast corner is marked by a
past 4 feet high, inscribed "NE	Corner of the Bowser No. 62
Claim." There is also a 4 ff past	at the center of each side line. The discovery
work has been done, and the location complet	red since Mar 10 , 1968
	A FRA
LOCATORS	I st 1 0
	/ Vol Vennan
Dated May 9 , 1968	
July 1, 1941, shall be absolutely void unless a cert recorder of the county in which the claim is locate	s that every location of a mining claim made after ificate of location thereof is recorded with the county d within 90 days after the date of location.)
ان الله الله الله الله الله الله الله ال	At H: (19. c. Robert Daniel V. 10. 19. 68 at 15 min past 4 P. M. in
Book 2	1 10 19 68 of 15 mins, past 4 PM. in 4 of OFFICIAL RECORDS, page 21 2 RECORDS OF CONNEY NEVADA HILLIAN A. De Cashe Recorder
EUREKA C	CONTRONEVADAMENTA U. DE COSE Recorder

Fne \$1.00

EUREKA CONNENS NEVADA

# FNe No. 46815

### CERTIFICATE OF LOCATION

THIS IS TO CERTIFY that the Sow Ser	- <i>No 63</i> lode mining
claim was located by	
(print name of locator)	(print post office address)
Polart B. Daniel	(print post office address)  Box 283, Eureka Nev.
///	
Hal Jensen	Ely Nev.
on the 10th day of Mac	, 1968 , situated in the Mt. Hope
Minin	g District, Eureka County,
State of New	, and about 4500 ft 5,70 w o
the Mount Hove Jug	e an N stope of Mt
Hope 5, F. of Hender	rsan Jammit
We (or I) claim <u>1500</u> lin	near feet along the course of the mineral-bearing
edge, lode or vein, extending	feet from the location monument
na Sathorly direction, a	nd 1475 feet in a feet on
direction, together	er with see feet on
part side of the sector of the ladge for the	notice length of the daily
each side of the center of the ledge for the e	entire length of the claim,
The discovery work consists of a	ortherly direction from the location
ocated about <u>25</u> feet in a <u>1</u>	ortharly direction from the location
nonument, and its dimensions are 12	feet wide, 20 feet long
	, exposing ledge, lode or vein in place.
	a past 4 feet high, inscribed "NW
	Claim"; the southwest corner is marked by a
post 4 feet high, inscribed "S	SW Corner of the Boxuser No 63  feet high, inscribed
Claim"; the southeast corner is marked by a	feet high, inscribed
SE Corner of the Bowser No 6	Glaim"; the northeast corner is marked by a
feet high, inscribed "N	E Corner of the Bowser No.63
Claim "Thora is also a A F.C	at the center of each side line. The discovery leted since Mar. 10 , 1968
cidilli. There is ulso u 27 77 pos 1	
work has been done, and the location compl	leted since Mar. 10 , 1968
	1 Don't Ball
LOCATORS	of C.
	Not Jones
	~\
Dated May 9 , 1968	3
July 1, 1941, shall be absolutely void unless a c	vides that every location of a mining claim made after certificate of location thereof is recorded with the county lated within 90 days after the date of location.)
RECC	DEDECT OF ROBERT DANIEL
00	May 10 1968; at 15 mins past 4 P. M.  24 of OFFICIAL RECORDS, page 22 RECORDS
Book CAID!	EKA COUNTY, NEVADA. Stilles a. De Taoliseco
EUR! Eila	16815 Fee \$ 1.00

BOOK 24 PAGE 023

### CERTIFICATE OF LOCATION

THIS IS TO CERTIFY that the $B_{oo}$	user No. 64	lode mining
claim was located by		
(print name of locator)	, (print post office a	iddress)
Robert B. Daniel	Box 283, A	Eureka, Nev.
Hal Jensen	· · · · · · · · · · · · · · · · · · ·	
on the 10th day of Mar	, 19 <u>68</u> , situated in the	MIT. Hope
	Mining District, Eureka	County,
State of Nev.	, and about 4500 f1	569°W,
State of Nev. of Mt Hope Spg. on the N Slo	, E of Henderson	summit
on the N 5/0,	se of Mit. Hope	
······································		
MA (- N -lain -	linear foot along the according	
We (or 1) claim 1500	linear feet along the course of the	ne mineral-bearing
ledge, lode or vein, extending	feet from the l	ocation monument
in a Northerly directi	ion, and 1475	feet in a
in a <u>Northerly</u> direction, to the side of the center of the ledge for	gether with 300	feet on
each side of the center of the ledge for	the entire length of the claim.	
The discovery work consists o	of a Cot	
The discovery work consists of located aboutfeet in a	Foutherly direction	n from the location
monument, and its dimensions are	12 feet wide, 20	feet long
and 4 feet	deep, exposing ledge, lode or vein	in place.
The northwest corner is mark	ed by a post 4 feet hi	igh, inscribed "NW
Corner of the <u>Bowser</u> No.	64. Claim"; the southwest corn	er is marked by a
past 4 feet high, inscrib	ped "SW Corner of the Bourse	r No. 64
feet high, inscrib Claim"; the southeast corner is marked	by a post 4 f	eet high, inscribed
"SE Corner of the Paragon of	√ ∠ ∠ Claim"; the northeast corn	er is marked by a
Claim." There is also a 4 ff, powerk has been done, and the location	ed "NE Corner of the Bowse,	- No 64
Claim." There is also a 4 ft. P	os fat the center of each side li	ne. The discovery
work has been done, and the location	completed since	, 1968
	h h	
LOCATOR	folial Ch	Tamel
	) — , , , , , , , , , , , , , , , , , ,	
Dated Nay 9 , 1		· · · · · · · · · · · · · · · · · · ·
(/	· ·	
July 1, 1941, shall be absolutely void unle	s, provides that every location of a mining eas a certificate of location thereof is recorde is located within 90 days after the date of	d with the county
	REJORDED AT THE REQU. T CT Robert	Daniel
	on May 10 1968 6 15 mins por	23 RECORDS OF
	on May 10 1968 of 15 mins por 600k 24 of OFFICIAL ACCURAS, pose EUREKA COUNTY, NEVADA HILLONG CO	De Taste Recorder.
	File No. 46816	Fee \$_1.00

LODE-QUARTZ

THIS IS TO CERTIFY that the Bowser	No. 65 lode mining
claim was located by	
Robert B. Danie	Box 283, Eureka, Nev.
Hal Tensen	Ely Nev.
on the 10th day of Mar. Mining D	1963, situated in the Mf. Hope  District, Funka County,
State of Nev.	and about 3900 ft 565°W
State of Nev.  of Mf. Hope Spg. a.  Hope E. of Henderso	n N 5/goe of Mt
We (or I) claim 1500 linear	feet along the course of the mineral-bearing
eage, lode or vein, extending	feet from the location monument
in a <u>southerly</u> direction, and <u>northerly</u> direction, together w	1475 feet in a
trortherly direction, together v	vith 300 feet on
each side of the center of the ledge for the entire	e length of the claim.
The discovery work consists of a	cut
The discovery work consists of a located about 25 feet in a located about 125 feet in	ther / direction from the location
monument, and its dimensions are 12	feet wide, 20 feet long
	posing ledge, lode or vein in place.
	past 4 feet high, inscribed "NW
Corner of the Bowser No. 65	laim"; the southwest corner is marked by a
past 4 feet high, inscribed "SW	Corner of the Bouser No. 65
Claim"; the southeast corner is marked by a	gost 4 feet high, inscribed
SE Corner of the Bowser No.65	Claim"; the northeast corner is marked by a
A feet high, inscribed "NE C	Former of the Bowser No. 65
Claim." There is also a A Ff. post a	t the center of each side line. The discovery
work has been done, and the location complete	
LOCATORS	Holen Branch
Dated Nay 9 , 1968	
(Section 517.050, Nevada Revised Statutes, provides July 1, 1841, shall be absolutely void unless a certif recorder of the county in which the claim is located	icate of location thereof is recorded with the county

CORDED AT THE REQUEST OF ROBERT Daniel

May 10 19 68, of 15 corp. past 4 P. M. in

Record 24 of OFFICIAL RECORDS, page 24 RECORDS OF

EUREKA COUNTY NEYADA Stellar a De Carlo Recorder.

File No. 16817 Fee \$ 1.00

THIS IS TO CERTIFY that the Bawser	No. 66	lode mining
claim was located by		
Robert B. Danie	(print post of	fice address) Eureko Nev
Hal Jensen	-1	$\sim$
on the 10 Hz day of May.  Mining	g District, Eure	County,
State of Nev. From Mf Hope Spg. on N. Slape of M.	, and about 392	5564°W
From Mf Hope Spg.	E. of Hende	rson Jummi,
on N. Slope of M.	t. Hope	
		<del></del>
We (or I) claim 1500 line	ear feet along the course	of the mineral-bearing
ledge, lode or vein, extending		
•		
in a Northerly direction, ar	r with 200	feet on
each side of the center of the ledge for the e	ntire length of the claim.	
The discovery work consists of a		
		action from the location
nonument, and its dimensions are 12	foot wide	foot lane
		· ·
and 4- feet deep,	/ /	
The northwest corner is marked by		
Corner of the Bowser Na 66		
post 4 feet high, inscribed "S'	w Corner of the Bow	ser No 66
Claim"; the southeast corner is marked by a "SE Corner of the <u>Bowser</u> Va	post +	reet high, inscribed
"SE Corner of the Bowser No.	Claim"; the northeast	corner is marked by a
Claim." There is also a 4 ft post work has been done, and the location completely	Corner of the Bows	ser No66
Claim." There is also a 4 ft post	_at the center of each sid	de line. The discovery
work has been done, and the location compl	eted since <u>Man 1</u>	<u>o</u> , 19 <u>68</u>
		- 0
	A Arenth	
LOCATORS	The Cu	and the same
,		
Dated May 9 , 1968	٧	
(Section 517.050, Nevada Revised Statutes, provi July 1, 1941, shall be absolutely void unless a correcorder of the county in which the claim is loca	ertificate of location thereof is r	ecorded with the county
RECO	ROED AT THE SEQUENT OF RO	bert Daniel
95	May 10 19 68 of 15	mint, past 4 P. M.
- Eack	24 of OFFICIAL RECORDS, 1 KA COUNTY, NEVADA.	ist a. We law Execute
File N		Fec \$ 1.00

THIS IS TO CERTIFY that the Bowser No 67 lode mining
claim was located by
Labert B. Daniel Box 283, Eureka, Nav.
Hal Jensen Ely, Nev.
on the 10th day of Mar, 1968, situated in the 11th Hope  Mining District, Fureka County,
State of Nev , and about 3300f 552° W
of Mt Stope Spg. SE of Henderson Summit on the N. slape of Mt Hope
We (or I) claim 1500 linear feet along the course of the mineral-bearing ledge, lode or vein, extending feet from the location monument
in a <u>southerly</u> direction, and 1475 feet in a hortherly direction, together with 300 feet on
each side of the center of the ledge for the entire length of the claim.
The discovery work consists of a
The northwest corner is marked by a post 4 feet high, inscribed "NW Corner of the Basser Va 67 Claim"; the southwest corner is marked by a
Claim"; the southeast corner is marked by a post of feet high, inscribed "SE Corner of the Bowser No 67 Claim"; the northeast corner is marked by a post of feet high, inscribed "NE Corner of the Bowser No 67 Claim." There is also a of fit post of the center of each side line. The discovery
Claim." There is also a $\frac{4}{10}$ $\frac{10}{10}$ The discovery work has been done, and the location completed since $\frac{10}{10}$ , 1968
LOCATORS Tol Imen
Oated Nay 9, 19 68  (Section \$47,050, Nevada Revised Statutes, provides that every location of a mining claim made after July 1, 1941, shall be absolutely void unless a certificate of location thereof is recorded with the county
recorder of the county in which the claim is located within 90 days after the date of location.)    Robert Daniel   Robert Daniel   15 mar and 4 P. M.

BOOK 24 PAGE 027

# CERTIFICATE OF LOCATION

THIS IS TO CERTIFY that the	Bows	er_	1/2	68	lode mining
claim was located by	<u> </u>				<del>_</del>
(print name of locator)			(nrint no	st office addr	
Robert B. Danie		Box	283	, Eure	ka Nev
Hal Jensen	<del></del>	Ely	1. Ne	V	<u> </u>
on the 10th day of Mar				in the 117	
State of New.					
From Mt Hope Son	012	N	5/00	op of	Not
from Mt. Hope Spg. Hope S.E. of L	lender.	son	Sun	mit.	
			_		
	_/			<del>\</del> -	
Market Note in the Co. 2	linear	foot slee			
We (or I) claim 1500				/	mineral-bearing
ledge, lode or vein, extending				/	tion monument
in a Northerly direction, to	mon, and_		14.75		teet in a
Joutherly direction,	rogerner v	vitn	30	<u></u>	teet on
each side of the center of the ledge for					
The discovery work consists	of a		it.	$\rightarrow$	
located about 25 feet in a	500	ther	17	_direction fr	om the location
\ \			_	7-0	
and 4 fee		/ /	,		
The northwest corner is mar	ked by a	past	4	_ feet high	, inscribed "NW
Corner of the Bowser No	68	:laim"; th	ne southv	vest corner	is marked by a
cast 4 feet high, inscri	ibed "SW	Corner of	the $B_0$	NOSEL	No 68
Claim"; the southeast corner is marked	by a	post	<u></u>	4 feet	high, inscribed
"SE Corner of the Bowser 1	6 68	_Claim";	the north	east corner	is marked by a
post 4 feet high, inscrib	ped "NE C	Corner of t	he_ <i>Boo</i>	wser	No 68
Claim." There is also a 4 ft. po	<u>s                                    </u>	t the cent	er of eac	h side line.	The discovery
Claim." There is also a 4 ft. po	complete	ed since	Mar	10	, 19 <u>68</u>
				_	` 1
	1	A)	0.1	(-1 ) Les	
LOCATO	RS		H. [	()	e.
	}		<del></del>		
Dated Nay 10,	19 / 8				
(Section 517.050, Nevada Revised Statu- July 1, 1941, shall be absolutely void un recorder of the county in which the clai	tes, provides aless a certi	that every	location of ation thereo	' a mining clai f is recorded w	ith the county
	:EUGRDED AT	ганы ко <u>ф</u> ос. О дву 68	. 3° <u>R</u> , at .15_	obert Dar	niel P. M. in
		MENAPA NEVAPA	A FILLE	v Q. D	P. M. in RECORDS OF Recorder.
	File No.	100KU		F	ie \$ 1.00

LODE-QUARTZ

THIS IS TO CERTIFY that the	Bowse	~ <u>~</u>	No	67	lode mining
claim was located by	79				
(print name of locator)	• /		(print po	st office addr	ess) /
Robert B. Dan	10/_	Box	_2	83, EU	reka, Nev
Hal Jensen					
on the 10th day of Mar.	Mining D	19 <u>68</u> , s	situated France	in the $M$	Hope County,
State of New	,	and about	3100	J 5/	·w of
Mt Hope Spg of	2 _d/	5/ope	of	not.	1/000
S.F. of Hende	rson_5	immi.	£ .		
	<u> </u>				
				\	
		$\leftarrow$	-	_	
We (or I) claim <u>1500</u>	linear	feet along	the cou	urse of the	mineral-bearing
ledge, lode or vein, extending	25	$\overline{}$	feet fr	om the loca	tion monument
in a Southerly direction  In a therly direction  each side of the center of the ledge	irection, and_	147	5_/		feet in a
northerly direction	n, together w	rith	30	Q	feet on
each side of the center of the ledge	for the entire	e length of	the cla	ìm.	
The discovery work consi	ists of a	Cu,	$\neq$		
The discovery work consilocated about 25— feet monument, and its dimensions are	in a nor	flacily	<u>.                                    </u>	_direction fr	om the location
monument, and its dimensions are	_ /2_	feet	wide,	20	feet long
and 4	feet deep, exp	oosing ledg	je, lode	or vein in p	olace.
The northwest corner is r	marked by a	005	£ 4	feet high	, inscribed "NW
The northwest corner is r Corner of the $egin{array}{cccccccccccccccccccccccccccccccccccc$	69 CI	laim"; the	southv	vest corner	is marked by a
past 4 feet high, in	scribed "SW C	Corner of th	e B	, 10050 pm	No 69
Claim"; the southeast corner is mar	ked by a				high, inscribed
"SE Corner of the Bawser	No 69	Claim"; th	e north	east corner	is marked by a
Claim." There is also a 4. ff. p	cribed "NE Co	orner of the	Bo	co 500	1/0 69
Claim." There is also a 4 ff	oost at	the center	of eac	h side line.	The discovery
work has been done, and the locat	ion completed	d since	20cm	10	, 19/68
		-2-4		-1.6	
LOCAT  Dated May 10	ORS	Follows 1	of S	BNA	and a
Dated May 10	, 19 68				
(Section 517.050, Nevada Revised St July 1, 1941, shall be absolutely voice recorder of the county in which the	atutes, provides I unless a certifi claim is located	icate of location within 90 day	on thereon	f is recorded w	rith the county ation.)

TUREKA COUNTY, NEVADA Helli a De Tasli Recorder. 16821 For \$ 1.00

THIS IS TO CERTIFY that the Bowsey	No. 70 lode mining
claim was located by	
(print name of locator)	(print post office address)
Hobert B. Daniel	Box 283, Euroka, Nev.
Hal Tana	El 160
Hal Jensen	- Fig, Nev.
on the 10th day of Mor Mining	1968, situated in the MF Hope
Mining	District, Euroka County,
State of Acu,	and about 3725 ff. 552° W
of Mt. Hope Jog. or	N. Slope of Mt. Hop
S.E. of Henderson	and about 3725 ff. 552° w  N. 5/ope of Mf. Hop  Summit.
/	
	$\leftarrow$
We (or I) claim 1500 linear	r feet along the course of the mineral-bearing
ledge, lode or vein, extending	feet from the location monument
in a Northerly direction, and Southerly direction, together	/475 feet in a
Southerly direction, together	with 300 feet on
each side of the center of the ledge for the enti	ire length of the claim.
The discovery work consists of a	_cut
The discovery work consists of a located about 25 feet in a 50	Herly direction from the location
monument, and its dimensions are 12	feet wide, 20 feet long
and 4 feet deep, ex	xposing ledge, lode or vein in place.
The northwest corner is marked by a	post 4 feet high, inscribed "NW
Corner of the Bowser No. 70	Claim": the southwest corner is marked by a
post 4 feet high, inscribed "SW	
Claim"; the southeast corner is marked by a	Post 4 feet high, inscribed
"SE Corner of the Bourses No 76	Claim"; the northeast corner is marked by a
	Corner of the Bawser No. 10
/ ~/ /	,
\ / //	at the center of each side line. The discovery
work has been done, and the location complete	ed since 1968
	Flower B Hand
LOCATORS	Hol Janes
1.2	
Dated Nky 10 , 1968	
(Section 517.050, Nevada Revised Statutes, provided	
July 1, 1941, shail be absolutely void unless a certi recorder of the county in which the claim is located	
	AT THE REQUEST OF ROBERT DAILIEL  10 1968, of 15 mins, post 4 P. M. in
Book 24	of OFFICIAL RECORDS, page 29 RECORDS OF
	26822 Francisco 1.00
file No	70000 Fee \$ 1.00

LODE-QUARTZ

THIS IS TO CERTIFY that the Boco.sey	No. 71	lode mining
claim was located by		<del></del>
Robert B. Waniel	(print post office add	dress)
Nobert D. Waniel	. 100x 283, EUR	eka, Nev.
Hal Jensen	Ely Nevada	
on the 29H, day of Mar Minir	, 19 68, situated in the	f. Hope
State of 4 C c	and about 7 can 6	County,
state of Nev.		£116 11 0
State of Nev. Mt Hope Spring on	N.W. Stope o	T. WIL. Flager.
We (or 1) claim 1500 lin	near feet along the course of the	mineral-bearing
ledge, lode or vein, extending	2.5 feet from the loc	cation monument
in a 5 out harly direction, a  Northerly direction, together	and 1415	feet in a
Northerly direction, together	er with	feet on
caen side of the center of the leage for the	erance length of the clattit,	
The discovery work consists of a	<u>cut</u>	
The discovery work consists of a located about 25 feet in a monument, and its dimensions are 12	Wartherly direction	from the location
monument, and its dimensions are	feet wide, 20	feet long
andfeet deep	o, exposing ledge, lode or vein in	place.
The northwest corner is marked b	y a past 4 feet hig	h, inscribed "NW
Corner of the Bowsey No.71		
post 4 feet high, inscribed "		
Claim"; the southeast corner is marked by a	nost 4 fee	et high, inscribed
"SE Corner of the Bowser Vo feet high, inscribed "N Claim." There is also a 4 ft post work has been done, and the location comp	Claim"; the northeast corne	r is marked by a
feer nigh, inscribed in	Corner of the Bowser	No 11
Claim." There is also a 4. +T, post	at the center of each side line	. The discovery
work has been done, and the location comp	pleted since Mar 29	, 1968
		$\supset$
LOCATORS	Holast Bk	James !
•		
Dated May 17 , 1960	8	
(Section 517.050, Nevada Revised Statutes, pro- July 1, 1941, shall be absolutely void unless a		

recorder of the county in which the claim is located within 90 days after the date of location.)

PORDED AT THE LEGIST OF Robert Daniel en\_May 10 1968, at 15 mas, per 30 Book 24 of OFFICIAL RECORDS, page 30 EUREKA COUNTY, NEVADA STALLAS (1. ) RECORDS OF

### LODE-QUARTZ

THIS IS TO CERTIFY that the Boursey No 72 lode mining
claim was located by
Robert B. Daniel Box 283, Eureka, Nav.
Kobert B Daniel Bex 283, Eureka Novi
Hal Tensen Ely Ver
on the 29th day of Mar , 1968, situated in the 11th Hope
Mining District, Euroka. County,
State of Now and about 7625 ft 559°W  of Mt. Hope Spg on the N.W. Slope of  Mt. Hope SE of Henderson Jumnit
of Mt. Hope Spg on the N.W. Slope of
Mt. Hope, S.E. of Henderson Jummit
We (or 1) claim
ledge, lode or vein, extending 25 feet from the location monument
in a 1/2 - thought direction, and 1/1/15 feet in a
in a Northerly direction, and 1475 feet in a <u>Southerly</u> direction, together with 300 feet on
each side of the center of the ledge for the entire length of the claim.
The discovery work consists of a
The discovery work consists of a
monument, and its dimensions are 12 feet wide, 20 feet long
and feet deep, exposing ledge, lode or vein in place.
The northwest corner is marked by a post 4 feet high, inscribed "NW
Corner of the Bowser No 12 Claim"; the southwest corner is marked by a
gost 4 feet high, inscribed "SW Corner of the Bowser No. 12
Claim"; the southeast corner is marked by a past 4 feet high, inscribed
ast 4 feet high, inscribed "NE Corner of the Boinser No. 17
Claim." There is also a 4 ff post at the center of each side line. The discovery
"SE Corner of the <u>Bowser No.72</u> Claim"; the northeast corner is marked by a <u>Post</u> feet high, inscribed "NE Corner of the <u>Bowser No.72</u> Claim." There is also a <u>Aff post</u> at the center of each side line. The discovery work has been done, and the location completed since <u>May 27</u> , 1968
1 Det HOLL
LOCATORS Tol Jenson
) Mai della
Dated May 10 , 1968
(Section 517.050, Nevada Revised Statutes, provides that every location of a mining claim made after July 1, 1941, shall be absolutely void unless a certificate of location thereof is recorded with the county recorder of the county in which the claim is located within 60 days after the date of location.)

c. May 10 ,19 68, of 15 mins. post 4 P. M. in rock 24 of OFFICIAL RECORDS, page 31 RECORDS OF REKA COUNTY, NEVADA.

46825

### CERTIFICATE OF LOCATION

LODE-OUARTZ

THIS IS TO CERTIFY that the	o WSCI	No	73	lode mining
claim was located by				
Espert B. Dan	iel	Box 2	int post office add	veka Nev.
Hal Jewsen.		Ely, 1	lev.	$\Lambda$
on the 29/13 day of Mar		19 <u>68</u> , situ	ated in the	of Hope
			weka.	
State of Nev.	^	and about	300 TI.	15/W
of Mt Hope.	of Hen	derson	<u> Jummi</u>	f
	/			
We (or I) claim 1500	linear	feet along the	e course of the	mineral-bearing
ledge, lode or vein, extending	25	fe	et from the loc	ation monument
in a Northerly direction	ection, and		175	feet in a
5 outperly direction	, together w	vith	300	feet on
each side of the center of the ledge	for the entir	e length of th	e claim.	
The discovery work consis	ts of a	Cut		
located about 25 feet in	1'a 500	1therly	direction	from the location
located about 25 feet in monument, and its dimensions are	12	feet wi	de, 20	feet long
and 4 fe	eet deep, ex	posing ledge,	lode or vein in	place.
The northwest corner is m	arked by a	Post	<b>≁</b> - feet higl	n, inscribed "NW
Corner of the <u>Bowser Ve</u>		<i>7/</i> /		
005 / 4 feet high, ins				
Claim"; the southeast corner is mark		oost -		t high, inscribed
"SE Corner of the Bowser	_			is marked by a
post 4 feet high, insc				
Claim." There is also a A fi	act a	t the center of	f each side line	. The discovery
Claim." There is also a 4 fd, work has been done, and the location	<del>رے۔دے۔۔۔۔</del> on complete	d since 1/	2- 20	. 1968
			91. 2./	
LOCATO	DRS	Floce	est 15 m	Janiel .
Dated May 10 .	1968			
(Section 517.050, Nevada Revised Sta July 1, 1941, shall be absolutely void	tutes, provides unless a certif	that overy location (	on of a mining cle	nim made after with the county

recorder of the county in which the claim is located within 90 days after the date of location.)

RECORDING AT THE REDUEST OF KODELL	Daliter
May 10 to 68 at 15 min. co	st <u>4 P</u> M. in
24 COFFICIAL RECORDS COM	32 . RECORDS OF
on May 10 19 68 of 15 mins, poson 24 of OFFICIAL RECORDS, 1000 C.	all aou provider
EUREKA COUNTY NEVADA	1 00
ROOKU	Fee \$ 1.00

THIS IS TO CERTIFY that the	Bours	er	No.	74	lode mining
claim was located by		,			
(print name of locator)	<del></del>		(print po	st office ad	dress)
Robert B. Dance	<u>;/</u>	Box	28	3. Eu	reka Nev.
Hol Tensen	<del></del>		7,700	· · · · · ·	$\wedge$
			***		<del>\ \ \</del>
on the 29th day of Mar		1968,	situated	in the	Wr. Hope
	Mining (	District,	Euro	e ka	County,
State of NeV.  of NH Hope So  S.E. of Henders	,	and about	15	25 5	56°W
of Mt Hope S.	29, , 01	2 \$1.0	0. 5	lope	of MITHO
S.E. of Henders	012 50	im mi	+		
			_	<u> </u>	
We (or I) claim	<u>o</u> linear	r feet along	the co	urse of th	e mineral-bearing
ledge, lode or vein, extending	25		_ feet fi	om the lo	cation monument
in a Northerly direction	rection, and		14.75	·	feet in a
50 utherly direction	n, together v	with	300	,	feet on
each side of the center of the ledge	for the enti	ire length o	f the cla	im.	
The discovery work consis	sts of a	201	۷\		t
The discovery work consistence about	na Ta	then	14	direction	from the location
monument, and its dimensions are	12	feet	wide,	- 21	feet long
and 4	eet deep, ex	xposina led	ae. lode	or vein in	n place.
The northwest corner is n	arked by a	(2007	t d	- feet hic	nh inscribed "NW
Corner of the Bowser A					
foot high ins	cribed "SW	Corner of t	e south	ii 12	1 is illaiked by a
feet high, ins	ad by a		'''' — — — — — — — — — — — — — — — — —	<u>20 WS 6</u> **	21 //0 <u>//</u>
Claim"; the southeast corner is mark "SE Corner of the Bocuser			الدود وا	1e	et high, inscribed
\	<del>_</del>	<del>-</del>		_	
feet high, inso	ribed "NE (	Corner of th	ie <u>/</u>	WSOT	No. 74
Claim." There is also a 4 Ff. work has been done, and the locati	post i	at the cente	er of eac	h side lin	a. The discovery
work has been done, and the locati	on complete	ed since	Mar_	29	, 19 <u>68</u>
			2		<u> </u>
	١	The	wit	19/2	and a
LOCATO	ORS	9-	Sel 1	Cerus	<del></del>
•	ĺ	}	,	0	
Dated May 10	, 19 <u>68</u>	}			
(Section 517.050, Nevada Revised Sta July 1, 1941, shall be absolutely void recorder of the county in which the c	unless a certi	ificate of locat	ion therec	f is recorded	with the county
	KECORDE	D AT THE REQU	IST OF.	Robert	
	on Ma	19 10 19 6	<u>58</u> , a _1	5_ mins, pas RDS, page	1 4 P. M. 33 PECORDS
	KADK —	COUNTS	CITE III	, (-5- —	No tark Rocard
	File No.	700%	<u>b</u>		Fee \$ 1.00

THIS IS TO CERTIFY that the Bourse	er No 75 lode mining
claim was located by	
(neint name of legator)	(print post office address)
Frent B Daniel	(print post office address), Box 283, Eureka, Nev.
	<u> </u>
Hal Jenson	Ely, Nev.
and the still day of 1	10 / 0 situated in the 40/ // a
on the 37/3 day or April	, 1968, situated in the Mt. Hope
Minin	ng District, Eureka County,
State of Nev.	, and about 7100 ft 5.52° W
of Mt Hope Spa. o	in N.W. Stope of Mt. Hop
JE of Henderson	on N.W. Stoppe of Mt Hop summit.
We (or I) claim 1500 lin	near feet along the course of the mineral-bearing
ledge lode or vein extending	feet from the location monument
· / / / / /	teer non-me location monomen
in a Southerly direction, a	and 1475 teef in a
Northerly direction, together	feet from the location monument and 1475 feet in a feet on a feet
each side of the center of the ledge for the	entire length of the claim,
The discovery work consists of a	Cot
located about 72 feet in a 1	Cot  Sortherly direction from the location
manument and its dimensions are	2 feet wide, 20 feet long
andfeet deep	o, exposing leage, lade or vein in place.
	y <u>a past 4</u> feet high, inscribed "NW
Corner of the Bowser No. 75	Claim"; the southwest corner is marked by a
	SW Corner of the Bowser No. 75
Claim"; the southeast corner is marked by a	post 4 feet high, inscribed
	Claim"; the northeast corner is marked by a
	<del></del>
post 4 feet high, inscribed "N	Vacconier of the powser No. 73
Claim." There is also a 4 17. post	at the center of each side line. The discovery
work has been done, and the location comp	NE Corner of the Bowser No. 15  at the center of each side line. The discovery pleted since April 5, 1968
	1 ABB
LOCATORS	Hollist Colland
LOCATORS	Hol Jensen
	. 6
Dated May 10 , 19 6	8
(Section 517.050, Nevada Revised Statutes, pro	ovides that every location of a mining claim made after
July 1, 1941, shall be absolutely void unless a recorder of the county in which the claim is lo-	certificate of location thereof is recorded with the county eated within 90 days after the date of location.)
	ROPE AT THE REQUEST OF Robert Daniel
on	May 10 1968, at 15 mins. past 4 4 M.
Book	24 of OFFICIAL RECORDS, page 34 RECORDS  KA COUNTY NEVARA, Stilling G. De Landescon
EURE File P	1.00

Mining District, Fureka County.  State of Nev., and about 7025 5.50°W  of Net Hope Sog. on N. W. Slope of  Mt Hope, 5. E. of Handerson Summit  We (or I) claim 1500 linear feet along the course of the mineral-bearing ledge, lode or vein, extending 25 feet from the location monument in a Northerly direction, and 1475 feet in a Southerly direction, together with 300 feet on each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a 10 feet wide, 20 feet long and 4 feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a 10 feet high, inscribed "NW Corner of the 10 feet high, inscribed "SW Corner of the 10 feet high, inscribed "NW Corner of the 10 feet high, inscribed "SW Corner of the 10 feet high, ins	THIS IS TO CERTIFY that the Bowse	er No 76	lode mining
Palet B. Daviel  Bey 28.3 Eureka, Nev.  Hal Tensen  Ely Nev  On the 5th day of April , 1968, situated in the Mt Hope  Mining District, Fureka County.  State of Nev. , and about 7025 5.51°W  of Mt Hope 3pg, on N.W. Slace of  Mt Hope, 5.E. of Handerson Summit  We (or I) claim 1500 linear feet along the course of the mineral-bearing ledge, lode or vein, extending 25 feet from the location monument in a Northerly direction, and 1475 feet in a 5eutherly direction, together with 300 feet on each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a Cuf located about 25 feet in a 5eutherly direction from the location monument, and its dimensions are 12 feet wide, 20 feet long and feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a past 4 feet high, inscribed "NW Corner of the Bowser No. 16	•		
Palet B. Daviel  Hal Tensen  Ely Nev  On the 5th day of April  Nining District,  Fureka  County.  State of Nev.  of Mit Hope Jeg. On N. W. Slage of  Mt Hope, S.E. of Henderson Summit  We (or I) claim 1500 linear feet along the course of the mineral-bearing ledge, lode or vein, extending 25 feet from the location monument in a Northerly direction, together with 300 feet on each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a Cuf located about 25 feet in a 500 feet wide, 20 feet long and 4 feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a past 4 feet high, inscribed "NW Corner of the Bowser No. 16	(print name of locator)	(print post office add	ress)
on the 5th day of April , 1968, situated in the Ant Hope  Mining District, Furches County.  State of Nev. , and about 7025 5.51°w  of Mit Hope 3pg, on N. W. Slave of Mt Hope, 5.E. of Handerson Summit  We (or I) claim 1500 linear feet along the course of the mineral-bearing ledge, lode or vein, extending 25 feet from the location monument in a Northerly direction, and 1475 feet in a 5eutherly direction, together with 500 feet on each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a 15 outherly direction from the location monument, and its dimensions are 12 feet wide, 20 feet long and 4 feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a 205 feet high, inscribed "NW Corner of the Bowser No. 16.	Robert B. Daniel	Bey 283 Eun	eka Nev.
on the 5th day of April, 1968, situated in the Mt. Hope  Mining District, Furche County,  State of Nev., and about 7025 5.51°W  of Mt. Hope Spg. on N. W. Slope of  Mt. Hope, 5. E. of Henderson Summit  We (or I) claim 1500 linear feet along the course of the mineral-bearing ledge, lode or vein, extending 25 feet from the location monument in a Northerly direction, and 1475 feet in a Sent herly direction, together with 500 feet on each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a cuf.  located about 25 feet in a southerly direction from the location monument, and its dimensions are 12 feet wide, 20 feet long and feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a past 4 feet high, inscribed "NW Corner of the Bowser No. 16.			
Mining District, Fureka County.  State of Nev., and about 7025 5.50°W  of Net Hope Sog. on N. W. Slope of  Mt Hope, 5.E. of Honderson Summit  We (or I) claim 1500 linear feet along the course of the mineral-bearing ledge, lode or vein, extending 25 feet from the location monument in a Northerly direction, and 1475 feet in a 500 feet on each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a 100 feet wide, 200 feet long and 4 feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a 100 feet high, inscribed "NW Corner of the 150 feet high, inscribed "SW Corner of the 150 feet high, inscribed "NW Corner of the 150 feet high, inscribed "SW Corner of the 150 feet high, in	- July Senser		
Mining District, Fureke County.  State of Nev., and about 7025 5.50°W  of NIT Hope Seg. on N. W. Slage of Mt Hope, S.E. of Henderson Summit  We (or I) claim 1500 linear feet along the course of the mineral-bearing ledge, lode or vein, extending 25 feet from the location monument in a Northerly direction, and 1475 feet in a 500 feet on each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a 100 feet wide, 200 feet long and 4 feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a 100 feet high, inscribed "NW Corner of the 150 feet high, inscribed "SW Corner of the 150 feet high, inscribed "NW Corner of the 150 feet high, inscribed "SW Corner of the 150 feet high, ins			1 //
State of Nev., and about 7025 5.5/°W  of Mt Hope Spa., on N.W. Stage of  Mt Hope, 5.E. of Handerson Summit  We (or I) claim 1500 linear feet along the course of the mineral-bearing ledge, lode or vein, extending 25 feet from the location monument in a Northerly direction, and 1475 feet in a 5eu for feet on feet on each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a 10 feet wide, 20 feet long and 4 feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a post 4 feet high, inscribed "NW Corner of the Bowser No. 16.	on the 51/2 day of April	, 19 <u>68</u> _, situated in the <u>Mi</u>	T. Hope
We (or 1) claim 1500 linear feet along the course of the mineral-bearing ledge, lode or vein, extending 25 feet from the location monument in a Northerly direction, and 1475 feet in a 500 feet on each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a 10 feet in a 500 feet long monument, and its dimensions are 12 feet wide, 20 feet long and 4 feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a 100 feet high, inscribed "NW Corner of the 100 feet high, inscribed "NW Corner of the 100 feet high, inscribed "SW Corner of the 100 feet high,	Min	ning District, <u>Eureka</u>	County,
We (or 1) claim 1500 linear feet along the course of the mineral-bearing ledge, lode or vein, extending 25 feet from the location monument in a Northerly direction, and 1475 feet in a 500 feet on each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a 10 feet in a 500 feet long monument, and its dimensions are 12 feet wide, 20 feet long and 4 feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a 105 feet high, inscribed "NW Corner of the 1500 feet high, inscribed "NW Corner of the 1500 feet high, inscribed "SW Corner of the 1500 feet high, inscribe	State of Nev.	, and about	5/°W
We (or 1) claim 1500 linear feet along the course of the mineral-bearing ledge, lode or vein, extending 25 feet from the location monument in a Northerly direction, and 1475 feet in a 500 feet on each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a 10 feet in a 500 feet long monument, and its dimensions are 12 feet wide, 20 feet long and 4 feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a 105 feet high, inscribed "NW Corner of the 1500 feet high, inscribed "NW Corner of the 1500 feet high, inscribed "SW Corner of the 1500 feet high, inscribe	of MIT Hope Jos	g, on N.W. Slope	_o+
We (or 1) claim 1500 linear feet along the course of the mineral-bearing ledge, lode or vein, extending 25 feet from the location monument in a Northerly direction, and 1475 feet in a 500 feet on each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a 10 feet in a 500 feet long monument, and its dimensions are 12 feet wide, 20 feet long and 4 feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a 105 feet high, inscribed "NW Corner of the 1500 feet high, inscribed "NW Corner of the 1500 feet high, inscribed "SW Corner of the 1500 feet high, inscribe	Mt Hope, S.E. of	Henderson Summ	it
ledge, lode or vein, extending 25 feet from the location monument in a Northerly direction, and 1175 feet in a Southerly direction, together with 300 feet on each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a feet in a southerly direction from the location monument, and its dimensions are 12 feet wide, 20 feet long and feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a post 4 feet high, inscribed "NW Corner of the Bowser No. 16			
ledge, lode or vein, extending 25 feet from the location monument in a Northerly direction, and 1175 feet in a Southerly direction, together with 300 feet on each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a feet in a southerly direction from the location monument, and its dimensions are 12 feet wide, 20 feet long and feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a post 4 feet high, inscribed "NW Corner of the Bowser No. 16			
ledge, lode or vein, extending 25 feet from the location monument in a Northerly direction, and 1175 feet in a Southerly direction, together with 300 feet on each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a feet in a southerly direction from the location monument, and its dimensions are 12 feet wide, 20 feet long and feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a post 4 feet high, inscribed "NW Corner of the Bowser No. 16			<del>-                                    </del>
in a Northerly direction, and feet in a set therly direction, together with sec feet on each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a feet in a southerly direction from the location monument, and its dimensions are feet wide, feet long and feet deep, exposing ledge, lode or vein in place.  The northwest corner is marked by a feet high, inscribed "NW Corner of the feet high, inscribed "SW Corner of the feet high, inscribed	We (or I) claim <u>1500</u>	linear feet along the course of the	mineral-bearing
each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a	ledge, lode or vein, extending	feet from the loc	ation monument
each side of the center of the ledge for the entire length of the claim.  The discovery work consists of a	in a Northerly direction,	, and 1475	feet in a
The discovery work consists of a	Southerly direction, toget	ther with 300	feet on
The northwest corner is marked by a post 4 feet high, inscribed "NW Corner of the Bowser North Claim"; the southwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No. 16	each side of the center of the ledge for the	e entire length of the claim.	
The northwest corner is marked by a post 4 feet high, inscribed "NW Corner of the Bowser North Claim"; the southwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No. 16	The discovery work consists of a	cut	·
The northwest corner is marked by a post 4 feet high, inscribed "NW Corner of the Bowser North Claim"; the southwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No. 16	located about 25 feet in a	southerly direction	from the location
The northwest corner is marked by a post 4 feet high, inscribed "NW Corner of the Bowser Note Claim"; the southwest corner is marked by a post 4 feet high, inscribed "SW Corner of the Bowser No. 16	monument, and its dimensions are	Z feet wide, 20	feet long
Corner of the <u>Bowser North</u> Claim"; the southwest corner is marked by a past 4 feet high, inscribed "SW Corner of the <u>Bowser No. 16</u>	and 4 feet dee	ep, exposing ledge, lode or vein in	place.
Corner of the <u>Bowser North</u> Claim"; the southwest corner is marked by a past 4 feet high, inscribed "SW Corner of the <u>Bowser No. 16</u>	The northwest corner is marked	by a post 4 feet high	h, inscribed "NW
post 4 feet high, inscribed "SW Corner of the Bowser No. 16	Corner of the Bowser Not	Claim"; the southwest corner	is marked by a
Claim"; the southeast corner is marked by a		. / / / / C.	
"SE Corner of the Bourser No 16 Claim"; the northeast corner is marked by a	"SE Corner of the Bourson No.	<del></del>	r is marked by a
and A feet high, inscribed "NE Corner of the Rousser May Y	feet high, inscribed	"NE Corner of the Poulser	No 76
Claim." There is also a 4 ff. Opstat the center of each side line. The discovery	Claim." There is also a 4 Ff or	$\frac{1}{2}$ at the center of each side line	. The discovery
Claim." There is also a 4 ff. post at the center of each side line. The discovery work has been done, and the location completed since April 5 , 1968	work has been done, and the location con	npleted since April 5	1968
THE STATE OF THE S		- Light	
		1 6/101	<del>)</del>
From Portainer	LOCATORS	From PM	tames
LOCATORS Tof Pensen	LOCATORS	To fenses	<u> </u>
. 1/0	. //a	12	
Dated May 10 , 1968	Dated ///// 196	28_/	
(Section 57.050, Nevada Revised Statutes, provides that overy location of a mining claim made after July 1, 1941, shall be absolutely void unless a certificate of location thereof is recorded with the county recorder of the county in which the claim is located within 90 days after the date of location.)	July 1, 1941, shall be absolutely void unless	a certificate of location thereof is recorded	with the county
ACCORDED AT THE REQUEST OF ROBERT Daniel  on May 10 19 68 at 15 mins. post 4 P. M.	<del>-</del>	SCORDED AT THE REQUEST OF RODEL O	Daniser
Book 24 of OFFICIAL RESOLDS, page 35 BECCO		Book 24 of OFFICIAL RECORDS, page -	35 THECOSOS
EUREKA COUNTY, NEVADA. Hellio G. Welauck		EUREKA COUNTY, NEVADA. HILLIO	1.00