THIS IS TO CERTI	IFY that the Shm # Lode.
Mining Claim was located by R.T.	Seeley Jr. on the 774
day of March , 1968, in the District, Eureka Coundescribed as being situated: in position of the country of the	<u>Furthe</u> Mining
District, Eureka Coun	ity, State of Nevada, further
described as being situated: in po	ortions of Sec's. 3, 9, 10, 11, 14,
15. 22. 23 - T.201 - R.52E	MDB & N
	
•	•
The general cour	se of said lode or vein is northwest.
and the undersigned claims 10	feet in a <u>Westerly</u> direction
and 1490 feet in an easterly discovery, with a Width of 300	direction from the point of
discovery, with a width or 300	reet on each side of the center of
the vein or lode along the entire 1	ength of said claim,
	\ \
(m)	
The location wor	k was done upon the Sun # /
Indo Mining Claims the smartfit an	guous group of not more than ten (10)
Sun # /- 3 - 5 - 6 - > - E	mes of which are as follows:
Bun 7-3-5-6-7-6	2-10-11-12
•	
The location wor	k done consisted of: Drilling
11.0 100401011 #01	A come comprised of a militime
costing a total of \$ 1000.00 , o	of which \$100.00 is applicable to
this claim.	
The corners and	side centers of the claim are located
and marked as follows: Beginning a	t the <u>NE</u> corner, marked <u>NE cor</u>
thence bearing southesem distance of	of 600 feet to the southeast
corner , marked SE cor ; thence	bearing soutowest a distance
of 750 feet to the south side	center , marked SSC ; thence
bearing Sw a distance of 750	feet to the <u>southwest</u>
corner, markedSw cor	; thence bearing northwest a
distance of 600 feet to the	nortowest corner , marked
Nw cor ; thence beari	ng northeast a distance of 750 feet
to the north side center , marke	ed; thence
bearing NE a distance of 7	feet to the point of beginning.
Each of the above described corners	is a Rock monument or
a4x4x	43 post
The location and	discovery work referred to above in
this Location Certificate was perfo	ormed on or heffere
<u>June 15</u> , 19 <u>68</u> , by or on be	shalf of the starsigned locator(s).
D.K. Coolou to	1603 5 145 60 6-14 1-5- 644. 194-5
P.K. Seeley, Jr.	RECORDED AT THE RELOGIST ONES B. K. Seeley, Jr.
(Name of Locator)	RECORDED AT THE REGISTANCE OF ST Distribution of the Registration
\ \ /	in June 26 19 68 at 45 mins past 4 P. M. in RECORDS on 469 RECORDS OF
\ \ / /	Book of Official Records, page
(Name of Locator)	PURENCOMMENT OF LEAST OF THE RECORDS
/ noting or pocarot.	File No.
	I HG (10,

THIS IS TO CERTIFY that the flun # Lodge
Mining Claim was located by B.K. Seeley, Jr. on the
day of March , 1968, in the Eureka Mining
described as being situated: in portions of Sac's, Y. 9. 10. 11. 14.
15, 22, 23 - T.201 - R.52E, MDB & M
The general course of said lode or vein is northwest.
and the undersigned claims 10 feet in a easterly direction and 1490 feet in an westerly direction from the point of discovery, with a width of 300 feet on each side of the center of
and 1490 feet in an westerly direction from the point of
discovery, with a width of 300 feet on each side of the center of
the vein or lode along the entire length of said claim.
The location work was done upon the Sun # 9
claim(s) for the benefit of a contiguous group of not more than ten (10)
Lode Mining Claims, the specific names of which are as follows: Bun # 2 4 - 45 - 46 - 47 - 49 - 80 - 81 - 63
Bull 9 2 7 7 3 7 9 7 7 7 7 6 6 6 7 1 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
The location work done consisted of: Drilling
THE TOCACION WOLK done constacts of military
The state of the state of the second of the
costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim.
this claim,
The corners and side centers of the claim are located
and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southeast distance of 600 feet to the southeast
conner marked 9F oor : thence bearing soutowestd distance
of 750 feet to the gouth gide center . marked SSC; thency
tearing gw a distance of 750 feet to the southwest
AANNAN MAINAA ME COP : LICIUS PSALLIS III LIILEBE
distance of 600 feet to the northwest corner , marked NW cor , thence bearing northeast a distance of 750 feet
to the north side center , marked NSC ; thence bearing NF a distance of 750 feet to the point of beginning.
bearing NE a distance of 750 feet to the point of beginning.
Each of the above described corners is a <u>nock legithent of</u>
a 4 x 4 x 4½ post.
The location and discovery were referred to above in
I C C
June 15 , 1968, by or on behalf of the are signed locator(s).
P.K. Seeley, Jr. 1423 E. 9th So. Salt Take City, High (Address)
(Name of Locator) (Address) RECORDED AT THE REQUEST OF B. K. Seeley, Jrs
on June 26 1968, at 45 mins, past 4 P. M. in
Book 24 of OSFICIAL-PECORDS near 470
(Name of Locator) EUREKA COUNTY, NEVADA (ME Caste Recorder.
File No. 1 (1 (1) Fine 1 1 00
THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A
THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF TOCATION

No No 47137 BOOK 24 PAGE 471 OF LOCATION OF LODE MINING CLAIM

CERTIFICATE OF LOCATION OF LODE MINING CLAIM

(GROUP OF CLAIMS)

	THIS IS T	O CERTIFY that	the <u>fun</u> #		Loge of
Mining Claim was	<pre>located by_</pre>	B.K. Seeley	Jr	on the	27
day of March District, described as bei	Fureke	in the	TUTO KA	Min	ing
described as bei	ng situated:	county, sea	of Sector 3	o in ii	1.4
15. 22.	23 - T.20M	R.52E. MDB &	M	<u> </u>	
		<u>.</u>	. 		
					
	The gener	al course of s	aid lode or	vein is <u>no</u>	thwest
and the undersigned 1490 feed discovery, with	ned claims	<u>10 feet i </u>	n a <u>Wester</u>	<u>lv</u> dire	ction
nnd <u>1490</u> fee	st in an ear	terly	direction fr	om the poin	tof
the vein or lode	a width or	700 reet on	each side o	I the cente	ror
cue satu of lone	s along the e	ntire length o	I said Claim	\ \	
				\ \	
	The locat	ion work was d	one upon the	Sun #	>
claim(s) for the	benefit of	a contiquous q	roup of not	more than t	en (10)
Lode Mining Clai	ms, the spec	ific names of	which are as	follows:	
Bun #	1-3-5-6	<u>->-6-9-1</u>	16-11-12		
					1
•					
	The least	ion work done	annal stad of	• Fund 1112	
	1118 19Cat.	TOU WOLK GOILE	COMPIREE OF	• <u>'ni.'i ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; </u>	
· 	,				
			7 1		
costing a total	of \$ 1000.00	of which	\$100,00 is	applicable	to
this claim,	· · · · · · · · · · · · · · · · · · ·				
			/ /		
			_ / /		
	The corne	rs and side ce	nters of the	claim are	located
and marked as fo	llows: Begi	nning at the N	<u>ve</u> corner, ma	rked <u>NE co</u>	r
thence bearing a	Outheas dis	tance of 600	reet to the_	<u>southeast</u>	
orner , marked of 750 feet	AR COP 7	thence bearing	southwest	a gieran	thence
bearing Sw	a distance o	f 750 feet t	, markeu	25L	, chence
corner , mar	ked Sinor	thenc	e bearing r	orthwest.	a
distance of 600	feet to	the north	west corner	, п	arked
NW cor	; thence	e bearing nort	heast, a d	istance of 3	<u>750</u> feet
to the north si	de center	, marked N	SC	; the	псе
bearing NE	a distance	of 750 iee	t to the poi	nt or begin	ning.
Each of the abov	e described	corners is a	Rock nonume	nt or	
	8 4	x 4 x 41 post.	·		
	Man lagat	ion and discov	am was raf	arrad to ab	ove in
this Location Ce	rtificate wa	s performed on	era mere rer	erred to an	Cve III
June 15	19 68 . by o	r on behalf of	the undersi	gned locato	r(s).
7			• • • • • • • • • • • • • • • • • • • •	•	
H.K. Seele		1427	LE tropin o 50 n	Salt Lake (ity, Ital
(Name c	f Locator)	on June 20		mins, post 4 P.	M. i
	/)	Fook 24	of OFFICIAL RECORD		RECORDS OF
	/ /	. FUREITACE OUR	ITY NEVIDA HELL		Recorder
/20-24	# Y 24 B 2 5 7	Sanctural Control	13 Andres	Fce	1.00
INAME C	f Locator)	File No		4/	

TE OF LOCKWION MIST BE POSTED UPON THE CLAIM AND A CORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH CATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION

Mining Claim was located by B.K. Seeley Jr. on the
day of March , 1968, in the Europe Mining
District, Eureks County, State of Bounds further
day of March 1968 in the Eurela Mining District, Eurela County, State of Mevada, further described as being situateds in partions of Sec's 3 9 10 11 14
15. 22. 23 - T.201 - R.52E. EDB & M
The general course of said lode or vein is northwest
and the undersigned claims 10 feet in a casterly direction
and the undersigned claims 10 feet in a <u>easterly</u> direction and 1490 feet in an <u>westerly</u> direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire least of an each side of the center of
the vein or lode about the center of
the vein or lode along the entire length of said claim,
The location work was done upon the Sun # 49
Cidim(s) for the henefit of a contiguous group as not were the little
Lode Mining Claims, the specific names of which are as follows: Sun # 2 - 4 - 45 - 46 - 47 - 49 - 60 64 62 - 63
Bun 12-9-43-46-47-49-66 67-62-63
The location work done consisted of: Drilling
costing a total of \$ 1000.00 , of which \$100.00 is applicable to
costing a total of \$ 1000.00 of which \$100.00 is applicable to this claim.
THE CAMENT
The corners and side centers of the claim are located
and marked as follows: Beginning at the NE corner, marked NE cor
thence bearing southers distance of 600 feet to the southeast corner, marked SE cor; thence bearing southwest a distance
of 750 feet to the south side center , marked SSC ; thence
Dearing. Sw a distance of 750 feet to the doubleast
distance of 600 feet to the northwest corner , marked
distance of 600 feet to the northwest corner , marked
- NY COF I TORRER DESTING NORTHOUSE S DISTANCE OF 750 FAME
to the north side center , marked NSC ; thence tearing NE a distance of 750 feet to the point of beginning.
Each of the above described corners is a Rock manufacturer
E 4 × 4 × 48 post.
The location and discovery work referred to above in
this Location Certificate was performed on or before
- valid 12, 19 of on belieff of the undersigned locator(8).
B.K. Seeley, Jr. 1423 F. 9th 50, Salt lake City, He
(Name of Locator) (Address) RECORDED AT THE REQUEST OF B. K. Seeley, Jr.
on June 26, 1968, of 45 mins post 4 P. M.
Book 24 of OFFICIAL SECORDS Page 472 RECORDS OF
(Name of Locator) EUREKA COUNTY, NEVALANCE HER) (1. De Carle Recorde
File No. 371.38
THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE CATE OF COUNTY IN WHICH

	the Bureta Mining county, State of Nevada, further n portions of Sec's. 3. 9. 10. 11. 14.
ay of March 1968, in	the Europe Mining
escribed as being situated: in	portions of Sec's, 3, 9, 10, 11, 14
15, 22, 23 - T.201 - R.	SZE, MDB & M
	•
The general c	course of said lode or vein is northwest.
nd aba undameterad atalam 10	foot in a twesterly direction
nd 1490 feet in an easter	direction from the point of
iscovery, with a Width of 500	direction from the point of feet on each side of the center of telength of said claim.
he vern or rode arong the entir	e langen of sala claim.
	7
The location	work was done upon the Sun #
laim(s) for the benefit of a co	e names of which are as follows:
Sun # /-3-5-6-7	8 9 16 - 11 - 17
The logation	work done consisted of: Drilling
THE TOCACION	WOLK Golle Colleged and International
	200 00 /
osting a total of \$ 1000.00	of which \$100,00 is applicable to
this claim.	
The corners a	and side centers of the claim are located
ind marked as follows: Beginning	ng at the NE corner, marked NE cor ree of 600 feet to the southeast
hence bearing southers distant	nce bearing southwest a distance
if 760 teet to the adulth al	de center , marked, ast, ast,
	EN PART TO THE GOLTHURST
corner marked sk cor	thence bearing northwest a northwest corner , marked a distance of 750 feet
182 axis France Di	earing northeset a distance of 750 feet
ta khisi kasadan alida kantan mi	
TOUTING THOUTON BILLY CONTOL 115	arkad nec
animina in a distance of	750 feet to the point of beginning.
pearing NE a distance of Each of the above described cor	750 feet to the point of beginning. ners is a Rock monument or
pearing NE a distance of Each of the above described cor	750 feet to the point of beginning.
pearing NE a distance of Sach of the above described con	750 feet to the point of beginning. ners is a Rock monument or x 44 post.
pearing NE a distance of Each of the above described core a 4 x 4	750 feet to the point of beginning. ners is a Rock monument or x 44 post. and discovery work referred to above in
pearing NE a distance of Each of the above described core a 4 x 4 The location this Location Certificate was performed the control of the co	750 feet to the point of beginning. ners is a Rock monument or x 41 post. and discovery work referred to above in
pearing NE a distance of Each of the above described corn a 4 x 4	750 feet to the point of beginning. ners is a Rock monument or x 44 post. and discovery work referred to above in
pearing NE a distance of Each of the above described core a 4 x 4 The location this Location Certificate was performed the control of the co	750 feet to the point of beginning. ners is a Rock monument or x 41 post. and discovery work referred to above in
The location Certificate was possible to the second	arked NSC , thence 750 feet to the point of beginning. ners is a Rock monument or X 41 post. and discovery work referred to above in erformed on or before n behalf of the undersigned locator(s).
pearing NE a distance of Each of the above described core a 4 x 4 The location this Location Certificate was performed the control of the co	arked NSC 750 feet to the point of beginning. ners is a Rock monument or x 41 post. and discovery work referred to above in erformed on or before n behalf of the undersigned locator(s). 1423 E. Gth So. Sult lake Gity. He RECORDED ANTHE RECORDED B. K. Seeley Jr.
The location Certificate was possible 15 to 19.68, by or of the Seeley, Jr.	arked NSC 750 feet to the point of beginning. ners is a Rock monument or x 41 post. and discovery work referred to above in erformed on or before n behalf of the undersigned locator(s). 1423 E. 9th 50. Sult Lake Gity, HE RECORDED AT THE RECORDED B. K. See Ley, Jr. on June 26 1668 a 45 min. post 4 p. M.
The location Certificate was possible 15 to 19.68, by or of the Seeley, Jr.	arked NSC 750 feet to the point of beginning. ners is a Rock monument or x 44 post. and discovery work referred to above in erformed on or before n behalf of the undersigned locator(s). 1423 E. 9th 50. Sult lake City. He RECORDED AT THE RECORDED B. K. See Ley Jr. on June 26 1968 a 45 min. post 4 p. M. Book 24 of Official Records, post 473 PRECORD
The location Certificate was possible to the series of the	arked NSC 750 feet to the point of beginning. ners is a Rock monument or x 44 post. and discovery work referred to above in erformed on or before n behalf of the undersigned locator(s). 1423 F. 9th 50 Sult Lake City III. RECORDED An THE RECORDED B. K. See Ley Jr. on June 26 1968 a 45 min. post 4 P. M. Book 24 of OFFICIAL RECORDS, page 473 RECORD. EUREKA COUNTY DEVANDA A RECORD.
The location this Location Certificate was possible to the series of the location this Location Certificate was possible to the location of locator)	arked 18C 750 feet to the point of beginning. ners is a Rock monument or x 41 post. and discovery work referred to above in erformed on or before n behalf of the undersigned locator(s). 1423 E. Oth So. Salt Lake City III. RECORDED AT THE RECIEM diress B.K. Seeley, Jr. on June 26-1968 at 45 min. post 4 P. M. Book 24 at Official Records, page 473 RECORD. FURENCE COUNTY DESIGNATION. Fig. No. 44 1 34 Address. Fig. No. 44 1 34 Address. Fig. No. 44 1 34 Address. Fig. No. 46 1 34 Address. Fig. No. 47 1 34 Address.
The location this Location Certificate was possible to the series of the location this Location Certificate was possible to the location of locator)	arked NSC 750 feet to the point of beginning. ners is a Rock monument or x 44 post. and discovery work referred to above in erformed on or before n behalf of the undersigned locator(s). 1423 F. 9th 50 Sult Lake City III. RECORDED An THE RECORDED B. K. See Ley Jr. on June 26 1968 a 45 min. post 4 P. M. Book 24 of OFFICIAL RECORDS, page 473 RECORD. EUREKA COUNTY DEVANDA A RECORD.

THIS IS TO CERT	IFY that the Sum # 5 Lodge
Mining Claim was located by B.K.	Seeley, Jr. on the
day of March 1968, in th	e <u>Bureka</u> Mining
described as being situated in	nty, State of Hevada, further portions of Sec's. 3. 9. 10. 11. 14
15, 22, 23 - T.20 - 1.52	E. MD9 & M
· · · · · · · · · · · · · · · · · · ·	•
_	
The general cou	rse of said lode or vein is northwest.
and 1490 feet in an westerly	direction from the point of
discovery, with a Width of 300	feet in a <u>easterly</u> direction direction from the point of feet on each side of the center of
the vein or lode along the entire	length of said claim.
	\ \ \
The location wo	rk was done upon the Sun # //
claim(s) for the benefit of a cont	iguous group of not more than ten (10)
Lode Mining Claims, the specific n	ames of which are as follows:
<u>Bun # /-3-(5-6-7</u>	-8-9-10-11-12
The location wo	rk done consisted of: Drilling
costing a total of \$ 1000.00	of which \$100.00 is applicable to
this claim.	01 Miller
•	
.	ather and could the about non-located
	side centers of the claim are located at the NE corner, marked NE cor
thence bearing southeast distance	of 600 feet to the southeast
corner , marked SE cor ; thence	bearing southwest a distance
of 750 feet to the mouth side	center , marked SSC ; thence
bearing a distance of 750 corner , marked St cor	thence bearing northwest
distance of 600 feet to the	northwest corner , marked
NW cor thence bear	northwest corner , marked ing northeast a distance of 750 feet
to the north side center , mark	ed NSC ; thence 750 feet to the point of beginning.
bearing NE a distance of '	750 feet to the point of beginning.
Each of the above described corner	s is a Rock manument or
*****	92 9050.
The location an	d discovery work referred to above in
this Location Certificate was perf	ormed on or before
June 15 , 19 68, by or on b	ehalf of the undersigned locator(s).
B.K. Seeley Jr.	1423 F. 9th So. Salt Lake City. High
(Name of Locator)	
\ \	24 RECORDS OF
\ \ / /	Book of orricing willis a. De Tarlie secorder
(Name of Locator)	(Address)
	File No.

47141

CERTIFICATE OF LOCATION OF LODE WINES CLAIM PAGE (GROUP OF CLAIMS)

Mining Claim was located by B.	ERTIFY that the am los the lose &
described as being effected.	County, State of Meyada, further n portions of Meg's. 3. 9. 10. 11. 14.
15. 22. 23 - T.201 - R.	ESE MID A M
	TANK MV5 0 B
,	
The general of	course of said lode or vein is northwest,
and the undersigned claims 10	feet in a twesterly direction
and 1490 feet in an easter	feet in a tweterly direction ly direction from the point of
ATOCOAGES, MICH & BIGGU OF 300	. IMME ON MECH SIGN OF THE CONTAC OF
the vein or lode along the entir	re length of said claim,
The least to	Same of the second seco
claim(s) for the herefit of a	work was done upon the Sun # /2 ontiguous group of not more than ten (10)
Lode Mining Claims, the energy	names of which are as follows:
Sun # /?~\(\(\) / - /	-9-9-10-11-12
The location	work done consisted of: Drilling
costing a total of \$ 1000.00	of which \$100.00 is applicable to
this claim.	
and warked as follows: Beginning	ind side centers of the claim are located in at the NE corner, marked NE corner,
thence bearing southers distant	e of 600 feet to the southeast
corner marked SE nor ther	ice bearing aouthwest a distance
of 750 feet to the mouth #1	de center marked acc s thence
pearing all a distance of 7	50 feet to the anothwest
corner . marked / Se cor	t thence bearing morthwest
distance or <u>600 </u>	northwest corner
thence be	aring northeast a distance of 750 feet
to the north side center , ma	rked NSC , thence
bearing NE a distance of	750 feet to the point of beginning.
each of the above described corn	ners is a Rock conument or
	X 4t. posta
Who location	and discovery work referred to above in
this Location Certificate was pe	
	behalf of the undersigned locator(s).
, 1900, 29 01 01	Daile 1 Official Milder Signed Fore Col (8)
eが、E. M.	
B.K. Seelev. Jr.	1427 E. Oth So Salt Lake City litah
(Name of Locator)	(Address)
	- 1 Control of the Control of Manager Control of State of the Control of the Control of A Land of State of Control of C
等的自然是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	
(Mame of Locator)	EUREKA COULT PROCESSE Recorde
	File No. 21.00
ARMS FOR THE STATE OF THE STATE	ST RE POSTED UPON THE CLAIM AND A CURTY RECORDER OF THE COUNTY OF WHICH
me claim is located within 40.0	NYSA PER THE DATE OF LOCATION

File No. 17142 BOOK 24 PAGE 476. CERTIFICATE OF LOCATION OF LODE MEETING CLAIM

(GROUP OF CLAIME)

	THIS IS TO CERTIFY that the fund of Logar
Mining Claim was	ocated by R.T. See levels
day of March	19 68 in the Sureka Minima
District, Eu	reka County, State of Revels, further
described as being	located by B.K. Seeley, Jr. on the Mining 19 68 in the Europa Mining County; State of Reveals, further situateds in pertions of See's 1, 9, 10, 11, 14
15. 22. 2	3 - T. 60 (-15.52), (10): (1.15)
	The general course of said lode or vein is northwest
and the undersigne	d claims 10 feet in a easterly direction
and 1490 rest	in an westerly direction from the point of
discovery, with a	Width of 300 feet on each side of the center of answer
the vein or lode a	long the entire length of said claim.
	The leaster was an add the second of the sec
claim(s) for the b	The location work was done upon the Sun (2)
Lode Mining Claims	, the specific names of which are as follows:
	3-5-6-7-8-9-10-11-12
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
•	
	The location work done consisted of: Orilling
	THE TOCALION WOLK done consisted of any of the second
costing a total of	\$ 1000.00 , of which \$100.00 is applicable to
this claim.	
	The corners and side centers of the claim are located
and marked as foll	ows: Beginning at the NE corner, marked NE cor
thence bearing sou	theas distance of 600 feet to the southeast
corner , marked	SE our ; thence bearing southwest a distance
of <u>750</u> feet to	the south side center , marked SSC ; thence
bearing <u>fu</u> a	distance of 750 feet to the southwest
corner , marke	d Sicor , thence bearing northwest a
distance of 600	feet to the northwest corner , marked
to the manth stde	thence bearing northeast a distance of 750 feet
hearing NE	center , marked NSC ; thence a distance of 750 feet to the point of beginning.
Each of the above	described corners is a Rock genument or
	a 4 x 4 x 4 ± post.
	man landa and all announces and an above in
this Issation Cert	The location and discovery work referred to above in ificate was performed on or before
June 15	968, by or on behalf of the undersigned locator(s).
······································	ATRICL M. AND ON MANHALL OF SHIP GRANT BEAUTIES HOLDER
B.K. Seeley	Jr. 1423 E. 9th 50, Salt Lake City, Utah
(Name of	Location AT THE REQUEST OF K. See Leva Grees Jur.
\ \	on June 26, 1968, at 45 mins. post 4 P. M. in
\ \	Book 24 of OFFICIAL RECORDS, puge 476 RECORDS OF
/M	THE CHILD STATE OF THE STATE OF
(Name of	THE NO. 17/140

Mining Class	THIS IS TO CERTIFY that the Sam # 9 Logs
day of March	
District.	Sureka Mining
described as bei	Sureke County, State of Mevade, further ing situated: in portions of Sec's, 3, 9, 10, 11 14
15, 22,	23 - T.201 - R.52E. MDB & M
	•
	•
	The general course of said lode or vein is northwest
and the undersig	
discovers with	t in an easterly direction from the point of
the vain or lode	t in an <u>easterly</u> direction from the point of a Width of 100 feet on each side of the center of along the entire length of said claim.
	along the while length of said claim,
	The location work was done upon the Sun # /2
claim(s) for the	Denerit of a continuous group of per per the first
CTG ::	MS. The Brecitie bease of this bear as fallings.
sun #_/	-3-5-6-7-8-9-10-11-12
·	
	The logation work done constant as a constant
	The location work done consisted of: Irilling
costing a total of	of \$ 1000.00 , of which \$100.00 is applicable to
this claim.	
	Man communa and a day
and marked as fol	The corners and side centers of the claim are located llows: Beginning at the NE corner, marked NE corner.
thence bearing so	utheast distance of 600 feet to the southeast
<u>normer</u> warked	DE GOT : thence bearing southwest a distance
or <u></u>	to the south mids center marked ccc
DEGITING DM G	I UINCANCE OF 760 TEET to the courties .
corner, mark	ted St cor ; thence bearing northwest a feet to the northwest corner , marked
distance of 600	
bearing NE	e center , marked NSC ; thence a distance of 750 feet to the point of beginning.
Each of the above	described corners is a gradual for beginning.
	e described corners is a Rock menument or
	The location and discovery work referred to above in
this Location Cer	tilicate was performed on or before
this Location Cer June 15	tificate was performed on or before 1968, by or on behalf of the undersigned locator(s).
this Location Cer June 15	tilicate was performed on or before
June 15 ,	1968, by or on behalf of the undersigned locator(s).
B.K. Seeley	1968, by or on behalf of the undersigned locator(s). 17. 1423 E. 9th So. Selt Lake City. Head
B.K. Seeley	1968, by or on behalf of the undersigned locator(s). 17. 1423 F. 9th So. Selt Lake City. High Locator) RECORDED AT THE REQUEST OF B.K. Seeley, Jr.
B.K. Seeley	Jr. 1423 F. 9th So. Selt Jake City. Hen Locator) RECORDED AT THE REQUEST OF B.K. Seeley, Jr. on June 26, 19 68 page 45 p. mins. post 4 P. M. in
B.K. Seeley (Name of	Jr. 1423 F. 9th So. Selt Lake City. Head Locator) RECORDED AT THE REQUEST OF B.K. Seeley, Jr. on June 26, 19 68 mean 45 means. post 4 P. M. in Book 24 of OFFICIAL RECORDS, page 477 RECORDS OF
B.K. Seeley (Name of	Jr. 1423 F. 9th So. Selt Lake City. Head Locator) RECORDED AT THE REQUEST OF B.K. Seeley, Jr. on June 26, 19 68 mean 45 means. post 4 P. M. in Book 24 of OFFICIAL RECORDS, page 477 RECORDS OF
B.K. Seeley (Name of	If the performed on or before 19.68, by or on behalf of the undersigned locator(s). If 1423 F. 9th So. Selt Lake City. Head Locator RECORDED AT THE REQUEST OF B.K. Seeley, Jr. on June 26, 19.68 period 5 period 10
B.K. Seeley (Name of	1968, by or on behalf of the undersigned locator(s). Jr. 1427 F. 9th So. Selt Lake City. Hten Locator) RECORDED AT THE REQUEST OF B.K. See Ley, Jr. on June 26, 1968 part of P. M. in Book 24 of OFFICIAL RECORDS, page 477 RECORDS OF Locator) EURERA COUNT, NEVANDARY AND RECORDS.

=	THIS IS TO CE	ERTIFY that the Sun # /6 Loge.
Mining Claim was 1	located by B.	I. Seeley, Jr. on the
day of March	, 19 <u>68</u> , in	the Furein Mining County, State of Mevada, further
District, Eu	reka	County, State of Mevada, further
Decribed as being		n pertions of sec's. 3. 9. 10. 11. 14.
15, 28, E		SZE. MDB & X
	The general c	course of said lode or vein is northwest
and the undersigns	d claims 10	feet in a easterly _direction
and 1490 feet	in an wester	ly direction from the point of feet on each side of the center of
discovery, with a	Width of 300	feet on each side of the center of
the vein or lode a	long the entir	re length of said claim,
	The location	work was done upon the Sun # /2
claim(s) for the b	anefit of a co	ontiguous group of not more than ten (10)
Lode Mining Clairs	, the specific	names of which are as follows:
8un # /	3-5-6-7	-8-9-10-11-12
•	-	
	Mb= 1==+4==	work done consisted of Dutilian
	THE LOCATION	work done consisted of: Drilling
 		/// \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
costing a total of	\$ 1000.00	, of which \$100.00 is applicable to
this claim.		
	The corners a	and side centers of the claim are located
and marked as foll	lows: Beginnin	ng at the NE corner, marked NE cor
thence bearing sou	thesa distance	ce of 600 feet to the southeast
corner , marked_	HE cor ; ther	nce bearing southwest a distance
or <u>750</u> reet to	distance of 7	de center , marked SSC ; thence 50 feet to the southwest
cearing sw a	distance or	thence bearing northwest a
distance of 600	feet to the	e northwest corner . marked
NW cor	thence be	earing northeast a distance of 750 feet arked NSC ; thence
to the north side	center , ma	arked NSC ; thence
bearing NE	a distance of	750 leet to the point of beginning.
Each of the above	described corr	ners is a <u>Rock neroment or</u>
	3 4 x 4	x 43 post.
		/ /
	mb = 1 = = 4 d = ·	and discovery work referred to shove in
this Tonation Com	The location	and discovery work referred to above in erformed on or before
Tune 14	LILLUAUS WAS PE	n behalf of the undersigned locator(s).
- AMITA 13	TO THE OF OR	
		ϵ .
B.K. Seeley.	Ir.	1423 E. 9th 50, Salt lake City, IItal
(Name of		RECORDED AT THE REQUEST OF B.K. Seeley, Jr.
\ \	/ /	on June 26 ,19 68, at 45 mins, post 4 P. M ii
\ \	/ /	Book 24 of OFFICIAL SPECORDS, page 478 RECORDS OF
	/	EUREKA COUNTY NEVADA desage De lach Recarde
(Name of	Locator)	File No. 47144
(MUTO OPERATOR OF	OR LOSSMITON W	THE THE POSTED LIDOU THE CLAIM AND A

· (1)

Mining Claim and	THIS IS TO	CERTIFY that the Au		- 1-4-P
day of March	1968 1	the Fureka	crithe	ining
District,	Euroka	County, State of New in Dartions of Med's	ses, further	rurug
described as bei	ing situated:	in portions of Sec's	9, 10, 1	1. 14
	- Take - 1	.52E. MD8 4 N		
				
		5. j		•
	The general	course of said lode	or vein is n	orthwest.
and the undersig	med claims 10	feet in a We true tion of feet on each sid	terly Adia	rection
and 1490 res	t in an costs	rlydirection	from the pos	int of
the vein or lode	along the enti	react on each sid line length of said cl	e or the cent	cer or
			-1 μι,	,
			\ \	
-1	The location	work was done upon	the Sun #	2
Claim(s) for the	benefit of a c	ontiguous group of n	ot more than	ten (10)
And Mining Clai	ms, the specifi	c names of which are	as follows:	\
BULL BY	<u> </u>	7 0 7 10 11		\
				
	The location	work done consisted	Of: Drilling	
	·		\	
 				-\-)
costing a total	of \$ 1000.00	of which \$100.00	is applicable	to
this claim.	,		7	
• •				,
•	/Mar		/	
and marked as fo	ine corners	and side centers of ng at the <u>NE</u> corner,	the claim are	TOCALEG
thence bearing a	outheasm distar	ice of 600 feet to t	he southers	t
corner , marked	SE cor ; the	ence bearing anuthwes	t a dista	ance
of <u>750</u> feet	to the south a	ida center marke	d ssc	thence
bearing S.	a distance of	750 feet to the so	urt byest	
distance of 600	Ked Se cor	thence bearing ne northwest corr	northwest_	marked
NW cor	thence h	earing northeest	a distance of	f750 feet
to the north sid	le center , m	arked NSC	; th	nence
bearing <u>NE</u>	\ a distance of	750 feet to the	point of begi	inning.
Each of the abov	e described cor	ners is a Rock mor	ument or	
	<u> </u>	4 x 4 post	·	
		/ /		
	The location	and discovery work	referred to a	bove in
this Location Ce		erformed on or befor		
June 15	19 <u>68</u> , by or o	on behalf of the unde	signed locat	or(s).
D V Socio		1/27 5 545 6	o Colt taba	744 Heis
B.K. Seeley (Name o	f Locator)	RECORDED AT THE REQUEST OF	io, Salt Lake	olev Tr
,=:0,1100 0		RECORDED AT THE REQUEST Of June 2619 68 of	45	4 P. M. ;
\ \	/ /	Book 24 of OFFICIAL R		
<u> </u>	_/_/_		00	, RECORDS O
(Name o	f Locator)	File No. 47145	2388) - ((V (Recorde
THIS CERTIFICATE	2 OF TOCEUTOR H	THE NO.		
TEGIBLE COLV BEC	PROED WITH THE	UST BE POSTED UPON TO	HE COUNTY IN	W нісн
ing GLAIM IS LCC	ATED WITHIN 90	DAYS AFTER THE DATE	OF INCAPTON)	

THIS IS TO CE	RTIFY that the sun & 12 Logent
Mining Claim was located by B. day of March 1968, in District, Eureka C	I. Seeley, Jr. on the
day of March , 1968, in	the Rurers Mining
District, Euroka C	ounty, State of Meveds, further
described as being situateds 1	n portions of Sec's. 3. 9. 10. 11. 14.
15. 22. 25 - Till - 15.	22E, MDS & R
The general c and the undersigned claims 10 and 1490 feet in an wester discovery, with a width of 300 the vein or lode along the entire	feet in a easterly direction direction from the point of feet on each side of the center of tength of said claim.
claim(c) for the henefit of a co	work was done upon the Sun # // ontiguous group of not more than ten (10) names of which are as follows:
—	
The location	work done consisted of: Drilling
THE TOCACION	WOLK GOING COMPLETE
costing a total of \$ 1000.00 this claim.	_, of which \$100.00 is applicable to
The corners a	and side centers of the claim are located
and marked as follows: Beginning	ng at the NE corner, marked NE cor
thence hearing southers distance	ce of 600 feet to the southeast
corner marked 9% cor : ther	nce bearing southwesta distance
of 750 feet to the south at	de center . marked <u>SSC</u>
hearing SH a distance of 7	50 feet to the southwest
	a thongo hearing marrowest
distance of 600 reet to the	northwest corner distance of 750 feet
NW cor ; thence be	northwest corner , marked saring northwest a distance of 750 feet
to the north side center , me	arked NSC ; thence 750 feet to the point of beginning.
Fach of the above described corr	ners is a Rock monument or
a 4 x 4	x 4s post
	/ /
The location	and discovery work referred to above in
12: Tarabéan Cambiéinnea una no	orformed on or before
June 15 , 19 68, by or or	n behalf of the undersigned locator(s).
B.K. Seeley Jr.	1423 E. 9th So. Selt Take City, Ille
(Name of Locator)	RECORDED AT THE REQUEST BOTTESS B.K. Seeley, Jr.
(Mane of -parts)	on June 26 1968, of 45 mins, post 4 P. M. 26
\ \ / /	Book 24 of OFFICIAL RECORDS, page 480 RECORDS
	EUREKA COUNTY, NEVALUATION OF MAIN ARCORD
(Name of Locator)	AZIAS

CERTIFICATE OF LOCATION OF LODE MINING CLAIM

(GROUP OF CLAIMS)

Mining Claim was	THIS IS TO CERTIFY that the him s to the
day of March	located by B.K. Seeley Jr. on the Aining Mining
District I	Cureks County, State of Mevada, further
described as bei	rote County, State of Mevada, further ng situated: in partions of Sec's, 3, 9, 10, 11, 14
15, 22,	23 - T.201 - R.52E. MDB & M
No.	
	•
	Man managed account of well late on soils to workloom
and the undereis	The general course of said lode or vein is northwest.
and the didersig	t in an easterly direction from the point of
discovery, with	ned claims 10 feet in a westerly direction t in an easterly direction from the point of a width of 300 feet on each side of the center of
the vein or lode	along the entire length of said claim.
.1-4-/->	The location work was done upon the Sun # S 3
talmys) for the	benefit of a contiguous group of not more than ten (10)
rode wining cian	ms, the specific names of which are as follows:
	4 - 31 - 31 - 30 - 31 - 31 - 32 - 80 - 12 - 12 - 12 - 12 - 12 - 12 - 12 - 1
	The location work done consisted of: Drilling
<u> </u>	
gara Maker Sid	-6.4. 1000 00
costing a total (of \$ 1000.00 , of which \$100.00 is applicable to
nis Ciaim,	
resident of the second of the	The corners and side centers of the claim are located
ind marked as fo	llows: Beginning at the NE corner, marked NE cor 1
hence bearing ac	outheast distance of 600 feet to the southeast
corner, marked	BE cor , thence bearing southwest a distance
<u>f 750</u> feet	to the south side center , marked SSC ; thence
	a distance of 750 feet to the southwest
odrner, mar	ked M oor , thence bearing northwest &
113tance or 600	feet to the northwest corner , marked , thence bearing northwest a distance of 750 feet
ATTENDED AND ALL	thence thence the thence
o the north at	e center , marked NSC ; thence a distance of 750 feet to the point of beginning.
ach of the above	e described corners is a Rock monument or
	4 x 4 x 44 post.
	The location and discovery work referred to above in
his Location Ce.	rtificate was performed on or before
vertine 15:	1968, by or on behalf of the undersigned locator(s).
B.K. Seeley	Tr. 1423 E. 9th So. Selt Take City Utel
	f Locator) RECORDED AT THE REGULATORES B.K. See Ley, Jr.
Y THE THE PARTY OF	on June 25.19.68 of 45 mins post 4 P. M.
第1877年	Book 24 of OFFICIAL RECORDS, page 481 , RECORDS O
AND MENTERS	FURTHER COUNTY NOVICE 9/ 00 - O Tour Metorde
(Name O	I Locator
	表表情說。 1.13.1 [1] 13.
THIS CONTROL CAT	e of location must be posted upon the claim and a county in which
HE CLAIM IS LEC	ATED WITHIN 30 DAYS A PTERVINE DATE OF TENATIONS

(GROUP OF CLAIMS)

District,	Eureke County, State of Mevada, further ing situated: in partions of Mac's, 3, 9, 10, 11, 14
described as be 20 al	23 - T.201 - R.52E. MDB & M
<u> </u>	. 27 - 11894 - 147691 1495 14
	•
	The second second of self late on main to wonthwest
and the undered	The general course of said lode or vein is northwest igned claims 10 feet in a westerly direction
and 1490 fe	eat in an easterly direction from the point of
discovery, with	h a Width of 300 feet on each side of the center or
the vein or lod	de along the entire length of said claim.
	\ c2
	The location work was done upon the Sun # 3
claim(s) for th	ne benefit of a contiguous group of not more than ten (10,
Lode Mining Cla	the benefit of a contiguous group of not more than ten (10, aims, the specific names of which are as follows:
aun #	
	The location work done consisted of: Drilling
.,	The location work done consisted or brilling
no the section	
, mark strand	of \$ 1000.00 , of which \$100.00 is applicable to
costing a total this claim.	of \$ 1000.00 , of which \$100.00 is applicable to
cars craim.	
	The corners and side centers of the claim are locate follows: Beginning at the NE corner, marked NE cor
thence hearing	anutherate distance of 600 feet to the southeast
AANNAM MATKE	ad ar one , thence bearing southwest _a distance
of 750 feet	t to the south side center, marked <u></u>
	a distance of 750 feet to the southwest
Dearing By	afvod 186 aam t thence bearing northwest
corner , me	arked Recor ; thence bearing northwest orner , marked
distance of 60	arked Rd cor ; thence bearing northwest a northwest corner , marked ; thence bearing northwest a distance of 750 fee
distance of 60	thence marked NSC ; thence
corner mediatance of 60 NA cor to the north s	ilde center , marked NSC ; thence a distance of 750 feet to the point of beginning.
corner mediatance of 60 NA cor to the north s	ilde genter , marked NSC ; thence a distance of 750 feet to the point of beginning. ove described corners is a Rock monument or
corner mediatance of 60 NA cor to the north s	ilde center , marked NSC ; thence a distance of 750 feet to the point of beginning.
distance of 60 Na cor to the north s bearing NE Each of the abo	thence bearing northeast a distance of northeast state of thence a distance of 750 feet to the point of beginning. a distance of 750 feet to the point of beginning. a 4 x 4 x 4 s post.
distance of 60 NW oor to the north 8 bearing NE Each of the abo	thence hearing northeast a distance of thence nadistance of 750 feet to the point of beginning. ove described corners is a Rock monument or a 4 x 4 x 4 x 906t. The location and discovery work referred to above in Cartificate was performed on or before
distance of 60 NW oor to the north 8 bearing NE Each of the abo	thence bearing northeast a distance of northeast state of thence a distance of 750 feet to the point of beginning. a distance of 750 feet to the point of beginning. a 4 x 4 x 4 s post.
corner mediatance of 60 Nd cor to the north B bearing NE Fach of the about this Location (thence hearing northeast a distance of thence nadistance of 750 feet to the point of beginning. ove described corners is a Rock monument or a 4 x 4 x 4 x 906t. The location and discovery work referred to above in Cartificate was performed on or before
corner mediatance of 60 NW cor to the north 8 bearing NE Each of the above this Location 0 June 15	The location and discovery work referred to above in Certificate was performed on or before. 19.68, by or on behalf of the undersigned locator(s).
corner madistance of 60 No cor to the north 8 bearing NE Each of the above this Location (June 15	The location and discovery work referred to above in Certificate was performed on or before. 1423 F. Oth So. Self Lake City, I. Of Locator.
corner madistance of 60 No cor to the north 8 bearing NE Each of the above this Location (June 15	The location and discovery work referred to above in Certificate was performed on or before 1968, by or on behalf of the undersigned locator(s). 1423 F. Qth So Salt Lake City, I of Locator) 1860, Jr. 1860, But THE ROUEST OF B. K. Seeley, Jr.
corner madistance of 60 No cor to the north 8 bearing NE Each of the above this Location (June 15	The location and discovery work referred to above in Certificate was performed on or before 19.68, by or on behalf of the undersigned locator(s). RECORDED AT THE REQUEST OF Seeley, Jr. 19.68 of Locator 19.68 of Locator 1423 E. Oth So. Selt Lake City, I seeley, Jr. 19.68 of Locator
corner madistance of 60 Na our to the north B bearing NE Each of the abo this Location 0 June 15 B.K. Seel	The location and discovery work referred to above in Certificate was performed on or before. 19.68, by or on behalf of the undersigned locator(s). RECORDED AT THE REQUEST OF MINIS POST A DOS. RECORDED AT THE REQUEST OF MINIS POST A P. M. 10.00 24 OF OFFICION ARCORDS, DOIS A B.Z. RECORDS OF THE REQUEST OF
corner madistance of 60 Na our to the north B bearing NE Each of the abo this Location (June 15 B.K. Seel	The location and discovery work referred to above in Certificate was performed on or before. 19.68, by or on behalf of the undersigned locator(s). RECORDED AT THE REQUEST OF SECONDS, page 482 RECORDS.

CERTIFICATE OF LOCATION OF LODE HIMENO CLAIM

THIS IS TO CERTIFY that the Bin 1
Mining Claim was located by B.K. Seeley Jr. on the day of March 1968, in the Luren Mining District, Eureka County, State of Meyeds, further described as being situated: in partions of See a. 1 9 10 11 14
Cay of March 1900, 18 the Avenue County State of Format
described as being situated: in partions of sep 4. 1 9. 10: 11 14
15, 22, 23 - 1.60 - A. 326. MDB A. N.
The general course of said lode or vein is northwest.
and the undersigned claims 10 feet in a westerly direction
and 1490 feet in an easterly direction from the point of
and 1490 feet in an easterly direction from the point of discovery, with a Width of 100 feet on each side of the center of
the vein or lode along the entire length of said claim.
The location work was done upon the Sun
claim(s) for the benefit of a contiquous group of not more than ten (10)
Lode Mining Claims the emecific names of which are as follows:
Bun # 15 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
The second of th
The location work done consisted of: Drilling
costing a total of \$ 1000.00 , of which \$100.00 is applicable to
this claim.
City Camping
The corners and side centers of the claim are located
and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southeast distance of 600 feet to the southeast
corner, marked SE cor , thence bearing southwest a distance
of 750 feet to the south side center . marked SSC : thence
hearing sw a distance of 750 feet to the aouthwest
corner marked he cor thence bediting northwest
distance of 600 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet
to the north side center , marked NSC ; thence
hearing NE a distance of 750 feet to the point of beginning.
Each of the above described corners is a Rock monument or
8 4 x 4 x 42 post.
The location and discovery work referred to above in
this Isostion Cartificate was performed on OI before
June 15 , 1968, by or on behalf of the undersigned locator(s).
B.K. Seeley, Jr. 1427 E. 9th So. Salt Lake City, III.
(Name of Locator) (Name of Locator) (Recorded at the Request of B.K. Seeley, Jr.
Tune 26 168 4 D
Book 24 of OFFICIAL ESCORDS, page 483 , RECORDS OF
(Name of Locator) EUREKA COUNTY, NEVADA (No. 197149) Fee \$1.00
100 9 25 0 0
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION)
THE CTAIN TO POCKIED ATTUIN AN INTO MELLE INVIET CONTRACTOR

THIS IS TO CEE	TIFY that the am #/6
Mining Claim was located by R.T.	Seeley Ir. on the
day of March 1968 in t	he Europa Mining ounty, State of Mewada, further pertions of Sec. 3. 9. 10. 11. 14.
District. Euroka Co	ounty, State of Hevada, further
described as being situated: in	pertions of Sec. 3. 9. 10. 11. 14.
15. 22. 23 - T.20# - R.5	2E. MDB & M
The general co	ourse of said lode or vein is northwest
and the undersigned claims 10	feet in a easterly direction
and 1490 feet in an westerly	y direction from the point of feet on each side of the center of
discovery, with a Width of 300	feet on each side of the center of
the vein or lode along the entire	length of said claim.
	\ \
The location w	work was done upon the Sun # 20
claim(s) for the benefit of a con	itiquous group of not more than ten (10)
Lode Mining Claims, the specific	names of which are as follows:
Bun # 14. 19. 25. 22.	24. 24. 59. 67.68. 63
·	
The location w	work done consisted of: Drilling
costing a total of \$ 1000.00 ,	, of which \$100.00 is applicable to
this claim.	
The corners ar	nd side centers of the claim are located
and marked as follows: Beginning	g at the <u>VE</u> corner, marked <u>NE cor</u>
thence bearing southers distance	of 600 feet to the southeast
corner marked SE nor : thenc	re bearing gouthwesta distance
of 750 feet to the south aid	a center , marked <u>SSC</u> ; thence
hearing SW a distance of 75	O feet to the southwest
corner . marked 8% cor	thence bearing northwest
dictance of 600 feet to the	noringest corner , "Pincy
ind some thomas has	ering nontheest a distance of 750 feet
to the north side center . Mal	rked %50 thence
bearing NE a distance of	750 feet to the point of beginning.
Each of the above described corne	ers is a Rock comment or
a 4 x 4	x 4± 205t.
The location a	and discovery work referred to above in
this Issation Cortificate was new	rformed on or before
June 15 , 19 68, by or on	behalf of the undersigned locator(s).
Mark A. A. Company of the Company of	
P.K. Seeley Jr.	1423 E. 5th 50, Salt Lake City, litch
(Name of Locator)	PERCOPPED AT THE STOATS CERS B. K. SECTOY, OF A
\	Tune 26 1068 of 42 min sest ""
\ \ \ /	RECORDS, page
	RECORDED ALEXADATION OF THE TELEPOOR
(Name of Locator)	A MAIN Fee \$ 1.00
Trains II I I I I I I I I I I I I I I I I I	File No

CERTIFICATE OF LOCATION OF LODE MINING CIAIN PAGE __ 485 (GROUP OF CLAIMS)

uning Claim was located by A.	IRTIFY that the fam # lodest
escribed as being situated:	County, State of Mevada, further portions of Sec's. 3. 9. 10. 11. 14
15. 22. 23 - T.201 - R.	52E, MDB 4 M
	•
The concern?	
uy the undersioned Alexanti in	course of said lode or vein is northwest. feet in a <u>Westerly</u> direction
nd 1490 feet in an easter	direction from the point of
scovery, with a width of 300	direction from the point of feet on each side of the center of
he vein or lode along the entir	re length of said claim.
,	\ _
The location	work was done upon the Sun # 19
rations) for the benefit of a co	optimions group of see more than for 7101
ode Mining Claims, the specific	pames of which are as follows:
Sun # /5, /7, /9 21, 2	3. 25. 27. 21. 29 35
•	
The location	work done consisted of: Drilling
	work done comprised or mrifting
sting a total of \$ 1000.00 is claim.	, of which \$100.00 is applicable to
TP CIGIN.	
•	
The corners a	and side centers of the claim are located
d marked as follows: Beginnin	og at the NF corner marked NF com
ence bearing southeast distance	e of 600 feet to the coutheast
orner , marked <u>ar cor ; then</u>	ICC Dearing gouthwest a distance
Aring SH a distance of The	de center , marked SSC ; thence
corner marked St cor	
stance of 600 feet to the	nortowest corner , marked
NT COY F ENBICE DA	BITING MARTHAGAT A MIGTANCO OF MEN FOAR
the north side center , ma	rked NSC; thence 750 feet to the point of beginning.
aring NEa distance of_	750 feet to the point of beginning.
cu or cue apose described GOLU	ers is a Rock monument or
<u> </u>	x 44 post.
	/ /
The location	and discovery work referred to above in
is cocation certificate was pe	riormed on or before
June 15 , 19 <u>68</u> , by or on	behalf of the undersigned locator(s).
	1423 E. 9th So. Salt Take City, Heal
. B.K. Seelev. Jr. A	
B.K. Seeley, Jr. (Name of Locator)	Address R. K. Seelev .Tr
	RECORDED AT THE REQUEST OF CESS B.K. Seeley, Jr.
	RECORDED AT THE REQUEST OF CESS B.K. Seeley, Jr. on June 26, 19 68, or 45 mins. post 4 P. M.
(Name of Locator)	RECORDED AT THE REQUEST OF CESS B.K. Seeley, Jr. on June 26 19 68 of 45 mins past 4 P. M. Book 24 of OFFICIAL RECORDS, page 485 RECORDS
	RECORDED AT THE REQUEST OF CESS B.K. Seeley, Jr. on June 26 19 68, or 45 mins past 4 P. M.

THIS IS TO CE	RTIFY that the Bun # 2 Lode
Mining Claim was located by B.	. Seeley, Jr. on the 26
day of March 1968, in District, Eureka C	the Nursea Mining
described as being situated: in	ounty, State of Meveds, further portions of Sec's. 3, 9, 10, 11, 14,
15, 22, 23 - 1,200 - 2,	2E. MDB & M
	v:
	e i i i i i i i i i i i i i i i i i i i
The general co	ourse of said lode or vein is northwest
and 1490 feet in an wester	
discovery, with a Width of 300	feet in a <u>easterly</u> direction y direction from the point of feet on each side of the center of
the vein or lode along the entire	e length of said claim.
mha lasatta	
Ing location (work was done upon the Sun # 20 ntiguous group of not more than ten (10)
Lode Mining Claims the enecific	names of which are as follows:
Bun # 16. 18. 20. 2.2	21, 26, 59, 61, 62, 63
	
· · · · · · · · · · · · · · · · · · ·	
Man Jamatahan	and dans and had all to 1350
The location (work done consisted of: <u>Unilling</u>
	, of which \$100.00 is applicable to
this claim.	
The corners a	nd side centers of the claim are located
	g at the <u>NE</u> corner, marked <u>NE cor</u>
thence bearing southers a distance	e of 600 feet to the southeast
corner , marked SE cor ; then	ce bearing <u>southwest</u> a distance
of 750 feet to the south aid	a center marked ssc ; thence
hearing SW a distance of 75	O feet to the southwest
distance of 600 feet to the	; thence bearing northwest : a northwest corner , marked
W cor thence be	aring northeast a distance of 750 feet
to the north side center , ma	rked NSC; thence
bearing NE a distance of	rked NSC ; thence 750 feet to the point of beginning.
Each of the above described corn	ers is a <u>Rock adnument or</u>
a 4 x 4	x 4\$ post.
The logation	and discovery work referred to above in
this Location Certificate was pe	
June 15 , 19 <u>68</u> , by or on	behalf of the undersigned locator(s).
D w 0 -1	1407 9 70 5 0 70 1 1 010 24
E.K. Seeley, Jr.	1423 E. St. So. Salt Lake City, litch
(Name of Locator)	RECORDED AT THE RECORDS OF AFE
	on June 26, 19 68, of 45 mins, post 4 P. M. in
(Name of Locator)	EUKEKA CUMMI NEVANGOLEBB) Recorder.
(muzz)	File No. 47152 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE MINIS CALIN

	THIS IS TO C	ERTIFY that the BE S S
Mining Claim was	located by B.	Country State of Country further to sort on the country of the cou
tay of March	, 19 <u>68</u> , in	the Niale
District,	Curoka	in north one of Section 3 0 10 11 14
15, 22.	23 - T.201 - R.	
		[1] 10年 天水是第二年中的第二年,大连环 (2) 3088年11日 [1]
	The general (course of said lode or vein is northwest
and the undersig	ned Claims 10	feet in a <u>Logsterly</u> direction ly direction from the point of
discovery with	a Width of 500	Discrete to neach side of the Centery Fire 转进。
the vain or lode	along the enti	re length of said claim.
• •		
•	_	
3-1 / 3 # A3	The location	work was done upon the Sun (10)
Craim(s) for the	penerit: Or a Co	A names of which are as follows:
rode wining cial		c names of which are as follows:
	'{' '{' - '} - ''	
•	·	
	The location	work done consisted of: Drilling
		
costing a total	of \$ 1000,00	of which \$100.00 is applicable to
this claim.	V- V	
	•	·
		e and a language of the second
	The corners	and side centers of the claim are located
		ing at the NE corner, marked NE corner of 600 feet to the southeast
distance of 600	feet to th	he northwest corner , marked bearing northeast a distance of 750 feet thence
NV cor	thence b	pearing northeast a distance of the re-
to the north Bl	de center . n	marked NSC ; thence f 750 feet to the point of beginning.
Sach of the above	a distance or	rners is a Rock monument or
Each of the above	a 4 x	4 x 48 post.
	1	
	The location	n and discovery work referred to above in
this Location Co	ertificate was p	performed on or before
ปับกิดิ 15	, та <u>ря</u> , ра од с	on behalf of the undersigned locator(s).
	^	
E.K. Seele	ev. Jr.	1423 F. 9th So. Salt Jake City, Ille
(Name	of Locator)	THE PEOPLE AT THE PEOPLE OF TH
\ \	/ /	June 26 19 60, at 43 mins. past
	/ /	Book of OFFICIAL RECORDS, page
	/_/	EURIKA COUNTY, NEVADELLE A Mo Taste Beron
(Name	of Locator)	File No. 47150

THIS IS TO CER	MIFY that the Am	20 ose
Mining Claim was located by B.K. day of March 1968, in the	Seeley Jr.	on the Z. S
day of March 1968, in the	No Europa	Mining
District, Sureka Condescribed as being situateds in	inty, State of Meved	i, Eurcher
15 22 23 4:20 2 5 52	E MUS A M	
15. 22. 23 - 1.201 - 1.52		
•		
The general cou	erse of said lode or	vein is northwest
and the undersigned claims 10 and 1490 feet in an westerly discovery, with a width of 300	feet in a	rly direction
and 1490 feet in an westerly	direction f	rom the point of
discovery, with a width or	rest on each side (or the center or
the vein or lode along the entire	rength or said claim	п. \
		/ /
The location we	ork was done upon the	e Sun # 2.0
claim(s) for the benefit of a cont	tiquous group of not	more than ten (10)
Lode Mining Claims, the specific :	mames of which are a	, follows;
Lode Mining Claims, the specific r	27, 26, 34, 6	1, 62, 63,
The location we	ork done consisted o	f: Drilling
		\
costing a total of \$ 1000.00	of which \$100,00 is	applicable to
this claim.		
		/
The gorners and	d side centers of the	e claim are located
and marked as follows: Beginning	at the My corner m	arked NF cor
thence bearing southers distance	of 600 feet to the	Sout heast
corner marked SE cor ; thence	e bearing southwest	_a distance
of 750 feet to the south side	center , marked_	ssc ; thence
hearing sai a dietance of 760	feet to the agus	hwest
corner , marked ff cor distance of 600 feet to the	; thence bearing	northwest
distance of 600 feet to the	northwest corner	, marked ,
NW cor 7 Thence Deal	iing northeast o	MIPCONCE OF NOT TOOK
to the north side center , mark bearing NE a distance of	Red NSC	int of healphing
Earling NE a distance of the thornal described corner	750 leet to the po	ent or
Each of the above described corne	42 20st	QIIL VI
<u> </u>		
	/ /	
The location as	nd discovery work re	ferred to above in
this Location Certificate was per	formed on or before	
June 15 , 19 68 , by or on 1	behalf of the unders	igned locator(s).
D. H. Danker, To. 0	1407 5 506 50	Selt Lake City, 113ah
E.K. Seeley, Jr.	1427 F. GLD SO:	ss)B.K. Seeley, Jr.
(Name of Locator)	necorded at the request of 5	5 mins. post 4 P. M.
	Book 24 of OFFICIAL RECE	
	BOOK OF UPPICIAL RELE	
(Name of Locator)	File No. 17154	1.00
	File No. 12 (104)	Fec \$ 1.00

CERTIFICATE OF LOCATION OF LODE HINES CLAIM PAGE (489)

mure to mo anno	
Mining Claim was located by B.K.	IFY that the Bun # 2
day of March 1968 in th	e Tureba Mining
day of March 1968 in th	nty State of Meyada further
described as being situateds in	portions of fac's. 3. 9. 10. 11. 714.
15. 22. 23 - T.201 - R.521	CME MDB 78-M
The general cou	rse of said lode or vein is nonthwest.
and the undersigned claims 10	feet in a Westerly direction
THE THREE TO BE CAREELTA	direction from the boint of
discovery, with a width of 300	fact on each side of the center of
the vein or lode along the entire	length of said claim.
The logation we	mar and a dama are as a second with
Claim(c) for the henefit of a cont	rk was done upon the Sun # 7 iguous group of not more than ten (10)
Lode Mining Claims the emerits a	iguous group of not more than ten (10)
Lode Mining Claims, the specific n	amia of which are as follows:
	1, 26, 27, 28, 29, 30
	
The location wo:	rk done consisted of: Drilling 1
costing a total of \$ 1000.00	of which \$100.00 is applicable to
this claim.	
The corners and	side centers of the claim are located
and marked as follows: Reginning:	at the NE corner, marked NE cor
thence bearing southeast distance	of 600 feet to the southment
corner , marked SF cor , thence	bearing southwest a distance
of 750 feet to the south side	center , marked SSC ; thence
bearing Sw a distance of 750	feet to the anuthwest
corner, marked & cor	; thence bearing northwest&
distance of 600 feet to the	northwest corner, marked
NW cor; thence bear:	ing_northeagta distance of 750 feet
to the north side center , mark	ed NSC; thence
bearing NE a distance of 7	'50 feet to the point of raginning.
Each of the above described corner	s is a Rock menument or
	4# post.
	d discovery work referred to above in
this Location Certificate was perfe	ehalf of the undersigned locator(s).
, 19 <u>00</u> , by of on bi	shart of the unbetsigned locator(8),
^	
E.K. Seelev. Jr.	1427 E. 9th So. Salt Take City. High
(Name of Locator)	RECORDED AT THE (PORTE OF S.B.K. Seeley, Jr.
(4/10	June 26 $_{16}$ 68 $_{01}$ 45 $_{mins. cast}$ 4 $_{P.M.}$ in
\ \ / /	Book 24 of OFFICIAL RECORDS, page 489, RECORDS OF
	EUREKA COUNTY, NEVADA Helling a. De Taslie Recorder.
(Name of Locator)	(Address) 1 00
	File No.

47156 BOOK 24 PAGE 490

CERTIFICATE OF LOCATION OF LODE MINING CLAIM (GROUP OF CLAIMS)

THIS is TO CERTIFY that the sun formula in the sun formula is trict. Sureka County, State of Mevada, further counties in portions of formula in the secribed as being situateds in portions of formula in the undersigned claims 10 feet in a satisfy direction and 1490 feet in an westerly direction from the point of iscovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the sun formula in the specific names of which are as follows: Bun formula in the specific names of which are as follows: The location work done consisted of: Drilling The location work done consisted of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners and side centers of the claim are located in the corners are corners and side centers of the claim are located in the corners are corners and side centers of the claim are located in the corners are corners.
The general course of said lode or vein is northwest and the undersigned claims 10 feet in a easterly direction and 1490 feet in an westerly direction from the point of iscovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun # 2.0 laim(s) for the benefit of a contiguous group of not more than ten (19 lode Mining Claims, the specific pames of which are as follows: Bun # 1.000.00 of which \$100.00 is applicable to his claim. The corners and side centers of the claim are located.
The general course of said lode or vein is northwest and the undersigned claims 10 feet in a seterly direction and 1490 feet in an westerly direction from the point of acovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun # 2.0 Laim(s) for the benefit of a contiguous group of not more than ten (19 and Mining Claims, the specific names of which are as follows: Bun # 2.0 The location work done consisted of: Drilling the location work done consisted of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners are corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners are corners and side centers of the claim are located to the corners are corners and side centers of the claim are located to the corners are corners and side centers of the claim are located to the corners are corners are corners.
The general course of said lode or vein is northwest and the undersigned claims 10 feet in a seterly direction and 1490 feet in an westerly direction from the point of acovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun # 2.0 Laim(s) for the benefit of a contiguous group of not more than ten (19 and Mining Claims, the specific names of which are as follows: Bun # 2.0 The location work done consisted of: Drilling the location work done consisted of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners are corners and side centers of the claim are located to the corners and side centers of the claim are located to the corners are corners and side centers of the claim are located to the corners are corners and side centers of the claim are located to the corners are corners and side centers of the claim are located to the corners are corners are corners.
the undersigned claims 10 feet in a
the undersigned claims 10 feet in a
The location work was done upon the Sun # 30 at a claims of the mining Claims, the specific names of which are as follows: Sun # 30 at a contiguous group of not more than ten (1) at a contiguous group of not more
The location work was done upon the Sun # 30 at a claims of the mining Claims, the specific names of which are as follows: Sun # 30 at a contiguous group of not more than ten (1) at a contiguous group of not more
The location work was done upon the Sun # 20 aim(s) for the benefit of a contiguous group of not more than ten (19 aim). The location work done consisted of: Drilling. The location work done consisted of: Drilling. The corners and side centers of the claim are located.
The location work was done upon the Sun in the location work was done upon the Sun in the location work was done upon the Sun in the location work done consisted of: The location work done consisted of: Drilling Osting a total of \$ 1000.00
The location work was done upon the Sun # 3.0 aim(s) for the benefit of a contiguous group of not more than ten (19 de Mining Claims, the specific names of which are as follows: Bun # 3.0 The location work done consisted of: Drilling esting a total of \$ 1000.00 , of which \$100.00 is applicable to his claim. The corners and side centers of the claim are located.
The location work done consisted of: Drilling osting a total of \$ 1000.00 , of which \$100.00 is applicable to his claim. The corners and side centers of the claim are located.
The location work done consisted of: Drilling osting a total of \$ 1000.00 , of which \$100.00 is applicable to his claim. The corners and side centers of the claim are located.
The location work done consisted of: Drilling osting a total of \$ 1000.00 , of which \$100.00 is applicable to his claim. The corners and side centers of the claim are located.
The location work done consisted of: [Drilling.com/brin
The location work done consisted of: https://doi.org/ling.com/bri
osting a total of \$ 1000.00 , of which \$100.00 is applicable to his claim. The corners and side centers of the claim are locate.
osting a total of \$ 1000.00 , of which \$100.00 is applicable to his claim. The corners and side centers of the claim are locate.
osting a total of \$ 1000.00 , of which \$100.00 is applicable to his claim. The corners and side centers of the claim are locate.
The corners and side centers of the claim are locate
The corners and side centers of the claim are locate
is claim. The corners and side centers of the claim are locate
The corners and side centers of the claim are locate
The corners and side centers of the claim are locate
The corners and side centers of the claim are locate
nd marked as follows: Beginning at the NE corner, marked NE cor
mence bearing southers distance of 600 feet to the southeast
orner, marked SE gor; thence bearing southwest a distance 750 feet to the aouth side center, marked 550; the
earing sw a distance of 750 feet to the southwest
corner marked Sw cor ; thence bearing northwest
stance of 600 feet to the northwest corner , marked
NW cor thence bearing northeast a distance of 750 to
the north side center , marked NSC ; thence earing NE a distance of 750 feet to the coint of beginning.
ach of the above described corners is a Rock renument or
a 4 x 4 x 42 post.
m leader and discovery were referred to above 1
The location and discovery work referred to above in the location Certificate was performed on or before
is boation certained was performed to an advantaged locator(s)
Tune 15 19 58 by or on behalf of the undersigned locator(8).
June 15 , 1968, by or on behalf of the undersigned locator(s).
E.K. Seeley Jr. 1427 J. 9th So. Selt lake City.
P.K. Seeley, Jr. 1423 J. 9th So. Salt Lake City. (Name of Locator) PECCREPA AT THE REDULA OF LOCATOR)
E.K. Seeley. Jr. (Name of Locator) RECORDED AT THE REQUIRED TEES B.K. Seeley. J. on June 26 1968, at 45 mins past 4 P. M.
E.K. Seeley. Jr. (Name of Locator) RECORDED AT THE REQUIRED B.K. Seeley. J on June 26 1968, at 45 mins. past 4 P. M. Book 24 at OFFICIAL RECORDS, page 490) RECORDS
P.K. Seeley, Jr. (Name of Locator) RECORDED AT THE REQUIRED B.K. Seeley, J. on June 26 19 68 of 45 mins past 4 P.M. Book 24 of OFFICIAL RESULTS, Page 490 RECORDED AT THE REQUIRED BY MAIN PAGE 18 10 10 10 10 10 10 10 10 10 10 10 10 10
P.K. Seeley, Jr. (Name of Locator) RECORDED AT THE REQUIRED B.K. Seeley, J. on June 26 19 68 of 45 mins past 4 P.M. Book 24 of OFFICIAL RESORDS, Page 490 RECORDED AT THE REQUIRED BY THE PROPERTY OF THE PAGE 100 P.M.

		23
THIS IS TO C	BRTIFY that the Sun #	
Mining Claim was located by B day of March 1968, in District, Eureks described as being situated:	the Bureline	A SAME MANAGEMENT
District. Euroka	County, State of Mevada	further
described as being situateds	in partions of Sec's. 3.	0. 10. 11. 14.
15. 22. 25 - T.201 - R	52F, MDB & N	A CONTRACT OF THE SECOND
	•	•
The general	course of said lode or	Vein is northway
and the undersigned claims 10	rly direction from	om the point of
and 1490 feet in an easter discovery, with a width of 30	feet on each side of	f the center of
the vein or lode along the enti	re length of said claim	
		\ \
		\ 10
The location	work was done upon the	Sun 4 7
claim(s) for the benefit of a c	ontiguous group of not	more than ten (10)
Lode Mining Claims, the specifi	c names or which are as	100 Bi
	earear alread	7,24
The location	work done consisted of	: Drilling
costing a total of \$ 1000.00	_, or which \$100,00 is	applicable co
this claim.		
The corners	and side centers of the	claim are located
and marked as follows: Beginni	ng at the NE corner, ma	rked <u>NE cor</u>
thence bearing southeast distar	ce of 600 feet to the	<u>southeast</u>
corner , marked SE cor ; the	ence bearing <u>southwest</u>	a distance
of 750 feet to the south a	ide center, marked	ssc ; chence
hearing Sw a distance of	750 reet to the south	ont puget A
corner , marked SW cor distance of 600 feet to the		. marked
NW AAR thence h	nearing mortheset & d	istance of 750 lest
to the north side center . I	marked NSC	thence
to the north side center , receiving NE a distance of	750 feet to the poi	nt of beginning.
tach of the above described con	ners is a <u>nock schime</u>	int or
a 4 x	4 x 41 post.	
	and discovery work ref	orred to above in
this Location Certificate was p	and discovery work rer	elled to above in
June 15 , 19 68, by or	on behalf of the undersi	oned locator(s).
<u> </u>		
E.K. Seeley, Jr.	1423 E. 9th So.	Salt lake City, High
(Name of Locator)	RECORDED AT THE REQUEST OF	SB.K. Seeley, Jr.
	on June 26 19 68 at 4	5 mins. hast 4 P. M. i
	Book 24 of OFFICIA 98/CS	" I I I I I I I I I I I I I I I I I I I
(Name of Locator)	EUREKA COUNTT, NE AUGITE	Kecorder
(Name of rocator)	File No. 4715	Fee 5 1.00

	RTIFY that the Sun # 24 Lode
dining Claim was located by B.	K. Seeley, Jr. on the 2.6
ay of March , 1968, in	the <u>Tureke</u> Mining
decribed as being situated: 1	county, State of Mevada, further portions of Meo's. 3. 9. 10. 11. 14.
15. 22. 23 - T.20H - R.	52E. MDB A M
	•
The general c	ourse of said lode or vein is northwest
and the undersigned claims 10	feet in a easterly direction
liscovery with a width of 300	direction from the point of feet on each side of the center of
the vein or lode along the entir	e length of said claim.
•	\ \
	\
The location	work was done upon the Sun # 60
laim(s) for the benefit of a co	ontiguous group of not more than ten (10)
ode Mining Claims, the specific	names of which are as follows:
	- H To May 12 79 Dly Dley Ber
	
The location	work done consisted of: <u>Drilling</u>
osting a total of \$ 1000.00	, of which \$100.00 is applicable to
his claim.	., Of Which \$100.00 is applicable co
iiis Cluliu.	
The corners a	ind side centers of the claim are located
nd marked as follows: Beginnin	ng at the NE corner, marked NE cor
hence bearing southers distance	e of 600 feet to the southeast
corner, marked SE cor ; then	nce bearing so thowest a distance
r 750 reet to the south signature of 70	de center , marked SSC ; thence
corner marked 44 405	50 feet to the <u>southwest</u> ; thence bearing <u>northyest</u>
istance of 600 feet to the	nortowest corner , marked
NW cor : thence be	earing northeast a distance of 750 feet
o the north side center . wa	rked NSC; thence
earing NEa distance or_	750 Teet to the point of beginning.
ach of the above described corn	ners is a <u>Rock miniment or</u>
8.4 x 4	x 4a post.
The location	and discovery work referred to above in
his Location Certificate was be	erformed on or before
June 15 , 19 68 , by or on	behalf of the undersigned locator(s).
B.K. Seeley, Jr.	1427 E. 9th So. Selt Lake City. III
(Name of Locator)	RECORDED AT THE RE((Mid) Fees) B.K. See Ley, J. 1. on June 26, 1968, at 45 mins, post 4 P. M.
\ / /	Book 24 of OFFICIAL RECORDS, page 492 RECORD
	FUREKA COUNTY NEVADA Stelling a Mataline Roc
(Name of Locator)	File No. 4715 (Address) fee \$ 1.00
trains or moreon.	File No.
THIS CERTIFICATE OF LOCATION MU	IST BE POSTED UPON THE CLAIM AND A COUNTY RECORDER OF THE COUNTY IN WHICH
EGIBLE COPY RECORDED WITH THE C	COUNTY RECORDER OF THE COUNTY IN WHICH

	THIS IS TO CER	TIFY that the fund	S Lode m
Mining Claim was	located by B.K.	he Europa unty, State of Movada, partions of Mac's. 3.	the
day of March	, 19 <u>68</u> , in the	he Fure & Bosse &	Mining
Vistrict, <u>Au</u>	g situateds in	portions of sec a. 3.	10 11 14
15. 22. 2	3 - T.204 - 1.59	E MDB A M	
	•		•
	The general co	urse of said lode or ve	in is northwest.
and the undersions	ed claims 10	feet in a _ Westerl'	direction
and 1490 feet	in an easterly	feet in adirection from	the point of
discovery, with a	Width of ZVV	- Idas ou secu side or	the center or
the vein or lode a	along the entire	length of said claim.	\ \
		•	A
	The location w	ork was done upon the_	Sun # Y
claim(s) for the 1	hapafit of a con-	+lanous group of not m	ore than ten (10)
Lode Mining Claim	s, the specific	names of which are as	ollows:
Sun (5	41-64-1-44-16-16	3, 53, 6 g 6 8, 6	-
	<u> </u>		
	The location w	ork done consisted of:	<u>Drilling</u>
		///	
costing a total o	f \$ 1000,00	of which \$100.00 is a	oplicable to
this claim.	- T.		~
*			
		mi side centers of the	claim are located
and merical as fol	Ine corners as	at the NE corner, mar	ked NE cor;
thongo hearing en:	othessa distance	of ACC Teet to the	SOULINERSL
marked	GE non . thene	re bearing southwest	_a alscance
of 750 feet t	o the south side	a center	SC ; chence
bearing <u>SW</u> a	distance of 75	feet to the south	est a
44 at 3 acc of 600	feet to the	thence bearing no nortowest corner	
to the north side	e center , mar	rked NSC	thence
bearing NE	_a distance of	rked NSC 750 feet to the poin	t of beginning.
Each of the above	gescribed corne	ers is a <u>Rock monumer</u> x 44 post.	it or
$\overline{}$		X 43 103 La	
	The location a	and discovery work refe	rred to above in
this Location Cer	. L. I. C. L. market and the contract of the c	rearmed on or refore	
June 15	19 <u>68</u> , by or on	behalf of the starting	ned locator(a).
P.K. Seeley	Jr	1423 E. 9th So. 5	elt lake City, Utah
	Locator)	RECOIDED AT THE REQUEST OF	B.K. Seeley, Jr.
\ \	/ /	on June 26 1968, at 45	mins. past 4 P. M.
\ \	/ /	Book24_ of OFFICIAL RESAL	1 (/ //- (=
(Name of	(Locator)	EUREKA COUNTY, NEWACE COS	to the action Rec
		File No. <u>47159</u>	Fre \$ 1.00
THIS CERTIFICATE	E OF LOCATION MU	ST BE POSTED UPON THE COUNTY RECORDER OF THE CAYS AFTER THE DATE OF T	LAIM AND A
LEGIBLE COPY RECO	JRDED WITH THE CO	OUDIT RECORDER OF THE CAMPS OF THE CAMPS OF T	CONTICY)

THIS IS TO CE	RTIEV that the am 1 26	lote.
Mining Claim was located by B.K. day of March 1968, in t	. Saeley. Jr. on the	2.7
day of March 1905 in t	he Furer	Mining
District, Eureka Codescribed as being situated:	punty, State of Sevens, furt	
15. 22. 23 - T.201 - P.	OF MIR A M	
		and the second second
	·	
The general co	ourse of said lode or vein i	s northwest
and the undersigned claims 10 and 1490 feet in an wester1 discovery, with a width of 100	feet in aesterly	_direction
discovery, with a width of 300	feet on each side of the	point of
the vein or lode along the entire	length of said claim.	
•	\	
	1	
The location v	work was done upon the <u>Sun</u>	TO
claim(s) for the benefit of a cor	itiguous group of not more t	han ten (10)
Lode Mining Claims, the specific Bun # 15, 120, 25,	names of which are as follow	WB1
——————————————————————————————————————	elland a han a mana	
. The location w	vork done consisted of: <u>Dri</u>)	ling
	///	
costing a total of \$ 1000.00	of which \$100,00 is applic	able to
this claim.		
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
and marked as follows: Beginning	nd side centers of the claim	
thence bearing southeast distance	of 600 feet to the south	gast .
corner , warked SE gor ; thence	e bearing southwest a d	istance
of 750 feet to the gouth aid	e center , marked 85C	; thence
hearing a distance of 75	<u>O</u> feet to the <u>southwest</u>	<u></u>
corner , marked S cor	; thence bearing <u>northwe</u>	<u>ata</u>
distance of 600 feet to the NW cor , thence bea	northwest corner	, marked
to the north side center , man	rked wer a distant	thence
bearing NE a distance of	750 feet to the point of	beginning.
Each of the above described corne	ers is a Rock nanument or	
<u>a4x4</u>	x 4± 205t.	
	/ /	
The location a	and discovery work referred	to above in
this Location Certificate was per	formed on or before	
June 15 , 19 68, by or on	behalf of the undersigned 1	ocator(s);
E.K. Sceley Jr.	1427 F. 9th 50 Salt I	ake City, Utah
(Name of Locator)	Address)B.K.	Seeley, Jr.
\ \ / /	on June 26, 19,68, at 45 mins. p	oast <u>4 P.</u> M.+ 1
	Book 24 of OFFICIAL RECORDS, page	
(Name of Locator)	EUREKA COUNTY, NEVADER	
	File No. 47160	Fee \$ 1.00
(THIS CERTIFICATE OF LOCATION MUS LEGIBLE COPY RECORDED WITH THE CO THE CLAIM IS LOCATED WITHIN 90 DA	T BE POSTED UPON THE CLAIM	AND A
THE CLAIM IS LCCATED WITH THE CO	ALL ASCORDS OF THE COOKLA	CA AUTOR

47161 CERTIFICATE OF INC. FAGE 195 (GROUP OF CLAIMS)

THIS IS TO CERT	MFY that the	am . 27	Lode 🖦
Mining Claim was located by B.K.	Seeley, Jr.	or the	- 27 D
day of March , 1968, in the District, Eureka Cou	e Euroka	M	ning
District, Euroka Cou	inty, State of I	Nevada, further	
described as being situated: in	portions of Sec	's. 3. 9. 10. 1	<u>1. 18</u>
15. 22. 23 - T.201 - R.52	E. MDB & M		
		•	
The general cou	rse of said lo	ie or vein is <u>n</u>	orthwest
and the undersigned claims 10	feat in a	westerly dir	ection
and 1490 feet in an easterly discovery, with a Width of 300	direct:	lon from the poi	nt of
discovery, with a Width of 300	feet on each a	side of the cent	er of
the vein or lode along the entire	length of said	.claim.	
		\	\
Man 1			(a)
The location wo	ork was done upo	on the <u>Sun #</u>] /10 5
claim(s) for the benefit of a cont			
Lode Mining Claims, the specific n	Amas or Antio	La an LOTTONS!	- \
Sun # 3	arear end		
			
The legation w	rk done gonele	ted of: Drillin	
THE TOCALION WO	itk doug coupis	red or s The Trith	
	/ /	} - }	
costing a total of \$ 1000.00 .	of which \$100 (Of is applicable	to
this claim.	Of Willell Aloo"	o te abbitcapio	
this ciaim.		/ /	
		/ /	· =,
The gorners and	l eido contora	of the claim are	hetsool
and marked as follows: Beginning			
thence bearing southeas a distance			
corner, marked SE cor; thence	boaring pout	o che <u>sominane</u>	Ince
of 750 feet to the south side			
boaring St a distance of 750	feet to the	acut broot	, crieries
bearing Sw a distance of 750 corner , marked Sw cor	teet to the_	SOUTHWEST	
distance of 600 fact to the		ing northwest	marked
distance of 600 feet to the NW cor 1 thence bear	ing mentheset c	a distance of	TEO FOOT
NA GOP 7 CHARGE DEAT	ing nurtheast	a distance of	10700
to the north side center , mark	ced NSC	no point of hogs	nnina
bearing NE a distance of	750 reec co co	ne point or begin	initing.
Each of the above described corner		ganument of	
<u>a4x4x</u>	41 2051		
Man land to be	a alamana	· · · · · · · · · · · · · · · · · · ·	hove in
		rk referred to a	above III
this Location Certificate was perf <u>June 15</u> , 19 <u>68</u> , by or on b	orned on or be	rule sed and look	-0×(a)
	enal: Of the u	naersigned loca	COL (B).
D. M. Coolou In	1423 E. 9t	h So. Salt Lake	('itu : ITaah
R.K. Seeley, Jr. (Name of Locator)		Address) _{B.K.} Sec	alov Tr
(pains of recaret)	RECORDED AT THE SEL	O 45	A D
\ \ /	on June 26 ,19	68, of 45 mins. post —	4 P. M.
\ \ / /	Rook <u>24</u> of OFFI	CIAL RECORDS, page 49	RECLOSE
(Name of Locator)	EUREKA COUNTY, NEV	Addis O. Do	and
/ notifie of rocerory	File No. 471	37	Fee \$ 1.00
(MUTO CODMITTION OF TARAMINE MOO	1110 110.		
(THIS CERTIFICATE OF LOCATION MUST LEGIBLE COPY RECORDED WITH THE COU THE CLAIM IS LOCATED WITHIN 90 DAY	NTY RECORDER O	H THE COUNTY IN	WHICH
THE CLAIM IS LCCATED WITHIN 90 DAY	S AFMED THE DA	TE OF TOCATION)

THIS IS TO C	CERTIFY that the Bun # 29	Lode
Mining Claim was located by B	. Seeley. Jr. on the	
day of March , 1968, in	the Europe	lining :
District, Europe	County, State of Mevads, further in partions of Med a. 3 9 10	
JE 22 23 - W 200 - 5	52F MDB 4 Mark Mark Mark Mark Mark Mark Mark Mark	
15. 22. 23 - T. 201 - R		
		10 10 10 10 10 10 10
	그 학생들은 학생들이 그렇게 그 보였다.	
The general	course of said lode or vein is_	northwest.
and the undersigned claims 10	fact in a mesterly di	rection
and 1490 feet in an wester	rly direction from the po 0 feet on each side of the cer	int of
discovery, with a Width of 300	O feet on each side of the cer	ter of
the vein or lode along the enti	ire length of said claim.	
Mho least on	The latest the second s	
claim(s) for the henefit of a c	n work was done upon the Sun # contiguous group of not more than	ten (10)
Lode Mining Claims, the enerifi	c names of which are as follows:	Cen (10)
8un # 15 17 19 21 2	c names of which are as follows:	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	
•		
The location	work done consisted of: <u>Drilli</u>	ــــــــــــــــــــــــــــــــــــــ
		
costing a total of \$ 1000.00	, of which \$100,00 is applicable	
this claim.	, or witch \$100,00 is applicant	ie to
CHIS CIGINA		
		8 L.C.
The corners	and side centers of the claim as	e located
and marked as follows: Beginni	ing at the NE corner, marked NE	cor ?
thence bearing southers distan	nce of 600 feet to the souther	<u>s t</u>
	ence bearing <u>southwest</u> a dist	
of 750 feet to the south a	ide center , marked SSC	; thence
bearing Sw a distance of	750 reet to the southwest	
corner , marked H cor	thence bearing northwest	markod .
We can thence by	ne <u>northwest corner</u> pearing <u>northeast</u> a distance o	of 750 feet
to the north side center 'm	marked NSC ; t	hence
bearing NE a distance of	750 feet to the point of beg	inning.
Each of the above described cor	ners is a Rock manument or	
	4 x 41 post.	
The location	and discovery work referred to	above in
this Location Certificate was p	performed on or before	
June 15 , 19.58, by or o	on behalf of the undersigned loca	tor(a).
B.K. Seeley Jr.	1423 F. 9th So. Salt Lake	City. Htch
(Name of Locator)	RECORDED AT THE REQUEST OF ES B.K. Se	eley, Jr.
(10000000000000000000000000000000000000	on June 26 19 68, at 45 mins. past	4 P. M. A
\ \ / /	Book 24 of OFFICIAL RECORDS, page 40	
		le Tarling
(Name of Locator)	EUNERA COURT (STATE OF THE NO. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Fee \$ 1.00
	110 (10)	1171
THIS CERTIFICATE OF LOCATION M	AUST BE POSTED UPON THE CLAIM AND	A STAN
THE CLAIM IS LCCATED WITHIN 90	JUST BE POSTED UPON THE CLAIM AND COUNTY RECORDER OF THE COUNTY IN DAYS AFTER THE CATE OF LOCATION	, lunton

CERTIFICATE OF LOCATION OF LODE HINTED CLAIM

(GROUP OF CLAIME)

day of March	THIS IS TO CI	K. Seeley. Jr.	on the	- 27 C
	as located by B. 1968, in Eureka	the Fureta	KI	ning
District,	Euroka (County, State of	Noveda, further	
rescriber es n	eing situateds 1 2, 23 - T.20m - R.	TO DOLUTIONS OF SHIP	3 9 10 1	14
	<u> </u>	766. F.U.S & R		
			· · · · · · · · · · · · · · · · · · ·	·
,	_			
	The general of	course of said lo	de or vein is no	orthwest,
ind the unders	igned claims 10 eet in an dester h a Width of 300	I direct	ion from the poi	ection of of
liscovery, wit	h a Width of 300	feet on each	side of the cent	er of
the vein or lo	de along the entir	re length of said	claim,	
			\ \	
				0
claim(s) for ti	ne location he benefit of a co	work was done up	on the Sun # 1	ten (10)
Lode Mining Cla	aimsthe specific	c names of which	ara as follows:	cen (10)
Sun #	15,17,19,21,2	3.25.27.21	29.30	1
				
	•			
	The location	work done consis	ted of: Drilling	
		//_		/
	1 of \$ 1000.00	-6 sht-h 6100	00 ()()	/
osting a tota. :his claim.	1 91 \$ 1000.00	_, or which \$100.	on is abbitcapie	LO V
.nia ciain,			/ /	
			/	
er de la companya de La companya de la co	The corners a	and side centers	of the claim are	located
ind marked as	follows: Beginning southeast distant	ng at the <u>NE</u> corn	er, marked NE	:or
nence bearing. corner . marki	ed SE cor ; ther	nce bearing south	weet a dista	nce
of 7 50 feet	t to the south ai	de center , ma	rked ssc	_; thenc e
earing Sw	a distance of 7	50 feet to the	southwest	
corner , m	arked Sw cor	; thence bear	ing northwest	a
istance of 60	O feet to the	e northwest o	orner ,	marked
NW COP	thence be	arin <u>g northeast</u> arked NGC	a distance of	ence
o the north o	STAR CRITERY . W.	* * VO a 12 NA	1	
o the <u>north s</u> bearing NE	\ a distance of	750 feet to t	ne point or peqi	nning.
o the <u>north r</u> earing NE	ove described corr	ners is a <u>Rock</u>	ne point or begi monument or	nning.
o the <u>north r</u> cearing NE	ove described corr	750 feet to t ners is a Rock x 42 post.	monument or begi	nning.
o the <u>north r</u> earing NE	ove described corr	ners is a <u>Rock</u>	ne point or beging manument or	nning.
o the <u>north r</u> cearing NE	ove described corr	ners is a <u>Rock</u> X 42 post.	monument or	
co the north spearing NE Cach of the about	ove described corr	ners is a Rock X 42 post. and discovery we erformed on or be	monument or or referred to a	above in
co the north spearing NE Cach of the about	ove described corr	ners is a Rock X 42 post. and discovery we erformed on or be	monument or or referred to a	above in
co the north spearing NE Cach of the about	ove described corr	ners is a Rock X 42 post. and discovery we erformed on or be	monument or or referred to a	above in
co the north spearing NE Sach of the about the second control of t	The location Certificate was per 1958, by or or	and discovery we erformed on or be n behalf of the e	monument or ork referred to a fore racisigned locat	bove in
co the north pearing NE Sach of the about this Location (June 15	The location Certificate was per property or or level.	and discovery we erformed on or be n behalf of the s	pronument or or referred to a fore in a signed locat th So, Salt Lake	bove in cor(s).
co the north pearing NE Sach of the about this Location (June 15	The location Certificate was per 1958, by or or	and discovery we erformed on or be n behalf of the serior RECORDED AT THE RE	referred to a fore the signed locat	city Htah
co the north pearing NE Sach of the about this Location (June 15	The location Certificate was per property or or level.	and discovery we erformed on or be n behalf of the erformed at the RECORDED AT	th So, Salt Lake Address B.K. See 68, or 450 mins, post	City, litch ley, Jr.
to the north potential potential north section (this Location (June 15 B.K. See) (Name	The location Certificate was per	and discovery we erformed on or be behalf of the seconded at the RECORDED AT T	th So. Selt Lake Address B.K. See	City, Htah ley, Jr., RECORDS
co the north pearing NE Cach of the about this Location (June 15 B.K. See)	The location Certificate was per property or or level.	and discovery we erformed on or be behalf of the seconded at the RECORDED AT T	or referred to a fore the signed locat the so, Selt Lake Address B.K. See 68, at 45n mins, pust FICIAL RECORDS, page 497	City Heah ley, Jr. 4 P. M. RECORDS
co the north pearing NE Cach of the about this Location (June 15 (Name (Name	The location Certificate was per	and discovery we erformed on or be n behalf of the seconded at the RECORDED AT	th So. Salt Lake Address B.K. See 68, at 45 n mins. post policy and the seconds.	City, Utah ley, Jr. 4 P. M. Records Fee \$1.00

THIS IS TO CERTIFY that the am 1 30 Logs
Mining Claim was located by B.K. Seeley, Jr. on the day of March 1968, in the Lureka Mining District, Eureka County, State of Revada, further described as being situated: In portions of Sec. 1, 9, 10, 11, 14
District Eureka County, State of Revada, further
described as being situated: in portions of Sec's. 3. 9. 10. 11. 14.
15. 22. 25 - T.201 - R.52E, MDB & N
The general course of said lode or vein is northwest
and the undersigned claims 10 feet in a easterly direction
and the undersigned claims 10 feet in a easterly direction and 1490 feet in an westerly direction from the point of discovery, with a width of 300 feet on each side of the center of
the vein or lode along the entire length of said claim.
,
The location work was done upon the Sun # 17
claim(s) for the benefit of a contiguous group of not more than ten (10)
Lode Mining Claims, the specific names of which are as follows: Sun #15, 17, 19, 21, 23, 75, 27, 28, 29, 30
The location work done consisted of: Drilling
The location work done consisted of milling
costing a total of \$ 1000.00 , of which \$100.00 is applicable to
this claim.
The corners and side centers of the claim are located
and marked as follows: Beginning at the NE corner, marked NE cor-
thence bearing southeast distance of 600 feet to the southeast corner, marked SE cor , thence bearing southwest a distance
of 750 feet to the mouth side center . marked <u>SSC; Chence</u>
bearing GW a distance of 750 legt to the southwest
normer marked SM cor : thence bediing northwest
- 31_LL_LL A A E EOO - PARE ED EDD - NOVINAREI ONNDRY - NVLNYY
NW cor , thence bearing northeast a distance of 750 feet
to the north side center, marked NSC : thence bearing NE a distance of 750 feet to the point of beginning.
Tach of the above described corners is a Norwanding of
8 4 x 4 x 41 post.
The location and discovery work referred to above in
this Issantian Cortificate was performed on or before
June 15 , 1968, by or on behalf of the undersigned locator(s).
B.K. Seeley, Jr. 1423 E. 9th So. Salt lake City, Illeh
(Name of Locator) PECONDED AT THE REQUEST OF CASS B.K. Seeley, Jr.
on June 26, 19 68 at 45 mins, past 45 mins, past 50 M. June
Book 24 of OFFICIAL RECORDS, page 496 AECORDS OF
(Name of Locator) EURERA COUNTY, NEVADA COLORS
(Name of Locator) File No. 47164 Fee \$ 1.00
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION)

THIS IS TO CERTIFY that the am 1 1 Log 1
Mining Claim was located by B.K. Seeley, Jr. on the
day of March 1968, in the Eureka Mining
District, Eureka County, State of Mevada, further described as being situated: in portions of Med a. 3. 9. 10. 11. 14.
15. 22. 23 - T.20M - R.52E, MDB 4 M
The general course of said lode or vein is northwest
and the undersigned claims 10 feet in a Westerly direction and 1490 feet in an Gesterly direction from the point of
discovery, with a width of 300 feet on each side of the center of
the vein or lode along the entire length of said claim.
The location work was done upon the Sun # 100
claim(s) for the benefit of a contiguous group of not more than ten (10)
Lode Mining Claims, the specific names of which are as follows:
The location work done consisted of: Drilling
costing a total of \$ 1000.00 , of which \$100.00 is applicable to
this claim.
- 1 11 1 15 AND AND THE THE BOOK OF
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor
thence bearing southeast distance of 600 feet to the southeast
corner marked SE cor ; thence bearing southwesta distance
of 750 feet to the south side center , marked SSC ; thence
bearing SW a distance of 750 feet to the southwest
corner , marked St cor ; thence bearing northwest a
distance of 500 reet to the northwest corner, harked
Www cor , thence bearing northeast a distance of 750 feet
to the north side center, marked; thence bearing NEa distance of
Each of the above described corners is a Rock monument or
a 4 x 4 x 42 post.
The location and discovery work referred to above in
this Location Certificate was performed on or hefore
June 15, 19 08, by or on behalf of the Sale signed locator(a).
B.K. Seeley, Jr. 1423 E. Sth So. Selt lake City, He
June 20 19 00, of _13 that 1 4 4 00
. 24 (OFFICIAL REGULDS), DIRE
(Name of Locator) File No. 47165 (Address) Fee \$ 1.00

24

File No. 47.100	BOOK 64 PAGE 500
CERTIFICATE OF LOCATION OF LA	DE MINING CLAIM
(GROUP OF CLA)	(MS)

THIS IS TO CE	RTIFY that the Bun # 3 Long
Mining Claim was located by B.I day of March, 1968, in t	the Europe on the Mining
District, Eureka Codescribed as being situateds in	ounty, State of Mevada, further
described as being situated: in	portions of Sec's, 3. 9. 10. 11. 14.
15, 22, 23 - T.201 - R.5	2E. MDB & M
The general co	ourse of said lode or vein is northwest
and the undersigned claims 10	feet in a easterly direction
and 1490 feet in an wester!	y direction from the point of feet on each side of the center of
discovery, with a width of 300	feet on each side of the center of
the vein or lode along the entire	length of said claim.
The location w	work was done upon the Sun # 42
claim(s) for the benefit of a cor	stiquous group of not more than ten (10)
Lode Mining Claims, the specific	names of which are as follows:
Lode Mining Claims, the specific Sun # 32, 32, 37	35, 36, 37, 38, 40, 72
The location w	work done consisted of: Drilling
	5 34 3 6100 00 4 = 111 - 112 - 112
costing a total of \$ 1000.00 , this claim.	of which \$100.00 is applicable to
chis Ciaim.	
	nd side centers of the claim are located.
and marked as follows: Beginning	at the NE corner, marked NE cor
thence bearing southeast distance	of 600 feet to the southeast
corner, marked Sk cor ; thence	ce bearing soutowest a distance a center , marked SSC ; thence
bearing Sw a distance of 750	A feet to the southwest
corner , marked & cor	thence bearing northwest
distance of 600 feet to the	norinwest corner, marked
NW cor thence bea	aring northeast _ a distance of 750 feet
to the north side center , man	rked NSC; thence 750 feet to the point of beginning.
bearing NE a distance of	ers is a Rock manument or
	x 4g post.
	6 II KYYII
	and discovery work referred to above in
this Location Certificate was per	rformed on or refore
<u>June 15</u> , 19 <u>68</u> , by or on	behalf of the undersigned locator(s).
B.K. Seeley Jr.	1423 F. 9th So Salt Jake City Han
(Name of Locator)	RECORDED AT THE RECORDS TO 58 B.K. See Lev. Jr
	on_June 26 19 68, of 45 mins, past 4 P. M.
\ \ / /	Book 24 of OFFICIAL RECORDS, page 500 RECORDS
(Name of Tourism)	EURENA COUNTY, HELDER CONTRACTOR
(Name of Locator)	File No. 47166
(THIS CERTIFICATE OF LOCATION MUS	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
This certificate of location mus Legible copy recorded with the co the claim is located within 90 do	THE POSTED UPON THE CLAIM AND A COUNTY RECORDER OF THE COUNTY IN WHICH
THE CTHIM IS INCULED MINHIN AO DA	ITS BEARN ARE DEALE OF SYCHEROM LOSSINGERS

į

THIS IS TO CE	RTIFY that the Sun # 33 Lode Ft
Mining Claim was located by B.K	on the
District Farch 1900, in t	the Europa Mining ounty, State of Mevada, further portions of Sec. 3. 9. 10. 11. 14.
District, , Burus Co	ounty, State or Mevada, Further
described as being situated: In	portions of sects. 1. 9. 10. 11. 14.
15. 22. 23 - T.201 - R.5	ZE MDB & M
	
	•
The general coand the undersigned claims 10 and 1490 feet in an esterl discovery, with a width of 300 the vein or lode along the entire	feet in a <u>Westerly</u> direction y direction from the point of feet on each side of the center of s length of said claim.
claim(s) for the benefit of a cor	work was done upon the Sun # htiguous group of not more than ten (10) names of which are as follows:
The location v	work done consisted of: Drilling
	of which \$100.00 is applicable to
	nd side centers of the claim are located
and marked as follows: Beginning	g at the NE corner, marked NE cor
hence bearing southers distance	of 600 feet to the southeast
corner, marked <u>SE cor</u> ; thence of 750 feet to the south aid	ce bearing <u>anuthwest</u> a distance a center, marked <u>SSC</u> ; thence
earing 54 a distance of 75	O feet to the southwest
corner marked 9 cor	; thence bearing northwest
istance of 600 feet to the	nortowest corner , marked
NW cor thence bea	aring northeast a distance of 750 feet
to the north side center man	rked NSC : thence
pearing NF a digtance of	rked NSC; thence 750 feet to the point of beginning.
Each of the above described sorre	ers is a Rock monument or
sach of the above described come	x 42 post.
8 7 X 1	A. 78. UV9 44
	/ /
	and diameters in a conficued we always to
The location a	and discovery work referred to above in
this Location Certificate was per	hobalf of the colored leaster's
June 15 , 195h, by or on	behalf of the or kesigned locator(s).
B.K. Seeley, Jr.	1423 E. 9th So. Salt Lake City, Utah
(Name of Locator)	(Address)B.K. Seeley, Jr.
forming on managers	on June 26 10 68, at 45 min rost 4 P. M.
\ / /	Book 24 of OFFICIAL EECORDS, page 501 RECORDS
	Book Or Orrican Stylling a No Tooli Book
(Name of Locator)	File No. Fee \$ 1.00
(METING OF WORLD COT)	File No. 4716(Address) Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE MENTING CLAIM

THIS IS TO CE	RTIFY that the am # 3 1 Lode
Mining Claim was located by R.I	
District Surara	the Fureba Mining ounty, State of Mewada, further operations of Mes's. 3. 9. 10. 11. 14
described as being situated: 17	nurting of Serie 3 a 10 11 14
15. 22. 23 - T. 201 - R.	22 AMDS AN ASSESSMENT OF THE SECOND SECOND
The general co	ourse of said lode or vein is northwest
and the undersigned claims 10	foet in aeasterlydirection 中海市
discovery right and wester	y direction from the point of
the vein or lode along the entire	feet on each side of the center of
one voin of four along the entity	e length of gald Claim.
•	
The location	work was done upon the Sun # 42
claim(s) for the benefit of a con	ntiquous group of not more than ten (14)
Lode Mining Claims, the specific	names of which are as follows:
Sun # 31, 32, 33, 34.	35. 36. 37. 3X. 4A 42
Man lanatian -	unut dans saudated of a tate
The location (work done consisted of: Drilling
	
	
costing a total of \$ 1000.00	, of which \$100.00 is applicable to
this claim.	
• •	
The corners as	nd side centers of the claim are located.
and marked as follows: Beginning	g at the NE corner, marked NE cor
thence bearing southers distance	e of 600 feet to the southeast
corner, marked SE cor; thence	ce bearing <u>southwest</u> a distance,
or 750 reer to the south aid	e center , marked SSC ; thence
Dearing SW a distance of 75	O feet to the southwest
distance of 600 feet to the	thence bearing northwest a northwest corner marked
end of the condition of the condition	aring northeast a distance of 750 feet
to the north aide center mai	rked use thence
hearing NE a distance of	rked NSC ; thence 750 feet to the point of beginning.
Each of the above described corne	ers is a Rock nanument or
a 4 x 4	x 45 205t.
The location a	and discovery work referred to above in
this Location Certificate was per	rformed on or before
June 15 , 19 <u>68</u> , by or on	behalf of the undersigned locator(s).
	• • •
E.K. Seeley Jr.	1427 E. 5th So. Salt lake City. Heah
(Name of Locator)	RECORDED AT THE RESTORES B.K. Seeley, Jr.
\ \ / /	on Tune 26, 19.68, or 45 mins. past 4 P. M.
\ \ /	Book 24 of OFFICIATION CORDS, page 502 ARECORDS O
(News of Inceptor)	EUNEKA COMPTY HEYADA RECORDE
(Name of Locator)	File No. Fee \$ 1 00
(MUTO COOMINGO DE CO LOGO DE COMINGO DE COMI	

CERTIFICATE OF LOCATION OF LODE MINING CLAIM

(GROUP OF CLAIMS)

THIS IS TO CERTIFY that the Sum # 35 Lode to
Mining Claim was located by B.K. Seeley, Jr. on the
day of March . 1968 . in the Eureka Mining
District, Eureka County, State of Mevada, further described as being situated: in portions of Sec's. 3. 9. 10. 11. 14.
described as being situated: in portions of Sec's. 3. 9. 10. 11. 14.
15. 22. 23 - T. 201 - R. 52E, MDB & M
·
The general course of said lode or vein is northwest.
and the undersigned claims 10 feet in a westerly direction
and 1490 feet in an easterly direction from the point of discovery, with a Width of 100 feet on each side of the center of
the vein or lode along the entire length of said claim.
the verm of lode along the entire rength of Bald Claim,
\
The location work was done upon the Sun # 1
claim(s) for the benefit of a contiguous group of not more than ten (10)
Lode Mining Claims, the specific names of which are as follows:
The location work done consisted of: Drilling.
costing a total of \$ 1000.00 , of which \$100.00 is applicable to
this claim.
m
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner.
thence bearing southeset distance of 600 feet to the southeset
corner , marked SE cor ; thence bearing southwest a distance
of 750 feet to the south side center , marked SSC ; thence
bearing sw a distance of 750 feet to the southwest
corner , marked Sw cor ; thence bearing northwest a
distance of 600 feet to the northwest corner , marked Ww cor , thence bearing northeast a distance of 750 feet
to the north side center , marked NSC ; thence
bearing NE a distance of 750 feet to the point of beginning.
Each of the above described corners is a Rock gangement or
<u> 4 x 4 x 45 20St.</u>
The location and discovery work referred to above in
this Location Certificate was performed on or before
June 15 , 1968, by or on behalf of the undersigned locator(s).
E.K. Seeley Jr. 1423 E. 5th 5o. Salt Lake City, High
RECORDED AT THE REQUEST OF SAIL LAKE CITY, High (Name of Locator) RECORDED AT THE REQUEST OF SAIL LAKE CITY, High RECORDED AT THE REQUEST OF SAIL LAKE CITY, High
RECORDED AT THE RELUCTION OF A P. M. I
on built 20 19 19 19 19 19 19 19 19 19 19 19 19 19
Book _ 27 of OFFICIAL States C. No laste Recorde
(Name of Locator) EUREKA COUNTY, NETANGREES) File No. 47169 Fee \$ 1.00
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION)
THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION)

THIS IS TO CER	TIFY that the fam # 36 Lode
Mining Claim was located by B.I.	Seeley Jr. on the 27
day of March , 1968, in t	he Eureka Mining munty, State of Mevada, further partions of Sec. 3, 9, 10, 11, 14
District, Eureks Co	unty, State of Mevada, further
described as being situated: in	pertions of secis. 3. 9. 10. 11. 14.
15. 22. 23 - T.20% - R.53	E. MDB & H
	· · · · · · · · · · · · · · · · · · ·
press =	· ************************************
The general co	urse of said lode or vein is northwest.
and the undersigned Claims IU	feet in a <u>easterly</u> direction
discovery with a wideh of 100	direction from the point of feet on each side of the center of
the vein or lode along the entire	length of said claim
TOLD OF TOME WIGHT ENTITE	TOTAL OF BETTE OFETHS
	\\
The location w	ork was done upon the Sun #42
claim(s) for the benefit of a con	tiquous group of not more than ten (10)
Lode Mining Claims, the specific	names of which are as follows:
Bun # 3, 32, 33, 34, 35,	36. 37.38. 40.42.
· · · · · · · · · · · · · · · · · · ·	
The location w	ork done consisted of: Drilling
	of which \$100.00 is applicable to
this claim.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	\ \ / /
pate	d side centers of the claim are located
The corners an	at the NE corner, marked NE cor
thongo bearing southers seginning	of 600 feet to the southeast
chence bearing southers distance	e bearing southwest a distance
of 750 foot to the south sta	e center , marked SSC ; thence
bearing Sw a distance of 750) feet to the courbweat
corner marked at com	; thence bearing northwest
distance of 600 feet to the	portowest corner , marked
W on thence her	ring northesat a distance of 750 feet
to the north alda center mar	ked NSC : thence
bearing NF a distance of	ked NSC ; thence 750 feet to the point of beginning.
Fach of the above described corne	ers is a Rock monument or
each of the above described corne	x 49 post.
B167	
	/ /
The location a	and discovery work referred to above in
this Incation Cartificate was per	formed on or before
June 15 . 1968. by or on	behalf of the undersigned locator(s).
The state of the s	رد. فو با با :
B.K. Seeley, Jr.	1423 E. 9th So. Selt lake City, Walk
(Name of Locator)	RECORDED AT THE REALPHS B.K. Seeley, Jr.
\ \ / /	on June 26 1968 of 45 mins, past 4 P. W.
\ \ / /	Book 24 of OFFICIAL RECORDS, page 504 RECORDS
	PURCHA COUNTY, MARSHELLIST (J. Ne Caste
(Name of Locator)	File No. 47170 ddress Fee \$ 1.00
	· · · · · · · · · · · · · · · · · · ·
(THIS CERTIFICATE OF LOCATION MUS	IT BE POSTED UPON THE CLAIM AND A LANGE A

LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION

		1. 및 1. (12. (11) 1 · · · · · · · · · · · · · · · · ·
44 m4 m = 03 m4 m =	THIS IS TO CE	ERTIFY that the Am # 1000 of
uning claim was	10Cated by B.	the Europa Mining
istrict.	Euroka	County State of Howards further
LABOLITHED OF DES	ing situated: 1	D DOTTIONS OF MAC'S. 3. D. TO II IA
15. 2 2 .	23 - T.201 - R.	52E. MDB & N
	The general c	course of said lode or vein is northwest.
nd the undersig	med claims 10	fact in a westerly direction
d 1-30 Tas	e in an easter	<u> </u>
liscovery, with	a Width of 300	feet on each side of the center of
he vein or lode	along the entir	re length of said claim.
		\ \
	The location	work was done upon the Sun # 42
laim(s) for the	benefit of a co	ontiguous group of not more than ten (10)
ode Mining Clai	ms, the epecific	names of which are as follows:
Sun # 3	. 12. 33. 34.3	names of which are as follows:
		
•		
	The location	work done consisted of: Drilling
i •	110 100461011	WOLK GOILE COLLEGE OL . DELL'ILLE
	·	
	of \$ 1000.00	, of which \$100.00 is applicable to
his claim.		
. **		
		and side centers of the claim are located
nd marked as fo		ng at the <u>NE</u> corner, marked <u>NE cor</u>
hence bearing a	outheast distanc	e of 600 feet to the southeast
corner , marked	SE gor ; then	ice bearing southwest a distance
f <u>750</u> feet	to the gouth sid	de center , marked ssc ; thence
earing SW	a distance of 75	50 feet to the southwest
rorner mar	ked St cor	; thence bearing northwest a
istance of 600	feet to the	northwest corner , marked
NW COP	thence be	aring northeast a distance of 750 feet
o the <u>north 810</u>	<u>le center</u> , ma	rked NSC; thence
ach of the abou	a distance of_	ners is a Rock monument or
acii di dic abov	2 4 x 4	x 4½ post.
_ / _		and discovery work referred to above in
his Location Ce	rtificate was pe	erformed on or before
June 15 ,	rave, by or on	behalf of the undersigned locator(s).
\		
B.K. Seeley	ע דיי	1423 E. 9th So. Salt Take City. Inch
	f Locator)	PECONED AT THE RELACIONAL P. N. SECTION OF THE
(manes O		Tune 26 1068 of 45 mins, past 4 P. M.
	/ /	24 AF OFFICIAL RECORDS, page
		FUREKA COUNTY, NEVADA Julia U. ALL THE RECOT
(Name o	f Locator)	File No. 4717(Address) Fee \$

т	HIS IS TO CERTI	FY that the Sun	· 38	Lode
Mining Claim was loc day of March District, Eurel described as being s	ated by B.K.	Seeley, Jr.	on the	2715
day of March	. 1968 . in the	Euroka	M	ining 🥞
District. Euro	Cour	ty, State of Heve	de, further	
described as being s	ituated: in p	ortions of Sec. a.	3 . 9 . 10. 3	
15. 22. 23 -	- T.201 - R.52E	M & B d M		1,000
T	he general cour	se of said lode o	r vein is_r	orthwest
and the undersigned and 1490 feet in discovery, with a Wi	claims 10	feet in a pas	terlydi	rection
and 1490 feet in	an westerly	direction	from the po	int of
discovery, with a Wi	dth of 300	feet on each side	of the cen	ter of
the vein or lode alo	ng the entire	ength of said cla	im.	` <i>*</i> .
			\	\ <u>+</u>
			\	_
т	he location wor	k was done upon t	he Sun # 2	12 <u>:</u>
claim(s) for the ben	efit of a conti	quous group of no	t more than	ten (10)
Lode Mining Claims,	the specific na	mes of which are	as follows:	1
Bun # 31.32	33, 34, 35, 26	37, 38, 40, 42		
	2777	(- 1/ 13 - / 13 / 13 / 13 / 13 / 13 - / 		
				<u> </u>
T	he location wor	k done consisted	of . Drillir	19
			\	
			\	
costing a total of \$	1000.00	of which \$100.00 i	s applicabl	e to
this claim.	<	< 1		
			/	
T	he corners and	side centers of t	he claim ar	e loca ted
and marked as follow	/s: Beginning a	t the <u>NE</u> corner,	marked NE	_cor
thence bearing south	east distance of	of_600 feet to the	ne <u>southaa</u> r	6
corner . marked SE	mor ; thence	bearing southwes	<u>t a alec</u>	ance
of 750 feet to t	he south alde	canter marked	i ssc	; thence .
bearing sd a di	stance of 750	feet to the <u>so</u>	uthwest	
corner , marked_	Sw cor	_; thence bearing_	northwest	a
distance of 600	_feet to the	nortowest corn	er	marked
NW cor	$\overline{oldsymbol{ol}}}}}}}}}}}}}}}}}}}$	ing northeast s	ı distance o	of <u>750</u> feet
TO THE HOPER RIGHT C	enter . maik	8a Nob		
bearing NE a	distance of 7	50 reet to the p	borne or ned	4 7 111 1 7 119 0
Each of the above de	escribed corner.	s is a <u>Rock mon</u>	ument or	
	8 4 x 4 x	45 post		
		/ /		
		/ /		
	The location and	d discovery work	referred to	above in
this Isometer Cortif	ficato was norfi	ormed on or tefore	6	
June 15 19_	68, by or on b	ehalf of the unde	rsigned loca	ator(s).
7				
P.K. Seeley, J	r. <u>A</u>	1423 F. 91b. S	o. Selt Lak	e City IIseh
(Name of Lo	cator)	RECORDED AT THE REPRESE	ress D.K. De	4 P. M.
\ \	/)	Book 24 of OFFICIAL	RECORDS once 50	6 RECORDS O
\ \	/ /	BOOK OF UTFICIAL		Notables
	/ /	EUREKA COUNTY NEVADA.	SINCE OF	Fee \$1.00
(Name of L	cator)	File No.	ress)	ree \$ 1.00

File No. Anguno

BOOK 24 PAGE

CERTIFICATE OF LOCATION OF LODE HIWING CLAIM (GROUP OF CLAIMS)

THIS IS TO CERTIFY that the Bum # 37 Lode
Mining Claim was located by B.K. Seeley, Jr. on the day of March , 1968, in the Europa Mining
District, Eureks County, State of Nevada, further
described as being situated: in portions of Sec's. 3. 9. 10. 11. 14.
15. 22. 23 - T.201 - R.52E, MDB & N
The general course of said lode or vein is northwest.
and the undersigned claims 10 feet in a Westerly direction and 1490 feet in an essterly direction from the point of
discovery, with a Width of 300 feet on each side of the center of
the vein or lode along the entire length of said claim,
- · · · · · · · · · · · · · · · · · · ·
The location work was done upon the Sun # 1 claim(s) for the benefit of a contiguous group of not more than ten (10)
Lode Mining Claims, the specific names of which are as follows:
Lode Mining Claims, the specific names of which are as follows:
The legation could down consisted of a Carlling
The location work done consisted of: Drilling
costing a total of \$ 1000.00 , of which \$100.00 is applicable to
this claim.
The corners and side centers of the claim are located
and marked as follows: Beginning at the NE corner, marked NE cor
thence bearing southers distance of 600 feet to the southeast
corner, marked SF cor ; thence bearing southwest a distance
of 750 feet to the south side center , marked SSC ; thence
hearing 60 a distance of 750 feet to the southwest
corner , marked SW cor ; thence bearing northwest &
distance of 600 feet to the northest corner , marked NW cor , thence bearing northest a distance of 750 feet
to the north side center marked NSC : thence
to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning.
Each of the above described corners is a Rock monument or
<u>4 x 4 x 4± post.</u>
The location and discovery work referred to above in
this Location Certificate was performed on or before
June 15 , 1968, by or on behalf of the or a signed locator(s).
B.K. Seeley, Jr. 1423 F. Gih So. Salt Lake City, Mah
(Name of Locator) Recorded at Whelenesplest Of B.K. Seeley, Jr
Book 24 of OFFICIAL REGGRDS, page 507 RECORDS OF
EUREKA COUNTY, NEVADA Jullas a. Notaski Becorder.
(Name of Locator) (Address) . 1.00
File No. 47173
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION)
ANICOTATA TO TOURISM STATES OF THE COURT IN WAICH

(G R	OUP OF CLAIMS)
THIS IS TO C	ERTIFY that the Sun # 70 Lode
Mining Claim was located by B.	the Europa on the 27 the Europa Mining County, State of Moveda, further a pertions of Mac's 3, 9, 10, 11, 14, 52E, FDB & M
lay or March 19 08 in	the Furera
	County, State of the vacantifution
15 22 23 - 7 201 - 9	
The general	course of said lode or vein is northwest.
nd the undersigned claims 10	feet in a <u>easterly</u> direction cly direction from the point of
nd 1490 feet in an wester	cly direction from the point of
he vein or lode along the enti	Januardon each side orathe center or the
He serm of lode groud fue suff	re length or said claim,
너는 나는 얼마를 보았다.	월 : 글루스 프랑스 프랑스 등장은 등장 그리는 유명이 불편되었다.
The location	work was done upon the Sun # 42
laim(s) for the benefit of a c	ontiquous group of not more than ten (10)
ode Mining Claims, the specifi	c names of which are as follows:
Sun # 31, 32, 33, 34, 35	36, 37, 38, YO YZ
(4) (2) (2) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	
The leasting	work done consisted of: Brilling
	work done consisted of philing
osting a total of \$ 1000.00	of which \$100.00 is applicable to
his claim.	
일이 많은 이렇게 그렇게 얼마나 뭐래요?	주는 없으시다는 마는 사람이 있는 그리지 않는 경기를 했다.
일하다 중화하다 중에 그렇다고 유효되었다.	
	and side centers of the claim are located
nd marked as follows: beginni	ng at the <u>NS</u> corner, marked <u>NE cor</u>
marked Strong the	ce of 500 feet to the southeast noe bearing southwest a distance
f 750 feet to the south at	de center marked SSC : thence
earing Sw a distance of	de center , marked SSC ; thence 750 feet to the southwest
corner marked Sw cor	thence bearing northwest
istance of 600 feet to th	; thence bearing <u>northwest</u> a e <u>northwest corner</u> , marked earing <u>northe st</u> a distance of <u>750</u> feet
NW cor thence b	earing northe st a distance of 750 feet
o the north side center , m	arked NSC ; thence 750 feet to the point of beginning.
earing <u>NE</u> a distance of	750 feet to the point of beginning.
ach of the above described cor	ners is a Rock non-ment or
<u> </u>	1 x 42 gost.
할 수 있는 시간이 말을 그렇게 되었다.	
The location	and discovery wars referred to above in
his Location Certificate was p June 15 , 19 <u>68</u> , by or o	n behalf of the ran signed locator(s).
Ly Of	
아이들 아이는 얼마나를 가나지?	
B.K. Seelev Jr.	1423 5 July So. Salt lake City Ilta
(Name of Locator)	RECORDED AT THE REQUESTROSES B.K. Seeley, Jr.

TION MUST BE POSTED UPON THE CLAIM AND A H THE COUNTY RECORDER OF THE COUNTY IN WHICH IN 90 DAYS AFTER THE DATE OF LOCATION)

THIS IS TO CE	RTIFY that the Sum # Logs to
Mining Claim was located by B.K day of March , 1968, in	the Eureka Mining
District. Euroka Co	ounty. State of Meyada, further
described as being situateds in	ounty, State of Nevada, further partions of Secta 3, 9, 10, 11, 14
15. 22. 23 - T.201 - R.5	ZE. MDB & M
	
The general co	ourse of said lode or vein is northwest.
and the undersigned claims 10	feet in a westerly direction
and 1490 feet in an casterl	feet in a <u>westerly</u> direction y direction from the point of feet on each side of the center of
discovery, with a Width of 300	feet on each side of the center of
the vein or lode along the entire	s length or said claim.
	\ \
The location w	work was done upon the Sun # 9
claim(s) for the benefit of a cor	ntiguous group of not more than ten (10)
Lode Mining Claims, the specific	names of which are as follows:
Bun Jana	, 17, 19, 10, 14 18, 17
	
The location w	work done consisted of: Drilling
costing a total of \$ 1000.00	, of which \$100.00 is applicable to
this claim.	
	nd side centers of the claim are located
The corners at	g at the <u>NE</u> corner, marked <u>NE cor</u> ?
thence bearing southers distance	e of 600 feet to the southeast
corner , marked SE cor ; thence	ce bearing gouthwesta distance
of 750 feet to the south sid	ie center , marked <u>SSC</u> ; thence
bearing SW a distance of 75	O feet to the southwest
distance of 600 feet to the	; thence bearing northwest marked
W cor thence be	northwest corner , marked aring northeast a distance of 750 feet
to the north side center , man	rked NSC ; thence
bearing NE a distance of_	rked NSC ; thence 750 feet to the point of beginning.
Each of the above described corne	ers is a <u>Rock nanument or</u>
8 4 X 4	x 4½ post.
The location a	and discovery work referred to above in
this Location Certificate was ne-	rformed on or before
June 15 , 19 68, by or on	behalf of the undersigned locator(s).
B.K. Seeley, Jr.	1423 E. Gth So. Salt Lake City, High
(Name of Locator)	RECORDED AT THE RESOLUTIONS B.K. Seeley, Jr.
(on June 26 1968 at 45 mins, past 4 P. M.
	Book 24 of OFFICIAL SECORDS, page 509 RECORDS O
	ECREKA COUNTI, NOVAGORGES
(Name of Locator)	File No. 4111 Fee \$ 1.00
(THIS CEPTIFICATE OF INCATION MI	
LEGIBLE COPY RECORDED WITH THE CI THE CLAIM IS LCCATED WITHIN 90 D	ST BE POSTED UPON THE CLAIM AND A OUNTY RECORDER OF THE COUNTY IN WHICH AYS AFTER THE DATE OF LOCATION)

	THIS IS TO CE	ERTIFY that the am # 72 lode
Mining Claim was	located by B.	the Europa On the 2722 County, State of Heveda, further in portions of Section 9, 10, 11 14
day of March	, 19 <u>08</u> , in	the
District,	POEA C	in positions of feets. \$ 9 10 11 14
15. 22.	23 - T.20W - E.	52 NDB A X SECOND SECON
 		
	The general of	course of said lode or vein is northwest
and the undersign	ed claims 10	feet in a sasterly direction
discovers with a	width of 300	direction from the point of feet on each side of the center of
the vain or loca	along the entir	re length of said claim,
		, U2
	The location	work was done upon the Sun 4 72
claim(s) for the	benefit of a co	contiguous group of not more than ten (10)
Lode Mining Claim	77 22 24 24	c names of which are as follows: 5, 36, 37,38,40,42
	, 36, 37, 24, 3 ~	2, 29, 21, 28, 19, 19, 19, 19, 19, 19, 19, 19, 19, 19
··		
	The location	work done consisted of: Drilling.
<u>. </u>		
costing a total o	f \$ 1000.00	of which \$100.00 is applicable to
this claim.	- T <u></u>	
	The corners	and side centers of the claim are located ing at the NE corner, marked NE cor
and marked as Iol	Towns pediuur	nce of 600 feet to the southeast
assumes warked	OF ACK + the	ance hearing adulthwest a discourse
of 750 foot 1	o the south si	ide center , marked SSC , cherce
hearing 🖼 🧸	distance of 7	750 feet to the southwest
	/~ A / CM/ A~W	• Thence nearing martnweat
distance of 600	feet to th	he northwest corner , marked bearing northesst a distance of 750 feet
NW COT	, thence b	marked NSC ; thence
to the north Blo	e center . "	f 750 feet to the point of beginning.
Fach of the above	_a discinct of	rners is a Rock nonument or
Back of the above	a 4 x	4 x 4 post.
	7	
		n and discovery work referred to above in
La Institut Co		wastarmed on ar to are
tune 15	1968 by or c	on behalf of the unarsigned locator(s).
	13 30 7 7 7	
	^	and the second s
B.K. Seeley	Jr.	RECORDED AT THE RECORDED SEE B.K. Seeley, Jr.
(Name o	f Locator)	on June 26, 1968, at 45 mins, post 4 P M.
\ \	/ /	Book 24 of OFFICIAL RECORDS, page 510 RECORDS O
	/ /	EURENA COUNTY, NEVADA HILLA A. Ne Landane Col
(Name o	f Locator)	April (Address) 5(1.00
		2.2
THIS CERTIFICAT	E OF LOCATION N	MUST BE POSTED UPON THE CLAIM AND A COUNTY RECORDER OF THE COUNTY IN WHICH
LEGIBLE COPY REC	OKDED WITH THE	DAYS AFTER THE DATE OF LOCATION

•	(GROUP OF CLAIMS)
day of March District, described as	THIS IS TO CERTIFY that the Sun 100 the was located by B.K. Seeley, Jr. oh the 1968, in the Europe Mining County, State of Mewada, further being situated: in portions of Sec. 3, 9, 10, 11, 14, 22, 23 - 7.20% - R.52E, MDB & M
and the under and 1490 discovery, wi the vein or 1	The general course of said lode or vein is northwest signed claims 10 feet in a westerly direction feet in an esterly direction from the point of the width of 300 feet on each side of the center of ode along the entire length of said claim,
claim(s) for Lode Mining C	
	The location work done consisted of: Drilling
costing a tot this claim.	al of \$ 1000.00 , of which \$100.00 is applicable to
thence bearing of 750 fe	The corners and side centers of the claim are located follows: Beginning at the NE corner, marked NE corner; marked NE corner; marked NE corner; marked SE nor; thence bearing southwest a distance of the south side center marked SSC; thence a distance of 750 feet to the southwest
distance of	marked St cor , thence bearing northwest a , marked , thence bearing northwest corner , marked , thence bearing northesst a distance of 750 feet

4 x 4 x 4 post.

P.K. Seeles, Jr.

(Name of Locator)

RECORDED AT THE MANDESS B.K. Seeley, Jr.

on Tune 26, 1968, at 45 mins, post 4 p. M. in

Book 24 of OFFICIAL RECORDS, page 511 RECORDS OF

EUREKA CONSTANTA NEVADA AND CONSTANTA RECORDS.

File No. Fee \$1.00

	THIS TO C	ERTIFY that the	am 4 44	Lode
ining Claim was	located by B.	the Europe County State of Descriptions of Se	on the	27.8
ay of March	, 1968, in	the		Mining
istrict,	ureta (County, State of	Herada, furthe	
escribed as bei	ng situated:	n partions of ac	0's. 3. 9. 10.	
15. 22.	<u> 23 - T. 20 - E.</u>	52E. MDB & N	(14) 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	35. 45. 11. 11. 11. 11. 11. 11. 11. 11. 11. 1
				第一段 19
	Man managan 1			2000年第二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十
nd the understan	o taxe denorate c	ourse of said le	ode or veru is	
nd the undersign	ted Claims 10	feet in a		Trecered
iscovery with	WISE OF SOO	feet on each	elde of the ce	
he vein or loce	along the entir	ly direct feet on each re length of said	1 claim	
			\	
			\.	
	The location	work was done up	oon the Sun #	44
laim(s) for the	penerit or a co	intiquous group d	of not more tha	n ten (10)
ode Mining Clair	ns, the specific	names of which	are as follows	
Bun # 39	, 41, 43, 44, 7	names of which	78,79	The Court of the State of the S
			1 The 14	10 10 10 10 10 10 10 10 10 10 10 10 10 1
•	— · – · – · – · – · – · – · – · – · – · 			
	The location	work done consid	sted of: <u>Drill</u>	ng
				
	4 1000 00	, of which \$100	00 (30.00
	DE \$ 1000,00	_, or which \$100	on is abbricar	ITE CO
nis claim.)	
			/ /	
	ma southbre t	and side centers	of the claims	re located
nd marked as fol	llower Beginnin	ng at the <u>NE</u> cori	nor marked us	Admin of
nence hearing in	uthers distant	e of 600 feet	to the couther	e + 6 3 5 5 5 5 5 5
orner marked	St dor ther	nce bearing sout	hwest a dis	tance
750 feet t	to the south at	de center , m	arked 650	thence
earing 3W a	distance of 7	50 feet to the	gouthwest	
corner . mar)	ced Swor	thence bea	ring northwest	
stance of 600	feet to the	northwest	Corner	marked
NW cor	thence be	earing northeast arked NSC	a distance	of 750 feet
the north sid	e center . we	arked NSC		thence
aring NE	a distance of	750 feet to	the point of be	ginning;
ch of the above	described cor	ners is a Rock	monument or	<u> </u>
	1 4 x 4	x 48 post		
		/ /	- 	
		/ /		1 7
	The location	and discovery we	ork referred to	above in
is Location Cer	rtificate was pe	erformed on cr b	efore	<u> </u>
June 15	19 <u>68</u> , by or or	n behalf of the	undersigned loc	ator(s)
				2 4 4 A 3 2 18
E.K. Seeley		1423 E. 9	th So. Salt Lat	ca City, II
(Name of	f Locator)	RECORDED AT THE REC	(Address)B.K.s	eeley, Jr.
\	/ /	on_June_26_19_	68 at 45 mins, past	4 P M
	/ /	Book24 of OF	FICIAL ES 2080s, poge	11 / BICORD
7		EUREKA COUNTY, NE	CHAPTER U.	w woer
(Name of	f Locator)	File No. 4717	Cudexass.	Fee \$ 1.00
Stra anamme		Life 140.		
GIBLE CODY BEAC	SOF LOCATION MY	JOHNTY RECORDED UP	DE THE CLAIM AND THE THE	N WHICH
iế CLÁIM TS LCC	aped within 90 i	IST BE POSTED UPO COUNTY RECORDER (AYS AFTER THE IN	TOCATION	(**)

THIS IS TO CERTIFY that the Sum # 75 Lodg 76
Mining Claim was located by B.T. Seeley, Jr. on the
day of March , 1968, in the Eureka Mining District, Eureka County, State of Nevada, further described as being situated: in portions of Sec. 3. 9. 10. 11. 14.
described as being structured. In positions of feets & G. 10 11 14
15. 22. 23 - T.201 - R.52E. MDB & M
· ·
The general course of said lode or vein is northwest,
and the undersigned claims 10 feet in a Westerly direction
and 1490 feet in an easterly direction from the point of discovery, with a width of 100 feet on each side of the center of
the vein or lode along the entire length of said claim.
The location work was done upon the Sun # 49
claim(s) for the benefit of a contiguous group of not more than ten (10)
Lode Mining Claims, the specific names of which are as follows: Sun # 7-4-45-46-47-49-60-61-82-83
7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
The location work done consisted of: Drilling
costing a total of \$ 1000.00 , of which \$100.00 is applicable to
this claim.
The corners and side centers of the claim are located
and marked as follows: Beginning at the NE corner, marked NE cor
thence bearing southeast distance of 600 feet to the southeast
corner , marked SE cor ; thence bearing anutowesta distance
of 750 feet to the south side center , marked SSC ; thence
bearing SW a distance of 750 feet to the southwest a corner , marked SW cor ; thence bearing northwest a
distance of 600 feet to the northwest corner , marked
distance of 600 feet to the northwest corner , marked NW cor , thence bearing northeast a distance of 750 feet to the north side center , marked NSC ; thence
to the north side center , marked NSC ; thence
bearing NE a distance of 750 reet to the point of beginning.
Each of the above described corners is a Rock manument or
<u>a 4 x 4 x 4± post.</u>
The location and discovery work referred to above in
this location Cortificate was performed on or refire
June 15 , 1968, by or on behalf of the at a signed locator(s).
B.K. Seelev Jr. 1423 E. 5th So. Selt take City, Ut
(Name of Locator) RECORDED AT THE REQUEST Address) B.K. Seeley, Jr.
on June 26, 19 68, at 45 mins, past 4 P. M. in
Book 24 of OFFICIAL RECORDS PAGE 2. The Tariffe Seconds OF
Kecordet
(Name of Locator) File No. 17179 (Address) Fee \$ 1.00
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION
THE CTAIM TO TOTALED MILLIN AN TWIS WALLER AND THE CR STANDED.

THIS IS TO CER	TIFY that the Sun # 16 Logs H
Mining Claim was located by B.K.	Seeley, Jr. on the Z7
District Furein Co.	he Eureke Mining unty, State of Mevada, further portions of Mec's, 3, 9, 10, 11, 14,
described as being situateds in	portions of Sects. 3 Q 10 11 14
15, 22, 23 - T.20H - R.52	E. MDB & M
and the undersigned claims 10	feet in a <u>westerly</u> direction direction from the point of feet on each side of the center of length of said claim.
	(6)
The location we	ork was done upon the Sun # 45
Claim(s) for the benefit of a con-	tiguous group of not more than ten (10)
Lode Mining Claims, the specific and the	names of which are as follows:
. •	
The location we	ork done consisted of: <u>Drilling</u>
costing a total of \$ 1000.00 , this claim.	of which \$100,00 is applicable to
4	
	d side centers of the claim are located
and marked as follows: Beginning	at the NE corner, marked NE cor
thence bearing southeast distance	of 600 feet to the southeast
corner, marked BE oor ; thence	e bearing <u>southwest</u> a distance <u>center</u> , marked <u>6SC</u> ; thence
hearing Sw a distance of 750	feet to the southwest
corner marked 94 cor	thence bearing northwest a
distance of 600 feet to the	northwest corner , marked
NW cor thence bear	ring northeast a distance of 750 feet
to the north side center , mar	ked NSC ; thence 750 feet to the point of beginning.
bearing NE a distance of	750 feet to the point of beginning.
Each of the above described corner	rs is a <u>Rock monument or</u>
<u> </u>	48 post.
	/ /
The location a	nd discovery work referred to above in
this Location Certificate was per	formed on or before
June 15 , 1968, by or on 1	behalf of the undersigned locator(s).
To the second second	
R.K. Seeley, Jr.	RECORDED AT THE RECORDED AT TH
(Name of Locator)	on June 26 19 68 at 45 mins rest 4 P M.
	Rept 24 of OFFICIAL RECORDS, page 514 RECORDS C
	BOOK OLIVEY NEWADY 96.00 . O. De Taplinecord

		FY that the		7 200006
Mining Claim was locate	id by B.K.	ooloy. Jr.	on the	70
day of March District, Eureka described as being situ	19 <u>68</u> , in the	Furete		Mining
District, Eureks	Coun	ty, State of M	wada, Turthe	I .
described as being situ	mted: in Do	arrione or mee.	<u> </u>	<u></u>
15. 22. 23 - T	- R. 52E	MDR & M		
				
				•
The and the undersigned clamb 1490 feet in ar discovery, with a width	general cour	se of said lode feet in a	or vein is_ Mesterly don from the p	northwest irection oint of
the wain or lode along	1 OL	rest on each s	rde or cue ce	ncer or
the vein or lode along	tue eucite t	ength of said	cterm.	\ ,
			\	\
The claim(s) for the benefit Lode Mining Claims, the Sun # 2 - 4 - 4	apacific na	mas of which a	re as follows	4
The The	location wor	k done consist	ed of: <u>Drill</u> i	ng
			<u> </u>	
		/		
		f which \$100.0	0.11.00	la to
costing a total of \$ 1 this claim.	000.00	r which \$100.0	o is applicat	sie to
(The c		side centers o	f the claim a	re located
and marked as follows:	Corners and	t the NE corne	r marked M	cor t
thence bearing southess	to distance o	f 600 feet to	the souther	a c t
corner marked SE co	w thence	hearing soutou	est a dis	tance
of 750 feet to the	eouth side (onter Mar	ked SSC	: thence
bearing 54 a dista	nce of 750	feet to the	acut hwest	· · · · · · · · · · · · · · · · · · ·
connen marked	GE OOF	thence beari	ng northwest	_a
corner , marked distance of 600 fe	et to the	nortowest or	rner	, marked
NW core	thence beari	ng northeset	a distance	or 750 reet
to the north side cent bearing NE a di	er , marke	d MSC		thence
bearing NE a dis	stance of 7	0 feet to th	e point of be	ginning.
Each of the above descri	ribed corners	is a <u>Kock n</u>	conument or	
	a 4 x 4 x	41 post.		
		/ /		
			_	. 1
The	location and	discovery wor	k referred to	above in
this Location Certification	ite was perfo	rmed on or i.f	ore	22505(5)
June 15 , 19 68	, by or on be	nair of the sc	R'signed 100	acor(8).
1				
_	^	1607 5 5 5 1	. 0. 0.34 1.1	City 118-5
E.K. Seeley, Jr.		DESCRIPTION AT THE TAX	darage Baker	ke City litch Seeley or:
(Name of Loca	cor)	on June 26 19 68	3 of 45 wint sest	4
\ \	/ /	. 24 CARRIC	$oldsymbol{\square}$. Some $oldsymbol{\square}$ and $oldsymbol{\square}$	15 RECORDS (
	/ /	FUREKA COUNTY NEVA	Hilles a.	De Taole Record
/N=		FUREKA COUNTY, NEVA	ddress	Fee \$1.00
(Name of Loca	COTI	File No. 47184	AAAA GBB /	ree a a a N N

THIS IS TO CER	TIFY that the Sun #
dining Claim was located by B.K Bay of March, 1968, in t	. Seeley Jr. on the Mining
ay of March 1900, in t	Shake of France further
derice, survey to	punty, State of Mevada, further portions of Mec's, 3, 9, 10, 11, 14,
15. 22. 23 - T.201 - R.5	PE MDR A M
	i de la companya de
The general co	ourse of said lode or vein is northwest
nd the undersigned claims 10	feet in a easterlydirection
ind 1490 feet in an westerl	y direction from the point of feet on each side of the center of
liscovery, with a width of 300	feet on each side of the Center of
the vein or lode along the entire	a length of said claim.
	14.00
The logation :	work was done upon the Sun
ing location in language of a court of a cou	ntiguous group of not more than ten (10)
inde Mining Claims the enecific	names of which are as follows:
Bun # 48 So SE SY	
	by days associated offs (but 231)
The location v	work done consisted of: Drilling
costing a total of \$, of which \$100.00 is applicable to
this claim.	, or witch draging to the
chis ciaim.	
The corners a	nd side centers of the claim are located
and marked as follows: Reginning	g at the NE corper, marked <u>NE cor</u> ;
thongo bearing southessm distance	e of h(X) feet to the <u>southeast</u>
marked ar cor : then	ce bearing southwest a discance
of 750 feet to the south sid	ie center , marked <u>SSC , the little</u>
hoaring SW a distance of 75	o reet to the southwest
ACMMAN MATERIAL MET COR	CHENCE DEGREENS HOLDINGER B
al in a second of the first the second of th	NONTHURSE AUTHOR INVENCE
NW cor , thence be	aring northeset a distance of 750 feet
to the senth side contar — Da	rked No
bearing NEa distance or_	750 feet to the point of beginning. ers is a Rock manument or
tach of the above described corn	x 4½ post.
	7 1 PX V V V
The location	and discovery work referred to above in
	wformed on or refure
June 15 , 19 68, by or on	behalf of the unlersigned locator(s).
	H.T.
	1423 F. 9th So. Salt Lake City, Illah
B.K. Seeley, Jr.	RECORDED AT THE REGISTRESS B.K. Seeley, JES
(Name of Locator)	RECORDED AT THE RECORD OF THE RECORDED AT THE
\ \ \	on June 26, 1908, at 423 mins. post 28 RECORDS
\ \ / /	Book 24 of OFFICIALITY C. De Carles
(Name of Locator)	EUREKA COUNTT, NI ACCESS
CHEMB OF MODERN	File No. 47182 For \$ 1.00
(THIS CERTIFICATE OF LOCATION MU	ST BE POSTED UPON THE CLAIM AND AHICH
LEGIBLE COPY RECORDED WITH THE	SOUTH RECORDER OF THE COUNTY IN WHICH
THE CLAIM IS LOCATED WITHIN 90 D	AXS AFTER THE DATE OF LOCATION

dning Claim was	THIS IS TO CERT located by B.K.	IFY that the		Log	(d
av of March	, 1968, in the	e Eur	ka	Mining	. 6
istrict, E	ureke Cou	nty, State	of Mervada,	further	***
escribed as bein	g situated: in	pertions of	200'0. 3. 9	10, 11, 1	•
15. 22.	23 - T.201 - R.521	E. MDB & M			
		 			•
					•
	The general cou	rse of said	lode or ve	in is north	تخفق
nd the undersign	ed claims 10	feet in a	easterly	directi	on
nd <u>1490</u> feet	ed claims 10 in an westerly	dir	ection from	the point o	Í
iscovery, with a	width of 500 along the entire	_reet on sa	CU BIGG OL A	tue center o)I
ue vein or lode	along the entire	rangen or s	ald Claim.	\ \	,
				\ \ \	
	The location wo	rk was done	upon the	Sun # 49	
laim(s) for the	henefit of a cont	iauous arou	p of not mo:	re than ten	(10)
ode Mining Claim	ns, the specific no. 4-45-46-	ames of whi	ch are as f	ollows:	
Bun # /	4-40 -46	41-49-	60-81-0	74 -CI3	
					
	The location wo	rk done con	sisted of:_	Drilling	\
		_/			_
		/ /	-//-		/ /
osting a total o	f \$ 1000.00	of which \$1	00.00 is ap	plicable to	
his claim.	-)]	•	
			/ /		
			//	laim are loc	hate
	The corners and lows: Beginning	side cente	orner mark	ed lie cor	
pence pesting so no marked as to:	utheasm distance	of 600 fee	t to the s	outheast	
orner marked	SE cor : thence	bearing ac	nutowest	_a distance	
f 750 feet t	o the south side	center	marked <u>s</u>	<u> </u>	hence
oarine GLI a	distance of 750	teet to t	he southwa	19 t	
corner , mar)	red S cor	-; thence b	earing nor	thwest	
istance of 600	feet to the the the the tear	norinwee	st corner	tance of 750	fast
o the north sid		red MSC	iBLd d15	thence	
earing NE	e center , mark _a distance of	750 feet t	o the point	of beginning	ng.
ach of the above	e described corner	6 15 4 NO	ock monument	or	
	<u> </u>	4d post.	·		
		/ /			
	The location ar	nd discovery	work refer	red to above	e in
his Location Cer	rtificate was perf	formed on or	: before		
June 15	19 <u>68</u> , by or on h	ehalf of th	e unichsign	ed locator(в). "
\	<u> </u>	1402 5	0.5 0. 0.	3+ take Cit	meab
B.K. Seeley		ercorped at T	HERIONOTOESE)	lt lake Cit. B.K. Seeley	Jr.2
(Name O	(Locator)	on June 26	5 19 68, at 45	mins, past 4	<u>Р.</u> и
	/ /		of OFFICIAL RECORD		2 seconds
		-110-111	er weren Hilly	i a. Nola	du
(Name of	[Locator)	File No. 47	188dress)	Fee \$.	1.00 E
	/	•			
THIS CERTIFICATI	OF LOCATION MUST ORDED WITH THE COL	r be posted Inty records	UPON THE CL R OF THE CO	DIM AND AHI	CH.
HE CLAIM IS LCC!		(S APTEP THE	DATE OF IN	TROPTAN	1777

CERTIFICATE OF LOCATION OF LODE MINING CLAIM

(GROUP OF CLAIME)

THIS IS TO CER	TIPY that the am & See
tining Claim was located by B.L.	Seeley. Jr. on the Mining bunty, State of Hoveds, further portions of Mac's. 3. 9. 10. 11. 14.
ay of March , 1966, in t	he hard distant
istrict, <u>Euroka</u> Co	unty, state of sevice, turther
escribed as being situated: 11 15, 22, 23 - 7,204 - 2,5	OF WIND A M
15, 66, 67 - 1480	
	feet in a easterly direction
end 1400 feat in an Westerl	direction from the point of
iscovery, with a Width of 300	direction from the point of
the vein or lode along the entire	length of said claim.
•	
	4.54
The location w	work was done upon the Sun (10)
claim(s) for the benefit of a cor	ntiguous group of not more than ten (10)
Lode Mining Claims, the specific.	pames of which are as follows:
Bun # 18-50 -52-69	
	
·	
The location :	work done consisted of: Drilling
ING TOCALION -	
costing a total of \$ 4400000	of which \$100.00 is applicable to
this claim. 700.00	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	and located
The corners as	nd side centers of the claim are located
	a se ena viccornar markeu ne cor/
bearing St a distance of 75	thoras hearing northwest
corner , marked St cor	
distance of 600 reet to the	marked
	northwest corner , marked
NW cor thence be	northwest corner , marked aring northeast a distance of 750 feet
to the north side center , ma	northwest corner , marked aring northeast a distance of 750 feet rked
to the north side center , ma	northwest corner , marked aring northeast a distance of 750 feet rked
to the north side center , ma bearing NE a distance of Fach of the above described corn	northwest corner , marked aring northeast a distance of 750 feet rked NSC ; thence 750 feet to the point of beginning.
to the north side center , ma bearing NE a distance of Fach of the above described corn	northwest corner , marked aring northeast a distance of 750 feet rked
to the north side center, ma bearing NE a distance of Sach of the above described corn	northwest corner , marked aring northesst a distance of 750 feet rked rked ; thence 750 feet to the point of beginning. ers is a gock connect or x 42 post.
to the north side center, ma bearing NE a distance of Sach of the above described corn a 4 x 4	northwest corner , marked aring northesst a distance of 750 feet rked
to the north side center, ma bearing NE a distance of Sach of the above described corn a 4 x 4	northwest corner , marked aring northeast a distance of 750 feet rked NSC ; thence 750 feet to the point of beginning. ers is a Rock conductor or x 42 post.
to the north side center, ma bearing NE a distance of Such of the above described corn a 4 x 4	northwest corner , marked aring northeast a distance of 750 feet rked NSC ; thence 750 feet to the point of beginning. ers is a Rock conductor or x 42 post.
to the north side center, ma bearing NE a distance of Sach of the above described corn a 4 x 4	northwest corner , marked aring northeast a distance of 750 feet rked
to the north side center, ma bearing NE a distance of Sach of the above described corn a 4 x 4	northwest corner , marked aring northeast a distance of 750 feet rked NSC ; thence 750 feet to the point of beginning. ers is a Rock somment of x 41 post. and discovery work referred to above in erformed on or before behalf of the undersigned locator(s).
to the north side center, ma bearing NE a distance of Sach of the above described corn a 4 x 4 The location this Location Certificate was pe June 15, 1958, by or on B.K. Seeley Jr.	northwest corner , marked aring northeast a distance of 750 feet rked NSC ; thence 750 feet to the point of beginning. ers is a gock convent of x 41 2031. and discovery work referred to above in erformed on or before behalf of the undersigned locator(s).
to the north side center, ma bearing NE a distance of Sach of the above described corn a 4 x 4	northwest corner , marked aring northeast a distance of 750 feet rked NSC ; thence 750 feet to the point of beginning. ers is a gock convent of x 41 2031. and discovery work referred to above in erformed on or before behalf of the undersigned locator(s). 1427 F. Gth So. Salt Lake City High RECORDED AT THE REAUTIFESS B.K. Seeley, UT. Tune 26 26 268 a 45 pins set 4 P. M.
to the north side center, ma bearing NE a distance of Sach of the above described corn a 4 x 4 The location this Location Certificate was pe June 15, 1958, by or on B.K. Seeley Jr.	northwest corner , marked aring northeast a distance of 750 feet rked NSC ; thence 750 feet to the point of beginning. ers is a gock convent of x 41 2031. and discovery work referred to above in erformed on or before behalf of the undersigned locator(s). 1427 F. Gib So. Salt Lake City. High RECORDED AT THE REARBINGSS B.R. Seeley, UT. Tune 26 26 268 a 45 pins part 4 P. M.
to the north side center, ma bearing NE a distance of Sach of the above described corn a 4 x 4 The location this Location Certificate was pe June 15, 1958, by or on B.K. Seeley Jr.	northwest corner , marked aring northeast a distance of 750 feet rked NSC ; thence 750 feet to the point of beginning. ers is a gock convent of x 41 2031. and discovery work referred to above in refermed on or before behalf of the undersigned locator(s). 1423 F. Gth So. Salt Lake City. High RECORDED AT THE REMESTRESS B.K. Seeley. Ur. June 26, 1968, at 45 mins. past 4 P. M. OFFICIAL RECORDS, page 518 RECORDS
to the north side center, ma bearing NE a distance of Sach of the above described corn a 4 x 4 The location this Location Certificate was pe June 15, 1958, by or on B.K. Seeley Jr.	northwest corner , marked aring northeast a distance of 750 feet rked NSC ; thence 750 feet to the point of beginning. ers is a Rock samusent of x 41 2031. and discovery work referred to above in refermed on or before behalf of the undersigned locator(s). 142° F. Gib So. Salt lake City. High RECORDED AT THE REMISTRESS Bak. See ley. Or June 26 1968, at 45 mins. post 4 P. M. RECORDS. 24 of OFFICIAL REGORDS, page 518 RECORDS

File No. 472	<u> </u>	BOOK	PAGE	U.CJ
CERTIFICATE OF LOCATION	ON OF LODE MI	MING CLAIM	•	A 6
, (GROUP	of Claims)		•	4
			,	A
THIS IS TO CERT	IFY that the	Sun # 5	<u> </u>	04e e4
Mining Claim was located by B.K.	Seelev. Jr.	on th) @	270
day of March , 19.68 , in the	- Eurob		Mini	ng
day of March , 19.68 , in the District, Europe Cou	nty, State of	Meveda, fur	ther	
described as being situated: in r	TO STORY	10.44	10, 11,	
15. 22. 23 - T.201 - R.52	MUS G R			
	 			
			\wedge	1
The general cou	rse of said 1	ode or vein	is nor	threat
and the undersigned claims 10	feet in a _	Westerly	aired	Clon
and the undersigned claims 10 and 1490 feet in an esterly discovery, with a width of 300	direc	tion from the	se point	OI
the vein or lode along the entire	_reet on each	4 claim	, center	, 01
and torn or rode arong one entere	rength or sur	d Claring	\ \	1.5
		_	اجر \	
The location wo	rk was done u	pon the <u>Su</u>		<u> </u>
c_aim(s) for the benefit of a cont	iguous group	of not more	than te	in (10)
Lode Mining Claims, the specific n	amen of which	T. SE TOT	OWS:	277
Sun #	<u> 58 - 56 - 5</u>	A-34	- /· ·) -
				
		\ \		
The location wo	rk done consi	sted of: Dr	<u> 1111ng .</u>	
		$\rightarrow \rightarrow \rightarrow -$		
				
costing a total of \$ 1000.00 ,	of which \$100	.00 is appli	cable t	:0
this claim.		/ /	•	
The corners and		of the place	i - 2-0 j	And the
and marked as follows: Beginning				
thence bearing southers distance	of 600 feet	to the sou	theest.	
corner , marked 38 nor , thence	bearing sout	Lhwest a	distanc	e ;
of 750 feet to the south side	center, m	arked <u>ssc</u>		thence 🧷
earing Sw a distance of 750	feet to the	southwest		
corner , marked S cor	_; thence bea	ring north	rest	
distance of 600 feet to the	nortowest	corner	, me	irked
NW cor ; thence bear	ing <u>nortneas</u> ed NSC	a distai	ther	ice
to the north side center, mark learing NEa distance of7	750 feet to	the point of	f beginn	ning.
Such of the above described corner	s is a Rock	monument o	r	
8 4 x 4 x	4s post.			<u> </u>
The location and	a di consoru s	icity roferro	d to abo	ntra : f n
this Location Certificate was perf	ormed on or b	ork referred	, co ape	,,e
June 15 , 1968, by or on b	ehalf of the	ur. it signed	locato	c(s).
		2 .	٠.	
		-	100	
E.K. Seeley, Jr.	1423 E. (orn so sert	Lake C	ity Bah
(Name of Locator)	RECORDED AT THE	MANISTESABK	<u>. see re</u>	<u>.y . j =</u>
	on une 26	,19 <u>68</u> , at <u>45</u> mi OFFICIAL RECORDS, pa	ns, past <u>4</u>	RECORDS O
		NEVADA SELUROS, PO		
(Name of Locator)	File No. 4'21'			50010
Lumino or soft par	File No. 4	39	Fe	se \$ 1.00

CERTIFICATE DE LODE MINING CLAIM
그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그
(GROUP OF CLAIMS)
THIS IS TO CERTIFY that the Sun # 52 Mining Claim was located by B.K. Seeley Jr. on the day of March , 1968, in the Eureta Mining District, Eureka County, State of Mevada, further described as being situated: In pertions of Sec. 3, 9, 10, 11, 14, 15, 22, 23 - 7.204 - 2.52E, MDB & M
The general course of said lode or vein is northwest and the undersigned claims 10 feet in a saterly direction and 1490 feet in an westerly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim,
The location work was done upon the Sun # Sun # Claim(s) for the benefit of a contiguous group of not more than ten (10) Lode Mining Claims, the specific names of which are as follows: Sun #
The location work done consisted of: [pri]]ing
costing a total of \$ 00000 , of which \$100.00 is applicable to this claim.
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner; thence bearing southeast distance of 600 feet to the southeast corner, marked SE corner; thence bearing southwest a distance of 750 feet to the south side center, marked SSC; thence
bearing sw a distance of 750 feet to the southwest corner, marked sw cor ; thence bearing northwest a distance of 600 feet to the northwest corner, marked
NW cor ; thence bearing northeast a distance of 750 feet to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock minument or
The location and discovery work referred to above in this Location Certificate was performed on or before June 15, 1968, by or on behalf of the undersigned locator(s).
E.K. Seeley Jr. (Name of Locator) 1427 5 9th So. Sell lake City, Itah (Name of Locator) June 26 16 68 6: 45 min. past 4 P. M. Book 24 of OFFICIAL RECORDS, page 520 RECORDS; EUREKA COUNTY, NEVADA Sellar G. Defacia Records (Name of Locator) (Name of Locator) Fee S 1.00

File Ne 47187

(GROUP OF CLAIMS)
Mining Claim was located by B.K. Seeley, Jr. on the day of March , 1968, in the Eureka Mining District, Eureka County, State of Mevada, further described as being situateds in partions of Sec. 3, 9, 10, 11, 14, 15, 22, 23 - T.208 - R.52E, MDB & M
The general course of said lode or vein is northwest, and the undersigned claims 10 feet in a westerly direction and 1490 feet in an electron direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.
The location work was done upon the Sun # 3 claim(s) for the benefit of a contiguous group of not more than ten (10) Lode Mining Claims, the specific names of which are as follows: Sun # 5 - 14
The location work done consisted of: Drilling
costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim.
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner; thence hearing southeast distance of 600 feet to the southeast normer, marked SE nor; thence hearing southwest a distance

Each of the above described corners is a 4 x 4 x 44 post.

Seeley Jr. (Name of Locator)

RECORDED AT THE TRUE SET B. K. Seeley, DIT. on Time 26, 1968, at 45 mins, past 4 P. M. Book 24 of OFFICIAL RECORDS, page 521 RECO Book 24 of OFFICIAL RECORDS, page EUREKA COUNTY, NEVADA HILLS G. PRECORDS OF File No. 4 / Address)

(Name of Locator)

(GROUP OF CLAIMS)

This is to cer				
ning Claim was located by B.K.	Seeley Jr.	on (the	23.5
y or March 1900, in t	he Furer		M1.1	ning
y of March , 1968, in to strict, Eureka Conscribed as being situated: In	nortions of	en's 1 0	TLEUGI TLEUGI	1 1
15. 22. 23 - T.201 - R.5	2E. MDR 4 M		<u> </u>	(ودسو⊠انسو أنذ
	_			
				•
		م سرسد	\wedge	
The general co				
d the undersigned claims 10	Ieet In a _	ARRIALIA		ection et of
d 1490 feet in an westerly scovery, with a width of 300	feet on each	side of th	na cent	er of
e vein or lode along the entire	length of sai	d claim.	\ \	
	-		\ \	,
The state of the s			\. t	4
The location w aim(s) for the benefit of a con	ork was done t	of not more	than	en (10)
de Mining Claims, the specific	names of which	are as fol	llows:	(10)
Bun # 48-50 -82 -17	4			
•				
The location w	ork done conet	sted of: D	nillina	
THE TOCACION W	OTA done consi	Beca Oli		
				<u> </u>
			licable	ta
	of which \$100),00 is app.	IICabie	CO
sting a total of \$, is claim.	of which \$100),00 is app.	IICabie	
is claim.				
is claim. The corners an	nd side center:	of the cla	aim are	located
The corners and marked as follows: Beginning sence bearing southeass distance	nd side center: y at the NE conterners of 600 feet	of the clar ner, marked to the so	aim are d <u>NE c</u> utheast	located
The corners and marked as follows: Beginning tence bearing southeast distance orner, marked SE por; thence	nd side center: y at the NF con e of 600 feet te bearing any	of the clarer, marked to the so	aim are d <u>NE c</u> utheast a dista	located
The corners and marked as follows: Beginning southeast distance orner, marked SE nor; thence 750 feet to the south aids	nd side centers at the NE consist of 600 feet be bearing sounds of the center of the	of the clander, marked to the so	aim are d <u>NE c</u> utheast a dista	located
The corners and marked as follows: Beginning sence bearing southeas distance orner, marked SE nor; thence 750 feet to the south side aring SW a distance of 750	nd side centers at the NE conters of 600 feet bearing and a center , r of feet to the	of the clarer, marked to the so	aim are d <u>NE c</u> utheast a dista	located or / nce ; thence
The corners and marked as follows: Beginning sence bearing southeast distance orner, marked SE nor; thence 750 feet to the south side aring Si a distance of 750 corner, marked Si corner, marked Si corner	nd side centers at the NE conters of 600 feet be bearing and a center , for the center bear thence bear	of the clarer, marked to the so the s	aim are d_NE_c theast dista	located or
The corners and marked as follows: Beginning ence bearing southeast distance orner, marked SE nor; thence 750 feet to the south side aring SW a distance of 750 corner, marked SW cor	nd side centers at the NE conters of 600 feet be bearing and a center , for the center bear thence bear	of the clarer, marked to the so the s	aim are d_NE_c theast dista	located or /
The corners and distance bearing southeast distance orner, marked SE nor; thence aring SW a distance of 750 corner, marked SW cor stance of 600 feet to the NW cor thence bea	nd side centers at the NE content of 600 feet bearing and a center , To feet to the thence bearing northwast	s of the clarer, marked to the so the	aim are d NF c itheast a dista t hwest	located or / nce ; thence marked
The corners and marked as follows: Beginning ence bearing southeast distance orner, marked SE nor; thence for to the south side aring SW a distance of 750 corner, marked SW cor stance of 600 feet to the NW cor the north side center, marked aring NE a distance of	nd side centers y at the NE content of 600 feet te bearing anual scenter y thence bear northwas the NSC 750 feet to	of the clarer, marked to the so the s	aim are d NF c itheast dista t hwest ance of ; th of begi	located or
The corners and marked as follows: Beginning ence bearing southeast distance orner, marked SE nor; thence to the south side aring SW a distance of 750 corner, marked SW cor stance of 600 feet to the NW cor; thence beat the north side center, marked north allowed corner of the above described corner corner of the above described corner corner of the above described corner corner corner of the above described corner corn	nd side centers at the NE contents of 600 feet the bearing and a center , To feet to the the hear northwas ked NSC 750 feet to ers is a Roc	of the clarer, marked to the so the s	aim are d NF c itheast dista t hwest ance of ; th of begi	located or
The corners and marked as follows: Beginning ence bearing southeast distance orner, marked SE nor; thence for the south side aring SW a distance of 750 corner, marked SW cor stance of 600 feet to the NW cor the north side center, marked aring NE a distance of	nd side centers at the NE contents of 600 feet the bearing and a center , To feet to the the hear northwas ked NSC 750 feet to ers is a Roc	of the clarer, marked to the so the s	aim are d NF c itheast dista t hwest ance of ; th of begi	located or
The corners and d marked as follows: Beginning ence bearing southeasth distance orner, marked SE nor; thence 750 feet to the south side aring SW a distance of 750 corner, marked SW cor stance of 600 feet to the NW cor; thence beauthenorth side center, marked aring NE a distance of ch of the above described corner shall see the north side center shall see the north side center shall see the north side center shall shall see the north side center shall s	nd side centers at the NE content of 600 feet to bearing some scenter , For feet to the portowest aring northess of the feet to feet t	s of the clarer, marked to the so the point of the point of the point of the point of the so	aim are d NE c theast a dista t hwest ance of thof begin	located or
The corners and marked as follows: Beginning sence bearing southers a distance orner, marked SE nor; thence for aring SE a distance of 750 feet to the south side aring SE a distance of 750 corner, marked SE corner stance of 600 feet to the NW cor the north side center, marked the north side center, marked the north side center aring NE a distance of the of the above described corner a 4 x 4; The location a	ad side centers at the NE content of 600 feet bearing sound of the center of the cente	s of the clarer, marked to the so the point of the so t	aim are d NE c theast a dista t hwest ance of thof begin	located or // nce ; thence marked 750 feet ence nning.
The corners and d marked as follows: Beginning sence bearing southers distance orner, marked SE nor; thence orner, marked SE nor; thence orner, marked SI corner, marked SI corner stance of 600 feet to the NW cor the north side center, marked of the north side center, marked of the above described corner or the above described corner or the location and sis Location Certificate was personned.	ad side centers at the NE contents of 600 feet bearing south center , For thence bearing northese ched NSC 750 feet to the resis a Rock to the resistant to the resistan	s of the clarer, marked to the so the point of the point of the point of the point of the so	aim are d NE c theast a dista t hwest ance of c; th of begi	located or // nce ; thence ; thence narked 750 feet ence nning.
The corners and d marked as follows: Beginning ence bearing anothers distance orner, marked SE nor; thence 750 feet to the south side aring SW a distance of 750 corner, marked SW cor stance of 600 feet to the NW cor; thence bearing NE a distance of ch of the above described corner at 12 Me another corner at 12 Me another corner at 12 Me another corner at 14 Me another aring NE a distance of the above described corner at 14 Me another aring NE a distance of the above described corner at 14 Me another aring NE a distance of the above described corner at 14 Me another are not the above described corner at 14 Me another are not the above described corner at 15 Me another are not	ad side centers at the NE contents of 600 feet bearing south center , For thence bearing northese ched NSC 750 feet to the resis a Rock to the resistant to the resistan	s of the clarer, marked to the so the point of the point of the point of the point of the so	aim are d NE c theast a dista t hwest ance of c; th of begi	located or // nce ; thence ; thence narked 750 feet ence nning.
The corners and d marked as follows: Beginning sence bearing southers distance orner, marked SE nor; thence orner, marked SE nor; thence orner, marked SI corner, marked SI corner stance of 600 feet to the NW cor the north side center, marked of the north side center, marked of the above described corner or the above described corner or the location and sis Location Certificate was personned.	ad side centers at the NE contents of 600 feet bearing south center , For thence bearing northese ched NSC 750 feet to the resis a Rock to the resistant to the resistan	s of the clarer, marked to the so the point of the point of the point of the point of the so	aim are d NE c theast a dista t hwest ance of c; th of begi	located or // nce ; thence ; thence narked 750 feet ence nning.
The corners and dence bearing southers and distance orner, marked SE nor; thence orner, marked SE nor; thence orner, marked SE nor; thence orner, marked SE corner of 600 feet to the the orner of 600 feet to the orner or the north side center, marked or	nd side centers at the NE conters of 600 feet the bearing sound scenter , To feet to the fortnwest aring northess the NSC 750 feet to ers is a Roc X 45 post. And discovery werformed on or the	of the clarer, marked to the so the point of the point of the ponument work refere undersigned	aim are d NE c itheast a dista t hwest ; th of begi or ed to a	located or ince ; thence marked 750 feet ence nning. bove in or(s).
The corners and dence bearing southeast distance orner, marked SE nor; thence orner, marked SE nor; thence orner, marked SE corner, marked SI corner marked stance of 600 feet to the other morth side center marked orner marked stance of chof the above described corner marked sis Location Certificate was per June 15 1968, by or ch	nd side centers at the NE contents of 600 feet the bearing and a center , To feet to the the head northwast aring northwast ar	s of the clarer, marked to the so the	aim are d NF c theast dista t hwest i c d locat t Lake	located or nce ; thence marked 750 feet ence nning. bove in or(s).
The corners and dence bearing southers and distance orner, marked SE nor; thence orner, marked SE nor; thence orner, marked SE nor; thence orner, marked SE corner of 600 feet to the the orner of 600 feet to the orner or the north side center, marked or	nd side centers at the NE contents of 600 feet to bearing anual scenter , To feet to the representation northers ked NSC 750 feet to ers is a Roc x 41 post and discovery formed on or 1 behalf of the	of the clarated to the so the	aim are d NF C theast dista thwest ance of ; th of begi or ed to a d locat	located or
The corners and dence bearing southeast distance orner, marked SE nor; thence orner, marked SE nor; thence orner, marked SE corner, marked SI corner marked stance of 600 feet to the other morth side center marked orner marked stance of chof the above described corner marked sis Location Certificate was per June 15 1968, by or ch	nd side centers at the NE contents of 600 feet bearing and scenter , To feet to the rorthwast aring northasa rked NSC 750 feet to ers is a Roc x 41 post and discovery rformed on or the behalf of the 1423 E 1423 E 1423 E 1423 E 1423 E 1424 of	s of the clarer, marked to the so the point of the point of the point of the so	aim are d NF C theast dista thwest ance of ; th of begi or ed to a d locat	located or
The corners and dence bearing southers and distance orner, marked SE nor; thence aring SM a distance of 750 corner, marked SM cor stance of 600 feet to the NW cor stance of 600 feet to the othe north side center, marked the north side center, marked of of the above described corner and the same of the above described corner and the same of the same of the above described corner and the same of the s	nd side centers at the NE contents of 600 feet to bearing anual scenter , To feet to the representation of the seed NSC 750 feet to ers is a Roc x 41 post and discovery formed on or liberal of the 1423 E. 1423 E. 1423 E. 1423 E. 1423 E. 1423 E. 1424 of EUREKA COUNTY	of the clarated to the so the	aim are d NF C theast dista thwest ance of ; th of begi or ed to a d locat	located or
The corners and marked as follows: Beginning ence bearing southeast distance or 750 feet to the south side aring SW a distance of 750 corner, marked SW cor stance of 600 feet to the NW cor , thence beathe north side center , marked aring NE a distance of ch of the above described corner at 1 c	nd side centers at the NE contents of 600 feet bearing and scenter , To feet to the rorthwast aring northasa rked NSC 750 feet to ers is a Roc x 41 post and discovery rformed on or the behalf of the 1423 E 1423 E 1423 E 1423 E 1423 E 1424 of	of the clarated to the so the	aim are d NF C theast dista thwest ance of ; th of begi or ed to a d locat	located or
The corners and denote bearing southeast distance orner, marked SE nor; thence aring SW a distance of 750 feet to the south aids aring SW a distance of 750 corner, marked SW cor stance of 600 feet to the NW cor; thence bearing NE a distance of ch of the above described corner aring NE a distance of the location a sis Location Certificate was per June 15 19.68, by or on (Name of Locator)	nd side centers at the NE contents of 600 feet to bearing anual scenter , To feet to the representation of the seed NSC 750 feet to ers is a Roc x 41 post and discovery formed on or liberal of the 1423 E. 1423 E. 1423 E. 1423 E. 1423 E. 1423 E. 1424 of EUREKA COUNTY	s of the clarer, marked to the so the	aim are d NE c theast a dista t hwest ance of ; th of begi or ed to a d locat t Lake box, See	located or nce ithence ithence marked 750 feet ence nning. bove in or(s). City, III A P M. City, Jr. A P M. Free 1 00

		全年的 4.5
THIS IS TO CERTIF	Y that the Am # 33	_164E PS
Mining Claim was located by B.K. S	runers on the	ning
day of March , 1968, in the District, Eureka Count	v. State of Hevada, further	MAIN
described as being situated: in pop	rtions of Sec's. 1. 9. 10. 1	1_14
15. 22. 23 - T.201 - R.52E.	MDB & M	
		
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
The general cours	e of said lode or vein is n	orthweat
and the undersigned claims 10 and 1490 feet in an easterly	feet in a westerly dir	ection
and 1490 feet in an easterly	direction from the poi	int of
discovery, with a width of 300 f the vein or lode along the entire le	eet on each side of the cent	ier or and
the value of lone along the entire is	ngen of gald claim.	
	\	i ali
	was done upon the Sun 🌶 🗳	
claim(s) for the benefit of a contig	uous group of not more than	ten (10)
Lode Mining Claims, the specific nam	as of which are as follows:	D. 11/
Sun 45	5-54-57-58-40-/	5.7/
*		
The location work	done consisted of: <u>Drillin</u>	
costing a total of \$ 1000.00 , of	which \$100,00 is applicable	to 🔻
this claim.	, , , , , , , , , , , , , , , , , , ,	
	44	. (10.0000)
and marked as follows: Beginning at	ide centers of the claim are	ann t
thence bearing southers distance of	600 feet to the southers	1:
corner , marked SE cor ; thence b	earing southwest a dista	ance
of 750 feet to the south side of	enter , marked SSC	; thence
bearing Sw a distance of 750	feet to the southwest	
corner , marked Si cor ; distance of 600 feet to the	thence bearing northwest	marked
NW cor ; thence bearing	g northeast a distance of	f 750 feet
to the north side center . marked	l NSC ; ti	hence
bearing NE a distance of 750	feet to the point of beg:	inning,
Each of the above described corners		 `
<u> </u>	2051.	
	/ /	•
The location and	discovery work referred to a	above in
this Location Certificate was perfor	med on or before	
June 15 , 19 68 , by or on beh	alf of the undersigned locat	tor(s).
D. W. Fooley In	1423 F. 5th So. Salt Lake	City Hteb
E.K. Seeley, Jr. (Name of Locator)	(Address)B.K. Se	eleyJr
(LIMING OF TOCADAL)		
\ \ /	Book 24 of OFFICIAL RECORDS, page 52	
	FURFKA COUNTY NEVADA Stillios C.	Vo Carle Recorder.
(Name of Locator)	File No. 47189Address)	Fee \$ 1.00

יים ארד איני של האיני לא מיני	TIFY that the Bun # 56 Lode Ft
Mining Claim was located by B.K.	Seeley, Jr. on the 2.
day of March . 1968 . in the	he Eureka Mining unty, State of Mevada, further portions of Sec. 3, 9, 10, 11, 14
District, Eureka Con	unty, State of Mevada, further
described as being situated: in	pertions of Sec's. 3. 9. 10. 11. 14.
15. 22. 23 - T.201 - R.52	E. MDB & M
The general go	urse of said lode or vein is northwest
and the undersigned claims 10	feet in a essterly direction
and 1490 feet in an westerly	feet in a <u>easterly</u> direction direction from the point of
discovery, with a Width of 300	feet on each side of the center of
the vein or lode along the entire	length of said claim.
	\ \
	\. ୯ .୯
The location we	ork was done upon the Sun #
Cidim(s) for the benefit of a con-	tiguous group of not more than ten (10)
Sun #	names of which are as follows:
The location we	ork done consisted of: Drilling
costing a total of \$ 1000.00	of which \$100.00 is applicable to
this claim.	of which wive, or is appricable to
The corners and	d side centers of the claim are located
and marked as follows: Beginning	at the NE corner, marked NE cor
thence bearing aoutheast distance	of 600 feet to the southeast
of 750 foot to the court of do	e bearing soutowest a distance center, marked SSC; thence
bearing SW a distance of 750	feet to the southwest
corner , marked Sw cor	; thence bearing northwest a
distance of 600 feet to the	thence bearing northwest a northwest corner , marked
NW cor thence bear	ring northeast a distance of <u>750</u> rest
to the north side center , mar	ked NSC ; thence 750 feet to the point of beginning.
tearing NE a distance of	750 feet to the point of beginning.
Each of the above described corner	rs is a Rock ninument or
<u>&_4_&_4_&</u>	42 273 64
The location as	nd discovery work referred to above in
this Location Certificate was per	formed on or before
June 15 , 19 <u>68</u> , by or on 1	behalf of the undersigned locator(s).
B. K. Caslau Im A	Those to the Co. Shirt take City Heat
(Name of Locator)	RECORDED AT IH. (Address) B.K. Seeley, Jr.
(Name of Docator)	n June 26 19 68 Gt 45 mins. past 4 P. M. 5
	Book 24 of OFFICIAL RECORDS DODE 524 TRECORDS O
	THE PARTY AND
(Name of Locator)	File No. 4719 (Address) Fee \$ 1.00
	·····································

THIS IS TO CERTIFY that the Sum # 57 Lode
Mining Claim was located by B.K. Seeley. Jr. on the
day of March , 1968, in the Euroka Mining District, Euroka County, State of Movada, further
District, Eureka County, State of Mevada, further described as being situated: in portions of Mec's. 3. 9. 10. 11. 14.
15, 22, 23 - T.20% - R.52E, MD9 & M
·•
The several several and the lade on weight to wondhisest
The general course of said lode or vein is northwest and the undersigned claims 10 feet in a westerly direction
and 1490 feet in an easterly direction from the point of
discovery, with a Width of 300 feet on each side of the center of
the vein or lode along the entire length of said claim,
The location work was done upon the Sun # 53
claim(s) for the benefit of a contiguous group of not more than ten (10)
Lode Mining Claims, the specific names of which are as follows:
Sun # -5/-53 -54 -59 -59 -59 -59 -59 -59 -59 -59 -59 -59
The location work done consisted of: Drilling
costing a total of \$ 1000.00 , of which \$100.00 is applicable to
this claim.
Child Clubing
The corners and side centers of the claim are located
and marked as follows: Beginning at the NE corner, marked NE cor
thence bearing southesal distance of 600 feet to the southeast corner, marked SE cor ; thence bearing southwest a distance
of 750 feet to the south side center, marked SSC; thence
rearing SW a distance of 750 feet to the anuthwest
distance of 600 feet to the northwest corner , marked
distance of 600 feet to the northwest corner , marked
NW cor ; thence bearing northeast a distance of 750 feet to the north side center , marked NSC ; thence
to the <u>north side center</u> , marked NSC; thence tearing NE a distance of 750 feet to the point of beginning.
Each of the above described corners is a Rock manument or
a 4 x 4 x 4 s 20st.
The location and discovery work referred to above in
this Location Certificate was performed on or before
P.K. Seeley, Jr. 1427 F. Glb So, Salt Lake City, Htah (Name of Locator) RECORDED AT THE RE(Maddress) B.K. Seeley, Jr.
(Name of Locator) RECORDED AT THE RECARDS B.K. Seeley, 51. on June 26 19 68 of 45 mins, past 4 P. M.
Book 24 of OFFICIAL REÇORDS, page 525 RECORDS C
FUBERA COUNTY NEVADA William Co Matala Record
(Name of Locator) File No. 4719(Address) Fee § 1.00
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION)
THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF COATTON)

CERTIFICATE OF LOCATION OF LODE MINING CLAIM

mure to mo capma	IFY that the Sun of 58 Lote at
Mining Claim was located by B.E.	
day of March 1968 in the	Ture to Mining
day of March , 1968, in the District, Sureka Cou	nty State of Bounds, further
described as being situateds in D	ertions of Seals, 3. 9. 10. 11. 14.
15. 22. 23 - T.201 - R.521	MDB A M
	
The general cour	rse of said lode or vein is northwest
and the undersigned claims: 10	feet in a easterly direction
and 1490 feet in an westerly	direction from the point of
discovery, with a Width of 300	feet on each side of the center of
the vein or lode along the entire	direction from the point of feet on each side of the center of length of said claim.
	Total or series
	and the second of the second o
The location wo	rk was done upon the Sun ()
claim(s) for the henefit of a conti	iguous group of not more than ten (10)
Lode Mining Claims, the specific n	tree of which are as follows:
Bun #	-13-14
•	
The location wor	rk done consisted of: Drilling
costing a total of \$ 1000.00	of which \$100.00 is applicable to
this claim.	
The corners and	side centers of the claim are located
and marked as follows: Beginning a	at the <u>XE</u> corner, marked <u>NE cor</u>
thence bearing southeast distance	of 600 feet to the southeast
corner , marked SR cor ; thence	bearing southwesta distance
of 750 feet to the south side	center , marked <u>SSC ; thence</u>
bearing SW a distance of 750	feet to the southwest
corner . marked . 🖼 cor	; thence bearing northwesta
distance of 600 feet to the	northwest corner , marked
NW cor thence bear:	ing <u>northeast</u> a distance of <u>750</u> feet
to the north aide center . marke	ed NSC ; thence
bearing NE a distance of 7	750 feet to the point of beginning.
Each of the above described corner	s is a <u>Rock nonument or</u>
a 4 x 4 x	45 post
	7 /
The location and	d discovery work referred to above in
this Location Certificate was perfe	ormed on or before
June 15 , 19 <u>68</u> , by or on be	ehalf of the undersigned locator(s).
E.K. Seeley, Jr.	1427 E. 5th So. Salt lake City High
(Name of Locator)	ACCCADED AT THE ACAC PERS B. R. See Tey. U
\ \ /	on Julie 20 1900, of 13 mins, past
\ \ / /	
	FINERA LUNINI I. NEVADAS SV SSAV
(Name of Locator)	File No. 4719(Address) Fee \$ 1.00
	•

	1 A 2	$\mathbf{O}\Omega$	BOYNE	在一种人	Contract
CERTIFICATE C	1 10000	ON OF LO	-	· CIATO	Alberta Lateria
· · · · · · · · · · · · · · · · · · ·					
	(CROUP	OF CLAI			
• • •	4.76	ace constitution for the	以表示的。 1.100 · 10	- 1 2 2 2 2 2	· 经国际的 (1)

THIS IS TO CERT	IFY that the fam d	57
THIS IS TO CERT Mining Claim was located by B.E. day of March 1968 in th	See ley Jr	in the
day of March, 1968, in th	· Turoba	Mining
District, <u>Eureka</u> Cou described as being situateds in	nty, State of Meyeda,	TUTEDOX
described as being situated; The	ortions of mode.	
15, 22, 23 - T.201 - R.521	S. CHUB	
The general cou	rse of said lode or v	vein is northwest.
and the undersigned claims 10	feet in a Lyeoter	ly direction
and the undersigned claims 10 and 1490 feet in an easterly discovery, with a width of 300	direction fro	om the point of
discovery, with a Width of 300	_feet on each side of	the center of
the vein or lode along the entire	length of said claim,	
	rk was done upon the	
claim(s) for the benefit of a cont	iguous group of not r	follows: . So S
Lode Mining Claims, the pecific n	24-24-69-2	1.62.63
		14.7 (EN)
· · · · · · · · · · · · · · · · · · ·		
The location wo	rk done consisted of	Drilling
	/-/-	
costing a total of \$ 1000.00	of which \$100.00 is	applicable to
this claim.	or which \$100.00 is	ipplicable of
THIS CIRING		
		•
The corners and	side centers of the	claim are loc ated
and marked as follows: Beginning	at the <u>NE</u> corner, max	rked <u>NE cor</u>
thence bearing southeasa distance	of 600 feet to the	Southmest
corner , marked SE cor ; thence	bearing southwest	a distance
of 750 feet to the south 81de	center marked_	ssc ; chance
earing Sw a distance of 750	reet to the south	ent buset
distance of 600 feet to the		marked
corner , marked Sw cor distance of 600 feet to the NW cor , thence bear	ing portheset a d	istance of 750 feet
to the north side center mark	ed NSC	; thence
to the <u>north side center</u> , mark tearing <u>NE</u> a distance of	750 feet to the poi	nt of beginning.
.ach of the above described corner	s is a <u>Rock numme</u>	nt or
84×4×	48 post	
	/ /	
70 1100 100	a di	arrad to shove in
this Location Certificate was perf	d discovery work ref-	elled to above in
June 15 , 19 68, by or on b	ehalf of the undersi	gned locator(s).
- 10110 17 - 17 501 by 01 01 b	20 200 2000	<u>.</u>
B.K. Seeley, Jr.	1427 E. 9th 50.	Salt lake City, Illah
(Name of Locator)	RECORDED AT THE SE ACID TES	s) B.K. Seeley, dr.
	June 26 1968 of 45	
	Book of OFFICIAL RECO	
/N - 5 7 2 = 1 = N	EUSEKA COUNTY NEVADA Shi	Ew U De aoly Recorder.
(Name of Locator)	File No. 171 JORGATOR	8) Fee \$_1_00

The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked NE corner, marked SR cor; thence bearing southwest a distance of 500 feet to the southwest a distance of 750 feet to the southwest corner, marked SR cor; thence bearing northwest and stance of 750 feet to the southwest corner, marked SR cor; thence bearing northwest and stance of 600 feet to the northwest corner, marked NW cor; thence bearing northwest corner, marked NW cor; thence bearing northwest corner, marked NW cor; thence bearing northwest corner thence bearing northwest addition of 550 feet to the point of beginning. Cach of the above described corners is a flock niniment or a 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	W 01-1	THIS IS TO CE	ERTIFY that th	io Sun #	D 100 K
The general course of said lode or vein is northwest and the undersigned claims 10 feet in a saterly direction and 1400 feet in an westerly direction fiscovery, with a width of 100 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun 15 claim(s) for the benefit of a contiguous group of not more than ten (10) code Mining Claims, the specific mames of which are as follows: Bun 15 claim the specific mames of which are as follows: Bun 26 control work done consisted of: Intilling The location work done consisted of: Intilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner marked NE corner marked Side of the control work done consisted of: Intilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner marked NE corner marked Side of the south side centers and side centers and side centers are searned for the south side center marked Side of the south side of the	mining Claim was	1968 in	the Eur	eta	Mining
The general course of said lode or vein is northwest and the undersigned claims 10 feet in a saterly direction and 1400 feet in an westerly direction fiscovery, with a width of 100 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun 15 claim(s) for the benefit of a contiguous group of not more than ten (10) code Mining Claims, the specific mames of which are as follows: Bun 15 claim the specific mames of which are as follows: Bun 26 control work done consisted of: Intilling The location work done consisted of: Intilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner marked NE corner marked Side of the control work done consisted of: Intilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner marked NE corner marked Side of the south side centers and side centers and side centers are searned for the south side center marked Side of the south side of the	District. E	ureka	County, State	of Hevada, fu	rther
The general course of said lode or vein is northwest and the undersigned claims 10 feet in a saterly direction and 1400 feet in an westerly direction fiscovery, with a width of 100 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun 15 claim(s) for the benefit of a contiguous group of not more than ten (10) code Mining Claims, the specific mames of which are as follows: Bun 15 claim the specific mames of which are as follows: Bun 26 control work done consisted of: Intilling The location work done consisted of: Intilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner marked NE corner marked Side of the control work done consisted of: Intilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner marked NE corner marked Side of the south side centers and side centers and side centers are searned for the south side center marked Side of the south side of the	described as bein	g situated: 1	n portions of	Bec's. 3. 9.	10. 11. 14.
The general course of said lode or vein is northwest and the undersigned claims 10 feet in a saterly direction and 1490 feet in an veitrly direction from the point of inscovery, with a width of 30 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the sun follows: The location work was done upon the sun follows: Bun The location work was done upon the sun follows: Bun The location work was done upon the sun follows: Bun The location work was done upon the sun follows: Bun The location work was done upon the sun follows: Bun The location work was done upon the sun follows: Bun The location work was done upon the sun follows: Bun The location work was done upon the sun follows: Bun The location work was done upon the sun follows: Bun The location work was done upon the sun follows: Bun The location and side centers of the claim are located and marked as follows: Bun The location and discover; was a distance of sun feet to the anotherst corner, marked follows: Bun The location and discover; was referred to above in the location Certificate was performed on or before the sun follows: The location and discover; was referred to above in this location Certificate was performed on or before the sun follows: Bun The location and discover; was referred to above in this location Certificate was performed on or before the sun follows: Bun The location and discover; was referred to above in this location Certificate was performed on or before the sun follows: Bun The locator and discover; was referred to above in this location Certificate was performed on or before the sun follows: Bun The locator and discover; was referred to above in this location Certificate was performed on or before the sun follows: Bun The locator and discover; was referred to above in this location Certificate was performed on or before the sun follows: Bun The locator and discovers was referred to above in the sun follows: Bun The locator and discovers was	15. 2 2.	23 - T.201 - R.	52E. MDB & M		202
Ind the undersigned claims 10 feet in a easterly direction and 1490 feet in an westerly direction from the point of discovery, with a width of 100 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the 300 feet on the benefit of a contiguous group of not more than ten (10) code Mining Claims, the precific names of which are as follows: Bun 1 The location work done consisted of: [milling feet of the claim are located of this claim. The corners and side centers of the claim are located in marked as follows: Beginning at the NE corner, marked NE corner, marked as follows: Beginning at the NE corner, marked NE corner, marked Sc or; thence bearing southeast adistance of 500 feet to the southwast and distance of 750 feet to the anothwast corner, marked Sc or; thence bearing northwast adistance of 750 feet to the porthwast corner, marked NE corner, marked NE corner, marked NE corner, marked Sc or; thence bearing northwast adistance of 750 feet to the porthwast corner, marked NE corners is a distance of 750 feet to the potnt of beginning. The location and discovery were referred to above in this Location Certificate was performed on or before for the potnt of the potnt of the corner of June 15 not performed on or before for June 15 not performed to above 16 not performed to above 17 not performed to above 18 not performed to above 18 not performed to above 18 no		· ·			
Ind the undersigned claims 10 feet in a easterly direction and 1490 feet in an westerly direction from the point of discovery, with a width of 100 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the 3un # 3 claim(s) for the benefit of a contiguous group of not more than ten (10) code Mining Claims, the precisic names of which are as follows: Bun # 3 continued to the content of the claim are located to the said and marked as follows: The corners and side centers of the claim are located in marked as follows: Bun # 3 corner to the south side centers of the claim are located in marked as follows: The corners and side centers of the claim are located in marked as follows: The corners and side centers of the claim are located in marked as follows: Bun # 3 corner to the south side center marked NE corner to the southeast and stance of 500 feet to the southeast and stance of 500 feet to the south side center, marked SSC ; thence to the south side center, marked SSC ; thence to the south side center to the southwest corner, marked SSC ; thence to the northwest corner marked SSC ; thence to the northwest corner marked SSC ; thence to the north side center marked SSC ; thence to the north side center marked SSC ; thence to the north side center marked SSC ; thence searing NE a distance of 750 feet to the point of beginning. The location and discovery were referred to above in this Location Certificate was performed on or before for the content side of the content side			•		*
Ind the undersigned claims 10 feet in a easterly direction and 1490 feet in an westerly direction from the point of discovery, with a width of 100 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the 3un # 3 claim(s) for the benefit of a contiguous group of not more than ten (10) code Mining Claims, the precisic names of which are as follows: Bun # 3 continued to the content of the claim are located to the said and marked as follows: The corners and side centers of the claim are located in marked as follows: Bun # 3 corner to the south side centers of the claim are located in marked as follows: The corners and side centers of the claim are located in marked as follows: The corners and side centers of the claim are located in marked as follows: Bun # 3 corner to the south side center marked NE corner to the southeast and stance of 500 feet to the southeast and stance of 500 feet to the south side center, marked SSC ; thence to the south side center, marked SSC ; thence to the south side center to the southwest corner, marked SSC ; thence to the northwest corner marked SSC ; thence to the northwest corner marked SSC ; thence to the north side center marked SSC ; thence to the north side center marked SSC ; thence to the north side center marked SSC ; thence searing NE a distance of 750 feet to the point of beginning. The location and discovery were referred to above in this Location Certificate was performed on or before for the content side of the content side		Mar		l lode or veir	ie nonthwest.
The location work was done upon the sun filling. The location work was done upon the sun filling. The location work was done upon the sun filling. The location work was done upon the sun filling. The location work done consisted of: [milling.] The location work done consisted of: [milling.] The location work done consisted of: [milling.] The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner, marked SE corner, marked SE corner, marked SEC.; thence for 750 feet to the south side center, marked SEC.; thence searing SM a distance of 750 feet to the south side center, marked SEC.; thence searing SM a distance of rest to the annumeration of stance of stance of set to the northwest and stance of rest to the northwest and stanc	and the underside	ine general c	Course of Baid	asterly	direction
The location work was done upon the Sun filaim(s) for the benefit of a contiguous group of not more than ten (10) ode Mining Claims, the specific names of which are as follows: Bun The location work done consisted of: Irilling The location work done consisted of: Irilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked SE corner, thence bearing southness the adistance of 750 feet to the south adds center, marked SEC, thence earing NE and distance of 750 feet to the southness that corner, marked SE corner, marked SE corner, marked SEC, thence have not stance of 600 feet to the northness corner, marked SEC corner, searing NE addistance of 750 feet to the point of beginning. The location and discover, while second of the above in this Location Certificate was performed on or before June 15 , 1958, by or on behalf of the undersigned locator(s). BECORDED AT HE SECOND DESCRIPTION OF SE	and 1490 feet	in an Wester	ly dir	ection from	he point of
The location work was done upon the Sun filaim(s) for the benefit of a contiguous group of not more than ten (10) ode Mining Claims, the specific names of which are as follows: Bun The location work done consisted of: Irilling The location work done consisted of: Irilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked SE corner, thence bearing southness the adistance of 750 feet to the south adds center, marked SEC, thence earing NE and distance of 750 feet to the southness that corner, marked SE corner, marked SE corner, marked SEC, thence have not stance of 600 feet to the northness corner, marked SEC corner, searing NE addistance of 750 feet to the point of beginning. The location and discover, while second of the above in this Location Certificate was performed on or before June 15 , 1958, by or on behalf of the undersigned locator(s). BECORDED AT HE SECOND DESCRIPTION OF SE	discovery, with a	width of 300	feet on ea	ch side of th	ne center of
The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner marked NE corner marked SE or; thence bearing southeast distance of 600 feet to the southwast corner, marked SE or; thence bearing southwast a distance of 750 feet to the anothwast corner, marked SE corner thence bearing northwast corner, marked SE corner thence bearing northwast corner marked SE corner stands of 500 feet to the northwast corner marked SE corner stands of the northwast corner stands of 750 feet to the point of beginning. The location and discovery were referred to above in this Location Certificate was performed on or before June 15. 1968, by or on behalf of the undersigned locator(s). P.K. Seeley, Jr. 1427 F. 3th So. Sait Lake City, Head Seek 24 of Official pickeds Seeley, Jr. 1427 F. 3th So. Sait Lake City, Head Seek 24 of Official pickeds Seeley, Jr. 1427 F. 3th So. Sait Lake City, Head Seek 24 of Official pickeds Seek 24 of Official pickeds Seek 25 pickeds Seek 25 pickeds Seek 25 pickeds Seek 25 pickeds Seek 26	the vein or lode	along the entir	re length of a	said claim,	\ \ ,
The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Bun Beginning at the NE corner marked NE corner, marked NE a distance of 750 feet to the northwest corner of the north side center, marked NE a distance of 750 feet to the point of beginning. The location and discovery were referred to above in this Location Certificate was performed on or before June 15. 1968, by or on behalf of the undersigned locator(s). EKCORDED AT THE NUMBER (Address) B. K. Seeley, Jr. (Name of Locator) EKCORDED AT THE NUMBER (Address) B. K. Seeley, Jr. (Name of Locator) EKCORDED AT THE NUMBER (Address) B. K. Seeley, Jr. (Name of Locator) EKCORDED AT THE NUMBER (Address) B. K. Seeley, Jr. (Name of Locator) EKCORDED AT THE NUMBER (Address) B. K. Seeley, Jr. (Name of Locator) EKCORDED AT THE NUMBER (Address) B. K. Seeley, Jr. (Name of Locator)					\ \
The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Bun Beginning at the NE corner marked NE corner, marked NE a distance of 750 feet to the northwest corner of the north side center, marked NE a distance of 750 feet to the point of beginning. The location and discovery were referred to above in this Location Certificate was performed on or before June 15. 1968, by or on behalf of the undersigned locator(s). EKCORDED AT THE NUMBER (Address) B. K. Seeley, Jr. (Name of Locator) EKCORDED AT THE NUMBER (Address) B. K. Seeley, Jr. (Name of Locator) EKCORDED AT THE NUMBER (Address) B. K. Seeley, Jr. (Name of Locator) EKCORDED AT THE NUMBER (Address) B. K. Seeley, Jr. (Name of Locator) EKCORDED AT THE NUMBER (Address) B. K. Seeley, Jr. (Name of Locator) EKCORDED AT THE NUMBER (Address) B. K. Seeley, Jr. (Name of Locator)		Mha lagaddan	- and a second done	upon the 9	\ 3
The location work done consisted of: [milling	-1-4-/-) for the	The location	WOLK MAR GOUR	s abou cus sore	than ten (10)
The location work done consisted of:irilling costing a total of \$ 1000.00 _, of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner of the north side center, marked NE corner of the north side center, marked NE corner of the north side center of T50 feet to the point of beginning. Catholic Corner of NE corner of NE corner of the location and discovery wells referred to above in this Location Certificate was performed on or before	cidim(s) for the Lode Mining Claim	ne the enecific	names of whi	ich are as foi	llows:
The location work done consisted of:irilling costing a total of \$ 1000.00 _, of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner of the north side center, marked NE corner of the north side center, marked NE corner of the north side center of T50 feet to the point of beginning. Catholic Corner of NE corner of NE corner of the location and discovery wells referred to above in this Location Certificate was performed on or before	Bun #	-51-53	-32-54-	57-5	-13-14
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE cor; thence bearing southwest a distance of 620 feet to the southmast corner, marked SE cor; thence bearing southwest a distance of 750 feet to the south side center, marked SSC; thence tearing SM a distance of 750 feet to the southwest corner, marked SE cor; thence bearing northwest marked SE cor; thence bearing northwest corner, marked SE cor; thence bearing northwest a distance of 750 feet to the northwest corner, marked NW cor; thence bearing northwest a distance of 750 feet to the northwest corner is a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock situation of the above described corners is a Rock situation of the location Certificate was performed on or before Juna 15, 1968, by or on behalf of the undersigned locator(s). P.K. Seeley, Jr. (Name of Locator) RECORDED AT THE SUBJEACIES DESCRIPTION OF THE LOCATOR DESCRIPTIO					
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE cor; thence bearing southwest a distance of 620 feet to the southmast corner, marked SE cor; thence bearing southwest a distance of 750 feet to the south side center, marked SSC; thence tearing SM a distance of 750 feet to the southwest corner, marked SE cor; thence bearing northwest marked SE cor; thence bearing northwest corner, marked SE cor; thence bearing northwest a distance of 750 feet to the northwest corner, marked NW cor; thence bearing northwest a distance of 750 feet to the northwest corner is a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock situation of the above described corners is a Rock situation of the location Certificate was performed on or before Juna 15, 1968, by or on behalf of the undersigned locator(s). P.K. Seeley, Jr. (Name of Locator) RECORDED AT THE SUBJEACIES DESCRIPTION OF THE LOCATOR DESCRIPTIO	-				
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE cor; thence bearing southwest a distance of 620 feet to the southmast corner, marked SE cor; thence bearing southwest a distance of 750 feet to the south side center, marked SSC; thence tearing SM a distance of 750 feet to the southwest corner, marked SE cor; thence bearing northwest marked SE cor; thence bearing northwest corner, marked SE cor; thence bearing northwest a distance of 750 feet to the northwest corner, marked NW cor; thence bearing northwest a distance of 750 feet to the northwest corner is a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock situation of the above described corners is a Rock situation of the location Certificate was performed on or before Juna 15, 1968, by or on behalf of the undersigned locator(s). P.K. Seeley, Jr. (Name of Locator) RECORDED AT THE SUBJEACIES DESCRIPTION OF THE LOCATOR DESCRIPTIO				and meand offer to	mt 1110m
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner, thence bearing southwest a distance of 750 feet to the south aide center, marked SSC.; thence cearing SW a distance of 750 feet to the southwest corner, marked SE corner, marked NW cor , thence bearing northwest corner, marked NW cor , thence bearing northwest a distance of 750 feet to the north side center, marked NSC ; thence cearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a flock continuent of the standard of the above described corners is a flock continuent of the standard of		The location	work done con	isiaced orn	
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner, thence bearing southwest a distance of 750 feet to the south aide center, marked SSC.; thence cearing SW a distance of 750 feet to the southwest corner, marked SE corner, marked NW cor , thence bearing northwest corner, marked NW cor , thence bearing northwest a distance of 750 feet to the north side center, marked NSC ; thence cearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a flock continuent of the standard of the above described corners is a flock continuent of the standard of					
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner, thence bearing southwest a distance of 750 feet to the south aide center, marked SSC.; thence cearing SW a distance of 750 feet to the southwest corner, marked SE corner, marked NW cor , thence bearing northwest corner, marked NW cor , thence bearing northwest a distance of 750 feet to the north side center, marked NSC ; thence cearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a flock continuent of the standard of the above described corners is a flock continuent of the standard of					
The corners and side centers of the claim are located ind marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner, marked NW cor , thence bearing northwest corner , marked NW cor , thence bearing northwest a distance of 750 feet to the north side center, marked NSC ; thence cearing NE a distance of 750 feet to the point of beginning. Cearing NE a distance of 750 feet to the point of beginning. The location and discovery were referred to above in this Location Certificate was performed on or before June 15, 1968, by or on behalf of the undersigned locator(s). P.K. Seeley, Jr. 1427 I 3th So, Sail lake City, Uran June 26,1968 of 45 mint pair 4 P. M. in Book 24 of OFFICIAL SCORDS, page 528 A RECORDS by TURERE COUNTY NEW MARKET COUNTY	costing a total c	f \$ 1000.00	, of which \$	100.00 is app	licable to
thence bearing anothers distance of 620 feet to the southers and istance of 750 feet to the southers and distance of 750 feet to the south side center marked SSC.; thence bearing SW a distance of 750 feet to the south side center marked SSC.; thence bearing SW a distance of 750 feet to the southwest corner marked SW cor thence bearing northwest marked NW cor thence bearing northwest corner marked NW cor thence bearing northwest adistance of 750 feet to the north side center marked NSC thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a flock ninitent or such a first stance of 750 feet to the point of beginning. The location and discovery were referred to above in this Location Certificate was performed on or before fine undersigned locator(s). P.K. Seeley Jr. 1427 I fith So. Sait lake City, Head (Name of Locator) RECORDED AT THE SEQUEL Address B.K. Seeley, Jr. June 26,1968, of 45 mins post 4 P.M. in Book 24 of OFFICIAL RICORDS, page 528 RECORDS brown and the second of the secon	this claim.))	~
thence bearing anothers distance of 620 feet to the southers and istance of 750 feet to the southers and distance of 750 feet to the south side center marked SSC.; thence bearing SW a distance of 750 feet to the south side center marked SSC.; thence bearing SW a distance of 750 feet to the southwest corner marked SW cor thence bearing northwest marked NW cor thence bearing northwest corner marked NW cor thence bearing northwest adistance of 750 feet to the north side center marked NSC thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a flock ninitent or such a first stance of 750 feet to the point of beginning. The location and discovery were referred to above in this Location Certificate was performed on or before fine undersigned locator(s). P.K. Seeley Jr. 1427 I fith So. Sait lake City, Head (Name of Locator) RECORDED AT THE SEQUEL Address B.K. Seeley, Jr. June 26,1968, of 45 mins post 4 P.M. in Book 24 of OFFICIAL RICORDS, page 528 RECORDS brown and the second of the secon				/ /	
thence bearing anothers distance of 620 feet to the southers and istance of 750 feet to the southers and distance of 750 feet to the south side center marked SSC.; thence bearing SW a distance of 750 feet to the south side center marked SSC.; thence bearing SW a distance of 750 feet to the southwest corner marked SW cor thence bearing northwest marked NW cor thence bearing northwest corner marked NW cor thence bearing northwest adistance of 750 feet to the north side center marked NSC thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a flock ninitent or such a first stance of 750 feet to the point of beginning. The location and discovery were referred to above in this Location Certificate was performed on or before fine undersigned locator(s). P.K. Seeley Jr. 1427 I fith So. Sait lake City, Head (Name of Locator) RECORDED AT THE SEQUEL Address B.K. Seeley, Jr. June 26,1968, of 45 mins post 4 P.M. in Book 24 of OFFICIAL RICORDS, page 528 RECORDS brown and the second of the secon		000		re of the cl	aim are located
thence bearing southeast distance of 600 feet to the southeast corner, marked SR cor; thence bearing southwest a distance of 750 feet to the south side center, marked SSC.; thence tearing SW a distance of 750 feet to the southwest corner, marked SC ; thence bearing northwest corner, marked SC ; thence bearing northwest a distance of 600 feet to the northwest corner, marked NW cor; thence bearing northwest a distance of 750 feet to the north side center, marked NSC ; thence bearing NSC a distance of 750 feet to the point of beginning. Each of the above described corners is a flock similarent of the location and discovery were referred to above in this Location Certificate was performed on or before The location and discovery were referred to above in this Location Certificate was performed on or before June 15	and carled as fol	The corners	and side cente	corner marke	d NF cor
rorner, marked SR cor; thence bearing southwest a distance of 750 feet to the south aide center, marked SSC; thence corner, marked SV cor; thence bearing northwest corner, marked SV cor; thence bearing northwest corner, marked NV cor; thence bearing northwest corner, marked NV cor; thence bearing northwest a distance of 750 feet to the north aide center, marked NSC; thence cearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a flock remarked or center of the location and discovery were referred to above in this Location Certificate was performed on or before June 15, 1968, by or on behalf of the undersigned locator(s). P.K. Seeley, Jr. (Name of Locator) RECORDED AT THE REQUERANCE page 528 RECORDS by EURSKA COUNTY, NEVADOR 100 page 528 RECORDS by EURSKA COUNTY NEVADOR 100	and marked as 101	utheash distan	ce of 600 fe	et to the 50	utneast
The location and discovery were referred to above in this Location Certificate was performed on or before June 15. 1968, by or on behalf of the undersigned locator(s). P.K. Seeley, Jr. (Name of Locator)	corner marked	SR cor : the	nce bearing s	outnwest	a distance
corner , marked Si cor ; thence bearing northwest distance of 600 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the north side center , marked NSC ; thence cearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a glock northwest or a 4 x 4 x 41 /ost. The location and discovery were referred to above in this Location Certificate was performed on or before June 15 , 1968, by or on behalf of the undersigned locator(s). P.K. Seeley Jr. 1427 I Sth So, Sail lake City, Utah (Name of Locator) RECORDED AT THE SUBJECTACES, page 528 RECORDS of June 26,1968, at 45 mins post 4 P. M. in Book 24 of OFFICIAL E. CORDS, page 528 RECORDS of LUNEAR COUNTY, NEWARL AND COMMENT	of 750 feet t	o the mouth at	de center	, marked SSC	; thence
corner marked stor ; thence bearing northwest marked NW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the north side center , marked NSC ; thence cearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock miniment or a 4 x 4 x 42 /05t. The location and discovery were referred to above in this Location Certificate was performed on or before June 15 , 1968, by or on behalf of the undersigned locator(s). P.K. Seeley Jr. 1427 J. 3th So. Salt lake City, literature on June 26,968 at 45 mins past 4 P. M. in June 26,968 at 45 mins pa	rearing SW a	distance of 7	750 feet to	the <u>southwes</u>	<u>t</u>
The location and discovery were referred to above in this Location Certificate was performed on or before June 15, 1968, by or on behalf of the undersigned locator(s). P.K. Seeley, Jr. (Name of Locator) RECORDED AT THE SECURITY MICHAELES B.K. Seeley, Jr. on June 26,1968, at 45 mins, past 4 P. M. in Book 24 of OFFICIAL RECORDS by RECOR		-6-4 / CM	* thonco	raaring nort	NUPET S
The location and discovery were referred to above in this Location Certificate was performed on or before June 15, 1968, by or on behalf of the undersigned locator(s). P.K. Seeley, Jr. (Name of Locator) RECORDED AT THE SECURITY MICHAELES B.K. Seeley, Jr. on June 26,1968, at 45 mins, past 4 P. M. in Book 24 of OFFICIAL RECORDS by RECOR	distance of 600	feet to the	e <u>nortave</u>	st corner	ance of 750 feet
The location and discovery were referred to above in this Location Certificate was performed on or before June 15, 1968, by or on behalf of the undersigned locator(s). P.K. Seeley, Jr. (Name of Locator) RECORDED AT THE SECURITY MICHAELES B.K. Seeley, Jr. on June 26,1968, at 45 mins, past 4 P. M. in Book 24 of OFFICIAL RECORDS by RECOR	NW COP	tnence be	earing <u>norine</u> arked VSC	agi a disc	: thence
The location and discovery were referred to above in this Location Certificate was performed on or before June 15, 1968, by or on behalf of the undersigned locator(s). P.K. Seeley, Jr. (Name of Locator) RECORDED AT THE SECURITY MICHAELES B.K. Seeley, Jr. on June 26,1968, at 45 mins, past 4 P. M. in Book 24 of OFFICIAL RECORDS by RECOR	to the north are	a distance of	750 feet	to the point	of beginning.
The location and discovery were referred to above in this Location Certificate was performed on or before June 15, 1968, by or on behalf of the undersigned locator(s). P.K. Seeley Jr. (Name of Locator) RECORDED AT THE REPUBLIANCE OF B.K. Seeley, Jr. on June 26,1968, or 45 mins. past 4 P. M. in Book 24 of OFFICIAL RECORDS, page 528 RECORDS DE EUREKA COUNTY MENDAL AND	Each of the above	described cor	ners is af	ock minument	<u>or</u>
P.K. Seeley Jr. (Name of Locator)		<u>a 4 x 4</u>	x 41 20st.		
P.K. Seeley Jr. (Name of Locator)			/ /		
P.K. Seeley Jr. (Name of Locator)			//	Enforr	ad to above in
P.K. Seeley Jr. (Name of Locator) RECORDED AT THE MEDIEL (ARCITESE) B.K. Seeley, Jr. on June 26,19,68, at 45 mins. past 4 P. M. in Book 24 of OFFICIAL RECORDS, page 528 P. RECORDS DF. EUREKA COUNTY, NEVADLE (M. A. D. D. C. B. M. C. B.	by Granden Co.	The location	and discover	y wers relear r before	ed to above in .
P.K. Seeley Jr. (Name of Locator) RECORDED AT THE RECUEL (Acdress) B.K. Seeley, Jr. on June 26,19,68, at 45 mins. past 4 P. M. in Book 24 at OFFICIAL RECORDS, page 528 P. RECORDS OF EUREKA COUNTY, NEVADLE (A. A. A	Tuna 15	1968 by or o	n behalf of t	he undersigne	d locator(s).
(Name of Locator) RECORDED AT THE DESCRIPTION OF LOCATOR) ON June 26,19,68, or 45 mins, post 4 P. M. in Book 24 of OFFICIAL RECORDS, page 528 O, RECORDS OF LOCATOR (Name of Locator) (Name of Locator)		21 <u>317</u> / 11			
(Name of Locator) RECORDED AT THE METER (Actives a) B. K. Seeley, Ir on June 26,19.68, or 45 mins, past 4 P. M. in Book 24 of OFFICIAL RICORDS, page 528 O, RECORDS OF FUREXA COUNTY, NEVADO (1.10) (Name of Locator)					
on June 26,19 68, at 45 mins, past 4 P. M. in Book 24 at OFFICIAL RICORDS, page 528 , RECORDS OF FUREKA COUNTY, NEVAN ALLOW (Name of Locator) (Name of Locator)	B.K. Seeley	Jr.		. in So, Sai	1 Take City, Utah
Book 24 of OFFICIAL RICGRDS, page 528 , RECORDS OF SUREKA COUNTY, NEVADULA (A. De Colar, Render, M. 1997)	(Name o	f Locator)	RECORDED AT THE R	NUNTACTICES)	"O" DESTENT
(Name of Locator) Supera County Nevan Hallo (A. No Locator Suntil	\ \		T 76.	~ 6D . 15 ·	4 P 14 1m
$(N_{\text{max}} \circ f \mid \text{costor})$ $(1/2) \cdot Q/1 \mid \text{costor})$ $f \in \{1, 2\} \cdot Q$	\ \	7	_{on June_26,1}	9 68, at 45 mins.	past <u>4 P.</u> M. in
			Book 24 of C	FFICIAL RECORDS, page .	past <u>4 P.</u> M. in
File No. The Fact of the Fact	(Name O		Book 24 of C	FFICIAL RECORDS, page.	post 4 P. M. in 528 O. RECORDS OF
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE CLAIM IS LOCATED.	(Name o		Book 24 of C	FFICIAL RECORDS, page.	past <u>4 P.</u> M. in
LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH		f Locator)	Book 24 of County A	official Ricords, page	past 4 P. M. in 528 RECORDS OF

THIS IS TO CER	TIFY that the	mm 4 61	'Lode
Mining Claim was located by .B.T.	. Seelev. Jr.	on the	283
day of March 1968, in t District, Eureka Co described as being situateds in	he Euroke		Mining
District, Euroka Co	unty, State of	Hovada, furth	O I
described as being situateds in	portions of Se	<u>c's 3, 9, 10,</u>	<u> 11. 14</u>
15. 22. 23 - T.201 - R.5	SE WDB & M		
			•
The general co	urse of said lo	ode or vein is	northyest
and the undersigned claims 10	feet in a	Westerly	direction
and 1490 feet in an gasterly discovery, with a width of 300	direct	ion from the	point of
discovery, with a width or 300	feet on each	side of the c	enter or
the vein or lode along the entire	length of said	claim,	\
		\	\
Mha Janatidan			. 2 A
The location w	ork was done un	on the Sun	- 4 cm (10)
claim(s) for the benefit of a con	tiguous group o	of not more th	an ten (10)
Lode Mining Claims, the specific	names of which	are as ipllow	8:
Bun # 16-11 - 20 - 27	4.4.66	57-61-61	1-6/3
•			
The location w	ork done consis	sted or: <u>Dril</u>	ing
	-/-		
	_//	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ 	
	/ 	20 1 1 1 - 2	11 to 1
costing a total of \$ 1000.00 ,	of which \$100.	.00 is applica	pie to
this claim.		/ /	
		/ /	
		/ /	
	d side centers		
and marked as follows: Beginning	at the <u>NE</u> cori	ner, marked <u>.</u>	E cor
thence bearing southeses distance	of_ <u>600</u> _feet t	to the <u>south</u> e	ast
corner , marked SF cor ; thenc	e bearing <u>sout</u>	owesra al	stance
of 750 feet to the south side	center	arked <u>SSC</u>	: chence
bearing Sw a distance of 750	<u> feet to the </u>	southwest	
corner , marked Si cor	; thence bear	ring <u>northwe</u> s	<u> </u>
distance of 600 feet to the	norlowest	corner	, marked
NW cor thence bea	ring northeast	a distance	of <u>750</u> feet
to the north side center , mar	ked <u>NSC</u>		thence
bearing <u>NE</u> a distance of	<u>750</u> feet to !	the point of b	eginning.
Each of the above described corne	rs is a <u>Rock</u>	menument or	
	x 4s post		
The location a	and discovery wa	ork referred t	o above in
this Location Certificate was per	formed on or 1.	· f re	
June 15 , 19 <u>68</u> , by or on	behalf of the	and signed lo	cator(s).
			•
B.K. Seeley, Jr.		ib So, Selt Id	ike City, IIțeh
(Name of Locator)	RETURNED HE INC.	(Address) _{B.K.}	Seelev, Jr.
		68, et 45 mins, past	
\ \ / /	Book 24 of OFFI	CIAL RECORDS man	-20 77
		7/./// . //	The Last Cords of
(Name of Locator)	- PUNERA COURTY, NEY	(Address)	Recorder.
trans or someon	File No.42195		Fee \$ 1.00
THIS CERTIFICATE OF LOCATION MUS	T BE POSTED HE	ON THE CLAIM A	ND A
THIS CERTIFICATE OF LOCATION MUS EGIBLE COPY RECORDED WITH THE CO THE CLAIM IS LCCATED WITHIN 90 DA	UNTY RECORDER	OF THE COUNTY	IN WHICH
THE CLAIM IS LCCATED WITHIN 90 DA	YS AFTFP THE D	ዓምዶ ሮዶ ፣ ሰሮልጣ ተሮ	. 21]

	THIS IS TO CE	RTIFY that the	am #67	Lode Ne
Mining Claim was day of March District, Endescribed as bein	located by B.	K. Seeley. Jr.	on the	211
day of March	19 <u>08</u> , in	the <u>Furera</u>	Maranda disabbas	ining
described as being	g gituateds in	n partions of Se	c'e. 3. 9. 10.	11. 14
15. 22. 2	23 - T. 20% - R.	SZE. MDB 4 M		
	,			
				•
	The consent o	ourse of said lo	de or wein is :	nonthwest
and the undersign	ed claims 10	feet in a	westerly di	rection
and 1490 feet discovery, with a	in an easter	ly direct	ion from the po	int of
discovery, with a	width of 300	feet on each	side of the cer	iter of
the vein or lode	along the entir	e remâru or ward	Claim.	\
			\	Δ
	The location	work was done up	on the <u>Sun</u>	<u>40</u>
claim(s) for the	benefit of a co	ntiguous group o	of not more than	iten (10)
claim(s) for the Lode Mining Claim	s, the apecific	names of which	are as IOllows	
BUN F / B	-/4-50-6	5-34-56-3	T. St. St.	
······································				
	The location	work done consis	sted of a <u>Drilli</u>	04 -
			,	
	· · · · · · · · · · · · · · · · · · ·			/
costing a total o	f \$ 1000.00	, of which \$100.	00 is applicab	ie to
this claim.))	
			/ /	
	The corners a	nd side centers	of the claim as	re loc ated
and marked as fol	lowe: Beginnin	ng at the NEcorr	ner, marked <u>NE</u>	:COT7
thence bearing so	utheasm distanc	e of <u>600</u> feet t	the souther	<u>61</u>
corner , marked of 750 feet t	SE cor ; then	ice pearing <u>aout</u> da conten ma	nwest a urs	thence
hearing Sw a	distance of 7	50 feet to the	aouthwest	
tearing se a	ed Sicor	; thence bear	ing northwest	a
dictance of AOO	FRAT TO THE	northveet.	corner	, IIIMINGM
W cor to the north side	thence be	earing <u>northeast</u>	a distance of	thence
tearing NE	a distance of	750 feet to	the point of be	ginning.
Each of the above	described corr	ners is a Rock	monument or	y 19
	<u> 4 x 4</u>	x 4 ± 2051.		
		/ /		
	The location	and discovery we	ork referred to	above in
this Location Cer	tificate was be	erformed on or be	etore	
June 15	19 <u>68</u> , by or or	n behalf of the	undersigned loc	ator(s).
			•	_
B.K. Seeley	īr. o	1423 E. G	th So. Salt Lak	e City IItah
(Name of	Locator)	RECORDED AT THE DE	(Acdress B.K. Se	eele <u>v</u> Jr.
\ \	/ /		168, at 45 mine past	
\ \	/ /	Book <u>24</u> of GF	FICIAL SECORIS, page	530 RECORDS OF
/Name of	Locator)		(Address)	Rocorder.
(749108 OI	. Lougital /	File No. <u>1719</u>	6—	Fce \$ 1.00
(THIS CERTIFICATE LEGIBLE COPY RECO THE CLAIM IS LCCA	OF LOCATION MY	IST BE POSTED UP	ON THE CLAIM AN	D A
TRGIBTE COLA KECC	THE CARREST OF T	LOUNTY RECORDER (L TINUUU ANT L MOTOLIO IN ANT	n'wurcu

FR. No. 47197 BOOK 24 PAGE CERTIFICATE OF LOCATION OF LODE MINING CLAIM (GROUP OF CLAIMS) THIS IS TO CERTIFY that the Mining Claim was located by B.K. Seeley Jr. day of March 1968, in the Europe March Eureke FULL District, Eureka County, State of described as being situateds in partions of Sec. 15. 22, 23 - T.208 - R.525, MDB & M. further The general course of said lode or vein is northwes 10 _direction _feet in a _ Westerly _ and the undersigned claims_ essterly direction from the point of 100 feet on each side of the center of and 1490 feet in an_ discovery, with a Width of_ the vein or lode along the entire length of said claim, The location work was done upon the Sun claim(s) for the benefit of a contiguous group of not more than ten (10) 1 Le la lava Lode Mining Claims, the specific names of which The location work done consisted of: Drilling of which \$100.00 is applicable to costing a total of \$ 1000.00 this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southesat distance of 600 feet to the southesat corner, marked SK cor; thence bearing southwest a distance of 750 feet to the south side center, marked 6SC; of 750 hearing a distance of 750 feet to the southwest , marked **Sw cor** ; thence bearing northwest 600 feet to the northwest corner corner distance of 600 feet to the northwest corner marked NW cor thence bearing northwest a distance of 750 feet to the north side center marked NSC thence tearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock mcnument or a 4 x 4 x 4 b post.

(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATION

Seeley, Jr. (Name of Locator)

(Name of Locator)

The location and discovery work referred to above in this Location Certificate was performed on or before June 15 , 1968, by or on behalf of the undersigned locator(s).

June 26 18 68 cf 45 min, post 4 P. M.

De Taoli Recorder.

BOOK 24 OF OFFICIAL RECORDS, PUSE TERREKA COUNTY, NEVADA HILLEN Q.

File No. 4719(Address)

THIS IS TO CERT	FIFY that the sum # 64 Toda #4
Mining Claim was located by B.E.	Seeley Jr. on the
day of March , 1968, in the District, Eureka Coudescribed as being situated: 12	ne Eureka Mining
District, <u>Eureke</u> Cou	inty, State of Mevada, further
described as being situated: 13	portions of sec. s. J. V. IV. II. II.
15. 22. 23 - T.201 - R.52	E. MUS & R
	•
The general cou	erse of said lode or vein is northwest
and the undersigned claims 10	feet in awesterlydirection
and 1490 feet in an Castoriv	direction from the point of
discovery, with a Width of 300	_ feet on each side of the center of
the vein or lode along the entire	length of said claim.
	\ 77
The location wo	ork was done upon the Sun ()
claim(s) for the benefit of a cont	tiguous group of not more than ten (10)
Lode Mining Claims, the specific	lamas of which are as follows
Sun # D	68-69-70-71-72-73
·	
·	
The location wo	ork done consisted of: Drilling
116 100801011 #1	STR done denoted
· · · · · · · · · · · · · · · · · · ·	
	Z Z \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
costing a total of \$ 1000.00	of which \$100.00 is applicable to
this claim.	
	s it is also and located
The corners and	d side centers of the claim are located
and marked as follows: Beginning	at the NE corner, marked NE cor of 600 feet to the southement
thence bearing southers distance	o boaring coutingst a distance
corner, marked sk cor ; thence	e bearing <u>southwest</u> a distance center, marked <u>SSC</u> ; thence
or 750 reet to the aouth Fide	feet to the southwest
mearing sw a distance of row	feet to the southwest thence bearing northwest marked
and con thence hea	ring northeast a distance of 750 feet
to the north side center mar	ked NSC ; thence
to the north alos contor, war	750 feet to the point of beginning.
and of the above described corne	rs is a Rock Eingment or
a 4 x 4 y	(4± 205t.
The location a	nd discovery work referred to above in
A T TARLET CARACTERS TO THE POT	formed on or before
June 15 . 1968, by or on	behalf of the undersigned locator(s).
_	
E.K. Seeley, Jr.	1427 F. 9th So. Selt lake City. High
(Name of Locator)	on June 26 19 68, or 45 min. post 4 P.M.
	Book 24 of OFFICIAL RECORDS, page 532 RECORDS (
\ \ /	EUREKA COUNTY, NEVADA Stellies O. No Table Becord
(None of Tosstor)	Elle No. 471 Address) Fro. 1 00

File No. 47199

CERTIFICATE OF LOCATION OF LODE MINING CLAIM

(GROUP OF CLAIMS)

istrict, Eur	C.	the Europa ounty State of Moveda, fur portions of Mac's, 1, 9, 1	her
escribed as being	situated: in	portions of See's. 3. 9. 1	<u>0. 11. 14 </u>
77 (67 15) CE. 25		SIC NOS IN YES	<u>, Taking panggan na matal</u> anggan Pagan Taking Taking Pagan na ma
nd the undersigned	ine general co	ourse of said lode or vein	direction
nd <u>1490</u> feet i	n an cesterl	y direction from the	point of
iscovery, with a W	14th of 300	feet on each side of the	center of
us Astu or Tode #1	ong the entire	e length of said claim.	
		일 사는 일반 보는 것은 환경 모든데	ALE IND
	The location v	work was done upon the Sun	
laim(s) for the be	nefit of a cor	ntiguous group of not more	than ten (10)
ode mining Claims,	The specialic	name of which are as follow	72 -73
	The location v	work done consisted of: Dri	111ng
.* **			
	4 1000 00	-6-34-5 cloo 00 4414	hla ta
	\$ 1000.00	, of which \$100,00 is applied	cable to
	\$ 1000.00	, of which \$100,00 is applic	cable to
his claim.			
nis claim.	The corners a	nd side centers of the claim	n are located
nis claim. nd marked as follo	The corners as	nd side centers of the claim g at the NE corner, marked_	n are located NE cor/
nis claim. nd marked as follo	The corners as was Beginning heas distance	nd side centers of the claim g at the <u>NE</u> corner, marked e of 600 feet to the sout	n are located NE cor
nis claim. nd marked as follonence bearing sout	The corners and was Beginning hear distance E agr , thence	nd side centers of the claim g at the <u>NE</u> corner, marked e of 600 feet to the sout ce bearing southwest = 2	n are located NE cor / heast distance
nis claim. Ind marked as followence bearing sout orner, marked simples to saring so a desired sout a desired sout sout sout sout sout sout sout sout	The corners are was Beginning hears distance the south aid listance of 75	nd side centers of the claim g at the NE corner, marked e of 600 feet to the sout ce bearing southwest a e center , marked SSC	n are located NE cor / heast distance , thence
ad marked as followers bearing sout to airing state a corner , marked a corner , marked	The corners are was Beginning hear distance of 75	nd side centers of the claim g at the NE corner, marked e of 600 feet to the sout ce bearing southwest 20 d feet to the southwest f thence bearing northw	n are located NE cor / heast distance ; thence
ad marked as followed bearing sout orner, marked sing set to corner, marked stance of 600	The corners are was Beginning hear distance of 75 Si cor feet to the	nd side centers of the claim g at the NE corner, marked e of 600 feet to the sout ce bearing southwest 20 d feet to the southwest f thence bearing northwest northwest corner	n are located NE cor / heast distance ; thence
nd marked as followence bearing sout order, marked size and corner, marked size and corner, marked stance of 600	The corners are was Beginning hear distance of 75 Beginning feet to the there here	nd side centers of the claim g at the NE corner, marked e of 600 feet to the sout ce bearing anothwest a center , marked SSC 0 feet to the southwest , thence bearing northwest northwest corner aring northeset a distant	n are located NE cor heast distance ; thence esta, marked ce of 750 feet
nd marked as followence bearing sout order, marked size and corner, marked size and corner, marked stance of 600	The corners are was Beginning hear distance of 75 Beginning feet to the there here	nd side centers of the claim g at the NE corner, marked e of 600 feet to the sout ce bearing anothwest a center , marked SSC 0 feet to the southwest , thence bearing northwest northwest corner aring northeset a distant	n are located NE cor
ais claim. ad marked as followence bearing sout feet to saring sout a corner, marked stance of 600 We sor othe north side saring NE a corner are saring NE according NE acco	The corners are was Beginning hear distance of 75 feet to the renter becomes distance of distance of feet to the renter man distance of distance of distance of the distance o	nd side centers of the claim g at the NE corner, marked e of 600 feet to the sout the bearing anothwest g thence bearing northwast aring northwast a distant the NEC 750 feet to the point of	m are located NE cor heast distance ; thence est marked ce of 750 feet ; thence beginning.
nis claim. Ind marked as followers bearing sout to corner, marked sout to corner, marked stance of 600 with sortion of the north side caring NE as followers.	The corners are was Beginning hear distance of 75 feet to the renter man distance of distance of the renter man distance of lescribed corner lescribed corner man distance of lescribed corner man distance dis	nd side centers of the claim g at the NE corner, marked e of 600 feet to the sout ce bearing anothwest a center , marked SSC 0 feet to the southwest , thence bearing northwest northwest corner aring northeset a distant	m are located NE cor heast distance ; thence est marked ce of 750 feet ; thence beginning.
nd marked as followence bearing sout former, marked simple and corner, marked stance of 600 NW sor othe north side earing NE	The corners are was Beginning hear distance of 75 feet to the renter man distance of distance of the renter man distance of lescribed corner lescribed corner man distance of lescribed corner man distance dis	nd side centers of the claim g at the NE corner, marked e of 600 feet to the sout ce bearing anothwest a center , marked SEC of feet to the southwest , thence bearing northwest aring northwast corner aring northeast a distant rked NSC 750 feet to the point of ers is a Rock monument or	m are located NE cor heast distance ; thence est marked ce of 750 feet ; thence beginning.
nd marked as followence bearing sout former, marked sout feet to carring sout a corner, marked stance of 600 NW sor the north side earing NE	The corners are was Beginning hear distance of 75 feet to the part of the corner man distance of distance of distance of distance of the corner man distance	nd side centers of the claim g at the NE corner, marked s of 600 feet to the sout ce bearing southwest a le center , marked SEC to feet to the southwest , thence bearing northwall a distance of the southwest aring northwest corner aring northwest a distance of the southwest corner aring northwest corner aring northwest a distance of the southwest corner are set to the point of the sis a Rock monument or x 44 post.	m are located NF cor heast distance ; thence est , marked ce of 750 feet ; thence beginning.
nd marked as followence bearing south orner, marked so former, marked so former, marked stance of 600 NW sor the north side earing NE ach of the above of the south south south south south side earing NE ach of the above of the south s	The corners are was Beginning hear distance of 75 feet to the renter man distance of the corner man di	nd side centers of the claim g at the NE corner, marked s of 600 feet to the sout ce bearing southwest a le center , marked 860 0 feet to the southwest	m are located NF cor heast distance ; thence est , marked ce of 750 feet ; thence beginning.
nd marked as followence bearing south orner, marked so forner, marked so forner, marked stance of 600 NW sor the north side earing NE and the above of the above of the location Certification Certification of the south side of the above of the location Certification Ce	The corners are was Beginning hear distance of 75 miles to the corner man distance of the corner man distance was perfectly the corner man distance was perfectly the corner man distance of the corner man distance was perfectly the corner man distance of the corner	nd side centers of the claim g at the NE corner, marked s of 600 feet to the sout ce bearing southwest a le center , marked 880 0 feet to the southwest , thence bearing northwest aring northwest corner aring northesst a distance rked NSC 750 feet to the point of ers is a Rock monument or x 41 post. and discovery work referred rformed on or before	n are located NE cor heast distance , thence est marked ce of 750 feet ; thence beginning.
nd marked as followence bearing south orner, marked so forner, marked so forner, marked stance of 600 NW sor the north side earing NE and the above of the above of the location Certification Certification of the south side of the above of the location Certification Ce	The corners are was Beginning hear distance of 75 miles to the corner man distance of the corner man distance was perfectly the corner man distance was perfectly the corner man distance of the corner man distance was perfectly the corner man distance of the corner	nd side centers of the claim g at the NE corner, marked s of 600 feet to the sout ce bearing southwest a le center , marked 860 0 feet to the southwest	n are located NE cor heast distance , thence est a , marked ce of 750 feet ; thence beginning. to above in
nd marked as followence bearing south orner, marked so former, marked so former, marked stance of 600 NW sor the north side earing NE and of the above of the south of the sou	The corners are was Beginning hear distance of 75 feet to the received corner man distance of lescribed corner ficate was per 168, by or on	nd side centers of the claim g at the NE corner, marked s of 600 feet to the sout ce bearing southwest a le center , marked 880 0 feet to the southwest 1 thence bearing northwest aring northwest corner aring northeast a distance NSC 750 feet to the point of ers is a Rock wonument or x 41 post. and discovery work referred rformed on or before behalf of the undersigned	n are located NE cor heast distance , thence est a marked ce of 750 feet ; thence beginning. to above in locator(s).
nd marked as followence bearing south orner, marked so former, marked so former, marked stance of 600 NW sor the north side earing NE and the above of the above of the south	The corners are was Beginning hear distance of 75 SM cor feet to the renter man distance of distance of lescribed corner ficate was per 168, by or on Jr.	nd side centers of the claim g at the NE corner, marked e of 600 feet to the sout the bearing anuthwest a center , marked SSC thence bearing northwest thence bearing northwest aring northeast a distantified NSC 750 feet to the point of the sis a Rock monument or x 44 post. and discovery work referred rformed on or before behalf of the undersigned	m are located NE cor heast distance ; thence sst a , marked ce of 750 feet ; thence beginning. to above in locator(s).
nd marked as followed bearing south a conner , marked so forner , marked stance of 600 M sor othe north side earing NE a conner bearing ne ach of the above of the Location Certifune 15 , 19	The corners are was Beginning hear distance of 75 SM cor feet to the renter man distance of distance of lescribed corner ficate was per 168, by or on Jr.	nd side centers of the claim g at the NE corner, marked e of 600 feet to the sout ce bearing anothwest a feet to the southwest f thence bearing northwest aring northwest corner aring northeast a distantived NSC 750 feet to the point of ers is a Rock monument or x 42 post. and discovery work referred rformed on or before behalf of the undersigned	mare located NE cor heast distance ; thence est
nd marked as followers bearing south a corner, marked so former, marked so former, marked so former, marked istance of 600 NM sor to the north side earing NE a corner ach of the above do his Location Certification Certification 15 19	The corners are was Beginning hear distance of 75 SM cor feet to the renter man distance of distance of lescribed corner ficate was per 168, by or on Jr.	nd side centers of the claim g at the NE corner, marked e of 600 feet to the sout ce bearing southwest a le center marked SSC to feet to the southwest f thence bearing northwest northwest corner ering northeast a distant rked NSC 750 feet to the point of ers is a Rock monument or x 42 post. and discovery work referred rformed on or before behalf of the undersigned 1423 E. Qth So. Selt RECORDED AT THE RECORDED BY MINS Book 24 of OFFICIAL SECORDED aggree	mare located NE cor heast distance ; thence est
nd marked as followence bearing south orner, marked so former, marked so former, marked stance of 600 NW sor the north side earing NE and the above of the above of the south	The corners are was Beginning hear distance of 75 feet to the result of the south aid distance of the rescribed corner was distance of the scribed corner at 4 x 4. The location of the scribed corner at 4 x 4. The location of the scribed corner at 4 x 4.	nd side centers of the claim g at the NE corner, marked s of 600 feet to the sout ce bearing anothwest le center , marked SSC O feet to the southwest , thence bearing northwest northwest corner aring northeast a distantified NSC 750 feet to the point of ers is a Rock monument or x 44 post. and discovery work referred rformed on or before behalf of the undersigned 1423 F. 9th So. Salt RECORDED AT THE RECORDED So Salt RECORDED AT THE RECORDED So Salt mins 26,1968 of 45 mins	mare located NE cor heast distance ; thence est

Mining Claim was located by	n the Europa Mining County, State of Moveds, further in partions of Sec. 3. 9. 10. 11. 14.
District Europa	n the Rupeka Mining
described as being situateds	in partions of Sects. 3. 9. 10. 11. 14
15, 22, 23 - 1,20 - 1	A-521 中文 (D): 7.1 全国中国企业中国企业企业企业企业企业企业企业企业企业企业企业企业企业企业企业企业企
하는 사람들이 되어 있는데 가는 속으로	
The general	course of said lode or vein is northwest
and the undersigned claims 1	reet in a westerly direction
and 1490 reet in an east	feet in a <u>Westerly</u> direction of direction from the point of the center of
the vein or lode along the ent	A least on each side of the center of
and vern or road arong the ent	are rendem or serio creim.
The locatio	n work was done upon the Sun # 73
claim(s) for the benefit of a	contiguous group of not more than ten (10)
Lode Mining Claims, the specif	ic names of which are as follows:
Aun # 64 - 65 - 66 -	c name of which are as follows:
The locatio	n work done consisted of: Drilling
costing a total of \$ 1000.00	, of which \$100.00 is applicable to
this claim.	
Cita Claim,	
	그 생님은 그는 얼마 하는 사람들이 그렇게 되었다. 그렇게 걸었다.
The corners	and side centers of the claim are located
	ing at the NE corner, marked NE cor
thence bearing southers dista	nce of 600 feet to the southess:
	ence bearing anuthwest a distance
of 750 feet to the south	ide center marked ssc thence
pearing 50 a distance of	750 feet to the southwest
corner , marked M cor	thence bearing northwest
distance of 600 /feet to t	thence bearing northwest he northwest corner , marked
NW cor thence	bearing northesst a distance of 750 feet
to the north side center	marked NSC , thence
bearing NE a distance o	marked NSC ; thence f 750 feet to the point of beginning.
Each of the above described co	rners is a Rock monument or
4 X	4 x 4 post.
	n and discovery work referred to above in
this Location Certificate was	
June 15 , 19 <u>68</u> , by or	on behalf of the undersigned locator(s).
n w ganter ve	1423 E. 9th So. Salt Lake City. Then
Name of Locator)	RECORDED AT THE RECORDED B. K. Seeley. Jr
(Name OI LOCATOR)	on June 26, 19 68, or 45 mins, post 4. P. M.
\ / /	
\ \ \	9/ 70 - 10 1 - 0
(Name of Locator)	EUREKA GGUNTY, NEVAD
(MERITO OF MOCACOT)	File No. 47200 Fee \$ 1.00
THIS CERTIFICATE OF LOCATION	MUST BE POSTED UPON THE CLAIM AND A
LEGIBLE COPY RECORDED WITH THE	MUST BE POSTED UPON THE CLAIM AND A COUNTY RECORDER OF THE COUNTY IN WHICH
ME CLAIM IS LOCATED WITHIN GO	DAYS AFTER THE DATE OF LOCATION 1 AND THE

CERTIFICATE OF LOCATION OF LODE HISTING CLAIM

	THIS IS TO CER	TIFY that th	· · · · · · · · · · · · · · · · · · ·	
Mining Claim was day of March	located by B.K	. Seeley, Jr.	on t	THE SECOND TO AN A SECOND
day of March	, 19 <u>68</u> , in t	he Eur		Hibles
District, E	ureka Co ng situateds in	unty, State	of Mereda, fi	irther
described as bein	ng situateds in	portions of	30 0'0-3-9-	
15. 28.	23 - T. 201 - R. 5	ZB. MUB & R		63
				
		•	, -	
	The general co	ures of said	lote or vetr	in nonthwast
and the underside	ned claims 10	feat in a	westerly	direction
and 1490 feet	in an easterl	v dir	ection from t	he point of
discovery, with a	t in an <u>easterl</u> a width of 300.	feet on ea	ch side of th	ne center of
the vein or lode	along the entire	length of s	aid claim.	
	-	-		
	The location w	ork was done	upon the 3	un l
claim(s) for the	benefit of a con	itiguous grou	p of not more	than ten (10)
Lode Mining Claim	ns, the specific	names of whi	ch are as fol	llows:
Syn # 124	-65-66-67	- 1 - 07	10 = 11 - 1	2-73
		 		
	The location w	ork done con	sisted of: D	rilling:
costing a total o	of \$ 1000.00 ,	of which \$1	00.00 is app.	licable to
this claim.	—— <u>,</u>))	
)]	
			/ /	
_	The corners ar	nd side cente	rs of the Cla	aim are located
ard marked as fol	llows: Beginning	y at the NEC	orner, marked	NE COT
thence bearing so	utheast distance	or <u>500</u> ree	t to the <u>so</u>	ulheast
corner, marked	SE oor , thenc	re bearing <u>s</u>	Dillowest Cod	· thence
or 750 reet	to the south side distance of 750	a center .	he southwes	* Change
rearing <u>sw</u>	tod Swamp	thence b	esting post	huget
corner , har	ked se cor feet to the , thence bea	Monthue	t conner	marked
MW ACE	thence her	Ting porther	er a dist	ance of 750 feet
to the north eld	e center , mai	rked NSC		: thence
tearing NY	_a distance of	750 feet t	o the point	of beginning.
ach of the above	e described corne	ers is a Ro	ock menument	or
sell of the above		x 4s post.		
	7 7			
		/ /		
	The location a	and discovery	work referr	ed to above in
this Location Cer	rtificate was net	rformed on or	before	·
June 15	19 <u>68</u> , by or on	behalf of th	e undersigne	d locator(s).
		1407 -	745 Ca C-3	· Laka Clau Hack
E.K. Seeley				t Take City, III A
(Name O	f Locator)	on_Time 26	6 19 68 at 45	/ 'D
\ \	/)	Book 24	of OFFICIAL RECORDS,	page 535 RECORDS OF
\ \	/ /	EUREKA COUNT	0./ 44	
(Name of	f Locator)		(Address)	
Indiad O.		riie NO.		Fee \$ 1.00

THIS to TO	CERTIFY that the Sun # 68 Lode -
Mining Claim was located by	3.I. Seeley, Jr. on the
day of March . 1968 . i	n the Euroka Mining
District, Eureka	County, State of Mevada, further in portions of Mec's. 3. 9. 10. 11. 14.
described as being situateds	in portions of Sec's. 3. 9. 10. 11. 14.
15. 22. 23 - T.201 - I	1.52E. MD3 & M
The general	course of said lode or vein is northwest.
and the undersigned claims 10	feet in a westerly direction
and 1490 feet in an easte	rly direction from the point of
discovery, with a Width of 30	rly direction from the point of the feet on each side of the center of
the vein or lode along the ent	ire length of said claim.
The leastic	n work was done upon the Sun # 73
claim(s) for the benefit of a	contiguous group of not more than ten (10)
Lode Mining Claims, the specif	c names of which are as follows:
	67-68-69-70-71-72-73
•	
The location	n work done consisted of: Drilling
The location	WOLK done Consisted of Diffing
	
	, of which \$100.00 is applicable to
this claim.	
•	
The corners	and side centers of the claim are located
	ing at the NE corner, marked NE cor
	nce of 600 feet to the southeast
	ence bearing southwest a distance
of 750 feet to the south s	ide center , marked SSC ; thence
bearing sw a distance of	750 feet to the southwest
corner , marked & cor	; thence bearing northwest
Mw cor thence	he northwest corner , marked bearing northeast a distance of 750 feet
to the north side center	marked NSC ; thence
bearing NE a distance of	f 750 feet to the point of beginning.
Each of the above described co.	rners is a Rock nument or
	4 x 4± post.
The Jeant Le	n and discovery work referred to above in
this Location Certificate was	
	on behalf of the undersigned locator(s).
\ \	
P.K. Seeley, Jr.	1423 E. Sin So, Salt Lake City, Ilah
(Name of Locator)	LECONDED AT THE (Address) B.K. Seeley, Jr.
\ \ /	on June 26, 1968, of 45 mins, past 4 P. M. i Book 24 of OFFICIAL RECORDS, page 536 2, RECORDS OF
(Name of Locator)	A PACO CO AND THE RESIDENCE OF THE PACO CO.
(File No. 1 (20) Thadress Fee \$ 1.00

	TIPY that the sum # 69
Mining Claim was located by B.K.	Seeley Jr. on the
day of March , 1968, in the District, Eureks Coudescribed as being situated: in	he <u>Euroka</u> Mining
described as being situateds in	partions of fee's. 3. 9. 10. 11. 14.
15. 22. 23 - T.201 - R.52	ZE. MDB & N
	*
The general cou	urse of said lode or vein is northwest
and the undersigned claims 10	feet in a <u>Westerly</u> direction
and 1490 feet in an easterly	feet in a <u>Westerly</u> direction direction from the point of feet on each side of the center of
discovery, with a width or 500	lest on each side of the center of
the vein or lode along the entire	length of said claim.
	\ \
The location wo	ork was done upon the Sun # /3
claim(s) for the benefit of a cont	tiguous group of not more than ten (10)
Lode Mining Claims, the specific r	names of which are as follows:
8un #64-65-66-67	-68-69-70-71-72-73
•	
The location wo	ork done consisted of: Drilling
costing a total of \$ 1000.00	of which \$100.00 is applicable to
this claim.	
The corners and	d side centers of the claim are located
and marked as follows: Beginning	at the NE corner, marked NE cor 1
thence bearing southers distance	of 600 feet to the southeast
corner , marked SE cor ; thence	e bearing southwest a distance
of 750 feet to the south side	center , marked SSC ; thence
hearing Sw a distance of 750	o feet to the southwest
corner , marked h cor	thence bearing northwest northwest corner , marked
MU and thence hear	ring northeast - a distance OI 750: I GGE -
to the north side center mar	ked NSC ; thence,
bearing NF a distance of	ked NSC ; thence, 750 feet to the point of beginning.
Sach of the above described corner	ers is a Rock monument or
a 4 x 4 x	x 45 post.
	7 /
The location a	and discovery work referred to above in
<u>June 15</u> , 19 <u>68</u> , by or on	behalf of the unsersigned locator(s).
\ \n \	1423 F. 9th So. Selt Lake City, 1964
B.K. Seeley Jr.	RECORDED AT THE SICAGROSS B.K. See Lev. Jr.
(Name of Locator)	RECORDED AT THE SE(AGGRESS) B.K. Seeley, Jr. M. June 26 19 68 of 45 mins post 4 P. M.
\ \ / /	Book 24 of OFFICIAL RECORDS, page 537 RECORDS
	CHARLE COUNTY NEWADA MANGE (1. 18 Och Beco
(Name of Locator)	Fee S 1.00
/ territor or monages	File No. 4.4.4.4

Maria dia Maria dia Maria	THIS IS TO C	ERTIFY that	t the <u>Sm</u>	170	-104 PC
Mining Claim was day of Harch District, E described as bein	Tocated by B.	L. Secley.	Transis de	on the	
District. E	ureke	County St	te of Here	de further	Thrist
described as beir	g situated:	n portions	DÍ BOC'S.	3. 9. 10. 1	1. 14.
15. 22.	23 - T.201 - R.	52E. MDB &			1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
*	1.75				***
•		•			•
•	en e	_			•
and the undered	The general o	course of	said lode o	r vein is r	orthygat
and the undersign	in an Acetes	Teet :	in a <u>Wes</u>	terly di	rection
discovery, with a	Width of 300	feet or	_urrection	Lion the con	tot of
the vein or lode	along the entir	re length	of said cla	im.	
	• • • • • • • • • • • • • • • • • • • •			\	\
				\ .	4-2
	The location	work was	done upon t	he Sun #	73
claim(s) for the	benefit of a co	ontiquous d	roup of no	t more than	ten (10)
Lode Mining Claim Bun # 5	s, the specific	names of	which are	as follows:	
Bun	-62-06-01	COK-D'	1-10-71	-17-13	
					
	The location	work done	consisted	of: Datilia	
	***************************************	WOLK GOING	COMBIBCEO	01. <u></u>	(
				\	/ /
				1	
osting a total o	f \$ 1000.00	, of which	\$100.00 i	s applicable	e to
this claim.	,) "		
				/	
	The corners a	and side ce	enters of t	he claim ar	e loca ted
and marked as fol	lows: Beginnin	ng at the	NE corner,	marked_ <u>NE</u>	cor
hence bearing so:	itheast distance	e or <u>600</u>	reet to th	ie <u>southeas</u>	<u>t</u>
corner , marked f 750 feet t	o the routh of	ice bearing	<u>. aoutnwesi</u>	a dist	ance • *bana*
earing <u>fw</u> a	distance of 7	on denter	, marked	BSC	; chance
corner mark	ed Swicor	thence	e bearing	northwest	
istance of 600	feet to the	nort	nwest corne	er	marked
NW cor	; thence be	aring nor	theast a	distance o	1750 feet
o the north side	center , ma	rked	NSC	; tì	hence
o the <u>north side</u>	a distance of _	750 fee	t to the p	oint of beg	inning.
Each of the above	described corn	ners is a_	Rock_nana	ment or	
	84×4	x 4t post	<u> </u>		
		/	/		
	_ \ .				
Kr. K	The location	and discov	ery work r	eferred to	above in
his Location Cer	tificate was pe	eriormed on	or before	alanad laas	tor(a)
June 15	ra <u>oo</u> ' na or ou	i penalt of	. cne under	sidued focg.	COI(8).
E.K. Seeley.	Jr.	142	? ∓. Oth 50	Sait Lake	City. Htah
	Locator)	X	(Addr	ess) B.K. Se	eley, Jr
\ \	7	₀ <u>n June</u>	<u> 26 </u>	_4 <u>5</u> _ = -:s:	_ <u>4P_</u> × i
\ \	/ /	Book 24	of OFFICIAL RI	ECGROS, page <u>538</u>	RECORDS O
		KINDEVA CO	AUPASM ALMIN	William a l	le Taole Recorde
(Name of	Locator)	File No T	72U4(Addr	ess)	Fee \$ 1.00
		, de 140,			·— -— - -

539 BOOK 24 __PAGE_

CERTIFICATE OF LOCATION OF LODE MINING CLAIM (GROUP OF CLAIMS)

THIS IS TO CERTI	FY that the Sun # 71 Lode
Mining Claim was located by B.I.	belev. Jr. on the
day of March , 1968, in the District, Eureka Coundescribed as being situated: In po	Europa Mining
described as being situated: in no	ertions of Secis. 3. 9 10. 11. 14.
15. 22. 23 - T.201 - R.52E.	MD8 & M
	•
The general cour	se of said lode or vein is northwest.
and the undersigned claims 10	feet in a <u>westerly</u> direction
and 1490 feet in an easterly	direction from the point of
discovery, with a Width of 300 the vein or lode along the entire 1	angth of said claim
the verm of lode along the entire is	angen of sale claim,
The location wor	k was done upon the Sun # / S
claim(s) for the benefit of a conti-	quous group of not more than ten (10)
Lode Mining Claims, the specific nay	mes of which are as follows:
sun # 54-65-66-67-	68-69-70-7/-72-73
•	
The location wor	k done consisted of: Drilling
THE TOCACION WOL	A doug constitute of the first
·	
costing a total of \$ 1000.00 , o	f which \$100.00 is applicable to
this claim.	
· ·	
	f all a late and loosted
The corners and	side centers of the claim are located
and marked as Iollows: Beginning a	t the <u>NE</u> corner, marked <u>NE cor</u> ; f 600 feet to the <u>southeast</u>
corner, marked SF cor; thence	hearing equipment a distance
of 750 feet to the south side of	center , marked ASC ; thence
bearing Si a distance of 750	feet to the southwest
corner . marked Sm cor	thence bearing northwest a
distance of 600 feet to the	nortowest corner , marked
NW cor thence beari	ng northeast a distance of 750 reet
to the north side center . marke	d NSC; thence
bearing NE \a distance of 7	50 feet to the point of beginning.
Each of the above described corners	is a Rock gonument or
<u> 4 x 4 x 4</u>	11 205t.
Man leastier and	discovery work referred to above in
this Location Certificate was perfo	ormed on or before
Time 16 19 68 by or on be	half of the undersigned locator(s).
E.K. Seeley, Jr.	1427 F. Gih So. Selt Jake City, IItah
(Name of Locator)	on_Tune_26_,19_68 at _45_ mins. post _4 P. M.
\ \ \ / /	Book 24 of OFFICIAL RECORDS, page 539 RECORDS C
	EUREKA COUNTY, NEVADA Sulling a. Actaoli Becorde
(Name of Locator)	File No. 17205 (Address) Fee \$ 1.00
(Name of recreet)	rile No. B. F. Co. V. Co. T. Co. Co. Co. Co. Co. Co. Co. Co. Co. Co

		CERTIFY that		72	Lode we
lining Claim wa	s located by	B.K. Seeley	r.	on the	787
ay of March	1968, Europe ing situated:	in the h	reke	M11	ing
istrict,	Euroka	County, Stat	e of Mevede	, Lurther	- 1
escribed as be	11ng situated:_ _ 23 - T.201 -	In pertions	71 B00' B - 3	<u> 9, 19, 11</u>	
19, <u>c</u> ç	<u> </u>	ROSEL KUD 6	<u> </u>		
					
					• :
	The genera	l course of sa	id lode or	vein is no	rthweat
nd the undersi	gned claims				
nd 1490 fe	et in an <i>eas</i> i	tarly a	irection fr	om the pois	t of
iscovery, with	a Width of	100 feet on	each side o	f the cente	r of
he vein or loc	le along the en	tire length of	said claim	- \ \	,
				\ _	
	The locati	on work was do	ne unon the	900 # 7	3
laim(e) for th	e benefit of a				en (10)
ode Mining Cla	ins the eneck	fic names of w	hich are as	follower	.e / Tò/
Bun #	37-65-66-1	7-18-69	7067/-	12 - 73 1	
	The locati	on work done c	onsisted of	: Drilling	
<u> </u>					
			$\overline{}$		/ /
sting a total	of \$ 1000.00	of which	\$100 00 is	applicable	to
nis clai m.	. O1 <u>4 1000100</u>	- OI WHICH	7.55.75	-FF	
)		
			/ /		
	The corner	s and side cen	ters of the	claim are	located
nd marked as f	ollows: Begin	ning at the N	Corner wa	rked <u>NE</u>	or
hence bearing_	southers dist	ance of 600 f	eet to the_	_southeast	266
forner, marke	d SE cor ; to the south	nence bearing_	BOIILDWEST marked		thence
earing e a	_a distance of	750 feet to	the south	uraet	_,,
corner ma	rked St cor	t thence	bearing y	orthwest	
istance of 60	0 feet to	the norton	est corner	1	narked
NW cor	thence	bearing north	neast a d	istance of	<u>750</u> feet
o the north a	ide denter .	marked N	SC Y	; th	ence
earing NE	a distance	of <u>750</u> feet	to the poi	nt of begin	nning.
ach of the abo	ve described c			nt or	
	. 4 7	<u>x 4 x 4± post.</u>			
			/		
					soura de
sia Toursian C	rne locati Certificate was	on and discove	ar bafare	erred to a	SOVE IN
nis Location C	, 19 <u>68</u> , by or	on behalf of	thedersi	gned locate	or(s).
<u> </u>	., 19 <u>.90</u> ., 29.01	on benare or	Cite 316.1.02	5	
					, 1,
B.K. Seel	ev Jr		E. 9th So.		
	of Locator)		T THE ÉL (ACIDOS		
\	/)		26,19.68, or 4		4 P.M.
\	/ /	Baok <u>24</u>	_ of OFFICIAL BEEC	IRDS, page 54	O / , BECORD
	/ /	Enseky Col	INTY NEVADA SEL	ew U. N.	Jaste seco
(Name	of Locator)	File No. 4	206Addre	i = /	ee \$_1.00_
					_
CHIS CERTIFICA	TE OF LOCATION	MUST BE POSTE	DER OF THE	COUNTY IN	Нт Сн
IÈ CLAIM IS LO	TE OF LOCATION CORDED WITH THE CATED WITHIN 9	O DAYS AFTER T	์ จีก ๋ จฑ์ ัผก ์ `จีหั	ได้ดีที่ที่ดีก็ไว้ไ	7144 415

this is to certify that the bus of mining Claim was located by B.K. Seeley. Jr. on the sureka production. Sureka County, State of Hevada, fureka county, State of Hevada, fureka county as being situated: in portions of Rec's. 3. 9. 15. 22. 23 - T.201 - R.52E. MDB & M.	Mining rther 10 11 14
District, Eureka County, State of Hevada, further county as being situated: in portions of Mac's, 3, 9, 15, 22, 23 - T.201 - R.52E, MDB & M	rther 10. 11. 14.
lescribed as being situated: in portions of Sec's. 3. 9. 15. 22. 23 - T.201 - R.52E. MDB & M	10, 11, 14,
15. 22. 23 - T.201 - R.52E. MDB & N	
	•
	· ·
·	
The general course of said lode or vein	is northwest
	GILECTION
nd the undersigned claims to less the direction from to 1490 feet in an easterly direction from to discovery, with a width of 100 feet on each side of the less than the said claim.	ne point of
discovery, with a width of 300 rest on each side of the che vein or lode along the entire length of said claim.	e center o-
the vein or lode along the entity langen of said decimal	\ \
	77
The location work was done upon the S	10 1
A COLOR OF THE PROPERTY OF A CORP. (CINOUS CYCUID OF NOT MOTE	S CHAIN CON (TA)
ode Mining Claims, the apecific names of which are a following from the specific names of the spec	
Bun By-10 - 11 - 11 - 11 - 11 - 11 - 11 - 11	
	ni 111 na
The location work done consisted of:	GI I I I I I I I I I I I I I I I I I I
costing a total of \$ 1000.00 , of which \$100.00 is app	licable to
this claim.	,
The corners and side centers of the cl	aim are located
The second of th	9 NE LILL
corner, marked SF cor ; thence bearing southwest	a distance thence
of 750 feet to the south side denter	<u> </u>
bearing 54 a distance of 750 feet to the southwest corner , marked 54 cor , thence bearing northwest corner distance of 600 feet to the northwest corner to the north side center , marked NSC to the north side center , marked NSC bearing NE a distance of 750 feet to the point side of the shove described corners is a gock monument.	hwest: a
corner , marked seek to the northwest corner	, marked
W cor thence bearing northeast a dist	ance of 750 feet
to the north side center , marked NSIC	; thence
bearing NE a distance of 750 feet to the point	or beginning.
bearing NE a distance of 150 less Rock monument. Each of the above described corners is a Rock monument. 4 x 4 x 4 x 4 post.	<u></u>
<u> 4 7 4 7 48 1990.</u>	
The location and discovery work refers	60 to goone in
this Location Certificate was performed on or before June 15 , 1968, by or on behalf of the undersigne	d locator(s).
June 15 19 68, by or on benali of the understand	
B.K. Seeley Jr. 1423 F. 9th So. Se	It Take City. III
(Name of Locator) RECORDED AT THE RECYMPHETE OF 1968, or 45 mm	B.K. Seerey, J
Book 24 of OFFICIAL RECORDS, pr	ins. pass 541 RECORDS
EUREKA COUNTY, NEVADA Sellial	a. Detaolierin
(Name of Locator) File No. 4/2U (Address)	Fee \$ 1.00
(Name of Locator) File No. 4720 Andaress)	

Mining Claim we logated by B.I. Seeley, Jr. on the Guy of Mining District, County, State of Mewads, further County, State of Mewads, further described as being situated; in Dortions of Med. 1 G. 10. 11 14. 15, 22, 23 - T.201 - R.52E, MDB 1 M. The general course of said lode or vein is northwest, and the undersigned claims 10 feet in a Mesterly direction and 1490 feet in an egitarly direction from the point of discovery, with a width of 100 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun f. Claim of the benefit of a contiguous group of not more than ten (10) lode Mining Claims, the specific names of which are a follows: Bun The location work done consisted of: Drilling The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor j. thence bearing southeasts distance of 500 feet to the Sulfmast and distance of 750 feet to the southeast of the content of	THIS IS TO CERTI	FY that the Sun # 74 Lode
District Survey County, State of Revade, further described as being situated: in portions of Med's 3, 9, 10, 11, 14, 15, 22, 23 - 7.201 - R.52E, MDB 4 M The general course of said lode or vein is northwest and the undersigned claims 10 feet in a Westerly direction and 1490 feet in an enterly direction from the point of discovery, with a width of 200 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun # 1 claims the specific names of thich are as follows: Bun # 1 feet on the benefit of a contiguous group of not more than ten (10) lode Mining Claims, the specific names of thich are as follows: Bun # 1 feet on the sun fine specific names of thich are as follows: The location work done consisted of: Drilling Costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE con the country of the searing southeasts distance of 500 feet to the south aids center in marked. SSG thence bearing southeast and state of the south aids center in merked. SSG thence hearing southwest. My cor the content of the south aids center in merked. SSG thence hearing northwest and stance of 500 feet to the northwest corner in marked. SSG feet to the northwest corner in marked. SSG feet to the north side center in merked. SSG feet to the point of beginning. Each of the above described corners is a fock normal of the side side of the south side of the side side of the side side of the side of the side side	Mining Claim was located by B.K.	Seelev. Jr. on the
County, State of Roward, further described as being situated: in nortions of Sects. 1 9, 10, 11, 11, 15, 22, 23 - 1.201 - 8.52E, MDE 4 M The general course of said lode or vein is northwest, and the undersigned claims 10 feet in a Westerly direction and 1490 feet in an Gesterly direction from the point of discovery, with a width of 00 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun # Claim(s) for the benefit of a contiguous group of not more than ten (10) Lode Mining Claims, the specific names of which are as follows: Sun # Su	day of the Party 1968, in the	Euroka Mining
The general course of said lode or vein is northwest. and the undersigned claims 10 feet in a weigrly direction and 1490 feet in an 20 feet on each side of the center of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun for the benefit of a contiguous group of not more than ten (10) Lode Mining Claims the specific names of which are a follows: Sun for the benefit of a contiguous group of not more than ten (10) Lode Mining Claims the specific names of which are a follows: The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked ME cor ; thence bearing snutnwest a distance of 750 feet to the south side scenter, marked SSC ; thence bearing Me a distance of 750 feet to the south side scenter, marked SSC ; thence bearing morthwest and distance of 600 feet to the south side scenter, marked SSC ; thence bearing ME a distance of 750 feet to the south side scenter , marked SSC ; thence bearing ME a distance of 750 feet to the southwest corner , marked SNC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a fock nearment of the south side scenter , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a fock nearment or a distance of 750 feet to the point of beginning. Each of the above described corners is a fock nearment or served to a distance of 750 feet to the south of the server of the serve	District, Coun	ty, State of Mevada, further
The general course of said lode or vein is northwest. and the undersigned claims 10 feet in a Westerly direction and 1400 feet in an 251271 direction from the point of discovery, with a width of 00 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun # Claim(s) for the benefit of a contiguous group of not more than ten (10) Lode Mining Claims, the specific names of which are a follows: Sun The location work done consisted of: Drilling The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked ME nor 1 thence bearing anothers distance of 600 feet to the Sillhassi corner, marked SE or 1 thence bearing shuthwest a distance of 750 feet to the south side center, marked SE or thence bearing shuthwest conner, marked SE or 1 thence bearing marked SE or 1 thence bearing shuthwest conner, marked SE or 1 thence bearing northwest conner, marked SE or 1 thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a fock northwest or 1 thence bearing NE a distance of 750 feet to the point of beginning. The location and discovery work referred to above in this Location Certificate was performed on or the ferre June 15 , 19.68, the June 26, 19.68, et al. mins pert 1	described as being situated: in po	rtions of \$60's. 3, 9, 10, 11, 14,
and the undersigned claims 10 feet in a Westerly direction from the point of discovery, with a width of 30 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun function from the benefit of a contiguous group of not more than ten (10) Lode Mining Claims, the specific names of which at a follows: Sun The location work done consisted of: Drilling The location work done consisted of: Drilling Costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Reginning at the NE corner, marked NE cor ; thence bearing southeast distance of 500 feet to the sulfmast of the corner, marked Side or ; thence bearing southeast distance of 750 feet to the sulfmast a distance of 750 feet to the sulfmast a distance of 500 feet to the morthwest a distance of 500 feet to the morthwest and stance of 750 feet to the point of beginning. Each of the above described corners is a fock normal or the fore June 15 , 1968, by or on behalf of the size is igned locator(s). Br. Seeley Jr. (Name of Locator) Research All Sides Salt lake City, Behalt Course of 150 feet of the size is igned locator(s). Research All Sides Courty Nexas All Sides Salt lake City, Behalt Course of Sides Salt Course Sides Salt Lake City, Behalt Course of Sides Salt Course Sides Salt Course Salt Course Sides Salt Course Salt Course Salt Salt Course Salt Course Salt Course Salt Course Salt Course Salt	13. 46. 63 - Test - R. 54E.	MDB & M
and the undersigned claims 10 feet in a Westerly direction from the point of discovery, with a width of 30 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun function from the benefit of a contiguous group of not more than ten (10) Lode Mining Claims, the specific names of which at a follows: Sun The location work done consisted of: Drilling The location work done consisted of: Drilling Costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Reginning at the NE corner, marked NE cor ; thence bearing southeast distance of 500 feet to the sulfmast of the corner, marked Side or ; thence bearing southeast distance of 750 feet to the sulfmast a distance of 750 feet to the sulfmast a distance of 500 feet to the morthwest a distance of 500 feet to the morthwest and stance of 750 feet to the point of beginning. Each of the above described corners is a fock normal or the fore June 15 , 1968, by or on behalf of the size is igned locator(s). Br. Seeley Jr. (Name of Locator) Research All Sides Salt lake City, Behalt Course of 150 feet of the size is igned locator(s). Research All Sides Courty Nexas All Sides Salt lake City, Behalt Course of Sides Salt Course Sides Salt Lake City, Behalt Course of Sides Salt Course Sides Salt Course Salt Course Sides Salt Course Salt Course Salt Salt Course Salt Course Salt Course Salt Course Salt Course Salt		
and the undersigned claims 10 feet in a Westerly direction from the point of discovery, with a width of 30 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun function from the benefit of a contiguous group of not more than ten (10) Lode Mining Claims, the specific names of which at a follows: Sun The location work done consisted of: Drilling The location work done consisted of: Drilling Costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Reginning at the NE corner, marked NE cor ; thence bearing southeast distance of 500 feet to the sulfmast of the corner, marked Side or ; thence bearing southeast distance of 750 feet to the sulfmast a distance of 750 feet to the sulfmast a distance of 500 feet to the morthwest a distance of 500 feet to the morthwest and stance of 750 feet to the point of beginning. Each of the above described corners is a fock normal or the fore June 15 , 1968, by or on behalf of the size is igned locator(s). Br. Seeley Jr. (Name of Locator) Research All Sides Salt lake City, Behalt Course of 150 feet of the size is igned locator(s). Research All Sides Courty Nexas All Sides Salt lake City, Behalt Course of Sides Salt Course Sides Salt Lake City, Behalt Course of Sides Salt Course Sides Salt Course Salt Course Sides Salt Course Salt Course Salt Salt Course Salt Course Salt Course Salt Course Salt Course Salt		•
The location work was done upon the Sun # Claim(s) for the benefit of a contiguous group of not more than ten (10) Lode Mining Claims, the specific names of which are as follows: Bun ** The location work done consisted of: Drilling Costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southers distance of 500 feet to the s.itheast corner, marked SE or thence bearing southers a distance of 750 feet to the southwest a distance of 500 feet to the southwest and stance of 500 feet to the southwest and distance of 500 feet to the northwest and stance of 500 feet to the northwest corner , marked NECOTER Thence bearing NE a distance of 500 feet to the point of beginning. Each of the above described corners is a Rock NED WINGER THE NEW HEAD FEET THE NEW HEAD FEET THE NEW HEAD FEET THE Seeley JF. (Name of Locator) The location and discovery were referred to above in this Location Certificate was performed on or triffer Locations of 1968, by or on behalf of the service of 1968, and 1968 feet New Seeley JF. (Name of Locator) RECOMED AT HER KNEW HEAD FEET THE Seeley JF. (Name of Locator) RECOMED AT HER KNEW HEAD FEET THE SEELEY JET CONTENT NEW AND 1968 feet Jet Capter Accounts of the service of 1968 of 45 mins pent 4 D. M. beautiful of the service of 1968 of 45 mins pent 4 D. M. beautiful of the service of 1968 of 45 mins pent 4 D. M. beautiful of the service of 1968 of 45 mins pent 4 D. M. beautiful of the service of 1968 of 45 mins pent 4 D. M. beautiful of the service of 1968 of 45 mins pent 4 D. M. beautiful of the service of 1968 of 45 mins pent 4 D. M. beautiful of the service of 1968 of 45 mins pent 4 D. M. beautiful of the service of 1968 of 45 mins pent 4	The general cour and the undersigned claims 10	se of said lode or vein is northwest, feet in a Westerly direction
The location work was done upon the Sun # Claim(s) for the benefit of a contiguous group of not more than ten (10) Lode Mining Claims, the specific names of which are as follows: Bun ** The location work done consisted of: Drilling The location work done consisted of: Drilling Costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southers distance of 500 feet to the s.itheast of 1500 feet to the south side center , marked SSC ; thence bearing Na a distance of 1500 feet to the southwest a distance of 1500 feet to the southwest and stance of 1500 feet to the southwest and distance of 1500 feet to the northwest corner , marked SW cor ; thence bearing northwest and istance of 1500 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 1500 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 1500 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 1500 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 1500 feet to the point of beginning. Each of the above described corners is a flock northwest to above in this Location Certificate was performed on or triffer to the south side center (NW nW	and 1490 feet in an easterly	direction from the point of
The location work was done upon the Sun # Claim(s) for the benefit of a contiguous group of not more than ten (10) Lode Mining Claims, the specific names of which are as follows: Bun The location work done consisted of: Drilling costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, thence bearing southeast distance of 500 feet to the suth side center, marked SEC ; thence bearing southwest a distance of 750 feet to the south side center, marked SEC ; thence bearing NE a distance of 750 feet to the northwest a distance of 600 feet to the northwest corner , marked NE corner , thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a fock neground or helper . The location and discovery work referred to above in this Location Certificate was performed on or helper . June 15 , 1958, by or on behalf of the standard locator(s). B.K. Seeley, Jr. 1423 F. Gir So. Selt Lake City, Helper County NEWARD NEWS . Gir Markereder. The location of Locator) RECORDS OF THE MINISTERS SECOND OF THE	discovery, with a width or 100	reet on each side of the center of
The location work done consisted of: Drilling The location work done consisted of: Drilling Costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southeast distance of 500 feet to the sithast corner, marked SE cor; thence bearing southeast distance of 500 feet to the south side center , marked SSC ; thence bearing SM a distance of 750 feet to the southwest a distance of 750 feet to the southwest a distance of 600 feet to the morthwest corner , marked ME cor ; thence bearing northwest a distance of 750 feet to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a fock normeral of the center , marked NSC . Thence bearing NE a distance of 750 feet to the point of beginning. The location and discovery work referred to above in this Location Certificate was performed on or terms. The location and discovery work referred to above in this Location Certificate was performed on or terms. The location and discovery work referred to above in this Location Certificate was performed on or terms. The location and discovery work referred to above in this Location Certificate was performed on or terms. The location RECORDS ATTHE NORMS PEES B.K. Seeley, Jr. RECORDS ATTHE NORMS PEES B. A CORNER	the vein or lode along the entire 1	ength of said claim.
The location work done consisted of: Drilling The location work done consisted of: Drilling Costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southeast distance of 500 feet to the sithast corner, marked SE cor; thence bearing southeast distance of 500 feet to the south side center , marked SSC ; thence bearing SM a distance of 750 feet to the southwest a distance of 750 feet to the southwest a distance of 600 feet to the morthwest corner , marked ME cor ; thence bearing northwest a distance of 750 feet to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a fock normeral of the center , marked NSC . Thence bearing NE a distance of 750 feet to the point of beginning. The location and discovery work referred to above in this Location Certificate was performed on or terms. The location and discovery work referred to above in this Location Certificate was performed on or terms. The location and discovery work referred to above in this Location Certificate was performed on or terms. The location and discovery work referred to above in this Location Certificate was performed on or terms. The location RECORDS ATTHE NORMS PEES B.K. Seeley, Jr. RECORDS ATTHE NORMS PEES B. A CORNER		\ uu
The location work done consisted of: Drilling Costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor 1 thence bearing southeast distance of 500 feet to the sitheast of the sitheast of 750 feet to the south side center marked SEC thence bearing SM a distance of 750 feet to the southwest adistance of 750 feet to the southwest adistance of 600 feet to the mortowest corner marked SEC to the north side center marked NEC to 1 the north side center marked NEC to 1 the north side center marked NEC to the point of beginning. Each of the above described corners is a fock normself of the above described corners is a fock normself or the side side of the s	The location wor	k was done upon the Sun # 7
The location work done consisted of: Drilling Costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor ; thence bearing southwest a distance of 500 feet to the southwest a distance of 750 feet to the south side center , marked SSC ; thence bearing NE a distance of 750 feet to the southwest corner , marked SW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest corner , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock normal or a 4 x 4 x 4 x post. The location and discovery work referred to above in this Location Certificate was performed on or later to the point of beginning. Each of the above described corners is a Rock normal or a 4 x 4 x 4 x post. The location and discovery work referred to above in this Location Certificate was performed on or later to the point of beginning. Each of the above described or on behalf of the accessioned locator(s). Each of Locator (Name of Locator) RECORDED AT THE EKRNESS place (Liv., III the Seconds of Live (Name of Locator) (Name of Locator) RECORDED AT THE EKRNESS place (Liv., III the Location Certificate (Name of Locator) (Name of Locator) RECORDED AT THE EKRNESS place (Liv., III the Location Certificate (Name of Locator) (Name of Lo	claim(s) for the benefit of a conti	guous group of not more than ten (10)
The location work done consisted of: Drilling Costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor ; thence bearing southwest a distance of 500 feet to the southwest a distance of 750 feet to the south side center , marked SSC ; thence bearing NE a distance of 750 feet to the southwest corner , marked SW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest corner , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock normal or a 4 x 4 x 4 x post. The location and discovery work referred to above in this Location Certificate was performed on or later to the point of beginning. Each of the above described corners is a Rock normal or a 4 x 4 x 4 x post. The location and discovery work referred to above in this Location Certificate was performed on or later to the point of beginning. Each of the above described or on behalf of the accessioned locator(s). Each of Locator (Name of Locator) RECORDED AT THE EKRNESS place (Liv., III the Seconds of Live (Name of Locator) (Name of Locator) RECORDED AT THE EKRNESS place (Liv., III the Location Certificate (Name of Locator) (Name of Locator) RECORDED AT THE EKRNESS place (Liv., III the Location Certificate (Name of Locator) (Name of Lo	Lode Mining Claims, the specific na	mes of which are as follows:
The location work done consisted of: Drilling Costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor ; thence bearing southwest a distance of 500 feet to the southwest a distance of 750 feet to the south side center , marked SSC ; thence bearing NE a distance of 750 feet to the southwest corner , marked SW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest corner , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock normal or a 4 x 4 x 4 x post. The location and discovery work referred to above in this Location Certificate was performed on or later to the point of beginning. Each of the above described corners is a Rock normal or a 4 x 4 x 4 x post. The location and discovery work referred to above in this Location Certificate was performed on or later to the point of beginning. Each of the above described or on behalf of the accessioned locator(s). Each Seeley Jr. (Name of Locator) BECORDED AT THE EKRNESS place 145 mins, post 4 P.M. is not the post of the secondar the except of		
Costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southwest adistance of 500 feet to the south side center , marked SE cor; thence bearing southwest a distance of 750 feet to the south side center , marked SEC ; thence bearing ME adistance of 750 feet to the northwest corner , marked NE cor ; thence bearing northwest a distance of 600 feet to the northwest corner , marked NE corner , marked NEC ; thence bearing northwest a distance of 750 feet to the north side center , marked NEC ; thence bearing NE adistance of 750 feet to the point of beginning. Each of the above described corners is a fock normal or a 4 x 4 x 4 x post. The location and discovery work referred to above in this Location Certificate was performed on or the fore for the south side of the si		
Costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southwest adistance of 500 feet to the south side center , marked SE cor; thence bearing southwest a distance of 750 feet to the south side center , marked SEC; thence bearing SH adistance of 750 feet to the northwest corner , marked SH cor ; thence bearing northwest a distance of 600 feet to the northwest corner , marked NSC ; thence bearing NE adistance of 750 feet to the point of beginning. Each of the above described corners is a fock northwest. The location and discovery work referred to above in this Location Certificate was performed on or the fore June 15 , 1968, by or on behalf of the star signed locator(s). B.K. Seeley, Jr. 1423 F. Gib So. Salt Lake City, Wesh on June 26 1968, at 49 mins, post 4 P. M. in Block 24 of Official RECORDS of 542 ARCORDS of Seet 24 of Official RECORDS of 542 ARCORDS of Seet 24 of Official RECORDS of 542 ARCORDS of Seet 24 of Official RECORDS of 542 ARCORDS of Seet 24 of Official RECORDS of 542 ARCORDS of Seet 24 of Official RECORDS of 542 ARCORDS of Seet 24 of Official RECORDS of 542 ARCORDS of Seet 24 of Official RECORDS of 542 ARCORDS of Seet 24 of Official RECORDS of 542 ARCORDS of Seet 24 of Official RECORDS of 542 ARCORDS of Seet 24 of Official RECORDS of 542 ARCORDS of Seet 24 of Official RECORDS of 542 ARCORDS of Seet 24 of Official RECORDS of 542 ARCORDS of Seet 25 of Official RECORDS of 542 ARCORDS of Seet 25 of Official RECORDS of 542 ARCORDS of Seet 25 of Official RECORDS of 542 ARCORDS of Seet 25		
Costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southwest adistance of 500 feet to the south side center , marked SE cor; thence bearing southwest a distance of 750 feet to the south side center , marked SEC ; thence bearing ME adistance of 750 feet to the northwest corner , marked NE cor ; thence bearing northwest a distance of 600 feet to the northwest corner , marked NE corner , marked NEC ; thence bearing northwest a distance of 750 feet to the north side center , marked NEC ; thence bearing NE adistance of 750 feet to the point of beginning. Each of the above described corners is a fock normal or a 4 x 4 x 4 x post. The location and discovery work referred to above in this Location Certificate was performed on or the fore for the south side of the si	The location wor	k done consisted of: Drilling
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor ; thence bearing southeast distance of 500 feet to the southeast a distance of 750 feet to the south side center , marked SSC ; thence bearing SW a distance of 750 feet to the southwest a distance of 600 feet to the northwest marked SC ; thence bearing northwest a distance of 600 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a fock normalism or a 4 x 4 x 4 post. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered.	·	
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor ; thence bearing southeast distance of 500 feet to the southeast a distance of 750 feet to the south side center , marked SSC ; thence bearing SW a distance of 750 feet to the southwest a distance of 600 feet to the northwest marked SC ; thence bearing northwest a distance of 600 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a fock normalism or a 4 x 4 x 4 post. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered.		
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor ; thence bearing southeast distance of 500 feet to the southeast a distance of 750 feet to the south side center , marked SSC ; thence bearing SW a distance of 750 feet to the southwest a distance of 600 feet to the northwest marked SC ; thence bearing northwest a distance of 600 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a fock normalism or a 4 x 4 x 4 post. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered. The location and discovery work referred to above in this Location Certificate was performed on or latered.		$\langle \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor		f which \$100.00 is applicable to
and marked as follows: Beginning at the NE corner, marked NE cor ; thence bearing southeast distance of 500 feet to the sitheast a distance of 750 feet to the abouth side center , marked SSC ; thence bearing SW a distance of 750 feet to the southwest corner , marked SW cor ; thence bearing northwest a distance of 600 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a fock northwest or the corner at 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	this claim.	
and marked as follows: Beginning at the NE corner, marked NE cor ; thence bearing southeast distance of 500 feet to the sitheast a distance of 750 feet to the abouth side center , marked SSC ; thence bearing SW a distance of 750 feet to the southwest corner , marked SW cor ; thence bearing northwest a distance of 600 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a fock northwest or the corner at 4 x 4 x 4 post. The location and discovery work referred to above in this Location Certificate was performed on or before June 15 , 1968, by or on behalf of the discussioned locator(s). B.K. Seeley, Jr. 1423 E. Glb So. Salt Lake City, Head (Name of Locator) RECORDED AT THE RECORDED AT THE RECORDED B.K. Seeley, Jr. 1423 E. Glb So. Salt Lake City, Head (Name of Locator) RECORDED AT THE RECORDED AT THE RECORDED B.K. Seeley, Jr. 1700 Northwest Corner (Name of Locator) RECORDED AT THE RECORDED AT THE RECORDED SOR (Name of Locator) RECORDED AT THE RECORDED AT THE RECORDED SOR (Name of Locator) RECORDED AT THE RECORDED AT THE RECORDED SOR (Name of Locator) RECORDED AT THE RECORDED AT THE RECORDED SOR (Name of Locator) RECORDED AT THE RECORDED AT THE RECORDED SOR (Name of Locator) RECORDED AT THE RECORDED AT THE RECORDED SOR (Name of Locator) RECORDED AT THE RECORDED AT THE RECORDED SOR (Name of Locator) RECORDED AT THE RECORDED SOR (Name of Locator) RECORDED AT THE RECORDED SOR (Name of Locator) Recorded (Name of Locator) Reco		
and marked as follows: Beginning at the NE corner, marked NE cor ; thence bearing southeast distance of 500 feet to the sitheast a distance of 750 feet to the abouth side center , marked SSC ; thence bearing SW a distance of 750 feet to the southwest corner , marked SW cor ; thence bearing northwest a distance of 600 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a fock northwest or the corner at 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4 x 4	The corners and	eide centers of the claim are located
thence bearing southeass distance of 500 feet to the sinheast corner, marked SE cor; thence bearing southwest a distance of 750 feet to the south side center, marked SSC; thence bearing SW a distance of 750 feet to the southwest corner, marked SY cor; thence bearing northwest a distance of 600 feet to the northwest corner, marked NW cor; thence bearing northwest a distance of 750 feet to the north side center, marked NSC; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a fock normalism or a 4 x 4 x 4 i post. The location and discovery work referred to above in this Location Certificate was performed on or tefore June 15, 1968, by or on behalf of the stratesigned locator(s). B.K. Seeley, Jr. (Name of Locator) RECORDED AT THE RECORDS, page 542 AECORDS OF SUBERA COUNTY NEVADA 94 W. i. A RECORDS OF SUBERA COUNTY N		
corner, marked SE cor; thence bearing southwest a distance of 750 feet to the south side center, marked SSC; thence bearing SM a distance of 750 feet to the southwest corner, marked SM cor; thence bearing northwest a distance of 600 feet to the northwest corner, marked NW cor; thence bearing northwest a distance of 750 feet to the north side center, marked NSC; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a fock normalism or a 4 x 4 x 4½ post. The location and discovery work referred to above in this Location Certificate was performed on or lefter. June 15, 1968, by or on behalf of the draw signed locator(s). B.K. Seeley, Jr. (Name of Locator) RECORDED AT THE RECORDED AT THE RECORDED AT THE RECORDED AT THE RECORDED OF THE	thence bearing southeas a distance o	f 600 feet to the stitheast.
of 750 feet to the south side center , marked SSC ; thence bearing SW a distance of 750 feet to the southwest corner , marked SW cor ; thence bearing northwest a distance of 600 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a gork normwent or a 4 x 4 x 4½ post. The location and discovery work referre June 15 , 19 68, by or on behalf of the or a signed locator(s). B.K. Seeley Jr. (Name of Locator) RECORDED AT THE RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 24 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 25 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 25 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 25 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 25 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 25 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 25 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 25 of OFFICIAL RECORDS, page 542 AECORDS OF BOOK 25 of OFFICIAL RECORDS OF BOOK	corner , marked SE cor ; thence	bearing soutowest a distance
bearing fw a distance of 750 feet to the southwest corner, marked for the northwest corner, marked for the northwest corner, marked NW cor thence bearing northwest corner, marked NW cor thence bearing northwest a distance of 750 feet to the north side center, marked NSC; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a fock nonwent or second the above in this Location Certificate was performed on or tefore June 15, 1968, by or on behalf of the or resigned locator(s). B.K. Seeley Jr. (Name of Locator) RECORDED AT THE RECORDS B.K. Seeley, Jr. On June 26, 1968, or 45 miss. past 4 P.M. in Book 24 of OFFICIAL RECORDS, page 542 AECORDS OF SEINERA COUNTY NEVADA 94.00.1 A locate Recorder.	of 750 feet to the south side of	center , marked SSC ; thence
distance of 600 feet to the northwest corner , marked NW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a fock normwent or a 4 x 4 x 4½ post. The location and discovery work referred to above in this Location Certificate was performed on or leftere June 15 , 1968, by or on behalf of the arm signed locator(s). B.K. Seeley Jr. (Name of Locator) RECORDED AT THE RICANS PEECS B.K. Seeley Jr. on June 26 ,1968, of 45 miss, post 4 P. M. in Book 24 of OFFICIAL RECORDS, page 542 AECORDS OF SURENA COUNTY NEVADA 74 Co. 1 C. De Local Recorder.	bearing SW a distance of 750	feet to the southwest
The location and discovery work referred to above in this Location Certificate was performed on or hefore June 15 , 1968, by or on behalf of the draw signed locator(s). B.K. Seeley Jr. (Name of Locator) RECORDED AT THE RICHEST PERSONS. Page 542 RECORDS OF EMPIRE A COUNTY NEVADA 74.0		; thence bearing northwest a
The location and discovery work referred to above in this Location Certificate was performed on or hefore June 15 , 1968, by or on behalf of the draw signed locator(s). B.K. Seeley Jr. (Name of Locator) RECORDED AT THE RICHEST PERSONS. Page 542 RECORDS OF EMPIRE A COUNTY NEVADA 74.0	distance of 600 feet to the	northwest corner , marked
The location and discovery work referred to above in this Location Certificate was performed on or leffere June 15, 1968, by or on behalf of the draw signed locator(s). B.K. Seeley, Jr. (Name of Locator) RECORDED AT THE RECORDS, page 542 AECORDS OF EMPERA COUNTY NEVADA. The Color of the	NW cor ; thence beari	ng northeast a distance of 750 rest
The location and discovery work referred to above in this Location Certificate was performed on or leftere. June 15 , 1968, by or on behalf of the draw signed locator(s). B.K. Seeley, Jr. (Name of Locator) RECORDED AT THE RECORDS, page 542 AECORDS OF FURREY COUNTY NEVADA. The Color Recorder.	to the north alde center , marke	Q NSC ; thence
The location and discovery work referred to above in this Location Certificate was performed on or leftere	Grah of the above described corners	to a feet to the point of beginning.
The location and discovery work referred to above in this Location Certificate was performed on or leftere	Each of the above described corners	the coar
this Location Certificate was performed on or terrore June 15 , 1968, by or on behalf of the arm signed locator(s). B.K. Seeley, Jr. (Name of Locator) RECORDED AT THE RICHEST PLESS B.K. Seeley, Jr. on June 26 , 1968, of 45 mins post 4 P. M. in Book 24 of OFFICIAL RECORDS, page 542 RECORDS OF		12 1/05 (1
this Location Certificate was performed on or terrore June 15 , 1968, by or on behalf of the arm signed locator(s). B.K. Seeley, Jr. (Name of Locator) RECORDED AT THE RICHEST PLESS B.K. Seeley, Jr. on June 26 , 1968, of 45 mins post 4 P. M. in Book 24 of OFFICIAL RECORDS, page 542 RECORDS OF		
this Location Certificate was performed on or terrore June 15 , 1968, by or on behalf of the arm signed locator(s). B.K. Seeley, Jr. (Name of Locator) RECORDED AT THE RICHEST PLESS B.K. Seeley, Jr. on June 26 , 1968, of 45 mins post 4 P. M. in Book 24 of OFFICIAL RECORDS, page 542 RECORDS OF	The location and	discovery work referred to above in
B.K. Seeley Jr. (Name of Locator) RECORDED AT THE RECORDED AT THE RECORDED B.K. Seeley, Jr. on June 26, 19.68, at 45 mins. past 4 P. M. in Book 24 of OFFICIAL RECORDS, page 542 RECORDS OF	this Location Certificate was perfo	rmed on or lefore
(Name of Locator) RECORDED AT THE RICORDED PERSON B.K. Seeley, Jr. on June 26, 1968, at 45 mins. past 4 P. M. in Book 24 of OFFICIAL RECORDS, page 542 RECORDS OF EUREKA COUNTY NEVADA 960 OF OFFICIAL RECORDS.	June 15 , 1968, by or on be	half of the arm signed locator(s).
(Name of Locator) RECORDED AT THE RICORDED PERSON B.K. Seeley, Jr. on June 26, 1968, at 45 mins. past 4 P. M. in Book 24 of OFFICIAL RECORDS, page 542 RECORDS OF EUREKA COUNTY NEVADA 960 OF OFFICIAL RECORDS.		
(Name of Locator) RECORDED AT THE RICORDED PERSON B.K. Seeley, Jr. on June 26, 1968, at 45 mins. past 4 P. M. in Book 24 of OFFICIAL RECORDS, page 542 RECORDS OF EUREKA COUNTY NEVADA 960 OF OFFICIAL RECORDS.		
Book 24 of OFFICIAL RECORDS, page 542 RECORDS OF	B.K. Seeley Jr.	PECONDED AT THE SIGNISTRAN - A R K See Lov Tr
Book 24 of OFFICIAL RECORDS, page 542 RECORDS OF	(Name of Locator)	on June 26 1968 at 45 mins. past 4 P. M. in
EURENA COUNTY NEVADA . 4 CO. A. De Carle Recorder	\ \ / /	Book 24 of OFFICIAL RECORDS, page 542 RECORDS OF
		ELIBERA COUNTY NEVADA - 91,00 a la Carte Recorder.
	(Name of Locator)	File No. 47208Address) Fee \$ 1.00

THIS IS TO CERTIFY that the_	Am # 75
Mining Claim was located by B.K. Seeley, Jr. day of Harm How, 1968, in the Europe District, Europe described as being situated: in portlose of the 15, 22, 23 - T.201 - E.52E, MDB & M	on the
day of Home, 1908, in the Europe	
District, Eures County, State of	
described as being situateds in burtions of	10 TO 10
19, 26, 37 - 11,00	a Contract C
The general course of said le	ode or vein is northwest
and the undersigned claims 10 feet in a and 1490 feet in an westerly direct discovery, with a width of 300 feet on each	easterly direction
and 1490 feet in an westerly direct	tion from the point of
discovery, with a width or <u>sov</u> reet on each the vein or lode along the entire length of said	side of the centerior
the vein or lode along the entire length of Ball	d Claim,
·	
The location work was done u	pon the Sun # 99
rialmic) for the negetit of a contiduous dioud '	of not more chair can take
Lode Mining Claims, the specific names of which	are as follows:
Lode Mining Claims, the specific names of which Bun #39 1/, 43, 14, 75, 76, 77, 78	, 79
·	
The location work done consi	sted of: Drilling
THE TOCKCION WOLK GONG CONST	
costing a total of \$ 1000.00 , of which \$100	.00 is applicable to
this claim.	
The corners and side centers	of the claim are located
and marked as follows: Beginning at the NE cor	ner marked NE cor
though has ring another as a distance of AUC Test	EO LITE SOILTHERL
somen marked SE dor . thence bearing sout	thwesta discance
bearing Sw a distance of 750 feet to the corner , marked Sw cor ; thence bea	<u>southwest</u>
corner , marked S cor ; thence bea	ring northwest marked
distance of 600 feet to the northwest	corner , market
NW cor , thence bearing northeas to the north side center , marked NSC	: thence
bearing NE a distance of 750 feet to	the point of beginning.
Each of the above described corners is a Rock	k menument or
a 4 x 4 x 4s post.	
The location and discovery w	vork referred to above in
this Location Certificate was performed on or t	perore locator(e)
June 15, 1968, by or on behalf of the	Mindal 21 disen Tocator (8)
	•
E.K. Seelev Jr. 1427 E.	9th So. Salt Lake City. II
(None of Locator)	(Address) B.K. Seeley, Jr.
on_June_26_13	268_, ct 45_ http://esst4_P+M. [2]
Book 24 of GI	FICIAL RECORDS, page543 ./, RECORDS
EUREKA COLINTY, NI	VADI Stellies a. De Carle
(Name of Locator) File No. 4720	(Address) Fee \$ 1.00 m

THIS IS TO CERTI	FY that the Sun # /6	Lode
Mining Claim was located by B.K. day of April, 1968, in the District, Eureka Coun	Finals	ining
District Fursks Coun	ty State of Meyada, further	rurna
described as being situated: in po	ortions of Sec. 3. 9. 10. 1	1. 14
15. 22. 23 - T.201 - R.52E.	MDB & M	
		•
The general cour	se of said lode or vein is n	or Lowest
and the undersigned claims 10 and 1490 feet in an easterly discovery, with a width of 300	reat in a Westerly di	rection int of
discovery with a Width of 300	feet on each side of the Cen	ter of
the vein or lode along the entire 1	ength of said claim.	
•	\ \	
	\ •	da a
The location wor	k was done upon the Sun	(10)
claim(s) for the benefit of a conti	guous group of not more than	ten (10)
Lode Mining Claims, the specific na	mes of which are as follows:	-\
Lode Mining Claims, the specific na	, 13, 19, 1, 15, 17,	-\
The location wor	k done consisted of: <u>Drillin</u>	E
		-//-
		/
costing a total of \$ 1000.00 , o	f which \$100.00 is applicabl	e to
this claim.		
_	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	- located
The corners and and marked as follows: Beginning a	side centers of the claim ar	e locaceu
thence bearing southers distance of	of 600 feet to the southers	. †
corner marked SE cor : thence	bearing southwest a dist	ance
of 250 foot to the south side of	anntan marked SSC	: thence
bearing sw a distance of 750 corner , marked sw cor distance of 600 feet to the	_feet to the <u>southwest</u>	
corner , marked Si cor	; thence bearing northwest	a a
distance of 600 feet to the	northwest corner	raixed fact faat
to the north side center , marke	ng northeast a distance of	hence
bearing NE a distance of 7	50 feet to the point of beg	inning.
Each of the above described corners	is a Rock chument or	
8 4 x 4 x		
		-> 45
The location and	discovery work referred to	apove in
this Location Certificate was perfo June 15 , 19 68, by or on be	sha'f of the undersigned loca	tor(s).
, 19_00, 19 01 01 00	Sile Control of the C	
		-
P.K. Seeley, Jr.	1423 F. 51h So. Salt lake	City, Utah
(Name of Locator)	RECORDED AT THE RECARD PLAS B.K. Se	4 P. M. in
\ \ / /	Book 24 of OFFICIAL RECORDS, page	44 RECORDS OF
\ \ /	EUREKA COUNTY, NEVADA	Recorder.
(Name of Locator)	File No. 1721 (Address)	Fee \$ 1.00
(Name of Pocacor)	FIIE NO TO	1 45 4

Mining Claim was located by B.K. Seeley. Jr. on the day of	THIS IS TO CE	RTIFY that the Sun # 77
The general course of said lode or vein is northwest and the undersigned claims 10 feet in a twesterly direction and 1490 feet in an esterly direction from the point of discovery, with a width of 00 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun will be provided with the vein or lode along the entire length of said claim. The location work was done upon the Sun will be provided with the vein or lode along the sentire length of said claim. The location work was done upon the Sun will be provided with the vein or lode along the sentire length of said claim. The location work done consisted of: Drilling The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, warked SE corner, warked SE corner, thence bearing Sun adistance of 500 feet to the southwast adistance of 500 feet to the southwast and stance of 500 feet to the southwast and stance of 500 feet to the southwast corner, marked SE corner, mark	Mining Claim was located by B.E	Seeley Jr. on the
The general course of said lode or vein is northwest and the undersigned claims 10 feet in a twesterly direction and 1490 feet in an exterly direction from the point of discovery, with a width of 50 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun 1 claim (10) Lode Mining Claims, the arecific pares of which as a follows: Ann 1 corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked Sa cor 1 thence bearing southeast distance of 600 feet to the southeast of corner, marked Sa cor 1 thence bearing southeast adistance of 550 feet to the southeast of stance of 500 feet to the southeast of stance of 500 feet to the southeast of corner, marked Sa cor 1 thence bearing southeast adistance of 500 feet to the northwest corner marked Sa cor 1 thence bearing northwest adistance of 500 feet to the northwest corner marked NM cor 1 thence bearing northwest and stance of 500 feet to the northwest corner marked NM cor 1 thence bearing northwest corner marked NM cor 1 thence bearing northwest corner marked NM cor 1 thence bearing northwest and istance of 500 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 41 post. The location and discovery work referred to above in this Location Certificate was performed on or before June 15 , 19 GB, by or on behalf of the undersigned locator(s). P, X. Segley, Jr. 1423 F. 3th So. Salt Lake City, High Receives the corner is a section of the section of	day of 1968, in	che Fureba Mining
The general course of said lode or vein is northwest and the undersigned claims 10 feet in a twesterly direction and 1490 feet in an easterly direction from the point of discovery, with a width of 30 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun 1 claim of the vein or lode along the entire length of said claim. The location work was done upon the Sun 1 claim of the vein or lode along the entire length of said claim. The location work done consisted of: Drilling The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked Side of the southeast of the south side center of the southeast of the south side center, marked Side of the south side center, marked side the south side center, marked side the south side center, marked side center, side side center, side side center, side side center, side side side center, side side side side side side side side	District, Lures Co	ounty, State of Mevada, Turther
The general course of said lode or vein is northwest and the undersigned claims 10 feet in a westerly direction from the point of discovery, with a width of 00 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun for the benefit of a contiguous group of not more than ten (10) Lode Mining Claims, the pecific page of which was college. The location work done consisted of: Drilling The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE nor 7 thence bearing southwest of 600 feet to the southwast corner, marked SE nor 7 thence bearing southwest of distance of 750 feet to the southwast normer, marked SE on 7 thence bearing southwest of distance of 750 feet to the southwast normer of marked SE on 7 thence bearing northwast normer northw	described as being situatedsin	OF UND A W
and the undersigned claims 10 feet in a westerly direction and 1490 feet in an esterly direction from the point of discovery, with a width of 20 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun 14 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun 14 feet of a contiguous group of not more than ten (10) Lode Mining Claims, the specific papes of which are as follows: Sun The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor the southeast of		
and the undersigned claims 10 feet in a westerly direction and 1490 feet in an esterly direction from the point of discovery, with a width of 20 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun 14 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun 14 feet of a contiguous group of not more than ten (10) Lode Mining Claims, the specific papes of which are as follows: Sun The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor the southeast of	· ·	
and the undersigned claims 10 feet in a westerly direction and 1490 feet in an esterly direction from the point of discovery, with a width of 20 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun 14 feet on each side of the center of the vein or lode along the entire length of said claim. The location work was done upon the Sun 14 feet of a contiguous group of not more than ten (10) Lode Mining Claims, the specific papes of which are as follows: Sun The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor the southeast of		
The location work was done upon the Sun I calaim are located with a specific pames of which are as follows: The location work was done upon the Sun I calaim (s) for the benefit of a contiguous group of not more than ten (10) Lode Mining Claims, the specific pames of which are as follows: Sun The location work done consisted of: Drilling The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SN corner, thence bearing southwast a distance of 500 feet to the southwast and istance of 500 feet to the southwast corner, marked SN corner, thence bearing southwast a distance of 500 feet to the southwast corner, marked SN corner, thence bearing northwast and stance of 600 feet to the southwast corner, marked SN corner, thence bearing southwast a distance of 500 feet to the southwast corner, marked SN corner, thence bearing northwast and stance of 550 feet to the southwast corner, marked SN corner, marked SN corner, thence bearing northwast a distance of 550 feet to the northwast corner, marked NN corner, marked SN corners is a flock stance of 550 feet to the south side center, marked NN corner, marked corners is a flock stance of 550 feet to the south side center was performed on or before June 15 1968, by or on behalf of the undersigned locator(s). P.K. Seeley Jr. 1427 S. 31h So. Salt Lake City, Hash seed and of Locator) second at the suddiffees B. R. Seeley, Jr. Seeley Jr. 1427 S. 31h So. Salt Lake City, Hash seed and of Locator) second at the suddiffees B. R. Seeley, Jr. Seeley Jr. 1427 S. 31h So. Salt Lake City, Hash seed and of Locator) second at the suddiffees B. R. Seeley, Jr. Seeley Jr.		
The location work was done upon the Sun such as the location work was done upon the Sun such as the location work done consisted of: Drilling The location work done consisted of: Drilling The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor standard distance of 600 feet to the southeast corner, marked NE cor standard center, marked NE cor standard center, marked NE cor standard center, marked Scor; thence hearing and distance of 750 feet to the southeast and distance of corner, marked Scor; thence hearing southwest and distance of corner, marked Scor; thence hearing southwest and distance of corner, marked Scor; thence hearing southwest and distance of corner, marked Scor; thence hearing southwest and distance of corner, marked Scor; thence hearing southwest and distance of corner standard score sc	and the undersigned claims 10	feet in a <u>Westerly</u> direction
The location work was done upon the Sun such as the location work was done upon the Sun such as the location work done consisted of: Drilling The location work done consisted of: Drilling The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor standard distance of 600 feet to the southeast corner, marked NE cor standard center, marked NE cor standard center, marked NE cor standard center, marked Scor; thence hearing and distance of 750 feet to the southeast and distance of corner, marked Scor; thence hearing southwest and distance of corner, marked Scor; thence hearing southwest and distance of corner, marked Scor; thence hearing southwest and distance of corner, marked Scor; thence hearing southwest and distance of corner, marked Scor; thence hearing southwest and distance of corner standard score sc	and 1490 rest in an easter!	direction from the point of
The location work was done upon the Sun 1 Colaim(s) for the benefit of a contiguous group of not more than ten (10) Lode Mining Claims, the sectific pages of which are as follows: Sun The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor thence bearing southwest a distance of 600 feet to the southwast of 750 feet to the southwast a distance of 750 feet to the aputhwast and distance of 750 feet to the aputhwast and distance of 750 feet to the northwast corner marked NW cor thence bearing northwast and istance of 750 feet to the northwast and distance of 750 feet to the point of beginning. The location and discover; work referred to above in this Location Certificate was performed on or before June 15 1968, by or on behalf of the undersigned locator(s). P.K. Seeley, Jr. (Name of Locator) (Name of Locator) (Name of Locator) Fig. No. 4 1 1000 1 1000 1000 1000 1000 1000 10	the vein or lode along the entire	e length of said claim.
The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked NE corner, marked SR corner, marked SR corner, marked SR corner, marked SR corner, marked SSC the southwast of 750 feet to the southwast corner, marked SR corner, marked SSC thence bearing sw a distance of 750 feet to the southwast corner, marked SR corner, marked SSC thence bearing sw a distance of 750 feet to the southwast corner, marked SR corner, thence bearing northwast addistance of 750 feet to the point of beginning. The location and discovery work referred to above in, this Location Certificate was performed on or before June 15 1968, by or on behalf of the undersigned locator(s). P.K. Seeley, Jr. (Name of Locator) seconds of Fig. 1427 F. 3th So. Salt Lake City, High Records. (Name of Locator) Feet Location Feet Locatio		2 2013
The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked NE corner, marked SR corner, marked SR corner, marked SR corner, marked SR corner, marked SSC the southwast of 750 feet to the southwast corner, marked SR corner, marked SSC thence bearing sw a distance of 750 feet to the southwast corner, marked SR corner, marked SSC thence bearing sw a distance of 750 feet to the southwast corner, marked SR corner, thence bearing northwast addistance of 750 feet to the point of beginning. The location and discovery work referred to above in, this Location Certificate was performed on or before June 15 1968, by or on behalf of the undersigned locator(s). P.K. Seeley, Jr. (Name of Locator) seconds of Fig. 1427 F. 3th So. Salt Lake City, High Records. (Name of Locator) Feet Location Feet Locatio		
The location work done consisted of: Drilling The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked NE corner, marked SR corner, marked SR corner, marked SR corner, marked SR corner, marked SSC the southwast of 750 feet to the southwast corner, marked SR corner, marked SSC thence bearing sw a distance of 750 feet to the southwast corner, marked SR corner, marked SSC thence bearing sw a distance of 750 feet to the southwast corner, marked SR corner, thence bearing northwast addistance of 750 feet to the point of beginning. The location and discovery work referred to above in, this Location Certificate was performed on or before June 15 1968, by or on behalf of the undersigned locator(s). P.K. Seeley, Jr. (Name of Locator) seconds of Fig. 1427 F. 3th So. Salt Lake City, High Records. (Name of Locator) Feet Location Feet Locatio	The location	work was done upon the Sun
The location work done consisted of: Drilling costing a total of \$ 1000.00 , of which \$100.00 is applicable to this claim. The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, warked SE nor; thence bearing southwest a distance of 600 feet to the southwest a distance of 750 feet to the southwest a distance of 750 feet to the southwest and stance of 750 feet to the northwest corner , marked NSC stance of 750 feet to the northwest corner , marked NSC stance of 750 feet to the point side center , marked NSC stance of 750 feet to the point of beginning. Each of the above described corners is a Rock scripted to above in this Location Certificate was performed on or before for the location and discover; work referred to above in this Location Certificate was performed on or before for the undersigned locator(s). The location and discover; work referred to above in this Location Certificate was performed on or before for the undersigned locator(s). PLK Seeley Jr. 1427 F. 9th So. Salt Lake City, see June 26 19.68 st 45 mins, pair 4.0 p. M. in Record to the country of the country	claim(s) for the benefit of a con	ntiguous group of not more than ten (19)
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE corner, marked NW corner, marked NSC corner corner, marked NSC corner co	gun 4 20 'U' The about the	Dames of Auton at a to 110 yes.
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE GOT; thence bearing noutheast distance of 600 feet to the southeast corner, marked SE GOT; thence bearing southwest a distance of 750 feet to the south side center, marked SEG; thence bearing NE a distance of 750 feet to the southwest corner, marked SE GOT; thence bearing northwest corner, marked SE GOT; thence bearing northwest corner, marked SE GOT; thence bearing northwest corner, marked NE GOT; thence bearing northwest corner, marked NE GOT; thence bearing northwest corner, marked NE GOT; thence bearing northwest corner of 750 feet to the north side center, marked NE GOT; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a ROCK NECOLUMENT. OF SECONDER AT THE RECORD OF SECONDER S		171 13 13 13 14 10 17 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE GOT; thence bearing noutheast distance of 600 feet to the southeast corner, marked SE GOT; thence bearing southwest a distance of 750 feet to the south side center, marked SEG; thence bearing NE a distance of 750 feet to the southwest corner, marked SE GOT; thence bearing northwest corner, marked SE GOT; thence bearing northwest corner, marked SE GOT; thence bearing northwest corner, marked NE GOT; thence bearing northwest corner, marked NE GOT; thence bearing northwest corner, marked NE GOT; thence bearing northwest corner of 750 feet to the north side center, marked NE GOT; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a ROCK NECOLUMENT. OF SECONDER AT THE RECORD OF SECONDER S		
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner, marked SE cor ; thence bearing noutheast distance of 600 feet to the southeast corner, marked SE cor; thence bearing SW a distance of 750 feet to the south side center, marked SE cor; thence bearing northwest corner, marked NW cor; thence bearing northwest corner, marked NSC to the north side center, marked NSC thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock requirement or a 4 x 4 x 4 post. The location and discover; work referred to above in this Location Certificate was performed on or before June 15, 1968, by or on behalf of the undersigned locator(s). P.K. Seeley, Jr. 1423 E. 3th SQ Salt Lake City, New Marked Country of Marke		
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor 1 thence bearing southeast distance of 600 feet to the southeast a distance of 750 feet to the southeast a distance of 750 feet to the southeast a distance of 750 feet to the southeast normer, marked Signary, thence bearing southwest a distance of 600 feet to the southeast northwest corner, marked NW cor 1 thence bearing northwest a distance of 750 feet to the north side center, marked NS cor 1 thence bearing northwest a distance of 750 feet to the north side center, marked NS cor 1 thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock morphism of the show described corners is a Rock morphism of the show in this Location Certificate was performed on or before June 15	The location	work done consisted of: Drilling
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor 1 thence bearing southeast distance of 600 feet to the southeast a distance of 750 feet to the southeast a distance of 750 feet to the southeast a distance of 750 feet to the southeast normer, marked Signary, thence bearing southwest a distance of 600 feet to the southeast northwest corner, marked NW cor 1 thence bearing northwest a distance of 750 feet to the north side center, marked NS cor 1 thence bearing northwest a distance of 750 feet to the north side center, marked NS cor 1 thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock morphism of the show described corners is a Rock morphism of the show in this Location Certificate was performed on or before June 15		
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE cor 1 thence bearing southeast distance of 600 feet to the southeast a distance of 750 feet to the southeast a distance of 750 feet to the southeast a distance of 750 feet to the southeast normer, marked Signary, thence bearing southwest a distance of 600 feet to the southeast northwest corner, marked NW cor 1 thence bearing northwest a distance of 750 feet to the north side center, marked NS cor 1 thence bearing northwest a distance of 750 feet to the north side center, marked NS cor 1 thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock morphism of the show described corners is a Rock morphism of the show in this Location Certificate was performed on or before June 15	· · · · · · · · · · · · · · · · · · ·	
The corners and side centers of the claim are located and marked as follows: Beginning at the NE corner, marked NE corner; thence bearing noutheast distance of 600 feet to the southeast of 750 feet to the southeast adistance of 750 feet to the southeast adistance of 750 feet to the southeast corner, marked SE cor ; thence bearing SW adistance of 750 feet to the southwast corner, marked SE cor ; thence bearing northwast corner , marked SE cor ; thence bearing northwast corner , marked NW cor ; thence bearing northwast adistance of 750 feet to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock monument or a 4 x 4 x 41 post. The location and discover; work referred to above in this Location Certificate was performed on or before fune 15 , 19 68, by or on behalf of the undersigned locator(s). E.X. Seeley Jr. 1427 E. 9th So. Salt Lake City. High Records of the seed of 19 68 of 45 mins. past 4 p. M. in Record of 19 68 of 45 mins. past 4 p. M. in Record of 19 68 of 45 mins. past 4 p. M. in Record of 19 68 of 45 mins. past 4 p. M. in Record of 19 68 of 45 mins. past 4 p. M. in Record of 19 68 of 45 mins. past 4 p. M. in Record of 19 68 of 45 mins. past 4 p. M. in Record of 19 68 of 45 mins. past 4 p. M. in Record of 19 68 of 45 mins. past 4 p. M. in Record of 19 68	costing a total of \$ 1000.00	, of which \$100.00 is applicable to
thence bearing goutheast distance of 600 feet to the southeast corner, marked NF cor thence bearing goutheast distance of 600 feet to the southeast a distance of 750 feet to the anoth side center, marked SSC ; thence bearing SW a distance of 750 feet to the anoth side center, marked SSC ; thence bearing SW a distance of 750 feet to the southwest corner, marked SW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock menument or a 4 x 4 x 4 s post. The location and discovery work referred to above in this Location Certificate was performed on or before June 15 , 1968, by or on behalf of the undersigned locator(s). P.K. Seeley Jr. 1427 F. 3th So Salt Lake City High (Name of Locator) RECORDED AT THE REVORTS DESCRIPT, Jr. on June 26, 1968 of 45 mins, past 4 P M. in Book 24 of OFFICIAL RECORDS, page 545 C. RECORDS OF SOUTH AND SOUTH	this claim,	
thence bearing goutheast distance of 600 feet to the southeast corner, marked NF cor thence bearing goutheast distance of 600 feet to the southeast a distance of 750 feet to the anoth side center, marked SSC ; thence bearing SW a distance of 750 feet to the anoth side center, marked SSC ; thence bearing SW a distance of 750 feet to the southwest corner, marked SW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock menument or a 4 x 4 x 4 s post. The location and discovery work referred to above in this Location Certificate was performed on or before June 15 , 1968, by or on behalf of the undersigned locator(s). P.K. Seeley Jr. 1427 F. 3th So Salt Lake City High (Name of Locator) RECORDED AT THE REVORTS DESCRIPT, Jr. on June 26, 1968 of 45 mins, past 4 P M. in Book 24 of OFFICIAL RECORDS, page 545 C. RECORDS OF SOUTH AND SOUTH		
thence bearing goutheast distance of 600 feet to the southeast corner, marked NF cor thence bearing goutheast distance of 600 feet to the southeast a distance of 750 feet to the anoth side center, marked SSC ; thence bearing SW a distance of 750 feet to the anoth side center, marked SSC ; thence bearing SW a distance of 750 feet to the southwest corner, marked SW cor ; thence bearing northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock menument or a 4 x 4 x 4 s post. The location and discovery work referred to above in this Location Certificate was performed on or before June 15 , 1968, by or on behalf of the undersigned locator(s). P.K. Seeley Jr. 1427 F. 3th So Salt Lake City High (Name of Locator) RECORDED AT THE REVORTS DESCRIPT, Jr. on June 26, 1968 of 45 mins, past 4 P M. in Book 24 of OFFICIAL RECORDS, page 545 C. RECORDS OF SOUTH AND SOUTH	The corners a	nd side centers of the claim are located
thence bearing northeas distance of 600 feet to the southeast openar, marked SE or; thence bearing southwest a distance of 750 feet to the south side center, marked SSC; thence bearing SW a distance of 750 feet to the southwest corner, marked SC ; thence bearing northwest marked NW cor; thence bearing northwest corner, marked NW cor; thence bearing northwest a distance of 750 feet to the north side center, marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock menument or a 4 x 4 x 4 x post. The location and discovery work referred to above in this Location Certificate was performed on or before June 15, 1968, by or on behalf of the undersigned locator(s). B.K. Seeley, Jr. 1427 E. 3th Sc. Salt Lake City, Hahman (Name of Locator) RECORDED AT THE RECORDS, page 545 O. RECORDS OF THE NEW OFFICIAL RECORDS, page 545 O. RECORDS OF THE NEW OFFICIAL RECORDS, page 545 O. RECORDS OF THE NEW OFFICIAL RECORDS, page 545 O. RECORDS OF THE NEW OFFICIAL RECORDS, page 545 O. RECORDS OF THE NEW OFFICIAL RECORDS, page 545 O. RECORDS OF THE NEW OFFICIAL RECORDS, page 545 O. RECORDS OF THE NEW OFFICIAL RECORDS, page 545 O. RECORDS OF THE NEW OFFICIAL RECORDS, page 545 O. RECORDS OF THE NEW OFFICIAL RECORDS OF THE NEW	and marked as follows: Beginning	g at the NE corner, marked NE cor
corner, marked SE cor; thence bearing southwest a distance of 750 feet to the south side center, marked SSC; thence bearing SW a distance of 750 feet to the southwest corner, marked SI cor; thence bearing northwest corner, marked NW cor; thence bearing northwest corner, marked NW cor; thence bearing northwest a distance of 750 feet to the north side center, marked NSC; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock menument or a 4 x 4 x 42 post. The location and discovery work referred to above in this Location Certificate was performed on or before June 15, 1968, by or on behalf of the undersigned locator(s). P.K. Seeley Jr. 1427 F. 9th So. Salt [ake City, High (Name of Locator) RECORDED AT THE RECORDED	thence bearing goutheast distance	e of 600 feet to the southeast
The location and discover; work referred to above in. this Location Certificate was performed on or before June 15, 1958, by or on behalf of the undersigned locator(s). P.X. Seeley, Jr. (Name of Locator)	corner marked SE cor : then	ce bearing southwest a distance
corner marked Si cor ; thence bearing northwest a distance of 600 feet to the northwest corner , marked NW cor ; thence bearing northwest a distance of 750 feet to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock menument or a 4 x 4 x 42 post. The location and discover; work referred to above in this Location Certificate was performed on or before June 15 , 1968, by or on behalf of the undersigned locator(s). B.K. Seeley Jr. 1427 E. 3th So. Salt lake City. High (Name of Locator) RECORDED AT THE REVORT DESCRIPTION DESCRIPTION FEED M. In Book 24 of OFFICIAL RECORDS, page 545 ORECORDS OF ELERNA COUNTY Address) (Name of Locator) Fee \$ 1.00	of 750 feet to the south ald	e center , marked SSC ; thence
Nw cor , thence bearing northwest corner , marked to the north side center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock menument or a 4 x 4 x 42 post. The location and discover; work referred to above in this Location Certificate was performed on or before June 15 , 19 68, by or on behalf of the undersigned locator(s). P.K. Seeley Jr. 1427 F. Sth So. Salt Jake City, High (Name of Locator) RECORDED AT THE RECORDS B.K. Seeley, Jr. on June 26 ,19 68, or 45 mins. past 4 P M. in Book 24 of OFFICIAL RECORDS. Page 4 RECORDS OF EMERIKA COMMENT ADDRESS OF Recorder.	bearing Sw a distance or 75	thence bearing porthwest
The location and discovery work referred to above in. The location and discovery work referred to above in. this Location Certificate was performed on or before June 15, 1968, by or on behalf of the undersigned locator(s). B.K. Seeley Jr. (Name of Locator) RECORDED AT THE REDORD DESCRIPTION DESCRIPTION OF THE RECORDS. Pages (Name of Locator) (Name of Locator) RECORDED AT THE REDORD DESCRIPTION DESCRIPT	distance of 600 feet to the	northwest corner , marked
to the north aids center , marked NSC ; thence bearing NE a distance of 750 feet to the point of beginning. Each of the above described corners is a Rock menument or a 4 x 4 x 4 post. The location and discovery work referred to above in. this Location Certificate was performed on or before June 15 , 1968, by or on behalf of the undersigned locator(s). B.K. Seeley Jr. 1427 F. 9th So. Salt Lake City, 11448. (Name of Locator) RECORDED AT THE REVORTS DESCRIBED AT THE REVORTS DESCRIBED AT THE RECORDS DESCRIBED AT THE	NW cor thence be	aring northeast a distance of <u>750</u> feet
The location and discovery work referred to above in. this Location Certificate was performed on or before June 15, 1968, by or on behalf of the undersigned locator(s). P.K. Seeley Jr. (Name of Locator) RECORDED AT THE RECORDED B.K. Seeley, Jr. on June 26, 1968, or 45 mins, past 4 P.M. in Beak 24 of OFFICIAL RECORDS, page 545 M. RECORDS OF EMARKA COUNTY TO THE RECORDS. File No. 1 Address File No. 1 Address Fee \$ 1.00	to the north side center , ma	rked NSC ; thence
The location and discovery work referred to above in. this Location Certificate was performed on or before June 15, 1968, by or on behalf of the undersigned locator(s). B.K. Seeley Jr. (Name of Locator) RECORDED AT THE REVORATEES B.K. Seeley, Jr. on June 26, 1968, or 45 mins. past 4 P. M. in Book 24 of OFFICIAL RECORDS, page 545 Q. RECORDS OF EMARKA COUNTY TO FEE \$ 1.00	bearing NE a distance of	750 feet to the point of beginning.
The location and discovery work referred to above in. this Location Certificate was performed on or before June 15., 1968, by or on behalf of the undersigned locator(s). B.K. Seeley, Jr. (Name of Locator) RECORDED AT THE RECORDED B.K. Seeley, Jr. on June 26, 1968, or 45 mins, past 4 P. M. in Book 24 of OFFICIAL RECORDS, page 545 D. RECORDS OF EMARKA COUNTY TANGETORS. (Name of Locator) Recorder. File No. 1 1400 Fee \$ 1.00	Each of the above described corn	ers is a Rock moniment or
this Location Certificate was performed on or before June 15, 1968, by or on behalf of the undersigned locator(s). B.K. Seeley, Jr. (Name of Locator) RECORDED AT THE RECORDED AT THE RECORDED B.K. Seeley, Jr. on June 26, 1968, or 45 mins, past 4 P. M. in Book 24 of OFFICIAL RECORDS, page 545 P. RECORDS OF EUREKA COUNTY, HAVE A COUNTY BECORDS. File No. 1 1 1 Address) Fee \$ 1.00	843,4	X 43 page.
this Location Certificate was performed on or before June 15, 1968, by or on behalf of the undersigned locator(s). B.K. Seeley, Jr. (Name of Locator) RECORDED AT THE RECORDED AT THE RECORDED B.K. Seeley, Jr. on June 26, 1968, or 45 mins, past 4 P. M. in Book 24 of OFFICIAL RECORDS, page 545 P. RECORDS OF EUREKA COUNTY, HAVE A COUNTY BECORDS. File No. 1 1 1 Address) Fee \$ 1.00		
June 15	The location	and discovery work referred to above in.
RECORDED AT THE RECORDED BY A Seeley, Jr. on June 26, 19, 68, or 45 mins, past 4 P. M. in Book 24 of OFFICIAL RECORDS, page 745 P. RECORDS OF EURERA COUNTY, HAVE A COUNTY TO THE RECORDED AT	this Location Certificate was pe	rformed on or before
(Name of Locator) RECORDED AT THE RECORDED B. K. Seeley, Jr. on June 26, 19, 68, or 45 mins, past 4 P. M. in Book 24 of OFFICIAL RECORDS, page 545 P. RECORDS OF EMARKA COLUMN HANDERS File No. 1 1 Address Fee \$ 1.00	<u>June 15</u> , 1958, by or on	benalt of the undersigned locator(a).
(Name of Locator) RECORDED AT THE RECORDED B. K. Seeley, Jr. on June 26, 19, 68, or 45 mins, past 4 P. M. in Book 24 of OFFICIAL RECORDS, page 545 P. RECORDS OF EMARKA COLUMN HANDERS File No. 1 1 Address Fee \$ 1.00		•
(Name of Locator) RECORDED AT THE RECORDED B. K. Seeley, Jr. on June 26, 19, 68, or 45 mins, past 4 P. M. in Book 24 of OFFICIAL RECORDS, page 545 P. RECORDS OF EMARKA COLUMN HANDERS File No. 1 1 Address Fee \$ 1.00	P.K. Seelev. Jr.	1427 E. 9th So. Salt lake City. High
en June 26 19 68, at 45 mins, past 4 P M. in Reak 24 of OFFICIAL RECORDS, page 545 2 RECORDS OF EURENA COUNTY HANDELD RECORDS. File No. 1 1 1 Address Fee \$ 1.00	(Name of Locator)	RECORDED AT THE REVOST BES B.K. Seelev Jr
(Name of Locator) File No. 1 21 Address) Fee \$ 1.00		on June 26, 19 68, at 45 mins, past 4 P M. in
Fee \$ 1.00	\ \ / /	Book 24 of OFFICIAL RECORDS, page 545 2 RECORDS OF
Fee \$ 1.00	(Name of Ingstor)	EURENA COUNTY HANDEN Recorder.
(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDER OF THE COUNTY IN WHICH	/ Hallis OI LOCATO!	File No. 11/611
LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH	(THIS CERTIFICATE OF LOCATION MU	ST BE POSTED UPON THE CLAIM AND A
IND CLAIM IS BUCKTED WITHIN 90 DAIS AUTHE '** TWIT OF THE ALTER F	LEGIBLE COPY RECORDED WITH THE C THE CLAIM IS LOCATED WITHIN 90 D	OUNTY RECORDER OF THE COUNTY IN WHICH

	THIS IS TO	CERTIFY that	the <u>Sun</u>	78	_ <u>Lo</u> 4e
Mining Claim was day of Name H	logated by	B.I. Seeley.	Jra	on the	[3]
District	255, 12 00	in the	Weeks	M	ining
described as being	or eltusted.	in postions	of Seele T	i, further	1
15. 22.	23 - T.20W -	P 52F VID A			
		100			
					
	The genera	l course of se	aid lode or	vein is_r	orthweat
and the undersign and 1490 feet discovery, with a	ed claims	feet in	n a <u>cante</u>	rlv di	rection
and 1490 feet	in an west	erly	direction for	rom the po	int of
discovery, with a the vein or lode	Width or	200 reet on	each side (of the cen	ter of
che vern or loug	along the en	tire length of	E Bald Clail	n. \ \	
				\	\
	The location	on work was do	nne unon the	Sun #	44
claim(s) for the	benefit of a	contiguous a	roup of not	more than	ten (10)
Lode Mining Claim	s, the speci:	fic names of s	which are a	s follows:	
Bun # 39	<u> 46,43, 44, 1</u>	74, 75, 76, 77	78,79		
•					
	The leasts	on work done	constated of	fe Dust 114	
	THE TOCACT	ou work doug (Consisted of	- a _ <u>DC1 117</u>	
			/ /	\	
costing a total o	f \$ 1000.00	of which	\$100.00 is	applicabl	e to
this claim.)	1	_
				/	
	m		\ / /		. 1
and marked as fol	The corner	s and side cer	nters of the	e claim ai	e locared
thence bearing <u>ao</u>					
corner , marked_	SE cor : t	hence bearing	enuthweet	a dist	ance
of 750 feet t	o the south	side center	. marked	SSC	; thence
bearing <u>sw</u> a	distance of	750 feet to	the sout	hwast	
corner . mark	ed / Shi cor	; thence	e bearing	northwest	a
distance of 600	feet to	the <u>norto</u>	west corner	<u> </u>	mark ed
NW cor	; thence	bearing nort	<u>heast</u> a (distance c	f <u>750</u> feet
to the north aid	center	markedN	50		nence
bearing NE	_a distance	or <u>750</u> ree	t to the po	int of peg	inning.
Each of the above	described co	4 x 4s post.	ROCK ESTUE	ent or	
		A			
			/		
	The location	on and discove	ery wore re	ferred to	above in
this Location Cer	tificate was	performed or	or refore_		
June 15	19 <u>68</u> , by or	on behalf of	the was s	igned loca	tor(s).
D 1/ 2:-3		1400	c 5, E 6-	Gold tole	
E.K. Seeley		RECORDED	ATTHE KANDSA BE	Selt Lake	eley, Jr
(Mame OI	Locator)	_{on} June	AT THE KANDS TO 26 19 68, or	45' mins, past	4 P M
\ \	/ /	Back 24	of OFFICIAL REC	20805, page <u>54</u>	
	/ /	EUREKA CO	UNIX, NEVADA	Kles U. 1	all ask Recor
(Name of	Locator	File No.	/ LAndre	56)	Fec \$ 1.00 \

THIS IS TO C	ERTIFY that the fun # 79 Lode
Mining Claim was located by B.	the Fureka Mining County, State of Mevada, further in portions of Mec's, 3, 9, 10, 11, 14,
District Function	the <u>Furera</u> Mining
described as being situated.	county, State or Mevada, Further
15. 22. 23 - T.201 - R.	SOR MURAN
	JEBS F.D.J. G. R.
	·
The general (course of said lode or vein is northwest,
and the undersigned claims 10	feet in a westerly direction
and 1490 feet in an easter	feet in a <u>Westerly</u> direction ly direction from the point of
ATSCOAGIA' MICH & MIGHT OF 300	/ IBBC ON EACH SIDE OF THE CENTER OF
the vein or lode along the enti-	re length of said claim,
	\ \ \
The location	work was done upon the Sun # YY
claim(s) for the benefit of a co	ontiguous group of not more than ten (10)
Lode Mining Claims, the specific	c names of which are as follows:
Sun # 39.41.43.44.	74, 75, 76, 77, 78, 79.
•	
Mrs. Jamani an	
The location	work done consisted of: <u>Drilling</u>
	
costing a total of \$ 1000.00	, of which \$100.00 is applicable to
this claim.	
_	
The corners a	and side centers of the claim are located
though boaring southers to distant	ng at the <u>NE corner, marked NE cor</u> ; see of 600 feet to the so theast
corner marked W nor . the	nce bearing southwest a distance
of 750 feet to the south at	de center , marked SSC ; thence
hearing Sw a distance of 7	50 feet to the southwest
corner , marked Si cor	; thence bearing northwest a
distance of 600 feet to the	thence bearing northwest a northwest corner, marked
	earing northeast a distance of 750 feet
to the north side center , ma	arked NSC ; thence
bearing NE a distance of	750 feet to the point of beginning.
Each of the above described cor	ners is a Rock conjugent or
1.7.7.7	A 72 705 to
The location	and discovery work referred to above in
this Location Certificate was pe	erformed on or before
<u>June 15</u> , 19 <u>68</u> , by or or	n behalf of the undersigned locator(s).
D. W. Canlass 7 A	NAME OF TAKE OF A STATE OF A STAT
P.K. Seeley, Jr. (Name of Locator)	1427 F. 5th So. Salt lake City Hitch
(Name of Locator)	on June 26, 19 68, or 45 cont. just 4 P. M. in
\ \ /	Back 24 of OFFICIAL RECORDS, page 547 , RECORDS OF
\ \ /	EUREKA COUNTY, NEVADA Selligi a. De taoli Recorder.
(Name of Locator)	File No. 47213Address) Fee \$ 1.00
	The same of the sa

THIS IS TO CERTI	FY that the Sun # 50 Lode se
Mining Claim was located by B.K.	See ley, Jr. on the Ry
day of March , 1968, in the District, Eureka Coun	Fureha Mining
District, Sures Coun	ty, State or mevada, further
described as being situateds in process 15, 22, 23 - T.20m - R.52E.	
19. 56. 67 - 1160 - 1.365.	AND O'A
	
and the undersigned claims 10	feet in a <u>easterly</u> direction direction from the point of feet on each side of the center of ength of said claim.
The location wor claim(s) for the benefit of a conti Lode Mining Claims, the specific na	the was done upon the Sun # 40 group of not more than ten (10) mes of which are as follows: -49-60-81-82-63
The location wor	k done consisted of: Drilling
	
costing a total of \$ 1000.00 , o this claim.	f which \$100.00 is applicable to
The comment and	side centers of the claim are located
and marked as follows: Beginning a	it the NE corner, marked NE cor
thence bearing southeas distance o	of 600 feet to the southeast
corner . marked SE cor ; thence	bearing southwest a distance
of 750 feet to the south side (center, marked; thence
bearing SW a distance of 750	feet to the southwest
corner , marked 🖼 cor	; thence bearing <u>northwest</u>
distance of 600reet to the	northwest corner , marked
NW cor thence beari	ng northeast a distance of 750 feet
to the <u>north side center</u> , marke	ed NSC ; thence 50 feet to the point of beginning.
bearing NE a distance of 75	50 feet to the point of beginning.
Each of the above described corners	is a Rock nonument or
84×4×	4ª post.
The location and	discovery work referred to above in
this Location Certificate was perfo	ormed on or before
June 15 . 1968, by or on be	half of the undersigned locator(s).
The state of the s	
E.K. Seeley Jr.	1423 E. 9th So. Salt lake City. IItch
(Name of Locator)	RECORDED AT THE R(ACTIONS) B.K. Seeley, Jr. 30 June 26, 1968, at 45 mins past 4 P. M. Win
\ \ /	
\ \ / /	Q/Q_{0}
(Na 26 Y 25 1	EUREKA COUNTY NEVADARILLO (C. 10 Cooks 100)
(Name of Locator)	File No. 1721 (Address) Fee \$ 1.00 %
THIS CERTIFICATE OF LOCATION MUST	BE POSTED UPON THE CLATM AND A

Mining Claim was located by B.I.	Seeley Jr. on the
Mining Claim was located by B.K. day of March 1968, in the	he Fureke Mining
District, Euroka Con	unty, State of Neveda, further Dertions of Sec. 3. 9, 10, 11, 14
described as being situated. in	pertions of sec. 3. 9. 10. 11. 14
15. 22. 23 - 1.204 - R.52	CA MDB A M of Person of the second of the se
The general go	
and the understoned claims 10	urse of said lode or vein is northwest,
and 1490 feet in an easterly	feet in a Westerly direction direction from the point of
CTRCCACTA MICH & BIGGI OF 300	IRRE ON ARCH 2100 OF the Canter of
the vein or lode along the entire	length of said claim.
in the second of	
• · · · · · · · · · · · · · · · · · · ·	
The location wo	ork was done upon the Sun # 49
craim(s) for the benefit of a cont	tiquous group of not more than ten (10)
Lode Mining Claims, the specific r	names of which are as follows:
Aun 1-9-40 -46-4	7-49-80-81-82-83
•	
Mar lanci.	
ine location wo	ork done consisted of: Drilling
	
	
costing a total of \$ 1000 00	of which \$100,00 is applicable to
this claim.	or water \$100,00 is applicable to
Citab Camania	
The corners and	side centers of the claim are located
and marked as follows: Beginning	at the NE corner, marked NE cor
thence bearing southeast distance	of 600 feet to the southeast.
corner , marked SE cor ; thence	e bearing anuthwest a distance
of 750 feet to the south side	center , marked ssc ; thence
bearing Bu a distance of 750	feet to the southwest
corner , marked Si cor	; thence bearing northwest a
distance of 600 feet to the	nortowest corner , marked
NW cor thence bear	ing northeast a distance of 750 feet
to the north side center . mark	<pre>xed NSC ; thence 750 feet to the point of beginning.</pre>
bearing NE a distance of	750 feet to the point of beginning.
Each of the above described corner	s is a Rock monument or
8 4 × 4 ×	4 post
	/ /
The location an	nd discovery work referred to above in
this Location Certificate was perf	ormed on or hefore
<u>June 15</u> , 19 <u>68</u> , by or on b	mehalf of the undersigned locator(s).
_	
E.K. Seeley, Jr.	1423 F. 9th So. Selt lake City, High
(Name of Locator)	RECORDED AT THE R (Address)B.K. Seeley, Jr.
\ \ /	on June 26,1968, at 45 mins, past 4 p. M. i
\ \ /	Book 24 of OFFICIAL RECORDS, page 549 RECORDS OF
	FUREKA COUNTY, NEVADA Mallios C. Notal Recorder
(Name of Locator)	File No. Fee \$ 1.00

(THIS CERTIFICATE OF LOCATION MUST BE POSTED UPON THE CLAIM AND A LEGIBLE COPY RECORDED WITH THE COUNTY RECORDER OF THE COUNTY IN WHICH THE CLAIM IS LOCATED WITHIN 90 DAYS AFTER THE DATE OF LOCATED WITHIN 90 DAYS AFTER THE PROPERTY PROP

·	
THIS IS TO C	RTIFY that the sum & D & Lode
day of March 1968 4m	I. Seeley Jr. on the 29 th
District. Sures (County State of Mewage, Turther
described as being situated; i	n portions of Sec's. 3. 9. 10. 11. 14. 200
15. 22. 23 - T.201 - R.	52E. MDB & M
Man	
and the undersigned claims (10)	course of said lode or vein is northwest
and 1490 feet in an vester	ly direction from the point of
discovery, with a Width of 300	feet in a <u>easterly</u> direction ly direction from the point of feet on each side of the center of
the vein or lode along the entir	re length of said claim,
-	
The location	work was done upon the Sun # 49
Claim(s) for the benefit of a co	ontiguous group of not more than ten (10)
Tode wining Claims, the specific	names of which are as follows:
Bun 2 - 4 - 40 - 46	11 17 00-01-02-03
The location	work done consisted of: Drilling
	
2021-2 2 421-1 05 4 1000 00	, of which \$100.00 is applicable to
this claim.	_, of which \$100.00 is applicable to
chia Ciaim,	
	and side centers of the claim are located
and marked as follows: Beginni:	ng at the <u>NE</u> corner, marked <u>NE cor</u>
thence bearing southeas distant	e of 600 feet to the southeast
corner, marked Sk oor , then	nce bearing southwest a distance
or 750 reet to the Aouth at	de center , marked SSC ; thence
pearing of a discende of	thence hearing nonthwest
distance of 600 feet to the	northwest corner marked
NW cor ; thence be	thence bearing northwest northwest corner , marked earing northeast a distance of 750 feet
to the north side center . me	rked NSC ; thence 750 feet to the point of beginning.
bearing NE a distance of	750 feet to the point of beginning.
Each of the above described core	ners is a Hock menument or
<u>a4x4</u>	x 4s post.
man harastana	and discussion was referred to about in
this Location Certificate was pe	and discovery work referred to above in
June 15 , 19.68, by or or	behalf of the undersigned locator(s).
The state of the s	
B.K. Seeley, Jr.	1423 E. 9th So. Salt lake City. Heal
(Name of Locator)	RECORDED AT THE RECORDED PAGE B. K. See Ley Jr. on June 26, 19 68, at 45 mins, past 4 P. M.
\ \ /	Book 24 of OFFICIAL RECORDS, page 550 RECORDS
	EUREKA COUNTY, NEVADA Sullis a. De Tasli Rich
(Name of Teacher)	File No. Fee \$ 1.00
(Name of Locator)	File No.

THIS IS TO CERT	TIPY that the am & Bar C Lodge
ining Claim was located by B.I.	Seeley, Jr. on the Mining inty, State of Mevada, further portions of Sec. 3, 9, 10, 11, 14
total Cou	inter State of Hounds further
eggibed as being elterateds in	portions of sects. 3. 9. 10. 11. 14.
15. 22. 23 - T.20% - R.52	E. MDB A M
	•
The general cou	arse of said lode or vein is northwest.
nd the undersigned claims 10	feet in a westerly direction
nd 1490 feet in an <i>eas</i> terly	direction from the point of feet on each side of the center of
he vein or lode along the entire	lead of early claim
ne vein of lode along the entire	Tangen of said claim.
The location wo	ork was done upon the Sun # 40
laim(s) for the benefit of a cont	cidnons dionb of not wore cumi can (70)
ode Mining Claims, the specific n	names of which are as follows:
Bun 2-4-45-46-	-47-49-56 51.81 E3
<u> </u>	
The location wo	ork done consisted of: Drilling
· · · · · · · · · · · · · · · · · · ·	
	of which \$100.00 is applicable to
his claim.	
The garnere and	d side centers of the claim are located
ad marked as follows: Beginning	at the SEcorner marked NE cor
hence hearing southeast distance	of 600 feet to the Scutseast
corner marked \mathfrak{M} cor \mathfrak{t} thence	e bearing southwest a distance
f 750 feet to the south side	center , marked <u>SSC</u> ; thence
caring of a distance of 750	i feet to the couthwest
corner marked Swicor	thence bearing northwest
NW cor , thence bear	ring northeast a distance of 750 feet
o the north 8106 center , mair	ked NSC ; thence 750 feet to the point of beginning.
earing we above described corner	rs is a Rock manument or
a 4 x 4 x	
The location ar	nd discovery work referred to above in
) T C	formed on or tetore
June 15 , 19 <u>68</u> , by or on 1	behalf of the undersigned locator(s).
E W Conlaw In	1427 E. Gin So. Sali Lake City, Ut
E.K. Seeley, Jr.	RECORDED AT THE R(NEW TOBS) B. K. Seeley, Ir.
(Name of Locator)	PECORDED AT THE R(AUGULTEES) B. K. Seeley Ir.
\ \ /	Book 24 of OFFICIAL RECORDS, FORC 551 RECORDS
	ELIBERA COUNTY NEVADA STAPLES (LE LOSSICE
(Name of Locator)	File No. 1721 Address) Fee \$ 1.00