This is to certify that theA No. 3 lode mining claim
was located by Byron S. Hardie on the 13th
day ofApril, 196.8.
The general course of said vein or lode, as near as it may be described is
N 17° W and S 17° E.
The claim is situated in the Bootstrap mining district,
Eureka County, State of Nevada, and the discovery monument is located approximately N 84 3/4° E 3740 feet from the west 1/4 corner of Section
. 22, T. 36 N.; R. 49 E.; M. D. B. & M.
The locator claims59 feet in a N. 17° W direction and
1450 feet in a S 17° E direction from the point of discovery,
with a width of 300 feet on each side of the center of the vein or lode along the entire length of
said claim.
The dimensions and locations of the discovery work done on the claims are as follows:
three rotary drill holes, 45 feet deep, 85 feet deep and 75 feet
deep on the "A" claim nos. 10, 11 and 12, and costing more than
\$600.00. Such work was done at
and results in tending to advance the exploration of such claims as a group. The names of which
said group of ciaims are as follows: A. Nos., 3, 4, 5, 10, 11 and 12.
Said group of Claims are as follows:
The corners and side centers of this claim are located and marked as follows:
Beginning at the northwest corner, a 4"x4"x41/2' wood post marked N.W. corner A No. 3
thence S. 17.0 E 75.0 feet, we s.t side center,
a 4"x4"x41/2' wood post marked .W side center, .A. No. 3, .1500, feet to the SW corner,
a 4"x4"x4½' wood post marked SW corner A No. 3
thence N 73° E 600 southeast corner,
a 4"x4"x4½' wood post marked SE corner A No. 3.
thence N 17° W 750 feet, east side center,
a 4"x4"x4½' wood post marked . E. side center, . A. No 3, . 1500 , feet to the . NE corner,
a 4"x4"x4½' wood post marked NE corner A No. 3
^
The east side line of this claim is contiguous with the West side line of the
the northend line is contiguous with the Southend line of the A No. 10 claim;
the side line is contiguous with the side line of the claim;
the end line is contiguous with the end line of the claim.
All location work necessary to complete this location had been performed by
June 19 , 196.8 ,
Dated this 24th day of June ,196.
Blog Sharling
Byron S. Hardie 134 West Maple St. Elko, Nevada
Name of Locator Address
on June 27 ,19 68, at 06 mins rast 8 A. M. in
Book 24 of OFFICIAL RECORDS, page 554 RECORDS OF
EUREKA CAUNTY NEVADA MULLI A MITAN Recorder.
File No Fce \$\frac{1.00}{}

This is to certify that the
was located by Byron S. Hardie on the 13th
day of
The general course of said vein or lode, as near as it may be described is N 17° W and S 17° E.
The claim is situated in theBootstrap mining district, Eureka
County, State of Nevaua, and the discovery monument is located
approximately N 83° E 4325 feet from the west 1/4 corner of Section 22, T. 36 N.; R. 49 E.; M. D. B. & M.
The locator claims 50 feet in a N. 17° W direction and
1450 feet in a \$ 17° E direction from the point of discovery,
with a width of 300 feet on each side of the center of the vein or lode along the entire length of
The dimensions and locations of the discovery work done on the claims are as follows:
three rotary drill holes, 45 feet deep, 85 feet and 75 feet deep on
the "A" claim Nos. 10, 11 and 12, and costing more than \$600.00.
Such work was done at
and results in tending to advance the exploration of such claims as a group. The names of which
said group of claims are as follows: A Nos. 3, 4, 5, 10, 11 and 12.
said group of claims are as tollows:
The corners and side centers of this claim are located and marked as follows:
Beginning at the northwest corner, a 4"x4"x4½' wood post marked N.W. corner A. NO 4
thence S 17° E 750 feet, west side center,
a 4"x4"x41/2' wood post marked side center, A No. 4, 1500 , feet to the corner,
a 4"x4"x4½' wood post marked SW corner A No. 4 ; thence N 73° E 600 feet to the southeast corner,
a 4"x4"x4½' wood post marked SE corner A No. 4
thence N 17° W 750 feet, east side center,
a 4"x4"x4½' wood post marked E side center, A No. 4, 1500 , feet to the NE corner,
a 4"x4"x4½' wood post marked .NE .corner A No. 4
thence S 73° W 600 feet to the northwest corner, the place of beginning.
The West side line of this claim is contiguous with the east side line of the A No. 3claim;
the north end line is contiguous with the southend line of the A No. 11 claim;
the east side line is contiguous with the West side line of the A No. 5 claim claim;
the end line is contiguous with the end line of the claim.
All location work necessary to complete this location had been performed by June 19, 196.8
Dated this24th day of
I = I = I
They I Dan die
Byron S. Hardie 134 West Maple St. Elko, Nevada
Name of Locator Address
RECORDED AT THE REQUEST OF M.H. White S. June 27 19 68 at 06 mins, past 8 A. M. in
Book 24 of OFFICIAL RECORDS, page 555 RECORDS OF
File No. 17220
······································

This is to certify that the
was located byByron S. Hardie on the13th
day of April, 196.8.
The general course of said vein or lode, as near as it may be described is N 17° W and S 17° E.
The claim is situated in the Bootstrap mining district,
Eureka County, State of Nevada, and the discovery monument is located
approximately N 81 1/2° E 4915 feet from the west 1/4 corner of Section 22, T. 36 N.; R. 49 E.; M. D. B. & M.
The locator claims
1450 feet in a S.17° E direction from the point of discovery,
with a width of 300 feet on each side of the center of the vein or lode along the entire length of
said claim.
The dimensions and locations of the discovery work done on the claims are as follows:
three rotary drill holes, 45 feet deep, 85 feet deep and 75 feet
deep on the "A" claim Nos. 10, 11 and 12, and costing more than \$600.00
Such work was done at
and results in tending to advance the exploration of such claims as a group. The names of which
said group of claims are as follows: A. Nos 3, 4, 5, 10, 11, and .12.
The corners and side centers of this claim are located and marked as follows:
Beginning at the northwest corner, a 4"x4"x41/2' wood post marked N.W. corner A. No 5;
thence S 17° E 750 feet, west side center,
a 4"x4"x41/2' wood post marked side center, A No. 5, 1500 , feet to the SW corner,
a 4"x4"x41½' wood post marked SW corner A No. 5
a 4"x4"x4½' wood post marked SE corner A No. 5
thence N 17° W 750 reet, east side center,
a 4"x4"x4½' wood post marked E side center, A No. 5, 1500 , feet to the NE corner,
a 4"x4"x4½' wood post marked NE corner A No. 5
thence S 73° W 600 feet to the northwest corner, the place of beginning.
The west side line of this claim is contiguous with the east side line of the A No. 4
the north end line is contiguous with the South end line of the A No. 12 claim;
the east side line is contiguous with the west side line of the A No. 6 claim;
the end line is contiguous with the end line of the claim.
All location work necessary to complete this location had been performed by
June 19
Dated this 24th day of June ,1968.
Effort Stordic 134 West Maple St.
gyron S. Hardie Elko, Nevada
RECORDED AT THE REQUEST OF M. H. White
on June 27 19 68 at 06 mins, past 8 As M. in 24 at OFFICIAL RECORDS area 556 RECORDS OF
EUREKA CHUNTH HEYADA Sulle Co-Mistad Recorder.
File No. 11/2/1

This is to certify that the
was located by
day ofApril, 196.8.
The general course of said vein or lode, as near as it may be described is
N 17° W and S 17° E.
The claim is situated in the Bootstrap mining district,
Eureka County, State of Nevada, and the discovery monument is located
approximately N 80 3/4° E 5535 feet from the west 1/4 corner of Section 22,
T. 36 N.; R. 49 E.; M. D. B. & M.
The locator claims 50 feet in a . N 17° W direction and
with a width of 300 feet on each side of the center of the vein or lode along the entire length of
said claim.
The dimensions and locations of the discovery work done on the claims are as follows:
three rotary drill holes, 125 feet deep, 140 feet deep and 85 feet deep on
the "A" claim Nos. 7 and 14, and costing more than \$500.00.
Such work was done at
and results in tending to advance the exploration of such claims as a group. The names of which
said group of claims are as follows: A Nos. 6, 7, 13, 14 and 15,
The corners and side centers of this claim are located and marked as follows:
Beginning at the northwest corner, a 4"x4"x41/2' wood post marked N.W. corner A No. 6;
thence \$ 17° E
a 4"x4"x4½' wood post marked . W side center, . A. No. 6, 1500, feet to the . SW corner,
a 4"x4"x4½' wood post marked SW corner A No. 6
thence N 73° E 600 feet to the southeast corner,
a 4"x4½" wood post marked . \$Ecorner A. No. 6
thence N 17° W 750 feet, east side center,
a 4"x4"x4½' wood post marked . E side center, . A. No 6, 1500 , feet to the NE corner,
a 4"x4"x4½' wood post markedNE corner A. No. 6
thence 5.73° W 600 feet to the northwest corner, the place of beginning.
The West side line of this claim is contiguous with the east side line of the A No. 5
the north, end line is contiguous with the south, end line of the A.No., .13
the east, side line is contiguous with the West, side line of the A No. 7
the end line is contiguous with the end line of the claim.
All location work necessary to complete this location had been performed by
June 17
Dated this
Dated this
Advori & Hardie
134 West Maple St.
Byron S. Hardie Elko, Navada Name of Locator M.H. White Address
June 27 1968, or 06 mins, past 8 A. M. in
Park 24 of OFFICIAL RECORDS, page 337 RECORDS OF
EUREKA COUNTY, NEVADA SALCE OF ACT TO Recorder.
FIII 1704

File No. ____

This is to certify that the
was located by Byron S, Hardie on the 13th
day of April
The general course of said vein or lode, as near as it may be described is N 17° W and S 17° E.
The claim is situated in the
Eureka County, State of Nevada, and the discovery monument is located
approximately N 80° E 6110 feet from the west 1/4 corner of Section 22,
T. 36 N.; R. 49 E.; M. D. B. & M.
The locator claims
1450 feet in a S. 17°. E direction from the point of discovery,
with a width of 300 feet on each side of the center of the vein or lode along the entire length of
said claim.
The dimensions and locations of the discovery work done on the claims are as follows:
three rotary drill holes, 125 feet deep, 140 feet deep and 85 feet deep on the
'A' claim Nos. 7 and 14, and costing more than \$500.00.
Such work was done at
and results in tending to advance the exploration of such claims as a group. The names of which
said group of claims are as follows: A Nos. 6, 7, 13, 14 and 15.
The corners and side centers of this claim are located and marked as follows:
Beginning at the northwest corner, a 4"x4"x41/2' wood post marked N.W. corner A. No 7;
thence S 17° E 750 feet, west side center,
a 4"x4"x4½' wood post marked W side center, .A. No 7., 1500, feet to the .SW corner,
a 4"x4"x4½' wood post marked SW corner A No. 7.
thence N 73° E 600 feet to the southeast corner,
a 4"x4"x4½' wood post marked . SE . corner A .No. 7
thence N 17° W 750 feet, east side center,
a 4"x4"x4½' wood post marked E side center, A No. 7, 1500, feet to the .NE corner,
a 4"x4"x4½' wood post marked . NE corner A . No 7
thence \$ 73° W 600 feet to the northwest corner, the place of beginning.
The West, side line of this claim is contiguous with the .east. side line of theA. No6
the north, end line is contiguous with the south end line of the A. No. 14
the side line is contiguous with the side line of the claim;
the end line is contiguous with the end line of the claim.
All location work necessary to complete this location had been performed by
June 17, 1968
Dated this
Egron S. Hardie
134 West Mapie St.
Byron S. Hardie Elko, Nevada Name of Locator Address
RECORDED AT THE REQUEST OF M.H. White June 27 19 68 of 06 mins past 8.A. M. in
Dook 24 of OFFICIAL RECORDS, page 558 RECORDS OF
EUREKA COUNTY, NEVADA Alet Cort Mittat Recorder.
File Ma

This is to certify that theA. No. 10 lode mining claim
was located by Byron S. Hardie on the 13th
day ofApril
The general course of said vein or lode, as near as it may be described is N 17° W and S 17° E.
The claim is situated in the Bootstrap mining district,
Eureka County, State of Nevada, and the discovery monument is located
approximately N 83 1/4° E 3720 feet from the west 1/4 corner of Section 22, T. 36 N.; R. 49 E.; M. D. B. & M.
The locator claims 50 feet in a S 17° E direction and 1450 feet in a N 17° W direction from the point of discovery,
with a width of 300 feet on each side of the center of the vein or lode along the entire length of
said claim.
The dimensions and locations of the discovery work done on the claims are as follows:
three rotary drill holes, 45 feet deep, 85 feet deep and 75 feet deep
on "A" claim Nos. 10, 11 and 12, and costing more than \$600.00
Such work was done at
and results in tending to advance the exploration of such claims as a group. The names of which
said group of claims are as follows: A Nos. 3, 4, 5, 10, 11 and 12.
The corners and side centers of this claim are located and marked as follows:
Beginning at the northwest corner, a 4"x4"x41/2' wood post marked N.W. corner A. No. 10;
thence
a 4"x4"x4½' wood post marked W side center, A No., 10, 1500, feet to the SW corner,
a 4"x4"x4½' wood post marked corner A No. 10
thence N 73° W 600 feet to the southeast corner,
a 4"x4"x4½' wood post marked SE corner A No. 10
thence N 17° W 750 feet, east side center,
a 4"x4"x4½' wood post marked E side center, A No. 10, 1500, feet to the NE corner,
a 4"x4"x4½' wood post marked .NE corner .A. No. 10;
thence S. 73° W 600 feet to the northwest corner, the place of beginning.
The eastside line of this claim is contiguous with the west side line of the A No. 11 claim;
the Southend line is contiguous with the north end line of the . A . No 3
the side line is contiguous with the side line of the claim;
the end line is contiguous with the end line of the claim.
All location work necessary to complete this location had been performed by June 19, 196.8.
Dated this 24.th. day of June , 1968.
Dated this 24.th. day of butte. , 1909.
Ahow S. Hardie
Byron S. Hardie Elko, Nevada
Name of Locator RECORDED AT THE REQUEST OF No. 11. White June 27 19 68 at 06 mine part 8 A. M. In
77 mins, pr
Book 24 of OFFICIAL RECORDS, page 559 RECORDS OF EUREKA COMMUNICATION MENADA Solling 11-11/11 Foot 100 Recorder.
File No.

47225 BOOK 24 PAGE

This is to certify that the
was located by Byron S. Hardie on the 13th
day ofApril, 196.8.
The general course of said vein or lode, as near as it may be described is S 17° E and N 17° W.
The claim is situated in the Bootstrap mining district,
Eureka County, State of Nevada, and the discovery monument is located
approximately N 81 1/2° E 4305 feet from the west 1/4 corner of
Section 22, T. 36 N.; R. 49 E.; M. D. B. & M.
The locator claims
with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claims are as follows:
three rotary drill holes, 45 feet deep, 85 feet deep and 75 feet deep
on the "A" claim Nos. 10, 11 and 12, and costing more than \$600.00.
Such work was done at
and results in tending to advance the exploration of such claims as a group. The names of which
said group of claims are as follows: A. No 3, 4, 5, 10, 11 and .12.
The corners and side centers of this claim are located and marked as follows:
Beginning at the northwest corner, a 4"x4"x41/2' wood post marked N.W. corner A No. 11;
thence S 17° E 750 feet, west side center,
a 4"x4"x4½' wood post marked . W side center, . A. No. 11, 1500, feet to the SW corner,
a 4"x4"x4½' wood post marked SWcorner A. No. 11
thence N 73° E 600 feet to the southeast corner,
a 4"x4"x4½' wood post marked SE corner A No. 11
thence N 17° W 750 feet, east side center,
a 4"x4"x41/2' wood post marked east side center, A No. 11, 1500, feet to the NE corner,
a 4"x4"x4½' wood post marked NE corner A. No. 11
thence S. 73° W 600 feet to the northwest corner, the place of beginning.
The West side line of this claim is contiguous with the east side line of the A. No. 10
the south end line is contiguous with the north end line of the A No. 4 claim;
the .east side line is contiguous with the West, side line of the A. No. 12 claim;
thenorth end line is contiguous with the south end line of the Rio No. 7X claim.
All location work necessary to complete this location had been performed by
June. 19, 1968
Dated this 24th day of June, 196. 8.
\mathcal{L}_{I} \mathcal{L}_{I} \mathcal{L}_{I}
Lynew S. Hardie
134 West Maple St. Byron S. Hardie Elko, Neveda
Name of Locator Augustica Address
RECORDED AT THE REQUEST OF THE PRINTEGE 8 A. M. in June 27
EUREKA COUNTY, HEY ADA MILLE A MILATE 1.00 Recorder.
File No. 47225 Fee \$ 1.00

This is to certify that the
was located by Byron S. Hardie on the 13th
day ofApril, 196.8.
The general course of said vein or lode, as near as it may be described is
S 17 $^{\circ}$ E and N 17 $^{\circ}$ W.
The claim is situated in the Bootstrap mining district,
Eureka County, State of Nevada, and the discovery monument is located
approximately N 80 1/2° E 4900 feet from the west 1/4 corner of
Section 22, T. 36 N.; R. 49 E.; M. D. B. & M.
The locator claims 50 feet in a 5.17° E direction and
1450 feet in a N 17° W direction from the point of discovery,
with a width of 300 feet on each side of the center of the vein or lode along the entire length of
said claim.
The dimensions and locations of the discovery work done on the claims are as follows:
three rotary drill holes, 45 feet deep, 85 feet deep and 75 feet
deep on the "A" claim Nos. 10, 11 and 12, and costing more than \$600.00
Such work was done at
and results in tending to advance the exploration of such claims as a group. The names of which
said group of claims are as follows:A. Nos., 3, 4, 5, 10, 11 and 12.
The corners and side centers of this claim are located and marked as follows:
Beginning at the northwest corner, a 4"x4"x41/2' wood post marked N.W. corner A. No., 12;
thence S. 17° E. 750. feet, west side center,
a 4"x4"x41/2' wood post marked W side center, . A. No. 12, 1500, feet to the SW corner,
a 4"x4"x4½' wood post marked SW corner A No. 12
thence N 73° E 600 feet to the southeast corner,
a 4"x4"x41/2' wood post marked SE corner A No. 12
thence N 170 W 750 feet, east side center,
a 4"x4"x41/2' wood post marked side center, A No. 12, 1500, feet to the NE. corner,
a 4"x4"x4½' wood post marked . NE . corner . A No. 12
thence S 73° W 600 feet to the northwest corner, the place of beginning.
The west side line of this claim is contiguous with the east side line of the A No. 11 claim;
the South end line is contiguous with the north end line of the A No. 5
the Bast, side line is contiguous with the west, side line of the A No. 13 claim;
the north end line is contiguous with the south end line of the Rio No. 6X claim.
All location work necessary to complete this location had been performed by
June 19 , 196.8
Dated this 24th day of June , 196.8.
A, A
Dyan S. Nardie
134 West Maple St. Byron S. Hardie Elko, Nevada
Name of Locator Address RECORDED AT THE REQUEST OF M.H. White
on June 27 19 68, et U6 mins. post 8 A. M. In
Book 24 of OFFICIAL RECORDS, page 561 RECORDS OF EUREKA COUNTY, NEVADA Juliu G. Militaria Recorder.
File No. 1.00

This is to certify that the
was located by Byron S. Hardie on the 13th
day of
The general course of said vein or lode, as near as it may be described is
S 17° E and N 17° W.
The claim is situated in theBootstrap mining district,
Eureka County, State of Nevada, and the discovery monument is located
approximately N 79 1/2 ° E 5515 feet from the west 1/4 corner of Section 22,
Τ. 36 N.; R. 49 E.; M. D. B. & M.
The locator claims50 feet in a \$.17° E direction and
with a width of 300 feet on each side of the center of the vein or lode along the entire length of
said claim.
The dimensions and locations of the discovery work done on the claims are as follows:
three rotary drill holes, 125 feet deep, 140 feet deep and 85 feet deep on the.
"A" claim Nos. 7 and 14, and costing more than \$500,00.
Such work was done at point(s) within a group of contiguous claims
and results in tending to advance the exploration of such claims as a group. The names of which
said group of claims are as follows: A Nos. 6, 7, 13, 14 and 15.
The corners and side centers of this claim are located and marked as follows:
Beginning at the northwest corner, a 4"x4"x41/2' wood post marked N.W. corner A. No 13;
thence S 17° E 750 feet, west side center,
a 4"x4"x4½' wood post marked w side center, A. No 13, 1500, feet to the SW corner,
a 4"x4"x4½' wood post marked\$W corner
thence N. 73° E 600 feet to the southeast corner,
a 4"x4"x4½' wood post marked .SE cornerA. No 13
thence N. 17° W. 750 feet, east side center,
a 4"x4"x4½' wood post marked side center, A. No 13, 15.00, feet to the NE corner,
a 4"x4"x4½' wood post marked . NE corner A. No J3
thence \$ 73° W 600 feet to the northwest corner, the place of beginning.
The West side line of this claim is contiguous with the east side line of theA. No 12
the south end line is contiguous with the north, end line of the
the least, side line is contiguous with the .west, side line of the
the north end line is contiguous with the . south end line of the Rio. No 5X
All location work necessary to complete this location had been performed by
June 17
Dated this 24th day of June , 196.8,
Flore Hardi
134 West Maple St.
Byron S. Hardie Elko, Nevada
RECORDED AT THE REQUEST OF M. H. White
June 27, 19 68, at _ 06 mins. past
FUREKA COUNTY: 4544DAY Milly a. Motas Recorder.
File No Fee \$ 1.00

This is to certify that the
was located by Byron S. Hardie on the 13th
day ofApril, 196.8.
The general course of said vein or lode, as near as it may be described is
\$ 17° E and N 17° W.
The claim is situated in the Bootstrap mining district,
Eureka County, State of Nevada, and the discovery monument is located
approximately N.79° E 6095 feet from the west 1/4 corner of Section 22,
T. 36 N.; R. 49 E.; M. D. B. & M.
The locator claims 50 feet in a
1450 feet in aN.17.°V direction from the point of discovery,
with a width of 300 feet on each side of the center of the vein or lode along the entire length of
said claim.
The dimensions and locations of the discovery work done on the claims are as follows:
three rotary drill holes, 125 feet deep, 140 feet deep and 85 feet deep
on the "A" claim Nos. 7 and 14, and costing more than \$500.00.
Such work was done at
and results in tending to advance the exploration of such claims as a group. The names of which
said group of claims are as follows: A. Nos., 6, 7, 13, 14 and 15
The corners and side centers of this claim are located and marked as follows:
Beginning at the northwest corner, a 4"x4"x41/2' wood post marked N.W. corner A. No. 1.14;
thence S 17° E 750 feet, west side center,
a 4"x4"x41/2' wood post marked side center, . A. No 14, 1500, feet to the SW corner,
a 4"x4"x4½' wood post marked\$\corner A .No14;
thence
a 4"x4"x4½' wood post marked\$Ecorner A .No14
thence
a 4"x4"x41/2' wood post marked E side center, A. No 14, 1500, feet to the NE corner,
a 4"x4"x4½' wood post marked . NE corner A. No. 14
thence \$.73° W
The . West side line of this claim is contiguous with the PAST . side line of the A . No
the south end line is contiguous with the north, end line of the A.No 7
the east side line is contiguous with the west side line of the A. No 15
the north end line is contiguous with the south, end line of the, Rio No., 4X claim.
All location work necessary to complete this location had been performed by
June 17 , 196.8, .
Dated this24th
Sylviu S. Hardie
134 West Maple St. Byron S. Hardie Elko, Nevada
Name of Locator Address
RECORDED AT THE REQUEST OF M. H. White June 27 to 68 to 66 to the second 8 A. H. in

Book 24 of OFFICIAL RECORDS, page 563 RECORDS OF EUREKA COUNTY, NEVADA ALCO ASSOCIATED Recorder.

This is to certify that the
was located by
day ofApril, 196.8.
The general course of said vein or lode, as near as it may be described is
S. 17°. E. and. N. 17°. W.
The claim is situated in theBootstrap mining district,
Eureka County, State of Nevada, and the discovery monument is located
approximately N.75.1/2° E 6670 feet from the west 1/4 corner of Section 22,
Τ. 36 N.; R. 49 E.; M. D. B. ε M.
The locator claims
with a width of 300 feet on each side of the center of the vein or lode along the entire length of
said claim.
The dimensions and locations of the discovery work done on the claims are as follows:
three rotary drill holes, 125 feet deep, 140 feet deep and 85 feet deep on
the "A" claim Nos. 7 and 14, and costing more than \$500.00.
Such work was done at
and results in tending to advance the exploration of such claims as a group. The names of which
said group of claims are as follows:A. Nos., 6, 7,13,14 and15
The corners and side centers of this claim are located and marked as follows:
Beginning at the northwest corner, a 4"x4"x41/2' wood post marked N.W. corner A No 15;
thence S. 17° E. 750 feet, west side center,
a 4"x4"x41/2' wood post marked W side center, A. No 15, . 1500, feet to the .SW corner,
a 4"x4"x4½' wood post marked . SW corner
thence
a 4"x4"x4½' wood post marked SE corner
thence N 17° W 750 feet, east side center,
a 4"x4"x4½' wood post marked E side center, A .No 15, . 1500, feet to the .NE corner,
a 4"x4"x41/2' wood post markedNEcorner
thence \$ 73° W 600 feet to the northwest corner, the place of beginning.
The west, side line of this claim is contiguous with the east, side line of the A. No 14 claim;
the north, end line is contiguous with the South, end line of the Rio, No., .3X claim;
the side line is contiguous with the side line of the claim;
the end line is contiguous with the end line of the claim.
All location work necessary to complete this location had been performed by June 17
Dated this
2 O O
Japan S. Gerdie
134 West Maple St. Byron S. Hardie Elko, Nevada
Name of Locator Address Accorded At the Request of M. H. White Lune 27 - 68 - 06 - 50 - 50 - 10 - 10 - 10
Salte 27 19 00 at 00 mins past
Book 24 of OFFICIAL RECURDS, page - Bacardon
File No. 1.00