

CERTIFICATE OF LOCATION OF LODE CLAIM

THIS IS TO CERTIFY that the W-1 Lode Mining Claim was located by Wm. L. Wilson on the 15th day of July, 1968. The General course of said vein or lode is northerly and southerly. The claim is situate in the Secret Canyon area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 100 feet in a northerly direction and 1400 feet in a southerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In compliance with Sections 517.040, 517.050, and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the following excavations:

Cut #	Length	Width	Depth	Orientation	Distance	Bearing	From
1	250'	10'	2'	N 65° E	65'	S 10° E	WSC W-12
2	150'	10'	2½'	N 58° E	240'	N 79° E	WSC W-12
3	360'	10'	3'	N 65° E	390'	N 70° E	WSC W-12
4	120'	10'	4'	N 30° E	220'	S 64° W	LM W-2
5	180'	10'	4'	N 38° E	130'	N 87° W	LM W-2
6	150'	16'	3'	N 65° W	100'	N 75° W	ESC W-12
7	250'	10'	4'	N 12° E	150'	S 58° W	LM W-2
8	180'	10'	5'	S 40° W	150'	S 58° W	LM W-2
9	240'	10'	5'	S 45° W	330'	S 48° W	LM W-2
10	120'	10'	6½'	S 25° W	570'	S 47° W	LM W-2
11	100'	10'	5½'	S 5° W	680'	S 43° W	LM W-2
12	150'	12'	7'	S 20° E	430'	N 11° W	SE COR W-12
13	285'	10'	5½'	S 10° E	290'	N 6° W	SE COR W-12
14	100'	10'	5'	S 35° E	15'	West	SE COR W-12
15	100'	10'	6'	S 35° E	115'	S 44° E	SE COR W-12
16	150'	12'	8'	N 12° E	150'	N 11° W	LM W-2
17	300'	10'	4'	N 5° E	300'	North	LM W-2
18	100'	10'	4'	N 55° E	300'	S 61° W	ESC W-5
19	165'	10'	4'	N 75° E	200'	S 64° W	ESC W-5
20	100'	12'	5'	S 80° E	50'	S 28° W	ESC W-5
21	160'	10'	3'	S 30° E	100'	S 51° E	ESC W-5
22	25'	12'	2'	N 45° W	200'	S 30° W	NE COR W-4

Approximately 170,000 cubic feet of material was excavated from the above cuts.

This claim is one of a group of ten contiguous claims, being the W-1, W-2, W-3, W-4, W-5, W-7, W-8, W-12, W-13 and W-17, for whose benefit the excavations described above were made. During the course of said excavation work, more than \$1,000.00 was expended for said work on said group of ten claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "SW COR W-1 "; thence northerly for a distance of 750 feet to a post marked, "WSC W-1 "; thence northerly for a distance of 750 feet to a post marked, "NW COR W-1 "; thence easterly for a distance of 600 feet to a post marked, "NE COR W-1 "; thence southerly for a distance of 750 feet to a post marked, "ESC W-1 "; thence southerly for a distance of 750 feet to a post marked, "SE COR W-1 "; thence westerly for a distance of 600 feet to the point of beginning.

The northwest corner of this claim is approximately 1,600 feet N 48° W from the Windfall Mine Shaft, which shaft is on the patented Windfall Claim, U. S. Survey No. 3705, Eureka County, Nevada.

All location and discovery work necessary to complete this location have been performed by September 27, 1968.

Dated this 27th day of September, 1968.

RECORDED AT THE REQUEST OF
W. L. Wilson
on October 1, 1968
at 35 mins. past 8 A. M.
in Book 26 of OFFICIAL
RECORDS, page 101-102
OF EUREKA COUNTY, NEVADA
Recorder W. L. Wilson
File No. 47847 Fee \$ 1.00

Wm. L. Wilson
Wm. L. Wilson, Locator
213 Petroleum Building
1129 Colorado Avenue
Grand Junction, Colorado 81501

CERTIFICATE OF LOCATION OF LODE CLAIM

THIS IS TO CERTIFY that the W-2 Lode Mining Claim was located by Wm. L. Wilson on the 19th day of August 1968. The General course of said vein or lode is northerly and southerly. The claim is situate in the Secret Canyon area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 50 feet in a northerly direction and 1450 feet in a southerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In compliance with Sections 517.040, 517.050, and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the following excavations:

<u>Cut #</u>	<u>Length</u>	<u>Width</u>	<u>Depth</u>	<u>Orientation</u>	<u>Distance</u>	<u>Bearing</u>	<u>From</u>
1	250'	10'	2'	N 65° E	65'	S 10° E	WSC W-12
2	150'	10'	2½'	N 58° E	240'	N 79° E	WSC W-12
3	360'	10'	3'	N 65° E	390'	N 70° E	WSC W-12
4	120'	10'	4'	N 30° E	220'	S 64° W	LM W-2
5	180'	10'	4'	N 38° E	130'	N 87° W	LM W-2
6	150'	16'	3'	N 65° W	100'	N 75° W	ESC W-12
7	250'	10'	4'	N 12° E	150'	S 58° W	LM W-2
8	180'	10'	5'	S 40° W	150'	S 58° W	LM W-2
9	240'	10'	5'	S 45° W	330'	S 48° W	LM W-2
10	120'	10'	6½'	S 25° W	570'	S 47° W	LM W-2
11	100'	10'	5½'	S 5° W	680'	S 43° W	LM W-2
12	150'	12'	7'	S 20° E	430'	N 11° W	SE COR W-12
13	285'	10'	5½'	S 10° E	290'	N 6° W	SE COR W-12
14	100'	10'	5'	S 35° E	15'	West	SE COR W-12
15	100'	10'	6'	S 35° E	115'	S 44° E	SE COR W-12
16	150'	12'	8'	N 12° E	150'	N 11° W	LM W-2
17	300'	10'	4'	N 5° E	300'	North	LM W-2
18	100'	10'	4'	N 55° E	300'	S 61° W	ESC W-5
19	165'	10'	4'	N 75° E	200'	S 64° W	ESC W-5
20	100'	12'	5'	S 80° E	50'	S 28° W	ESC W-5
21	160'	10'	3'	S 30° E	100'	S 51° E	ESC W-5
22	25'	12'	2'	N 45° W	200'	S 30° W	NE COR W-4

Approximately 170,000 cubic feet of material was excavated from the above cuts.

This claim is one of a group of ten contiguous claims, being the W-1, W-2, W-3, W-4, W-5, W-7, W-8, W-12, W-13 and W-17, for whose benefit the excavations described above were made. During the course of said excavation work, more than \$1,000.00 was expended for said work on said group of ten claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "SW COR W-2 "; thence northerly for a distance of 750 feet to a post marked, "WSC W-2 "; thence northerly for a distance of 750 feet to a post marked, "NW COR W-2 "; thence easterly for a distance of 600 feet to a post marked, "NE COR W-2 "; thence southerly for a distance of 750 feet to a post marked, "ESC W-2 "; thence southerly for a distance of 750 feet to a post marked, "SE COR W-2 "; thence westerly for a distance of 600 feet to the point of beginning.

The northwest corner of this claim is approximately 2,175 feet S 40° W from the Windfall Mine Shaft, which shaft is on the patented Windfall Claim, U. S. Survey No. 3705, Eureka County, Nevada.

All location and discovery work necessary to complete this location have been performed by September 27, 1968.

Dated this 27th day of September, 1968.

RECORDED AT THE REQUEST OF
W. L. Wilson
on October 1, 19 68
at 35 mins, past 8 A. M.
in Book 26 of OFFICIAL
RECORDS, page 103-104, RECORDS
OF EUREKA COUNTY, NEVADA.
Thelma P. Nisbett
Recorder
File No. 47848 Fee \$ 1.00

Wm L Wilson
Wm. L. Wilson, Locator
213 Petroleum Building
1129 Colorado Avenue
Grand Junction, Colorado 81501

(2)

CERTIFICATE OF LOCATION OF LODE CLAIM

THIS IS TO CERTIFY that the W-3 Lode Mining Claim was located by Wm. L. Wilson on the 19th day of August 1968. The General course of said vein or lode is northerly and southerly. The claim is situated in the Secret Canyon area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1450 feet in a northerly direction and 50 feet in a southerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In compliance with Sections 517.040, 517.050, and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the following excavations:

<u>Cut #</u>	<u>Length</u>	<u>Width</u>	<u>Depth</u>	<u>Orientation</u>	<u>Distance</u>	<u>Bearing</u>	<u>From</u>
1	250'	10'	2'	N 65° E	65'	S 10° E	WSC W-12
2	150'	10'	2½'	N 58° E	240'	N 79° E	WSC W-12
3	360'	10'	3'	N 65° E	390'	N 70° E	WSC W-12
4	120'	10'	4'	N 30° E	220'	S 64° W	LM W-2
5	180'	10'	4'	N 38° E	130'	N 87° W	LM W-2
6	150'	16'	3'	N 65° W	100'	N 75° W	ESC W-12
7	250'	10'	4'	N 12° E	150'	S 58° W	LM W-2
8	180'	10'	5'	S 40° W	150'	S 58° W	LM W-2
9	240'	10'	5'	S 45° W	330'	S 48° W	LM W-2
10	120'	10'	6½'	S 25° W	570'	S 47° W	LM W-2
11	100'	10'	5½'	S 5° W	680'	S 43° W	LM W-2
12	150'	12'	7'	S 20° E	430'	N 11° W	SE COR W-12
13	285'	10'	5½'	S 10° E	290'	N 6° W	SE COR W-12
14	100'	10'	5'	S 35° E	15'	West	SE COR W-12
15	100'	10'	6'	S 35° E	115'	S 44° E	SE COR W-12
16	150'	12'	8'	N 12° E	150'	N 11° W	LM W-2
17	300'	10'	4'	N 5° E	300'	North	LM W-2
18	100'	10'	4'	N 55° E	300'	S 61° W	ESC W-5
19	165'	10'	4'	N 75° E	200'	S 64° W	ESC W-5
20	100'	12'	5'	S 80° E	50'	S 28° W	ESC W-5
21	160'	10'	3'	S 30° E	100'	S 51° E	ESC W-5
22	25'	12'	2'	N 45° W	200'	S 30° W	NE COR W-4

Approximately 170,000 cubic feet of material was excavated from the above cuts.

This claim is one of a group of ten contiguous claims, being the W-1, W-2, W-3, W-4, W-5, W-7, W-8, W-12, W-13 and W-17, for whose benefit the excavations described above were made. During the course of said excavation work, more than \$1,000.00 was expended for said work on said group of ten claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "SW COR W-3 "; thence northerly for a distance of 750 feet to a post marked, "WSC W-3 "; thence northerly for a distance of 750 feet to a post marked, "NW COR W-3 "; thence easterly for a distance of 600 feet to a post marked, "NE COR W-3 "; thence southerly for a distance of 750 feet to a post marked, "ESC W-3 "; thence southerly for a distance of 750 feet to a post marked, "SE COR W-3 "; thence westerly for a distance of 600 feet to the point of beginning.

The northwest corner of this claim is approximately 3,300 feet S 26° W from the Windfall Mine Shaft, which shaft is on the patented Windfall Claim, U. S. Survey No. 3705, Eureka County, Nevada.

All location and discovery work necessary to complete this location have been performed by September 27, 1968.

Dated this 27th day of September, 1968.

RECORDED AT THE REQUEST OF
W. L. Wilson
on October 1 19 68
at 35 mins. past 8 A. M.
in Book 26 of OFFICIAL
RECORDS, page 105-106, RECORDS
OF EUREKA COUNTY, NEVADA
Recorder 47849
File No. 47849 Fee \$ 1.00

Wm L Wilson
Wm. L. Wilson, Locator
213 Petroleum Building
1129 Colorado Avenue
Grand Junction, Colorado 81501

CERTIFICATE OF LOCATION OF LODE CLAIM

THIS IS TO CERTIFY that the W-4 Lode Mining Claim was located by Wm. L. Wilson on the 15th day of July 1968. The General course of said vein or lode is northerly and southerly. The claim is situated in the Secret Canyon area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 300 feet in a northerly direction and 1200 feet in a southerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In compliance with Sections 517.040, 517.050, and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the following excavations:

<u>Cut #</u>	<u>Length</u>	<u>Width</u>	<u>Depth</u>	<u>Orientation</u>	<u>Distance</u>	<u>Bearing</u>	<u>From</u>
1	250'	10'	2'	N 65° E	65'	S 10° E	WSC W-12
2	150'	10'	2½'	N 58° E	240'	N 79° E	WSC W-12
3	360'	10'	3'	N 65° E	390'	N 70° E	WSC W-12
4	120'	10'	4'	N 30° E	220'	S 64° W	LM W-2
5	180'	10'	4'	N 38° E	130'	N 87° W	LM W-2
6	150'	16'	3'	N 65° W	100'	N 75° W	ESC W-12
7	250'	10'	4'	N 12° E	150'	S 58° W	LM W-2
8	180'	10'	5'	S 40° W	150'	S 58° W	LM W-2
9	240'	10'	5'	S 45° W	330'	S 48° W	LM W-2
10	120'	10'	6½'	S 25° W	570'	S 47° W	LM W-2
11	100'	10'	5½'	S 5° W	680'	S 43° W	LM W-2
12	150'	12'	7'	S 20° E	430'	N 11° W	SE COR W-12
13	285'	10'	5½'	S 10° E	290'	N 6° W	SE COR W-12
14	100'	10'	5'	S 35° E	15'	West	SE COR W-12
15	100'	10'	6'	S 35° E	115'	S 44° E	SE COR W-12
16	150'	12'	8'	N 12° E	150'	N 11° W	LM W-2
17	300'	10'	4'	N 5° E	300'	North	LM W-2
18	100'	10'	4'	N 55° E	300'	S 61° W	ESC W-5
19	165'	10'	4'	N 75° E	200'	S 64° W	ESC W-5
20	100'	12'	5'	S 80° E	50'	S 28° W	ESC W-5
21	160'	10'	3'	S 30° E	100'	S 51° E	ESC W-5
22	25'	12'	2'	N 45° W	200'	S 30° W	NE COR W-4

Approximately 170,000 cubic feet of material was excavated from the above cuts.

This claim is one of a group of ten contiguous claims, being the W-1, W-2, W-3, W-4, W-5, W-7, W-8, W-12, W-13 and W-17, for whose benefit the excavations described above were made. During the course of said excavation work, more than \$1,000.00 was expended for said work on said group of ten claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "SW COR W-4 "; thence northerly for a distance of 750 feet to a post marked, "WSC W-4 "; thence northerly for a distance of 750 feet to a post marked, "NW COR W-4 "; thence easterly for a distance of 600 feet to a post marked, "NE COR W-4 "; thence southerly for a distance of 750 feet to a post marked, "ESC W-4 "; thence southerly for a distance of 750 feet to a post marked, "SE COR W-4 "; thence westerly for a distance of 600 feet to the point of beginning.

The northwest corner of this claim is approximately 3,200 feet S 15° W from the Windfall Mine Shaft, which shaft is on the patented Windfall Claim, U. S. Survey No. 3705, Eureka County, Nevada.

All location and discovery work necessary to complete this location have been performed by September 27, 1968.

Dated this 27th day of September, 1968.

RECORDED AT THE REQUEST OF
W. L. Wilson
 on October 1, 1968
 at 35 mins. past 8 A. M.
 in Book 26 of OFFICIAL
 RECORDS, page 107-108, RECORDS
 OF EUREKA COUNTY, NEVADA
Shelley C. ...
 Recorder
 File No. 47850 Rec. \$ 1.00

Wm L Wilson
Wm. L. Wilson, Locator
213 Petroleum Building
1129 Colorado Avenue
Grand Junction, Colorado 81501

CERTIFICATE OF LOCATION OF LODE CLAIM

THIS IS TO CERTIFY that the W-5 Lode Mining Claim was located by Wm. L. Wilson on the 19th day of August 1968. The General course of said vein or lode is northerly and southerly. The claim is situated in the Secret Canyon area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1450 feet in a northerly direction and 50 feet in a southerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In compliance with Sections 517.040, 517.050, and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the following excavations:

<u>Cut #</u>	<u>Length</u>	<u>Width</u>	<u>Depth</u>	<u>Orientation</u>	<u>Distance</u>	<u>Bearing</u>	<u>From</u>
1	250'	10'	2'	N 65° E	65'	S 10° E	WSC W-12
2	150'	10'	2½'	N 58° E	240'	N 79° E	WSC W-12
3	360'	10'	3'	N 65° E	390'	N 70° E	WSC W-12
4	120'	10'	4'	N 30° E	220'	S 64° W	LM W-2
5	180'	10'	4'	N 38° E	130'	N 87° W	LM W-2
6	150'	16'	3'	N 65° W	100'	N 75° W	ESC W-12
7	250'	10'	4'	N 12° E	150'	S 58° W	LM W-2
8	180'	10'	5'	S 40° W	150'	S 58° W	LM W-2
9	240'	10'	5'	S 45° W	330'	S 48° W	LM W-2
10	120'	10'	6½'	S 25° W	570'	S 47° W	LM W-2
11	100'	10'	5½'	S 5° W	680'	S 43° W	LM W-2
12	150'	12'	7'	S 20° E	430'	N 11° W	SE COR W-12
13	285'	10'	5½'	S 10° E	290'	N 6° W	SE COR W-12
14	100'	10'	5'	S 35° E	15'	West	SE COR W-12
15	100'	10'	6'	S 35° E	115'	S 44° E	SE COR W-12
16	150'	12'	8'	N 12° E	150'	N 11° W	LM W-2
17	300'	10'	4'	N 5° E	300'	North	LM W-2
18	100'	10'	4'	N 55° E	300'	S 61° W	ESC W-5
19	165'	10'	4'	N 75° E	200'	S 64° W	ESC W-5
20	100'	12'	5'	S 80° E	50'	S 28° W	ESC W-5
21	160'	10'	3'	S 30° E	100'	S 51° E	ESC W-5
22	25'	12'	2'	N 45° W	200'	S 30° W	NE COR W-4

Approximately 170,000 cubic feet of material was excavated from the above cuts.

This claim is one of a group of ten contiguous claims, being the W-1, W-2, W-3, W-4, W-5, W-7, W-8, W-12, W-13 and W-17, for whose benefit the excavations described above were made. During the course of said excavation work, more than \$1,000.00 was expended for said work on said group of ten claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate):
 "SW COR W-5 "; thence northerly for a distance of 750 feet to a post marked, "WSC W-5 "; thence northerly for a distance of 750 feet to a post marked, "NW COR W-5 "; thence easterly for a distance of 600 feet to a post marked, "NE COR W-5 "; thence southerly for a distance of 750 feet to a post marked, "ESC W-5 "; thence southerly for a distance of 750 feet to a post marked, "SE COR W-5 "; thence westerly for a distance of 600 feet to the point of beginning.

The northwest corner of this claim is approximately 1,740 feet S 77° W from the Windfall Mine Shaft, which shaft is on the patented Windfall Claim, U. S. Survey No. 3705, Eureka County, Nevada.

All location and discovery work necessary to complete this location have been performed by September 27, 1968.

Dated this 27th day of September, 1968.

RECORDED AT THE REQUEST OF
 W. L. Wilson
 on October 1 1968
 at 35 mins. past 8 A. M.
 in Book 26 of OFFICIAL
 RECORDS, page 109-110, RECORDS
 OF EUREKA COUNTY, NEVADA.
 Recorder 47851 Fee \$ 1.00

Wm L Wilson
 Wm. L. Wilson, Locator
 213 Petroleum Building
 1129 Colorado Avenue
 Grand Junction, Colorado 81501

CERTIFICATE OF LOCATION OF LODE CLAIM

THIS IS TO CERTIFY that the W-7 Lode Mining Claim was located by Wm. L. Wilson on the 15th day of July 1968. The General course of said vein or lode is northerly and southerly. The claim is situate in the Secret Canyon area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 100 feet in a northerly direction and 1400 feet in a southerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In compliance with Sections 517.040, 517.050, and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the following excavations:

<u>Cut #</u>	<u>Length</u>	<u>Width</u>	<u>Depth</u>	<u>Orientation</u>	<u>Distance</u>	<u>Bearing</u>	<u>From</u>
1	250'	10'	2'	N 65° E	65'	S 10° E	WSC W-12
2	150'	10'	2½'	N 58° E	240'	N 79° E	WSC W-12
3	360'	10'	3'	N 65° E	390'	N 70° E	WSC W-12
4	120'	10'	4'	N 30° E	220'	S 64° W	LM W-2
5	180'	10'	4'	N 38° E	130'	N 87° W	LM W-2
6	150'	16'	3'	N 65° W	100'	N 75° W	ESC W-12
7	250'	10'	4'	N 12° E	150'	S 58° W	LM W-2
8	180'	10'	5'	S 40° W	150'	S 58° W	LM W-2
9	240'	10'	5'	S 45° W	330'	S 48° W	LM W-2
10	120'	10'	6½'	S 25° W	570'	S 47° W	LM W-2
11	100'	10'	5½'	S 5° W	680'	S 43° W	LM W-2
12	150'	12'	7'	S 20° E	430'	N 11° W	SE COR W-12
13	285'	10'	5½'	S 10° E	290'	N 6° W	SE COR W-12
14	100'	10'	5'	S 35° E	15'	West	SE COR W-12
15	100'	10'	6'	S 35° E	115'	S 44° E	SE COR W-12
16	150'	12'	8'	N 12° E	150'	N 11° W	LM W-2
17	300'	10'	4'	N 5° E	300'	North	LM W-2
18	100'	10'	4'	N 55° E	300'	S 61° W	ESC W-5
19	165'	10'	4'	N 75° E	200'	S 64° W	ESC W-5
20	100'	12'	5'	S 80° E	50'	S 28° W	ESC W-5
21	160'	10'	3'	S 30° E	100'	S 51° E	ESC W-5
22	25'	12'	2'	N 45° W	200'	S 30° W	NE COR W-4

Approximately 170,000 cubic feet of material was excavated from the above cuts.

This claim is one of a group of ten contiguous claims, being the W-1, W-2, W-3, W-4, W-5, W-7, W-8, W-12, W-13 and W-17, for whose benefit the excavations described above were made. During the course of said excavation work, more than \$1,000.00 was expended for said work on said group of ten claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "SW COR W- 7 "; thence northerly for a distance of 750 feet to a post marked, "WSC W- 7 "; thence northerly for a distance of 750 feet to a post marked, "NW COR W- 7 "; thence easterly for a distance of 600 feet to a post marked, "NE COR W- 7 "; thence southerly for a distance of 750 feet to a post marked, "ESC W- 7 "; thence southerly for a distance of 750 feet to a post marked, "SE COR W- 7 "; thence westerly for a distance of 600 feet to the point of beginning.

The northwest corner of this claim is approximately 1,150 feet S 63° W from the Windfall Mine Shaft, which shaft is on the patented Windfall Claim, U. S. Survey No. 3705, Eureka County, Nevada.

All location and discovery work necessary to complete this location have been performed by September 27, 1968.

Dated this 27th day of September, 1968.

RECORDED AT THE REQUEST OF
W. L. Wilson
 on October 1, 19 68
 at 35 mins. past 8 A. M.
 Book 26 of OFFICIAL
 RECORDS, page 111-112, RECORDS
 OF EUREKA COUNTY, NEVADA.
Harris C. Allard
 Recorder 47852 1.00
 File No. _____ Fee \$ _____

Wm L Wilson

Wm. L. Wilson, Locator
213 Petroleum Building
1129 Colorado Avenue
Grand Junction, Colorado 81501

CERTIFICATE OF LOCATION OF LODE CLAIM

THIS IS TO CERTIFY that the W-8 Lode Mining Claim was located by Wm. L. Wilson on the 15th day of July 1968. The General course of said vein or lode is northerly and southerly. The claim is situated in the Secret Canyon area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 500 feet in a northerly direction and 100 feet in a southerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In compliance with Sections 517.040, 517.050, and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the following excavations:

<u>Cut #</u>	<u>Length</u>	<u>Width</u>	<u>Depth</u>	<u>Orientation</u>	<u>Distance</u>	<u>Bearing</u>	<u>From</u>
1	250'	10'	2'	N 65° E	65'	S 10° E	WSC W-12
2	150'	10'	2½'	N 58° E	240'	N 79° E	WSC W-12
3	360'	10'	3'	N 65° E	390'	N 70° E	WSC W-12
4	120'	10'	4'	N 30° E	220'	S 64° W	LM W-2
5	180'	10'	4'	N 38° E	130'	N 87° W	LM W-2
6	150'	16'	3'	N 65° W	100'	N 75° W	ESC W-12
7	250'	10'	4'	N 12° E	150'	S 58° W	LM W-2
8	180'	10'	5'	S 40° W	150'	S 58° W	LM W-2
9	240'	10'	5'	S 45° W	330'	S 48° W	LM W-2
10	120'	10'	6½'	S 25° W	570'	S 47° W	LM W-2
11	100'	10'	5½'	S 5° W	680'	S 43° W	LM W-2
12	150'	12'	7'	S 20° E	430'	N 11° W	SE COR W-12
13	285'	10'	5½'	S 10° E	290'	N 6° W	SE COR W-12
14	100'	10'	5'	S 35° E	15'	West	SE COR W-12
15	100'	10'	6'	S 35° E	115'	S 44° E	SE COR W-12
16	150'	12'	8'	N 12° E	150'	N 11° W	LM W-2
17	300'	10'	4'	N 5° E	300'	North	LM W-2
18	100'	10'	4'	N 55° E	300'	S 61° W	ESC W-5
19	165'	10'	4'	N 75° E	200'	S 64° W	ESC W-5
20	100'	12'	5'	S 80° E	50'	S 28° W	ESC W-5
21	160'	10'	3'	S 30° E	100'	S 51° E	ESC W-5
22	25'	12'	2'	N 45° W	200'	S 30° W	NE COR W-4

Approximately 170,000 cubic feet of material was excavated from the above cuts.

This claim is one of a group of ten contiguous claims, being the W-1, W-2, W-3, W-4, W-5, W-7, W-8, W-12, W-13 and W-17, for whose benefit the excavations described above were made. During the course of said excavation work, more than \$1,000.00 was expended for said work on said group of ten claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "SW COR W-8 "; thence northerly for a distance of 300 feet to a post marked, "WSC W-8 "; thence northerly for a distance of 300 feet to a post marked, "NW COR W-8 "; thence easterly for a distance of 600 feet to a post marked, "NE COR W-8 "; thence southerly for a distance of 300 feet to a post marked, "ESC W-8 "; thence southerly for a distance of 300 feet to a post marked, "SE COR W-8 "; thence westerly for a distance of 600 feet to the point of beginning.

The northwest corner of this claim is approximately 950 feet N 85° W from the Windfall Mine Shaft, which shaft is on the patented Windfall Claim, U. S. Survey No. 3705, Eureka County, Nevada.

All location and discovery work necessary to complete this location have been performed by September 27, 1968.

Dated this 27th day of September, 1968.

RECORDED AT THE REQUEST OF
W. L. Wilson
on October 1, 1968
at 35 miles past 8 A. M.
Book 26 of OFFICIAL
SERIES, page 113-114 RECORDS,
OF EUREKA COUNTY, NEVADA
Recorder 47853 Fee \$ 1.00

Wm L Wilson
Wm. L. Wilson, Locator
213 Petroleum Building
1129 Colorado Avenue
Grand Junction, Colorado 81501

CERTIFICATE OF LOCATION OF LODE CLAIM

THIS IS TO CERTIFY that the W-12 Lode Mining Claim was located by Wm. L. Wilson on the 20th day of August 1968. The General course of said vein or lode is northerly and southerly. The claim is situate in the Secret Canyon area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 50 feet in a northerly direction and 1450 feet in a southerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In compliance with Sections 517.040, 517.050, and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the following excavations:

<u>Cut #</u>	<u>Length</u>	<u>Width</u>	<u>Depth</u>	<u>Orientation</u>	<u>Distance</u>	<u>Bearing</u>	<u>From</u>
1	250'	10'	2'	N 65° E	65'	S 10° E	WSC W-12
2	150'	10'	2½'	N 58° E	240'	N 79° E	WSC W-12
3	360'	10'	3'	N 65° E	390'	N 70° E	WSC W-12
4	120'	10'	4'	N 30° E	220'	S 64° W	LM W-2
5	180'	10'	4'	N 38° E	130'	N 87° W	LM W-2
6	150'	16'	3'	N 65° W	100'	N 75° W	ESC W-12
7	250'	10'	4'	N 12° E	150'	S 58° W	LM W-2
8	180'	10'	5'	S 40° W	150'	S 58° W	LM W-2
9	240'	10'	5'	S 45° W	330'	S 48° W	LM W-2
10	120'	10'	6½'	S 25° W	570'	S 47° W	LM W-2
11	100'	10'	5½'	S 5° W	680'	S 43° W	LM W-2
12	150'	12'	7'	S 20° E	430'	N 11° W	SE COR W-12
13	285'	10'	5½'	S 10° E	290'	N 6° W	SE COR W-12
14	100'	10'	5'	S 35° E	15'	West	SE COR W-12
15	100'	10'	6'	S 35° E	115'	S 44° E	SE COR W-12
16	150'	12'	8'	N 12° E	150'	N 11° W	LM W-2
17	300'	10'	4'	N 5° E	300'	North	LM W-2
18	100'	10'	4'	N 55° E	300'	S 61° W	ESC W-5
19	165'	10'	4'	N 75° E	200'	S 64° W	ESC W-5
20	100'	12'	5'	S 80° E	50'	S 28° W	ESC W-5
21	160'	10'	3'	S 30° E	100'	S 51° E	ESC W-5
22	25'	12'	2'	N 45° W	200'	S 30° W	NE COR W-4

Approximately 170,000 cubic feet of material was excavated from the above cuts.

This claim is one of a group of ten contiguous claims, being the W-1, W-2, W-3, W-4, W-5, W-7, W-8, W-12, W-13 and W-17, for whose benefit the excavations described above were made. During the course of said excavation work, more than \$1,000.00 was expended for said work on said group of ten claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "SW COR W-12 "; thence northerly for a distance of 750 feet to a post marked, "WSC W-12 "; thence northerly for a distance of 750 feet to a post marked, "NW COR W-12 "; thence easterly for a distance of 600 feet to a post marked, "NE COR W-12 "; thence southerly for a distance of 750 feet to a post marked, "ESC W-12 "; thence southerly for a distance of 750 feet to a post marked, "SE COR W-12 "; thence westerly for a distance of 600 feet to the point of beginning.

The northwest corner of this claim is approximately 2,600 feet S 52° W from the Windfall Mine Shaft, which shaft is on the patented Windfall Claim, U. S. Survey No. 3705, Eureka County, Nevada.

All location and discovery work necessary to complete this location have been performed by September 27, 1968.

Dated this 27th day of September, 1968.

RECORDED AT THE REQUEST OF
W. L. Wilson
 on October 1, 19 68
 at 35 mins. past 8 A. M.
 in Book 26 of OFFICIAL
 RECORDS, page 115-116 RECORDS
 OF EUREKA COUNTY, NEVADA
 Recorder William D. McLaughlin
 File No. 47854 Fee \$ 1.00

Wm L Wilson

 Wm. L. Wilson, Locator
 213 Petroleum Building
 1129 Colorado Avenue
 Grand Junction, Colorado 81501

CERTIFICATE OF LOCATION OF LODE CLAIM

THIS IS TO CERTIFY that the W-13 Lode Mining Claim was located by Wm. L. Wilson on the 20th day of August 1968. The General course of said vein or lode is northerly and southerly. The claim is situated in the Secret Canyon area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1450 feet in a northerly direction and 50 feet in a southerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In compliance with Sections 517.040, 517.050, and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the following excavations:

<u>Cut #</u>	<u>Length</u>	<u>Width</u>	<u>Depth</u>	<u>Orientation</u>	<u>Distance</u>	<u>Bearing</u>	<u>From</u>
1	250'	10'	2'	N 65° E	65'	S 10° E	WSC W-12
2	150'	10'	2½'	N 58° E	240'	N 79° E	WSC W-12
3	360'	10'	3'	N 65° E	390'	N 70° E	WSC W-12
4	120'	10'	4'	N 30° E	220'	S 64° W	LM W-2
5	180'	10'	4'	N 38° E	130'	N 87° W	LM W-2
6	150'	16'	3'	N 65° W	100'	N 75° W	ESC W-12
7	250'	10'	4'	N 12° E	150'	S 58° W	LM W-2
8	180'	10'	5'	S 40° W	150'	S 58° W	LM W-2
9	240'	10'	5'	S 45° W	330'	S 48° W	LM W-2
10	120'	10'	6½'	S 25° W	570'	S 47° W	LM W-2
11	100'	10'	5½'	S 5° W	680'	S 43° W	LM W-2
12	150'	12'	7'	S 20° E	430'	N 11° W	SE COR W-12
13	285'	10'	5½'	S 10° E	290'	N 6° W	SE COR W-12
14	100'	10'	5'	S 35° E	15'	West	SE COR W-12
15	100'	10'	6'	S 35° E	115'	S 44° E	SE COR W-12
16	150'	12'	8'	N 12° E	150'	N 11° W	LM W-2
17	300'	10'	4'	N 5° E	300'	North	LM W-2
18	100'	10'	4'	N 55° E	300'	S 61° W	ESC W-5
19	165'	10'	4'	N 75° E	200'	S 64° W	ESC W-5
20	100'	12'	5'	S 80° E	50'	S 28° W	ESC W-5
21	160'	10'	3'	S 30° E	100'	S 51° E	ESC W-5
22	25'	12'	2'	N 45° W	200'	S 30° W	NE COR W-4

Approximately 170,000 cubic feet of material was excavated from the above cuts.

This claim is one of a group of ten contiguous claims, being the W-1, W-2, W-3, W-4, W-5, W-7, W-8, W-12, W-13 and W-17, for whose benefit the excavations described above were made. During the course of said excavation work, more than \$1,000.00 was expended for said work on said group of ten claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "SW COR W-13 "; thence northerly for a distance of 750 feet to a post marked, "WSC W-13 "; thence northerly for a distance of 750 feet to a post marked, "NW COR W-13 "; thence easterly for a distance of 600 feet to a post marked, "NE COR W-13 "; thence southerly for a distance of 750 feet to a post marked, "ESC W-13 "; thence southerly for a distance of 750 feet to a post marked, "SE COR W-13 "; thence westerly for a distance of 600 feet to the point of beginning.

The northwest corner of this claim is approximately 2,330 feet S 81° W from the Windfall Mine Shaft, which shaft is on the patented Windfall Claim, U. S. Survey No. 3705, Eureka County, Nevada.

All location and discovery work necessary to complete this location have been performed by September 27, 1968.

Dated this 27th day of September, 1968.

RECORDED AT THE REQUEST OF
W. L. Wilson
on October 1, 1968
at 35 mins. past 8 A. M.
in Book 26 of OFFICIAL
RECORDS, page 117-118 RECORDS
OF EUREKA COUNTY, NEVADA
Recorder 47855, Fee \$ 1.00
File No. _____

Wm L Wilson
Wm. L. Wilson, Locator
213 Petroleum Building
1129 Colorado Avenue
Grand Junction, Colorado 81501

CERTIFICATE OF LOCATION OF LODE CLAIM

THIS IS TO CERTIFY that the W-17 Lode Mining Claim was located by Wm. L. Wilson on the 23rd day of August 1968. The General course of said vein or lode is northerly and southerly. The claim is situate in the Secret Canyon area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 50 feet in a northerly direction and 1450 feet in a southerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In compliance with Sections 517.040, 517.050, and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the following excavations:

<u>Cut #</u>	<u>Length</u>	<u>Width</u>	<u>Depth</u>	<u>Orientation</u>	<u>Distance</u>	<u>Bearing</u>	<u>From</u>
1	250'	10'	2'	N 65° E	65'	S 10° E	WSC W-12
2	150'	10'	2½'	N 58° E	240'	N 79° E	WSC W-12
3	360'	10'	3'	N 65° E	390'	N 70° E	WSC W-12
4	120'	10'	4'	N 30° E	220'	S 64° W	LM W-2
5	180'	10'	4'	N 38° E	130'	N 87° W	LM W-2
6	150'	16'	3'	N 65° W	100'	N 75° W	ESC W-12
7	250'	10'	4'	N 12° E	150'	S 58° W	LM W-2
8	180'	10'	5'	S 40° W	150'	S 58° W	LM W-2
9	240'	10'	5'	S 45° W	330'	S 48° W	LM W-2
10	120'	10'	6½'	S 25° W	570'	S 47° W	LM W-2
11	100'	10'	5½'	S 5° W	680'	S 43° W	LM W-2
12	150'	12'	7'	S 20° E	430'	N 11° W	SE COR W-12
13	285'	10'	5½'	S 10° E	290'	N 6° W	SE COR W-12
14	100'	10'	5'	S 35° E	15'	West	SE COR W-12
15	100'	10'	6'	S 35° E	115'	S 44° E	SE COR W-12
16	150'	12'	8'	N 12° E	150'	N 11° W	LM W-2
17	300'	10'	4'	N 5° E	300'	North	LM W-2
18	100'	10'	4'	N 55° E	300'	S 61° W	ESC W-5
19	165'	10'	4'	N 75° E	200'	S 64° W	ESC W-5
20	100'	12'	5'	S 80° E	50'	S 28° W	ESC W-5
21	160'	10'	3'	S 30° E	100'	S 51° E	ESC W-5
22	25'	12'	2'	N 45° W	200'	S 30° W	NE COR W-4

Approximately 170,000 cubic feet of material was excavated from the above cuts.

This claim is one of a group of ten contiguous claims, being the W-1, W-2, W-3, W-4, W-5, W-7, W-8, W-12, W-13 and W-17, for whose benefit the excavations described above were made. During the course of said excavation work, more than \$1,000.00 was expended for said work on said group of ten claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "SW COR W-17 "; thence northerly for a distance of 750 feet to a post marked, "WSC W-17 "; thence northerly for a distance of 750 feet to a post marked, "NW COR W-17 "; thence easterly for a distance of 600 feet to a post marked, "NE COR W-17 "; thence southerly for a distance of 750 feet to a post marked, "ESC W-17 "; thence southerly for a distance of 750 feet to a post marked, "SE COR W-17 "; thence westerly for a distance of 600 feet to the point of beginning.

The northwest corner of this claim is approximately 3,560 feet S 34° W from the Windfall Mine Shaft, which shaft is on the patented Windfall Claim, U. S. Survey No. 3705, Eureka County, Nevada.

All location and discovery work necessary to complete this location have been performed by September 27, 1968.

Dated this 27th day of September, 1968.

RECORDED AT THE REQUEST OF
W. L. Wilson
on October 1 19 68
at 35 mins. past 8 A. M.
in Book 26 of OFFICIAL
RECORDS, page 119-120 RECORDS
OF EUREKA COUNTY, NEVADA
Recorder Hillis A. Notari
File No. 47856 Fee \$ 1.00

Wm L Wilson
Wm. L. Wilson, Locator
213 Petroleum Building
1129 Colorado Avenue
Grand Junction, Colorado 81501