

Certificate of Location

This Is to Certify, That a mining claim named the Quartz Hill No 50 was located by

John Damele and Leo Damele of Eureka, Nev

on the 1st day of August 1968, situated in Antelope District, Eureka County, State of Nevada, and about 3 miles south of Willow Creek Ranch.

The west side line of this claim is common with the east side line of Quartz Hill No 51

(Refer to some natural object or permanent monument)

We claim 1500 linear feet along the course of mineral bearing ledge, lode or vein, extending 750 feet from the location monument in a Northerly direction, and 750 feet in a Southerly direction, together with 300 feet on each side of the center of the ledge for the entire length of the claim.

The discovery work consists of Rotary Drill Hole (Shaft, cut or tunnel)

situated about 540 feet in a N7E direction from the location monument and its dimensions are 5" dia feet wide, 5 feet high, 150 feet long and 150 feet deep, exposing ledge, lode or vein in place.

The northwest corner is marked by a 4" x 4" post 4 feet high, inscribed "N. W. corner Quartz Hill No 50 Mine"; the southwest corner is marked by a 4" x 4" post 4 feet high, inscribed "S. W. corner Quartz Hill No 50 Mine"; the southeast corner is marked by a 4" x 4" post 4 feet high, inscribed "S. E. corner Quartz Hill No 50 Mine"; the northeast corner is marked by a 4" x 4" post 4 feet high, inscribed "N. E. corner Quartz Hill No 50 Mine." There is also a 4" x 4" post 4' high at the center of each side line. The discovery work has been done and the location completed since

Oct 5 1968.

Dated Oct. 28 1968.

Donald K Jennings (Agent)
Corder Mining Co.

Certificate of Location

This Is to Certify, That a mining claim named the Quartz Hill No. 51

was located by Leo Damsela and John Damsela of Eureka, Nevada

on the 1st day of August 1968, situated in Antelope District, Eureka County, State of

Nevada, and about 3 miles south of Willow Creek Ranch.
The west side line of this claim is common with the east side line of Quartz Hill No. 60

(Refer to some natural object or permanent monument)

We claim 1500 linear feet along the course of mineral bearing ledge, lode or vein, extending 750 feet from the location monument in a Northerly direction, and 750 feet in a Southerly direction, together with 300 feet on each side of the center of the ledge for the entire length of the claim.

The discovery work consists of Rotary Drill Hole (Shaft, cut or tunnel)

situated about 540 feet in a N7E direction from the location monument and its dimensions are 5" dia feet wide, 5 feet high, 150 feet long and 150 feet deep, exposing ledge, lode or vein in place.

The northwest corner is marked by a 4" x 4" post 4 feet high, inscribed "N. W. corner Quartz Hill No. 51 Mine"; the southwest corner is marked by a 4" x 4" post 4 feet high, inscribed "S. W. corner Quartz Hill No. 51 Mine"; the southeast corner is marked by a 4" x 4" post 4 feet high, inscribed "S. E. corner Quartz Hill No. 51 Mine"; the northeast corner is marked by a 4" x 4" post 4 feet high, inscribed "N. E. corner Quartz Hill No. 51 Mine." There is also a 4" x 4" post 4' high at the center of each side line. The discovery work has been done and the location completed since

Oct 5 1968.
Dated Oct. 28 1968.

Donald G. Jennings (Agent)
Cordero Mining Co.

Certificate of Location

This Is to Certify, That a mining claim named the Quartz Hill No 52

was located by

Saka Damele and Leo Damele of
Eureka, Nev

on the 1st day of Aug 1968, situated in

Antelope District, Eureka County, State of

Nevada, and about 3 1/2 Miles South of Willow Creek Ranch

The north end line of this claim is common
with the south end line of Quartz Hill No 50

(Refer to some natural object or permanent monument)

We claim 1500 linear feet along the course of

mineral bearing ledge, lode or vein, extending 750 feet from the

location monument in a Northerly direction, and 750

feet in a southerly direction, together with 300 feet

on each side of the center of the ledge for the entire length of the claim.

The discovery work consists of Rotary Drill Hole
(Shaft, cut or tunnel)

situated about 540 feet in a N7E direction from the location

monument of Qtz Hill # 53 and its dimensions are 5" dia feet wide, feet high,

feet long and 150 feet deep, exposing ledge, lode or vein in place.

The northwest corner is marked by a 4" x 4" post 4 feet high, inscribed

"N. W. corner Quartz Hill No 52 Mine"; the southwest corner is marked by a

4" x 4" post 4 feet high, inscribed "S. W. corner Quartz Hill No 52

Mine"; the southeast corner is marked by a 4" x 4" post 4 feet high,

inscribed "S. E. corner Quartz Hill No 52 Mine"; the northeast corner is

marked by a 4" x 4" post 4 feet high, inscribed "N. E. corner

Quartz Hill No 52 Mine." There is also a 4" x 4" post 4 high at

the center of each side line. The discovery work has been done and the location completed since

Oct 5 1968

Dated Oct 28, 1968

Donald K. Jennings (Agent)
Ordery Mining Co.

Certificate of Location

This Is to Certify, That a mining claim named the Quartz Hill No 53

was located by

Leo Damelo and John Damelo of
Eureka, Nevada

on the 1st day of Aug 1968, situated in

Antelope District, Eureka County, State of

Nevada, and about 3 1/2 miles south of Willow Creek

Ranch. The east side line of this claim is
common with the west side line of Quartz Hill
No 52

(Refer to some natural object or permanent monument)

We claim 1500 linear feet along the course of

mineral bearing ledge, lode or vein, extending 750 feet from the

location monument in a Northerly direction, and 750

feet in a Southerly direction, together with 310 feet

on each side of the center of the ledge for the entire length of the claim.

The discovery work consists of Rotary Drill Hole
(Shaft, cut or tunnel)

situated about 540 feet in a N7E direction from the location

monument and its dimensions are 5' dia feet wide, feet high,

feet long and 150 feet deep, exposing ledge, lode or vein in place.

The northwest corner is marked by a 4" x 4" post 4 feet high, inscribed

"N. W. corner Quartz Hill No 53 Mine"; the southwest corner is marked by a

4" x 4" post 4 feet high, inscribed "S. W. corner: Quartz Hill No 53

Mine"; the southeast corner is marked by a 4" x 4" post 4 feet high,

inscribed "S. E. corner Quartz Hill No 53 Mine"; the northeast corner is

marked by a 4" x 4" post 4 feet high, inscribed "N. E. corner

Quartz Hill No 53 Mine." There is also a 4" x 4" post 4' high at

the center of each side line. The discovery work has been done and the location completed since

Oct 5 1968

Dated Oct. 28 1968

Donald K Jennings (Agent)
Corduro Mining Co.

RECORDED AT THE REQUEST OF Donald K. Jennings

on Oct. 28, 1968, at 10 mins past 4 P. M. in

Book 26 of OFFICIAL RECORDS, page 243 RECORDS OF

EUREKA COUNTY, NEVADA William A. Detrick Recorder

File No. 47966 Fee \$ 1.00

Certificate of Location

This Is to Certify, That a mining claim named the Quartz Hill
No. 60 was located by

Leo Damele and John Damele of
Eureka Nev

on the 30th day of July 1968, situated in
Antelope District, Eureka County, State of

Nevada, and about 1 mile NE of Roberts Mtn.

The east side line of this claim is
common with the west side line of
Quartz Hill #51

(Refer to some natural object or permanent monument)

We claim 1500 linear feet along the course of
mineral bearing ledge, lode or vein, extending 750 feet from the
location monument in a Northerly direction, and 750
feet in a southerly direction, together with 300 feet
on each side of the center of the ledge for the entire length of the claim.

The discovery work consists of Rotary Drill Hole
(Shaft, cut or tunnel)
situated about 370 feet in a NSW direction from the location
monument of Qtz Hill #62 and its dimensions are 5" dia feet wide, 5 feet high,
250 feet long and 250 feet deep, exposing ledge, lode or vein in place.

The northwest corner is marked by a 4" x 4" post 4 feet high, inscribed
"N. W. corner Quartz Hill No 60 Mine"; the southwest corner is marked by a
4" x 4" post 4 feet high, inscribed "S. W. corner Quartz Hill No 60
Mine"; the southeast corner is marked by a 4" x 4" post 4 feet high,
inscribed "S. E. corner Quartz Hill No 60 Mine"; the northeast corner is
marked by a 4" x 4" post 4 feet high, inscribed "N. E. corner
Quartz Hill No 60 Mine." There is also a 4" x 4" post 4 high at
the center of each side line. The discovery work has been done and the location completed since

Oct 5 1968.

Dated Oct. 28 1968

Donald K. Jennings (Agent)
Order Mining Co

RECORDED AT THE REQUEST OF Donald K. Jennings
on OCT. 28, 1968 at 10 mins. past 4 P. M. in
Book 26 of OFFICIAL RECORDS, page 244 RECORDS OF
EUREKA COUNTY, NEVADA, Hellen A. Retzlaff Recorder.
File No. 47967 Fee \$ 1.00

Certificate of Location

This Is to Certify, That a mining claim named the Quartz Hill No 61 was located by

John Damele and Les Damele
of Eureka, Nevada

on the 30th day of July 1968, situated in
Antelope District, Eureka County, State of

Nevada, and about 1 1/4 miles NE of Roberts Mtn
The east side line of this claim is common
with the west side line of Quartz Hill
No 60

(Refer to some natural object or permanent monument)

1/2 claim 1500 linear feet along the course of
mineral bearing ledge, lode or vein, extending 750 feet from the
location monument in a Southerly direction, and 750
feet in a Northerly direction, together with 300 feet
on each side of the center of the ledge for the entire length of the claim.

The discovery work consists of Palang Drill Hole
(Shaft, cut or tunnel)
situated about 370 feet in a N 51 W direction from the location
monument of Qlz Hill #62 and its dimensions are: 5' dia feet wide, _____ feet high,
_____ feet long and 250 feet deep, exposing ledge, lode or vein in place.

The northwest corner is marked by a 4" x 4" post 4 feet high, inscribed
"N. W. corner Quartz Hill No 61 Mine"; the southwest corner is marked by a
4" x 4" post 4 feet high, inscribed "S. W. corner Quartz Hill No 61
Mine"; the southeast corner is marked by a 4" x 4" post 4 feet high,
inscribed "S. E. corner Quartz Hill No 61 Mine"; the northeast corner is
marked by a 4" x 4" post 4 feet high, inscribed "N. E. corner
Quartz Hill No 61 Mine." There is also a 4" x 4" post 4' high at
the center of each side line. The discovery work has been done and the location completed since

Oct 5 1968.
Dated Oct. 28 1968.

Donald K Jennings (Agent)
Carlson Mining Co.

Certificate of Location

This Is to Certify, That a mining claim named the Quartz Hill No 62

was located by John Damele and Leo Damele of Eureka Nevada

on the 30th day of July 1968, situated in Antelope District, Eureka County, State of Nevada, and about 1 1/4 miles NE of Roberts Mtn.

The east side line of this claim is common with the west side line of 90 Quartz Hill No 61

(Refer to some natural object or permanent monument)

We claim 1500 linear feet along the course of mineral bearing ledge, lode or vein, extending 750 feet from the location monument in a Northerly direction, and 750 feet in a Southerly direction, together with 300 feet on each side of the center of the ledge for the entire length of the claim.

The discovery work consists of Rotary Drill Hole

(Shaft, cut or tunnel)

situated about 370 feet in a N51 W direction from the location monument and its dimensions are 5" dia feet wide, feet high, feet long and 250 feet deep, exposing ledge, lode or vein in place.

The northwest corner is marked by a 4" x 4" post 4 feet high, inscribed "N. W. corner Quartz Hill No 62 Mine"; the southwest corner is marked by a 4" x 4" post 4 feet high, inscribed "S. W. corner Quartz Hill No 62 Mine"; the southeast corner is marked by a 4" x 4" post 4 feet high, inscribed "S. E. corner Quartz Hill No 62 Mine"; the northeast corner is marked by a 4" x 4" post 4 feet high, inscribed "N. E. corner Quartz Hill No 62 Mine." There is also a 4" x 4" post 4' high at the center of each side line. The discovery work has been done and the location completed since

Oct 5 1968,
Dated Oct 28 1968.

Donald K Jennings (Agent)
Ordery Mining Co

Certificate of Location

This Is to Certify, That a mining claim named the Quartz Hill No 63

was located by

John DAMELE and Leo DAMELE of
Eureka, Nev

on the 30th day of July 1968, situated in

Antelope District, Eureka County, State of

Nevada, and about 1 1/2 miles NE of Roberts Mtn

The south side line of this claim is common with the north end lines of Quartz Hill No 61 and Quartz Hill No 62

(Refer to some natural object or permanent monument)

We claim 1200 linear feet along the course of

mineral bearing ledge, lode or vein, extending 600 feet from the

location monument in a Easterly direction, and 600

feet in a Westerly direction, together with 300 feet

on each side of the center of the ledge for the entire length of the claim.

The discovery work consists of Rotary Drill Hole

(Shaft, cut or tunnel)

situated about 370 feet in a N 0 51 W direction from the location

monument and its dimensions are 5" dia feet wide; feet high,

feet long and 250 feet deep, exposing ledge, lode or vein in place.

The northwest corner is marked by a 4" x 4" post 4 feet high, inscribed

"N. W. corner Quartz Hill No 63 Mine"; the southwest corner is marked by a

4" x 4" post 4 feet high, inscribed "S. W. corner Quartz Hill No 63

Mine"; the southeast corner is marked by a 4" x 4" post 4 feet high,

inscribed "S. E. corner Quartz Hill No 63 Mine"; the northeast corner is

marked by a 4" x 4" post 4 feet high, inscribed "N. E. corner

Quartz Hill No 63 Mine." There is also a 4" x 4" post 4 high at

the center of each side line. The discovery work has been done and the location completed since

Oct 5 1968.

Dated Oct 28 1968 19 68.

Donald Jennings (Agent)
Corder Mining Co.