

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Wally I and 36 lode mining claim was located by Mr. & Mrs. Wallace W. Holt on the 9th day of November, 1968.

The general course of said lode or vein is Northerly & Southerly

The claim is situated in the Reinoud Mining District, of Eureka County, State of Nevada, Northerly of Gimuth Mark U.S. Coast & Geodetic Survey Bench Mark S.A.P. U.S. M. Monument on

The locator claim 750 feet in a(n) Eastern direction and 750 feet in a(n) Western direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:

A shaft 3 ft. by 12 ft. sunk 7 ft. deep at the point of claim midway between U.S.A. Wally I and U.S.A. Wally 36 on the southerly line of I and 36.

The corners and side centers of the claim are located and marked as follows:

U.S.A. Wally I claim starting from the southerly point of I thence 300 feet Northwesterly to the Northwest corner post marked U.S.A. Wally I thence 300 ft Northwesterly to post marker thence 750 feet Eastern to side center post thence 750 feet Eastern to post marker thence 300 feet Southerly to claim marker U.S.A. Wally 36 thence 300 feet to corner southerly post marker thence 750 feet Western to side center post marker thence 750 feet Western to the southerly corner post of No I

Each of the above-described monuments is a post at least 4 inches in diameter by 4 feet 6 inches in length set 1 foot in the ground

All location and discovery work necessary to complete this location had been performed by November 21, 1968.

Dated this 20th day of January, 1969.

Mr. & Mrs. Wallace W. Holt 1442 So 600 East Bountiful, Utah
(Name of Locator) (Address)

Mr. & Mrs. Robert S. Birch 4007 N. 3500 West Point, Utah
(Name of Locator) (Address)

(Name of Locator) (Address)

RECORDED AT THE REQUEST OF Wallace W. Holt
on Jan. 20, 1969, at 20 mins. past 8 A. M. in
Book 27 of OFFICIAL RECORDS, page 184 RECORDS OF
EUREKA COUNTY, NEVADA. Willie A. W. Par Recorder.
File No. 48418 Fee \$ 1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Wally 2 and 35 lode mining claim was located by Mr. & Mrs. Wallace W. Holt on the 9th day of November, 1968.

The general course of said lode or vein is Northerly & Southerly

The claim is situated in the Diamond Mining District, of Eureka County, State of Nevada, Northerly of Arimuth Mark U.S. Coast and Geodetic Survey Bench Mark 8AA.
The locator... claim 750 feet in a(n) Easternly direction and 750 feet in a(n) Westernly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:

A shaft 3 feet by 12 feet, sunk 7 ft deep at the point of claim, midway between U.S.A. Wally 2 and U.S.A. Wally 35 on the southerly line of 2 & 35

The corners and side centers of the claim are located and marked as follows:

U.S.A. Wally 2 claim starting from the southerly point of 2 thence 300 ft Northerly to the northwest corner post marked U.S.A. Wally 2 thence 300 feet Northerly to post marker, thence 750 feet Easternly to side center post, thence 750 feet Easternly to post marker, thence 300 feet Southerly to claim marker U.S.A. Wally 35 thence 300 feet to corner southerly post marked, thence 750 feet Westernly to side center post marker, thence 750 feet Westernly to the southerly corner post of No 2.

Each of the above-described monuments is A post at least 4 inches in diameter by 4 feet 6 inches in length set 1 foot in the ground

All location and discovery work necessary to complete this location had been performed by November 21, 1968.

Dated this 20th day of January, 1969.

Mr & Mrs Wallace W Holt 1442 So 600 East Bountiful, Utah
(Name of Locator) (Address)

Mr. & Mrs. Robert S. Birch, 4007 N. 3500 W. West Point, Utah
(Name of Locator) (Address)

(Name of Locator) (Address)

RECORDED AT THE REQUEST OF Wallace W. Holt
on Jan. 20, 1969 at 20 mint. past 8 A. M.
Book 27 of OFFICIAL RECORDS, page 185, RECORDS OF
EUREKA COUNTY, NEVADA. Walter A. DePaoli Recorder.
File No. 48419 Fee \$1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Ross 3 and 34 lode mining claim was located by Mr. & Mrs. Wallace W. Holt on the 9th day of November, 1968

The general course of said lode or vein is Northerly - Easterly

The claim is situated in the Diamond Mining District, of Eureka County, State of Nevada, Northerly of Opimeth mark U.S. coast & geologic survey bench mark 8A.A.U.S.G.S. 1954 monument on westerly, southerly side.

The locator... claim 750 feet in a(n) Easterly direction and 750 feet in a(n) Westerly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:

A shaft 3 feet by 12 feet, sunk 7 feet deep at point of claim, midway between U.S.A. Ross 3 and 34 on the southerly line of 3 and 34.

The corners and side centers of the claim are located and marked as follows: U.S.A. Ross 3 claim starting from southerly point of 3, thence 300 feet northerly to the northwest corner post marked U.S.A. Ross 3 thence 600 feet northerly to the northwest corner post marked U.S.A. Ross 3 thence 600 feet northerly to post marker, thence 750 feet Easterly to side center post, thence 750 feet Easterly to post marker, thence 300 feet southerly to claim marker U.S.A. Ross 34 thence 300 feet to corner southerly post marker, thence 750 feet westerly to side center post marker, thence 750 feet westerly to the southerly corner post of no. 3

Each of the above-described monuments is a post at least 4 inches in diameter by 4 feet 6 inches in length set one foot in the ground.

All location and discovery work necessary to complete this location had been performed by November 21, 1968.

Dated this 20th day of January, 1969.

Mr. & Mrs. Wallace W. Holt, 1442 S 600 East Bountiful Utah
(Name of Locator) (Address)

Mr. & Mrs. Robert S. Bickel 400 N. 3500 W. West Point, Utah
(Name of Locator) (Address)

(Name of Locator) Wallace W. Holt (Address)

RECORDED AT THE REQUEST OF Wallace W. Holt
on Jan. 20, 1969, at 20 mins. past 8 A. M. in
Book 27 of OFFICIAL RECORDS, page 186 RECORDS OF
EUREKA COUNTY, NEVADA. Willis A. DeLoach Recorder.
File No. 48420 Fee \$ 1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Cross 4 and 33 lode mining claim was located by Mr. & Mrs. Wallace W. Holt on the 9th day of November, 1968.

The general course of said lode or vein is Northerly, Easterly

The claim is situated in the Diamond Mining District, of Eureka County, State of Nevada, Northerly of Arizumuth mark U.S. Coast & Geodetic Survey Bench mark 8 A.P. U. S. G. Co. 1954 monument on westerly southerly side.
The locator claim 750 feet in a(n) Easterly direction and 750 feet in a(n) Westerly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:
A shaft 3 feet by 12 feet, sunk 7 feet deep at point of claim, midway between U.S.A. Cross 4 and 33 on the southerly line of 4 and 33.

The corners and side centers of the claim are located and marked as follows: U.S.A. Cross 4 starting from southerly point of 4, thence 300 feet northerly to the northwest corner post marked U.S.A. Cross 4, thence 300 feet northerly to the northwest corner post marked U.S.A. Cross 4, thence 300 feet northerly to post marker, thence 750 feet Easterly to side center post thence 750 feet Easterly to post marker, thence 300 feet southerly to claim marker U.S.A. Cross 33, thence 300 feet to corner southerly post marker, thence 750 feet westerly to side center post marker, thence 750 feet westerly to the southerly corner post of No. 4.

Each of the above-described monuments is a post at least 4 inches in diameter by 4 feet 6 inches in length, set one foot in the ground.

All location and discovery work necessary to complete this location had been performed by November 21, 1968.

Dated this 20th day of January, 1969.

Mr. & Mrs. Wallace W. Holt, 1442 So 600 E. East Bountiful, Utah.
(Name of Locator) (Address)

Mr. & Mrs. Robert S. Birch, 400 N. 3500 W. West Point, Utah
(Name of Locator) (Address)

(Name of Locator) (Address)

RECORDED AT THE REQUEST OF Wallace W. Holt
on Jan. 20 1969 at 20 mins. past 8 A. M. in
Book 27 of OFFICIAL RECORDS, page 187 RECORDS OF
EUREKA COUNTY, NEVADA. Willis A. DeLoach Recorder.
File No. 48421 c. e. 1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Bob 5 and 32 lode mining claim was located by Mr. & Mrs. Wallace H. Holt on the 9th day of November, 1968.

The general course of said lode or vein is Northerly & Southerly
The claim is situated in the Desmond Mining District, of Eureka County, State of Nevada, Northerly of Plimoth
Mark U.S. Coast and Geodetic Survey Bench Mark S.P.A. U.S.S. monument on the westernly and southerly side.
The locator claim 750 feet in a(n) Easterly direction and 750 feet in a(n) Westerly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:
A shaft 3 feet by 12 feet sunk 7 ft deep at the point of claim. ML Dubay between U.S.A. Bob 5 and U.S.A. Bob 32 on the southerly line of 5 and 32

The corners and side centers of the claim are located and marked as follows: U.S.A. Bob 5
Claim starting from the southerly point of 5 thence 300 feet Northerly to the North West corner post marked U.S.A. Bob 5 thence 300 ft Northerly to post marker, thence 750 feet Easterly to side center post, thence 750 feet Easterly to post marker thence 300 feet Southerly to claim marker U.S.A. Bob 32 thence 300 feet to corner southerly post marker, thence 750 feet Westerly to side center post of No 5 thence 750 feet Westerly to the southerly corner post of No 5

Each of the above-described monuments is A post at least 4 inches in diameter by 4 feet 8 inches in length set 1 foot in the ground.

All location and discovery work necessary to complete this location had been performed by November 21, 1968.

Dated this 20th day of January, 1969.

Mr. & Mrs. Wallace H. Holt 1442 So 600 East Bountiful Utah
(Name of Locator) (Address)

Mr. & Mrs. Robert S. Birch 4007. 3500W. West Point, Utah
(Name of Locator) (Address)

(Name of Locator) (Address)
RECORDED AT THE REQUEST OF Wallace W. Holt
on Jan. 20, 1969 at 20 mins. past 8 A. M. in
Book 27 of OFFICIAL RECORDS, page 188 RECORDS OF
EUREKA COUNTY, NEVADA Willis A. DeLoach Recorder.
File No. 48422 Fee \$ 1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Prob. 6 and 31 lode mining claim was located by Mr. & Mrs. Wallace W. Holt on the 9th day of November, 1968.

The general course of said lode or vein is Northerly, Easterly

The claim is situated in the Diamond Mining District, of Eureka County, State of Nevada, Northerly of Azimuth mark U.S.A.

coastal geodetic survey Bench mark 8AA U.S.G.S. 1954 monument on westerly southerly side.

The locator... claim 750 feet in a(n) Easterly direction and 750 feet in a(n) Westerly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:

A shaft 3 feet by 12 feet sunk 7 feet deep at point of claim midway between U.S.A. Prob. 6 and 31 on the southerly line of 6 and 31.

The corners and side centers of the claim are located and marked as follows:

U.S.A. Prob. 6 claim starting from southerly point of 6 thence 300 feet northerly to the northwest corner post marked U.S.A. Prob. 6 thence 300 feet northerly to the northwest corner post marked U.S.A. Prob. 6 thence 300 feet northerly to post marker thence 750 feet Easterly to side center post thence 750 feet Easterly to post marker thence 300 feet southerly to claim marker U.S.A. Prob. 31 thence 300 feet to corner southerly post marker thence 750 feet Westerly to side center post marker thence 750 feet westerly to the southerly corner post of no. 6

Each of the above-described monuments is a post at least 4 inches in diameter by 4 feet 6 inches in length, set one foot in the ground.

All location and discovery work necessary to complete this location had been performed by November 21, 1968.

Dated this 20th day of January, 1969.

Mr. & Mrs. Wallace W. Holt 1442 So. 600 East Bountiful, Utah.
(Name of Locator) (Address)

Mr. & Mrs. Robert S. Birk 400 N. 3500 W. West Point, Utah
(Name of Locator) (Address)

(Name of Locator) Wallace W. Holt (Address)
RECORDED AT THE REQUEST OF Wallace W. Holt
on Jan. 20, 1969, at 20 mins. past 8 A. M. in
Book 27 of OFFICIAL RECORDS, page 189 RECORDS OF
EUREKA COUNTY, NEVADA. Recorder.
File No. 48423 Fee \$ 1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Gopher 7 and 30 lode mining claim was located by Mr & Mrs Wallace W^m Holt on the 7th day of Nov, 1968.

The general course of said lode or vein is Northerly & Southerly

The claim is situated in the Diamond Mining District, of Eureka County, State of Nevada, Northerly of Azimuth Mark U.S. Coast and Geodetic Survey Bench Mark 244 U.S. B.M. Monument on Westernly and Southerly side.
The locator claim 750 feet in a(n) Easterly direction and 750 feet in a(n) Westernly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:

A shaft 3 feet by 12 feet sunk 7 ft deep at the point of claim midway between U.S.A. Gopher 7 and U.S.A. Gopher 30 on the Southerly line of 7 and 30

The corners and side centers of the claim are located and marked as follows:

U.S.A. Gopher 7 claim starting from the southerly point of 7 thence 300 ft Northerly to the Northwest corner post marked U.S.A. Gopher 7 thence 300 ft Northerly to post marker thence 750 feet Easterly to side center post thence 750 feet Easterly to post marker thence 300 feet Southerly to claim marker U.S.A. Gopher 30 thence 300 feet to corner southerly post marker thence 750 feet Westernly to side center post marker thence 750 feet Westernly to the southerly corner post of No 7

Each of the above-described monuments is A post at least 4 inches in diameter by 4 feet 6 inches in length set 1 foot in the ground.

All location and discovery work necessary to complete this location had been performed by November 21st, 1968.

Dated this 20th day of January, 1969.

Mr & Mrs Wallace W^m Holt 1442 So 600 East Bountiful, Utah.
(Name of Locator) (Address)

Mr & Mrs Robert S Birch 4007 3500 W. West Point, Utah
(Name of Locator) (Address)

(Name of Locator)

(Address)

RECORDED AT THE REQUEST OF Wallace W. Holt
on Jan. 20, 1969, at 20 mins. past 8 A. M. in
Book 27 of OFFICIAL RECORDS, page 190 RECORDS OF
EUREKA COUNTY, NEVADA. Willis A. DeLoach Recorder.
File No. 48424 1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Gopher 8 & 29 lode mining claim was located by Mr. & Mrs. Wallace W. Holt on the 2nd day of November, 1968.

The general course of said lode or vein is Northerly - Easterly

The claim is situated in the Diamond Mining District, of Carroll County, State of Nevada, Northerly of Azimuth mark U.S. coast & geodetic survey bench mark 8 A.A. N. & G. S. 1954 monument on westerly southerly side.
The locator claim 750 feet in a(n) Easterly direction and 750 feet in a(n) Westerly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:
A shaft 3 feet by 12 feet sunk 7 feet deep at point of claim midway between U.S.A. Gophers 8 and 29 on the southerly line of 8 and 29.

The corners and side centers of the claim are located and marked as follows: U.S.A. Gopher 8 claim starting from southerly point of 8 thence 300 feet northerly to the northwest corner post marked U.S.A. Gopher 8 thence 300 feet northerly to the northeast corner post marked U.S.A. Gopher 8 thence 300 feet northerly to post marker thence 750 feet Easterly to side center post thence 750 feet Easterly to post marker thence 300 feet southerly to claim marker U.S.A. Gopher 8 thence 300 feet to corner southerly to claim marker U.S.A. Gopher 29 thence 300 feet to corner southerly post marker thence 750 feet Westerly to side center post marker thence 750 feet westerly to the southerly corner post of no. 8

Each of the above-described monuments is a post at least 4 inches in diameter by 4 feet 6 inches in length, set one foot in the ground.

All location and discovery work necessary to complete this location had been performed by November 21st, 1968.

Dated this 20th day of January, 1969.

Mr. & Mrs. Wallace W. Holt, 1442 So 600 East Bountiful - Ut.
(Name of Locator) (Address)

Mr. & Mrs. Robert S. Birch, 4007 3500 W. West Point, Utah
(Name of Locator) (Address)

(Name of Locator) (Address)

RECORDED AT THE REQUEST OF Wallace W. Holt
on Jan. 20 1969, at 20 mins. past 8 A. M. in
Book 27 of OFFICIAL RECORDS, page 191
EUREKA COUNTY, NEVADA. William A. DeLoach Recorder.
File No. 48425 Fee \$ 1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Wally Jr. 9 & 28 lode mining claim was located by Mr. + Mrs. Wallace W. Holt on the 3rd day of Nov, 1968.

The general course of said lode or vein is Northerly & Southerly

The claim is situated in the Diamond Mining District, of Eureka County, State of Nevada, Northerly of Azimuth Mark U.S. Coast and Geodetic Survey Bench mark 8017 U.S.S. Monument on Westernly and Southernly side

The locator... claim 750 feet in a(n) Easterly direction and 750 feet in a(n) Westernly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:

A shaft 3 feet by 12 feet sunk 7 ft deep at the point of claim, midway between U.S.A. Wally Jr 9 and U.S.A. Wally Jr 28 on the Southerly line of 9 and 28.

The corners and side centers of the claim are located and marked as follows:

U.S.A. Wally Jr 9 claim, starting from the Southerly point of 9, thence 3 feet Northerly to the Northwest corner post marked U.S.A. Wally Jr 9, thence 300 feet Northerly to post marker, thence 750 feet Easterly to side center post, thence 750 feet Easterly to post marker, thence 300 feet Southerly to claim marker U.S.A. Wally Jr 28, thence 300 feet to corner Southerly post marker, thence 750 feet Westernly to side center post marker, thence 750 feet Westernly to the most Southerly corner post of No 9

Each of the above-described monuments is a post at least 4 inches in diameter by 4 feet 6 inches in length set 1 foot in the ground.

All location and discovery work necessary to complete this location had been performed by Mr. Holt, 1968

Dated this 20th day of Jan, 1969

Mr + Mrs Wallace W. Holt, 1443 So 600 East, Beautiful, Nev
(Name of Locator) (Address)

Mr. + Mrs. Robert S. Birch, 4007 N. 3500 West - West Point, Utah
(Name of Locator) (Address)

(Name of Locator) (Address)

RECORDED AT THE REQUEST OF Wallace W. Holt
on Jan. 20, 1969, at 20 mins. past B A. M. in
Book 27 of OFFICIAL RECORDS, page 192 RECORDS OF
EUREKA COUNTY, NEVADA. Willis A. DePaoli Recorder.
File No. 48426 Fee 1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Wally Jr 10 & 27 lode mining claim was located by Mr & Mrs Wallace W Holt on the 20 day of Nov, 1968.

The general course of said lode or vein is Northerly & Southerly.

The claim is situated in the Reinoud Mining District, Eureka County, State of Nevada, Northerly of Azimuth mark U.S. Coast & Geodetic Survey Bench Mark 8 RR. U.S. H.S. monument on Western & Southernly sides
The locator... claim 750 feet in a(n) Easternly direction and 750 feet in a(n) Westernly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:

A shaft 3 feet by 12 feet sunk 7 ft deep at the point of claim, Midway between U.S.A. Wally Jr 10 and U.S.A. Wally Jr 27 on the southerly line of 10 and 27.

The corners and side centers of the claim are located and marked as follows: U.S.A. Wally Jr 10 claim starting from the southerly point of 10 thence 300 feet Northerly to the Northwest corner post marked U.S.A. Wally Jr 10 thence 300 feet Northerly to post marker, thence 750 feet Easternly to side center post, thence 750 feet Easternly to post marker, thence 300 feet Southerly to claim marker U.S.A. Wally Jr 27 thence 300 feet to corner southerly post marker, thence 750 feet Westernly to side center post marker, thence 750 feet Westernly to the most southerly corner post of No 10

Each of the above-described monuments is a post at least 4 inches in diameter by 4 feet 6 inches in length set 1 foot in the ground.

All location and discovery work necessary to complete this location had been performed by Nov 21, 1968.

Dated this 20 day of Jan, 1969.

Mr & Mrs Wallace W Holt 1442 So 600 East Bountiful Utah
(Name of Locator) (Address)

Mr & Mrs Robert S. Buck 4007 N 3500 W West Point, Utah
(Name of Locator) (Address)