

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Star Light 27 lode mining claim was located by Mr. & Mrs. Wallace W. Holt on the 9th day of November, 1968

The general course of said lode or vein is Northerly & Southerly

The claim is situated in the Diamond Mining District, of Eureka County, State of Nevada, Northerly of Palmuth mark U.S. Coast and Geodetic Survey Bench mark 874.4 S.S. monument on westernly and southerly side

The locator... claim 750 feet in a(n) Easterly direction and 750 feet in a(n) Westernly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:

A shaft 3 feet by 12 feet sunk 7 feet deep at the point of claim midway between the side lines U.S.A. Star Light 27 on East on the Northerly end line

The corners and side centers of the claim are located and marked as follows: U.S.A. Star Light 27 claims starting from the Southerly point of 27 thence 300 feet Northerly to the North west corner post marked thence 300 feet Northerly to post marker thence 750 feet Easterly to side center post thence 750 feet Easterly to post marker thence 300 feet Southerly to claim marker thence 300 feet to corner Southerly post marker thence 750 feet Westernly to side center post marker thence 750 feet Westernly to the Southerly corner post. Each of the above-described monuments is a post at least 4 inches in diameter by 4 feet 6 inches in length set 1 foot in the ground

All location and discovery work necessary to complete this location had been performed by November 21, 1968.

Dated this 20th day of January, 1969.

Mr. & Mrs. Wallace W. Holt 1442 So 600 East. Beautiful St.
(Name of Locator) (Address)

Mr. & Mrs. Ross A. Birch 899 Hill Blvd Layton Ut.
(Name of Locator) (Address)

(Name of Locator)

(Address)

RECORDED AT THE REQUEST OF Wallace W. Holt
on Jan. 21, 1969, at 50 mins. past 8 A. M. in
Book 27 of OFFICIAL RECORDS, page 210 RECORDS OF
EUREKA COUNTY, NEVADA, Wallace W. Holt Recorder.
File No. 48445 Fee \$ 1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Star Light 28 lode mining claim was located by Mr. & Mrs. Wallace Wm Holt on the 9th day of November, 1968.

The general course of said lode or vein is Northerly & Southerly.

The claim is situated in the Diamond Mining District, of Eureka County, State of Nevada, Northerly of Azimuth mark U.S. Coast & Geodetic Survey Bench Mark 8AA U.S.G.C. monument on westerly and southerly side the locator claim 1500 feet in a(n) Easterly direction and 750 feet in a(n) Westerly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:

A shaft 3 feet by 12 feet sunk 7 feet deep at the point of claim midway between U.S.A. Starlight 28 and East on the Northerly end line.

The corners and side centers of the claim are located and marked as follows: U.S.A. Star Light 28 claim starting from the Southerly point of 28 thence 300 feet Northerly to the Northwest corner post marker thence 300 feet Northerly to post marker, thence 750 feet Easterly to side center post thence 750 feet Easterly to post marker, thence 300 feet Southerly to claim marker thence 300 feet to corner Southerly post marker, thence 750 feet Westerly to side center post marker, thence 750 feet Westerly to the Southerly corner post of no. 28.

Each of the above-described monuments is a post at least 4 inches in diameter by 4 feet 6 inches in length set 1 foot in the ground.

All location and discovery work necessary to complete this location had been performed by November 21, 1968.

Dated this 20th day of January, 1969.

Mr. & Mrs. Wallace Wm Holt 1442 So. 600 E Bountiful, Utah
(Name of Locator) (Address)

Mr. & Mrs. Ross A. Birch 899 Hill Blvd, Layton, Utah
(Name of Locator) (Address)

(Name of Locator)

(Address)

RECORDED AT THE REQUEST OF Wallace W. Holt
on Jan. 21, 1969, at 50 mins. past 8 A. M.
Book 27 of OFFICIAL RECORDS, page 211
EUREKA COUNTY, NEVADA. Willis H. Holt Recorder.
File No. 48446 Fee \$ 1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Star Light 29 lode mining claim was located by Mr & Mrs Wallace W. Holt on the 7th day of November, 1968.

The general course of said lode or vein is Northerly & Southerly

The claim is situated in the Diamond Mining District, of Eureka County, State of Nevada, Northerly of & south of mark U.S. Coast and Geodetic Survey Bench Mark 877-LS and monument on Westernly and Southernly side

The locator claim 750 ~~feet~~ feet in a(n) Easterly direction and 750 ~~feet~~ feet in a(n) Westernly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:

A Shaft 3 feet by 12 feet sunk 7 feet deep at the point of claim midway between the side lines U.S.A. Star Light 29 on East on the Northerly end line.

The corners and side centers of the claim are located and marked as follows: U.S.A. Star Light 29 Claim starting from the Southerly point of 35 thence 300 feet Northerly to the Northeast corner post marked, thence 300 feet Northerly to post marker thence 750 feet Easterly to side center post, thence 750 feet Easterly to post marker, thence 300 feet Southerly to claim marker thence 300 feet to corner Southerly post marker thence 750 feet Westernly to side center post marker thence 750 feet Westernly to the Southerly to corner post 29.

Each of the above-described monuments is A post at least 4 inches in diameter, by 4 feet 6 inches in length set 1 foot in the ground.

All location and discovery work necessary to complete this location had been performed by November 21, 1968.

Dated this 20th day of January, 1969.

Mr & Mrs Wallace W. Holt, 1442 So 600 East, Bountiful Ut.
(Name of Locator) (Address)

Mr & Mrs Ross A. Birch, 899 Hill Blvd, Layton Utah
(Name of Locator) (Address)

(Name of Locator)

(Address)

RECORDED AT THE REQUEST OF Wallace W. Holt

on Jan. 21, 1969, at 50 mins. past 8 A. M. in

Book 27 of OFFICIAL RECORDS, page 212 RECORDS OF

EUREKA COUNTY, NEVADA Willis A. R. R. R. Recorder.

File No. 48447 Fee \$ 1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Star Light 30 lode mining claim was located by Mr & Mrs Wallace W^m Holt on the 9th day of November, 1968.

The general course of said lode or vein is Northerly & Southerly

The claim is situated in the Diamond Mining District, of Eureka County, State of Nevada, Northerly of Azimuth mark U.S. Coast and Geodetic Survey Bench mark 8777. U.S.G. monument on Westernly and Southerly side

The locator claim 750 feet in a(n) Easterly direction and 750 feet in a(n) Westernly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:

A Shaft 3 feet by 12 feet sunk 7 feet deep at the point of claim Midway between the side lines U.S.A. Star Light 30 on East on the Northerly end line.

The corners and side centers of the claim are located and marked as follows: U.S.A. Star Light 30 Claims starting from the Southerly point of 30 thence 300 feet Northerly to the North west corner post marked thence 300 feet Northerly to post marker thence 750 feet Easterly to side center post, thence 750 feet Easterly to post marker thence 300 feet Southerly to claim marker thence 300 feet to corner Southerly post marker thence 750 feet Westernly to side center post marker thence 750 feet Westernly to the Southerly to claim marker

Each of the above-described monuments is A post at least 4 inches in diameter, by 4 feet 6 inches in length set 1 foot in the ground

All location and discovery work necessary to complete this location had been performed by November 21, 1968.

Dated this 20th day of January, 1969.

Mr & Mrs Wallace W^m Holt, 1442 So 600 E. Bountiful Et.
(Name of Locator) (Address)

Mr & Mrs Ross A. Birch, 899 Hill Blvd. Layton Et.
(Name of Locator) (Address)

(Name of Locator) (Address)

RECORDED AT THE REQUEST OF Wallace W. Holt
REC. Jan 21, 19 69 at 50 mins. past 8 A. M. in
Book 27 of OFFICIAL RECORDS, page 213 RECORDS OF
EUREKA COUNTY, NEVADA. Julius A. McFarland Recorder.
File No. 48448 Fee \$ 1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Star Light 31 lode mining claim was located by Mr. & Mrs. Wallace W. Holt on the 9th day of November, 1968.

The general course of said lode or vein is Northerly & Southerly.

The claim is situated in the Diamond Mining District, of Eureka County, State of Nevada, Northerly of Azimuth mark U.S. Coast & Geodetic Survey Bench Mark 8AA 4489.8 monument on westerly and southerly end.
The locator claims 750 ~~750~~ feet in a(n) East direction and 750 ~~750~~ feet in a(n) Westerly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:
A shaft 3 feet by 12 feet sunk 7 feet deep at the point of claim midway between the side lines of U.S.A. Star Light 31 and East on the northerly end line.

The corners and side centers of the claim are located and marked as follows: U.S.A. Star Light 31 claim starting from the southerly point of 31 thence 300 ft. northerly to the Northwest corner post marker thence 300 feet Northerly to post marker, thence 750 feet Easterly to side center post thence 750 feet Easterly to post marker, thence 300 feet Southerly to claim marker, thence 300 feet to corner Southerly post marker, thence 750 feet Westerly to side center post marker, thence 750 feet Westerly to the Southerly corner post of no. 31.

Each of the above-described monuments is a post at least 4 inches in diameter by 4 feet 6 inches in length set 1 foot in the ground.

All location and discovery work necessary to complete this location had been performed by November, 21, 1968.

Dated this 20th day of January, 1969.

Mr. & Mrs. Wallace W. Holt 1442 So 600 E. Bountiful, Utah
(Name of Locator) (Address)

Mr. & Mrs. Ross A Birch 899 Hill Blvd, Layton, Utah
(Name of Locator) (Address)

(Name of Locator)

(Address)

RECORDED AT THE REQUEST OF Wallace W. Holt
on Jan. 21, 1969, at 50 mins. past 8 A. M. in
Book 27 of OFFICIAL RECORDS, page 214, RECORDS OF
EUREKA COUNTY, NEVADA. Hollis A. McPhee Recorder.
File No. 48449 Fee \$ 1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Star Light 32 lode mining claim was located by Mr. & Mrs. Wallace W. Holt on the 9th day of November, 1968

The general course of said lode or vein is Northerly & Southerly

The claim is situated in the Diamond Mining District, of Eureka County, State of Nevada, Northerly of Azimuth mark U.S. east and geodetic survey bench mark 878 U.S.S. monument on Western side

The locator... claim 750 feet in a(n) Easterly direction and 750 feet in a(n) Westernly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:

A shaft 3 feet by 12 feet sunk 7 feet deep at the point of claim midway between the side lines U.S.A. Star Light 32 on East on the Northerly end line.

The corners and side centers of the claim are located and marked as follows: U.S.A. Star Light 32 claims starting from the Southerly point of 32 thence 300 feet Northerly to the North west corner post marked, thence 300 feet Northerly to post marker, thence 750 feet Easterly to side center post, thence 750 feet Easterly to post marker, thence 300 feet Southerly to claim marker thence 300 feet to corner Southerly post marker thence 750 feet Westernly to side center post marker thence 750 feet Westernly to the South west corner post marked. Each of the above-described monuments is a post at least 4 inches in diameter by 4 feet 6 inches in length set 1 foot in the ground.

All location and discovery work necessary to complete this location had been performed by November 21, 1968.

Dated this 20th day of January, 1969.

Mr. & Mrs. Wallace W. Holt, 1442 So. 600 East, Bountiful, Ut.
(Name of Locator) (Address)

Mr. & Mrs. Ross A. Birch, 899 Hill Blvd, Layton, Utah
(Name of Locator) (Address)

(Name of Locator)

(Address)

RECORDED AT THE REQUEST OF Wallace W. Holt

on Jan. 21, 1969, at 50 mins. past 8 A. M. In

Book 27 of OFFICIAL RECORDS, page 215 RECORDS OF

EUREKA COUNTY, NEVADA, Willis A. Orlov Recorder.

File No. 48450

Fee \$ 1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Star Light 33 lode mining claim was located by Mr. & Mrs. Wallace W. Holt on the 9th day of November, 1968.

The general course of said lode or vein is Northerly & Southerly

The claim is situated in the Diamond Mining District, of Eureka County, State of Nevada, Northerly of Azimuth mark U.S. Coast & Geodetic Survey Bench Mark 89A U.S.G.S. monument on westerly & southerly side
The locator claiming 750 feet in a(n) Easterly direction and 750 feet in a(n) Westerly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are, as follows:

A shaft 3 feet by 12 feet sunk 7 feet deep at the point of claim midway between the side lines of U.S.A. Star Light 33 and East on the Northerly end line.

The corners and side centers of the claim are located and marked as follows: U.S.A. Star Light 33 claim starting from the southerly point of 33 thence 300 feet Northerly to the Northwest corner post marker thence 300 feet Northerly to post marker, thence 750 feet Easterly to side center post, thence 750 feet Easterly to post marker, thence 300 feet Southerly to claim marker, thence 300 feet to corner southerly post marker, thence 750 feet Westerly to side center post marker, thence 750 feet Westerly to the southerly corner post no. 33.

Each of the above-described monuments is A post at least 4 inches in diameter by 4 feet 6 inches in length set 1 foot in the ground.

All location and discovery work necessary to complete this location had been performed by November, 21, 1968.

Dated this 20th day of January, 1969.

Mr. & Mrs. Wallace W. Holt 1442 So 600 E Bountiful, Utah
(Name of Locator) (Address)

Mr. & Mrs. Ross A. Birch 899 Hill Blvd, Layton, Utah
(Name of Locator) (Address)

(Name of Locator) (Address)
RECORDED AT THE REQUEST OF Wallace W. Holt
on Jan. 21, 1969 at 50 mins. past 8 A. M.
Book 27 of OFFICIAL RECORDS, page 216 RECORDS OF
EUREKA COUNTY, NEVADA. Julius O. R. Powell Recorder.
File No. 48451 Fee \$1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Star Light 34 lode mining claim was located by Mr & Mrs Wallace Wm Holt on the 9th day of November, 1968.

The general course of said lode or vein is Northerly & Southerly

The claim is situated in the Desmond Mining District, of Eureka County, State of Nevada, Northerly of Azimuth mark U.S. Coast and Geodetic Survey Bench mark 377.454 S. monument on the Westernly and Southerly side.

The locator... claim 750 ~~750~~ feet in a(n) Easterly direction and 750 ~~750~~ feet in a(n) Westernly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:

A Shaft 3 feet by 12 feet sunk 7 feet deep at the point of claim midway between the side lines U.S.A. Star Light 35 on East, on the Northerly endline

The corners and side centers of the claim are located and marked as follows: U.S.A.

Star Light 35 claims starting from the southerly point of 35 thence 300 feet Northerly to the Northwest corner post marked, thence 300 feet Northerly to post marked, thence 750 feet Easterly to side center post, thence 750 ft Easterly to post marked, thence 300 feet Southerly to claim marker, thence 300 feet to corner southerly post marker thence 750 feet Westernly to side center post marker thence 750 Westernly to the southerly to corner post 35.

Each of the above-described monuments is A post at least 4 inches in diameter, by 4 feet 6 inches in length set 1 foot in the ground.

All location and discovery work necessary to complete this location had been performed by November 21, 1968.

Dated this 20th day of January, 1969.

Mr & Mrs Wallace Wm Holt, 1442 So 600 E - Bountiful, Ut.
(Name of Locator) (Address)

Mr & Mrs Ross A Birch, 899 Hill Blvd, Layton Utah
(Name of Locator) (Address)

(Name of Locator)

(Address)

RECORDED AT THE REQUEST OF Wallace W. Holt
on Jan. 21, 19 69, at 50 mins. past 8 A. M. in
Book 27 of OFFICIAL RECORDS, page 217 RECORDS OF
EUREKA COUNTY, NEVADA. Willis C. Porter Recorder.
File No. 48452 Fee \$ 1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Star Light 35 lode mining claim was located by Mr. & Mrs. Wallace W. Holt on the 9th day of November, 1968.

The general course of said lode or vein is Northerly & Southerly

The claim is situated in the Richmond Mining District, of Eureka County, State of Nevada, Northerly of Primuth U.S. Coast and Geodetic Survey Benchmark 877 U.S.A. monument on Westernly and Southerly side

The locator... claim 750 ~~750~~ feet in a(n) Easterly direction and 750 ~~750~~ feet in a(n) Westernly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:

A shaft 3 feet by 12 feet sunk 7 feet deep at the point of claim midway between the side lines U.S.A. Star Light 35 on East on the Northerly end line

The corners and side centers of the claim are located and marked as follows: U.S.A. Star Light 35 claims starting from the southerly point of 35 thence 300 feet Northerly to the Northwest corner post marked, thence 300 feet Northerly to post marker, thence 750 feet Easterly to side center post, thence 750 feet Easterly to Post marker, thence 300 feet Southerly to claim marker, thence 300 feet to corner southerly post marker, thence 750 feet Westernly to side center post marker thence 750 feet Westernly to corner post marker
Each of the above described monuments is a post at least 4 inches in diameter, by 4 feet 6 inches in length set 1 foot in the ground.

All location and discovery work necessary to complete this location had been performed by November 21, 1968

Dated this 20th day of January, 1969.

Mr. & Mrs. Wallace W. Holt 1442 So 600 East Bountiful Ut.
(Name of Locator) (Address)

Mr. & Mrs. Ross A. Birch 899 Hill Blvd. Layton Utah.
(Name of Locator) (Address)

(Name of Locator) (Address)
RECORDED AT THE REQUEST OF Wallace W. Holt
on Jan. 21, 1969 at 50 mins, past 8 A. M. in
Book 27 of OFFICIAL RECORDS, page 218 RECORDS OF
EUREKA COUNTY, NEVADA. Julius A. Holt Recorder.
File No. 48453 Fee \$ 1.00

Certificate of Location

THIS IS TO CERTIFY that the U.S.A. Star Light 36 lode mining claim was located by Mr. & Mrs. Wallace W. Holt on the 9th day of November, 1968.

The general course of said lode or vein is Northerly & Southerly.

The claim is situated in the Diamond Mining District, of Eureka County, State of Nevada, Northerly of Azimuth mark U.S. Coast & Geodetic Survey Bench Mark 8AA U.S.G.S. monument on Westerly & Southerly sides.
The locator claim 750 feet in a(n) Easterly direction and 750 feet in a(n) Westerly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and locations of the discovery work done on the claim are as follows:
A shaft 3 feet by 12 ft sunk 7 feet deep at the point of claim midway between the side lines of U.S.A. Star Light 36 and East on the Northerly and line.

The corners and side centers of the claim are located and marked as follows: U.S.A. Star Light 36 claim starting from the Southerly point of 36 thence 300 ft Northerly to the North west corner post marker thence 300 feet Northerly to post marker thence 750 feet Easterly to side center post thence 750 feet Easterly to post marker thence 300 feet Southerly to claim marker thence 300 feet to corner Southerly post marker thence 750 feet Westerly to side center post marker thence 750 feet Westerly to the Southerly corner post of no. 36

Each of the above-described monuments is A post at least 4 inches in diameter by 4 feet 6 inches in length set 1 foot in the ground.

All location and discovery work necessary to complete this location had been performed by November 21, 1968.

Dated this 20th day of January, 1969.

Mr. & Mrs. Wallace W. Holt 1442 So 600 E. Bountiful, Utah
(Name of Locator) (Address)

Mr. & Mrs. Ross A. Birck 899 Hill Blvd. Layton, Utah
(Name of Locator) (Address)

(Name of Locator)

(Address)

RECORDED AT THE REQUEST OF Wallace W. Holt
on Jan. 21, 19 69, at 50 mins. past 8 A. M. in
Book 27 of OFFICIAL RECORDS, page 219 RECORDS OF
EUREKA COUNTY, NEVADA. Willie A. Atwood Recorder.
File No. 154-4 Fee \$1.00