THIS IS TO CERTIFY that the U.S. A. Reid no. 11 Lode Mining Claim was
located by Mr and Mrs Wallace Wm. Holt , whose post office address appears
below, on the 20th day of January 1969
The general course of said lode or vein is Northerly and Southerly
The claim is situated in the Diamond Mining District, Sureka
County, State of Nevada, Northerly of Azimuth mark U.S. Coast and Geodetic Survey
Bench Hark SAAU:S.G.S Homment on the Westerly Southerly side.
The locator claim 750 feet in a Basterly
direction and
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows: A shaft 3.
feet by 12 feet, sunk 7 feet deep at the point of claim midway between U.S.A.
Reid no. 11 on the Southerly line.
The total cost of such work consisted of at least \$100.00
The corners and side centers of the claim are located and marked as follows:
From the South West corner, a monument marked U.S.A. Reid no. 21, thence in a
Northerly direction 600 feet to the North Mosterly corner, a monument marked U.S.A. Reid
no. 11 Cor., thence
center, a monument marked U.S.A. Reid no. bc, thence 750 feet in a Basterly dir-
ection to the North Easterly corner, a monument marked U.S.A. Reid no.12 or, thence 600
feet in a Southerly direction to the South Easterly corner, a monument marked U.S.A. Reid no.
11 Cor., thence
a monument marked U.S.A. Reid no.12c, thence750 feetWesterly to the point of
beginning. A post at least 4 inches in diameter by 4 feet Each of the above-described monuments is 6 inches in length set 1 foot in the ground.
All location and discovery work necessary to complete this location had been performed by APRIL 7th, 19.69
Wallace W Hoft, 1442 So 600 Gast Bountiful It- (Name of Locator) (Address)
Wallace C Holt 1442 So 600 East Bountiful Estal
Base a. Pairch , 899 Hill Bush, Jaylow Wak
(Name of Locator) (Address)

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

RECORDED AT THE REQUEST OF Wallace Wm. Holt
on April 7 1969
ot 35 mins, past 8 A. M. in Book 28 of OFFICIAL
RECORDS, page 340 EECORDS
OF EURENA COUNTY, NEVADA
RECORDER A COUNTY, NEVADA
RECORDER A COUNTY OF SECORDS

THIS IS TO CHRTIFY that the U.S. A. Rold no. 12 Lode Mining Claim was
located by Mr and Mrs Wallace Wm. Holt , whose post office address appears
below, on the 20th day of January , 1969
The general course of said lode or vein is Northerly and Southerly
The claim is situated in the Diamond Mining District, Euroka
County, State of Nevada, Northerly of Azimuth mark U.S. Coast and Geodetic Survey
Bench Mark SAAU.S.G.S. Mornment on the Westerly Southerly side.
The locator claim 750 feet in a Easterly
direction and direction direction
from the point of discovery, with a width offeet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows: A shaft 3
feet by 12 feet, sunk 7 feet deep at the point of claim midway between U. S. A.
Reid no. 12 on the Southerly line.
The total cost of such work consisted of at least \$100,00
The corners and side centers of the claim are located and marked as follows:
From the South West corner, a monument marked U.S.A. Reid no.12or., thence in a
Northerly direction 600 feet to the North Nosterly corner, a monument marked U.S.A. Reid
no. 12 Cor., thence 750 feet in a Easterly direction to the Northerly side
center, a monument markedU_S.A. Reid_no.13C, thence750 feet in a .Easterly dir-
ection to the North Easterly corner, a monument marked U.S.A. Reid no. 23r., thence 600
feet in a Southerly direction to the South Easterly corner, a monument marked U.S.A. Reid no
12 Cor, thence 750 feet in a Westerly direction to the Southerly side center,
a monument marked U.S.A. Reid no.18C, thence
beginning. A post at least 4 inches in diemeter by 4 feet
Each of the above-described monuments is 6 inches in length set 1 foot in the ground.
All location and discovery work necessary to complete this location had been performed by
April 7th , 1969
Wallace W 10 Holt, 1442 So 600 East Bountiful Est Wallace C Holt, 1442 So 600 East Bountiful Est (Name of Locator) These A: Direct, 899 Hill Blade Sayton, Letak (Name of Locator)
Wallace C Holt 1442 So 600 East Bountiful Filsh
(Name of Locator) (Address) (Address) (Address)
(Name of Locator) (Name of Locator)

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

RECORDED AT THE REQUEST OF Wallace Wm. Holt

on April 7

at 35 mins. past 8 A. M.

in Book 28 of OFFICIAL

RECORDS, page 341 RECORDS

OF EUREKA COUNTY, MEYEDS

RECORDER 1500 CC.

File No. 18966

THIS IS TO CERTIFY that the U.S.A. Maggie no. 13 Lode Mining Ca	
located by Mr and Mrs Wallace Wm. Holt , whose post office address	appears
below, on the 20th day of January , 1962	
The general course of said lode or vein is Northerly and Southerly	
The claim is situated in the Diamond Mining District, Eureka	
County, State of Nevada, Northerly of Azimuth mark U.S. Coast and Geodetic Sur	yey .
ench Mark 8AAU.S.G.S Monument on the Westerly Southerly side.	
The locatorclaim	
direction and 750 feet in a Wosterly	direction
from the point of discovery, with a width of	- 1-
side of the center of the vein or lode along the entire length of said claim.	hoft Z
The dimensions and locations of the discovery work done on the claim are as follows:	\ \
eet by 12 feet, sunk 7 feet deep at the point of claim midway between U. S	. A.
aggie no. 13 on the Southerly line.	
The total cost of such work consisted of at least \$100.00	٠.
The corners and side centers of the claim are located and marked as follows:	
From the South West corner, a monument marked V. S. A. Maggie nocdo, thence in a	*****
ortherly direction 600 feet to the North Westerly corner, a monument marked U.S.	
o, 13 Cor, thence 750 feet in a Easterly direction to the Northerly	
U a D a A a	
center, a monument marked Maggie no. 13 SC, thence 750 feet in a Easterly U.S.A.	
ection to the North Easterly corner, a monument marked Maggie no. 13 Cor., thence	41.
feet in a Southerly direction to the South Easterly corner, a monument marked U.S.A	Maggie
Southerly Southerly Southerly Southerly Solution to the Southerly Solution to the Solution So	e center,
a monument marked Maggia no. 13 SC, thence	point of
beginning.	
A post at least 4 inches in diameter by Each of the above-described monuments is 6 inches in length set 1 foot in the g	y 4 leet round.a.
All location and discovery work necessary to complete this location had been perform	
pril 7 th	···• .
1000	, , ,
Wallsce W 14 Holts, 1442 So 600 Gast Bountef	ub ar
Wallace C Holl 1442 So 600 East Bount	l Eta
(Name of Locator) (Address) (Address)	fall)
(Name of Locator) (Address) (Address)	Calledon.
RECORDED AT THE	LEQUEST OF

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

mailace WM. Holt
on April 7
19 69
et 35 riles, part 8 A. M.
in Book 28 of OFFICIAL
RECORDS, page 342
OF EUREKA COUNTY, NEVO 10
RECORDS
RECORDS
OF EUREKA COUNTY, NEVO 10
RECORDS
File No. 48967ee \$ 1.00

THIS IS TO CERTIFY that the U.S.A. Maggio no. 14 Lode Mining Claim was
located by Mr and Mrs Wallace Wm. Holt , whose post office address appears
below, on the 20th day of January , 19 69
The general course of said lode or vein is Northerly and Southerly
The claim is situated in the Dismond Mining District, Euroka
County, State of Nevada, Northerly of Azimuth mark U.S. Coast and Geodetic Survey
Bench Mark 8AAU.S.G.S Nonument on the Westerly Southerly side.
The locator claim 750 feet in a Easterly
direction and 750 feet in a Westerly direction
from the point of discovery, with a width of
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows: A shaft 3
feet by 12 feet, sunk 7 feet deep at the point of claim midway between U. S. A.
Maggie no. 14 on the Southerly line.
The total cost of such work consisted of at least \$100.00
The corners and side centers of the claim are located and marked as follows:
From the South West corner, a monument marked Maggie no. 14 Cor., thence in a
Northerly direction 600 feet to the North Westerly corner, a monument marked U.S.A. Maggie
no. 14 Cor, thence 750 feet in a Easterly direction to the Northerly side
center, a monument marked Maggie no. 14 SC, thence 750 feet in a Easterly dir-
ection to the North Easterly corner, a monument marked Margie no. 14 Cor., thence 600
feet in a Southerly direction to the South Easterly corner, a monument marked U.S.A. Maggie no
14 Cor., thence
a monument marked .Maggia no. 14 SC, thence750 feet Westerly to the point of
beginning. A post at least 4 inches in diameter by 4 feet
Each of the above-described monuments is 6 inches in length set 1 foot in the ground.
All location and discovery work necessary to complete this location had been performed by April 7th 19.69
Wallace W Hoft, 1442 Lo 600 East Bourtiful Et
Wallace C Holt 1442 So 600 Fast Bountiful Utalo (Name of Locator)
Bass a: Think , 899 Hill Blush Sayton, Wahl
RECORDED AT THE REQUEST OF
Wallace Wm. Holt

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

35 rains, part 8

THIS IS TO CERTIFY that the U. S. A. Norma no.	TO THE PROPERTY OF THE PROPERT
located by Mr and Mrs Wallace Wm.Holt	, whose post office address appears
below, on the 20th day of January	· 表示:
The general course of said lode or vein is Northerly a	nd Southerly
The claim is situated in the Diamond	Mining District, Euroka
County, State of Nevada, Northerly of Azimuth mark	U.S. Coast and Geodetic Survey
Bench Mark SAAU S.G.S. Monument on the Westerly S	outherly side.
The locator claim 750	feet in a Easterly
direction and	Westerly direction
from the point of discovery, with a width of	feet on each
side of the center of the vein or lode along the entire length o	
The dimensions and locations of the discovery work dor	e on the claim are as follows: A shaft. 3
feet by 12 feet, sunk 7 feet deep at the point of	f claim midway between U.S.A.
Norma no. 15 on the Southerly line.	
The total cost of such work consisted of at least \$100_0	•
The corners and side centers of the claim are located and	
From the South Wost corner, a monument marked	Norma no. 15 Cor., thence in a
Northerly direction 600 feet to the North Westerl	Y corner, a monument marked U.S.A. Norma
no. 15 Cor., thence 750 feet in a Easterly	direction to the .Northerly stde
center, a monument marked Norma no. 15 SC, thence	750 feet in a Easterly dir-
ection to the North Easterly corner, a monument marked	
feet in a Southerly direction to the South Easterly	corner, a monument markedU.S.A. Norma no.
15 Cor., thence	rection to the Southerly side center,
a monument marked Norma no. 15 SC, thence750	feet
beginning. A post at 1	east 4 inches in diameter by 4 feet
Each of the above-described monuments is 6 inches in	length set 1 foot in the ground.
All location and discovery work necessary to complete	this location had been performed by
April / 1969	
Wallace Will Holt, 1442 So 6	00 East Bountiful Et.
Wallace C Holt , 144d So 6	OD Fast Bountiful tetato
Kon a. Birch 899 Hill	Paled Jayton, Utak
(Name of Locator)	(Autress) / /
•	RECORDED AT THE REQUEST OF

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

RECORDED AT THE REQUEST OF Wallace Wm. Holt
on April 7 19.69
at 35 mins, part 8 A.A.
in Book 28 of OFFICIAL
RECORDS, page 344 PECORDS
OF, EUREKA COUNTY, PEVIDS
Stellan O laske

THIS IS TO CERTIFY that the U.S.A. Norma no. 22 Lode Mining Claim was
located by Mr and Mrs Wallace Wm. Holt , whose post office address appears
below, on the 20th day of January , 19.69
The general course of said lode or vein is .Northerly and .Southerly.
The claim is situated in the Diamond Mining District, Eureka
County, State of Nevada, Northerly of Azimuth mark U.S. Coast and Geodetic Survey
Bench Mark 8AAU.S.G.S Monument on the Westerly Southerly side.
The locator claim 750 feet in a Easterly
direction and 750 feet in a Westerly direction
from the point of discovery, with a width of300 feet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows: A sheft 3
feet by 21 feet, sunk 7 feet deep at the point of claim midway between U.S.A.
Norma no. 22 on the Southerly line.
The total cost of such work consisted of at least \$100.00
The corners and side centers of the claim are located and marked as follows:
From the South West corner, a monument marked Norma no 22 Cor., thence in a
Northerly direction 600 feet to the North Westerly corner, a monument marked Norma
no. 22 Cor, thence 750 feet in a Egatorly direction to the Northerly side
center, a monument marked Norma no.22 SC, thence 750 feet in a Easterly dir-
ection to the North Easterly corner, a monument marked Norma no. 22 Cor., thence 600
feet in a Southerly direction to the South Easterly corner, a monument marked S.A. Norma no.
22 Cor., thence
a monument marked Norma no. 22 SC, thence 750 feet Westerly to the point of
beginning. A post at least 4 inches in diameter by 4 feet
Each of the above-described monuments is 6 inches in length set 1 foot in the ground.
All location and discovery work necessary to complete this location had been performed by
April 7 19.69
Walkere W M Hort, 1442 So 600 Fast Bountful lit Waller C Nort, 1442 So 600 East Bountful Lite
Wallace C Holt 1942 So 600 Fast Bountiful Vitale
(Name of Locator) (Address) (Address)
RECORDED AT THE REQUIEST OF

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

FREE FRESS, OFFSET, ELEU, NEVADA

RECORDED AT THE REQUEST OF

Wallace Wm. Holt

on April 7 1969

ot 35 mins, part 8 A · M.

in Book 28 of CHICKAL

RECORDS, page 345 , RECORDS,
OF FUREXA COUNTY, NEVERAL

Recorder 48970 1 000

28

Certificate of Location of Lode Mining Claim

THIS IS TO CERTIFY that the U.S. A. Maggie no. 23 Lode Mining Claim was
located by Mr and Mrs Wallace Wm. Holt whose post office address appears
below, on the 20th day of January , 1969
The general course of said lode or vein isNortherly and Southerly
The claim is situated in the Diamond Mining District, Eureka
County, State of Nevada, Northerly of Azimuth mark U.S. Coast and Geodetic Survey
Bench Mark 8AAU.S.G.S Monument on the Westerly Southerly side.
The locator claim 750 feet in a Easterly
direction and
from the point of discovery, with a width of500feet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows: A shaft 3
feet by 12 feet, sunk 7 feet deep at the point of claim midway between U. S. A.
Maggie no. 23 on the Southerly line.
The total cost of such work consisted of at least \$100.00
The corners and side centers of the claim are located and marked as follows:
From the South West corner, a monument marked Maggie no. 23 Cor., thence in a
Northerly direction 600 feet to the North Westerly corner, a monument marked U.S.A. Maggie
no. 25 Cor., thence 750 feet in a Easterly direction to the Northerly side
center, a monument marked Magcie no. 23 SC, thence 750 feet in a Easterly dir-
ection to the North Easterly corner, a monument marked Magrie no. 23 Cor., thence600
feet in a Southerly direction to the South Easterly corner, a monument marked J.S.A. Maggie no
23 Cor., thencefeet in a Westerly direction to theSoutherly side center,
a monument marked Maggin no. 23. SC, thence750. feet feet to the point of
beginning. A post at least 4 inches in diameter by 4 feet
Each of the above-described monuments is 6 inches in length set 1 foot in the ground.
All location and discovery work necessary to complete this location had been performed by
April 7 19.69
Wallace W" Hall, 1442 So 600 East Bountiful Let
Wallace W. M. Holt, 1442 So 600 East Bountiful Let (Name of Locator) Wallace C Hift 1442 So 600 East Bountiful Litch (Name of Locator) Ross a Buck 899 Hill Budge Layton Wall
(Name of Locator) (Address)

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

THIS IS TO CERTIFY that the U.S.A. Maggie no. 24 Lode Mining Claim was
located by Mr and Mrs Maliace Mm. Holt , whose post office address appears
below, on the 20th day of January , 19 69
The general course of said lode or vein is Northerly and Southerly
The claim is situated in the Diamond Mining District, Euroka
County, State of Nevada, Northerly of Azimuth mark U.S. Coast and Geodetic Survey
Bench Mark 8AAU.S.G.S Monument on the Westerly Southerty side.
The locatorclaim
direction and
from the point of discovery, with a width of 300 feet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows: A shaft. 3
feet by 12 feet, sunk 7 feet deep at the point of claim midway between U. S. A.
Maggie no. 24 on the Southerly line.
The total cost of such work consisted of at least \$.100.00
The corners and side centers of the claim are located and marked as follows:
From the South West corner, a monument marked Maggie no. 24 Cor., thence in a
Northerly direction OUU feet to the North Westerly corner, a monument marked U.S.A. Maggie
no. 24 Cor., thence 750 feet in a Easterly direction to the Northerly side
center, a monument marked Maggie no. 24 sc, thence 750 feet in a Easterly dir-
ection to the North Easterly corner, a monument marked Maggie no. 24 Cor., thence 600
feet in a Southerly direction to the South Easterly corner, a monument markedU.S.A. Maggie no.
24 Cor., thence 750 feet in a Mostorly direction to the Southerly side center,
a monument marked Magrie no. 24 sc, thence 750 feet Mesterly to the point of
beginning. A post at least 4 inches in diameter by 4 feet
Each of the above-described monuments is 6 inches in length set 1 foot in the ground.
All location and discovery work necessary to complete this location had been performed by
April 7 , 1959
Wallice 4.79 Latt. 1442 So 600 East Bountiful Lite (Name of Locator) 1443 So 600 East Bountiful Litale (Name of Locator) (Name of Locator) (Address) (Address) (Address) (Name of Locator) (Name of Locator) (Address) (Address)
Willace C Holt , 1443 So 600 East Bruntiful Etale
Hoss a Burch 899 Hill Blood Saytone, Letak

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

RECORDED AT THE REQUEST OF Wallace Wm. Holt

on April 7 , 19 69

ot 35 mas, part 8 A M.

in Book 28 of CITICIAL

RECORDS, page 347 RECORDS

CG 1925 A COUNTY, NEVADA

All Caple

THIS IS TO CERTIFY that the U.S. A. Reid no. 25 Lode Mining Claim was
located by Mr and Mrs Wallace Wm. Holt , whose post office address appears
below, on the 20th day of January , 1969
The general course of said lode or vein is Northerly and Southerly
The claim is situated in the <u>Diamond</u> Mining District, Eureka
County, State of Nevada, Northerly of Azimuth mark U.S. Coast and Geodetic Survey
Bench Mark 8AAU.S.G.S Monument on the Westerly Southerly side.
The locator claim
direction and
from the point of discovery, with a width of feet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows: A. shaft. 3.
feet by 12 feet, sunk 7 feet deep at the point of claim midway between U.S.A.
Reid no. 25 on the Southerly line.
The total cost of such work consisted of at least \$100,00
The corners and side centers of the claim are located and marked as follows:
From the South West corner, a monument marked U.S.A. Reid no 25 or., thence in a
Northerly direction 600 feet to the North Westerly corner, a monument marked U.S.A. Reid
no. 25 Cor., thence 750 feet in a Easterly direction to the Northerly side
center, a monument marked U.S.A. Reid no. 35, thence 750 feet in a Easterly dir-
ection to the North Easterly corner, a monument marked U.S.A. Reid no. 25 or., thence 600
feet in a Southerly direction to the South Easterly corner, a monument marked S.A. Reid no.
25 Cor., thence
a monument marked U.S.A. Reid no.25C, thence 750 feet Westerly to the point of
beginning. A post at least 4 inches in diameter by 4 feet
Each of the above-described monuments is 6 inches in length set 1 foot in the ground.
All location and discovery work necessary to complete this location had been performed by
April / 19.69
Wollece Win Halt, 1442 80 600 Edut Bountiful Et. (Name of Locator)
(Name of Locator) Wallace C Holt 1445 50 600 East Bountiful With (Name of Locator) Boss a Busch, 899 Hill Busch, Saylow Utak
(Name of Locator), 899 Hill Mark, Saffer Mark
RECORDED AT THE REQUEST OF

TO BE FILED WITH THE COUNTY RECORDER IN A CLEAR AND LEGIBLE FORM.

FREE PRESS OFFSET, ELRO, NEVAL

RECORDED AT THE REQUEST OF Wallace Wm. Holt

on April 7 19 69

of 35 mins, 74 8 A M.

in Bank 28 of COMMUNICATION

RECORDS. Bare 348 RECORDS

OF SUREMA COUNTY, MEYAR.

Wallast Q. Alexandre

THIS IS TO CERTIFY that the U. S. A. Reid no. 26 Lode Mining Claim was
located by Mr and Mrs Wallace Mm. Holt , whose post office address appears
below, on the 20th day of January , 1969
The general course of said lode or vein is Northerly and Southerly
The claim is situated in theDiamondMining District,Eureka
County, State of Nevada, Northerly of Azimuth mark U.S. Coast and Geodetic Survey
Bench Mark 8AAU.S.G.S Monument on the Westerly Southerly side.
The locator claim 750 feet in a Easterly
direction and direction
from the point of discovery, with a width of 500 feet on each
side of the center of the vein or lode along the entire length of said claim.
The dimensions and locations of the discovery work done on the claim are as follows: A shaft 3 feet by 12 feet, sunk 7 feet deep at the point of claim midway between U. S. A.
Reid no. 26 on the Southerly line.
The total cost of such work consisted of at least \$100.00
The corners and side centers of the claim are located and marked as follows:
From the South West corner, a monument marked U.S.A. Reid no. 26or., thence in a
Northerly direction 600 feet to the North Westerly corner, a monument marked U.S.A. Reid
no. 26 Cor., thence 750 feet in a Easterly direction to the Northerly side
center, a monument marked U.S.A. Roid no.28C, thence 750 feet in a Easterly dir-
ection to the North Easterly corner, a monument marked .5.4. Reid no. 26Cor., thence .600
feet in a Southerly direction to the South Easterly corner, a monument marked S.A. Reid no.
26 Cor., thence 750 feet in a Westerly direction to the Southerly side center,
a monument marked .S.A. Reid no.26sc, thence
beginning. A post at least 4 inches in diameter by 4 feet
Each of the above-described monuments is 6 inches in length set 1 foot in the ground.
All location and discovery work necessary to complete this location had been performed by
April 7 , 1969
Wallace G M Halt, 1442 So 600 East Bountiful &t Wallace C Holt ; 1442 So 600 East Bountiful &t
William of Locator) 1442 So 600 Fast Bountiful Utah
How a Journ , 899 Hill Blus, Jayton Utak)
RECORDED AT THE REQUEST OF Wallace Wm. Holt
on April 7 19 69
in Back 28 of CONCIAL
TO BE FILED WITH THE COUNTY RECORDER RECCEDS, 1877 349 RECORDS OF FURENA COUNTY, NIVABLE
IN A CLEAR AND LEGIBLE FORM. The Carlos