

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certify that they have located a mining claim in the Buckhorn Mining District, County of Eureka, State of Nevada, on a vein or lode known as the Oro No. 1

The general course of said lode or vein, as near as it may be described, is Northerly and southerly

The name^s of the locator William B. Golden 1701 Lander St., Reno, Nev.
Herbert W. Berry 1701 Lander St., Reno, Nev.
E. L. Stephenson 1701 Lander St., Reno, Nev.

The said claim was located on the 4th day of April A. D. 1969, and is described in respect to Located about 2,000 feet east of U.S.L.M. 228. The south end line is common with the north end line of Buckhorn No. 10 patented claim. The west side line is common with the east side line of Buckhorn No. 6 patented claim. The north end is common with the south end line of Oro No. 2 claim. The east side line is common with the west side line of Oro No. 6 claim.

The locator's claim 1236 feet in length, including 100 feet in a southerly direction and 1136 feet in a northerly direction along the course of said vein or lode ~~3000~~ 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is Out 45 feet long x 12 feet wide x 3 feet deep, located approximately at the location monument.

and the location[†] and description of each corner[‡] with the markings thereon[§] are as follows:

The Northeast corner is marked by a 4"x4" post, 4½ feet high inscribed N.E. corner of Oro No. 1 mine:
the Southeast corner is marked by a 4"x4" post, 4½ feet high inscribed S.E. corner of Oro No. 1 mine.
The Southwest corner is marked by a 4"x4" post, 4½ feet high, inscribed S.W. corner Oro No. 1 mine: the Northwest corner is marked by a 4"x4" post, 4½ feet high, inscribed N.W. corner Oro No. 1 mine. There is a 6"x4" post, 4½ feet high, at the center of each side line. at each corner of each line. The discovery work has been done and the location work completed since

June 25

A. D. 1969

Dated June 27, A. D. 1969

William B. Golden

E. L. Stephenson

Herbert W. Berry

BY: E. L. Stephenson
1701 Lander St., Reno, Nevada

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "junk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners. L-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that they have located a mining claim in the Buckhorn Mining District, County of Eureka, State of Nevada, on a vein or lode known as the ORO No. 2

The general course of said lode or vein, as near as it may be described, is Northerly and southerly

The name^s of the locator William B. Golden, 1701 Lander St., Reno, Nev.
Herbert W. Berry, 1701 Lander St., Reno, Nevada
E. L. Stephenson, 1701 Lander St., Reno, Nev.

The said claim was located on the 4th day of April A. D. 1969, and is described in respect to* Located about 2,500 feet northeast of U.S.L.M. 228. The south end line is common with the north end line of Oro No. 1 claim. The west side line is common with the east side line of Buckhorn No. 7 patented claim. The east side line is common with the west side line of Oro No. 5 claim. The north end line is common with the south end lines of Sunsat patented claim and Oro No. 3 claim.

The locator^s claim 100 feet in a southerly direction and 1400 feet in a northerly direction feet in length

along the course of said vein or lode 300 from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is Out 50 feet long x 12 feet wide x 2.5 feet deep, located approximately at the location monument.

and the location[†] and description of each corner[‡] with the markings thereon[§] are as follows:

The Northeast corner is marked by a 4"x4" post, 4 1/2 feet high, inscribed N.E. corner of Oro No. 2 mine:
the Southeast corner is marked by a 4"x4" post, 4 1/2 feet high, inscribed S.E. corner of Oro No. 2 mine.
The Southwest corner is marked by a 4"x4" post, 4 1/2 feet high, inscribed S.W. corner Oro No. 2 mine: the Northwest corner is marked by a 4"x4" post, 4 1/2 feet high, inscribed N.W. corner Oro No. 2 mine. There is a 4"x4" post, 4 1/2 feet high, at the center of each side line

at each corner of each line. The discovery work has been done and the location work completed since June 25 A. D. 19 69

Dated June 27, A. D. 19 69

William B. Golden

E. L. Stephenson

Herbert W. Berry

BY: E. L. Stephenson
1701 Lander St., Reno, Nevada

* If a natural object, fill in blank with its description. If a permanent monument, describe it.
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sink" is used.
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.
§ Corner of each of the four corners, with the bearings, markings, letters, etc.
§ Any record of location which does not contain all the requirements of the statute is void.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certify X that the X ha. ve located a mining claim in the Buckhorn Mining District, County of Eureka, State of Nevada, on a vein or lode known as the ORO No. 3

The general course of said lode or vein, as near as it may be described, is Northerly and southerly

The names of the locators William B. Golden, 1701 Lander St., Reno, Nev.
Herbert W. Berry, 1701 Lander St., Reno, Nev.
E. L. Stephenson, 1701 Lander St., Reno, Nev.

The said claim was located on the 4th day of April A. D. 1969, and is described in respect to Located about 3,500 feet northeast of U.S.L.M. 228. The west side line is common with the east side line of Sunset patented claim. The east side line is common with the west side line of Oro No. 4 claim. The south end line is common with the north end lines of Oro. No. 2 and Oro No. 5 claims.

The locator's claim 100 feet in a southerly direction and 1400 feet in a northerly direction along the course of said vein or lode 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is Out 60 feet long x 12 feet wide x 3 feet deep, located approximately at the location monument.

and the location and description of each corner with the markings thereon are as follows:
The Northeast corner is marked by a 4"x4" post, 4 1/2 feet high inscribed N.E. corner of Oro No. 3 mine:
The Southeast corner is marked by a 4"x4" post, 4 1/2 feet high inscribed S.E. corner of Oro No. 3 mine.
The Southwest corner is marked by 4"x4" post, 4 1/2 feet high, inscribed S.W. corner Oro No. 3 mine: the Northwest corner is marked by a 4"x4" post, 4 1/2 feet high, inscribed N.W. corner Oro No. 3 mine. There is a 4"x4" post, 4 1/2 feet high, at the center of each side line. at each corner of each line. The discovery work has been done and the location work completed since

June 25 A. D. 19 69

Dated June 27, A. D. 19 69

William B. Golden

E. L. Stephenson

Herbert W. Berry

BY: E. L. Stephenson
1701 Lander St., Reno, Nev.

* If a natural object, fill in blank with its description. If a permanent monument, describe it.
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "junk" is used.
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.
§ Corner of each of the four corners, with the blazings, markings, letters, etc.
¶ Any record of location which does not contain all the requirements of the statute is void.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certify that we have located a mining claim in the Buckhorn Mining District, County of Eureka, State of Nevada, on a vein or lode known as the ORO No. 4

The general course of said lode or vein, as near as it may be described, is Northerly and southerly

The name of the locator William B. Golden, 1701 Lander St., Reno, Nev. Herbert W. Berry, 1701 Lander St., Reno, Nev. E. L. Stephenson, 1701 Lander St., Reno, Nev.

The said claim was located on the 4th day of April A. D. 19 69, and is described in respect to located about 3,000 feet northeast of U.S.L.M. 228. The west side line is common with the east side line of Oro No. 3 claim. The south end line is common with the north end line of Oro. No. 5 claim.

The locator claim 100 feet in a southerly direction and 1400 feet in a northerly direction along the course of said vein or lode 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is Out 40 feet long x 12 feet wide x 2 feet deep, located approximately at the location monument.

and the location and description of each corner with the markings thereon are as follows:
The Northeast corner is marked by a 4"x4" post, 4 1/2 feet high inscribed N.E. corner of Oro No. 4 mine:
the Southeast corner is marked by a 4"x4" post, 4 1/2 feet high inscribed S.E. corner of Oro No. 4 mine.
The Southwest corner is marked by 4"x4" post, 4 1/2 feet high, inscribed S.W. corner Oro No. 4 mine: the Northwest corner is marked by a 4"x4" post, 4 1/2 feet high, inscribed N.W. corner Oro No. 4 mine. There is a 4"x4" post, 4 1/2 feet high, at the center of each side line at each corner of each line. The discovery work has been done and the location work completed since June 25 A. D. 19 69

Dated June 27, A. D. 19 69

William B. Golden

E. L. Stephenson

Herbert W. Berry

BY: E. L. Stephenson
1701 Lander St., Reno, Nev.

* If a natural object, fill in blank with its description. If a permanent monument, describe it.
† The statute contemplates a shaft or what practically answers the same purpose: in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "shank" is used.
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.
§ Corner of each of the four corners, with the blazings, markings, letters, etc.
§ Any record of location which does not contain all the requirements of the statute is void.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certify that they have located a mining claim in the Buckhorn Mining District, County of Eureka, State of Nevada, on a vein or lode known as the ORO No. 5

The general course of said lode or vein, as near as it may be described, is Northerly and southerly

The name^s of the locator^s William B. Golden, 1701 Lander St., Reno, Nev.
Herbert W. Berry, 1701 Lander St., Reno, Nev.
E. L. Stephenson, 1701 Lander St., Reno, Nev.

The said claim was located on the 7th day of April A. D. 1969, and is described in respect to* Located about 2,500 feet northeast of U.S.L.M. 228. The west side line is common with the east side line of Oro No. 2 claim. The south end line is common with the north end line of Oro No. 6 claim. The north end line is common with the south end lines of Oro No. 3 and Oro No. 4 claims.

The locator^s claim 100 feet in a southerly direction and 1400 feet in a northerly direction 100 feet in a southerly direction and 1400 feet in a northerly direction feet in length along the course of said vein or lode ~~XXXXXX~~ from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is Out 50 feet long x 12 feet wide x 3 feet deep, located approximately at the location monument.

and the location[†] and description of each corner[‡] with the markings thereon[§] are as follows:

The Northeast corner is marked by a 4"x4" post, 4½ feet high inscribed N.E. corner of Oro No. 5 mine: the Southeast corner is marked by a 4"x4" post, 4½ feet high inscribed S.E. corner of Oro No. 5 mine. The Southwest corner is marked by a 4"x4" post, 4½ feet high, inscribed S.W. corner Oro No. 5 mine: the Northwest corner is marked by a 4"x4" post, 4½ feet high, inscribed N.W. corner Oro No. 5 mine. There is a 4"x4" post, 4½ feet high, at the center of each side line at each corner of each line. The discovery work has been done and the location work completed since

June 25 A. D. 1969

Dated June 27, A. D. 1969

William B. Golden

E. L. Stephenson

Herbert W. Berry

BY: E. L. Stephenson
1701 Lander St., Reno, Nev.

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "hunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

¶ Any record of location which does not contain all the requirements of the statute is void.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certify that we have located a mining claim in the Buokhorn Mining District, County of Eureka, State of Nevada, on a vein or lode known as the Oro No. 6

The general course of said lode or vein, as near as it may be described, is Northerly and southerly

The name^s of the locator^s William B. Golden, 1701 Lander St., Reno, Nev.
Herbert W. Berry, 1701 Lander St., Reno, Nev.
E. L. Stephenson, 1701 Lander St., Reno, Nev.

The said claim was located on the 7th day of April A. D. 1969, and is described in respect to located about 2,800 feet east of U.S.L.M. 228. The west side line is common with the east side line of Oro. No. 1 claim. The north end line is common with the south end line of Oro No. 5 claim. The south end line is common with the north end line of Oro No. 7 claim.

The locator^s claim 100 feet in a southerly direction and 1400 feet in a northerly direction along the course of said vein or lode 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is Out 45 feet long x 12 feet wide x 4 feet deep, located approximately at the location monument.

and the location and description of each corner with the markings thereon are as follows:
The Northeast corner is marked by a 4"x4" post, 4½ feet high inscribed N.E. corner of Oro No. 6 mine:
the Southeast corner is marked by a 4"x4" post, 4½ feet high inscribed S.E. corner of Oro No. 6 mine.
The Southwest corner is marked by a 4"x4" post, 4½ feet high, inscribed S.W. corner Oro No. 6 mine: the Northwest corner is marked by a 4"x4" post, 4½ feet high, inscribed N.W. corner Oro No. 6 mine. There is a 4"x4" post, 4½ feet high, at the center of each side line at each corner of each line. The discovery work has been done and the location work completed since June 25 A. D. 1969

Dated June 27, A. D. 1969.

William B. Golden

E. L. Stephenson

Herbert W. Berry

BY: E. L. Stephenson
1701 Lander St., Reno, Nev.

* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corner, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blasing, markings, letters, etc.

¶ Any record of location which does not contain all the requirements of the statute is void.

RENO PRINTING CO., 124 NORTH CENTER ST., RENO, NEVADA

RECORDED AT THE REQUEST OF E. L. Stephenson
on July 1, 1969, at 48 mins. past 10 A. M. in
Book 29 of OFFICIAL RECORDS, page 349 RECORDS OF
EUREKA COUNTY, NEVADA Hellie A. Peterson Recorder.
File No. 49436 Fee \$ 1.00

BOOK 29 PAGE 349

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certify that they have located a mining claim in the Buokhorn Mining District, County of Eureka, State of Nevada, on a vein or lode known as the ORO No. 7

The general course of said lode or vein, as near as it may be described, is Northerly and southerly

The name of the locator is William B. Golden, 1701 Lander St., Reno, Nev.
Herbert W. Berry, 1701 Lander St., Reno, Nev.
E. L. Stephenson, 1701 Lander St., Reno, Nev.

The said claim was located on the 7th day of April A. D. 1969, and is described in respect to Located about 2,800 feet east of U.S.L.M. 228. The west side line is common with the east side line of Buokhorn No. 10 patented claim. The north end line is common with the south end line of Oro No. 6 claim.

The locator claim 100 feet in a northerly direction and 1400 feet in a southerly direction along the course of said vein or lode ~~along~~ from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is Out 60 feet long x 12 feet wide x 3 feet deep, located approximately at the location monument.

and the location and description of each corner with the markings thereon are as follows:
The Northeast corner is marked by a 4"x4" post, 4 1/2 feet high inscribed N.E. corner of Oro No. 7 mine:
The Southeast corner is marked by a 4"x4" post, 4 1/2 feet high inscribed S.E. corner of Oro No. 7 mine.
The Southwest corner is marked by 4"x4" post, 4 1/2 feet high, inscribed S.W. corner Oro No. 7 mine: the Northwest corner is marked by a 4"x4" post, 4 1/2 feet high, inscribed N.W. corner Oro No. 7 mine. There is a 4"x4" post, 4 1/2 feet high, at the center of each side line. at each corner of each line. The discovery work has been done and the location work completed since June 25 A. D. 19 69

Dated June 27, A. D. 19 69

William B. Golden

E. L. Stephenson

Herbert W. Berry

BY: E. L. Stephenson
1701 Lander St., Reno, Nevada

* If a natural object, fill in blank with its description. If a permanent monument, describe it.
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "trunk" is used.
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.
§ Corner of each of the four corners, with the blazings, markings, letters, etc.
¶ Any record of location which does not contain all the requirements of the statute is void.