CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

claim in the	Ondersigned,	Buckhorn	······································	VB	ocated a minin
County of	Eureka		State	of Navada au -	Mining Distric
as the		ORO No. 1	, State	o) ivevaaa, on a i	ein or lode knou
The ger	neral course of said lo	de or vein, as nea	r as it may be	danamikad ia	
**	NC	rtnerly and	southerly	****	
The nar	ne. 8 of the locator	William B. (Golden' 170 Berry 170	l Lander St l Lander St	. Reno, Nej
		E. L. Stepl	enson 170	l Lander St	, Reno, Ner
The said	l claim was located on	the 4th	day of	April	
A. D. 19.09	., and is described in t	respect to LOOF	ted about	2,000 feet	est of
VaS.a.L.a.M.s.	228. The sout	h ond line i	B COMMON W	ith the nor	th end line
ofBuckho	rn No. 10 pate	nted olaim	The west	aiva line i	. common wit
	side line of B	noknorn no	b patented	olaim. The	north end
line is c	with the sout	h.ondlineo	f Oro No	2olaimTh	16east.side
	common with the				
	tor aclaim				fact to the st
in	cluding 100 fe	ot in a sout	herly direc	tion and 11	Jeet in length
А	northerly dire	otion			·*************************************
along the course	e of said vein or lode i	CONTROL from the	e naint of discor	ery with a widt)	ı of
		300		feet on each .	side of the center
	de along the entire le				, ======
The dime	ensions and location o	f the discovery sh	aft work ist		
Out	45 feet long ;	c 12 feet wi	de x 3 feet	deep, loca	ted
	roximately at i				
			\ \	***************************************	
	**	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	\ \	••••••••••	
and the location	‡ and description of a			hereous are as to	
The	Northeast	corner is m	arked by a 4	"x4" post	10100. 42 foot
high	inscribed N.E.	corner of	/ / 0	ro No. 1	
he Souther	16t corne	er is marked by a.	4"x4" po	st, 4	feet high
	inscribed	B. corn	er of Or	o No. l	mine
The South	west com	er is marked by	4"x4" post	. 4音	feet high
nscribed	4"x4" post, 4	erVrg. NoJ	mine: the	37 7.7	
s тагкей оу и	Oro No. 1	mine There is a	ign, inscribed 82 x4^H 00 S	t. 42 feet	corner
the center	of each side	line at each	corner of each l	ing The discover	u annels han been
one and the loc	ation work completed	since		The Blacover	y work has been
			June 25	7774448877444784884474448444	A. D. 19 69
Dated	June 27				
				74.a	
	lliam B. Golder	3	ь. ц. ў	Stephenson	·
He	rbert W. Berry		BY: /	Stephens	w.,
				der St., Re	no, Nevada
If a natural object, fill Fire statute contemplate	in blank with its description, is a shaft or what practically a digging work shall be done. Th	If a permanent monumer inswers the same purpose	nt, describe it. ; in prospecting a min	te state the depth and d	mensions. The statute
contemplates that : The statute uses the wo or Soda Lake, near	IN "Jocation" in connection wit	e word "sunk" is used. h "corners." That is to se	y, the local geographic	al place of the corners, s	wit: at White Guich
Corner of each of the f	our corners, with the blazings, which does not contain all the	markings, letters, etc. requirements of the statut	te is void.		
				D T C	tephenson
RENO PRINTING	G CO., 124 NORTH CENTER ST.,			, et <u>48</u> mins, pas	<u>10 А. н</u>
RENO PRINTING	5 CO., 124 NORTH CENTER ST., .	6 <u>8 . 1</u> Fack _	<u>[ulv 1 1969</u>		<u>10 А. и</u>

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned,	hereby certif	that	the y have	located a minin
claim in the	Buckhorn	<u>.</u>	********	Mining Distric
County of E1	ureka	, State	of Nevada, on a	vein or lode know
as the	OKO NO.	2		
The general course of said lo	de or vein, as near as i	it may be	described, is	
Nort		GLTA	******************************	***************************************
The name 8 of the locator.		n. 1701	Iander St.	A Reno. Nev.
He have the folder.				
E				
The said claim was located on	the 4th	day of	April	
1. D. 19 69 , and is described in				
U.S.L.M. 228. The sout				
of Oro No. 1 claim. Th	a.west.side.lin	e1.eo.o	mm.w.with.t	he esst side
line of Buckhorn No. 7	patented claim.	The e	ast side li	ne is common
with the west side line				
common with the south o	nd lines of Sun	eat pat	ented olaim	and Oro.
No. 3 olaim.				
The locator !claim				fcet in lengtl
100 feet in a sou direction	therly direction	n and 14	400 feet in	a northerly
ong the course of said vein or lode?			very with a wid	th of
	300		feet on cach	side of the cente
f the vein or lode alony the entire le		\		
The dimensions and location of				
Out 50 feet long x				
approximately at the		\	\)	
		\		
	\	\		
nd the location; and description of				
The Northeast				
ghinscribed				
southeast corn	er is marked by a	4" x 4"	post, 41	feet high
inscribed S	E. corner of	f	Oro No. 2	mine.
e Southwest corr				
cribed 9.M. cor	ner Oro No. 21111	ie: the	Northwest	corner
marked by a 4"x4" post, 4; Oro No. 2	feet high, i	inscribed	N.W.	corner
Oro No. 2	mine. There is a 4"X	4 post	. 45 IBSt 1	nign, at the
center of each side lin	19at each corn	er of each	line. The discove	ery work has been
ne and the location work completed	l since	June 25		60
		o mira . 53		A. D. 19.92
	_			
Dated June 27	, A. D. 19.69			
Dated June 27 William B. Gold	len E			
Dated June 27	len E			

RECORDED AT THE REQUEST OF E. L. Stephenson RENO PRINTING CO., 124 NORTH CENTER ST., RENO, NEVADA on Tu 1 1969 of 48 mins. past 1864 29 of OFFICIAL RECORDS, page 345 EUREKA COUNTY, NEVADA FILLOS O. A File No. 19432 De Tacle Recorder. Fee \$ 1.00

The statute contemplates a shart of what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "unit" is used,

The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit; at White Gulch or Soda Lake, near its head, etc.

Corner of each of the four corners, with the bissings, markings, letters, etc.

Any record of location which does not contain all the requirements of the statute is void.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

Buckhorn Buckhorn State of Nevace RO No. 3 As near as it may be described and southerly Buckhorn Boutherly Buckhorn State of Nevace RO No. 3 As near as it may be described and southerly Buckhorn B	Mining District da, on a vein or lode known d, is der St., Reno, Nev ler St., Reno, Nev ler St., Reno, Nev oril feet northeast of
m. State of Nevada RO No. 3 If as near as it may be described and southerly The Berry, 1701 Land Stephenson, 1701 Land 4th day of Articles Located about 3.500 line is common with the set side line is common The south and line is	da, on a vein or lode known d, is der St., Reno, Nev ler St., Reno, Nev ler St., Reno, Nev oril feet northeast of
and southerly B. Golden, 1701 Ian B. Golden, 1701 Ian The Berry, 1701 Iand Stephenson, 1701 Iand 4th day of Ar Located about 3.500 line is common with the ast side line is common The south and line i	d, is ider St., Reno, Nevler St., Reno, Nevler St., Reno, Nev
and southerly B. Golden, 1701 Ian The Berry, 1701 Iand Stephenson, 1701 Iand 4th day of Ar Located about 3.500 line is common with the state and line is	d, is lder St., Reno, Ne ler St., Reno, Nev ler St., Reno, Nev oril feet northeast of
am B. Golden, 1701 Iand rt W. Berry, 1701 Iand Stephenson, 1701 Iand 4th day of Ar Iocated about 3,500 line is common with the ast side line is common The south and line is	nder St., Reno, Nevier St., Reno, Nevier St., Reno, Nev
rt W. Berry, 1701 Iand Stephenson, 1701 Iand 4th day of Ar Located about 3,500 line is common with the ast side line is commo The south and line i	ler St., Reno, Nev ler St., Reno, Nev oril feet northeast of
Stephenson, 1701 Iand 4th day of Ar Located about 3,500 line is common with th ast side line is commo The south and line i	ler St., Reno, Nev oril feet northeast of
 Located about 3,500 line 1s common with the state line 1s common the south and line 1 	feet northeast of
ast side line is commo	o ood ada ta
The south and line 1	n with the west
	a common with the
and Oro No. 5 claims.	
direction and 1400 f	eet in a northerly
	on each side of the center
	1000104
tion monument.	"YOUR FAIR"
r¶ with the markings thereon§ ner is marked by a4" x4"	are as follows:
er of Oro No. 3	wing.
ed by a 4"x4" post,	41 feet high
corner of Orc No.	3 mine
ked by 4"x4" post, 45	feet high
No. 3 mine: the Nort	hwest corner
feet high, inscribed	.W. corner
ere is a 4"x4" post, 4} f	eet high, at the
at each corner of each line. The	discovery work has been
Tuna OE	£6
	A. D. 19 69
D. 19. 69	
E. L. Stephen	son
DV. & 1 14	H.
1701 lander	St., Reno, Nev.
1701 Innder nt monument, describe it. ine purpose: in prospecting a mine state the 'is used. That is to say, the local geographical place of t	depth and dimensions. The statute
e a k	from the point of discovery with feet aid claim. fovery shaft work ist t W1do x 3 foot doop. filon monument. er with the markings thereons mer is marked by a 4"x4" your of Oro No. 3 ked by a 4"x4" post, corner of Orc No. ked by 4"x4" post, feet high, inscribed here is a 4"x4"

BENO PRINTING CO., 124 NORTH CENTER ST., RENO, NEVAD

Book 29 of OFFICIAL RECORDS, page 346 RECORDS OF EUREKA COUNTY NEVADA. Sellar C. De Cal Accorder

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

	idersigned, hereby certi			
County of	Eureka	, State of New	vada, on a vein or	lode known
ıs the	ORO 1	No. 4	***************************************	
	course of said lode or vein, as Northerly s			
The name B	of the locatorS William Herbert E. L. S	W. Berry, 1701 Le	nder St., Re	no, Nev.
	im was located on the			
1. D. 19.69 an	d is described in respect to* 228. The west side	located about 4.00 line is opmmon wit	O feet north	east of ide line
	. 3 claim. The south			
end line	of Oro. No. 5 claim.			
100 f	Bclaim set in a southerly di	rection and 1400	feet in a no	t in length
	tion		·	
long the course of	said vein or lode EKANCO fro	m the point of discovery :	with a width of	
••••			cet on each side of	the center
	along the entire length of said			
	ions and location of the discord		p, located	
	imately at the locati			

***	***************************************			
		·····		
nd the location‡ a	nd description of each corners	with the markings there	on§ are as follows	:
The	Northeast corne	r is marked by a4"X4	" ровт, 4 <u>в</u>	feet
ighinse	cribed N.E. corner	of Uro No.	4	mine:
ieSouthead	3tcorner is marked	l by a4"x4"post	48	feet high
	inscribed S.B.	corner of	Q. 4	mine.
he Southwes	st corner is marked	d by 4"X4" DOB 6.	orthvest	feet high,
iscribed	4"x4" post, 4	M. T. mine: [he	N.W.	corner corner
marked by a	No. 4 mine. Ther	Jeet high, inscribed	l feet high.	
center of ea	ach side line a	t each corner of each line.	The discovery 1001	k has been
one and the locati	on work completed since	June 25	A.	_{D. 19} 69
				- (
Dated	June 27 , A. I	D. 19. 09		
William	B. Golden	E. L. Step	henson	
Herbert	W. Berry	BY: 2. 2.	Stephinson er St., Reno	. Nev.
Të a majumaj abisat dill is	blank with its description. If a permanent		•	•
The statute contemplates a	a shaft or what practically answers the sam ging work shall be done. The word "aunh" i "location" in connection with "corners." Th	e purpose: in prospecting a mine ats	te the depth and dimensionee of the corners, to-wit:	ns. The statute at White Gulch
Corner of each of the four	s near, etc. r corners, with the blazings, markings, lette ich does not contain all the requirements of	rs, etc. the statute is void.		
	CO., 184 NORTH CENTER ST., RENG, NEVADA	KECUADED AT THE REQUEST OF	E. L. Step	henson 0 A• M
		600k 29 of OFFICIAL RE	CORDS, page 347	RECORDS
0.0	O #Pi	EUREKA COUNTY, NEVADA		Reco
$_{\scriptscriptstyle m DV}$ 29 $_{\scriptscriptstyle m PAG}$	GB 347	EUREKA COUNTY NEVARA	F	1.00

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The U	ndersigned,	hereby certif¶	that	they	.ha.XO	located a mining
claim in the		Buokhor	a		*******	Mining District,
County of	Eureka		State	e of Nevi	ada, on a	vein or lode known
as the		ORO No	. 5	•••••		
The genera	l course of said loc	de or vein, as near Northerly and	as it may be I souther	describ	ed, is	
The name 5	of the locator 8	William B. (Golden, 1	701 Le	nder S	st., Reno, Ne
						., Reno, Nev
		TI + 041				., Reno, Nev
The said cla	im was located on	the 7th	day of	<u>A</u> 1	pril	***************************************
A. D. 1969, as	nd is described in i	respect to*LQQ	atad abou	t2.50	O. feet	northeast o
						east side
						on with the
						ne is common claims.

		·····			•	
The locator	B. claim					feet in length
directio	n		·····	<i>J.</i>		northerly
	f said vein or lode					th of side of the center
of the vein or lode	along the entire le	ength of said claim.	\ /			
		of the discovery she				
	/ /	12 feet wide				
	/ /	he location m				
			\			
***************************************			\ \			
and the location't	and description of	each corner¶ with	\ \			
		corner is m	/ /			
		corner of				
		er is marked by a				
	inscribed	B.E. com	er ofOr	o No.	5	mine.
$_{The}$ South	west com	ner is marked by	4" ≭4"	t aog	4년	feet high,
inscribed	.¥	ner Oro No. 5	.mine: the	Nor	thwest	corner
is marked by a4".	x4" post, 43	feet hi	gh, inscribed	!	N.W.	corner
		mine. There is a.				
center of e	ach_sideline	at each	corner of eac	h line. T	he discov	ery work has been
done and the locati	ion work completed	d since	June 2	25		4 5 40 69
		, A. D. 19.6				A. D. 19
Willia	am B. Golden		E. L.	Steph	enson	
			_			
Her De	rt W. Berry		170	Land	er St.	, Reno, Nev.
The statute contemplates : contemplates that dig The statute uses the word	a shaft or what practically ging work shall be done. I "location" in connection w	n. If a permanent monumer y answers the same purpose The word "sunk" is used. rith "corners." That Is to so	o 'n prospecting a			
or Soda Lake, near it Corner of each of the fou	is head, etc. r corners, with the blazing	s, markings, letters, etc. e requirements of the statu	te is void.			
		355090	EN AT THE REOL	UEST OF	EL.	Stephenson

29 PAGE 348

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

	<u> </u>		the y ha Y9 located a mining
claim in the	Buckhor	<u>n</u>	Mining District,
County of	Eureka	, State	of Nevada, on a vein or lode known
as the	ORO	No. 6	
The general c	ourse of said lode or vein,	as near as it may be	described, is
	Norther	ly and southerl	y
	,		***************************************
The name B	of the locators Willia	m B. Golden, 17	'Ol Lander St., Reno, Nev
			l Lander St., Reno, Nev.
			l Lander St., Reno, Nev.
The said clain	was located on the	7th day of	April
		• •	2,800 feet east of
			n with the east side lin
			L common with the south
end line o	of Oro No. 5 olaim	. The south en	d line is common with th
The locators	claim	1.7500	feet in length
***************************************	n a southerly dir	sotion and 1400	feet in a northerly
direction			
			overy with a width of
	300		feet on each side of the center
	ong the entire length of sa	id claim.	
The dimension	is and location of the disci	overy shaft work ist	
			eet deep, located
			t ,
	/ /		
		\ \	
***************************************			***************************************
and the leastion's and	I description of each corne		thereous are sollows:
			4"x4" post. 41 feet
			. 6
the Southern		ied by a	st. 45 feet high
Southwas	inscribed	corner of	ro No. 6 mine. st, 42 feet high,
The Bouldwes	corner is mar	red by	Nonthern feet high,
inscribed	corner UFO	MO. O mine: the	Notthwest corner
is marked by a4''.	4" post, 4 8	feet high, inscribed	N.W. corner
Oro	No6mine. Th	ere is a 4"X4" Doi	st, $4\frac{1}{2}$ feet high, at the
center of ea	ch side line	at each corner of each	line. The discovery work has been
done and the location	work completed since	***************************************	une 25 A. D. 19 69
		J1	une 25 A. D. 19 69
	June 27		
	_		
William B.	Golden	B. L. S	Stephenson
Wan-1 2º	Dammer	70 P	ol lander St., Reno, Nev
dalbalf 4.	Della	DI;	Tondon St Rang Nev
	.,	· • • • • • • • • • • • • • • • • • • •	AT TANAGE ST PANA NE

RENO PRINTING CO., 124 HORTH CENTER ST., RENO, HEVADA

SECONDED AT THE REQUEST OF E. L. Steen July 1 1969 at 48 mins. past 1 E. L. Stephenson Book 29 of OFFICIAL RECORDS, pose EUREKA COUNTY, NEVADA HILLON (A 19436)

BOOK 29 PAGE

The statute contemplates that digging work shall be done. The word "sunk" is used.

The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

Corner of each of the four corners, with the blazings, markings, letters, etc.

Any record of location which does not contain all the requirements of the statute is wold.

CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Unde	ersigned, #	hereby certif. I	that	they hav	9 located a mining
claim in the		Bucknorn	***********		Mining District,
County of	Bureka				
as the					
The general cou	rse of said lode No	or vein, as near as ortherly and a	it may be souther.	l 	
		W1114 D 0	. 1 3		
		Herbert W. Be	rry, l'	701 Lander	St., Reno, Nev. St., Reno, Nev. St., Reno, Nev.
The said claim u	ras located on th	e 7th	dav of	April	Do., Retto, Mev.
A. D. 19 69 and is U.S.L.M. 228.	described in res	spect to Locate	d about	2,800 fee	
of Buckhorn 1	No. 10 pate	nted claim.	The nor	th and lin	ne is common with
the south end	l line of O	ro No. 6 clai	m,		TO TO COMMON WITH
			•••		

The locator B	laim			\	feet in length
100 feet i	n a northo	rly direction	and 14	00 feet in	a southerly
along the course of said	vein or lode xi		int of disc	overy with a u	idth of
of the vein or lode along		300	(ř.)	feet on ea	ch side of the center
Out 60 f	eet long x		x 3 fe	et deep, 1	ocated
approxim	ately at th	ne location m	onument	•	***************************************
	rtheast	corner is mark	ed by a	4"x4" pos	t, 48
highinscribed	<u>и.в.</u> ,	corner of	A 11-A 11	oro No. /	mine:
he Southeast	corner				
	scribed)f U	Oro No. 7	mine.
The Southwest	corner	is marked byft.	X4 poi	Torthyee	tcorner
A4-51	most, 4章			%7 1.7	
marked by a	····	feet high,			corner thigh, at the
center of eacl					
one and the location wo					
					A. D. 19 69
Dated	June 27	, A, D, 19 6 9			
William B. C	lolden	***********	B. L	. Stephens	on
Herbert W. I					
TAT NAT A 11 9 7	Berry	······································	BY:	Inder S	Reno. Nevada
if a natural object, fill in blank v fine statute contemplates a shaft o contemplates that digging wor	with its description. If or what practically ans- rk shall be done. The w	a permanent monument, do wers the same purpose; in word "sunk" is used.	TYOI scribe it. prospecting a	Iender S	,, Reno, Nevada
If a natural object, fill in blank we face statute contemplates a shaft or contemplates that digging wor face is tatute uses the word "location or Soda Lake, near its head, e Corner of each of the four corners.	with its description. If or what practically and it shall be done. The w "In connection with " to, with the blazings, ma	a permanent monument, di wers the same purpose; in vord "sunk" is used, 'corners." That is to say, th arkings, letters, etc.	TYOI scribe it. prospecting a re- e local geograp	hical place of the cor	and dimensions. The statute ners, to-wit: at White Gulch
If a natural object, fill in blank we face statute contemplates a shaft or contemplates that digging wor face is tatute uses the word "location or Soda Lake, near its head, e Corner of each of the four corners.	with its description. If or what practically and it shall be done. The w "In connection with " to, with the blazings, ma	a permanent monument, do wers the same purpose; in rord "suak" is used. "corners." That is to say, th arkings, letters, etc. ruirements of the atatute is	LYOJ acribe it. prospecting a re e local geograp roid. At the REGI	hical place of the cor	and dimensions. The statute nen, to-wit: at White Gulch Stephenson
If a natural object, fill in blank verse statute contemplates a shaft of contemplates that digging were the statute uses the word "location or Soda Lake, near its head, e Corner of each of the four corners. Any record of location which does the statute of the four corners. Any record of location which does the statute of the statute of the four corners. Any record of location which does the statute of the st	with its description. If ir what practically and it shall be done. The w "In connection with " etc. it, with the blazings, mu not contain all the req	a permanent monument, do wers the same purpose; in vord "sun&" is used. "corners." That is to say, the arkings, letters, etc. uirements of the atatute is RECORDED NO, NEVADA OR JULIA	acribe it. prospecting a selecting as a selecting a selecting as a se	hical place of the cor	and dimensions. The statute ners, to-wit: at White Gulch Stephenson post 10 A Mar. 350 REGRES