

## CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that they have located or mining claim in the EUREKA Mining District, State of Nevada, on a vein or lode known as the EUREKA-NORTH #1, #2, #3, & #4.

The general course of said lode or vein, as near as it may be described, is NORTHERLY & SOUTHERLY.

The nameS of the locatorS

E.L. CLEVELAND 1201 Shadow Lane, Las Vegas, Nevada  
ED. G. BROOKS " " " " "

S. WERE

The said claim was located on the Ninetaenth day of May:

A.D. 19.69, and is described in respect to\* Being just scuthery from the intersection of highways U.S. No. 50, and State Route No. 51, at a location approximately 2½ miles northerly from the town of Eureka.

The locatorS claimS 750 in length from the discovery feet in length monuments in each direction in a northerly and southerly direction, for each of the 4 claims.

along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claimS.

The dimensions and location of the discovery shaft work is A dozer excavation on the Eureka-North #3 claim, of approximately, 75-feet in length; 14-feet wide; and an average depth of, 5-feat deep.

and the location† and description of each corner‡ with the markings thereon§ are as follows:

The Southwest corner is marked by a 4x4 post 4 feet high inscribed SW. COR. corner of EUREKA-NORTH #1, 2, 3, & 4. mine: the Southeast corner is marked by a 4x4 post 4 feet high inscribed SW. COR. corner of EUREKA-NORTH #1, 2, 3, & 4. mine. The Northwest corner is marked by 4x4 post 4 feet high, inscribed NW. COR. corner of Eureka-North #1, 2, 3, & 4. mine: the Northeast corner is marked by a 4x4 post 4 feet high, inscribed NE. Cor. Eureka-North #1, 2, 3, & 4. mine. There is a 4x4 post at each corner of each line. The discovery work has been done and the location work completed since July 1st, 1969.

A.D. 19.69.

Dated JULY 10, A.D. 19.69

E.L. Cleveland

1201 Shadow Lane, Las Vegas, Nev.

Ed. G. Brooks

1201 Shadow Lane, Las Vegas, Nev.

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "tunck" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

Any record of location which does not contain all the requirements of the RECORDS AT THE REQUEST OF E. G. Brooks

On July 10, 1969, at 30 M.M. past 4 P.M. M.

Book 29 of OFFICIAL RECORDS, page 454, RECORDS OF

EUREKA COUNTY, NEVADA, File No. 49523.

Fee \$5.00

## CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that they have located a mining claim in the EUREKA Mining District, County of EUREKA, State of Nevada, on a vein or lode known as the EUREKA-WEST #1, #2, #3, #4, #5, and #6. (six claims).

The general course of said lode or vein, as near as it may be described, is NORTH & SOUTH

The nameS of the locatorS are:

E.L. CLEVELAND, -- 1201 Shadow Lane, Las Vegas, Nevada.

ED. G. BROOKS, " " " "

S WERE,

The said claim was located on the Nineteenth day of May

A. D. 1969, and is described in respect to As being immediately west of the "Dugout" watering hole in Spring Valley, approximately 8 miles Southwest from the town of Eureka.

The locatorS claim 750 feet in length each way, from the Discovery monumenta, on each of the above 6-claims.

along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claimS.

The dimensions and location of the discovery shaft work is a dozer excavation on the East end of the Eureka-West No. 2, which measures as follows: 120 feet long, 16 feet wide, 10 feet deep.

and the location and description of each corner with the markings thereonS are as follows:

The Northwest corner is marked by a 4x4 post, 4 feet high, inscribed NW COR. corner of Eureka-West #1, 2, 3, 4, 5 & 6 mine: the Northeast corner is marked by a 4x4 post, 4 feet high, inscribed NE COR. corner of Eureka-West #1, 2, 3, 4, 5, 6 mine. The Southwest corner is marked by a 4x4 post, 4 feet high, inscribed SW COR. corner mine: the Eureka-West #1, 2, 3, 4, 5 & 6 corner is marked by a 4x4 Post, 4 feet high, inscribed S.E. COR. corner Eureka-West #1, 2, 3, 4, 5 & 6 mine. There is a 4x4 post at each corner, as well as a 4x4 post at each side center at each corner of each line. The discovery work has been done and the location work completed since May 19th, 1969.

A. D. 1969

Dated JULY 10, A.D. 1969.

*E.L. Cleveland*  
(E.L. Cleveland)  
*Ed. G. Brooks*

(Ed. G. Brooks)

1201 Shadow Lane, Las Vegas, Nev.

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.

+ The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "work" is used.

‡ The statute over the word "location" in connection with "corner". That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blasting, markings, letters, etc.

¶ Any record of location which does not contain all the requirements of the statute is void.

RECORDED AT THE REQUEST OF E. G. Brooks

on July 10, 1969 at 30 m.s. post 4 P. M.

Book 29 of OFFICIAL RECORDS, page 455 RECORDS OF

EUREKA COUNTY, NEVADA

File No. 49524

Fee \$ 6.00

## CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that the vein have located or mining claim in the EUREKA County of EUREKA, State of Nevada, on a vein or lode known as the \* EUREKA-WEST #7, EUREKA-WEST #8, EUREKA-WEST #9, & EUREKA-WEST # 10. The general course of said lode or vein, as near as it may be described, is NORTHERLY & SOUTHERLY.

The nameS of the locatorS

E.L. CLEVELAND

1201 Shadow Lane, Las Vegas, Nevada.

ED. G. BROOKS

" " " " "

The said claim was located on the 20th day of MAY A.D. 19<sup>69</sup>, and is described in respect to\* Approximately 1000 feet due south from the Prospect Tunnel portal to the NW. Cor. of Eureka-West #7, thence a Southerly trend for remainder of the claims noted above.

The locatorS claim 750 feet in length in a northerly & southerly from each of the discovery monuments on each of the above 4-claims.

along the course of said vein or lode each way from the point of discovery with a width of 300-feet feet on each side of the center of the vein or lode along the entire length of said claims.

The dimensions and location of the discovery shaft work is located adjacent to the Discovery monument on Eureka-West #11, and is a dozer excavation of the following approximation: 75-feet long, 25-feet wide, and 7-feet deep.

and the locationS and description of each cornerS with the markings thereonS are as follows:

The Southwest corner is marked by a 4x4 post 4 feet high inscribed SW. COR. corner of Eureka-West #7, #8, #9, & #10 mine. The Southeast corner is marked by a 4x4 post 4 feet high inscribed SE. COR. corner of Eureka-West #7, #8, #9, #10 mine. The Northwest corner is marked by a 4x4 post 4 feet high inscribed NW. COR. corner of Eureka-West #7, #8, #9, #10 mine. There is a 4x4 post located at each side-center of each of the 4-claims at each corner of each line. The discovery work has been done and the location work completed since July 1st, 1969.

A.D. 19 69

Dated JULY 10, A.D. 19 69.

C. L. Cleveland  
(Ed. L. Cleveland)Ed. G. Brooks  
(Ed. G. Brooks)

1201 Shadow Lane, Las Vegas, Nev.

1201 Shadow Lane, Las Vegas, Nev.

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.

+ The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.

\* The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

† Corner of each of the four corners, with the blazings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

\*—EUREKA-WEST #7, #8, #9, #10, #11, #12,

#13, &amp; #14., were inadvertently labeled

East-West #7, #8, #9, #10, #11, #12, #13, &amp; #14. on the

29 location Notices. They have since been changed to "Eureka-West".

Certificate of Location

RECORDED AT THE REQUEST OF E. G. Brooks  
on July 10 1969 at 30 min. past 4 P. M. in  
Book 29 of OFFICIAL RECORDS, page 456-457, RECORDS OF  
EUREKA COUNTY, NEVADA, Hillis C. Bell, Rec.  
File No. 45520 25 457  
Fees \$ 4.00

Mining District,

County,

State of Nevada

Dated \_\_\_\_\_, 19 \_\_\_\_\_

Recorded at the Request of

at \_\_\_\_\_ min. past \_\_\_\_\_ o'clock \_\_\_\_\_ M.,

in Volume \_\_\_\_\_ of \_\_\_\_\_

page \_\_\_\_\_

County Records.

By \_\_\_\_\_ Recorder \_\_\_\_\_

Deputy Recorder \_\_\_\_\_

## CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that the y have located a mining claim in the EUREKA Mining District,

County of EUREKA, State of Nevada, on a vein or lode known as the EUREKA-WEST #11, EUREKA-WEST #12, EUREKA-WEST #13, EUREKA-WEST #14.

The general course of said lode or vein, as near as it may be described, is

NORTHERLY & SOUTHERLY

The names of the locator(s)

E. L. CLEVELAND

1201 Shadow Lane, Las Vegas, Nevada

ED. G. BROOKS

" " " "

The said claim was located on the 20th day of MAY

A. D. 1969, and is described in respect to Lining approximately 5000 feet southerly from the portal of the Prospect Tunnel, located in Spring Valley, approx. 4½ miles southwesterly from the town of Eureka, Nevada.

The locators claim 750-feet in both a northerly and southerly direction from each of the discoveries on the above 4-lode claims.

along the course of said vein or lode each way from the point of discovery with a width of 300-feet on each side, of each of the above 4-lode claims 4-feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is 1 a dozer excavation adjacent to the discovery monument on Eureka-West #11, and is of the following approximate dimensions: - 75-foot long, 25-foot wide, & 7-feet deep.

and the location and description of each corner with the markings thereon are as follows:

The Northwest corner is marked by a 4x4 post 4 feet high inscribed NW. COR. corner of Eureka-West #12, 12½, 13, & 14 mine;

the Northeast corner is marked by a 4x4 post 4 feet high inscribed NE. COR. corner of Eureka-West #11, 12, 13, 14 mine.

The Southwest corner is marked by 4x4 post 4 feet high, inscribed SW. COR. corner of Eureka-West #11, 12, 13, 14 mine; the Southeast corner is marked by a 4x4 post 4 feet high, inscribed SE. COR. corner

Eureka-West #11, 12, 13, & 14 mine. There is a 4x4 post at each side center of each of the above 4-lode claims. at each corner of each line. The discovery work has been done and the location work completed since July 1st 1969

A. D. 1969

Dated July 10, A.D. 19 69

C. L. Cleveland  
(E. L. Cleveland)  
Ed. G. Brooks

1201 Shadow Lane, Las Vegas, Nevada

(Ed. G. Brooks)

1201 Shadow Lane, Las Vegas, Nevada

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.

+ The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "work" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

¶ Any record of location which does not contain all the requirements of the statute is void.

RECORDED AT THE REQUEST OF E. G. Brooks

on July 10, 1969, at 30 min. past 4 P. M.

Book 29 of OFFICIAL RECORDS, page 458 RECORDS OF

EUREKA COUNTY, NEVADA Julie O. Roberts Recorder

File No. 49526 Fee \$ 4.00

## CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies: that they have located a mining claim in the EUREKA Mining District, County of EUREKA, State of Nevada, on a vein or lode known as the EUREKA-WEST #15, EUREKA-WEST #16, EUREKA-WEST #17, & EUREKA-WEST #18

The general course of said lode or vein, as near as it may be described, is NORTHERLY & SOUTHERLY.

The name of the locator:

E.L. CLEVELAND

1201 Shadow Lane, Las Vegas, Nevada

ED. G. BROOKS

" " " " "

The said claim was located on the 21st day of MAY

A.D. 1969, and is described in respect to\* Being approximately 4000 lineal feet Southerly from the portal of the Prospect Tunnel located in Spring Valley.

The locator's claim..... 750..... feet in length each way from the discovery monuments on each of the four above claims.

along the course of said vein or lode each way from the point of discovery with a width of 300..... feet on each side of the center of the vein or lode along the entire length of said claim - 4-claims.

The dimensions and location of the discovery shaft work is: located adjacent to the Discovery monument on Eureka-West #11, and is a dozer excavation of the following approximation: 75-feet long, 25-feet wide, and 7-feet in depth.

and the location† and description of each corner‡ with the markings thereon§ are as follows:

The Southwest corner is marked by a 4x4 post..... 4..... feet high..... inscribed SW. COR. corner of Eureka-West #15, #16, #17, #18 mine: the Southeast corner is marked by a 4x4 post..... 4..... feet high..... inscribed SE. COR. corner of Eureka-West #15, #16, #17, #18 mine.

The Northwest corner is marked by a 4x4 post..... 4..... feet high, inscribed NW. COR. corner #15, #16, #17, #18 mine: the Northeast corner is marked by a 4x4 post..... 4..... feet high, inscribed NE. COR. corner Eureka-West #15, #16, #17, #18 mine. There is a 4x4 post at each of the side centers on each of the four claims..... at each corner of each line. The discovery work has been done and the location work completed since July 1st, 1969.

A.D. 1969

Dated JULY 10, A.D. 1969.

*C.L. Cleveland  
(E.L. Cleveland)  
Ed. G. Brooks.*

1201 Shadow Lane, Las Vegas, Nevada

(Ed. G. Brooks)

1201 Shadow Lane, Las Vegas, Nevada

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "work" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the bearings, markings, letters, etc.

Any record of location which does not contain all the requirements of the statute is void.

RECORDED AT THE REQUEST OF E. G. Brooks

on July 10, 1969, at 30 min. past 4 P.M. in

Book 29 of OFFICIAL RECORDS, page 459 RECORDS OF

EUREKA COUNTY, NEVADA, *Julie Gafford*, Recorder,

File No. 49527 Fee \$4.00

## CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies.....that they have located a mining claim in the EUREKA Mining District, County of EUREKA, State of Nevada, on a vein or lode known as the EUREKA-EAST #1, EUREKA-EAST #2, and EUREKA-EAST #3.

The general course of said lode or vein, as near as it may be described, is NORTHERLY & SOUTHERLY

The name(s) of the locators

E.L. CLEVELAND

1201 Shadow Lane, Las Vegas, Nev.

ED. G. BROOKS

" " " " "

The said claim was located on the 29th day of MAY

A. D. 19 69, and is described in respect to Being immediately north of the Hoosac Tunnel, (Patented Mine) on Hoosac Mountain, approximately 6 miles Southwesterly from the town of Eureka, Nevada.

The locator(s) claim 750 in a Southerly direction, and 750 feet in length a Northerly direction from the discovery monuments on each of the 4-claims.

along the course of said vein or lode each way from the point of discovery with a width of 300-feet on each side of the discovery monuments, on each of feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is A dozer excavation adjacent to the Discovery monuments on Eureka-East #1, Eureka-East #2, and Eureka-East No. 3, Each discovery excavation averaging, 75-feet long, 14-feet wide, 3-feet deep.

and the location and description of each corner with the markings thereon are as follows:

The Southeast corner is marked by a 4x4 post 4 feet high, inscribed SE. COR. corner of Eureka-East #1, #2, & #3, 4 mine:

The Southwest corner is marked by a 4x4 post 4 feet high, inscribed SW. COR. corner of Eureka-East #1, #2, & #3, 4 mine.

The Northeast corner is marked by a 4x4 post 4 feet high, inscribed NE. COR. corner of Eureka-East #1, #2, & #3, 4 mine.

The Northwest corner is marked by a 4x4 post 4 feet high, inscribed NW. COR. corner of Eureka-East #1, #2, & #3, 4 mine.

Eureka-East #1, #2, & #3, 4 mine. There is a 4x4 post at the corner of each line, & a 4x4 post at each side-center at each corner of each line. The discovery work has been done and the location work completed since June 27th, 1969.

A. D. 19 69

Dated JULY 10, A.D. 1969.

*E.L. Cleveland*  
(E.L. Cleveland)  
*Ed G. Brooks*

1201 Shadow Lane, Las Vegas, Nev.

(Ed. G. Brooks)

1201 Shadow Lane, Las Vegas, Nev.

If a natural object fill in blank with its description. If a permanent monument, describe it.

\* The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sink" is used.

† The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

‡ Corner of each of the four corners, with the bearings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the

RECORDED AT THE REQUEST OF E. G. Brooks

on July 10, 1969 at 30 min. post 4 P.M.

Book 29 of OFFICIAL RECORDS page 460 RECORDS OF

EUREKA COUNTY, NEVADA *Julia A. Brooks* RECORDER

File No. 49528 Fee \$ 4.00

## CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that they have located or mining claim in the EUREKA Mining District, County of EUREKA, State of Nevada, on a vein or lode known as the Eureka-East #5, Eureka-East #6, Eureka-East #7, & Eureka-East #8.

The general course of said lode or vein, as near as it may be described, is Northerly & Southerly.

The name(s) of the locator(s).  
E. L. CLEVELAND 1201 Shadow Lane, Las Vegas, Nevada  
E. D. G. BROOKS 1201 Shadow Lane, Las Vegas, Nevada

The said claim was located on the 3rd day of July A. D. 1969, and is described in respect to Being approximately  $\frac{1}{2}$ -mile northerly from the Hoosac Tunnel, (patented mine), or approximately  $5\frac{1}{2}$ -miles from the town of Eureka, Nevada.

The locator(s) claims 750-feet in each direction from the feet in length Discovery monument in both a northerly and southerly direction, on all four of the above listed lode claims, along the course of said vein or lode each way from the point of discovery with a width of 300-feet on each side of each of the above discovery feet on each side of the center monuments of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is A dozer excavation located adjacent to the Discovery monument on Eureka-East #5, of the following approximation: 75-feet long, 25-feet wide, and 6-feet deep.

and the location and description of each corner with the markings thereon are as follows:  
The Northwest corner is marked by a 4x4 post 4 feet high inscribed NW COR. corner of Eureka-East #5, #6, #7, & #8 mine.  
The Northeast corner is marked by a 4x4 Post 4 feet high inscribed NE COR. corner of Eureka-East #5, #6, #7, #8 mine.  
The Southwest corner is marked by a 4x4 Post 4 feet high, inscribed SW COR. corner of Eureka-East #5, #6, #7, & #8 mine. There is a 4x4 post located at each side-center of each of the above 4-claims. at each corner of each line. The discovery work has been done and the location work completed since July 1st, 1969.

A. D. 1969

Dated JULY 10, A. D. 1969

1201 Shadow Lane, Las Vegas, Nevada

(Ed. G. Brooks)

1201 Shadow Lane, Las Vegas, Nevada

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "bank" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the bearings, markings, letters, etc.

|| Any record of location which does not contain all the requirements of ACCORDING TO THE REQUEST OF E. G. Brooks

on July 10, 1969, at 30 mins. past 4 P. M.

in Book 29 of OFFICIAL RECORDS, page 461, RECORDS OF

RENO PRINTING CO., 124 NORTH CENTER ST., RENO, NEVADA

EUREKA COUNTY, NEVADA,   
File No. 49529 Recorder

Fee \$4.00

## CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the EUREKA Mining District, County of EUREKA, State of Nevada, on a vein or lode known as the ELDORADO #2, ELDORADO #3, ELDORADO #4, ELDORADO #5, ELDORADO #6.

The general course of said lode or vein, as near as it may be described, is NORTHERLY & SOUTHERLY

The name(s) of the locator(s).

E. L. CLEVELAND 1201 Shadow Lane, Las Vegas, Nevada  
ED. G. BROOKS " " " " "

The said claim was located on the 5th day of JUNE A. D. 19 69, and is described in respect to Immediately north of the Eureka Television Tower installation on Prospect peak.

The locator(s) claims 750-feet in length, each way, from each end in length of the above five claim discovery monuments.

along the course of said vein or lode each way from the point of discovery with a width of 300-feet on each side of each of the above five lode claims, feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is A dozer excavation located on the southern portion of the Eldorado #3. The excavation is of the following approximate dimension: 130-feet long; 30-feet wide, and 6-feet deep

and the location and description of each corner with the markings thereon are as follows:

The Northwest corner is marked by a 4x4 post 4-feet high, inscribed NW. COR. corner of Eldorado #2, #3, #4, #5, #6 mine: the Northeast corner is marked by a 4x4 post 4-feet high, inscribed NE. COR. corner of ELDORADO #2, #3, #4, #5, #6 mine. The Southwest corner is marked by a 4x4 post 4-feet high, Eldorado #2, #3, #4, #5, #6 mine: the Southeast corner is marked by a 4x4 post 4-feet high, inscribed SE. COR. corner ELDORADO #2, #3, #4, #5, #6 mine. There is a 4x4 post located on each of the side-centers of each of the 5 claims at each corner of each line. The discovery work has been done and the location work completed since July 1st, 1969.

A. D. 19 69

Dated JULY 10, A. D. 19 69

*E. L. Cleveland*  
(E. L. Cleveland)  
*Ed. G. Brooks*

(Ed. G. Brooks)

1201 Shadow Lane, Las Vegas, Nev.

1201 Shadow Lane, Las Vegas, Nev.

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that driving work shall be done. The word "mine" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the bearings, markings, letters, etc.

|| Any record of location which does not contain all the requirements of the statute is void.

RECORDED AT THE REQUEST OF E. G. Brooks

on July 10, 19 69 at 30 min. post 4 P. M. b

Book 29 of OFFICIAL RECORDS, page 462 RECORDS OF

EUREKA COUNTY, NEVADA, *Julie O'Neil*, Recorder.

File No. 49530 for \$ 5.00