south

THIS IS TO CERTIFY that the	Power 21-A	lode mining
claim was located by		
ofApril.,		on the uay
·		^
The general course of said lode of	or vein isnortharly-son	itherly
The claim is situated in the	Mount_Hope Mi	ining District,
Eureka County, and adjoins Bowser 23-A on the west s Bowser 21, Bowser 2, Bowser 3 on the ide lineThe locator claims.	side line and Bowser 21 on t east side line and overlaps	the north end line and ""the Silver Butte Paten
direction and1475 fe	et in a(n) southerly	direction from
the point of discovery, with a width o	of300	feet on each side of
the center of the vein or lode along t	the entire length of said claim.	
The dimensions and locations of	the discovery work done on the	e claim are as follows:
Location work for Bowser29-A, Bowser as a group. These claims are contiguous Bowser 25-A & the northeast corner of long, running easterly & westerly, at	27-A, Bowser 25-A, Bowser ous, 350 ft. southerly from Bowser 27-A, a cut 12 ft.	23-A. Rowser 21-A. was of the northwest corner of wide, 4 ft. deep and 200
The corners and side centers of	the claim are located and mark	ed as follows: From the
southwest corner a post marked Bowser	21-A S.W.Cor., thence in a	n easterly direction 600
ft. to the southeast corner, a post mortherly direction to the east side ft. in a northerly direction to the northweet 600 ft. westerly to the northw	center a post marked Bowser ortheast corner, a post mark est corner a post marked Bow	21-A E.S.C., thence 750 ked Bowser 21-A N.E.Cor, wser 21-A N.W. Cor.,
thence 750 ft. in a southerly directi		
21-A W.S.C., thence 750 in a southerl	y direction to the point of	beginning.
		***************************************
Each of the above-described monu	ments is a post at least for t one foot in the ground.	ur inches in diameter
	***************************************	
All location and discovery work i		n had been performed
	77	60
Dated this15th day	ofJuty	, 19
fount Hope Mins Company	Eureka, Nevada	**************************************
(Name of Locator)	(Addr	ess)
By agent: Hal Jensen (Name of Locator)	, 2215 Lincoln Ave., El	y, Nevada 89301 ess)
Lateran		***************
(Name of Locator)	RECORDED AT THE REQUEST OF MOUNT on July 25,19,69, of 51 min took 30 of OFFICIAL RECORDS, pag	Hope Mines Co.
	FUREKA COUNTY, NEVADA HILLS	(1. No ante Recorder.
	- 100 Para - Table Label	- 1-00

BOOK 80 PAGE 144

1	
	nt Hope Mines Company on the 30th. day
ofApril.,	19 <u>69</u>
The general course of said lode o	r vein isnortherly-southerly
l e e e e e e e e e e e e e e e e e e e	Mount Hope Mining District,
east of Mount Hope Peak and adjoins B on the north end line and overlaps th	State of NevadamThisclaim.issituated .4100 feet gwser 25-A on the west side line and Bowser 23 eSilver Butte No. 2 Patent on the south end line
i	25. feet in a(n) northerly
	et in a(n) .southerly direction from
	f
the center of the vein or lode along t	ne entire length of said claim.
	the discovery work done on the claim are as follows:
as a group. These claims are contiguous as a group. These claims are contiguous as a group. The astronomy to the contract of t	27-A, Bowser 25-A, Bowser 23-A, Bowser 21-A was dis. 350 ft. southerly from the northwest corner of Bowser 27-A; e out 12 ft. wide, 4 ft. deep and At least \$500,00 work done on these five claims
The corners and side centers of	the claim are located and marked as follows: From the
	23-A S.W.Cor., thence in an easterly direction 60
t. to the southeast corner, a post ma	rked Bowser 23-A.S.E.Cor., thence 750 ft. in a
northerly direction to the east side of	enter.a.post.marked.Boweer.23-A.E.S.C., thence 75
t. in anortherly direction to the nor	theast_corner,apost.markedBowser.23-A-NyEy, Cor
hence 600 ft, westerly to the northwe	stcorner.a.post.marked.Bowsor.23-AW.WGor.
hence 750 ft. in a southerly direction	n to the west side conter, a post marked Boweer
3-A W.S.C. thence 750 ft, in a southe	rly direction to the point of beginning
***************************************	
	ments isa. postat.least.four.inches.in.diameter
	one foot in the ground.
A TOUL 1880 STY THOUSE IN THIS OIL 380	WW. TWANTER PERSON
	necessary to complete this location had been performed
byJune 1,	1969
Dated this	of, 19.69
Mount Hope Mines Company	Eureka, Nevada
(Name of Locator)	(Address)
By agent: Hal Jensen	2215 Lincoln Avenue, Etv. Nevada 89301
By agent: Hal Jensen (Name of Locator)	(Address)
(Name of Locasor)	<b>,</b>
La al June	
(Name of Locator)	RECORDED AT THE REQUEST OF MOUNTE Hope Mines Co.
	on July 25 1969 at 51 mins past 10 A. M. In Rook 30 of OFFICIAL RECORDS, page 145 RECORDS OF
	EUREKA COUNTY, NEVADA Stelles G. Al Table Recorder.
	File No. 49798 Fm \$ 1.00

BOOK 3.0 PAGE 145

		Bowser 25-A
		THIS IS TO CERTIFY that the Bowser 25-A lode mining
	ı	claim was located by
		of
		The general course of said lode or vein isnowtherly-southerly
		The claim is situated in the
<b>eas</b>		Euraka County, State of Nevada, This claim is situated 3600 feet of Mounty Hope a Peak and adjoins Bowser 27-A bho the west side and adjoins Bowser 25 on the north end line.  The locator claim s 25 feet in a(n) northerly direction and feet in a(n) southerly direction from the point of discovery, with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.  The dimensions and locations of the discovery work done on the claim are as follows:
grou	Ŗ	ion work for Bowser 29-A, Bowser 27-A, Bowser 25-A, Bowser 23-A, Bowser 21-A was done as These claims are contiguous, 350 ft, southerly from the northwest corner of Bowser 25 te northeast corner of Bowser 27-A, a cut-12 ft; wide; 4-ft; deep and 200 ft; long; running & westerly. At least \$500.00 work done on these five claims.
		The corners and side centers of the claim are located and marked as follows: From the
		southwest corner a post marked/25-A S.W.Cor., thence in an easterly direction 600.ft,
	i	to the southeast corner, a post marked Rowser 25-A.S.E. Cor, thence 750 ft. in a norther
		irection to the east side center a post marked Bowsen 25-A.E.S.C., thence 750.St. in a
		portherly direction to the northeast corner, a post marked Bowser 25-A N.E.Cor., thence
		00 ft. westerly to the northwest corner.a.post.marked Bowser 25-A.N.WyGervy thence 750
		t. in a southerly direction to the west side center, a post marked Bowser 25-A-W.S.C.
		hence 750 ft. in a southerly direction to the point of beginning.
ŀ		Each of the above-described monuments is .a. post at least Tour inches in diameter
		by four feet six inches in length, set one foot in the ground.
	١	All location and discovery work necessary to complete this location had been performed
		byJune_1, 19.69
		Dated this7th day of
		Mount Hope Mines Company , Eureka, Nevada (Address)
		(Name of Locator) (Address)
		By agent: Hal Jensen , 2215 Lincoln Avenue, Ely, Nevada 89301 (Address)
		/ bak una
		(Name of Locator)  **ECORDED AT THE REQUEST OF MOURIE Hope Mines Co.  July 25 1969 at 51 mins past 10 A. M. in
		Book 30 of OFFICIAL RECORDS, page 146 RECORDS OF
		EUREKA COUNTY, NEVADA Stillias G. No Table Recorder.
	E	
	Į.	BOOK 30 PAGE 146

THIS IS TO CERTIFY that the	Rowser 27-A lode mining			
claim was located by	Mount Hope Mines Company on the 30th day			
of	ii .			
The general course of said lade or	vein isnortherly_southerly			
_				
	t Hope Mining District,			
east of Mount Hope Peak and adjoins Bowser 29-A on the west side line and Bowser 29-A on the west side line and Bowser 29-A on the morth end line.				
	5feet in a(n)northerly			
	in a(n)southerly direction from			
the center of the vein or lode along the	e entire length of said claim.			
The dimensions and locations of the discovery work done on the claim are as follows:  Location work for Bowser 29-A. Bonser 27-A. 125-A. 121-A was done as a group. The claims are contiguous. 350 ft. southerly from the northwest corner of Bowser 25-A and the northwest corner of Bowser 27-A. acut 12 ft. wide, 4 ft. deep and 200 ft. lor				
	st \$500,00 work done on these five claims.			
The corners and side centers of th	ne claim are located and marked as follows: From the			
southwest corner a post marked Bowsen	27-A S.W.Cor., thence in an easterly direction			
	st.marked.Rowser.27-A.S.ECor., thence750.ft.			
/ /	side center a post marked Bowser 27-A E.S.C.,			
	on to the northeast corner. a post marked Bowser			
27-A N.E.Cor., thence 600 ft, wester]	y to the northwest corner a post marked Bowser			
27-A.N.W.Cor., thence 250.ft. in.a.sc	witherly direction to the west-side center, -a post			
	ftin.e.southerlydirectiontothepointof			
	nents isa. post.atloastfourinchasin.diameter			
	t one foot in the ground.			
***************************************				
\"				
/ /	cessary to complete this location had been performed			
by, 1:	9 <u>.69</u>			
7th day o	fJuly, 1969			
Dated this				
Mount Hope Mines Company	Eureka, Nevada			
(Name of Locator)	(Address)			
By agent: Hal Jensen	2215 Lincoln Avenue, Ely, Nevada 89301			
(Name of Locator)	(Address)			
1 1 1				
allelss	(Address)			
(Name of Locator)	LECORDED AT THE REQUEST OF (Address) Hope Mines Co.  on July 25,19 69, or 51 mins post 10 A. M.			
	Book 30 of OFFICIAL RECORDS, page 147 RECORDS OF			
	EUREKA COUNTY, NEVADA Hellis O No Colie Recorder			
	FILM: 49800 Fm \$ 1.00			
	90			
	BOOK DU PAGE 147			

THIS IS TO CERTIFY that the Bowser 29-A lode mining					
claim was located by Mount Hope Mines Company on the 30thday					
ofApril, 19_69					
The general course of said lode or vein isnortherly-southerly					
The claim is situated in the					
Euraka County, State of Nevada, This claim is situated 2700 feet  of Mount Hope peak and adjoins Bowser 31-A on the west side line and  Bowser 29 on the north end line The locator claims 25 feet in a(n) northerly					
direction and1475 feet in a(n) southerly direction from					
the point of discovery, with a width of					
the center of the vein or lode along the entire length of said claim.					
The dimensions and locations of the discovery work done on the claim are as follows:					
The location work for claims Rowser 29-A. Rowser 27-A. Rowser 25-A. Bowser 23-A.					
Bowser 21-A was done as a group. These claims are contiguous, 350 feet southerly					
from the northwest corner of Bowser 25-A and the NE Corner of Bowser 27-A a cut 12 ft, wide, 4 ft, deep and 200 ft, long, running easterly & westerly. At least \$500.00 whok done on these five claims are located and marked as follows:					
From the southwest corner a post marked Rowser 29-A S.W. Cor., thence in an					
easterly direction 600 ft, to the southeast corner, a post marked Bowser 29-A					
S.E.Cor., thence 750 ft. in a northerly direction to the east side center a post m					
Bouser 29-A E.S.C., thence 250 ft. in a northerly direction to the north-east					
corner, a post marked Bowser 29-A N.E.Cor., thance 600 ft. westerly to the north					
west corner a post marked Bouser 29-A.N.M.Cor. thence 250 ft. in.a. southerly.					
direction to the west side center, a post marked Bowser 29-A.W.S.C., thence					
750 ft. in a southerly direction to the point of beginning.					
Each of the above-described monuments is a post at least four inches in diameter					
by four feet six inches in length, set one foot in the ground					
All location and discovery work necessary to complete this location had been performed by					
Dated this 7th day of July , 19.69					
Dated this 7th day of July, 19.69					
Mount Hope Mines Company Eureka, Nevada					
(Name of Locator) (Address)					
By agent: Hal Jensen 2215 Lincoln Ave., Ely, Nevada 89301					
(Mame of Locator) (Address)					
(No.40 Locator) (Address)					
(Name of Locator)  (Name of Locator)  (Name of Locator)  (Address)  (Address)  (Mount Hope Mines Co.  (Address)  (Address)  (Address)  (Address)  (Address)  (Address)  (Address)					
Book 30 of OFFICIAL RECORDS, page 148 RECORDS OF					
EUREKA COUNTY NEVADA Recorder					
BOOK_80 PAGE 148_					