

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that they have located a mining claim in the Unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the TWENTY TO ONE

The general course of said lode or vein, as near as it may be described, is Northerly & Southerly

The name(s) of the locator(s) are: E.L. Cleveland, 1201 Shadow Lane, Las Vegas, Nevada; Dennis Hill, 1201 Shadow Lane, Las Vegas, Nevada; Hugh M. Baldwin, P.O. Box 205, Eureka, Nevada; E. C. Leutzinger, P.O. Box 327, Eureka, Nev.

The said claim was located on the 15th day of July, A. D. 1969, and is described in respect to\* Approximately 5 1/2 miles northeasterly from the town of Beowawe, Nevada.

The locator(s) claim Fifteen Hundred (1,500 Lin. Ft.) feet in length

along the course of said vein or lode each way from the point of discovery with a width of Six Hundred (600-Ft) feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is: The discovery work has been performed about 200-ft. south of the discovery monument, and consists of a backhoe trench of the approximate following dimensions: 7' Wide, 9' long 4 1/2' deep.

and the location and description of each corner with the markings thereon are as follows:

The Northeast corner is marked by a 4'x4' White Post 4' feet high inscribed NE. COR. corner of Twenty to One mine; the Northwest corner is marked by a 4'x4' White Post 4' feet high inscribed NW. COR. corner of Twenty to One mine. The Southwest corner is marked by a 4'x4' White Post 4' feet high, inscribed SE. COR. corner Twenty to One mine; the Southwest corner is marked by a 4'x4' White Post 4' feet high, inscribed SW. COR. corner Twenty to One mine. There is a 4'x4' White Post 300' each side of the center of the claim as side-centers at each corner of each line. The discovery work has been done and the location work completed since July 29th A. D. 1969

Dated AUGUST 4th, A. D. 1969

E.L. Cleveland E.L. Cleveland  
Dennis Hill Dennis Hill  
Hugh M. Baldwin Hugh M. Baldwin  
E.C. Leutzinger E.C. Leutzinger

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine, state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.  
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.  
§ Corner of each of the four corners, with the blazings, markings, letters, etc.  
¶ Any record of location which does not contain all the requirements of the statute is void.

RENO PRINTING CO., 124 NORTH CENTER ST., RENO, NEVADA

RECORDED AT THE REQUEST OF Ed Leutzinger  
OR Oct 6 1969, at 55 mins. past 1 P. M.  
Book 33 of OFFICIAL RECORDS, page 04 RECORDS OF  
EUREKA COUNTY, NEVADA Helen A. Metcalfe Recorder.  
File No. 51419 Fee \$1.00

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that the Y. H. VA located a mining claim in the Unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the Twenty to One #1.

The general course of said lode or vein, as near as it may be described, is Northerly & Southerly.

The name<sup>s</sup> of the locator<sup>s</sup> are:- E. L. Cleveland, 1201 Shadow Lane, Las Vegas, Nevada; Dennis Hill, 1201 Shadow Lane, Las Vegas, Nev.; Hugh M. Baldwin, P.O. Box 205, Eureka, Nev.; E. C. Leutzinger, P.O. Box 327, Eureka, Nevada.

The said claim was located on the 15th day of July, A. D. 1969, and is described in respect to\* Approximately 4-miles northeasterly from the town of Beowawe, Nevada.

The locator's claim Fifteen Hundred Feet (1,500 Lin. Ft.) feet in length

along the course of said vein or lode each way from the point of discovery with a width of Six Hundred 600 Lin. Ft. feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is The discovery work has been performed about 100 feet North of the discovery monument, and consists of a backhoe trench of the following approximate dimensions:- 7' Wide, 9' long, 5' deep.

and the location and description of each corner with the markings thereon are as follows:

The Northeast corner is marked by a 4' x 4' White Post 4' feet high inscribed NE. COR. corner of Twenty to One #1 mine; the Northwest corner is marked by a 4' x 4' White Post 4' feet high inscribed NW. COR. corner of Twenty to One #1 mine. The Southeast corner is marked by a 4' x 4' White Post 4' feet high, inscribed SE. COR. corner of Twenty to One #1 mine; the Southwest corner is marked by a 4' x 4' White Post 4' feet high, inscribed SW. COR. corner of Twenty to One #1 mine. There is a 4' x 4' White Post at 300-feet each side of the center of the claim as side centers at each corner of each line. The discovery work has been done and the location work completed since July 29th, 1969 A. D. 19 69.

Dated AUGUST 4, A. D. 19 69.

E. L. Cleveland  
E. L. Cleveland  
Dennis Hill  
Dennis Hill

Hugh M. Baldwin  
Hugh M. Baldwin  
E. C. Leutzinger  
E. C. Leutzinger

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sink" is used.  
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.  
§ Corner of each of the four corners, with the blazings, markings, letters, etc.  
¶ Any record of location which does not contain all the requirements of the statute is void.

RECORDED AT THE REQUEST OF Ed Leutzinger  
on Oct 6, 1969, at 55 mins. past 1 P. M. in  
Book 33 of OFFICIAL RECORDS, page 05 RECORDS OF  
EUREKA COUNTY, NEVADA H. A. Metasli Recorder.  
File No. 51420 Fee \$ 1.00

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that they have located a mining claim in the Unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the Twenty to One #2.

The general course of said lode or vein, as near as it may be described, is North & South.

The names of the locator are: E. L. Cleveland, 1201 Shadow Lane, Las Vegas, Nevada; Dennis Hill, 1201 Shadow Lane, Las Vegas, Nev.; Hugh M. Baldwin, P.O. Box 327, Eureka, Nevada; E. G. Leutzinger, P.O. Box 327, Eureka, Nevada.

The said claim was located on the 15th day of July, A. D. 19 69, and is described in respect to\* Approximately 1/4 miles northeasterly from the town of Beowawe, Nevada.

The locator's claim Fifteen Hundred Feet (1,500 Lin. Ft.) feet in length along the course of said vein or lode each way from the point of discovery with a width of Six Hundred 600 Lin. Ft. feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is: The discovery work has been performed approximately 160 feet northeast of the discovery monument, and is a backhoe excavation of the following dimensions: 7 feet wide, 9 feet long, and 4 1/2 feet deep.

and the location and description of each corner with the markings thereon are as follows:

The Northeast corner is marked by a 4'x4' White Post 4' feet high, inscribed NE. COR. corner of Twenty to One #1 mine; the Northwest corner is marked by a 4'x4' White Post 4' feet high, inscribed NW. COR. corner of Twenty to One #1 mine. The Southeast corner is marked by 4'x4' White Post 4' feet high, inscribed SE. COR. corner of Twenty to One #1 mine; the Southwest corner is marked by a 4'x4' White Post 4' feet high, inscribed SW. COR. corner of Twenty to One #1 mine. There is a 4'x4' White Post 300 feet each side of the center of claim as side-centers at each corner of each line. The discovery work has been done and the location work completed since July 29th, A. D. 19 69.

Dated August 4th, A. D. 19 69.

*E. L. Cleveland*  
*Dennis Hill*

*Hugh M. Baldwin*  
*E. G. Leutzinger*

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "suns" is used.  
‡ The statute uses the word "monument" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.  
§ Corner of each of the four corners, with the blazings, markings, letters, etc.  
¶ Any record of location which does not contain all the requirements of the statute is void.

RENO PRINTING CO., 124 NORTH CENTER ST., RENO, NEVADA

RECORDED AT THE REQUEST OF Ed Leutzinger  
ON Oct. 6, 19 69, at 55 mins. past 1 P. M. in  
Book 33 of OFFICIAL RECORDS, page 06 RECORDS OF  
EUREKA COUNTY, NEVADA *Willie A. McLeske* Recorder.  
File No. 51421 Fee \$ 1.00

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 7124

The Undersigned, hereby certifies that they have located a mining claim in the Unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the TOPEKA.

The general course of said lode or vein, as near as it may be described, is NORTHERLY & SOUTHERLY.

The names of the locators are: E. L. Cleveland, 1201 Shadow Lane, Las Vegas; Dennis Hill, 1201 Shadow Lane, Las Vegas, Nev.; Hugh M. Baldwin, Bx. 205, Eureka, Nevada; E. C. Leutzinger, Box 327, Eureka, Nevada

The said claim was located on the 14 day of July A. D. 19 69, and is described in respect to Approximately 5 1/2 miles Northeast of the town of Beowawe, Nevada.

The locator's claim Fifteen Hundred (1,500-Ft.) feet in length

along the course of said vein or lode each way from the point of discovery with a width of Six Hundred (600-Ft.) feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is: The discovery work has been performed about 100-feet north of the discovery monument, and consists of a backhoe trench of the following approximate dimensions: 7' wide, 9' long, and 5' deep.

and the location and description of each corner with the markings thereon are as follows:

The Northeast corner is marked by a 4' x 4' White Post 4 feet high inscribed NE. COR. corner of Topeka mine:  
 the Northwest corner is marked by a 4' x 4' White Post 4 feet high inscribed NW. COR. corner of Topeka mine.  
 The Southeast corner is marked by 4' x 4' White Post 4 feet high, inscribed SE. COR. corner Topeka mine: the Southwest corner is marked by a 4' x 4' White Post 4 feet high, inscribed SW COR. corner Topeka mine. There is a 4' x 4' White Post 300' each side of the center of the claim to mark the side center at each corner of each line. The discovery work has been done and the location work completed since July 29th A. D. 19 69.

Dated August 4, A. D. 19 69.

E. L. Cleveland  
Dennis Hill  
 E. L. Cleveland  
 Dennis Hill

Hugh M. Baldwin  
E. C. Leutzinger  
 Hugh M. Baldwin  
 E. C. Leutzinger

- \* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
 † The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that diving work shall be done. The word "sunk" is used.  
 ‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.  
 § Corner of each of the four corners, with the blazings, markings, letters, etc.  
 ¶ Any record of location which does not contain all the requirements of the statute is void.

RENO PRINTING CO., 124 NORTH CENTER ST., RENO, NEVADA

FILED AT THE REQUEST OF Ed Leutzinger  
 on Oct. 6 19 69, at 55 mins. past 1 P. M.  
 Book 33 of OFFICIAL RECORDS, page 07 RECORDS OF  
 EUREKA COUNTY, NEVADA Hillis A. DeLoach Recorder  
 File No. 51422 Fee \$ 1.00

BOOK 33 PAGE 007

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 242a

The Undersigned, hereby certify that they have located a mining claim in the Beowawe Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BLACKHAWK

The general course of said lode or vein, as near as it may be described, is NORTHERLY & SOUTHERLY

The names of the locators are: E. L. CLEVELAND, 1201 Shadow Lane, Las Vegas, Nevada; DENNIS HILL, 1201 Shadow Lane, Las Vegas, Nevada; HUGH M. BALDWIN, P.O. Box 205, Eureka, Nevada; E. C. Leutzinger, P.O. Box 327, Eureka, Nev.

The said claim was located on the Fourteenth day of JULY A. D. 1969, and is described in respect to\* Approximately 5 miles Northeast from the town of Beowawe, Nevada.

The locators claim 1500 feet in length

along the course of said vein or lode each way from the point of discovery with a width of 600 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is: Discovery work is located approximately 250 East of the discovery monument and is a Backhoe excavation of approx. dimension:- 7' wide, 9' long and 4' deep.

and the location and description of each corner with the markings thereon are as follows:

The Northeast corner is marked by a 4' x 4' white post 4' feet high inscribed NE. COR. corner of BLACKHAWK mine; the Northwest corner is marked by a 4' x 4' White Post 4' feet high inscribed NW. COR. corner of BLACKHAWK mine. The Southeast corner is marked by 4' x 4' White Post 4' feet high, inscribed SE. COR. corner BLACKHAWK mine; the Southwest corner is marked by a 4' x 4' White Post 4' feet high, inscribed SW. COR. corner BLACKHAWK mine. There is a 5' x 4' White Post placed out

300-Ft. from the center of claim at each corner of each line. The discovery work has been done and the location work completed since July 29th, 1969

Dated AUGUST 4, A. D. 1969

E. L. Cleveland  
E. L. Cleveland--1201 Shadow Lane, L.V., Nev.  
Dennis Hill  
Dennis Hill--Same address as above  
Hugh M. Baldwin  
Hugh M. Baldwin, Bx. 205--Eureka, Nev.  
E. C. Leutzinger  
E. C. Leutzinger, Bx. 327--Eureka, Nev.

Dennis Hill--Same address as above

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
† The statute contemplates a shaft or what practically answers the same purpose: in prospecting a mine state the depth and dimensions. The statute contemplates that dipping work shall be done. The word "sunk" is used.  
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.  
§ Corner of each of the four corners, with the blazings, markings, letters, etc.  
§ Any record of location which does not contain all the requirements of the statute is void.

REMO PRINTING CO., 124 NORTH CENTER ST., RENO, NEVADA

RECORDED AT THE REQUEST OF Ed Leutzinger  
on Oct 6 19 69 at 55 mins. past 1 P. M. in  
Book 33 of OFFICIAL RECORDS, page 08 RECORDS OF  
EUREKA COUNTY, NEVADA Hollis A. McCarroll Recorder,  
File No. 51423 Fee \$ 1.00

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that they have located a mining claim in the Unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BLACKHAWK #1

The general course of said lode or vein, as near as it may be described, is Northerly & Southerly

The names of the locators are: E. L. CLEVELAND, 1201 Shadow Lane, Las Vegas, DENNIS HILL, 1201 Shadow Lane, Las Vegas, Nevada; Hugh M. Baldwin, Bx. 205 Eureka, Nevada; E. C. Leutzinger, P.O. Box 327, Eureka, Nevada.

The said claim was located on the fourteenth day of JULY A. D. 19 69, and is described in respect to\* Approximately 5-miles Northeast of the town of Beowawe, Nevada.

The locator's claim Fifteen-hundred (1,500-Ft.) feet in length

along the course of said vein or lode each way from the point of discovery with a width of Six Hundred (600-Ft.) feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is The discovery work has been performed about 60-ft north of the discovery monument, and is a backhoe excavation of the following approximate dimensions:-- 7' wide, 9' long, and 4 1/2' deep.

and the location and description of each corner with the markings thereon are as follows:

The Northeast corner is marked by a 4' x 4' White Post 4' feet high inscribed NE. COR. corner of Blackhawk No. 1 mine:

the Northwest corner is marked by a 4' x 4' White Post 4' feet high inscribed NW. COR. corner of BLACKHAWK #1 mine.

The Southeast corner is marked by a 4' x 4' White Post 4' feet high, inscribed SE. COR. corner BLACKHAWK #1 mine: the Southwest corner

is marked by a 4' x 4' Post 4' feet high, inscribed SW. COR. corner BLACKHAWK #1 mine. There is a 4' x 4' White Post located 300' either

side of the center of the claim at each corner of each line. The discovery work has been done and the location work completed since July 29th, 1969

A. D. 1969

Dated AUGUST 4, A. D. 1969

E. L. Cleveland  
E. L. Cleveland-1201 Shadow Lane, L.V., Nev.  
Dennis Hill  
Dennis Hill--Same address as above

Hugh M. Baldwin  
Hugh M. Baldwin-Bx. 205--Eureka, Nev  
E. C. Leutzinger  
E. C. Leutzinger--Bx. 327--Eureka, Nev

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "junk" is used.  
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.  
§ Corner of each of the four corners, with the blazings, markings, letters, etc.  
¶ Any record of location which does not contain all the requirements of the statute is void.

RECORDED AT THE REQUEST OF Ed Leutzinger  
ON Oct. 6, 1969 at 55 mins. past 1 P. M.  
Book 33 of OFFICIAL RECORDS, page 09 RECORDS OF  
EUREKA COUNTY, NEVADA William A. DeLoach Recorder.  
File No. 51424 Fee \$ 1.00

RENO PRINTING CO., 124 NORTH CENTER ST., RENO, NEVADA

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that we have located a mining claim in the Unknown Mining District, County of EUREKA, State of Nevada, on a vein or lode known as the BLACKHAWK #2.

The general course of said lode or vein, as near as it may be described, is NORTHERLY & SOUTHERLY.

The names of the locator(s): E.L. Cleveland, 1201 Shadow Lane, Las Vegas, Nev. Dennis Hill, 1201 Shadow Lane, Las Vegas, Nevada; Hugh M. Baldwin, Bx. 205, Eureka, Nevada; E.C. Leutzinger, P.O. Bx. 327, Eureka, Nev.

The said claim was located on the 14th day of July A. D. 1969, and is described in respect to Approximately 5-miles Northeast of the town of Beowawe, Nevada.

The locator's claim Fifteen Hundred (1,500') feet in length

along the course of said vein or lode each way from the point of discovery with a width of Six Hundred (600') feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is: The discovery work has been performed about 270-feet east of the discovery monument, and is a backhoe excavation of the following approximate dimensions: 7' wide, 9' long, 5' feet deep.

and the location and description of each corner with the markings thereon are as follows:

The Northeast corner is marked by a 4' x 4' White Post 4' feet high inscribed Blackhawk #2 corner of BLACKHAWK #2 mine: the Northwest corner is marked by a 4' x 4' White Post 4' feet high inscribed Blackhawk #2 corner of BLACKHAWK #2 mine: The Southeast corner is marked by a 4' x 4' White Post 4' feet high, inscribed SE. COR. corner Blackhawk #2 mine: the Southwest corner is marked by a 48 x 48 White Post 4' feet high, inscribed SW. COR. corner Blackhawk #2 mine. There is a 4' x 4' White Post out 300' from the center of the claim at each corner of each line. The discovery work has been done and the location work completed since July 29th A. D. 1969.

Dated August 4, A. D. 1969  
E.L. Cleveland  
E.L. Cleveland-1201 Shadow Lane, L.V., Nev.  
Dennis Hill  
Dennis Hill--1201 Shadow Lane, Las Vegas,  
Hugh M. Baldwin  
Hugh M. Baldwin, Bx. 205, Eureka  
E.C. Leutzinger  
E.C. Leutzinger, Bx. 327, Eureka

\* If a rural object, fill in blank with its description. If a permanent monument, describe it.  
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.  
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.  
§ Corner of each of the four corners, with the blazings, markings, letters, etc.  
¶ Any record of location which does not contain all the requirements of the statute is void.

RENO PRINTING CO., 124 NORTH CENTER ST., RENO, NEVADA

RECORDED AT THE REQUEST OF Ed Leutzinger  
on Oct 6 1969, at 55 mins. post 1 P. M. in  
Book 33 of OFFICIAL RECORDS, page 10  
EUREKA COUNTY, NEVADA William A. DeLoach Recorder.  
File No. 51425 Fee \$ 1.00

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that the undersigned have located a mining claim in the Unknown Mining District, County of Eureka, State of Nevada, on a vein or lode known as the BLACKHAWK #3.

The general course of said lode or vein, as near as it may be described, is NORTHERLY & SOUTHERLY.

The names of the locators are: E.L. Cleveland, 1201 Shadow Lane, Las Vegas, Dennis Hill, 1201 Shadow Lane, Las Vegas, Nev.; Hugh M. Baldwin, Bx. 205, Eureka, Nevada; E. C. Leutzinger, Bx. 327, Eureka, Nevada.

The said claim was located on the 14th day of July, A. D. 1969, and is described in respect to approximately 5 1/2 miles Northeast of the town of Beowawe, Nevada.

The locator's claim Fifteen Hundred (1,500) feet in length

along the course of said vein or lode each way from the point of discovery with a width of Six Hundred (600-ft.) feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is: The discovery work has been performed about 250-feet Southeast of the discovery monument, and is a backhoe excavation of the following approximate dimensions: 7' wide, 9' long, and 4 1/2 feet deep.

and the location and description of each corner with the markings thereon are as follows:

The Northeast corner is marked by a 4' x 4' White Post 4' feet high inscribed NE. COR. corner of BLACKHAWK #3 mine:

the Northwest corner is marked by a 4 1/2 x 4 1/2 White Post 4' feet high inscribed NW. COR. corner of BLACKHAWK #3 mine.

The Southeast corner is marked by a 4' x 4' White Post 4' feet high, inscribed SE. COR. corner BLACKHAWK #3 mine; the Southwest corner

is marked by a 4' x 4' White Post 4' feet high, inscribed SW. COR. corner BLACKHAWK #3 mine. There is a 4' x 4' White Post, out 300-ft from the center of the claim as side-centers, at each corner of each line. The discovery work has been

done and the location work completed since July 29th, A. D. 1969.

Dated AUGUST 4, A. D. 1969.

*E.L. Cleveland*  
E. L. Cleveland  
*Dennis Hill*  
Dennis Hill

*Hugh M. Baldwin*  
Hugh M. Baldwin  
*E. C. Leutzinger*  
E. C. Leutzinger

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.  
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near U. Lead, etc.  
§ Corner of each of the four corners, with the blazings, markings, letters, etc.  
¶ Any record of location which does not contain all the requirements of the statute is void.

RENO PRINTING CO., 124 NORTH CENTER ST., RENO, NEVADA

RECORDED AT THE REQUEST OF Ed Leutzinger  
on Oct. 6, 1969, at 55 mins. past 1 P.  
Book 33 of OFFICIAL RECORDS, page 11, RECORDS OF  
EUREKA COUNTY, NEVADA  
Filed by *Hellen A. Metcalf* Recorder.  
File No. 51426 Fee \$ 1.00