

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the Eureka Mining District, County of Eureka, State of Nevada, on a vein or lode known as the JEWEL #3.

The general course of said lode or vein, as near as it may be described, is North & South.

The name of the locator E. L. CLEVELAND, 1201 Shadow Lane, Las Vegas, Nevada

The said claim was located on the 1st day of August A. D. 19 69, and is described in respect to\* Being about 200-feet northwest of the "Reservoir" in New York Canyon, or about 3/4th of a mile down New York canyon from the Diamond Mine.

The locator claims 1500 feet in length

along the course of said vein or lode each way from the point of discovery with a width of 300-feet feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is A dozer excavation of the following approximate dimensions: 14.0 in width, 40.0 in length, and 2.10 in depth.

and the location and description of each corner with the markings thereon are as follows:  
The Northeast corner is marked by a 4" x 4" x 5' Post feet high inscribed N.E. corner of Jewel #3 mine;  
the Northwest corner is marked by a 3" x 4" x 5' White Post feet high inscribed Northwest corner of Jewel #3 mine.  
The Southeast corner is marked by 4" x 4" White post 5' feet high, inscribed S.E. corner Jewel #3 mine; the Southwest corner is marked by a 4" x 4" White post 4' feet high, inscribed S.W. Cor. corner Jewel #3 mine. There is a Side Center on each side at each corner of each line. The discovery work has been done and the location work completed since October 1st A. D. 19 69

Dated October 24, A. D. 1969.  
E. L. Cleveland 1201 Shadow Lane, Las Vegas, Nevada

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
† The statute contemplates a post or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "trunk" is used.  
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.  
§ Corner of each of the four corners, with the blazings, markings, letters, etc.  
¶ Any record of location which does not contain all the requirements of the statute is void.

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the Eureka Mining District, County of Eureka, State of Nevada, on a vein or lode known as the JEWEL #4

The general course of said lode or vein, as near as it may be described, is North & South

The name of the locator is E. L. Cleveland, of 1201 Shadow Lane, Las Vegas, Nevada.

The said claim was located on the 14th day of August A. D. 1969, and is described in respect to Approximately 1200-lin. feet northwest of the Reservoir in New York Canyon.

The locator claim is 1500 feet in length

along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is A dozer excavation of the following approximate dimensions: 14.0 in width, 35' long, and 3.0 in depth.

and the location and description of each corner with the markings thereon are as follows:  
The Northwest corner is marked by a 4" x 4" White Post 4' feet high inscribed N.W. corner of Jewel # 4. mine:  
the Northeast corner is marked by a 4" x 4" White Post 4' feet high inscribed Northeast corner of Jewel # 4. mine.  
The Southwest corner is marked by 4" x 4" White Post 4' feet high, inscribed S.W. Cor. corner Jewel # 4. mine: the Southeast corner is marked by a 4" x 4" White Post 4' feet high, inscribed S.E. Cor. corner Jewel # 4. mine. There is a White post of same size on each mid point as side center at each corner of each line. The discovery work has been done and the location work completed since October 1st A. D. 1969

Dated October 24th, A. D. 1969  
E. L. Cleveland 1201 Shadow Lane, Las Vegas, Nevada

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
† The statute contemplates a shaft or what practically answers the same purpose: in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.  
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.  
§ Corner of each of the four corners, with the blazings, markings, letters, **RECORDED AT THE REQUEST OF Ed Leutzinger**  
§ Any record of location which does not contain all the requirements of the statute is void.

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the Eureka Mining District, County of Eureka, State of Nevada, on a vein or lode known as the JEWEL #5.

The general course of said lode or vein, as near as it may be described, is North & South.

The name of the locator E. L. Cleveland, 1201 Shadow Lane, Las Vegas, Nevada

The said claim was located on the 14th day of August A. D. 1969, and is described in respect to\* 1600 lin. Feet northwesterly from the Reservoir in New York Canyon on the west side of said canyon.

The locator claims 1500 feet in length

along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft is† A dozer excavation of the following approximate dimensions:- 14.0 in width, 35.0 in length, and 3.0 in depth.

and the location‡ and description of each corner§ with the markings thereon§ are as follows:  
The Northeast corner is marked by a 4" x 4" White Post 4 feet high inscribed N.E. Cor. corner of Jewel #5. mine:  
the Northwest corner is marked by a 4" x 4" White Post 4' feet high inscribed N.W. Cor. corner of Jewel # 5. mine.  
The Southeast corner is marked by 4" x 4" White Post 4' feet high, inscribed S.E. corner Jewel #5 mine: the Southwest corner is marked by a 4" x 4" White Post 4 feet high, inscribed S.W. Cor. corner Jewel #5 mine. There is a White Post of same size set as side centers on the claim at each corner of each line. The discovery work has been done and the location work completed since October 1st A. D. 19 69

Dated October 24th, A. D. 19 69  
E. L. Cleveland 1201 Shadow Lane, Las Vegas, Nevada

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sink" is used.  
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.  
§ Corner of each of the four corners, with the blazings, markings, letters, recorded at the request of Ed Leutzinger  
Any record of location which does not contain all the requirements of the statute is void. 27, 1969, at 30 mins. past 2 P. M. in Book 33 of OFFICIAL RECORDS, page 143 RECORDS OF EUREKA COUNTY, NEVADA, Hillis A. Detaske Recorder. File No. 51531 Fee \$1.00

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the Eureka Mining District, County of Eureka, State of Nevada, on a vein or lode known as the Jewel # 6.

The general course of said lode or vein, as near as it may be described, is North & South

The name of the locator E. L. Cleveland, 1201 Shadow Lane, Las Vegas, Nev.

The said claim was located on the 14th day of August A. D. 1969, and is described in respect to\* as being approximately 2400 north-westerly from the "Reservoir" in New York canyon and on the West side of said canyon.

The locator claims 1500 feet in length

along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is A dozer excavation of the following approximate dimensions: 14.0 in width, 30.0 in length, and 3.0 in depth.

and the location and description of each corner with the markings thereon are as follows:

The Northeast corner is marked by a 4" x 4" White Post 4' feet high inscribed N.E. Cor. corner of Jewel #5. mine:  
the Northwest corner is marked by a 4" x 4" White Post 4 feet high inscribed N.W. Cor. corner of Jewel #5. mine.  
The Southwest corner is marked by 4" x 4" White Post 4 feet high, inscribed S.W. corner Jewel #5 mine: the Southeast corner is marked by a 4" x 4" White Post 4 feet high, inscribed S.E. Cor. corner Jewel # 5. mine. There is a White Post of same dimensions on each side line of said claim at each corner of each line. The discovery work has been done and the location work completed since October 1st A. D. 1969

Dated October 24th, A. D. 1969

*E. L. Cleveland*

1201 Shadow Lane, Las Vegas, Nevada

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.

† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that drilling work shall be done. The word "sunk" is used.

‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

§ Corner of each of the four corners, with the blazings, markings, letters, etc.

§ Any record of location which does not contain all the requirements of the statute is void.

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies.....that.....he.....has.....located a mining claim in the.....Eureka.....Mining District, County of.....Eureka....., State of Nevada, on a vein or lode known as the.....JEWEL #7.....

The general course of said lode or vein, as near as it may be described, is.....North & South.....

The name.....of the locator.....E. L. Cleveland, 1201 Shadow Lane, Las Vegas, Nevada.....

The said claim was located on the 14th day of August A. D. 19 69, and is described in respect to\* as being approximately 3000 lin. feet northwesterly from the "Reservoir" located in New York Canyon, and on the west side of said canyon.

The locator.....claims.....1500.....feet in length along the course of said vein or lode each way from the point of discovery with a width of.....300.....feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is.....A dozer excavation of the following approximate dimensions:-  
14.0 in width; 25.0 in length, and 3.0 in depth......

and the location and description of each corner with the markings thereon are as follows:  
The Northeast corner is marked by a 4" x 4" White post 4 feet high inscribed N.E. Cor. corner of Jewel # 7 mine:  
the Northwest corner is marked by a 4" x 4" White post 4 feet high inscribed N.W. Cor. corner of Jewel # 7 mine.  
The Southeast corner is marked by 4" x 4" White Post 4 feet high, inscribed S. E. Cor. corner Jewel #7 mine: the Southwest corner is marked by a 4" x 4" White Post 4 feet high, inscribed S.W. Cor. corner Jewel # 7 mine. There is a White Post of the same size set at each side center of claim at each corner of each line. The discovery work has been done and the location work completed since.....

October 1st A. D. 1969

Dated October 24th, A. D. 1969  
E. L. Cleveland 1201 Shadow Lane, Las Vegas, Nevada

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sink" is used.  
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.  
§ Corner of each of the four corners, with the blazings, markings, letters, etc.  
¶ Any record of location which does not contain all the requirements of the statute.  
RECORDED AT THE REQUEST OF Ed Leutzinger  
October 27, 1969 at 30 mins. past 2 P. M. in Book 33 of OFFICIAL RECORDS, page 145 RECORDS OF EUREKA COUNTY, NEVADA Willis A. DeLoach Recorder. File No. 51533 Fee \$ 1.00

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the Eureka Mining District, County of Eureka, State of Nevada, on a vein or lode known as the JEWEL #8.

The general course of said lode or vein, as near as it may be described, is North & South.

The name of the locator E. L. Cleveland, 1201 Shadow Lane, Las Vegas, Nev.

The said claim was located on the 16th day of August, A. D. 1969, and is described in respect to As being approximately 3/4-mile north-westerly from the "Reservoir" in New York Canyon, and located on the divide between New York Canyon and Goodwin Canyon.

The locator claims 1500 feet in length

along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is A dozer excavation of the following approximate dimensions: 14.0 in width; 30.00 in length, and 2.00 in depth.

and the location and description of each corner with the markings thereon are as follows:  
The Southeast corner is marked by a 4" x 4" White Post 4 feet high inscribed S.E. Cor. corner of Jewel # 8 mine;  
the Southwest corner is marked by a 4" x 4" White Post 4 feet high inscribed S.W. Cor. corner of Jewel # 8 mine;  
The Northeast corner is marked by 4" x 4" White Post 4 feet high, inscribed N.E. Cor. corner Jewel #8 mine; the Northwest corner is marked by a 4" x 4" White Post 4 feet high, inscribed N.W. Cor. corner Jewel # 8 mine. There is a White post of same above size at each side center of the claim at each corner of each line. The discovery work has been done and the location work completed since October 1st, 1969 A. D. 1969

Dated October 24, A. D. 1969

E. L. Cleveland 1201 Shadow Lane, Las Vegas, Nevada

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.  
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.  
§ Corner of each of the four corners, with the bearings, markings, letters, etc. of the statute is void.  
¶ Any record of location which does not contain all the requirements of the statute is void.

RENO PRINTING CO., 124 NORTH CENTER ST., RENO, NEVADA

RECORDED AT THE REQUEST OF Ed Leutzinger  
on Oct. 27, 1969 at 30 mins. past 2 P. M. In  
Book 33 of OFFICIAL RECORDS, page 146 RECORDS OF  
EUREKA COUNTY, NEVADA Walter A. DeLoach Recorder.  
File No. 51534 Fee \$ 1.00

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the EUREKA Mining District, County of EUREKA, State of Nevada, on a vein or lode known as the JEWEL # 9.

The general course of said lode or vein, as near as it may be described, is North & South.

The name of the locator is E. L. CLEVELAND, 1201 Shadow Lane, Las Vegas, Nevada.

The said claim was located on the 16th day of August A. D. 1969, and is described in respect to\* being approximately 1-mile north of the Dunderburg mine, and on the east side of Goodwin Canyon.

The locator claim is 1500 feet in length along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is A dozer excavation of the following approximate dimensions: 14.0 feet in width; 25.0 feet in length, and 3.0 in Depth.

and the location and description of each corner with the markings thereon are as follows:

The Northeast corner is marked by a 4" x 4" White Post 4 feet high inscribed N.E. Cor. corner of Jewel # 9 mine; the Northwest corner is marked by a 4" x 4" White Post 4 feet high inscribed N.W. Cor. corner of Jewel # 9 mine; The Southeast corner is marked by 4" x 4" White Post 4 feet high, inscribed S.E. Cor. corner Jewel # 9 mine; the Southwest corner is marked by a 4" x 4" White Post 4 feet high, inscribed S.W. Cor. corner Jewel # 9 mine. There is a White Post of the same above size at each side center of the claim each corner of each line. The discovery work has been done and the location work completed since October 1 A. D. 1969.

Dated October 24, A. D. 1969  
E. L. Cleveland 1201 Shadow Lane, Las Vegas, Nevada

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.  
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.  
§ Corner of each of the four corners, with the blazings, markings, letters, etc.  
¶ Any record of location which does not contain all the requirements of the statute is void.

RECORDED AT THE REQUEST OF Ed Leutzinger  
on Oct. 27, 1969, at 30 mins. past 2 P. M. in  
Book 33 of OFFICIAL RECORDS, page 147 RECORDS OF  
EUREKA COUNTY, NEVADA William A. D. Leslie Recorder.  
File No. 51535 Fee \$ 1.00

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the Eureka Mining District, County of Eureka, State of Nevada, on a vein or lode known as the JEWEL # 10.

The general course of said lode or vein, as near as it may be described, is North & South.

The name of the locator is E. L. Cleveland, 1201 Shadow Lane, Las Vegas, Nev.

The said claim was located on the 3rd day of September A. D. 1969, and is described in respect to\* Approximately 1.2--miles North of the Dunderberg Mine in Goodwin Canyon.

The locator claims: 1500 feet in length

along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is: A dozer excavation of the following approximate size:- 14.0 in width; 35.0 in length, and 2.5 in depth.

and the location and description of each corner with the markings thereon are as follows:

The Northeast corner is marked by a 4" x 4" White Post 4 feet high inscribed N.E. Cor. corner of Jewel # 10 mine: the Northwest corner is marked by a 4" x 4" White Post 4 feet high inscribed N.W. Cor. corner of Jewel # 10 mine. The Southeast corner is marked by 4" x 4" White Post 4 feet high, inscribed S. E. Cor. corner Jewel # 10 mine: the Southwest corner is marked by a 4" x 4" White Post 4 feet high, inscribed S.W. Cor. corner Jewel # 10 mine. There is a White post of same above size located at each side center of claim at each corner of each line. The discovery work has been done and the location work completed since

October 1st A. D. 19 69

Dated October 24, A. D. 19 69

E. L. Cleveland 1201 Shadow lane, Las Vegas, Nevada.

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.  
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.  
§ Corner of each of the four corners, with the blazings, markings, letters, etc.  
¶ Any record of location which does not contain all the requirements of the statute is void.  
RECORDED AT THE REQUEST OF Ed Leutzinger  
at 30 mins. past 2 P. M. in  
Book 33 of OFFICIAL RECORDS, page 148 RECORDS OF  
EUREKA COUNTY, NEVADA Willie A. DePaoli Recorder.  
File No. 51536 Fee \$ 1.00



# CERTIFICATE OF LOCATION

Revised Laws, Sec. 3424

The Undersigned, hereby certifies that he has located a mining claim in the Eureka Mining District, County of Eureka, State of Nevada, on a vein or lode known as the Jewel # 11.

The general course of said lode or vein, as near as it may be described, is North & South

The name of the locator is E. L. Cleveland, 1201 Shadow Lane, Las Vegas, Nevada

The said claim was located on the 3rd day of September A. D. 1969, and is described in respect to\* being approximately 1.25 miles north of the Dunderberg Mine, and located in Goodwin Canyon.

The locator claims 1500 feet in length along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is A dozer excavation of the following approximate size; - 14.0 in width; 25.0 in length, and 3.00 in depth.

and the location and description of each corner with the markings thereon are as follows:  
The Northeast corner is marked by a 4" x 4" White Post 4 feet high inscribed N.E. Cor. corner of Jewel # 11 mine;  
the Northwest corner is marked by a 4" x 4" White post 4" feet high inscribed N.W. Cor. corner of Jewel # 11 mine.  
The Southeast corner is marked by 4" x 4" White post 4 feet high, inscribed S. E. Cor. corner Jewel # 11 mine; the Southwest corner is marked by a 4" x 4" White post 4 feet high, inscribed S.W. Cor. corner Jewel # 11 mine. There is a White post of the same above size at each side center of the claim at each corner of each line. The discovery work has been done and the location work completed since

October 1st A. D. 1969

Dated October 24th, A. D. 1969

*E. L. Cleveland*

1201 Shadow Lane, Las Vegas, Nevada

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
† The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "bank" is used.  
‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.

RECORDED AT THE REQUEST OF Ed Leutzinger  
on October 27, 1969 at 30 mins. past 2 P. M. to  
Book 33 of OFFICIAL RECORDS, page 149 RECORDS OF  
EUREKA COUNTY, NEVADA Willis A. McTeague Recorder.  
File No. 51537 Fee \$ 1.00

# CERTIFICATE OF LOCATION

Revised Laws, Sec. 2424

The Undersigned, hereby certifies that he has located a mining claim in the Eureka Mining District, County of Eureka, State of Nevada, on a vein or lode known as the JEWEL # 12.

The general course of said lode or vein, as near as it may be described, is North & South.

The name of the locator is E. I. Cleveland, 1201 Shadow Lane, Las Vegas, Nevada.

The said claim was located on the 12th day of September A. D. 1969, and is described in respect to\* as being approximately 1-mile north of the Dunderberg Mine in Goodwin Canyon.

The locator claims 1500 feet in length along the course of said vein or lode each way from the point of discovery with a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

The dimensions and location of the discovery shaft work is†

A dozer excavation of the following approximate size:

14.0 in width; 30.0 in length, and 3.0 in depth

and the location and description of each corner‡ with the markings thereon§ are as follows:

The Northeast corner is marked by a 4" x 4" White Post 4 feet high inscribed N.E. Cor. corner of Jewel # 12 mine; the Northwest corner is marked by a 4" x 4" White post 4 feet high inscribed N.W. Cor. corner of Jewel # 12 mine. The Southeast corner is marked by a 4" x 4" White Post 4 feet high, inscribed S. E. Cor. corner Jewel # 11 mine; the Southwest corner is marked by a 4" x 4" White post 4 feet high, inscribed S. W. Cor. corner Jewel # 12 mine. There is a 4" x 4" White post located at each side center of the claim, at each corner of each line. The discovery work has been done and the location work completed since

October 1 A. D. 1969.

Dated October 24 A. D. 1969.

*E. I. Cleveland*

1201 Shadow Lane, Las Vegas, Nevada

\* If a natural object, fill in blank with its description. If a permanent monument, describe it.  
 † The statute contemplates a shaft or what practically answers the same purpose; in prospecting a mine state the depth and dimensions. The statute contemplates that digging work shall be done. The word "sunk" is used.  
 ‡ The statute uses the word "location" in connection with "corners." That is to say, the local geographical place of the corners, to-wit: at White Gulch or Soda Lake, near its head, etc.  
 § Corner of each of the four corners, with the blazings, markings, letters, etc.

RECORDED AT THE REQUEST OF Ed Leutzinger  
 of the state of Nevada, at 30 mins. past 2 P. M. in  
 Book 33 of OFFICIAL RECORDS, page 150  
 EUREKA COUNTY, NEVADA, Hellen A. Metcalfe Recorder.  
 File No. 51538 Fee \$ 1.00