

CERTIFICATE OF LOCATION OF LODE CLAIM

F-21

THIS IS TO CERTIFY that the F-21 Lode Mining Claim was located by Idaho Mining Corporation on the 20th day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situated in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-21 "; thence easterly for a distance of 750' to a post marked, "NSC F-21 "; thence easterly for a distance of 750' to a post marked, "NE COR F-21 "; thence southerly for a distance of 600' to a post marked, "SE COR F-21 "; thence westerly for a distance of 750' to a post marked, "SSC F-21 "; thence westerly for a distance of 750' to a post marked, "SW COR F-21 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,750 feet S 69° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
 W. L. Wilson
 on March 16, 1970
 at 50 mins. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 491
 BY EUREKA COUNTY, NEVADA
William A. DeCarli
 Recorder
 File No. 52270 s 1.00

THIS IS TO CERTIFY that the F-23 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-23 "; thence easterly for a distance of 750' to a post marked, "NSC F-23 "; thence easterly for a distance of 750' to a post marked, "NE COR F-23 "; thence southerly for a distance of 600' to a post marked, "SE COR F-23 "; thence westerly for a distance of 750' to a post marked, "SSC F-23 "; thence westerly for a distance of 750' to a post marked, "SW COR F-23 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,650 feet S 73° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
 W. L. Wilson
 on March 16, 19 70
 at 50 mins. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 492, RECORDS
 OF EUREKA COUNTY, NEVADA.
Shelley A. DePaulis
 Recorder
 File No. 52271 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F- 25

THIS IS TO CERTIFY that the F-25 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-25 "; thence easterly for a distance of 750' to a post marked, "NSC F-25 "; thence easterly for a distance of 750' to a post marked, "NE COR F-25 "; thence southerly for a distance of 600' to a post marked, "SE COR F-25 "; thence westerly for a distance of 750' to a post marked, "SSC F-25 "; thence westerly for a distance of 750' to a post marked, "SW COR F-25 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,550 feet S 76.5° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
 W. L. Wilson
 on March 16 19 70
 at 50 mins. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 493
 OF EUREKA COUNTY, NEVADA
Phillip A. DePaolo
 Recorder
 File No. 52272 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-27

THIS IS TO CERTIFY that the F-27 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-27 "; thence easterly for a distance of 750' to a post marked, "NSC F-27 "; thence easterly for a distance of 750' to a post marked, "NE COR F-27 "; thence southerly for a distance of 600' to a post marked, "SE COR F-27 "; thence westerly for a distance of 750' to a post marked, "SSC F-27 "; thence westerly for a distance of 750' to a post marked, "SW COR F-27 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,525 feet S 80.5° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
 W. L. Wilson
 on March 16, 1970
 at 50 mins past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 494, RECORDS
 OF EUREKA COUNTY, NEVADA
Shirley A. DePaoli
 Recorder
 File No. 52273, \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-29

THIS IS TO CERTIFY that the F-29 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situated in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-29 "; thence easterly for a distance of 750' to a post marked, "NSC F-29 "; thence easterly for a distance of 750' to a post marked, "NE COR F-19 "; thence southerly for a distance of 600' to a post marked, "SE COR F-29 "; thence westerly for a distance of 750' to a post marked, "SSC F-29 "; thence westerly for a distance of 750' to a post marked, "SW COR F-29 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,525 feet S 85° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
 W. L. Wilson
 on March 16, 1970
 at 50 mins. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 495, RECORDS
 OF EUREKA COUNTY, NEVADA
Willis G. McFarlin
 Recorder
 File No. 52274 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-30

THIS IS TO CERTIFY that the F-30 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 130° W from the NE Corner, F-30 claim.
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-30"; thence easterly for a distance of 750' to a post marked, "NSC F-30"; thence easterly for a distance of 750' to a post marked, "NE COR F-30"; thence southerly for a distance of 600' to a post marked, "SE COR F-30"; thence westerly for a distance of 750' to a post marked, "SSC F-30"; thence westerly for a distance of 750' to a post marked, "SW COR F-30"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,025 feet S 85.5° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
 W. L. Wilson

on March 16, 19 70

at 50 min. past 10 A. M.

in Book 34 of OFFICIAL

RECORDS, page 496, RECORDS

OF ESSEX COUNTY, NEVADA

Recorder 52275

File No. 52275 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-31

THIS IS TO CERTIFY that the F-31 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-31"; thence easterly for a distance of 750' to a post marked, "NSC F-31"; thence easterly for a distance of 750' to a post marked, "NE COR F-31"; thence southerly for a distance of 600' to a post marked, "SE COR F-31"; thence westerly for a distance of 750' to a post marked, "SSC F-31"; thence westerly for a distance of 750' to a post marked, "SW COR F-31"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,550 feet S 89° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
 on March 16, 1970
 at 50 mins. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 497, RECORDS
 OF EUREKA COUNTY, NEVADA
Julius A. DeLasli
 Recorder
 File No. 52276 \$1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-32

THIS IS TO CERTIFY that the F-32 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-32 "; thence easterly for a distance of 750' to a post marked, "NSC F-32 "; thence easterly for a distance of 750' to a post marked, "NE COR F-32 "; thence southerly for a distance of 600' to a post marked, "SE COR F-32 "; thence westerly for a distance of 750' to a post marked, "SSC F-32 "; thence westerly for a distance of 750' to a post marked, "SW COR F-32 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,075 feet West from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
 on March 16, 1970
 at 50 mins. past 10 A. M.
 in Book 3 1/2 of OFFICIAL
 RECORDS, page 498 RECORDS
 OF BIUEKA COUNTY, NEVADA
 Recorder Willis A. DeLoach
 File No. 52277 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-33

THIS IS TO CERTIFY that the F-33 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situated in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument; and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-33"; thence easterly for a distance of 750' to a post marked, "NSC F-33"; thence easterly for a distance of 750' to a post marked, "NE COR F-33"; thence southerly for a distance of 600' to a post marked, "SE COR F-33"; thence westerly for a distance of 750' to a post marked, "SSC F-33"; thence westerly for a distance of 750' to a post marked, "SW COR F-33"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,650 feet N 87° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
 on March 16, 19 70
 at 50 mins. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 499, RECORDS
 OF EUREKA COUNTY, NEVADA
William A. DeTale
 Recorder 52278
 File No. _____ Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-34

THIS IS TO CERTIFY that the F-34 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-34 "; thence easterly for a distance of 750' to a post marked, "NSC F-34 "; thence easterly for a distance of 750' to a post marked, "NE COR F-34 "; thence southerly for a distance of 600' to a post marked, "SE COR F-34 "; thence westerly for a distance of 750' to a post marked, "SSC F-34 "; thence westerly for a distance of 750' to a post marked, "SW COR F-34 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,200 feet N 85° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
 on March 16 1970
 at 50 mins. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 500 RECORDS
 OF EUREKA COUNTY, NEVADA
Melvin G. DePaola
 Recorder
 File No. 52279 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F- 22

THIS IS TO CERTIFY that the F-22 Lode Mining Claim was located by Idaho Mining Corporation on the 20th day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 125', situate 125' S 13° E from the NW Corner, F-130 claim.
 12' x 2' x 420', situate 230' S 5° E from the NW Corner, F-130 claim.
 12' x 3' x 120', situate 90' S 36° E from the NE Corner, F-28 claim.
 12' x 3' x 240', situate 185' S 3° W from the NE Corner, F-28 claim.
 12' x 2' x 100', situate 400' S 27° W from the NE Corner, F-28 claim.
 12' x 2.5' x 250, situate 410' S 27° W from the NE Corner, F-28 claim.
 12' x 4' x 300', situate 470' S 20° W from the NE Corner, F-28 claim.
 12' x 2' x 650', situate 350' S 19° E from the NE Corner, F-28 claim.

Rotary Drill Hole:

F-6, situate 460' S 26° W from the NE Corner, F-28 claim, depth 200'.

This claim is one of a group of 7 contiguous claims, being the F-22, F-24, F-26, F-28, F-126, F-128 and F-130; for whose benefit the discovery work described above was performed. More than \$700.00 was expended for said drilling and excavations on said group of 7 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-22 "; thence easterly for a distance of 750' to a post marked, "NSC F- 22 "; thence easterly for a distance of 750' to a post marked, "NE COR F- 22 "; thence southerly for a distance of 600' to a post marked, "SE COR F- 22 "; thence westerly for a distance of 750' to a post marked, "SSC F- 22 "; thence westerly for a distance of 750' to a post marked, "SW COR F-22 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,300 feet S 66° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
 W. L. Wilson
 on March 16 1970
 at 50 mins. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 501
 OF EUREKA COUNTY, NEVADA
 Recorder Shelley A. McFalls
 File No. 52280 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-24

THIS IS TO CERTIFY that the F-24 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 125', situate 125' S 13° E from the NW Corner, F-130 claim.
 12' x 2' x 420', situate 230' S 5° E from the NW Corner, F-130 claim.
 12' x 3' x 120', situate 90' S 36° E from the NE Corner, F-28 claim.
 12' x 3' x 240', situate 185' S 3° W from the NE Corner, F-28 claim.
 12' x 2' x 100', situate 400' S 27° W from the NE Corner, F-28 claim.
 12' x 2.5' x 250, situate 410' S 27° W from the NE Corner, F-28 claim.
 12' x 4' x 300', situate 470' S 20° W from the NE Corner, F-28 claim.
 12' x 2' x 650', situate 350' S 19° E from the NE Corner, F-28 claim.

Rotary Drill Hole:

F-6, situate 460' S 26° W from the NE Corner, F-28 claim, depth 200'.

This claim is one of a group of 7 contiguous claims, being the F-22, F-24, F-26, F-28, F-126, F-128 and F-130; for whose benefit the discovery work described above was performed. More than \$700.00 was expended for said drilling and excavations on said group of 7 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-24 "; thence easterly for a distance of 750' to a post marked, "NSC F-24 "; thence easterly for a distance of 750' to a post marked, "NE COR F-24 "; thence southerly for a distance of 600' to a post marked, "SE COR F-24 "; thence westerly for a distance of 750' to a post marked, "SSC F-24 "; thence westerly for a distance of 750' to a post marked, "SW COR F-24 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,175 feet S 71° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
 on March 16 1970
 at 50 mins. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 502
 OF EUREKA COUNTY, NEVADA.
 Recorder Gilles A. DeLoach
52281
 File No. 52281 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-26

THIS IS TO CERTIFY that the F-26 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situated in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 125', situate 125' S 13° E from the NW Corner, F-130 claim.
 12' x 2' x 420', situate 230' S 5° E from the NW Corner, F-130 claim.
 12' x 3' x 120', situate 90' S 36° E from the NE Corner, F-28 claim.
 12' x 3' x 240', situate 185' S 3° W from the NE Corner, F-28 claim.
 12' x 2' x 100', situate 400' S 27° W from the NE Corner, F-28 claim.
 12' x 2.5' x 250', situate 410' S 27° W from the NE Corner, F-28 claim.
 12' x 4' x 300', situate 470' S 20° W from the NE Corner, F-28 claim.
 12' x 2' x 650', situate 350' S 19° E from the NE Corner, F-28 claim.

Rotary Drill Hole:

F-6, situate 460' S 26° W from the NE Corner, F-28 claim, depth 200'.

This claim is one of a group of 7 contiguous claims, being the F-22, F-24, F-26, F-28, F-126, F-128 and F-130; for whose benefit the discovery work described above was performed. More than \$700.00 was expended for said drilling and excavations on said group of 7 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-26"; thence easterly for a distance of 750' to a post marked, "NSC F-26"; thence easterly for a distance of 750' to a post marked, "NE COR F-26"; thence southerly for a distance of 600' to a post marked, "SE COR F-26"; thence westerly for a distance of 750' to a post marked, "SSC F-26"; thence westerly for a distance of 750' to a post marked, "SW COR F-26"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,050 feet S 76° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
 on March 16, 19 70
 at 50 mins past 10 A. M.
 Book 34 of OFFICIAL
 RECORDS, page 503 RECORDS
James A. DePauli
 Recorder
 File No. 52282 Rec \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F- 28

THIS IS TO CERTIFY that the F- 28 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 125', situate 125' S 13° E from the NW Corner, F-130 claim.
 12' x 2' x 420', situate 230' S 5° E from the NW Corner, F-130 claim.
 12' x 3' x 120', situate 90' S 36° E from the NE Corner, F-28 claim.
 12' x 3' x 240', situate 185' S 3° W from the NE Corner, F-28 claim.
 12' x 2' x 100', situate 400' S 27° W from the NE Corner, F-28 claim.
 12' x 2.5' x 250, situate 410' S 27° W from the NE Corner, F-28 claim.
 12' x 4' x 300', situate 470' S 20° W from the NE Corner, F-28 claim.
 12' x 2' x 650', situate 350' S 19° E from the NE Corner, F-28 claim.

Rotary Drill Hole:

F-6, situate 460' S 26° W from the NE Corner, F-28 claim, depth 200'.

This claim is one of a group of 7 contiguous claims, being the F-22, F-24, F-26, F-28, F-126, F-128 and F-130; for whose benefit the discovery work described above was performed. More than \$700.00 was expended for said drilling and excavations on said group of 7 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-28 "; thence easterly for a distance of 750' to a post marked, "NSC F- 28 "; thence easterly for a distance of 750' to a post marked, "NE COR F- 28 "; thence southerly for a distance of 600' to a post marked, "SE COR F-28 "; thence westerly for a distance of 750' to a post marked, "SSC F- 28 "; thence westerly for a distance of 750' to a post marked, "SW COR F-28 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,000 feet S 80° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
 on March 16, 19 70
 at 50 mins. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 504
 OF EUREKA COUNTY, NEVADA
Thelma A. DeTale
 Recorder
 File No. 52283 Fee \$ 1.00

b. CERTIFICATE OF LOCATION OF LODE CLAIM

F- 126

THIS IS TO CERTIFY that the F-126 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 125', situate 125' S 13° E from the NW Corner, F-130 claim.
 12' x 2' x 420', situate 230' S 5° E from the NW Corner, F-130 claim.
 12' x 3' x 120', situate 90' S 36° E from the NE Corner, F-28 claim.
 12' x 3' x 240', situate 185' S 3° E from the NE Corner, F-28 claim.
 12' x 2' x 100', situate 400' S 27° W from the NE Corner, F-28 claim.
 12' x 2.5' x 250, situate 410' S 27° W from the NE Corner, F-28 claim.
 12' x 4' x 300', situate 470' S 2° W from the NE Corner, F-28 claim.
 12' x 2' x 650', situate 350' S 19° E from the NE Corner, F-28 claim.

Rotary Drill Hole:

F-6, situate 460' S 26° W from the NE Corner, F-28 claim, depth 200'.

This claim is one of a group of 7 contiguous claims, being the F-22, F-24, F-26, F-28, F-126, F-128 and F-130; for whose benefit the discovery work described above was performed. More than \$700.00 was expended for said drilling and excavations on said group of 7 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-126"; thence easterly for a distance of 750' to a post marked, "NSC F-126"; thence easterly for a distance of 750' to a post marked, "NE COR F-126"; thence southerly for a distance of 600' to a post marked, "SE COR F-126"; thence westerly for a distance of 750' to a post marked, "SSC F-126"; thence westerly for a distance of 750' to a post marked, "SW COR F-126"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 5,550 feet S 74° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
 W. L. Wilson
 on March 16, 19 70
 at 50 min. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 505 RECORDS
 OF ESKOLA COUNTY, NEVADA
 Recorder 52284 fee \$1.00
 File No. 52284 fee \$1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-128

THIS IS TO CERTIFY that the F-128 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 125', situate 125' S 13° E from the NW Corner, F-130 claim.
 12' x 2' x 420', situate 230' S 5° E from the NW Corner, F-130 claim.
 12' x 3' x 120', situate 90' S 36° E from the NE Corner, F-28 claim.
 12' x 3' x 240', situate 185' S 3° W from the NE Corner, F-28 claim.
 12' x 2' x 100', situate 400' S 27° W from the NE Corner, F-28 claim.
 12' x 2.5' x 250', situate 410' S 27° W from the NE Corner, F-28 claim.
 12' x 4' x 300', situate 470' S 20° W from the NE Corner, F-28 claim.
 12' x 2' x 650', situate 350' S 19° E from the NE Corner, F-28 claim.

Rotary Drill Hole:

F-6, situate 460' S 26° W from the NE Corner, F-28 claim, depth 200'.

This claim is one of a group of 7 contiguous claims, being the F-22, F-24, F-26, F-28, F-126, F-128 and F-130; for whose benefit the discovery work described above was performed. More than \$700.00 was expended for said drilling and excavations on said group of 7 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-128"; thence easterly for a distance of 750' to a post marked, "NSC F-128"; thence easterly for a distance of 750' to a post marked, "NE COR F-128"; thence southerly for a distance of 600' to a post marked, "SE COR F-128"; thence westerly for a distance of 750' to a post marked, "SSC F-128"; thence westerly for a distance of 750' to a post marked, "SW COR F-128"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 5,500 feet S 80° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
 W. L. Wilson
 on March 16 1970
 at 50 mins. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 506
 OF EUREKA COUNTY, NEVADA.
 Recorder Willis A. DePasoli
 No. 52285 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-130

THIS IS TO CERTIFY that the F-130 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 125', situate 125' S 13° E from the NW Corner, F-130 claim.
 12' x 2' x 420', situate 230' S 5° E from the NW Corner, F-130 claim.
 12' x 3' x 120', situate 90' S 36° E from the NE Corner, F-28 claim.
 12' x 3' x 240', situate 185' S 3° W from the NE Corner, F-28 claim.
 12' x 2' x 100', situate 400' S 27° W from the NE Corner, F-28 claim.
 12' x 2.5' x 250', situate 410' S 27° W from the NE Corner, F-28 claim.
 12' x 4' x 300', situate 470' S 20° W from the NE Corner, F-28 claim.
 12' x 2' x 650', situate 350' S 19° E from the NE Corner, F-28 claim.

Rotary Drill Hole:

F-6, situate 460' S 26° W from the NE Corner, F-28 claim, depth 200'.

This claim is one of a group of 7 contiguous claims, being the F-27, F-24, F-26, F-28, F-126, F-128 and F-130; for whose benefit the discovery work described above was performed. More than \$700.00 was expended for said drilling and excavations on said group of 7 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-130"; thence easterly for a distance of 750' to a post marked, "NSC F-130"; thence easterly for a distance of 750' to a post marked, "NE COR F-130"; thence southerly for a distance of 600' to a post marked, "SE COR F-130"; thence westerly for a distance of 750' to a post marked, "SSC F-130"; thence westerly for a distance of 750' to a post marked, "SW COR F-130"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 5,500 feet S 86° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
 W. L. Wilson
 on March 16, 1970
 at 50 mins past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 507, RECORDS
 OF EUREKA COUNTY, NEVADA
 Recorder Hillas G. DeLoach
 File No. 52286 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-2

THIS IS TO CERTIFY that the F-2 Lode Mining Claim was located by Idaho Mining Corporation on the 28th day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.
 12' x 2.5' x 60', situate 460' S 68° E from the SSC, F-18 claim.
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-2 "; thence easterly for a distance of 750' to a post marked, "NSC F-2 "; thence easterly for a distance of 750' to a post marked, "NE COR F-2 "; thence southerly for a distance of 600' to a post marked, "SE COR F-2 "; thence westerly for a distance of 750' to a post marked, "SSC F-2 "; thence westerly for a distance of 750' to a post marked, "SW COR F-2 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 10,275 feet S 34° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
213 Petroleum Building
Grand Junction, Colorado 81501

By W. L. Wilson
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson

on March 16, 19 70
at 50 miles, part 10 A. M.
in Book 34 of OFFICIAL
RECORDS, page 508-509 RECORDS
OF BURCKA COUNTY, NEVADA
Recorded Phillip A. McLaughlin
52287
File No. 52287 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-4

THIS IS TO CERTIFY that the F-4 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.
 12' x 2.5' x 60', situate 460' S 68° E from the SSC, F-18 claim.
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4 1/2 feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-4 "; thence easterly for a distance of 750' to a post marked, "NSC F-4 "; thence easterly for a distance of 750' to a post marked, "NE COR F-4 "; thence southerly for a distance of 600' to a post marked, "SE COR F-4 "; thence westerly for a distance of 750' to a post marked, "SSC F-4 "; thence westerly for a distance of 750' to a post marked, "SW COR F-4 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 10,275 feet S 36° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
213 Petroleum Building
Grand Junction, Colorado 81501

By W. L. Wilson
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
on March 16, 19 70
at 50 mins. past 10 A. M.
in Book 34 of OFFICIAL
RECORDS, page 510-511 RECORDS
OF EUREKA COUNTY, NEVADA.
Recorder Willis A. DePaoli
File No. 52288 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-6

THIS IS TO CERTIFY that the F-6 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.
 12' x 2.5' x 60', situate 460' S 68° E from the SSC, F-18 claim.
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4 1/2 feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-6 "; thence easterly for a distance of 750' to a post marked, "NSC F-6 "; thence easterly for a distance of 750' to a post marked, "NE COR F-6 "; thence southerly for a distance of 600' to a post marked, "SE COR F-6 "; thence wasterly for a distance of 750' to a post marked, "SSC F-6 "; thence westerly for a distance of 750' to a post marked, "SW COR F-6 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 9,850 feet S 39° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
213 Petroleum Building
Grand Junction, Colorado 81501

By W. L. Wilson
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
on March 16, 19 70
at 50 min. past 10 M.
in Book 34 of OFFICIAL
RECORDS, page 512-513, RECORDS
OF ELDERSA COUNTY, NEVADA
Recorded Willis G. McLaughlin
File No. 52289 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-8

THIS IS TO CERTIFY that the F-8 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.
 12' x 2.5' x 60', situate 460' S 68° E from the SSC, F-18 claim.
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4 1/2 feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-8"; thence easterly for a distance of 750' to a post marked, "NSC F-8"; thence easterly for a distance of 750' to a post marked, "NE COR F-8"; thence southerly for a distance of 700' to a post marked, "SE COR F-8"; thence westerly for a distance of 750' to a post marked, "SSC F-8"; thence westerly for a distance of 750' to a post marked, "SW COR F-8"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 9,450 feet S 41° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
213 Petroleum Building
Grand Junction, Colorado 81501

By W. L. Wilson
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
on March 16 19 70
at 50 mins, past 10 A. M.
in Book 34 of OFFICIAL
RECORDS, page 514-515, RECORDS
OF ELDERA COUNTY, NEVADA
Recorded 52290
File No. _____ Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-10

THIS IS TO CERTIFY that the F-10 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.
 12' x 2.5' x 60', situate 460' S 68° E from the SSC, F-18 claim.
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 250' N 2° W of the SSC, F-18 claim, depth 125'.
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4 1/2 feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-10 "; thence easterly for a distance of 750' to a post marked, "NSC F-10 "; thence easterly for a distance of 750' to a post marked, "NE COR F-10 "; thence southerly for a distance of 600' to a post marked, "SE COR F-10 "; thence westerly for a distance of 750' to a post marked, "SSC F-10 "; thence westerly for a distance of 750' to a post marked, "SW COR F-10 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 9,050 feet S 44° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
213 Petroleum Building
Grand Junction, Colorado 81501

By W. L. Wilson
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
on March 16 19 70
at 50 mins. past 10 A. M.
in Book 34 of OFFICIAL
RECORDS, page 516-517 RECORDS
OF FREMONT COUNTY, NEADA

William A. DePaoli
Recorder
File No. 52291 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F- 12

THIS IS TO CERTIFY that the F-12 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situated in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.
 12' x 2.5' x 60', situate 460' S 63° E from the SSC, F-18 claim.
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4 1/2 feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-12 "; thence easterly for a distance of 750' to a post marked, "NSC F-12 "; thence easterly for a distance of 750' to a post marked, "NE COR F-12 "; thence southerly for a distance of 600' to a post marked, "SE COR F-12 "; thence westerly for a distance of 750' to a post marked, "SSC F-12 "; thence westerly for a distance of 750' to a post marked, "SW COR F-12 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,700 feet S 47° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
213 Petroleum Building
Grand Junction, Colorado 81501

By W. L. Wilson
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
on March 16, 1970
at 50 mins. past 10 A. M.
in Book 34 of OFFICIAL
RECORDS, page 518-519 RECORDS
OF WUREKA COUNTY, NEVADA.
Recorder 52292
File No. _____ Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-14

THIS IS TO CERTIFY that the F-14 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secre Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.
 12' x 2' x 55', situate 550' N 75° W from the SSC, F-18 claim.
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.
 12' x 2.5' x 60', situate 460' S 68° E from the SSC, F-18 claim.
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4 1/2 feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-14 "; thence easterly for a distance of 750' to a post marked, "NSC F-14 "; thence southerly for a distance of 600' to a post marked, "NE COR F-14 "; thence westerly for a distance of 750' to a post marked, "SE COR F-14 "; thence westerly for a distance of 750' to a post marked, "SSC F-14 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,325 feet S 50° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
213 Petroleum Building
Grand Junction, Colorado 81501

By W. L. Wilson
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
on March 16, 1970
at 50 mins. past 10 A. M.
in Book 34 of OFFICIAL
RECORDS, page 520-521 RECORDS
OF EUREKA COUNTY, NEVADA.
Recorder Shelley A. DePaoli
File No. 52293 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-16

THIS IS TO CERTIFY that the F-16 Lode Mining Claim was located by Idaho Mining Corporation on the 20th day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

- 12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.
- 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.
- 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.
- 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.
- 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.
- 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.
- 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.
- 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.
- 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.
- 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.
- 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.
- 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.
- 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.
- 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.
- 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.
- 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.
- 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.
- 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.
- 12' x 2.5' x 60', situate 460' S 68° E from the SSC, F-18 claim.
- 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.
- 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.
- 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.
- 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.
- 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.
- 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.
- 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.
- 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.
- 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.
- 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.
- 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

- F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.
- F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4 1/2 feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-16 "; thence easterly for a distance of 750' to a post marked, "NSC F-16 "; thence easterly for a distance of 750' to a post marked, "NE COR F-16 "; thence southerly for a distance of 600' to a post marked, "SE COR F-16 "; thence westerly for a distance of 750' to a post marked, "SSC F-16 "; thence westerly for a distance of 750' to a post marked, "SW COR F-16 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,025 feet S 54° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
213 Petroleum Building
Grand Junction, Colorado 81501

By W. L. Wilson
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
on March 16, 19 70
at 50 mins. past 10 A. M.
in Book 34 of OFFICIAL
RECORDS, page 522-523 RECORDS
OF GEORGE COUNTY, NEVADA
Recorder Shelley A. DePaoli
File No. 52294 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-18

THIS IS TO CERTIFY that the F-18 Lode Mining Claim was located by Idaho Mining Corporation on the 20th day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.
 12' x 2.5' x 60', situate 460' S 63° E from the SSC, F-18 claim.
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-18"; thence easterly for a distance of 750' to a post marked, "NSC F-18"; thence easterly for a distance of 750' to a post marked, "NE COR F-18"; thence southerly for a distance of 600' to a post marked, "SE COR F-18"; thence westerly for a distance of 750' to a post marked, "SSC F-18"; thence westerly for a distance of 750' to a post marked, "SW COR F-18"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,750 feet S 57° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
213 Petroleum Building
Grand Junction, Colorado 81501

By W. L. Wilson
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
on March 16, 19 70
at 50 mins. past 10 A. M.
in Book 34 of OFFICIAL
RECORDS, page 524-525 RECORDS
OF EUREKA COUNTY, NEVADA
Recorder Helen A. McFarli
File No. 52295 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-20

THIS IS TO CERTIFY that the F-20 Lode Mining Claim was located by Idaho Mining Corporation on the 20th day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

- 12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.
 12' x 2.5' x 60', situate 460' S 68° E from the SSC, F-18 claim.
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

- F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-20"; thence easterly for a distance of 750' to a post marked, "NSC F-20"; thence easterly for a distance of 750' to a post marked, "NE COR F-20"; thence southerly for a distance of 600' to a post marked, "SE COR F-20"; thence westerly for a distance of 750' to a post marked, "SSC F-20"; thence westerly for a distance of 750' to a post marked, "SW COR F-20"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,500 feet $\approx 62^{\circ} W$ from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
213 Petroleum Building
Grand Junction, Colorado 81501

By W. L. Wilson
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
on March 16, 19 70
at 50 mins. past 10 A. M.
in Book 34 of OFFICIAL
RECORDS, page 526-527 RECORDS
OF FRY COUNTY, NEVADA
Recorder Shelley A. DePaoli
File No. 52296 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F- 1

THIS IS TO CERTIFY that the F- 1 Lode Mining Claim was located by Idaho Mining Corporation on the 28th day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F- 1 "; thence easterly for a distance of 750' to a post marked, "NSC F- 1 "; thence easterly for a distance of 750' to a post marked, "NE COR F- 1 "; thence southerly for a distance of 600' to a post marked, "SE COR F- 1 "; thence westerly for a distance of 750' to a post marked, "SSC F- 1 "; thence westerly for a distance of 750' to a post marked, "SW COR F- 1 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 11,800 feet S 40° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
 on March 16, 1970
 at 50 min. per 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 528, RECORDS
 OF ESURKA COUNTY, NEVADA
 Recorder William C. DePaoli
 File No. 52297 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-3

THIS IS TO CERTIFY that the F-3 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-3"; thence easterly for a distance of 750' to a post marked, "NSC F-3"; thence easterly for a distance of 750' to a post marked, "NE COR F-3"; thence southerly for a distance of 600' to a post marked, "SE COR F-3"; thence westerly for a distance of 750' to a post marked, "SSC F-3"; thence westerly for a distance of 750' to a post marked, "SW COR F-3"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 11,375 feet S 42° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
 on March 16, 1970
 at 50 min. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 529, RECORDS
 OF EUREKA COUNTY, NEVADA
Shilva C. De Paolo
 Recorder
 File No. 52298 Fee \$ 1.00

d

CERTIFICATE OF LOCATION OF LODE CLAIM

F-5

THIS IS TO CERTIFY that the F-5 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F- 5 "; thence easterly for a distance of 750' to a post marked, "NSC F- 5 "; thence easterly for a distance of 750' to a post marked, "NE COR F- 5 "; thence southerly for a distance of 600' to a post marked, "SE COR F- 5 "; thence westerly for a distance of 750' to a post marked, "SSC F- 5 "; thence westerly for a distance of 750' to a post marked, "SW COR F- 5 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 11,000 feet S 44° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By

W. L. Wilson

W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
 on March 16, 19 70
 at 50 min. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 530
 OF SECRET CANYON COUNTY, NEVADA
Willis C. McTee
 Recorder
 File No. 52299 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-7

THIS IS TO CERTIFY that the F-7 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-7"; thence easterly for a distance of 750' to a post marked, "NSC F-7"; thence easterly for a distance of 750' to a post marked, "NE COR F-7"; thence southerly for a distance of 600' to a post marked, "SE COR F-7"; thence westerly for a distance of 750' to a post marked, "SSC F-7"; thence westerly for a distance of 750' to a post marked, "SW COR F-7"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 10,600 feet S 47° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
 on March 16, 1970
 at 50 mins. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 531, RECORDS
 OF EUREKA COUNTY, NEVADA
 Recorder Shirley C. DePaoli
 File No. 52300 Fee \$1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-9

THIS IS TO CERTIFY that the F-9 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.049, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-9"; thence easterly for a distance of 750' to a post marked, "NSC F-9"; thence easterly for a distance of 750' to a post marked, "NE COR F-9"; thence southerly for a distance of 600' to a post marked, "SE COR F-9"; thence westerly for a distance of 750' to a post marked, "SSC F-9"; thence westerly for a distance of 750' to a post marked, "SW COR F-9"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 10,275 feet S 50° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
 W. L. Wilson
 on March 16, 1970
 at 50 mins. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 532, RECORDS
 OF EUREKA COUNTY, NEVADA
William A. DePaoli
 Recorder
 File No. 52301 Fee \$1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F- 11

THIS IS TO CERTIFY that the F-11 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-11 "; thence easterly for a distance of 750' to a post marked, "NSC F-11 "; thence easterly for a distance of 750' to a post marked, "NE COR F-11 "; thence southerly for a distance of 600' to a post marked, "SE COR F-11 "; thence westerly for a distance of 750' to a post marked, "SSC F-11 "; thence westerly for a distance of 750' to a post marked, "SW COR F-11 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 9,950 feet S 52° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
 W. L. Wilson

on March 16 1970

at 50 mins. past 10 A. M.

in Book 34 of OFFICIAL

RECORDS, page 533, RECORDS

OF EUREKA COUNTY, NEVADA.

Phillip A. McLaughlin

Recorder 52302 Fee \$ 1.00

File No. 52302 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F- 13

THIS IS TO CERTIFY that the F-13 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situated in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-13 "; thence easterly for a distance of 750' to a post marked, "NSC F-13 "; thence easterly for a distance of 750' to a post marked, "NE COR F-13 "; thence southerly for a distance of 600' to a post marked, "SE COR F-13 "; thence westerly for a distance of 750' to a post marked, "SSC F-13 "; thence westerly for a distance of 750' to a post marked, "SW COR F-13 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 9,650 feet S 55° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
 on March 16, 1970
 at 50 mins, past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 534, RECORDS
 OF EUREKA COUNTY, NEVADA.
William A. Peterson
 Recorder
 File No. 52303 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-15

THIS IS TO CERTIFY that the F-15 Lode Mining Claim was located by Idaho Mining Corporation on the 20th day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Ganyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-15"; thence easterly for a distance of 750' to a post marked, "NSC F-15"; thence easterly for a distance of 750' to a post marked, "NE COR F-15"; thence southerly for a distance of 600' to a post marked, "SE COR F-15"; thence westerly for a distance of 750' to a post marked, "SSC F-15"; thence westerly for a distance of 750' to a post marked, "SW COR F-15"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 9,375 feet S 59° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
 on March 16, 1970
 at 50 mins. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 535, RECORDS
 OF ESSEX COUNTY, NEVADA
 Recorder Theresa A. McLaughlin
 File No. 52304 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-17

THIS IS TO CERTIFY that the F-17 Lode Mining Claim was located by Idaho Mining Corporation on the 20th day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-17 "; thence easterly for a distance of 750' to a post marked, "NSC F-17 "; thence easterly for a distance of 750' to a post marked, "NE COR F-17 "; thence southerly for a distance of 600' to a post marked, "SE COR F-17 "; thence westerly for a distance of 750' to a post marked, "SSC F-17 "; thence westerly for a distance of 750' to a post marked, "SW COR F-17 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 9,150 feet S 63° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501.

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
W. L. Wilson
 on March 16, 1970
 at 50 mins. past 10 A. M.
 in Book 34 of OFFICIAL
 RECORDS, page 536, RECORDS
 OF EUREKA COUNTY, NEVADA.
 Recorder William G. DePaoli
52305
 File No. 52305 Fee \$ 1.00

CERTIFICATE OF LOCATION OF LODE CLAIM

F-19

THIS IS TO CERTIFY that the F-19 Lode Mining Claim was located by Idaho Mining Corporation on the 20th day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situated in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-19"; thence easterly for a distance of 750' to a post marked, "NSC F-19"; thence easterly for a distance of 750' to a post marked, "NE COR F-19"; thence southerly for a distance of 600' to a post marked, "SE COR F-19"; thence westerly for a distance of 750' to a post marked, "SSC F-19"; thence westerly for a distance of 750' to a post marked, "SW COR F-19"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,950 feet S 66° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator
 213 Petroleum Building
 Grand Junction, Colorado 81501

By W. L. Wilson
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF
 W. L. Wilson
 on March 16, 1970
 at 50 min. past 10 A. M.
 on page 34 of OFFICIAL
 RECORDS, page 537, RECORDS
 OF EUREKA COUNTY, NEVADA
 Recorder Jillie A. DeLoe
 File No. 52306 Fee \$ 1.00