

## CERTIFICATE OF LOCATION OF LOSE CLAIM

F- 21

THIS IS TO CERTIFY that the F- 21 Lode Mining Claim was located by Idaho Mining Corporation on the 20th day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.  
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.  
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.  
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.  
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.  
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.  
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.  
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-21 "; thence easterly for a distance of 750' to a post marked, "NSC F- 21 "; thence easterly for a distance of 750' to a post marked, "NE COR F- 21 "; thence southerly for a distance of 600' to a post marked, "SE COR F-21 "; thence westerly for a distance of 750' to a post marked, "SSC F- 21 "; thence westerly for a distance of 750' to a post marked, "SW COR F-21 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,750 feet S 69° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
 W. L. Wilson

on March 16, 1970  
 at 50 mins. past 10 A. M.

is Book 34 of OFFICIAL  
 RECORDS, page 491

BY William A. DeLoach  
 Recorder

File No. 52270 : 1.00

THIS IS TO CERTIFY that the F-23 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.  
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.  
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.  
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.  
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.  
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.  
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.  
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-23 "; thence easterly for a distance of 750' to a post marked, "NSC F-23 "; thence easterly for a distance of 750' to a post marked, "NE COR F-23 "; thence southerly for a distance of 600' to a post marked, "SE COR F-23 "; thence westerly for a distance of 750' to a post marked, "SSC F-23 "; thence westerly for a distance of 750' to a post marked, "SW COR F-23 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,650 feet S 73° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
 W. L. Wilson  
 on March 16, 19 70  
 at 50 mins. past 10 A. M.  
 in Book 34 of OFFICIAL  
 RECORDS, page 492, RECORDS  
 OF EUREKA COUNTY, NEVADA  
Shelley A. DePaulis  
 Recorder  
 File No. 52271 Fee \$ 1.00



## CERTIFICATE OF LOCATION OF LODE CLAIM

F- 25

THIS IS TO CERTIFY that the F-25 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.  
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.  
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.  
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.  
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.  
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.  
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.  
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-25 "; thence easterly for a distance of 750' to a post marked, "NSC F-25 "; thence easterly for a distance of 750' to a post marked, "NE COR F-25 "; thence southerly for a distance of 600' to a post marked, "SE COR F-25 "; thence westerly for a distance of 750' to a post marked, "SSC F-25 "; thence westerly for a distance of 750' to a post marked, "SW COR F-25 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,550 feet S 76.5° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
 W. L. Wilson  
 on March 16, 1970  
 at 50 mins. past 10 A. M.  
 in Book 34 of OFFICIAL  
 RECORDS, page 493  
 OF EUREKA COUNTY, NEVADA  
Thelma A. DePaulis  
 Recorder  
 File No. 52272 Fee \$1.00



## CERTIFICATE OF LOCATION OF LODE CLAIM

F- 27

THIS IS TO CERTIFY that the F- 27 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.  
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.  
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.  
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.  
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.  
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.  
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.  
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-27 "; thence easterly for a distance of 750' to a post marked, "NSC F-27 "; thence easterly for a distance of 750' to a post marked, "NE COR F-27 "; thence southerly for a distance of 600' to a post marked, "SE COR F-27 "; thence westerly for a distance of 750' to a post marked, "SSC F-27 "; thence westerly for a distance of 750' to a post marked, "SW COR F-27 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,525 feet S 80.5° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
 W. L. Wilson  
 on March 16, 1970  
 at 50 mins. past 10 A. M.  
 in Book 34 of OFFICIAL  
 RECORDS, page 494, RECORDS  
 OF EUREKA COUNTY, NEVADA  
Shirley A. DePaoli  
 Recorder  
 File No. 52273, \$ 1.00



## CERTIFICATE OF LOCATION OF LODE CLAIM

F-29

THIS IS TO CERTIFY that the F-29 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situated in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.  
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.  
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.  
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.  
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.  
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.  
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.  
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-29 "; thence easterly for a distance of 750' to a post marked, "NSC F-29 "; thence easterly for a distance of 750' to a post marked, "NE COR F-19 "; thence southerly for a distance of 600' to a post marked, "SE COR F-29 "; thence westerly for a distance of 750' to a post marked, "SSC F-29 "; thence westerly for a distance of 750' to a post marked, "SW COR F-29 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,525 feet S 85° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
 W. L. Wilson  
 on March 16, 1970  
 at 50 mins. past 10 A. M.  
 in Book 34 of OFFICIAL  
 RECORDS, page 495, RECORDS  
 OF EUREKA COUNTY, NEVADA  
Willis A. McFarlin  
 Recorder  
 File No. 52274 Fee \$ 1.00



## CERTIFICATE OF LOCATION OF LODE CLAIM

F-30

THIS IS TO CERTIFY that the F-30 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 130° W from the NE Corner, F-30 claim.  
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.  
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.  
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.  
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.  
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.  
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.  
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-30 "; thence easterly for a distance of 750' to a post marked, "NSC F-30 "; thence easterly for a distance of 750' to a post marked, "NE COR F-30 "; thence southerly for a distance of 600' to a post marked, "SE COR F-30 "; thence westerly for a distance of 750' to a post marked, "SSC F-30 "; thence westerly for a distance of 750' to a post marked, "SW COR F-30 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,025 feet S 85.5° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson

on March 16, 19 70

at 50 min. past 10 A. M.

in Book 34 of OFFICIAL

RECORDS, page 496, RECORDS

OF ESSEX COUNTY, NEVADA

Recorder 52275

File No. 52275 Fee \$ 1.00



## CERTIFICATE OF LOCATION OF LODE CLAIM

F-31

THIS IS TO CERTIFY that the F-31 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situated in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.  
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.  
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.  
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.  
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.  
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.  
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.  
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-31"; thence easterly for a distance of 750' to a post marked, "NSC F-31"; thence easterly for a distance of 750' to a post marked, "NE COR F-31"; thence southerly for a distance of 600' to a post marked, "SE COR F-31"; thence westerly for a distance of 750' to a post marked, "SSC F-31"; thence westerly for a distance of 750' to a post marked, "SW COR F-31"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,550 feet S 89° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
 W. L. Wilson  
 on March 16, 1970  
 at 50 min. past 10 A. M.  
 in Book 34 of OFFICIAL  
 RECORDS, page 497, RECORDS  
 OF EUREKA COUNTY, NEVADA  
 Recorder Shelley A. DePasoli  
 File No. 52276 \$1.00



## CERTIFICATE OF LOCATION OF LODE CLAIM

F-32

THIS IS TO CERTIFY that the F-32 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.  
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.  
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.  
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.  
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.  
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.  
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.  
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-32 "; thence easterly for a distance of 750' to a post marked, "NSC F-32 "; thence easterly for a distance of 750' to a post marked, "NE COR F-32 "; thence southerly for a distance of 600' to a post marked, "SE COR F-32 "; thence westerly for a distance of 750' to a post marked, "SSC F-32 "; thence westerly for a distance of 750' to a post marked, "SW COR F-32 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,075 feet West from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
 on March 16, 1970  
 at 50 mins. past 10 A. M.  
 in Book 34 of OFFICIAL  
 RECORDS, page 498 RECORDS  
 OF EUREKA COUNTY, NEVADA  
Julius A. DeCarlo  
 Recorder  
 File No. 52277 Fee \$ 1.00



## CERTIFICATE OF LOCATION OF LORE CLAIM

F-33

THIS IS TO CERTIFY that the F-33 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument; and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.  
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.  
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.  
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.  
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.  
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.  
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.  
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-33 "; thence easterly for a distance of 750' to a post marked, "NSC F-33 "; thence easterly for a distance of 750' to a post marked, "NE COR F-33 "; thence southerly for a distance of 600' to a post marked, "SE COR F-33 "; thence westerly for a distance of 750' to a post marked, "SSC F-33 "; thence westerly for a distance of 750' to a post marked, "SW COR F-33 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,650 feet N 87° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
 on March 16, 19 70  
 at 50 min. past 10 A. M.  
 in Book 34 of OFFICIAL  
 RECORDS, page 499, RECORDS  
 OF EUREKA COUNTY, NEVADA  
Miller A. DeLoach  
 Recorder 52278  
 File No. \_\_\_\_\_ Fee \$ 1.00



## CERTIFICATE OF LOCATION OF LODE CLAIM

F-34

THIS IS TO CERTIFY that the F-34 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer cuts:

12' x 2' x 400', situate 125' S 13° W from the NE Corner, F-30 claim.  
 12' x 3' x 50', situate 370' N 72° W from the NE Corner, F-30 claim.  
 12' x 2.5' x 200', situate 380' N 72° W from the NE Corner, F-30 claim.  
 12' x 2' x 210', situate 315' S 78° W from the NE Corner, F-30 claim.  
 12' x 4' x 90', situate 530' S 75° W from the NE Corner, F-30 claim.  
 12' x 4' x 125', situate 620' S 75° W from the NE Corner, F-30 claim.

Rotary Drill Holes:

F-1, situate 670' S 67° W from the NE Corner, F-30 claim, depth 200'.  
 F-2, situate 600' S 76° W from the NE Corner, F-30 claim, depth 200'.  
 F-3, situate 315' S 78° W from the NE Corner, F-30 claim, depth 100'.

This claim is one of a group of 10 contiguous claims, being the F-21, F-23, F-25, F-27, F-29, F-30, F-31, F-32, F-33 and F-34; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-34 "; thence easterly for a distance of 750' to a post marked, "NSC F-34 "; thence easterly for a distance of 750' to a post marked, "NE COR F-34 "; thence southerly for a distance of 600' to a post marked, "SE COR F-34 "; thence westerly for a distance of 750' to a post marked, "SSC F-34 "; thence westerly for a distance of 750' to a post marked, "SW COR F-34 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,200 feet N 85° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF

W. L. Wilson

on March 16, 1970

at 50 mins. past 10 A. M.

in Book 34 of OFFICIAL

RECORDS, page 500 RECORDS

OF EUREKA COUNTY, NEVADA

Recorder Willis A. DePaulis

File No. 52279 Fee \$ 1.00



## CERTIFICATE OF LOCATION OF LODE CLAIM

F- 22

THIS IS TO CERTIFY that the F-22 Lode Mining Claim was located by Idaho Mining Corporation on the 20th day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 125', situate 125' S 13° E from the NW Corner, F-130 claim.  
 12' x 2' x 420', situate 230' S 5° E from the NW Corner, F-130 claim.  
 12' x 3' x 120', situate 90' S 36° E from the NE Corner, F-28 claim.  
 12' x 3' x 240', situate 185' S 3° W from the NE Corner, F-28 claim.  
 12' x 2' x 100', situate 400' S 27° W from the NE Corner, F-28 claim.  
 12' x 2.5' x 250', situate 410' S 27° W from the NE Corner, F-28 claim.  
 12' x 4' x 300', situate 470' S 20° W from the NE Corner, F-28 claim.  
 12' x 2' x 650', situate 350' S 19° E from the NE Corner, F-28 claim.

Rotary Drill Hole:

F-6, situate 460' S 26° W from the NE Corner, F-28 claim, depth 200'.

This claim is one of a group of 7 contiguous claims, being the F-22, F-24, F-26, F-28, F-126, F-128 and F-130; for whose benefit the discovery work described above was performed. More than \$700.00 was expended for said drilling and excavations on said group of 7 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-22 "; thence easterly for a distance of 750' to a post marked, "NSC F- 22 "; thence easterly for a distance of 750' to a post marked, "NE COR F- 22 "; thence southerly for a distance of 600' to a post marked, "SE COR F- 22 "; thence westerly for a distance of 750' to a post marked, "SSC F- 22 "; thence westerly for a distance of 750' to a post marked, "SW COR F-22 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,300 feet S 66° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
 W. L. Wilson  
 on March 16 1970  
 at 50 mins. past 10 A. M.  
 in Book 34 of OFFICIAL  
 RECORDS, page 501  
 OF EUREKA COUNTY, NEVADA  
 Recorder  
 File No. 52280 Fee \$ 1.00



## CERTIFICATE OF LOCATION OF LODE CLAIM

F- 24

THIS IS TO CERTIFY that the F- 24 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situated in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 125', situate 125' S 13° E from the NW Corner, F-130 claim.  
 12' x 2' x 420', situate 230' S 5° E from the NW Corner, F-130 claim.  
 12' x 3' x 120', situate 90' S 36° E from the NE Corner, F-28 claim.  
 12' x 3' x 240', situate 185' S 3° W from the NE Corner, F-28 claim.  
 12' x 2' x 100', situate 400' S 27° W from the NE Corner, F-28 claim.  
 12' x 2.5' x 250, situate 410' S 27° W from the NE Corner, F-28 claim.  
 12' x 4' x 300', situate 470' S 20° W from the NE Corner, F-28 claim.  
 12' x 2' x 650', situate 350' S 19° E from the NE Corner, F-28 claim.

Rotary Drill Hole:

F-6, situate 460' S 26° W from the NE Corner, F-28 claim, depth 200'.

This claim is one of a group of 7 contiguous claims, being the F-22, F-24, F-26, F-28, F-126, F-128 and F-130; for whose benefit the discovery work described above was performed. More than \$700.00 was expended for said drilling and excavations on said group of 7 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F- 24 "; thence easterly for a distance of 750' to a post marked, "NSC F-24 "; thence easterly for a distance of 750' to a post marked, "NE COR F- 24 "; thence southerly for a distance of 600' to a post marked, "SE COR F- 24 "; thence westerly for a distance of 750' to a post marked, "SSC F-24 "; thence westerly for a distance of 750' to a post marked, "SW COR F- 24 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,175 feet S 71° W from the northwest corner of Section 19; T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
 on March 16 1970  
 at 50 mins. past 10 A. M.  
 in Book 34 of OFFICIAL  
 RECORDS, page 502  
 OF EUREKA COUNTY, NEVADA  
Shelley A. DeLoach  
 Recorder  
52281  
 File No. Fee \$ 1.00



b  
CERTIFICATE OF LOCATION OF LODE CLAIM

F-26

THIS IS TO CERTIFY that the F-26 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situated in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 125', situate 125' S 13° E from the NW Corner, F-130 claim.  
 12' x 2' x 420', situate 230' S 50° E from the NW Corner, F-130 claim.  
 12' x 3' x 120', situate 90' S 36° E from the NE Corner, F-28 claim.  
 12' x 3' x 240', situate 185' S 3° W from the NE Corner, F-28 claim.  
 12' x 2' x 100', situate 400' S 27° W from the NE Corner, F-28 claim.  
 12' x 2.5' x 250', situate 410' S 27° W from the NE Corner, F-28 claim.  
 12' x 4' x 300', situate 470' S 20° W from the NE Corner, F-28 claim.  
 12' x 2' x 650', situate 350' S 19° E from the NE Corner, F-28 claim.

Rotary Drill Hole:

F-6, situate 460' S 26° W from the NE Corner, F-28 claim, depth 200'.

This claim is one of a group of 7 contiguous claims, being the F-22, F-24, F-26, F-28, F-126, F-128 and F-130; for whose benefit the discovery work described above was performed. More than \$700.00 was expended for said drilling and excavations on said group of 7 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-26 "; thence easterly for a distance of 750' to a post marked, "NSC F-26 "; thence easterly for a distance of 750' to a post marked, "NE COR F-26 "; thence southerly for a distance of 600' to a post marked, "SE COR F-26 "; thence westerly for a distance of 750' to a post marked, "SSC F-26 "; thence westerly for a distance of 750' to a post marked, "SW COR F-26 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,050 feet S 76° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
 on March 16, 19 70  
 at 50 mins. past 10 A. M.  
 Book 34 of OFFICIAL  
 RECORDS, page 503 RECORDS  
Shelley A. DePauli  
 Recorder  
 File No. 52282 Fee \$ 1.00



## b CERTIFICATE OF LOCATION OF LODE CLAIM

F- 28

THIS IS TO CERTIFY that the F- 28 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 125', situate 125' S 13° E from the NW Corner, F-130 claim.  
 12' x 2' x 420', situate 230' S 5° E from the NW Corner, F-130 claim.  
 12' x 3' x 120', situate 90' S 36° E from the NE Corner, F-28 claim.  
 12' x 3' x 240', situate 185' S 3° W from the NE Corner, F-28 claim.  
 12' x 2' x 100', situate 400' S 27° W from the NE Corner, F-28 claim.  
 12' x 2.5' x 250, situate 410' S 27° W from the NE Corner, F-28 claim.  
 12' x 4' x 300', situate 470' S 20° W from the NE Corner, F-28 claim.  
 12' x 2' x 650', situate 350' S 19° E from the NE Corner, F-28 claim.

Rotary Drill Hole:

F-6, situate 460' S 26° W from the NE Corner, F-28 claim, depth 200'.

This claim is one of a group of 7 contiguous claims, being the F-22, F-24, F-26, F-28, F-126, F-128 and F-130; for whose benefit the discovery work described above was performed. More than \$700.00 was expended for said drilling and excavations on said group of 7 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-28 "; thence easterly for a distance of 750' to a post marked, "NSC F- 28 "; thence easterly for a distance of 750' to a post marked, "NE COR F- 28 "; thence southerly for a distance of 600' to a post marked, "SE COR F-28 "; thence westerly for a distance of 750' to a post marked, "SSC F- 28 "; thence westerly for a distance of 750' to a post marked, "SW COR F-28 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,000 feet S 80° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
 on March 16, 19 70  
 at 50 mins. past 10 A. M.  
 in Book 34 of OFFICIAL  
 RECORDS, page 504  
Thelma A. DePoe  
 Recorder  
 File No. 52283 Fee \$ 1.00



b. CERTIFICATE OF LOCATION OF LODE CLAIM

F- 126

THIS IS TO CERTIFY that the F-126 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 125', situate 125' S 13° E from the NW Corner, F-130 claim.  
 12' x 2' x 420', situate 230' S 5° E from the NW Corner, F-130 claim.  
 12' x 3' x 120', situate 90' S 36° E from the NE Corner, F-28 claim.  
 12' x 3' x 240', situate 185' S 3° W from the NE Corner, F-28 claim.  
 12' x 2' x 100', situate 400' S 27° W from the NE Corner, F-28 claim.  
 12' x 2.5' x 250, situate 410' S 27° W from the NE Corner, F-28 claim.  
 12' x 4' x 300', situate 470' S 2° W from the NE Corner, F-28 claim.  
 12' x 2' x 650', situate 350' S 19° E from the NE Corner, F-28 claim.

Rotary Drill Hole:

F-6, situate 460' S 26° W from the NE Corner, F-28 claim, depth 200'.

This claim is one of a group of 7 contiguous claims, being the F-22, F-24, F-26, F-28, F-126, F-128 and F-130; for whose benefit the discovery work described above was performed. More than \$700.00 was expended for said drilling and excavations on said group of 7 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-126"; thence easterly for a distance of 750' to a post marked, "NSC F-126"; thence easterly for a distance of 750' to a post marked, "NE COR F-126"; thence southerly for a distance of 600' to a post marked, "SE COR F-126"; thence westerly for a distance of 750' to a post marked, "SSC F-126"; thence westerly for a distance of 750' to a post marked, "SW COR F-126"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 5,550 feet S 74° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson

on March 16, 19 70

at 50 mins. past 10 A. M.

in Book 34 of OFFICIAL

RECORDS, page 505

OF BOYCE COUNTY, NEVADA

Recorder 52284

File No. 52284 fee \$ 1.00



b CERTIFICATE OF LOCATION OF LODE CLAIM

F-128

THIS IS TO CERTIFY that the F-128 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

- 12' x 2' x 125', situate 125' S 13° E from the NW Corner, F-130 claim.
- 12' x 2' x 420', situate 230' S 5° E from the NW Corner, F-130 claim.
- 12' x 3' x 120', situate 90' S 36° E from the NE Corner, F-28 claim.
- 12' x 3' x 240', situate 185' S 3° W from the NE Corner, F-28 claim.
- 12' x 2' x 100', situate 400' S 27° W from the NE Corner, F-28 claim.
- 12' x 2.5' x 250, situate 410' S 27° W from the NE Corner, F-28 claim.
- 12' x 4' x 300', situate 470' S 20° W from the NE Corner, F-28 claim.
- 12' x 2' x 650', situate 350' S 19° E from the NE Corner, F-28 claim.

Rotary Drill Hole:

F-6, situate 460' S 26° W from the NE Corner, F-28 claim, depth 200'.

This claim is one of a group of 7 contiguous claims, being the F-22, F-24, F-26, F-28, F-126, F-128 and F-130; for whose benefit the discovery work described above was performed. More than \$700.00 was expended for said drilling and excavations on said group of 7 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-128"; thence easterly for a distance of 750' to a post marked, "NSC F-128"; thence easterly for a distance of 750' to a post marked, "NE COR F-128"; thence southerly for a distance of 600' to a post marked, "SE COR F-128"; thence westerly for a distance of 750' to a post marked, "SSC F-128"; thence westerly for a distance of 750' to a post marked, "SW COR F-128"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 5,500 feet S 80° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
213 Petroleum Building  
Grand Junction, Colorado 81501

By W. L. Wilson  
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
on March 16 1970  
at 50 mins. past 10 A. M.  
in Book 34 of OFFICIAL  
RECORDS, page 506  
OF EUREKA COUNTY, NEVADA.  
Recorder William A. DeLash  
No. 52285 Fee \$ 1.00



## CERTIFICATE OF LOCATION OF LODE CLAIM

F-130

THIS IS TO CERTIFY that the F-130 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situated in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 125', situate 125' S 13° E from the NW Corner, F-130 claim.  
 12' x 2' x 420', situate 230' S 5° E from the NW Corner, F-130 claim.  
 12' x 3' x 120', situate 90' S 36° E from the NE Corner, F-28 claim.  
 12' x 3' x 240', situate 185' S 3° W from the NE Corner, F-28 claim.  
 12' x 2' x 100', situate 400' S 27° W from the NE Corner, F-28 claim.  
 12' x 2.5' x 250', situate 410' S 27° W from the NE Corner, F-28 claim.  
 12' x 4' x 300', situate 470' S 20° W from the NE Corner, F-28 claim.  
 12' x 2' x 650', situate 350' S 19° E from the NE Corner, F-28 claim.

Rotary Drill Hole:

F-6, situate 460' S 26° W from the NE Corner, F-28 claim, depth 200'.

This claim is one of a group of 7 contiguous claims, being the F-27, F-24, F-26, F-28, F-126, F-128 and F-130; for whose benefit the discovery work described above was performed. More than \$700.00 was expended for said drilling and excavations on said group of 7 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-130"; thence easterly for a distance of 750' to a post marked, "NSC F-130"; thence easterly for a distance of 750' to a post marked, "NE COR F-130"; thence southerly for a distance of 600' to a post marked, "SE COR F-130"; thence westerly for a distance of 750' to a post marked, "SSC F-130"; thence westerly for a distance of 750' to a post marked, "SW COR F-130"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 5,500 feet S 86° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
 W. L. Wilson  
 on March 16, 1970  
 at 50 mins. past 10 A. M.  
 in Book 34 of OFFICIAL  
 RECORDS, page 507, RECORDS  
 OF ELIKA COUNTY, NEVADA  
 Recorder W. L. Wilson  
 File No. 52286 Fee \$1.00



CERTIFICATE OF LOCATION OF LODE CLAIM

F-2

THIS IS TO CERTIFY that the F-2 Lode Mining Claim was located by Idaho Mining Corporation on the 28th day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.  
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.  
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.  
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.  
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.  
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.  
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.  
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.  
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.  
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.  
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.  
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.  
 12' x 2.5' x 60', situate 460' S 68° E from the SSC, F-18 claim.  
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.  
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.  
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.  
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.  
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.  
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.  
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.  
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.  
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.



Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-2 "; thence easterly for a distance of 750' to a post marked, "NSC F-2 "; thence easterly for a distance of 750' to a post marked, "NE COR F-2 "; thence southerly for a distance of 600' to a post marked, "SE COR F-2 "; thence westerly for a distance of 750' to a post marked, "SSC F-2 "; thence westerly for a distance of 750' to a post marked, "SW COR F-2 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 10,275 feet S 34° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
213 Petroleum Building  
Grand Junction, Colorado 81501

By W. L. Wilson  
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson

on March 16, 19 70  
at 50 miles, part 10 A. M.  
in Book 34 of OFFICIAL  
RECORDS, page 508-509 RECORDS  
OF BURKEA COUNTY, NEVADA  
Thelma A. McLaughlin  
Recorder 52287  
File No. 52287 Fee \$ 1.00



CERTIFICATE OF LOCATION OF LODE CLAIM

F-4

THIS IS TO CERTIFY that the F-4 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.  
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.  
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.  
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.  
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.  
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.  
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.  
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.  
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.  
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.  
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.  
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.  
 12' x 2.5' x 60', situate 460' S 68° E from the SSC, F-18 claim.  
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.  
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.  
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.  
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.  
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.  
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.  
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.  
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.  
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.



Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4 1/2 feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-4"; thence easterly for a distance of 750' to a post marked, "NSC F-4"; thence easterly for a distance of 750' to a post marked, "NE COR F-4"; thence southerly for a distance of 600' to a post marked, "SE COR F-4"; thence westerly for a distance of 750' to a post marked, "SSC F-4"; thence westerly for a distance of 750' to a post marked, "SW COR F-4"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 10,275 feet S 36° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
213 Petroleum Building  
Grand Junction, Colorado 81501

By W. L. Wilson  
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
on March 16, 19 70  
at 50 mins. past 10 A. M.  
in Book 34 of OFFICIAL  
RECORDS, page 510-511 RECORDS  
OF EUREKA COUNTY, NEVADA.  
Recorder William A. McLaughlin  
File No. 52288 Fee \$ 1.00



CERTIFICATE OF LOCATION OF LODE CLAIM

F-6

THIS IS TO CERTIFY that the F-6 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.  
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.  
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.  
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.  
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.  
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.  
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.  
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.  
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.  
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.  
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.  
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.  
 12' x 2.5' x 60', situate 460' S 68° E from the SSC, F-18 claim.  
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.  
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.  
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.  
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.  
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.  
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.  
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.  
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.  
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.



Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-6"; thence easterly for a distance of 750' to a post marked, "NSC F-6"; thence easterly for a distance of 750' to a post marked, "NE COR F-6"; thence southerly for a distance of 600' to a post marked, "SE COR F-6"; thence westerly for a distance of 750' to a post marked, "SSC F-6"; thence westerly for a distance of 750' to a post marked, "SW COR F-6"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 9,850 feet S 39° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
213 Petroleum Building  
Grand Junction, Colorado 81501

By W. L. Wilson  
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
on March 16, 19 70  
at 50 min. past 10 M.  
in Book 34 of OFFICIAL  
RECORDS, page 512-513, RECORDS  
OF ELIZABETH COUNTY, NEVADA  
James A. McLaughlin  
Recorder 52289  
File No. \_\_\_\_\_ Fee \$ 1.00



CERTIFICATE OF LOCATION OF LODE CLAIM

F-8

THIS IS TO CERTIFY that the F-8 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.  
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.  
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.  
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.  
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.  
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.  
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.  
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.  
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.  
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.  
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.  
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.  
 12' x 2.5' x 60', situate 460' S 68° E from the SSC, F-18 claim.  
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.  
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.  
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.  
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.  
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.  
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.  
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.  
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.  
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.



Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4 1/2 feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-8"; thence easterly for a distance of 750' to a post marked, "NSC F-8"; thence easterly for a distance of 750' to a post marked, "NE COR F-8"; thence southerly for a distance of 700' to a post marked, "SE COR F-8"; thence westerly for a distance of 750' to a post marked, "SSC F-8"; thence westerly for a distance of 750' to a post marked, "SW COR F-8"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 9,450 feet S 41° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
213 Petroleum Building  
Grand Junction, Colorado 81501

By

W. L. Wilson  
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
on March 16 19 70  
at 50 mins, past 10 A. M.  
in Book 34 of OFFICIAL  
RECORDS, page 514-515, RECORDS  
OF ELDERA COUNTY, NEVADA  
William G. McLaughlin  
Recorder 52290  
File No. \_\_\_\_\_ Fee \$ 1.00



## CERTIFICATE OF LOCATION OF LODE CLAIM

F-10

THIS IS TO CERTIFY that the F-10 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.  
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.  
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.  
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.  
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.  
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.  
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.  
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.  
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.  
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.  
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.  
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.  
 12' x 2.5' x 60', situate 460' S 68° E from the SSC, F-18 claim.  
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.  
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.  
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.  
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.  
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.  
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.  
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.  
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 250' N 2° W of the SSC, F-18 claim, depth 125'.  
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.



Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-10 "; thence easterly for a distance of 750' to a post marked, "NSC F- 10 "; thence easterly for a distance of 750' to a post marked, "NE COR F- 10 "; thence southerly for a distance of 600' to a post marked, "SE COR F- 10 "; thence westerly for a distance of 750' to a post marked, "SSC F- 10 "; thence westerly for a distance of 750' to a post marked, "SW COR F- 10 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 9,050 feet S 44° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
213 Petroleum Building  
Grand Junction, Colorado 81501

By W. L. Wilson  
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
on March 16 1970  
at 50 mins. past 10 A. M.  
in Book 34 of OFFICIAL  
RECORDS, page 516-517 RECORDS  
OF FREMONT COUNTY, NEADA  
William A. DePauli  
Recorder 52291 Fee \$ 1.00  
File No. \_\_\_\_\_



## CERTIFICATE OF LOCATION OF LODE CLAIM

F- 12

THIS IS TO CERTIFY that the F-12 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situated in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.  
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.  
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.  
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.  
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.  
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.  
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.  
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.  
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.  
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.  
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.  
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.  
 12' x 2.5' x 60', situate 460' S 63° E from the SSC, F-18 claim.  
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.  
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.  
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.  
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.  
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.  
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.  
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.  
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.  
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.



Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4 1/2 feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-12 "; thence easterly for a distance of 750' to a post marked, "NSC F-12 "; thence easterly for a distance of 750' to a post marked, "NE COR F-12 "; thence southerly for a distance of 600' to a post marked, "SE COR F-12 "; thence westerly for a distance of 750' to a post marked, "SSC F-12 "; thence westerly for a distance of 750' to a post marked, "SW COR F-12 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,700 feet S 47° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
213 Petroleum Building  
Grand Junction, Colorado 81501

By W. L. Wilson  
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
on March 16, 1970  
at 50 mins. past 10 A. M.  
in Book 34 of OFFICIAL  
RECORDS, page 518-519 RECORDS  
OF WYOMING COUNTY, NEVADA.  
Willis A. DeTasli  
Recorder 52292  
File No. \_\_\_\_\_ Fee \$ 1.00



CERTIFICATE OF LOCATION OF LODE CLAIM

F-14

THIS IS TO CERTIFY that the F-14 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secre Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.  
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.  
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.  
 12' x 2' x 55', situate 550' N 75° W from the SSC, F-18 claim.  
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.  
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.  
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.  
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.  
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.  
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.  
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.  
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.  
 12' x 2.5' x 60', situate 460' S 68° E from the SSC, F-18 claim.  
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.  
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.  
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.  
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.  
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.  
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.  
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.  
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.  
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.



Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4 1/2 feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-14 "; thence easterly for a distance of 750' to a post marked, "NSC F-14 "; thence easterly for a distance of 750' to a post marked, "NE COR F-14 "; thence southerly for a distance of 600' to a post marked, "SE COR F-14 "; thence westerly for a distance of 750' to a post marked, "SSC F-14 "; thence westerly for a distance of 750' to a post marked, "SW COR F-14 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,325 feet S 50° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
213 Petroleum Building  
Grand Junction, Colorado 81501

By W. L. Wilson  
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
on March 16, 1970  
at 50 mins. past 10 A. M.  
in Book 34 of OFFICIAL  
RECORDS, page 520-521 RECORDS  
OF EUREKA COUNTY, NEVADA  
Recorder Shelley A. DePaulis  
File No. 52293 Fee \$ 1.00



CERTIFICATE OF LOCATION OF LODE CLAIM

F- 16

THIS IS TO CERTIFY that the F-16 Lode Mining Claim was located by Idaho Mining Corporation on the 20th day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.  
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.  
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.  
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.  
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.  
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.  
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.  
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.  
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.  
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.  
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.  
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.  
 12' x 2.5' x 60', situate 460' S 68° E from the SSC, F-18 claim.  
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.  
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.  
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.  
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.  
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.  
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.  
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.  
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.  
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.



Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4 1/2 feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-16 "; thence easterly for a distance of 750' to a post marked, "NSC F-16 "; thence easterly for a distance of 750' to a post marked, "NE COR F-16 "; thence southerly for a distance of 600' to a post marked, "SE COR F-16 "; thence westerly for a distance of 750' to a post marked, "SSC F-16 "; thence westerly for a distance of 750' to a post marked, "SW COR F-16 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,025 feet S 54° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
213 Petroleum Building  
Grand Junction, Colorado 81501

By W. L. Wilson  
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
on March 16, 19 70  
at 50 mins. past 10 A. M.  
is Book 34 of OFFICIAL  
RECORDS, page 522-523 RECORDS  
OF JOHNS COUNTY, NEVADA  
Recorder 52294  
File No. 52294 Fee \$ 1.00



CERTIFICATE OF LOCATION OF LODE CLAIM

F-18

THIS IS TO CERTIFY that the F-18 Lode Mining Claim was located by Idaho Mining Corporation on the 20th day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.  
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.  
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.  
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.  
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.  
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.  
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.  
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.  
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.  
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.  
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.  
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.  
 12' x 2.5' x 60', situate 460' S 63° E from the SSC, F-18 claim.  
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.  
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.  
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.  
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.  
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.  
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.  
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.  
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.  
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.



Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-18 "; thence easterly for a distance of 750' to a post marked, "NSC F-18 "; thence east 21y for a distance of 750' to a post marked, "NE COR F-18 "; thence southerly for a distance of 600' to a post marked, "SE COR F-18 "; thence westerly for a distance of 750' to a post marked, "SSC F-18 "; thence westerly for a distance of 750' to a post marked, "SW COR F-18 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,750 feet S 57° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
213 Petroleum Building  
Grand Junction, Colorado 81501

By W. L. Wilson  
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
on March 16, 19 70  
at 50 mins. past 10 A. M.  
in Book 34 of OFFICIAL  
RECORDS, page 524-525 RECORDS  
OF EUREKA COUNTY, NEVADA  
Hillis A. McFarli  
Recorder 52295 Fee \$ 1.00  
File No.



## CERTIFICATE OF LOCATION OF LODE CLAIM

F-20

THIS IS TO CERTIFY that the F-20 Lode Mining Claim was located by Idaho Mining Corporation on the 20th day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 1490 feet in an easterly direction and 10 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 2' x 100', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2' x 90', situate 175' N 80° W from the SSC, F-18 claim.  
 12' x 2' x 150', situate 250' N 65° W from the SSC, F-18 claim.  
 12' x 2' x 170', situate 400' N 79° W from the SSC, F-18 claim.  
 12' x 2' x 55', situate 550' N 79° W from the SSC, F-18 claim.  
 12' x 1' x 90', situate 130' S 39° E from the location monument, F-18 claim.  
 12' x 2' x 90', situate 40' S 24° E from the location monument, F-18 claim.  
 12' x 2' x 450', situate 70' N 85° W from the SSC, F-18 claim.  
 12' x 2.5' x 400', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2' x 180', situate 260' N 2° W from the SSC, F-18 claim.  
 12' x 4' x 70', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 3' x 130', situate 470' N 50° E from the SSC, F-18 claim.  
 15' x 4' x 120', situate 610' N 46° E from the SSC, F-18 claim.  
 12' x 3' x 60', situate 400' N 48° E from the SSC, F-18 claim.  
 12' x 2.5' x 100', situate 450' N 52° E from the SSC, F-18 claim.  
 12' x 2' x 100', situate 550' N 53° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 650' N 57° E from the SSC, F-18 claim.  
 12' x 3' x 150', situate 330' S 80° E from the SSC, F-18 claim.  
 12' x 2.5' x 60', situate 460' S 68° E from the SSC, F-18 claim.  
 12' x 2' x 225', situate 480' S 61° E from the SSC, F-18 claim.  
 12' x 3' x 100', situate 510' S 36° E from the SSC, F-18 claim.  
 12' x 2' x 140', situate 100' N 14° E from the location monument, F-4 claim.  
 12' x 2' x 130', situate 170' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 65', situate 300' N 70° E from the location monument, F-4 claim.  
 12' x 1' x 120', situate 360' N 75° E from the location monument, F-4 claim.  
 12' x 2' x 90', situate 460' N 85° E from the location monument, F-4 claim.  
 16' x 3' x 100', situate 550' N 87° E from the location monument, F-4 claim.  
 12' x 3' x 65', situate 590' N 78° E from the location monument, F-4 claim.  
 12' x 2' x 100', situate 640' N 82° E from the location monument, F-4 claim.  
 12' x 0.5' x 130', situate 700' N 89° E from the location monument, F-4 claim.

Rotary Drill Holes:

F-8, situate 260' N 2° W of the SSC, F-18 claim, depth 125'.  
 F-9, situate 460' N 30° W of the SE Corner, F-18 claim, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-2, F-4, F-6, F-8, F-10, F-12, F-14, F-16, F-18 and F-20; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.



Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-20 "; thence easterly for a distance of 750' to a post marked, "NSC F-20 "; thence easterly for a distance of 750' to a post marked, "NE COR F-20 "; thence southerly for a distance of 600' to a post marked, "SE COR F-20 "; thence westerly for a distance of 750' to a post marked, "SSC F-20 "; thence westerly for a distance of 750' to a post marked, "SW COR F-20 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 7,500 feet S. 62° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
213 Petroleum Building  
Grand Junction, Colorado 81501

By W. L. Wilson  
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
on March 16 19 70  
at 50 mins. past 10 A. M.  
in Book 34 of OFFICIAL  
RECORDS, page 526-527 RECORDS  
OF FRY COUNTY, NEVADA  
Recorded Shelley A. DePaoli  
File No. 52296 Fee \$ 1.00



## CERTIFICATE OF LOCATION OF LODE CLAIM

F- 1

THIS IS TO CERTIFY that the F- 1 Lode Mining Claim was located by Idaho Mining Corporation on the 28th day of February, 1970. The general course of said vein or lode is easterly and westerly. The claim is situated in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.  
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.  
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.  
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.  
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.  
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F- 1 "; thence easterly for a distance of 750' to a post marked, "NSC F- 1 "; thence easterly for a distance of 750' to a post marked, "NE COR F- 1 "; thence southerly for a distance of 600' to a post marked, "SE COR F- 1 "; thence westerly for a distance of 750' to a post marked, "SSC F- 1 "; thence westerly for a distance of 750' to a post marked, "SW COR F- 1 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 11,800 feet S 40° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson

on March 16, 1970

at 50 min. past 10 A. M.

in Book 34 of OFFICIAL

RECORDS, page 528, RECORDS

OF EUREKA COUNTY, NEVADA

Recorder William C. McFaul

File No. 52297 Fee \$ 1.00



## CERTIFICATE OF LOCATION OF LODE CLAIM

F-3

THIS IS TO CERTIFY that the F-3 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.  
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.  
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.  
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.  
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.  
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-3"; thence easterly for a distance of 750' to a post marked, "NSC F-3"; thence easterly for a distance of 750' to a post marked, "NE COR F-3"; thence southerly for a distance of 600' to a post marked, "SE COR F-3"; thence westerly for a distance of 750' to a post marked, "SSC F-3"; thence westerly for a distance of 750' to a post marked, "SW COR F-3"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 11,375 feet S 42° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
 on March 16, 1970  
 at 50 min. past 10 A. M.  
 in Book 34 of OFFICIAL  
 RECORDS, page 529  
 GEORGE COUNTY, NEVADA  
Shirley A. DePauli  
 Recorder  
 File No. 52298 Fee \$ 1.00



d

CERTIFICATE OF LOCATION OF LODE CLAIM

F-5

THIS IS TO CERTIFY that the F- 5 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.  
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.  
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.  
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.  
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.  
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F- 5 "; thence easterly for a distance of 750' to a post marked, "NSC F- 5 "; thence easterly for a distance of 750' to a post marked, "NE COR F- 5 "; thence southerly for a distance of 600' to a post marked, "SE COR F- 5 "; thence westerly for a distance of 750' to a post marked, "SSC F- 5 "; thence westerly for a distance of 750' to a post marked, "SW COR F- 5 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 11,000 feet S 44° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By

*W. L. Wilson*

W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
 on March 16, 19 70  
 at 50 min. past 10 A. M.  
 in Book 34 of OFFICIAL  
 RECORDS, page 530  
 OF SECRET CANYON COUNTY, NEVADA  
*Shelley G. McTee*  
 Recorder  
 File No. 52299 Fee \$ 1.00



## CERTIFICATE OF LOCATION OF LOSE CLAIM

F-7

THIS IS TO CERTIFY that the F-7 Lode Mining Claim was located by Idaho Mining Corporation on the 22nd day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.  
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.  
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.  
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.  
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.  
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-7"; thence easterly for a distance of 750' to a post marked, "NSC F-7"; thence easterly for a distance of 750' to a post marked, "NE COR F-7"; thence southerly for a distance of 600' to a post marked, "SE COR F-7"; thence westerly for a distance of 750' to a post marked, "SSC F-7"; thence westerly for a distance of 750' to a post marked, "SW COR F-7"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 10,600 feet S 47° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By

W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF

W. L. Wilson

on March 16, 1970

at 50 mins. past 10 A. M.

in Book 34 of OFFICIAL

RECORDS, page 531, RECORDS

OF EUREKA COUNTY, NEVADA

Shirley C. McPhee

Recorder

File No. 52300 Fee \$1.00



## CERTIFICATE OF LOCATION OF LODE CLAIM

F-9

THIS IS TO CERTIFY that the F-9 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.049, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.  
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.  
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.  
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.  
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.  
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-9 "; thence easterly for a distance of 750' to a post marked, "NSC F-9 "; thence easterly for a distance of 750' to a post marked, "NE COR F-9 "; thence southerly for a distance of 600' to a post marked, "SE COR F-9 "; thence westerly for a distance of 750' to a post marked, "SSC F-9 "; thence westerly for a distance of 750' to a post marked, "SW COR F-9 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 10,275 feet S 50° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
 W. L. Wilson  
 on March 16, 1970  
 at 50 mins. past 10 A. M.  
 in Book 34 of OFFICIAL  
 RECORDS, page 532, RECORDS  
 OF EUREKA COUNTY, NEVADA  
William A. McFarlin  
 Recorder  
 File No. 52301 Fee \$1.00



## CERTIFICATE OF LOCATION OF LOSE CLAIM

F- 11

THIS IS TO CERTIFY that the F-11 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.  
12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.  
12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.  
12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.  
16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.  
F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-11 "; thence easterly for a distance of 750' to a post marked, "NSC F-11 "; thence easterly for a distance of 750' to a post marked, "NE COR F-11 "; thence southerly for a distance of 600' to a post marked, "SE COR F-11 "; thence westerly for a distance of 750' to a post marked, "SSC F-11 "; thence westerly for a distance of 750' to a post marked, "SW COR F-11 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 9,950 feet S 52° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
213 Petroleum Building  
Grand Junction, Colorado 81501

By W. L. Wilson  
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson

on March 16, 1970

at 50 mins. past 10 A. M.

in Book 34 of OFFICIAL

RECORDS, page 533, RECORDS

OF EUREKA COUNTY, NEVADA.

Recorded 52302 Fee \$ 1.00

File No. 52302



## CERTIFICATE OF LOCATION OF LODE CLAIM

F- 13

THIS IS TO CERTIFY that the F-13 Lode Mining Claim was located by Idaho Mining Corporation on the 21st day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situated in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.  
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.  
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.  
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.  
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.  
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-13 "; thence easterly for a distance of 750' to a post marked, "NSC F-13 "; thence easterly for a distance of 750' to a post marked, "NE COR F-13 "; thence southerly for a distance of 600' to a post marked, "SE COR F-13 "; thence westerly for a distance of 750' to a post marked, "SSC F-13 "; thence westerly for a distance of 750' to a post marked, "SW COR F-13 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 9,650 feet S 55° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
 on March 16, 1970  
 at 50 mins, past 10 A. M.  
 in Book 34 of OFFICIAL  
 RECORDS, page 534  
 OF EUREKA COUNTY, NEVADA  
William A. Peterson  
 Recorder  
 File No. 52303 Fee \$ 1.00



## CERTIFICATE OF LOCATION OF LODE CLAIM

F-15

THIS IS TO CERTIFY that the F-15 Lode Mining Claim was located by Idaho Mining Corporation on the 20th day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Ganyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.  
12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.  
12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.  
12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.  
16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.  
F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-15"; thence easterly for a distance of 750' to a post marked, "NSC F-15"; thence easterly for a distance of 750' to a post marked, "NE COR F-15"; thence southerly for a distance of 600' to a post marked, "SE COR F-15"; thence westerly for a distance of 750' to a post marked, "SSC F-15"; thence westerly for a distance of 750' to a post marked, "SW COR F-15"; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 9,375 feet S 59° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
213 Petroleum Building  
Grand Junction, Colorado 81501

By

*W. L. Wilson*

W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF

W. L. Wilson

on March 16, 1970

at 50 mins. past 10 A. M.

in Book 34 of OFFICIAL

RECORDS, page 535, RECORDS

OF EUREKA COUNTY, NEVADA

*Theresa A. McLaughlin*

Recorder

52304

File No. Fee \$ 1.00



CERTIFICATE OF LOCATION OF LODE CLAIM

F-17

THIS IS TO CERTIFY that the F-17 Lode Mining Claim was located by Idaho Mining Corporation on the 20th day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.  
12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.  
12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.  
12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.  
16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.  
F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-17 "; thence easterly for a distance of 750' to a post marked, "NSC F-17 "; thence easterly for a distance of 750' to a post marked, "NE COR F-17 "; thence southerly for a distance of 600' to a post marked, "SE COR F-17 "; thence westerly for a distance of 750' to a post marked, "SSC F-17 "; thence westerly for a distance of 750' to a post marked, "SW COR F-17 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 9,150 feet S 63° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
213 Petroleum Building  
Grand Junction, Colorado 81501

By W. L. Wilson  
W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
on March 16, 1970  
at 50 mins. past 10 A. M.  
in Book 34 of OFFICIAL  
RECORDS, page 536, RECORDS  
OF EUREKA COUNTY, NEVADA.  
Recorder William G. DePauli  
File No. 52305 Fee \$ 1.00



## CERTIFICATE OF LOCATION OF LOSE CLAIM

F- 19

THIS IS TO CERTIFY that the F-19 Lode Mining Claim was located by Idaho Mining Corporation on the 20th day of December, 1969. The general course of said vein or lode is easterly and westerly. The claim is situate in the Secret Canyon Area of the Eureka (unorganized) Mining District, Eureka County, Nevada.

The Locator claims 10 feet in an easterly direction and 1490 feet in a westerly direction from the location monument, and a width of 300 feet on each side of the center of the vein or lode along the entire length of said claim.

In Compliance with Sections 517.040, 517.050 and other applicable portions of the Nevada Revised Statutes, the discovery work consisted of the excavation work listed below:

Bulldozer Cuts:

12' x 3' x 120', situate 100' N 16° E of the location monument, F-3 claim.  
 12' x 3' x 210', situate 160' N 32° W of the location monument, F-3 claim.  
 12' x 2.5' x 50', situate 370' N 40° W of the location monument, F-3 claim.  
 12' x 3' x 60', situate 420' N 42° W of the location monument, F-3 claim.  
 16' x 4' x 100', situate 470' N 34° W of the location monument, F-3 claim.

Rotary Drill Holes:

F-7, situate 50' N 5° W from the location monument, F-17, depth 205'.  
 F-10, situate 370' N 40° W from the location monument, F-3, depth 200'.

This claim is one of a group of 10 contiguous claims, being the F-1, F-3, F-5, F-7, F-9, F-11, F-13, F-15, F-17, and F-19; for whose benefit the discovery work described above was performed. More than \$1,000.00 was expended for said drilling and excavations on said group of 10 claims, which did advance the exploration and development of all claims in said group.

Each corner or side center of said claim is marked with a 4" x 4" wooden post, 4½ feet long, set one foot of its length in the ground, said posts being located and marked (markings are on metal tags affixed to said posts) as follows (bearings and distances are approximate): "NW COR F-19 "; thence easterly for a distance of 750' to a post marked, "NSC F-19 "; thence easterly for a distance of 750' to a post marked, "NE COR F-19 "; thence southerly for a distance of 600' to a post marked, "SE COR F-19 "; thence westerly for a distance of 750' to a post marked, "SSC F-19 "; thence westerly for a distance of 750' to a post marked, "SW COR F-19 "; thence northerly for a distance of 600' to the point of beginning.

The Northwest corner of this claim is approximately 8,950 feet S 66° W from the northwest corner of Section 19, T. 18 N., R. 54 E., MDB&M.

All location and discovery work necessary to complete this location have been performed by March 13, 1970.

Dated this 13th day of March, 1970.

IDAHO MINING CORPORATION, Locator  
 213 Petroleum Building  
 Grand Junction, Colorado 81501

By W. L. Wilson  
 W. L. Wilson, Vice President

RECORDED AT THE REQUEST OF  
W. L. Wilson  
 on March 16, 1970  
 at 50 min. past 10 A. M.  
 in Book 34 of OFFICIAL  
 RECORDS, page 537, RECORDS  
 OF EUREKA COUNTY, NEVADA  
 Recorder Theresa A. Petros  
 File No. 52306 Fee \$ 1.00