| 1        | THIS IS TO CERTIFY THAT the Aspen 26   |
|----------|--|
| lode     | e mining claim   |
|          | ose post office address appears below, on the 20th day of March  |
|          | The general course of said lode or vein isnorth - south  |
|          | The claim (is, ex) situated in the Buckhorn Mining Dis   |
|          | Eureka County, State of Nevada,  |
|          |  |
|          | The locator claims 1,400 feet in a (n)northerly direction and 100  |
| feel     | t in a (s) southerly direction from the point of discovery, with a width of 300  |
| on       | each side of the center of the vein or lode along the entire length of said claim  |
| (If      | additional space is needed attach separate sheet).   |
|          | The dimensions and locations of the discovery work done on the claim are as follows:  A trench equivalent to a pit 4' X 6' X 10' was made near |
|          | the location monument of Aspen 26.   |
|          |  |
|          |  |
|          |  |
|          | <u> </u>   |
|          |  |
|          | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \  |
|          |  |
|          |  |
| !        | The total cost of such work consisted of at least \$. 100.00   |
|          | The corners and side center of the claim are located and marked as follows: From t   |
|          | SW corner, a post marked SW Aspen-26, 750' in a norther1   |
|          | direction to the west side center (WSC Aspen-26), thence   |
|          | 750' northerly to the NW corner, (NW Aspen-26), thence   |
|          | 600' east to the NE corner (NE Aspen-26), thence 750' so   |
| \        | to the east side center (ESC Aspen-26), thence 750' sout   |
| 1        | to the SE corner (SE Aspen-26), thence 600' west to the  |
|          | SW corner (SW Aspen-26), the point of beginning. The sou   |
| :        | end line of Aspen 26 is common with the north end line o   |
| 걸        | Aspen 27.  |
| 된        |  |
| T        |  |
| <u> </u> |  |
|          | (If additional space is needed attach separate sheet).  Each of the above-described monuments is A post at least 4" in diameter                |
| 7        | Each of the above-described monuments is R post at Teast 1 4.5' in length, set 1' in the ground.   |
| <b>#</b> |  |
| non      | All location and discovery work necessary to complete this location had been perform  March  1970  |
| P        | 264h - Marah 10.70   |
| # 11     | Dated this 20th day of Fig. 1. One East First St., Reno, No.   |
| 7 1      | (Name of Locator) (Address)  |
|          |  |
| 11       |  |
| ailroa   | (NAME OF LOCATOR) (ADDRESS)  To be filed with the County Recorder.   |

AND STREET OF THE PROPERTY PROPERTY OF THE PRO

FUREKY COUNTY, NEWADA

He fraction Reporter.

577 300K 34 · PAGE.

|         | Certificate of Location of Lode Claim_   |
|---------|--|
|         | THIS IS TO CERTIFY THAT the Aspen 27   |
| lo      | ode mining claim   |
| n       | whose post office address appears below, on the 20th day of March, 19.70   |
|         | The general course of said lode or vein isnorth - south  |
|         | The claim  |
|         | The locator claims 100 feet in a (n)northerly direction and 1,400  |
| ,       | teet in a (s) southerly direction from the point of discovery, with a width of   |
| •       | on each side of the center of the vein or lode along the entire length of said claim   |
|         | (If additional space is needed attach separate sheet).   |
| `       | The dimensions and locations of the discovery work done on the claim are as follows:   |
| ١       | A trench equivalent to a pit 4' X 6' X 10' was made near   |
|         | the location monument of Aspen 27.   |
|         |  |
|         |  |
|         |  |
|         |  |
|         |  |
| -       |  |
| -       |  |
| -       | 100.00   |
|         | The total cost of such work consisted of at least \$ 100.00  |
|         | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-27, 750' in a northerly |
| -       | direction to the west side center (WSC Aspen-27), thence   |
| -       | 750' northerly to the NW corner, (NW Aspen-27), thence   |
| .       | 600' east to the NE corner (NE Aspen-27), thence 750' sout   |
| ] -     | to the east side center (ESC Aspen-27), thence 750' south  |
| Ν       | to the SE corner (SE Aspen-27), thence 600' west to the  |
| -       | SW corner (SW Aspen-27), the point of beginning.   |
| -       |  |
| '       |  |
| ,       |  |
| -       |  |
|         |  |
|         | (If additional space is needed attach separate skeet).   |
| ;<br>}  | Each of the above-described monuments is A post at least 4" in diameter by   |
|         | 4.5' in length, set 1' in the ground.  |
| )       | All location and discovery work necessary to complete this location had been performed   |
| ا<br>ت  | March , 19 <sup>70</sup>   |
| )  <br> | Dated this 26th day of March 1970  |
| -       | One East First St., Reno, Neva   |
| P .     | (Name of Locator) (Address)  |
| 1       | (Name of Locator) (Address)  |
| L.      | * To be filed with the County Recorder.  |
|         | CARLIGLE'S FORM NO. 56 N-COERTIFICATE OF LOCATION-LODE-NEY ADA.  |
|         | region. The second of $\S 4$ , $oldsymbol{5}$  |

|  | lode mining claim (WYS) was) located by W. L. Gunter   |
|--|--|
|  | whose post office address appears below, or the 20th day of March 19.70  |
|  | The general course of said lode or vein isnorth - south  |
|  | The claim (is, we) situated in the Buckhorn Mining District  |
| and the state of t | Eureka County, State of Nevada,  |
|  | The locator claims 100 feet in a (n) northerly direction and 1,400 feet in a (s) Southerly direction from the point of discovery, with a width of 300 fee  |
|  | on each side of the center of the vein or lode along the entire length of said claim   |
|  | (If additional space is needed attach separate sheet).   |
|  |  |
|  | The dimensions and locations of the discovery work done on the claim are as follows:   |
| 1  | the location monument of Aspen 28.   |
|  |  |
| à  |  |
|  |  |
| į  |  |
|  |  |
|  |  |
| Ė  |  |
| 1  |  |
|  |  |
|  | The total cost of such work consisted of at least \$\frac{100.00}{100.00}.  The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-28, 750' in a northerly   |
|  | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-28, 750' in a northerly direction to the west side center (WSC Aspen-28), thence 750' northerly to the NW corner, (NW Aspen-28), thence 600' east to the NE corner (NE Aspen-28), thence 750' south   |
|  | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-28, 750' in a northerly direction to the west side center (WSC Aspen-28), thence 750' northerly to the NW corner, (NW Aspen-28), thence 600' east to the NE corner (NE Aspen-28), thence 750' south to the east side center (ESC Aspen-28), thence 750' south   |
|  | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-28, 750' in a northerly direction to the west side center (WSC Aspen-28), thence 750' northerly to the NW corner, (NW Aspen-28), thence 600' east to the NE corner (NE Aspen-28), thence 750' south to the east side center (ESC Aspen-28), thence 750' south to the SE corner (SE Aspen-28), thence 600' west to the   |
| 22:50<br>an  | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-28, 750' in a northerly direction to the west side center (WSC Aspen-28), thence 750' northerly to the NW corner, (NW Aspen-28), thence 600' east to the NE corner (NE Aspen-28), thence 750' south to the east side center (ESC Aspen-28), thence 750' south   |
| ar::Osbeb<br>Mar<br>an   | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-28, 750' in a northerly direction to the west side center (WSC Aspen-28), thence 750' northerly to the NW corner, (NW Aspen-28), thence 600' east to the NE corner (NE Aspen-28), thence 750' south to the east side center (ESC Aspen-28), thence 750' south to the SE corner (SE Aspen-28), thence 600' west to the SW corner (SW Aspen-28), the point of beginning.  |
| ATTORDED AT March  | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-28, 750' in a northerly direction to the west side center (WSC Aspen-28), thence 750' northerly to the NW corner, (NW Aspen-28), thence 600' east to the NE corner (NE Aspen-28), thence 750' south to the east side center (ESC Aspen-28), thence 750' south to the SE corner (SE Aspen-28), thence 600' west to the SW corner (SW Aspen-28), the point of beginning.  |
| Book 34 of   | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-28, 750' in a northerly direction to the west side center (WSC Aspen-28), thence 750' northerly to the NW corner, (NW Aspen-28), thence 600' east to the NE corner (NE Aspen-28), thence 750' south to the east side center (ESC Aspen-28), thence 750' south to the SE corner (SE Aspen-28), thence 600' west to the SW corner (SW Aspen-28), the point of beginning.  |
| VERORDED AT THE RESIDENCE OF OFFICE Book 34 of OFFICE Book 37 of O | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-28, 750' in a northerly direction to the west side center (WSC Aspen-28), thence 750' northerly to the NW corner, (NW Aspen-28), thence 600' east to the NE corner (NE Aspen-28), thence 750' south to the east side center (ESC Aspen-28), thence 750' south to the SE corner (SE Aspen-28), thence 600' west to the SW corner (SW Aspen-28), the point of beginning.  |
| Book 34 of OFFICIAL  | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-28, 750' in a northerly direction to the west side center (WSC Aspen-28), thence 750' northerly to the NW corner, (NW Aspen-28), thence 600' east to the NE corner (NE Aspen-28), thence 750' south to the east side center (ESC Aspen-28), thence 750' south to the SE corner (SE Aspen-28), thence 600' west to the SW corner (SW Aspen-28), the point of beginning.  |
| Book 34 of OFFICIAL RECO   | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-28, 750' in a northerly direction to the west side center (WSC Aspen-28), thence 750' northerly to the NW corner, (NW Aspen-28), thence 600' east to the NE corner (NE Aspen-28), thence 750' south to the east side center (ESC Aspen-28), thence 750' south to the SE corner (SE Aspen-28), thence 600' west to the SW corner (SW Aspen-28), the point of beginning.  |
| Book 34 of OFFICIAL RECEADS  | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-28, 750' in a northerly direction to the west side center (WSC Aspen-28), thence 750' northerly to the NW corner, (NW Aspen-28), thence 600' east to the NE corner (NE Aspen-28), thence 750' south to the east side center (ESC Aspen-28), thence 750' south to the SE corner (SE Aspen-28), thence 600' west to the SW corner (SW Aspen-28), the point of beginning.  |
| Book 34 of OFFICIAL RECORDS, pro-  | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-28, 750' in a northerly direction to the west side center (WSC Aspen-28), thence 750' northerly to the NW corner, (NW Aspen-28), thence 600' east to the NE corner (NE Aspen-28), thence 750' south to the east side center (ESC Aspen-28), thence 750' south to the SE corner (SE Aspen-28), thence 600' west to the SW corner (SW Aspen-28), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is A post at least 4" in diameter b 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete, this location had been performed in the second s |
| Book 34 of OFFICIAL RECURS, Prov. 579  | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-28, 750' in a northerly direction to the west side center (WSC Aspen-28), thence 750' northerly to the NW corner, (NW Aspen-28), thence 600' east to the NE corner (NE Aspen-28), thence 750' south to the east side center (ESC Aspen-28), thence 750' south to the SE corner (SF Aspen-28), thence 600' west to the SW corner (SW Aspen-28), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is A post at least 4" in diameter b 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete, this location had been performed in the second of the s |
| COORDED AT THE REAL Union Pacific Bailty Warch 31 1970 H 10 mile fort 4 P.  Book 34 of OFFICIAL RECURDS, proc 579 R  | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-28, 750' in a northerly direction to the west side center (WSC Aspen-28), thence 750' northerly to the NW corner, (NW Aspen-28), thence 600' east to the NE corner (NE Aspen-28), thence 750' south to the east side center (ESC Aspen-28), thence 750' south to the SE corner (SE Aspen-28), thence 600' west to the SW corner (SW Aspen-28), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is A post at least 4" in diameter b 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performed March 19.70.  |
| Warch 31 19 70 of 10 min Pacific Railroad Narch 31 19 70 of 10 min for 4 P. M. Sook 34 of OFFICIAL RECORDS, prop 579 RECORDS RECORDS   | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-28, 750' in a northerly direction to the west side center (WSC Aspen-28), thence 750' northerly to the NW corner, (NW Aspen-28), thence 600' east to the NE corner (NE Aspen-28), thence 750' south to the east side center (ESC Aspen-28), thence 750' south to the SE corner (SE Aspen-28), thence 600' west to the SW corner (SW Aspen-28), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is A post at least 4" in diameter b 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performed March 19 70.  Dated this 26th day of March 19 70.  One East First St., Reno, New  |

|   | Certificate of Location of Lode Claim_   |
|---|--|
|   | THIS IS TO CERTIFY THAT the Aspen 29   |
|   | lode mining claim  |
|   | whose post office address appears below, on the 20th day of March 1970   |
|   | The general course of said lode or vein is north - south   |
|   | The claim  |
|   | The locator claims 100 feet in a (n) northerly direction and 1,400 feet in a (s) southerly direction from the point of discovery, with a width of 300 feet |
| 16                                      | on each side of the center of the vein or lode along the entire length of said claim   |
|   | (If additional space is needed attach reparate sheet).   |
|   | The dimensions and locations of the discovery work done on the claim are as follows:   |
| 1 | the location monument of Aspen 29.   |
| 1                                       |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   | Til ( ) 1  |
|   | The total cost of such work consisted of at least \$ 100.00  |
|   | The corners and side center of the claim are located and marked as follows: From the SW corner, a post marked SW Aspen-29, 750' in a northerly             |
| !                                       | direction to the west side center (WSC Aspen-29), thence   |
| M.                                      | 750' northerly to the NW corner, (NW Aspen-29), thence   |
|   | 600' east to the NE corner (NE Aspen-29), thence 750' south  |
|   | to the east side center (ESC Aspen-29), thence 750' south  |
|   | to the SE corner (SE Aspen-29), thence 600' west to the  |
|   | SW corner (SW Aspen-29), the point of beginning.   |
| Book Ma                                 |  |
| March March 34 ok 34 UREKA CO           |  |
| col                                     |  |
| 31                                      |  |
| 2 5                                     |  |
| 65 E EU                                 | (11)   |
|   | (If additional space is needed attach separate sheet).  Each of the above-described monuments is A post at least 4" in diameter by                         |
|   | Each of the above-described monuments is 4.5' in length, set 1' in the ground.   |
| 6 2                                     | H  |
| 2 3                                     | All location and discovery work necessary to complete, this location had been performed by March 19.70   |
| 5,725                                   | 0  |
| _  2  8   _                             | Deted this 26th day of March 19 70   |
| Fee 5                                   | One East First St., Reno, Nevada<br>(Name of Locator) (Address)  |
| 1-12 - 10                               | H  |
| RECORDS                                 | (Name of Locator) (Address)  |
| CORDS OF                                | * To 5. filed with the County Recorder.  |
| er P 5                                  | CARLISLE'S FORM NO. 55 N-COERTIFICATE OF LOCAVION-LODE-HEWADA.   |
|   | 3.4 . 580  |

34 PAGE 580

|  | THIS IS TO CERTIFY THAT the Aspen 30   |
|--|--|
|  |  |
|  | lode mining claim  |
|  | the part office address appears below, on the 20th day of March 19.7   |
|  | The general course of said lode or vein is north - south   |
|  | The claim (is, we) situated in the Buckhorn Mining Distr   |
|  | Eureka County, State of Nevada,  |
| Ì  | 100  |
|  | The locator claims 100 feet in a (n) northerly direction and 1,400   |
| -  | feet in a (s) southerly direction from the point of discovery, with a width of 300 1   |
| 1  | on each side of the center of the vein or lode along the entire length of said claim   |
|  | (If additional space is needed attach separate sheet).   |
|  | The dimensions and locations of the discovery work done on the claim are as follows:   |
| -  | A trench equivalent to a pit 4' X 6' X 10' was made near   |
|  | the location monument of Aspen 30.   |
| . !  |  |
| - 1  |  |
| . I  |  |
| •  |  |
| 1  |  |
|  |  |
| !  |  |
|  |  |
|  | The total cost of such work consisted of at least \$100.60   |
| :  | The corners and side center of the claim are located and marked as follows: From the   |
|  | SW corner, a post marked SW Aspen-30, 750' in a northerly  |
| :  | direction to the west side center (WSG Aspen-30), thence   |
|  | 750' northerly to the NW corner, (NW Aspen-30), thence   |
|  |  |
|  |  |
|  | 600' east to the NE corner (NE Aspen-30), thence 750' sou  |
| _  | 600' east to the NE corner (NE Aspen-30), thence 750' sou<br>to the east side center (ESC Aspen-30), thence 750' south   |
|  | 600' east to the NE corner (NE Aspen-30), thence 750' sout<br>to the east side center (ESC Aspen-30), thence 750' south<br>to the SE corner (SE Aspen-30), thence 600' west to the SE  |
|  | 600' east to the NE corner (NE Aspen-30), thence 750' sou<br>to the east side center (ESC Aspen-30), thence 750' south   |
| F200   | 600' east to the NE corner (NE Aspen-30), thence 750' sout<br>to the east side center (ESC Aspen-30), thence 750' south<br>to the SE corner (SE Aspen-30), thence 600' west to the SE  |
| FECORDIU<br>Marc   | 600' east to the NE corner (NE Aspen-30), thence 750' sout<br>to the east side center (ESC Aspen-30), thence 750' south<br>to the SE corner (SE Aspen-30), thence 600' west to the SE  |
| FECORDED AT  | 600' east to the NE corner (NE Aspen-30), thence 750' sou<br>to the east side center (ESC Aspen-30), thence 750' south<br>to the SE corner (SE Aspen-30), thence 600' west to the S  |
| EZZORDED AT THE  | 600' east to the NE corner (NE Aspen-30), thence 750' sout<br>to the east side center (ESC Aspen-30), thence 750' south<br>to the SE corner (SE Aspen-30), thence 600' west to the SE  |
| FETORDED AT THE REQ  | 600' east to the NE corner (NE Aspen-30), thence 750' sout<br>to the east side center (ESC Aspen-30), thence 750' south<br>to the SE corner (SE Aspen-30), thence 600' west to the SE  |
| FECORDED AT THE REQUEST IN March 31 19 70  | 600' east to the NE corner (NE Aspen-30), thence 750' sour to the east side center (ESC Aspen-30), thence 750' south to the SE corner (SE Aspen-30), thence 600' west to the SE corner (SW Aspen-30), the point of beginning.  |
| ELECTRIC AT THE REQUEST OF March 31 19 70  | 600' east to the NE corner (NE Aspen-30), thence 750' sour to the east side center (ESC Aspen-30), thence 750' south to the SE corner (SE Aspen-30), thence 600' west to the SE corner (SW Aspen-30), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is A post at least 4" in diameter   |
| FETGRADED AT THE REQUEST OF UNI-   | 600' east to the NE corner (NE Aspen-30), thence 750' sour to the east side center (ESC Aspen-30), thence 750' south to the SE corner (SE Aspen-30), thence 600' west to the SE corner (SW Aspen-30), the point of beginning.  |
| FECORDED AT THE REQUEST OF Union of March 31 19.70 of 10 m                               | 600' east to the NE corner (NE Aspen-30), thence 750' sour to the east side center (ESC Aspen-30), thence 750' south to the SE corner (SE Aspen-30), thence 600' west to the SE corner (SW Aspen-30), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is A post at least 4" in diameter 4.5' in length, set 1' in the ground.   |
| EZORDED AT THE REQUEST OF Union Pa   | 600' east to the NE corner (NE Aspen-30), thence 750' sour to the east side center (ESC Aspen-30), thence 750' south to the SE corner (SE Aspen-30), thence 600' west to the SE corner (SW Aspen-30), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is A post at least 4" in diameter 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete, this location had been performed.   |
| ELECARDED AT THE REQUEST OF Union Pacif  | 600' east to the NE corner (NE Aspen-30), thence 750' sour to the east side center (ESC Aspen-30), thence 750' south to the SE corner (SE Aspen-30), thence 600' west to the St corner (SW Aspen-30), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is A post at least 4" in diameter 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performe March 19 /0  |
| FETORDED AT THE REQUEST OF Union Pacific   | to the east side center (ESC Aspen-30), thence 750' south to the SE corner (SE Aspen-30), thence 600' west to the SI corner (SW Aspen-30), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is A post at least 4" in diameter 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performe March 19 /0.  Dated this 26th day of March 1970.  |
| EZZONDED AT THE REQUEST OF Union Pacific Ra  | 600' east to the NE corner (NE Aspen-30), thence 750' south to the east side center (ESC Aspen-30), thence 750' south to the SE corner (SE Aspen-30), thence 600' west to the St corner (SW Aspen-30), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is A post at least 4" in diameter 4.5' in length, set 1' in the ground.  Alli location and discovery work necessary to complete this location had been performe March  19 10  Dated this 26th day of March  1970  One East First St., Reno, Never  |
| SUCCEDED AT THE REQUEST OF Union Pacific Railr march 31 19 70 of 10 min. rest 4 P.       | (If additional space is needed attach separate sheet).  Each of the above-described monuments is A post at least 4" in diameter 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performe March 19.70  Dated this 26th day of March 1970  (Name of Locator) (Address)   |
| ELICADED AT THE REQUEST OF Union Pacific Railroad on March 31 19.70 10 min part 4 P. M.  | 600' east to the NE corner (NE Aspen-30), thence 750' south to the east side center (ESC Aspen-30), thence 750' south to the SE corner (SE Aspen-30), thence 600' west to the SI corner (SW Aspen-30), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is A post at least 4" in diameter 4.5' in length, set 1' in the ground.  Alli location and discovery work necessary to complete this location had been performe March  19 10  Dated this 26th day of March  1970  One East First St., Reno, Neva   |
| ELECTRIC AT THE REQUEST CO. Union Pacific Railroad B. March 31 19 70 10 min part 4 P. M. | (If additional space is needed attach separate sheet).  Each of the above-described monuments is A post at least 4" in diameter 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performe March  Dated this  26th  Dated this  Corner (SW Aspen-30), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is A post at least 4" in diameter 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performe March  Dated this  26th  Amarch  One East First St., Reno, Neva (NAME OF LOCATOR)  (Address) |

| Certificate of Location   | l   |
|---|---|
| THIS IS TO CERTIFY THAT the Aspen   | Fraction  |
| lode mining claim   | day of March , 19/U  - south  Buckhorn  Mining District,  |
| The locator claims 1,450 feet in c(n) feet in a (s) Southerly direction from the point of disconnects side of the center of the vein or lode along the ent (If additional space is needed attach separate sheet).  The dimensions and locations of the discovery work | covery, with a width of300 feet ire length of said claim  |
| A trench equivalent to a pit 4' the location monument of Aspen  | X 6' X 10' was made near  |
|   | cated and marked as follows: From the open Fraction, 750' in a north-center (WSC Aspen Fraction), Value (NW Aspen Fraction), there (NE Aspen Fraction), thencenter (ESC Aspen Fraction), comer (SE Aspen Fraction), |
|   | t).<br>t at least 4" in diameter by   |
| All location and discovery work necessary to commarch  Dated this 26th day of March   | omplete this location had been performed by ,1970  e East First St., Reno, Nevad (Address)  |
| (NAME OF LOCATOR)  * To be filed with the County Recorder.  | (Address)   |

EUREKA COUNTY SECURITY OF Union Pacific Railroad on March 31 19 70, et 10 miss, get 4 P. M. In Book 34 of OFFICIAL PECCEDS, page 582 RECORDS OF EUREKA COUNTY SECURDATION OF THE No. 3233

 $F_{\text{ec}} \lesssim 1.00$ 

34 **. 582** 

|                      | <b>Certificate of Location of Lode Claim</b>  |
|----------------------|---|
|                      |   |
|                      | THIS IS TO CERTIFY THAT the U.P., #1  |
|                      | lode mining claim. ( ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )  |
|                      | phose post office address appears below, on the10thday ofMarch, 19.70.  |
| the second           | The general course of said lode or vein is north - South  The claim (is, 2023) situated in the Buckhorn Mining District,                            |
|                      | Eureka County, State of Nevada,   |
|                      |   |
|                      | The locator claims750 feet in a (n) northerly direction and   |
|                      | on each side of the center of the vein or lode along the entire length of said claim  |
|                      | (If additional space is needed attach separate sheet).  |
| in t                 | The dimensions and locations of the discovery work done on the claim are as follows: A rotary drill hole at least 50 feet deep was drilled near the |
| 1944<br>1944<br>1944 | discovery monument of U.P. #1 and represents location   |
|                      | work for U.P. #1 and U.P.#2   |
|                      |   |
| 100 miles            |   |
|                      |   |
|                      |   |
|                      |   |
| AMARIA<br>AVI-LAN    | The total cost of such work consisted of at least \$.200.00   |
|                      | The corners and side center of the claim are located and marked as follows: from the  |
|                      | southwest corner, a post marked SW UP-1, 750 feet in a northerly direction to the west side center (WSC UP-1), thence 7501 norther                  |
|                      | to the NW corner (NW UP-1), thence 600' east to the NE corner   |
|                      | (NE UP-1), thence 750' south to the east side center (ESC UP-1),  |
|                      | thence 750' south to the SE corner (SE UP-1), thence 600 feet west to the SW corner (SW UP-1), the point of beginning.                              |
|                      |   |
|                      |   |
| 8 0 7.<br>(A)        |   |
| Mar                  |   |
| Ch.34                |   |
| of OF                | (If additional space is needed attach separate shee).  Each of the above-described monuments is a post at least 4" in diameter                      |
| FICIAL<br>FICIAL     | by 4.5' in length, set 1' in the ground.  |
|                      | All location and discovery work necessary to complete, this location had been performed by  |
| O m                  | March ,1970 .  Dated this 26th day of March   |
| Pax                  | One East First St., Reno, Nevada  |
| 583                  | (Address)   |
|                      | (Name of Locator) (Address)   |
| N KEK                | * To be filed with the County Receider.  CARLISLE'S FORM NO. BE N-COERTIFICATE OF LOCATION-LODE-NEVADA.   |
| いしおだば                |   |

800K 34 PAGE 583

。但是自己的政治,是在

|  | 数 性病的数数 数据的数据数据数据数据数据 人名伊朗特尔 化二氯化物 化二氯化物 化二氯化物 医二氯化物 经证据 化二氯化物 化二氧化物 化氯化物 化氯化物 化物物 化物物 化二氧化物 化物物 化二氧化物 化物物 化物物 化物物 化物物 化物物 化物物 化物物 化物物 化物物 |
|--|--|
| 45 350 MESS 1 6  | THIS IS TO CERTIFY THAT the U.P. #2  |
|  | lode mining claim  |
|  | The locator. claims  |
|  | monument of U.P. #1 and represents location work for U.P. and U.P. #3.212  |
|  |  |
| Tie<br>A   |  |
|  |  |
|  |  |
|  | The total cost of such work consisted of at least \$ 200.00  |
|  | The corners and side center of the claim are located and marked as follows: from the southwest corner, a post marked SW UP-2, 750' in a northerly  |
| and the contract of the  | · · · · · · · · · · · · · · · · · · ·  |
|  | direction to the west side center (WSC UP-2), thence 750!  northerly to the NW corner (NW UP-2), thence 600! east to the   |
|  | northerly to the NW corner (NW UP-2), thence 600' east to the NE corner (NE UP-2), thence 750' south to the east side center (ESC UP-2), thence 750' south to the SE corner (SE UP-2), thence  |
|  | northerly to the NW corner (NW UP-2), thence 600' east to the NE corner (NE UP-2), thence 750' south to the east side center (ESC UP-2), thence 750' south to the SE corner (SE UP-2), thence 600' west to the SW corner (SW UP-2) the point of beginning.   |
| 111<br>500<br>710<br>710   | northerly to the NW corner (NW UP-2), thence 600' east to the NE corner (NE UP-2), thence 750' south to the east side center (ESC UP-2), thence 750' south to the SE corner (SE UP-2), thence 600' west to the SW corner (SW UP-2) the point of beginning,   |
| ricondel   | northerly to the NW corner (NW UP-2), thence 600' east to the  NE corner (NE UP-2), thence 750' south to the east side center  (ESC UP-2), thence 750' south to the SE corner (SE UP-2), thence  600' west to the SW corner (SW UP-2) the point of beginning.  |
| RECORDED AT TO Book 34 TO Book 34 TO BOOK 36 | northerly to the NW corner (NW UP-2), thence 600' east to the  NE corner (NE UP-2), thence 750' south to the east side center  (ESC UP-2), thence 750' south to the SE corner (SE UP-2), thence  600' west to the SW corner (SW UP-2) the point of beginning,  |
| RECORDED AT THE REC<br>on March 31 19<br>Book 34 of Off  | northerly to the NW corner (NW UP-2), thence 600' east to the  NE corner (NE UP-2), thence 750' south to the east side center  (ESC UP-2), thence 750' south to the SE corner (SE UP-2), thence  600' west to the SW corner (SW UP-2) the point of beginning.  (If additional space is needed attach separate sheet).  |
| RICONDED AT THE REQUEST on March 31 19 70 book 34 of OFFICIAL before A PAYADA.   | northerly to the NW corner (NW UP-2), thence 600' east to the  NE corner (NE UP-2), thence 750' south to the east side center  (ESC UP-2), thence 750' south to the SE corner (SE UP-2), thence  600' west to the SW corner (SW UP-2) the point of beginning,  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter by  |
| RECONDED AT THE REQUEST OF MATCH 31 19 70 of Book 34 of OFFICIAL RECOREST OF THE REQUEST OF THE  | northerly to the NW corner (NW UP-2), thence 600' east to the  NE corner (NE UP-2), thence 750' south to the east side center  (ESC UP-2), thence 750' south to the SE corner (SE UP-2), thence  600' west to the SW corner (SW UP-2) the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter by  4.5' in length, set 1' in the ground.   |
| RICONDED AT THE REQUEST OF United and the seconds of the seconds of book 34 of official records of the seconds of the second of the  | northerly to the NW corner (NW UP-2), thence 600' east to the  NE corner (NE UP-2), thence 750' south to the east side center  (ESC UP-2), thence 750' south to the SE corner (SE UP-2), thence 600' west to the SW corner (SW UP-2) the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter by   |
| RICONDED AT THE REQUEST OF Uniton Pagitive on March 31 19 70 et 10 mos. Post 6 Book 34 of OFFICIAL RECORDS page 584  | northerly to the NW corner (NW UP-2), thence 600' east to the  NB corner (NE UP-2), thence 750' south to the east side center  (ESC UP-2), thence 750' south to the SE corner (SE UP-2), thence  600' west to the SW corner (SW UP-2) the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter by  4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performed by  March  19 70.  Dated this 20th day of March  19 70.   |
| RICONDED AT THE REQUEST OF Uniton Pacific Rail March 31 19 70 ct 10 mins part 4 P. on March 34 of OFFICIAL RECORDS page 584 ct 10 mins page 584 ct | northerly to the NW corner (NW UP-2), thence 600' east to the  NE corner (NE UP-2), thence 750' south to the east side center  (ESC UP-2), thence 750' south to the SE corner (SE UP-2), thence  600' west to the SW corner (SW UP-2) the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter by  4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performed by  March  19 70.  Dated this 26th day of March  One East First St., Reno, Nevada  (Address)  |
| RECONDED AT THE REQUEST OF Uniton Pacific Mailroad on March 31 to 70 or 10 mos, but 4 P. M.  Book 34 of OFFICIAL RECORDS page 584 RECORDS PAGE | northerly to the NW corner (NW UP-2), thence 600' east to the  NE corner (NE UP-2), thence 750' south to the east side center  (ESC UP-2), thence 750' south to the SE corner (SE UP-2), thence  600' west to the SW corner (SW UP-2) the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter by  4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performed by  March  19 70.  Dated this  26th  day of  March  (NAME OF LOCATOR)  (Address)  |

BOOK 34 PAGE

| eautor district  | は、我のは、大変をは、大変には、大変は中にはないできる。我のは、ないは、はないは、は、ははないでは、これできないです。 はいないは、これでは、は、これでは、これでは、これでは、これではない。 これには、一般には、一般には、一般には、これには、これには、一般には、一般には、一般には、一般には、一般には、一般には、一般には、一般  |
|--|--|
|  | THIS IS TO CERTIFY THAT/the: UP #3   |
|  | located by R. J. Anctil whose post office address appears below, on the 10th day of March 197 The general course of said lode or vein is north - south The claim (is, west) situated in the Buckhorn Mining Dis Eureka County, State of Nevada,  |
|  | The locator claims 750 feet in a (n) northerly direction and 750 feet in a (s) Southerly direction from the point of discovery, with a width of 300 feet in a (s) Southerly direction from the point of discovery, with a width of 300 feet in each side of the center of the vein or locations of the entire length of said claims.  (If additional space is needed attach separate sheet)  The dimensions and locations of the discovery work done on the claim are as follows:  rotary drill hole at least 50 feet deep was drilled near the  |
| 15 to 1  | discovery monument of UP-3 and represents location work for  |
|  | UP-3 and UP-4.   |
|  |  |
|  |  |
| addition (数字)  | 是是数据表现的效应,是是否经验的现在分词,是一个人,还是一个人的一个人的一个人的,还是一个人的,我们的一个人的人的,但是一个人的人们是不是一个人的人的人。  |
|  | The total cost of such work consisted of at least \$.200.00  |
|  | 수 나는 사람들이 되는 것이 되는 것이 되는 것이 없는 것이다. 그는 것이 없는 것이 없는 것이 없는 것이다.  |
|  | The corners and side center of the claim are located and marked as follows:from to southwest corner, a post marked SW UP-3, 750 feet in a norther direction to the west side center (WSC UP-3), thence 750 feet northerly to the NW corner (NW UP-3), thence 600 feet east to the NE corner (NE UP-3), thence 750 feet south to the east side center (ESC UP-3), thence 750 feet south to the SE corner (SE thence 600 feet west to the SW corner (SW UP-3), the point of ginning.   |
| on.<br>Do  | The corners and side center of the claim are located and marked as follows: from to southwest corner, a post marked SW UP-3, 750 feet in a norther direction to the west side center (WSC UP-3), thence 750 feet northerly to the NW corner (NW UP-3), thence 600 feet east to the NE corner (NE UP-3), thence 750 feet south to the east side center (ESC UP-3), thence 750 feet south to the SE corner (SE thence 600 feet west to the SW corner (SW UP-3), the point of   |
| RECORDE<br>on Marc   | The corners and side center of the claim are located and marked as follows: from to southwest corner, a post marked SW UP-3, 750 feet in a norther direction to the west side center (WSC UP-3), thence 750 feet northerly to the NW corner (NW UP-3), thence 600 feet east to the NE corner (NE UP-3), thence 750 feet south to the east side center (ESC UP-3), thence 750 feet south to the SE corner (SE thence 600 feet west to the SW corner (SW UP-3), the point of ginning.  |
| Book 34  | The corners and side center of the claim are located and marked as follows: from to southwest corner, a post marked SW UP-3, 750 feet in a norther direction to the west side center (WSC UP-3), thence 750 feet northerly to the NW corner (NW UP-3), thence 600 feet east to the NE corner (NE UP-3), thence 750 feet south to the east side center (ESC UP-3), thence 750 feet south to the SE corner (SE thence 600 feet west to the SW corner (SW UP-3), the point of ginning.  |
| Book 34 of Offi  | The corners and side center of the claim are located and marked as follows: from to southwest corner, a post marked SW UP-3, 750 feet in a norther direction to the west side center (WSC UP-3), thence 750 feet northerly to the NW corner (NW UP-3), thence 600 feet east to the NE corner (NE UP-3), thence 750 feet south to the east side center (ESC UP-3), thence 750 feet south to the SE corner (SE thence 600 feet west to the SW corner (SW UP-3), the point of ginning.  (If additional space is needed attach separate sheet).  |
| Book 34 of OFFICIAL BE   | The corners and side center of the claim are located and marked as follows: from to southwest corner, a post marked SW UP-3, 750 feet in a norther direction to the west side center (WSC UP-3), thence 750 feet northerly to the NW corner (NW UP-3), thence 600 feet east to the NE corner (NE UP-3), thence 750 feet south to the east side center (ESC UP-3), thence 750 feet south to the SE corner (SE thence 600 feet west to the SW corner (SW UP-3), the point of ginning.  |
| RECORDED AT THE REQUEST OF But March 31 19 70 or 10 10 10 10 10 10 10 10 10 10 10 10 10  | The corners and side center of the claim are located and marked as follows: from the southwest corner, a post marked SW UP-3, 750 feet in a norther direction to the west side center (WSC UP-3), thence 750 feet northerly to the NW corner (NW UP-3), thence 600 feet east to the NE corner (NE UP-3), thence 750 feet south to the east side center (ESC UP-3), thence 750 feet south to the SE corner (SE thence 600 feet west to the SW corner (SW UP-3), the point of ginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter 14.5' in length, set 1' in the ground.  All location and discovery work necessary to complete, this location had been performed.   |
| RECORDED AT THE REQUEST OF BUTON BY BOOK TO BE T | The corners and side center of the claim are located and marked as follows:from to southwest corner, a post marked SW UP-3, 750 feet in a norther direction to the west side center (WSC UP-3), thence 750 feet northerly to the NW corner (NW UP-3), thence 600 feet east to the NE corner (NE UP-3), thence 750 feet south to the east side center (ESC UP-3), thence 750 feet south to the SE corner (SE thence 600 feet west to the SW corner (SW UP-3), the point of ginning.  (If additional space is needed attach separate sheet).  Each of the above described monuments is a post at least 4" in diameter 14.5" in length, set 1" in the ground.  All location and discovery work necessary to complete this location had been performed that the second of the second o     |
| Book 31 10 Page 111  | The corners and side center of the claim are located and marked as follows: from the southwest corner, a post marked SW UP-3, 750 feet in a norther direction to the west side center (WSC UP-3), thence 750 feet northerly to the NW corner (NW UP-3), thence 600 feet east to the NE corner (NE UP-3), thence 750 feet south to the east side center (ESC UP-3), thence 750 feet south to the SE corner (SE thence 600 feet west to the SW corner (SW UP-3), the point of ginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter 1 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performed that the second of |
| RECORDED AT THE REQUEST OF Botton Pacific Ke on March 31 19 70 of 10 min pas 4 P. on 585   | The corners and side center of the claim are located and marked as follows: from the southwest corner, a post marked SW UP-3, 750 feet in a norther direction to the west side center (WSC UP-3), thence 750 feet northerly to the NW corner (NW UP-3), thence 600 feet east to the NE corner (NE UP-3), thence 750 feet south to the east side center (ESC UP-3), thence 750 feet south to the SE corner (SE thence 600 feet west to the SW corner (SW UP-3), the point of ginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter 14.5" in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performed March  1970.  Dated this 26th day of March  1970.  One East First St., Reno, Never (Address)  |
| RECORDED AT THE REQUEST OF Button Pacific Kerviros on March 31 19 70 of 10 min, pos 4 Pr. M. M. Seconds of the  | The corners and side center of the claim are located and marked as follows: from the southwest corner, a post marked SW UP-3, 750 feet in a norther direction to the west side center (WSC UP-3), thence 750 feet northerly to the NW corner (NW UP-3), thence 600 feet east to the NE corner (NE UP-3), thence 750 feet south to the east side center (ESC UP-3), thence 750 feet south to the SE corner (SE thence 600 feet west to the SW corner (SW UP-3), the point of ginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter 1 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performed that the second of |

Service Comment of the Property

|   | THIS IS TO CERTIFY THAT the UP 174   |  |
|---|--|--|
|   | located by R. J. Anctila  whose post office address appears below, on the 10th day of March  The general course of said lode or vein is north - south  | 1970   |
|   | ि The claim (is, क्षेत्र) situaled in the Buckhorn Minin<br>Eureka County, State of Nevada,  | g Distric  |
|   | The locator claims 750 feet in a (n) northerly direction and 7.  feet in a (s) Southerly direction from the point of discovery, with a width of 300 on each side of the center of the vein or lode along the entire length of said claim.  (If additional space is needed attach separate sheet).  The dimensions and locations of the discovery work done on the claim are as followed the country drill hole at least 50 feet deep was drilled near the  | fe   |
| 红色) 运   | discovery monument of UP-3 and represents location work for  |  |
| 701 F   | UP-3 and UP-4.   |  |
|   |  | indetig<br>Pantilia<br>Changaria   |
|   |  |  |
| · 董州事 (1)   |  |  |
|   |  |  |
| 1 30 2 2 7 7  |  |  |
|   |  |  |
|   | The total cost of such much consisted of at least \$ 200.00  |  |
|   | The total cost of such work consisted of at least \$200.00   | com tl   |
|   | The corners and side center of the claim are located and marked as follows:  | cherl  |
|   | The corners and side center of the claim are located and marked as follows:  | therl<br>eet   |
|   | The corners and side center of the claim are located and marked as follows:  | therl<br>eet<br>to t   |
|   | The corners and side center of the claim are located and marked as follows:  | therleet<br>to t<br>de ce  |
|   | The corners and side center of the claim are located and marked as follows: fi southwest corner, a post marked SW UP-4, 750 feet in a nor direction to the west side center (WSC UP-4), thence 750 fe northerly to the NW corner (NW UP-4), thence 600 feet east NE corner (NE UP-4), thence 750 feet south to the east side   | therli<br>eet<br>to ti<br>de cei<br>4), ti   |
|   | The corners and side center of the claim are located and marked as follows:  | therli<br>eet<br>to ti<br>de cei<br>4), ti   |
|   | The corners and side center of the claim are located and marked as follows: fi southwest corner, a post marked SW UP-4, 750 feet in a nor direction to the west side center (WSC UP-4), thence 750 fe northerly to the NW corner (NW UP-4), thence 600 feet east NE corner (NE UP-4), thence 750 feet south to the east side (ESC UP-4), thence 750 feet south to the SE corner (SE UP-4) feet west to the SW corner (SW UP-4), the point of beginning to the SW corner (SW UP-4), the point of beginning the south side of the SW corner (SW UP-4), the point of beginning the south side of the SW corner (SW UP-4), the point of beginning the south side of the SW corner (SW UP-4), the point of beginning the south side of the SW corner (SW UP-4), the point of the SW COR | therli<br>eet<br>to ti<br>de cei<br>4), ti   |
| Reco<br>on_1<br>Dode  | The corners and side center of the claim are located and marked as follows: fourthwest corner, a post marked SW UP-4, 750 feet in a nor direction to the west side center (WSC UP-4), thence 750 fe northerly to the NW corner (NW UP-4), thence 600 feet east NE corner (NE UP-4), thence 750 feet south to the east side (ESC UP-4), thence 750 feet south to the SE corner (SE UP-4) feet west to the SW corner (SW UP-4), the point of beg   | therli<br>eet<br>to ti<br>de cei<br>4), ti   |
| n. CORDED on. Marco Book 3  | The corners and side center of the claim are located and marked as follows: fourthwest corner, a post marked SW UP-4, 750 feet in a nor direction to the west side center (WSC UP-4), thence 750 fe northerly to the NW corner (NW UP-4), thence 600 feet east NE corner (NE UP-4), thence 750 feet south to the east side (ESC UP-4), thence 750 feet south to the SE corner (SE UP-4) feet west to the SW corner (SW UP-4), the point of beg   | therli<br>eet<br>to ti<br>de cei<br>4), ti   |
| neconded AT   | The corners and side center of the claim are located and marked as follows: fourthwest corner, a post marked SW UP-4, 750 feet in a nor direction to the west side center (WSC UP-4), thence 750 fe northerly to the NW corner (NW UP-4), thence 600 feet east NE corner (NE UF-4), thence 750 feet south to the east side (ESC UP-4), thence 750 feet south to the SE corner (SE UP-4) feet west to the SW corner (SW UP-4), the point of beg   | therliet<br>to the<br>de cen<br>4), the  |
| necorbed AT THE A on March 31 1   | The corners and side center of the claim are located and marked as follows:  | therliet to the total de cention to the  |
| necorbed AT the recuest on March 31 19 70 book 34 of OfficiA  | The corners and side center of the claim are located and marked as follows: five southwest corner, a post marked SW UP-4, 750 feet in a nor direction to the west side center (WSC UP-4), thence 750 feet northerly to the NW corner (NW UP-4), thence 600 feet east NE corner (NE UP-4), thence 750 feet south to the east side (ESC UP-4), thence 750 feet south to the SE corner (SE UP-600 feet west to the SW corner (SW UP-4), the point of beginning to the second space is needed attach separate sheet).  **Each of the above-described monuments is a post at least 4" in diame."  | therliet to the total de cention to the  |
| RECORDED AT THE REQUEST OF ON MATCH 31 19 70 of Book 34 of OFFICIAL REC   | The corners and side center of the claim are located and marked as follows: f. southwest corner, a post marked SW UP-4, 750 feet in a nor direction to the west side center (WSC UP-4), thence 750 fe northerly to the NW corner (NW UP-4), thence 600 feet east NE corner (NE UP-4), thence 750 feet south to the east side (ESC UP-4), thence 750 feet scuth to the SE corner (SE UP-4) feet west to the SW corner (SW UP-4), the point of beg.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diame 4.5' in length, set 1' in the ground.  | therlieet to the telling terms to the telling terms te |
| RECORDED AT THE REQUEST OF Units on March 31: 19 70, at 10 book 34 of Deficial Records at the Research 34 of Deficial Records | The corners and side center of the claim are located and marked as follows: f. southwest corner, a post marked SW UP-4, 750 feet in a nor direction to the west side center (WSC UP-4), thence 750 feet northerly to the NW corner (NW UP-4), thence 600 feet east NE corner (NE UP-4), thence 750 feet south to the east side (ESC UP-4), thence 750 feet south to the SE corner (SE UP-600 feet west to the SW corner (SW UP-4), the point of beg.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diame 4.5 in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been per March 19.70.   | therlieet to the telling terms to the telling terms te |
| AT THE REQUEST OF L   | The corners and side center of the claim are located and marked as follows: f. southwest corner, a post marked SW UP-4, 750 feet in a nor direction to the west side center (WSC UP-4), thence 750 fe northerly to the NW corner (NW UP-4), thence 600 feet east NE corner (NE UP-4), thence 750 feet south to the east si (ESC UP-4), thence 750 feet south to the SE corner (SE UP-600 feet west to the SW corner (SW UP-4), the point of beg.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diame 4.5" in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been per March 19 70.  | ther1;<br>eet<br>to ti<br>de cei<br>4), ti<br>inning   |
| AT THE REQUEST OF L   | The corners and side center of the claim are located and marked as follows: fourthwest corner, a post marked SW UP-4, 750 feet in a nor direction to the west side center (WSC UP-4), thence 750 feet northerly to the NW corner (NW UP-4), thence 600 feet east NE corner (NE UP-4), thence 750 feet south to the east side (ESC UP-4), thence 750 feet south to the SE corner (SE UP-600 feet west to the SW corner (SW UP-4), the point of began to the sweet was to the SW corner (SW UP-4), the point of began to the same sheet.  Each of the above-described monuments is a post at least 4" in diame 4.5" in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been permarch.  March  Deled this 26th day of March  One East First St., Reno  | ther1;<br>eet<br>to ti<br>de cei<br>4), ti<br>inning   |
| AT THE REQUEST OF Union Pacific to 131 19 70 et 10 Fig. 596 4 4 OFFICIAL RECORDS, page 586                                    | The corners and side center of the claim are located and marked as follows: f. southwest corner, a post marked SW UP-4, 750 feet in a nor direction to the west side center (WSC UP-4), thence 750 f. northerly to the NW corner (NW UP-4), thence 600 feet east NE corner (NE UP-4), thence 750 feet south to the east side (ESC UP-4), thence 750 feet south to the SE corner (SE UP-600 feet west to the SW corner (SW UP-4), the point of beg.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diame 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been per March 19 70.  Dated this 26th day of March 1970 One East First St., Reno (Address)  | ther1;<br>eet<br>to ti<br>de cei<br>4), ti<br>inning   |
| AT THE REQUEST OF L   | The corners and side center of the claim are located and marked as follows: f. southwest corner, a post marked SW UP-4, 750 feet in a nor direction to the west side center (WSC UP-4), thence 750 feet northerly to the NW corner (NW UP-4), thence 600 feet east NE corner (NE UP-4), thence 750 feet south to the east si (ESC UP-4), thence 750 feet scuth to the SE corner (SE UP-4) feet west to the SW corner (SW UP-4), the point of beg.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diame 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been permarch, 19 70.  Dated this 26th day of March, 1970.  (NAME OF LOCATOR) (ADDRESS)   | ther1;<br>eet<br>to ti<br>de cei<br>4), ti<br>inning   |

....PAGE. 

| located by R. J.  | Anctil   |
|---|--|
| e 10th day of Marc  | h 🦸 1970   |
| north - south   |  |
| 그런데 하고 생각하는 한 다른 다른 사람들이 나가 있었다. 사람들은 사람들은 가득 하는 것을 하는 것이 되었다. 그 사람들이 가득하는 것이 없는 것이다.           |  |
| late of Nevada,   |  |
| feet is = a (n) northerly d   | trection and 750   |
| 마음이 2차 환경 보면 관련하면 한 후 사는 사람들은 2차 입상 보다, 경우 나무리는 지난 시간 점점 함께 다른 사람들이 다른 전기를 받는다.                 |  |
|   | 2000 名句·特里特的证明。2000年   |
| e sheet)  |  |
| covery work done on the claim.  | · 17、运业、子科2011、1000年,1000年,1000年,1000年,1000年,1000年   |
| 经工程数据 "我们的一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个  | hand 引き合う アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・アイ・ア   |
| and represents locat  | ion work for   |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
| center (WSC UP-5), th   | ence 750 feet  |
|   | 1. 电影响影響 \$10 (1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1  |
|   | 14. 医蜗床 医隐止性肾炎增强疾病 化溶解剂 化氯唑  |
| SW corner (SW UP-5),  | 아니다 이 이렇게 되었습니다. 나는 방에 가득했다고요?   |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
|   |  |
| parate sheet).<br>is a post at least 4"   |  |
| parate sheet).  | in diameter by   |
| parate sheet). is a post at least 4" he ground. essary to complete this location is 70 March 19 | in diameter by  n had been performed b  70  St., Reno, Nevada  |
| parate sheet). is a post at least 4" he ground. essary to complete this location is 70 March 19 | in diameter by<br>n had been performed l<br>70   |
|   | north - south d in the Buckhorn late of Nevada,  feet in a (n) Northerly depoint of discovery, with a wide along the entire length of said ce sheet):  overy work done on the claim 50. feet deep was drill and represents clocated and marked arked SW UP-5, 750 feet center (WSC UP-5), the (NW UP-5), thence 600 ence 750 feet south to 50 feet south to the SW corner (SW UP-5), |

PAGE

|  | THIS IS TO CERTIFY THAT the U.P. #6  |
|--|--|
|  | lode mining claim (1950-1951) located by R. J. inctil  |
|  | whose post office aedress appears below, on the 10th day of March ,19.70.  The general course of said lode or vein is north - south.   |
|  | The claim. (is, care) situated in the Buckhorn Mining District, Eureka County, State of Nevada,  |
|  | The locator  |
|  | The dimensions and locations of the discovery work done on the claim——are as follows: A. rotary drill hole at least 50 deep was drilled near the discovered monument of U.P. #5 and represents location work for U.P. #5   |
|  | and U.P. 排6。   |
|  |  |
|  |  |
|  |  |
|  |  |
|  | The total cost of such work consisted of at least \$ 200.00  |
|  | The corners and side center of the claim are located and marked as follows: from the southwest corner, a post marked SW UP-6, 750' in a northerly direction to the west side center (WSC UP-6), thence 750' norther to the NW corner (NW UP-6), thence 600' east to the NE corner (NE UP-6), thence 750' south to the east side center (ESC UP-6).   |
|  | The corners and side center of the claim are located and marked as follows: from the southwest corner, a post marked SW UP-6, 750' in a northerly direction to the west side center (WSC UP-6), thence 750' norther to the NW corner (NW UP-6), thence 600' east to the NE corner  |
|  | The corners and side center of the claim are located and marked as follows: from the southwest corner, a post marked SW UP-6, 750' in a northerly direction to the west side center (WSC UP-6), thence 750' norther to the NW corner (NW UP-6), thence 600' east to the NE corner (NE UP-6), thence 750' south to the east side center (ESC UP-6), thence 750' south to the SE corner (SE UP-6), thence 600' west  |
| RECORDED<br>on March<br>Book 34  | The corners and side center of the claim are located and marked as follows: from the southwest corner, a post marked SW UP-6, 750' in a northerly direction to the west side center (WSC UP-6), thence 750' norther to the NW corner (NW UP-6), thence 600' east to the NE corner (NE UP-6), thence 750' south to the east side center (ESC UP-6), thence 750' south to the SE corner (SE UP-6), thence 600' west  |
| RECORDED AT THE REQUEST on March 31 15.70.   | The corners and side center of the claim are located and marked as follows: from the southwest corner, a post marked SW UP-6, 750' in a northerly direction to the west side center (WSC UP-6), thence 750' norther to the NW corner (NW UP-6), thence 600' east to the NE corner (NE UP-6), thence 750' south to the east side center (ESC UP-6), thence 750' south to the 3E corner (SE UP-6), thence 600' west to the SW corner (SW UP-6), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter by  |
| RECORDED AT THE REQUEST OF UNIO<br>on March 31 1970 of 100<br>book 34 of Official RECORDS                                | The corners and side center of the claim are located and marked as follows: from the southwest corner, a post marked SW UP-6, 750' in a northerly direction to the west side center (WSC UP-6), thence 750' norther to the NW corner (NW UP-6), thence 600' east to the NE corner (NE UP-6), thence 750' south to the east side center (ESC UP-6), thence 750' south to the SE corner (SE UP-6), thence 600' west to the SW corner (SW UP-6), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter by 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performed by March.  1970.   |
| RECORDED AT THE REQUEST OF UNION PACALT.  on March 31 19 70 of 10 min. Pack  book 34 of Official Records, page 588       | The corners and side center of the claim are located and marked as follows: .from the southwest corner, a post marked SW UP-6, 750' in a northerly direction to the west side center (WSC UP-6), thence 750' norther to the NW corner (NW UP-6), thence 600' east to the NE corner (NE UP-6), thence 750' south to the east side center (ESC UP-6), thence 750' south to the SE corner (SE UP-6), thence 600' west to the SW corner (SW UP-6), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above described monuments is a post at least 4" in diameter by 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete, this location had been performed by March 1970.  Dated this 26th day of March 1970.  One East First St., Reno, Nevada |
| RECORDED AT THE REQUEST OF Union Pacific Rail  on March 31 1970 on 10 min. per 4 1  rowk 34 of Official Records page 588 | The corners and side center of the claim are located and marked as follows: from the southwest corner, a post marked SW UP-6, 750' in a northerly direction to the west side center (WSC UP-6), thence 750' norther to the NW corner (NW UP-6), thence 600' east to the NE corner (NE UP-6), thence 750' south to the east side center (ESC UP-6), thence 750' south to the 3E corner (SE UP-6), thence 600' west to the SW corner (SW UP-6), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter by 4.5' in length, set 1' in the ground:  All location and discovery work necessary to complete this location had been performed by March 1970.  Dated this 26th day of March 1970.                                     |

|   | _ Certificate of Location of Lode Claim_   |
|---|--|
|   | THIS IS TO CERTIFY THAT the (*U.P. * #7  |
|   | located by R. J. Anctil  whose post office address appears below, on the 19th day of March:  The general course of said lode or vein is north - south  The claim (2) (is very) situated in the Buckhorn Mining District  Eureka County, State of Nevada, |
|   | The locator claims. 750 feet in a (n) nartherly, direction and750 feet in a (n) nartherly direction and  |
|   | A trench equivalent to a 4' X 6' X 10' cut was made near the discovery monument of U.P. #7.  |
|   |  |
| 100克斯·1                                   |  |
|   | <u> </u>   |
|   |  |
|   | <u> </u>   |
|   |  |
|   |  |
|   | The total cost of such work consisted of at least \$. 100.00   |
|   | The corners and side center of the claim are located and marked as follows: From the   |
|   | southwest corner, a post marked SW UP-7, 750 in a northerl   |
|   | direction to the west side center (WSC UP-7), thence 750' northerly to the NW corner (NW UP-7), thence 600' east to  |
|   | the NE corner (NE UP-7), thence 750' south to the east side  |
|   | center (ESC UP-7), thence 750' south to the SE corner  |
|   | (SE UP-7), thence 600' west to the SW corner (SW UP-7), the  |
|   | point of beginning.  |
|   |  |
|   |  |
| Man                                       | # <u>1995   1997                                 </u>  |
| 34 CF.                                    |  |
|   | (If additional space is needed attach separate sheet).   |
|   | Each of the above-described monuments is a post at least 4" in diameter by   |
| 2 # O                                     | 4.5' in length, set 1' in the ground.  |
|   | All location and discovery work necessary to complete, this location had been performed by   |
| 15, pg 11, on                             | March 1970 1970 1970   |
| 10 12 12 12 12 12 12 12 12 12 12 12 12 12 | One East First St., Reno, Neva   |
| 289<br>589<br>C1.E1                       | (ADDRESS)  |
| M + 6                                     |  |
| ᄣᅜᄺ                                       | (Name of Locator) (Additess)   |
|   | * To be filed with the County Recorder.  |

|  | THIS IS TO CERTIFY THAT the U.P. 18  |
|--|--|
|  | located by R. J. Anctil  located by R. J. Anctil  phose post office address appears below, on the 19th day of March 1970  The general course of said lode or vein is north - south   |
|  | The claim: (is, 1884) situated in the Buckhorn Mining District.  |
|  | The locator  |
|  | The dimensions and locations of the discovery work done on the claim are as follows:   |
|  | Za in a superior of the superi |
| 1000 PER 10  |  |
| 1000 (C)<br>1000 (C)   |  |
|  |  |
|  |  |
| 1 Y - 7  | - 1915年3月 - 1915年 - 1  |
|  |  |
|  | 77 1   |
|  | The total cost of such work consisted of at least \$ 100.00  The corners and side center of the claim are located and marked as follows: From the southwest corner a post warked SW IIP-8, 750' in a corthorly   |
|  |  |
|  | The corners and side center of the claim are located and marked as follows: From the southwest corner, a post marked SW UP-8, 750' in a northerly direction to the west side center (WSC UP -8), thence 750' northerly to the NW corner (NW UP-8), thence 600' east to   |
|  | The corners and side center of the claim are located and marked as follows: From the southwest corner, a post marked SW UP-8, 750' in a northerly direction to the west side center (WSC UP -8), thence 750' northerly to the NW corner (NW UP-8), thence 600' east to the NE corner (NE UP-8), thence 750' south to the east side   |
|  | The corners and side center of the claim are located and marked as follows: From the southwest corner, a post marked SW UP-8, 750' in a northerly direction to the west side center (WSC UP -8), thence 750' northerly to the NW corner (NW UP-8), thence 600' east to the NE corner (NE UP-8), thence 750' south to the east side center (ESC UP-8), thence 750' south to the SE corner   |
|  | The corners and side center of the claim are located and marked as follows: From the southwest corner, a post marked SW UP-8, 750' in a northerly direction to the west side center (WSC UP -8), thence 750' northerly to the NW corner (NW UP-8), thence 600' east to the NE corner (NE UP-8), thence 750' south to the east side   |
|  | The corners and side center of the claim are located and marked as follows: From the southwest corner, a post marked SW UP-8, 750' in a northerly direction to the west side center (WSC UP -8), thence 750' northerly to the NW corner (NW UP-8), thence 600' east to the NE corner (NE UP-8), thence 750' south to the east side center (ESC UP-8), thence 750' south to the SE corner (SE UP-8), thence 600' west to the SW corner (SW UP-8),   |
| n_M<br>hook  | The corners and side center of the claim are located and marked as follows: From the southwest corner, a post marked SW UP-8, 750' in a northerly direction to the west side center (WSC UP -8), thence 750' northerly to the NW corner (NW UP-8), thence 600' east to the NE corner (NE UP-8), thence 750' south to the east side center (ESC UP-8), thence 750' south to the SE corner (SE UP -8), thence 600' west to the SW corner (SW UP-8), the point of beginning.  |
| متروندون مراسم مراسم<br>مراسم مراسم مر   | The corners and side center of the claim are located and marked as follows: From the southwest corner, a post marked SW UP-8, 750' in a northerly direction to the west side center (WSC UP -8), thence 750' northerly to the NW corner (NW UP-8), thence 600' east to the NE corner (NE UP-8), thence 750' south to the east side center (ESC UP-8), thence 750' south to the SE corner (SE UP -8), thence 600' west to the SW corner (SW UP-8), the point of beginning.  |
| AZCORDED AT THI<br>m March 31<br>Book 34 o   | The corners and side center of the claim are located and marked as follows: From the southwest corner, a post marked SW UP-8, 750' in a northerly direction to the west side center (WSC UP -8), thence 750' northerly to the NW corner (NW UP-8), thence 600' east to the NE corner (NE UP-8), thence 750' south to the east side center (ESC UP-8), thence 750' south to the SE corner (SE UP -8), thence 600' west to the SW corner (SW UP-8), the point of beginning.  |
| RECORDED AT THE REST<br>March 31 19<br>Book 34 of Offi   | The corners and side center of the claim are located and marked as follows: From the southwest corner, a post marked SW UP-8, 750' in a northerly direction to the west side center (WSC UP -8), thence 750' northerly to the NW corner (NW UP-8), thence 600' east to the NE corner (NE UP-8), thence 750' south to the east side center (ESC UP-8), thence 750' south to the SE corner (SE UP -8), thence 600' west to the SW corner (SW UP-8), the point of beginning.  (If additional space is needed attach separate sheet).  |
| RECORDED AT THE REQUEST On March 31. 19.70 on OFFICIAL   | The corners and side center of the claim are located and marked as follows: From the southwest corner, a post marked SW UP-8, 750' in a northerly direction to the west side center (WSC UP -8), thence 750' northerly to the NW corner (NW UP-8), thence 600' east to the NE corner (NE UP-8), thence 750' south to the east side center (ESC UP-8), thence 750' south to the SE corner (SE UP -8), thence 600' west to the SW corner (SW UP-8), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter by  |
| RECORDED AT THE REQUEST OF UT<br>March 31 19 70 at 10<br>Book 34 of Official Recor   | The corners and side center of the claim are located and marked as follows: From the southwest corner, a post marked SW UP-8, 750' in a northerly direction to the west side center (WSC UP-8), thence 750' northerly to the NW corner (NW UP-8), thence 600' east to the NE corner (NE UP-8), thence 750' south to the east side center (ESC UP-8), thence 750' south to the SE corner (SE UP-8), thence 600' west to the SW corner (SW UP-8), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter by 4.5' in length, set 1' in the ground.  |
| RECORDED AT THE REQUEST OF Union march 31 19 70 d 10 mi  | The corners and side center of the claim are located and marked as follows: From the southwest corner, a post marked SW UP-8, 750' in a northerly direction to the west side center (WSC UP -8), thence 750' northerly to the NW corner (NW UP-8), thence 600' east to the NE corner (NE UP-8), thence 750' south to the east side center (ESC UP-8), thence 750' south to the SE corner (SE UP -8), thence 600' west to the SW corner (SW UP-8), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter by  |
| RZCORDED AT THE REQUEST OF Union Pac<br>na March 31 19 70 of 10 mins, po<br>none 34 of Official RECORDS, posts   | The corners and side center of the claim are located and marked as follows: From the southwest corner, a post marked SW UP-8, 750' in a northerly direction to the west side center (WSC UP -8), thence 750' northerly to the NW corner (NW UP-8), thence 600' east to the NE corner (NE UP-8), thence 750' south to the east side center (ESC UP-8), thence 750' south to the SE corner (SE UP -8), thence 600' west to the SW corner (SW UP-8), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter by 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performed by   |
| RECORDED AT THE REQUEST OF Union Pacific and March 31 19 70 of 10 mins peet 10 mins | The corners and side center of the claim are located and marked as follows: From the southwest corner, a post marked SW UP-8, 750' in a northerly direction to the west side center (WSC UP -8), thence 750' northerly to the NW corner (NW UP-8), thence 600' east to the NE corner (NE UP-8), thence 750' south to the east side center (ESC UP-8), thence 750' south to the SE corner (SE UP -8), thence 600' west to the SW corner (SW UP-8), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above described monuments is a post at least 4" in diameter by 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performed by March 1970.  Dated this 26th day of March 1970.  One East First St., Reno, Nevada   |
| AZCORDED AT THE REQUEST OF Union Pacific Raj  March 31 19 70 et 10 mins, post 4 1  Book 34 of Official Records, post 590   | The corners and side center of the claim are located and marked as follows: From the southwest corner, a post marked SW UP-8, 750' in a northerly direction to the west side center (WSC UP-8), thence 750' northerly to the NW corner (NW UP-8), thence 600' east to the NE corner (NE UP-8), thence 750' south to the east side center (ESC UP-8), thence 750' south to the SE corner (SE UP-8), thence 600' west to the SW corner (SW UP-8), the point of beginning.  (If additional space is needed attach separate sheet).  Each of the above-described monuments is a post at least 4" in diameter by 4.5' in length, set 1' in the ground.  All location and discovery work necessary to complete this location had been performed by March 1970.  Dated this 26th dayof March 1970.  |

|   | -Certificate of Location of Lode Claim_   |
|---|---|
|   | THIS IS TO CERTIFY THAT the U. P. #9  |
|   | lode mining claim: (1982, was) located by R. J. Anctil whose post office address appears below, on the 19th day of March 1970 The general course of said lode or vein is north - south The claim (is, 1985) shuated in the Buckhorn Mining District Eureka County, State of Nevada, |
|   | The locator. claims 750 feet in a (n) NOTTHET LY direction and 750 feet in a (s) Souther Ly direction from the point of discovery, with a width of 300 fe on each side of the center of the vein or lode along the entire length of said claim                                      |
|   | the discovery monument of U.P. #9.  |
|   |   |
| · 自然的。2   |   |
|   |   |
|   |   |
|   | The total cost of such work consisted of at least \$ 100.00   |
|   | The corners and side center of the claim are located and marked as follows: From the southwest corner, a post marked SW UP-9, 750' in a norther   |
|   | direction to the west side center (WSC UP-9), thence 750'   |
|   | northerly to the NW corner (NW UP-9), thence 600' east to   |
|   | the NE corner (NE UP-9), thence 750' south to the east sid  |
|   | (SE UP-9), thence 600' west to the SW corner (SW UP-9), th  |
|   | point of beginning.   |
| F 2 2   |   |
| S NO  |   |
| A 유유  |   |
|   |   |
| 19 76<br>19 76<br>19 70<br>19 70<br>10 70 | (If additional space is needed attach separate sheet).  |
| ] 2 ± 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1   | (If additional space is needed attach separate sheet).  Each of the above described monuments is a post at least 4" in diameter by  4.5' in length, set 1' in the ground.   |
| 6 E   | All location and discovery work necessary to complete this location had been performed  |
| P. P.   | March 19 70   |
| $\mathcal{J}_{\mathbb{Z}}$  | Dated this 26th day of March 1970   |
| 168   | One East First St., Reno, Neva  |
|   |   |
| N PR  | (Name of Locator) (Address)   |
|   |   |
| OR DS   | * To be filed with the County Recorder.  CARLIELS'S FORM NO. 55 N-COERTIFICATE OF LOCATION-LODE-NEYADA.   |

| lode mining claim (19878,   | was) = located by  | R. J. Anctil   |
|---|--|--|
| whose post office address appe  | 发展的 5年 19 16 18 16 16 16 16 16 16 16 16 16 16 16 16 16   | March 19.70  |
| The general course of sa  |  |  |
|   | ) situated in the Buckt  | norn Mining Distric  |
| Eureka  | County, State of Nevada,   |  |
| The locatorclaims   | 750 feet in a (n) nort   | herlydirection and   |
| 李婧基度包载的 经路边记帐 经基础记记法  | lirection from the point of discovery, p   | 2000年,1000年,1000年第5月,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年,1980年   |
| <b>经过有 医氯化汞等的 机卡特拉克的 医</b> 拉拉克  | the vein or lode along the citire length   | r of said claim  |
| (If additional space is needed  | (Parks 4) [4일 4] [4] [4] [4] [4] [4] [4] [4] [4] [4]   | 4  |
| A trench equ:   | ations of the discovery work done on<br>ivalent to a 4' X 6' X 10  | the claim are as jouous:   |
| the discover  | y monument of U.P. #10,  |  |
|   |  |  |
|   |  |  |
|   |  |  |
|   |  |  |
|   |  |  |
|   |  |  |
|   | **************************************   |  |
| The corners and side cer<br>southwest co  | work consisted of at least \$ 100.00  Inter of the claim are located and rner, a post marked SW UI  The west side center (W  | marked as follows: From the<br>2-10, 750' in a norther1  |
| The corners and side cer<br>southwest co<br>direction to<br>northerly to  | nter of the claim are located and  | marked as follows: From the P-10, 750' in a norther1 GC UP-10), thence 750'  |
| The corners and side cer<br>southwest cor<br>direction to<br>northerly to<br>the NE corner  | nter of the claim are located and<br>rner, a post marked SW UI<br>the west side center (WS<br>the NW corner, (NW UP-10   | marked as follows: From the<br>P-10, 750' in a northerl<br>GC UP-10), thence 750'<br>D), thence 600' east to<br>south to the east sid  |
| The corners and side cer<br>southwest corner<br>direction to<br>northerly to<br>the NE corner<br>center (ESC<br>(SE UP -10),  | nter of the claim are located and rner, a post marked SW UI the west side center (WS the NW corner, (NW UP-10 r (NE UP-10), thence 750 south thence 600 west to the  | marked as follows: From the P-10, 750' in a norther1 SC UP-10), thence 750' D), thence 600' east to south to the east side to the SE corner  |
| The corners and side cer southwest cornertion to northerly to the NE corner center (ESC   | nter of the claim are located and rner, a post marked SW UI the west side center (WS the NW corner, (NW UP-10 r (NE UP-10), thence 750 south thence 600 west to the  | marked as follows: From the P-10, 750' in a norther1 SC UP-10), thence 750' D), thence 600' east to south to the east side to the SE corner  |
| The corners and side cer<br>southwest corner<br>direction to<br>northerly to<br>the NE corner<br>center (ESC<br>(SE UP -10),  | nter of the claim are located and rner, a post marked SW UI the west side center (WS the NW corner, (NW UP-10 r (NE UP-10), thence 750 south thence 600 west to the  | marked as follows: From the P-10, 750' in a norther1 SC UP-10), thence 750' D), thence 600' east to south to the east side to the SE corner  |
| The corners and side cer<br>southwest corner<br>direction to<br>northerly to<br>the NE corner<br>center (ESC<br>(SE UP -10),  | nter of the claim are located and rner, a post marked SW UI the west side center (WS the NW corner, (NW UP-10 r (NE UP-10), thence 750' south thence 600' west to the beginning.   | marked as follows: From the P-10, 750' in a norther1 SC UP-10), thence 750' D), thence 600' east to south to the east side to the SE corner  |
| The corners and side cer<br>southwest corner<br>direction to<br>northerly to<br>the NE corner<br>center (ESC<br>(SE UP -10),  | nter of the claim are located and rner, a post marked SW UI the west side center (WS the NW corner, (NW UP-10 r (NE UP-10), thence 750 south thence 600 west to the  | marked as follows: From the P-10, 750' in a norther1 SC UP-10), thence 750' D), thence 600' east to south to the east side to the SE corner  |
| The corners and side cer<br>southwest corner<br>direction to<br>northerly to<br>the NE corner<br>center (ESC<br>(SE UP -10),  | nter of the claim are located and rner, a post marked SW UI the west side center (WS the NW corner, (NW UP-10 r (NE UP-10), thence 750' south thence 600' west to the beginning.   | marked as follows: From the P-10, 750' in a norther1 SC UP-10), thence 750' D), thence 600' east to south to the east side to the SE corner  |
| The corners and side cer southwest corners direction to northerly to the NE corner center (ESC (SE UP -10), the point of  | nter of the claim are located and rner, a post marked SW UI the west side center (WS the NW corner, (NW UP-10) thence 750' south thence 600' west to the beginning.  | marked as follows: From the P-10, 750' in a northerl SG UP-10), thence 750' D), thence 600' east to south to the east side to the SE corner SW corner (SW UP-10),  |
| The corners and side cer southwest corners direction to northerly to the NE corner center (ESC (SE UP -10), the point of  (If additional space is r Each of the above-descr   | nter of the claim are located and rner, a post marked SW UI the west side center (WS the NW corner, (NW UP-10 r (NE UP-10), thence 750' south thence 600' west to the beginning.   | marked as follows: From the P-10, 750' in a northerl SG UP-10), thence 750' D), thence 600' east to south to the east side to the SE corner SW corner (SW UP-10),  |
| The corners and side cer southwest cor direction to northerly to the NE corner center (ESC (SE UP -10), the point of  (If additional space is r Each of the above-descr 4.5' in leng All location and discordance                       | nter of the claim are located and rner, a post marked SW UI the west side center (WS the NW corner, (NW UP-10) thence 750' south thence 600' west to the beginning.  needed attach separate sheet).  Tibed monuments is a post at the set 1' in the ground.  1970.   | marked as follows: From the P-10, 750' in a northerl SG UP-10), thence 750' D), thence 600' east to south to the east side to the SE corner SW corner (SW UP-10),  |
| The corners and side cer southwest cor direction to northerly to the NE corner center (ESC (SE UP -10), the point of  (If additional space is r Each of the above-descr 4.5' in leng All location and discording March  Dated this 26th | the vest side center (Withe NW corner, (NW UP-10) thence 750' south thence 600' west to the beginning.  The ded attach separate sheet) the set 1' in the ground ward ward ward ward one East one East to the content of the set 1' in the ground over work necessary to complete the set 1' in the ground ward of March one East one East          | marked as follows: From the P-10, 750' in a northerl SG UP-10), thence 750' D), thence 600' east to south to the east side to the SE corner SW corner (SW UP-10),  |
| The corners and side cer southwest corner contently to the NE corner center (ESC (SE UP -10), the point of the point of Each of the above-descr 4.5' in leng All location and discontents.  | nter of the claim are located and rner, a post marked SW UI the west side center (WS the NW corner, (NW UP-10) thence, (NW UP-10), thence 750' south thence 600' west to the beginning.  needed attach separate sheet) the dominants is a post at 1 th, set 1' in the ground overy work necessary to complete. If 1970 day of March One East Ator) | marked as follows: From the 2-10, 750' in a norther1 3G UP-10), thence 750' 0), thence 600' east to 2 south to the east side to the SE corner SW corner (SW UP-10), 10 south to the SE corner (SW UP-10), 10 south to the east side at the SE corner (SW UP-10), 10 south to the east side at the SE corner (SW UP-10), 10 south to the east side at the SE corner (SW UP-10), 10 south to the east side at the SE corner (SW UP-10), 10 south to the east side at the SE corner (SW UP-10), 10 south to the east side at the second to the second t |