

Form 1890-8
(January 1965)
(Revised 4-1960)

N-3500

The United States of America,

To all to whom these presents shall come, Greeting:

WHEREAS, Newmont Exploration Limited is entitled to a Land Patent pursuant to the general mining laws, R. S. 2325, as amended, 30 U.S.C. 29 (1964), for the lands embraced within the Blue Star lode mining claims, Nos. 1943, 1-1944, 2-1944, 1959, 1-1959, 2-1959, 3-1959, 4-1959, 15-1959, 16-1959 and 17-1959, designated and described as:

Mineral Survey No. 4889, located within the N $\frac{1}{2}$, SW $\frac{1}{4}$ Sec. 4, NE $\frac{1}{4}$, SE $\frac{1}{4}$ Sec. 5, T. 35 N., R. 50 E., Mount Diablo Meridian, Eureka County, Nevada, the said claims being more particularly described in the official field notes and depicted on the official plat which are expressly made a part of this patent and copies of which are attached hereto;

containing 171.77 acres:

NOW KNOW YE, that there is, therefore, granted by the UNITED STATES, unto the above named claimant, the land above described; TO HAVE AND TO HOLD the said land with all the rights, privileges, immunities, and appurtenances, of whatsoever nature, thereunto belonging, unto the said claimant, its successors and assigns, forever;

EXCEPTING AND RESERVING TO THE UNITED STATES:

A right-of-way thereon for ditches and canals constructed by the authority of the United States, Act of August 30, 1890, 26 Stat. 391; 43 U.S.C. 945.

IN TESTIMONY WHEREOF, the undersigned authorized officer of the Bureau of Land Management, in accordance with the provisions of the Act of June 17, 1948 (62 Stat. 476), has, in the name of the United States, caused these letters to be made Patent, and the Seal of the Bureau to be hereunto affixed.

GIVEN under my hand, in Reno, Nevada, the EIGHTEENTH day of FEBRUARY, in the year of our Lord one thousand nine hundred and SEVENTY ONE and of the Independence of the United States the one hundred and NINETY-FIFTH.

By *Rolla E. Chandler*
Manager, Nevada Land Office

Patent Number 27-71-00095

39
BOOK PAGE 1023

16-72341-1
650-748

FEB 22 1971

Form 4-693
(January 1963)

BUREAU OF LAND MANAGEMENT
NEVADA STATE OFFICE

UNITED STATES
DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

100 JAN 6 AM 10 29 5

FIELD NOTES

0-200445

N-2500

Mineral Survey Number

4389

State

Nevada

Land District

Of the Survey of the Mining Claim of (name and address of Claimant)
Newmont Exploration Limited, A Delaware Corporation, c/o Mr. J. Forman, Esq.,
Attorney, One East First Street, Reno, Nevada 89505

Known as the (name of group, if any)

Blue Star

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS:

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Blue Star-1943	7-1-43	3-16-68
Blue Star-1-1944	10-23-44	3-16-68
Blue Star-2-1944	10-28-44	3-16-68
Blue Star 1959	6-22-59	3-16-68
Blue Star-1-1959	6-22-59	3-16-68
Blue Star-2-1959	6-22-59	3-16-68
Blue Star-3-1959	6-22-59	3-16-68
Blue Star-4-1959	6-22-59	3-16-68
Blue Star-15-1959	6-22-59	3-16-68
Blue Star-16-1959	6-22-59	3-16-68
Blue Star-17-1959	6-22-59	4-11-68

PATENT NO. 27-71-0099

Mining district Lyon			County Eureka
Section 4 & 5	Township 35 North	Ridge East	Meridian Mount Diablo Survey under order dated April 12, 1963
Survey commenced 3-16-68	Survey completed 3-17-68	Name of Mineral Surveyor Harry Collier	

TEXT

This survey was made with a Keuffel and Esser 6c Theodolite No. 664904, with a horizontal circle 3.5 ins. diam., a full vertical circle 2.7 ins. diam., both reading to minutes utilizing the optical micrometer. The instrument was in good condition at the time of the survey, and all adjustments were in good order.

Bearings referred to in this record were determined by the method of double horizontal angles referred to the meridian determined by the following observations:

June 17, 1968, at Cor. No. 1 of the Blue Star-4-1959 lode, in latitude $40^{\circ}36' N.$, and longitude $115^{\circ}21' W.$, I make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reverse positions, observing opposite limbs of the sun, and reading the horizontal angle from Cor. No. 4 of the Blue Star-4-1959 lode, in a counterclockwise direction to the sun.

Mean time of observation.

(P.S.T.) 8h 21m a.m.

Declination of sun at mean time of observation. $23^{\circ}24'$

Mean observed vertical angle to sun's center $43^{\circ}13'$

Mean horizontal angle from Cor. No. 4 of Blue Star-4-1959 lode to sun's center. $84^{\circ}44'12''$

True bearing to Cor. No. 4 of Blue Star-4-1959 lode. S. $0^{\circ}06'22'' W.$

The lines were measured with a K. & E. steel tape 500' in length, graduated every foot, with the end foot graduated to tenths and hundredths. This tape was compared with a K. & E. Lo-Var tape No. 4125 at the time of beginning the survey, and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of $17^{\circ} E.$

BLUE STAR 1943 LODE

At Cor. No. 1 of the Blue Star 1943 lode, identical with Cor. No. 1 of the Blue Star-1-1944 lode of this survey.

Set an iron post, 30 ins. long, 2 ins. diam., 16 ins. in the ground, with a brass cap and, RS 1943-1 RS-1-1944-1 4889, from which

The closing cor. of secos. 4 and 5, T. 35 N., R. 50 E., Mt. Diablo Mts., bears N. $84^{\circ}16'32'' W.$, 1,813.91 ft. dist., an iron post, 2 ins. diam., firmly set, marked, and witnessed as described in the official record.

No legal bearing objects or bearing trees available.

Hence S. $17^{\circ}28' W.$

(This form bound on top)

PATENT NO. 27-71-0099

39

000K PAGE

040

FEET	
17.59	Intersect the common line 4-1 Blue Star-2-1959 lode and 1-2 Blue Star-3-1959 lode, both of this survey.
525	Road, bears N. 40° W. and S. 49° E.
640	Road, bears N. 35° W. and S. 55° E.
690	Road, bears N. 14° W. and S. 14° E.
790	Road, bears N. 70° W. and S. 70° E.
1,334.20	Intersect the common line 3-4 Blue Star-2-1959 lode and 2-3 Blue Star-1-1959 lode, both of this survey.
1,500.0	Cor. No. 2, identical with Cor. No. 4 of the Blue Star-1-1944 lode of this survey. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap riv., BS 1943-2 BS-1-1944-4 4889. No local bearing objects or bearing trees available.
	Thence S. 72°42' E.
300	Lode line, discovery point bears N. 17°18' E., 750 ft. dist.
453.72	Intersect line 1-2 Blue Star-1-1959 lode of this survey.
465	Road, bears N. 46° E. and S. 46° W.
560	Road, bears N. 44° E. and S. 44° W.
600.0	Cor. No. 3, identical with Cor. No. 2 of the Blue Star-2-1944 lode of this survey. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap riv., BS 1943-3 BS-2-1944-2 4889. No local bearing objects or bearing trees available.
	Thence N. 17°18' E.
65	Road, bears N. 57° E. and S. 50° W.
230	Road, bears N. 73° E. and S. 60° W.
301.38	Intersect line 2-3 Blue Star-3-1959 lode of this survey.
330	Road, bears N. 88° W. and S. 68° E.
1,163	Road, bears N. 20° W. and S. 20° E.
1,452	Road, bears N. 40° W. and S. 40° E.
2,500.0	Cor. No. 4, identical with Cor. No. 3 of the Blue Star-2-1944 lode of this survey.

GPO 830-784

F.E.T.	
	Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap mid., BS-1943-4 BS-2-1944-1 4889. No local bearing objects or bearing trees available. Thence N. $72^{\circ}42'$ W.
30	Road, bears N. 18° W. and S. 11° E.
300	Lode line; discovery point bears S. $17^{\circ}18'$ W., 750 ft. dist.
345	Road, bears N. 30° W. and S. 30° E.
600.0	Cor. No. 1, and place of beginning.
BLUE STAR-1-1944 LODE	
	Beginning at Cor. No. 1 of the Blue Star-1-1944 lode, identical with Cor. No. 1 of the Blue Star-1943 lode of this survey.
	Thence N. $72^{\circ}42'$ W.
5.44	Intersect the common line 4-1 Blue Star-2-1959 lode and 1-2 Blue Star-3-1959 lode, both of this survey.
260	Road, bears N. 4° W. and S. 4° E.
300	Lode line; discovery point bears S. $17^{\circ}18'$ W., 750 ft. dist.
600.0	Cor. No. 2. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap mid., BS-1-1944-2 4889. No local bearing objects or bearing trees available. Thence S. $17^{\circ}18'$ W.
103.29	Intersect the common line 3-4 Blue Star-1-1959 lode and 2-3 Blue Star-2-1959 lode, both of this survey.
416	Road, bears N. 13° W. and S. 13° E.
652	Road, bears N. 22° W. and S. 22° E.
953	Road, bears N. 48° W. and S. 33° E.
1,500.0	Cor. No. 3. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap mid., BS-1-1944-3 4889. No local bearing objects or bearing trees available.

(This form bound on top)

PATENT NO. 27-71-0099BOOK 39 PAGE 042

FEET	
226.02	Thence S. $72^{\circ}42'$ E. Intersect the common line 2-3 Blue Star-1-1959 lode and 3-4 Blue Star-16-1959 lode, both of this survey.
300	Lode line; discovery point bears N. $17^{\circ}18'$ E., 750 ft. dist.
430.65	Intersect the common line 3-4 Blue Star-15-1959 lode and 2-3 Blue Star-16-1959 lode, both of this survey.
440	Road, bears northerly and southerly.
461	Road, bears northerly and southerly.
600.0	Cor. No. 4, identical with Cor. No. 2 of the Blue Star 1943 lode of this survey. Thence N. $17^{\circ}18'$ E.
115.72	Intersect the common line 3-4 Blue Star-2-1959 lode and 2-3 Blue Star-15-1959 lode, both of this survey.
710	Road.
810	Road.
860	Road.
975	Road.
1,482.41	Intersect the common lines 4-1 Blue Star-2-1959 lode, and 1-2 Blue Star-3-1959 lode, both of this survey.
1,500.0	Cor. No. 1, end place of beginning.
BLUE STAR-2-1944 LODE	
	At Cor. No. 1 of the Blue Star-2-1944 lode, identical with Cor. No. 4 of the Blue Star 1943 lode of this survey.
	The closing cor. of secs. 4 and 5, T. 35 N., R. 50 E., Mt. Diablo Mts., bears N. $81^{\circ}28'$ $21'$ W., 2,464.72 ft. dist; previously described.
	Thence S. $17^{\circ}18'$ W.
33	Road.
337	Road.
1,170	Road.
1,193.62	Intersect line 2-3 Blue Star-3-1959 lode of this survey.
1,270	Road.
1,435	Road.

GPO 639-724

	FEET	
	1,500.0	Cor. No. 2, identical with Cor. No. 3 of the Blue Star 1943 lode of this survey. Thence S. 72°42' E.
	272	Road, bears N. 20° E. and S. 20° W.
	300	Lode line, discovery point bears N. 17°18' E., 750 ft. dist.
	404	Road, bears N. 17° E. and S. 17° W.
	450	Road, bears N. 33° E. and S. 33° W.
	600.0	Cor. No. 3. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap md.. BS-2-1944-3 4889. No local bearing objects or bearing trees available.
		Thence N. 17°18' E.
	180	Road, bears N. 83° E. and S. 83° W.
	487.05	Intersect line 3-4 Blue Star-4-1959 lode of this survey.
	1,355	Road, bears N. 62° E. and S. 62° W.
	1,500.0	Cor. No. 4. This C.R. falls on the north side of a road which bears N. 75° W. and S. 75° E. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap md.. BS-2-1944-4 4889. No local bearing objects or bearing trees available.
		Thence N. 72°42' W.
	280	Road, bears N. 80° W. and S. 80° E.
	300	Lode line, discovery point bears S. 17°18' W., 750 ft. dist.
	577.37	Intersect the center line 3-4 Blue Star-3-1959 lode and 2-3 Blue Star-4-1959 lode, both of this survey.
	600.0	Cor. No. 1, end place of beginning.
BLUE STAR 1959 LODE		
At Cor. No. 1 or the Blue Star 1959 lode, identical with Cor. No. 1 of the Blue Star-1-1959 lode of this survey.		
This C.R. is located on the north boundary of Sec. 4, T. 35 N., R. 50 E., Mt. Diablo Mts.		

(This form bound on top)

PATENT NO.

27-21-0099

39

044

BOOK

PAGE

FEET	
	Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap md., BS 1959-1 BS-1-1959-1 4889, from which the closing cor. of secs. 4 and 5, T. 35 N., R. 50 E., Mt. Diablo Mts., bears N. 89°53' 30" W., 600.00 ft. dist., previously described.
	No local bearing objects or bearing trees available. Thence N. 89°53'38" W.
300	Lots line; discovery point bears S. 0°06'22" W., 20 ft. dist.
600.0	Cor. No. 2, identical with the closing cor. of secs. 4 and 5, T. 35 N., R. 50 E., Mt. Diablo Mts., previously described. Permanent claim monument cannot be established at this point due to existing sec. cor. monument and rock mound.
	Thence S. 0°06'22" W.
1.0	Point for Witness Cor. No. 2 Blue Star 1959 lots. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap md., WC BS 1959-2 4889.
	No local bearing objects or bearing trees available.
1,500.0	Cor. No. 3, identical with Cor. No. 3 of the Blue Star-17-1959 lots of this survey. Set an iron post, 30 ins. long, 2 ins. diam., 12 ins. in the ground, and in a rock mound 18 ins. high, 36 ins. diam., with a brass cap md., BS 1959-3 BS-17-1959-3 4889.
	No local bearing objects or bearing trees available. Thence S. 89°53'38" E.
0.92	Intersect the line bet. secs. 4 and 5, T. 35 N., R. 50 E., Mt. Diablo Mts., at a point from which the closing cor. of secs. 4 and 5 bears N. 0°04' E., 1,500.00 ft. dist.
300	Lots line; discovery point bears N. 0°06'22" E., 1,400 ft. dist.
345	Road, bears northerly and southerly.
600.0	Cor. No. 4, identical with Cor. No. 2 of the Blue Star-1-1959 lots, Cor. No. 4 of the Blue Star-16-1959 lots, Cor. No. 2 of the Blue Star-17-1959 lots, all of this survey.

GPO 533-784

FEET	
	Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap and.. BS 1959-4 48-1-1959-2 BS-16-1959-4 BS-17-1959-2 4889.
	No local bearing objects or bearing trees available.
	Thence N. $0^{\circ}06'22''$ E.
930	Road, bears easterly and westerly.
1,500.0	Cor. No. 1, end place of beginning.
	BLUE STAR-1-1959 LODE
	Beginning at Cor. No. 1 of the Blue Star-1-1959 lode, identical with Cor. No. 1 of the Blue Star 1959 lode of this survey.
	Thence S. $0^{\circ}06'22''$ W.
570	Road.
1,500.0	Cor. No. 2, identical with Cor. No. 4 of the Blue Star-1959 lode, Cor. No. 4 of the Blue Star-16-1959 lode, Cor. No. 2 of the Blue Star-17-1959 lode, all of this survey.
	Thence S. $89^{\circ}33'13''$ E.
300	Lode line; dihedral point bears N. $0^{\circ}06'22''$ E., 1,400 ft. dist.
404.52	Intersect line 3-4 Blue Star-1-1944 lode of this survey.
600.0	Cor. No. 3, identical with Cor. No. 3 of the Blue Star-2-1959 lode, Cor. No. 3 of the Blue Star-15-1959 lode, and Cor. No. 3 of the Blue Star-16-1959 lode, all of this survey.
	Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap and.. BS-1-1959-3 BS-2-1959-3 BS-15-1959-3 BS-16-1959-3 4889.
	No local bearing objects or bearing trees available.
	Thence N. $0^{\circ}06'22''$ E.
90	Road, bears N. 16° W. and S. 16° E.
260	Road, bears N. 47° W. and S. 47° E.
1,396.32	Intersect line 2-3 Blue Star-1-1944 lode of this survey.
1,500.0	Cor. No. 4, identical with Cor. No. 2 of the Blue Star-2-1959 lode of this survey.
	This corner is located on the north boundary of sec. 4, T. 35 N., R. 50 E., Mt. Diablo Mfr.

(This form bound on top)

PATENT NO. 27-71-0099

39

BOOK

046

PAGE

FREIGHT	DESCRIPTION
	Set on iron post, 30 ins. long, 3 ins. diam., 18 ins. in the ground, with a brass cap mid., BS-1-1959-4 RS-2-1959-2 4889.
	No local bearing objects or bearing trees available.
	Thence N. $89^{\circ}53'38''$ W.
193	Road, bears N. 18° W. and S. 18° E.
230	Road, bears N. 30° E. and S. 90° W.
300	Lode line; discovery point bears S. $0^{\circ}06'22''$ W., 20 ft. dist.
600.0	Cor. No. 1, end place of beginning.
	BLUE STAR-2-1959 LODE
	At Cor. No. 1 of the Blue Star-2-1959 lode, identical with Cor. No. 1 of the Blue Star-3-1959 lode of this survey.
	This corner is located on the north boundary of sec. 4, T. 35 N., R. 50 E., Mt. Diablo Mfr.
	Set on iron post, 30 ins. long, 2 ins. diam., 12 ins. in the ground, and in a rock mound 18 ins. high, 36 ins. diam., with a brass cap mid., BS-2-1959-1 RS-2-1959-1 4889, from which
	The closing cor. of secs. 4 and 5, T. 35 N., R. 50 E., Mt. Diablo Mfr., bears N. $89^{\circ}53'$ $43''$ W., 1,000.00 ft. dist.; previously described.
	Thence N. $89^{\circ}53'38''$ W.
245	Road, bears N. 4° W. and S. 4° E.
300	Lode line; discovery point bears S. $0^{\circ}06'22''$ W., 20 ft. dist.
325	Road, bears N. 53° W. and S. 53° E.
429.78	Intersect the standard & sec. cor. of sec. 31, T. 35 N., R. 50 E., Mt. Diablo Mfr.; an iron post, 1 in. diam., 12 ins. above ground, firmly set, marked, and witnessed as described in the official record.
600.0	Cor. No. 2, identical with Cor. No. 4 of the Blue Star-1-1944 lode of this survey; from which
	Cor. No. 2 of the Blue Star-1-1944 lode of this survey bears S. $89^{\circ}30'$ E., 32.01 ft. dist.
	Thence S. $0^{\circ}06'22''$ W.
103.68	Intersect line 2-3 Blue Star-1-1944 lode of this survey.

GPO 839-764

STATION	DESCRIPTION
690	Road.
1,410	Road.
1,500.0	Cor. No. 3, identical with Cor. No. 3 of the Blue Star-1-1959 lode, Cor. No. 3 of the Blue Star-15-1959 lode, and Cor. No. 3 of the Blue Star-16-1959 lode, all of this survey. Thence S. $89^{\circ}53'38''$ E.
20	Road, bears northerly and southerly.
196.00	Intersect the common line 1-2 Blue Star 1943 lode and 4-1 Blue Star-1-1944 lode, both of this survey.
300	Lode line; discovery point bears N. $0^{\circ}06'22''$ E., 1,480 ft. dist.
600.0	Cor. No. 4, identical with Cor. No. 2 of the Blue Star-3-1959 lode, and Cor. No. 2 of the Blue Star-15-1959 lode, all of this survey. Set on iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap and., BS-2-1959-4 BS-3-1959-2 BS-15-1959-2 4889. No local bearing objects or bearing trees available. Thence N. $0^{\circ}06'22''$ E.
35	Road, bears easterly and westerly.
150	Road, bears N. 22° E. and S. 22° W.
245	Road, bears N. 40° W. and S. 40° E.
575	Road, bears N. 22° W. and S. 22° E.
1,305.61	Intersect the common line 1-2 Blue Star 1943 lode and 4-1 Blue Star-1-1944 lode, both of this survey.
1,324.02	Intersect line 1-2 Blue Star-1-1944 lode of this survey.
1,500.0	Cor. No. 1, end place of beginning.
BLUE STAR-3-1959 LODE	
	Beginning at Cor. No. 1 of the Blue Star-3-1959 lode, identical with Cor. No. 1 of the Blue Star-2-1959 lode of this survey. Thence S. $0^{\circ}06'22''$ W.
175.90	Intersect line 1-2 Blue Star-1-1944 lode of this survey.

(This form bound on top)

PATENT NO. 22-21-0089

BOOK 39 PAGE 048

FEET	
194.32	Intersect the common line 1-2 Blue Star 1943 lode and 4-1 Blue Star-1-1943 lode, both of this survey.
925	Road.
1,255	Road.
1,350	Road.
1,465	Road.
1,500.0	Cor. No. 2, identical with Cor. No. 4 of the Blue Star-2-1959 lode and Cor. No. 2 of the Blue Star-1-1943 lode, both of this survey. Thence S. $89^{\circ}53'33''$ E.
224.07	Intersect the common line 3-4 Blue Star 1943 lode and 1-2 Blue Star-2-1944 lodes, both of this survey.
300	Lode lines; discovery point bears N. $0^{\circ}05'22''$ E., 1,400 ft. dist.
350	Road, bears N. 50° W. and S. 50° E.
585	Road, bears N. 18° E. and S. 18° W.
600.0	Cor. No. 3, identical with Cor. No. 3 of the Blue Star-4-1959 lode of this survey. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap and., BS-3-1959-3 BS-4-1959-3 AS/ .
	No local bearing objects or bearing trees available. Thence N. $0^{\circ}05'22''$ E.
70	Road, bears N. 18° E. and S. 18° W.
870	Road, bears N. 28° W. and S. 28° E.
1,115	Road, bears N. 33° W. and S. 33° E.
1,133.36	Intersect line 4-1 Blue Star-2-1943 lode of this survey.
1,500.0	Cor. No. 4, identical with Cor. No. 2 of the Blue Star-4-1959 lode of this survey. This corner is located on the north boundary of sec. 4, T. 35 S., R. 50 E., Mt. Diablo Mts. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap and., BS-4-1959-4 BS-4-1959-2 AS/ .
	No local bearing objects or bearing trees available. Thence N. $89^{\circ}53'33''$ W.
220	Road, bears N. 14° W. and S. 14° E.

GPO 832-784

		Road, bears N. $15^{\circ} 11'$ and S. $15^{\circ} W.$
300		Lode line; discovery point bears S. $0^{\circ} 06' 22''$ W., 20 ft. dist.
510		Road, bears N. $44^{\circ} 11'$ and S. $43^{\circ} E.$
600.0		Cor. 1, 1, end place of beginning.
		BLUE STAR-4-1959 LODE
		At Cor. No. 1 of the Blue Star-4-1959 lode, located on the north boundary of sec. 4, T. 35 N., R. 50 E., Mt. Diablo Mts.
		Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap und., BS-4-1959-4 4889, from which
		The closing cor. of sec. 4 and S. T. 35 N., R. 50 E., Mt. Diablo Mts., bears N. $89^{\circ} 53'$ $38''$ W., 3,000.00 ft. dist.; previously described.
		Thence N. $89^{\circ} 53' 38''$ W.
300		Lode line; discovery point bears S. $0^{\circ} 06' 22''$ W., 20 ft. dist.
310		Road, bears northerly and southerly.
600.0		Cor. No. 2, identical with Cor. No. 4 of the Blue Star-3-1959 lode of this survey.
		Thence S. $0^{\circ} 06' 22''$ W.
341.66		Intersect line 4-1 Blue Star-2-1944 lode of this survey.
335		Road.
630		Road.
1,430		Road.
1,500.0		Cor. No. 3, identical with Cor. No. 3 of the Blue Star-3-1959 lode of this survey.
		Thence S. $0^{\circ} 05' 38''$ E.
252.14		Intersect line 3-4 Blue Star-2-1944 lode of this survey.
300		Lode line; discovery point bears N. $0^{\circ} 05' 22''$ E., 1,80 ft. dist.
609.0		Cor. No. 4,
		Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap und., BS-4-1959-4 4889.
		No local bearing objects or bearing trees available.

(This form bound on top)

PATENT NO. 27-21-0099

39
BOOK PAGE
050

FEET	
	Thence N. $0^{\circ}06'22''$ E.
890	Road, bears N. 62° E. and S. 62° W.
930	Road, bears N. 40° W. and S. 40° E.
1,500.0	Cor. No. 1, end place of beginning.
	BLUE STAR-15-1959 LINE
	At Cor. No. 1 of the Blue Star-15-1959 lots.
	Sit. in iron pipe, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap incl., RS- 15-1959-1 4889, from which
	The closing cor. of secn. 4 and 5, T. 35 R. R. 50 E., Mt. Diablo Mts., bears N. $30^{\circ}51'$ $28''$ W., 3,450.57 ft. dist., previously described.
	Thence N. $0^{\circ}06'22''$ E.
445	Road, bears N. 44° E. and S. 44° W.
1,150	Road, bears N. 57° E. and S. 57° W.
1,250	Road, bears N. 44° E. and S. 44° W.
1,253.65	Intersect line 2-3 Blue Star 1943 lots of this survey.
1,500.0	Cor. No. 2, identical with Cor. No. 4 of the Blue Star-2-1959 lots and Cor. No. 2 of the Blue Star-3-1959 lots, both of this survey.
	Thence N. $89^{\circ}53'38''$ W.
350	Lots line, discovery point bears S. $0^{\circ}06'22''$ W., 1,450 ft. dist.
404.00	Intersect the corner line 1-2 Blue Star 1943 lots and 4-1 Blue Star-1-1943 lots, both of this survey.
530	Road.
600.0	Cor. No. 3, identical with Cor. No. 3 of the Blue Star-1-1959 lots, Cor. No. 3 of the Blue Star-2-1959 lots, and Cor. No. 3 of the Blue Star-16-1959 lots, all of this survey.
	Thence S. $0^{\circ}06'22''$ W.
60.49	Intersect line 3-4 Blue Star-1-1943 lots of this survey.
1,325	Road, bears N. 84° W. and S. 84° E.
1,500.0	Cor. No. 4, identical with Cor. No. 2 of the Blue Star-16-1959 lots of this survey.
	Sit. in iron pipe, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap incl., RS- 15-1959-4, RS-16-1959-2 4839.

GPO 535-754

		No local bearing objects or bearing trees available.
		Thence S. 89°53'38" E.
210		Lode line; discovery point bears N. 0°06°22" E., 20 ft. dist.
600.0		Cor. No. 1, end point of bearing.
		BLUE STAR-16-1959 LODE
		At Cor. No. 1 of the Blue Star-16-1959 lode, identical with Cor. No. 1 of the Blue Star-17-1959 lode of this survey.
		Set an iron post, 30 lbs. long, 2 ins. diam., 18 ins. in the ground, with a brass cap head, BS-16-1959-1 H3-17-1959-1 4889, from which
		The closing cor. of secs. 4 and 5, T. 35 N., R. 50 E., Mt. Diablo Mts., bears N. 11°12' 14" W., 3,059.41 ft. dist., previously described.
		Thence S. 89°53'38" E.
170		Road, bears N. 70° W. and S. 40° E.
300		Lode line; discovery point bears N. 0°06°22" E., 20 ft. dist.
600.0		Cor. No. 2, identical with Cor. No. 4 of the Blue Star-15-1959 lode of this survey.
		Thence N. 0°06°22" E.
175		Road.
1,439.51		Intersect the line 3-4 Blue Star-1-1944 lode of this survey.
1,500.0		Cor. No. 3, identical with Cor. No. 3 of the Blue Star-1-1959 lode, Cor. No. 3 of the Blue Star-2-1959 lode, and Cor. No. 3 of the Blue Star-15-1959 lode, all of this survey.
		Thence N. 89°53'38" W.
193.48		Intersect line 3-4 Blue Star-1-1944 lode of this survey.
300		Lode line; discovery point bears S. 0°06°22" W., 1,630 ft. dist.
600.0		Cor. No. 4, identical with Cor. No. 4 of the Blue Star-1959 lode, Cor. No. 2 of the Blue Star-2-1959 lode, and Cor. No. 2 of the Blue Star-17-1959 lode, all of this survey.
		Thence S. 0°06°22" W.
2,080		Road, bears N. 34° W. and S. 56° E.
1,105		Road, bears N. 63° W. and S. 63° E.

(This form found on top)

P.ENT NO. 277-71-0099

		COR. NO. 1, AND PLACE OF BEGINNING.
		BUREAU STAR 17-1959 LODE
		Intersection of Cor. No. 1 w/ the Elba Star 17-1959 Lode, identical with Cor. No. 1 of the Elba Star 16-1959 Lode, of this survey.
		Thence N. 0005°22' E.
395	Road.	
416	Road.	
2,500.0	Cor. No. 2, identical with Cor. No. 4 of the Elba Star 1959 Lode, Cor. No. 2 of the Elba Star-1-1959 Lode, and Cor. No. 4 of the Elba Star-16-1959 Lode, all of this survey.	
		Thence N. 89°53'38" W.
255	Road.	
300	Side line; discovery point bears S. 0°05'22" W., 1,480 ft. dist.	
599.03	Intersect the line bet. sec. 4 and 5 at a point from which the t sec. cor. of sec. 4 and 5 bears S. 0004° W., 1,467.95 ft. dist., on iron post, 1 in. diam., 10 ins. above ground, firmly set, marked, and witnessed as described in the official record.	
600.0	Cor. No. 3, identical with Cor. No. 3 of the Elba Star 1959 Lode of this survey.	
		Thence S. 0°05'22" W.
1,497	Road, bears N. 43° E. and S. 43° W.	
1,500.0	Cor. No. 4	
	Set on iron post, 30 inc. long, 2 ins. diam., 18 ins. in the ground, with a brass cap and., 17- 17-1959-5 4009, from which,	
		The t sec. cor. of sec. 4 and 5, I. 39 N., E. 50 E., M. Cimbo Mar., bears N. 3°17' E., 37.09 ft. dist.; previously described.
		Thence S. 89°53'38" E.
1,600	Intersect the line bet. sec. 4 and 5, at a point from which the t sec. cor. of sec. 4 and 5 bears N. 043°08' E., 32.04 ft. dist., previously described.	
210	Side line; discovery point bears N. 0°16'22" E., 20 ft. dist.	
600.0	Cor. No. 1, and place of beginning.	

003485

AREAS

	AREA
Total area, Blue Star 1943 lode	20.661
Total area, Blue Star-1-1944 lode	20.661
Total area, Blue Star-2-1959 lode	20.661
Total area, Blue Star 1959 lode	20.661
Area in conflict with -	
N.M. Sec. 5, T. 35 N., R. 50 E., Mt. Diablo	
Mar.	0.016
Total area, Blue Star-2-1959 lode	20.661
Area in conflict with -	
Blue Star-1-1944 lode of this survey	6.759
Total area, Blue Star-2-1959 lode	20.661
Area in conflict with -	
Blue Star-1-1944 lode of this survey	19.420
Blue Star 1943 lode of this survey	6.054
Total area, Blue Star-3-1959 lode	20.661
Area in conflict with -	
Blue Star-1-1944 lode of this survey	0.001
Blue Star 1943 lode of this survey	11.777
Blue Star-2-1944 lode of this survey	5.223
Total area, Blue Star-4-1959 lode	20.661
Area in conflict with -	
Blue Star-2-1944 lode of this survey	10.008
Total area, Blue Star-15-1959 lode	20.661
Area in conflict with -	
Blue Star 1943 lode of this survey	1.751
Blue Star-1-1944 lode of this survey	0.301
Total area, Blue Star-16-1959 lode	20.661
Area in conflict with -	
Blue Star-1-1944 lode of this survey	0.136
Total area, Blue Star-17-1959 lode	20.661
Area in conflict with -	
N.M. Sec. 5, T. 35 N., R. 50 E., Mt. Diablo	
Mar.	0.046
S.E. Sec. 5, T. 35 N., R. 50 E., Mt. Diablo	
Mar.	0.001

LOCATION

This survey is located in the N $\frac{1}{2}$ and the S $\frac{1}{2}$ of Sec. 4, the NE $\frac{1}{4}$ and the SW $\frac{1}{4}$ of Sec. 5, T. 35 N., R. 50 E., Mt. Diablo Meridian, Nevada.

The survey of all the lodes is identical with the respective location or assumed location as marked on the ground.

EXPENDITURES

1/4 Improvements and the value of the labor and instruments made upon or for the benefit of one of the lode locations embraced in said mining claim by the claimant or its grantees are as follows:

The discovery point of the Blue Star 1943 lode, a post and notice, is on the lode line 750 ft. dist. from the center of line 2-3.

No value.

No. 1

(This form based on top)

PLAT NO.

27-71-0099

BOOK

39

PAGE

054

No. 1	The discovery point of the Blue Star-1-1949 lode, a post and notice, is on the lode line 750 ft. dist. from the center of line 1-2. No value.
No. 1	The discovery point of the Blue Star-2-1949 lode, a post and notice, is on the lode line 750 ft. dist. from the center of line 2-3. No value.
No. 3	The discovery point of the Blue Star-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 1-2. No value.
No. 1	The discovery point of the Blue Star-1-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 4-1. No value.
No. 1	The discovery point of the Blue Star-2-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 1-2. No value.
No. 1	The discovery point of the Blue Star-3-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 4-1. No value.
No. 1	The discovery point of the Blue Star-4-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 1-2. No value.
No. 1	The discovery point of the Blue Star-5-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 4-1. No value.
No. 1	The discovery point of the Blue Star-6-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 1-2. No value.
No. 1	The discovery point of the Blue Star-7-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 4-1. No value.
No. 1	The discovery point of the Blue Star-8-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 1-2. No value.
No. 1	The discovery point of the Blue Star-9-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 4-1. No value.
No. 1	The discovery point of the Blue Star-10-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 1-2. No value.
No. 1	The discovery point of the Blue Star-11-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 4-1. No value.
CL 51	An interest in certain improvements described as follows: Total value of trenching, 13,253 yards of total excavation in 13 trenches. Value of trenching, \$3,975.00. Value of one eleventh interest, \$351.36.
CL 52	Drill program, 195 holes, with a total depth of 65,050 ft. Value of drilling, \$320,300.00. Value of one eleventh interest, \$30,027.27.

The improvements are described in detail at the end of these find notes.

The improvements are in process for the development of the several lodes of this survey, which are in the Blue Star-1943 lode claim in common, to the benefit of said improvements.

These improvements afford the most practical and economical means of developing each of the stated lodes.

Five hundred dollars or over has been expended in these improvements in such a manner as to add to the development of each lode of this survey, subsequent to its location and to the time since such common ownership and contiguity have prevailed; therefore undivided one eleventh interest in their value is hereby credited to each of the said lodes.

No portion of or interest in these improvements has been credited heretofore as patent expenditure to any lode claim.

DETAIL OF IMPROVEMENTS

CX #1

Trench No. 1, the west end of which bears S. 6° E., 210 ft. from Cor. No. 1 of the Blue Star 1943 lode, 15 ft. wide, 7.5 ft. deep, running S. 70° E., 310 ft.
Value, \$388.00.

Trench No. 2, the west end of which bears S. 10° N., 400 ft. from Cor. No. 1 of the Blue Star 1943 lode, 15 ft. wide, 5.3 ft. deep, running S. 65°30' E., 200 ft.
Value, \$267.00.

Trench No. 3, the west end of which bears S. 5° E., 505 ft. from Cor. No. 1 of the Blue Star 1943 lode, 15 ft. wide, 3.9 ft. deep, running S. 55° E., 230 ft.
Value, \$150.00.

Trench No. 4, the east end of which bears N. 9° E., 530 ft. from Cor. No. 3 of the Blue Star-1943 lode, 15 ft. wide, 3.4 ft. deep, running N. 57°30' W., 120 ft.
Value, \$168.00.

Trench No. 5, the east end of which bears N. 22° W., 50 ft. from Cor. No. 3 of the Blue Star 1943 lode, 17.5 ft. wide, 5.4 ft. deep, running S. 55°30' W., 215 ft.
Value, \$225.00.

Trench No. 6, the east end of which bears S. 66° 30' E., 360 ft. from Cor. No. 1 of the Blue Star 1943 lode, 16 ft. wide, 2.4 ft. deep, running S. 77°30' W., 410 ft.
Value, \$175.00.

(This form bound on top)

PATENT NO.

27-71-0099

39

BOOK

PAGE

056

Trench No. 5, the east end of which bears S. $22^{\circ} 30'$ E., 300 ft. from Cor. No. 1 of the Blue Star-1959 lode, 14 ft. wide, 4.5 ft. deep, running S. 73° W., 500 ft.
Value, \$100.00.

Trench No. 6, the east end of which bears S. $22^{\circ} 30'$ E., 300 ft. from Cor. No. 1 of the Blue Star-1959 lode, 15 ft. wide, 4.6 ft. deep, running S. 73° W., 500 ft.
Value, \$110.00.

Trench No. 8, the east end of which bears S. $23^{\circ} 00'$ E., 300 ft. from Cor. No. 1 of the Blue Star-1-1959 lode, 14 ft. wide, 3.5 ft. deep, running S. 66° W., 500 ft.
Value, \$125.00.

Trench No. 9, the east end of which bears S. $23^{\circ} 00'$ E., 1,110 ft. from Cor. No. 1 of the Blue Star-1-1959 lode, 15 ft. wide, 3.4 ft. deep, running S. 73° W., 500 ft.
Value, \$320.00.

Trench No. 10, the east end of which bears S. $18^{\circ} 30'$ E., 1,410 ft. from Cor. No. 1 of the Blue Star-1-1959 lode, 15 ft. wide, 5.2 ft. deep, running S. 73° W., 500 ft.
Value, \$435.00.

Trench No. 11, the east end of which bears S. 34° W., 160 ft. from Cor. No. 3 of the Blue Star-16-1959 lode, 15 ft. wide, 3.8 ft. deep, running S. 72° W., 500 ft.
Value, \$330.00.

Trench No. 12, the east end of which bears S. 2° E., 410 ft. from Cor. No. 3 of the Blue Star-16-1959 lode, 15 ft. wide, 7.2 ft. deep, running S. 72° W., 500 ft.
Value, \$675.00.

Value of trenching, \$3,975.00.

CF. #2	Drill bearing Hole	Distance	Vertical Depth
From Cor. No. 1 of the Blue Star 1959 lode.			
124	S. $09^{\circ} 38' 07''$ W.	906.873	235
125	S. $09^{\circ} 37' 59''$ W.	1037.032	360
131	S. $11^{\circ} 14' 10''$ W.	1279.553	400
82	S. $01^{\circ} 45' 28''$ E.	525.671	400
64	S. $03^{\circ} 01' 11''$ E.	484.164	220
180	S. $26^{\circ} 01' 29''$ E.	531.473	350
73	S. $42^{\circ} 02' 57''$ E.	219.505	355
75	S. $22^{\circ} 45' 23''$ E.	573.833	400
72	S. $30^{\circ} 05' 22''$ E.	307.507	400
71	S. $17^{\circ} 01' 11''$ E.	511.316	310
74	S. $33^{\circ} 01' 57''$ E.	631.676	215
156	S. $55^{\circ} 07' 04''$ E.	483.813	250
72	S. $50^{\circ} 01' 23''$ E.	494.418	400
81	S. $44^{\circ} 34' 13''$ E.	639.140	400
83	S. $19^{\circ} 39' 24''$ E.	547.855	345
158	S. $43^{\circ} 54' 43''$ E.	689.577	250

Drill Hole #	Borehole	Distance	Vertical Depth
70	S. 45° 12' 07"	E. 458.089	335
83	S. 27° 07' 13"	E. 641.376	295
160	S. 24° 07' 03"	E. 702.632	200
69	S. 24° 07' 47"	E. 583.556	400
55	S. 27° 07' 50"	E. 716.139	705
68	S. 27° 07' 59"	E. 605.129	250
162	S. 27° 07' 53"	E. 717.493	220
136	S. 27° 07' 45"	E. 817.825	250
96	S. 27° 07' 04"	E. 659.971	400
50	S. 27° 07' 04"	E. 776.509	400
165	S. 27° 07' 39"	E. 864.603	250
97	S. 25° 07' 39"	E. 777.446	400
179	S. 30° 07' 29"	E. 835.035	200
48	S. 33° 40' 12"	E. 683.515	500
96	S. 24° 55' 49"	E. 840.486	380
62	S. 26° 55' 35"	E. 935.994	350
111	S. 16° 53' 13"	E. 1007.520	225
183	S. 19° 50' 28"	E. 861.606	200
130	S. 29° 04' 10"	E. 928.924	400
49	S. 32° 05' 27"	E. 982.183	400
115	S. 02° 45' 29"	E. 842.535	360
95	S. 21° 23' 05"	E. 937.361	600
132	S. 20° 13' 11"	E. 961.178	200
129	S. 28° 20' 14"	E. 1027.141	400
47	S. 31° 10' 07"	E. 1075.512	600
145	S. 22° 25' 56"	E. 1011.930	200
113	S. 16° 33' 09"	E. 805.889	405
129	S. 27° 12' 11"	E. 1125.130	400
55	S. 22° 46' 21"	E. 1114.105	400
140	S. 05° 26' 49"	E. 1034.932	600
144	S. 16° 41' 25"	E. 890.837	300
184	S. 25° 48' 12"	E. 1202.015	200
121	S. 07° 08' 53"	E. 1131.856	400
53	S. 20° 06' 43"	E. 1201.205	600
46	S. 24° 36' 37"	E. 1243.554	450
114	S. 17° 44' 38"	E. 1212.615	230
122	S. 07° 49' 23"	E. 1233.642	235
54	S. 18° 54' 51"	E. 1295.510	400
45	S. 23° 12' 55"	E. 1437.994	195
112	S. 17° 05' 01"	E. 1412.482	400
123	S. 08° 42' 46"	E. 1422.879	400
132	S. 01° 19' 53"	E. 1465.155	400
45-A	S. 23° 13' 08"	E. 1415.725	280
45-B	S. 23° 07' 45"	E. 1460.852	560
45-C	S. 23° 23' 24"	E. 1398.603	575
65-A	S. 26° 59' 12"	E. 453.108	270
65-B	S. 80° 52' 49"	E. 426.965	525
63-A	S. 37° 29' 54"	E. 672.474	400
74-A	S. 59° 51' 30"	E. 434.299	400
114-A	S. 17° 07' 51"	E. 1208.165	380
122-A	S. 07° 50' 00"	E. 1227.816	400
From Corp. No. 1 of the Illinois Statute 3-1959 Law.			
77	S. 07° 57' 21"	E. 579.456	400
2	S. 02° 07' 27"	E. 360.053	310
1	S. 29° 51' 17"	E. 247.731	520
3	S. 53° 49' 37"	E. 133.195	420
32	S. 72° 05' 33"	E. 654.391	140
91-A	S. 80° 08' 47"	E. 453.052	65
73	S. 78° 14' 06"	E. 558.796	395
99	S. 63° 42' 24"	E. 252.925	380

(This form bound on top)

Detail Hole #	Bearing	Distance	Vertical Depth
92	S. 55°18'33" W.	360.573	395
80	S. 57°22'22" W.	454.410	400
157	S. 72°15'14" W.	606.097	250
79	S. 68°09'11" W.	550.476	395
100	S. 53°15'27" W.	286.930	325
93	S. 49°11'51" W.	214.619	400
155	S. 63°12'30" W.	622.819	250
87	S. 54°18'50" W.	470.267	395
86	S. 55°15'27" W.	505.551	400
101	S. 23°02'45" W.	380.530	375
161	S. 23°02'45" W.	630.502	200
94	S. 77°27'10" W.	430.447	400
88	S. 41°05'10" W.	575.232	355
112	S. 18°03'35" W.	422.072	185
117	S. 28°22'25" W.	680.710	400
105	S. 28°20'05" W.	407.665	400
89	S. 50°17'05" W.	730.269	400
164	S. 47°11'37" W.	601.275	125
116	S. 35°17'30" W.	561.693	330
153	S. 40°03'37" W.	654.617	200
30	S. 29°18'42" W.	571.852	805
103	S. 12°05'03" W.	515.705	300
104	S. 21°05'15" W.	560.730	395
90	S. 52°15'05" W.	921.717	400
106	S. 38°10'14" W.	791.148	350
118	S. 33°57'00" W.	788.203	300
127	S. 41°00'32" W.	878.810	250
119	S. 26°04'56" W.	790.818	150
107	S. 32°00'08" W.	836.997	150
94	S. 33°03'37" W.	925.095	525
120	S. 33°02'13" W.	855.979	150
37	S. 10°00'15" W.	811.885	205
63	S. 34°20'46" W.	1081.414	350
60	S. 29°52'04" W.	1098.156	350
39	S. 03°09'37" W.	970.116	605
31	S. 21°05'03" W.	1091.113	705
92	S. 28°10'18" W.	1192.794	150
30	S. 08°01'00" W.	1079.516	600
146	S. 12°39'42" W.	1101.939	100
108	S. 16°36'05" W.	1151.015	250
169	S. 09°55'46" W.	1121.959	100
37	S. 21°28'49" W.	1222.229	100
158	S. 13°57'40" W.	1170.927	100
136	S. 05°30'01" W.	1185.771	200
33	S. 20°30'26" W.	1295.951	250
135	S. 10°11'33" W.	1191.452	200
40	S. 02°12'11" W.	1174.705	705
147	S. 16°30'39" W.	1228.735	125
166	S. 21°18'10" W.	1224.314	175
101	S. 14°15'39" W.	1237.501	300
170	S. 04°05'46" W.	1214.365	100
137	S. 03°01'36" W.	1240.217	200
121	S. 11°07'40" W.	1254.421	125
21	S. 11°05'50" W.	1377.690	510
77	S. 11°06'15" W.	1359.694	295
110	S. 15°08'25" W.	1125.494	125
172	S. 03°07'10" W.	1275.314	300
134	S. 11°07'17" W.	1227.384	100
173	S. 13°06'40" W.	1255.707	215
133	S. 11°09'01" W.	1323.041	300
176	S. 05°20'23" W.	1303.351	75

GPO 819-744

FEST

HOLE	DEPTHS	DISTANCE	VERTICAL DEPTH
127	S. 08°46'15"	W.	1345.807
18	S. 02°40'01"	W.	1340.669
47	S. 16°23'12"	W.	1307.906
136	S. 03°26'37"	W.	1345.817
50	S. 21°22'35"	W.	1343.019
178	S. 14°11'30"	W.	1412.752
139	S. 07°23'15"	W.	1413.536
20	S. 11°13'01"	W.	1430.083
134-B	S. 05°00'02"	W.	1020.976
154	S. 01°13'39"	W.	1426.866
22	S. 18°23'22"	W.	1829.167
65	S. 17°01'26"	E.	89.666
16	S. 60°05'39"	E.	617.230
10	S. 36°23'57"	E.	781.973
15	S. 43°21'42"	E.	780.142
9	S. 33°01'18"	E.	982.912
4	S. 03°15'10"	E.	863.631
8	S. 28°48'15"	E.	1170.454
149	S. 09°14'26"	E.	1072.681
147	S. 08°48'22"	E.	1061.263
17	S. 02°45'04"	E.	1155.035
149	S. 10°13'39"	E.	1174.500
7	S. 24°23'51"	E.	1335.493
174	S. 03°23'35"	E.	1220.577
150	S. 10°01'20"	E.	1271.139
151	S. 01°40'29"	E.	1298.192
153	S. 02°47'43"	E.	1395.197
152	S. 06°15'49"	E.	1206.450
52-A	S. 21°22'12"	W.	1227.961

From Cor. No. 1 of the Huia Star-1959 10do.

32	S. 80°53'15"	W.	312.325	200
14	S. 35°31'07"	W.	904.305	500
17	S. 28°06'27"	W.	1036.563	400
27	S. 20°41'23"	W.	1095.761	300
12	S. 26°02'15"	W.	1229.167	200
11	S. 28°53'50"	W.	1321.533	400
23	S. 18°19'51"	W.	1330.531	300

From Cor. No. 1 of the Huia Star 1943 10do.

06	S. 72°17'06"	W.	628.843	400
163	S. 51°16'57"	W.	684.160	200
46	S. 28°21'35"	W.	1046.911	400
19	S. 03°06'06"	W.	1313.363	600
25	S. 04°46'01"	E.	1440.549	625

From Cor. No. 1 of the Huia Star-2-1944 10do.

26-A	S. 00°53'05"	E.	1077.450	405
25	S. 04°59'22"	E.	1100.460	160
67	S. 00°34'23"	W.	1273.280	305
67-A	S. 00°29'59"	W.	1301.843	400
5	S. 15°06'12"	W.	1402.532	252
3-A	S. 14°44'11"	W.	1375.673	405

From Cor. No. 1 of the Huia Star-16-1959 10do.

141	S. 08°40'16"	E.	1107.105	277
153	S. 03°53'39"	E.	957.261	250

(This form is bound on left)

PLATE NO.

27-71-0099

39

BOOK

PAGE

060

From Cor. No. 1 of the Blue Star-1959 lot.

1	S. 10°20' 00" W.	1,004.366	705
2	N. 00°11' 53" W.	1,201.569	705
3	N. 01°11' 51" W.	1,179.075	605

From Cor. No. 1 of the Blue Star-1959 lot.

97-8	S. 00°11' 57" W.	446.602	930
170-1	S. 00°11' 51" W.	1,370.709	35
177-4	S. 00°23' 01" W.	1,342.270	30
177-9	S. 00°23' 29" W.	1,350.459	100
181	S. 02°05' 01" W.	604.860	250

From Cor. No. 1 of the Blue Star-1959 lot.

185	S. 24°38' 40" W.	1,007.06	415
-----	------------------	----------	-----

OTHER IMPROVEMENTS

There are no other improvements on the claim group.

OTHER CURRER DESCRIPTIONS AND SUPPLEMENTAL DATA

The south boundary of sec. 31, T. 35 N., R. 50 E., Mt. Diablo Mfr., was found to bear N. 09°53' 38" W., instead of West, as approved.

The east 4 miles was found to be 2,720.17 ft., instead of 2,713.32 ft., as approved, and the west 4 miles was found to be 2,717.67 ft., instead of 2,713.32 ft., as approved.

From the closing cor. of secs. 4 & 5, T. 35 N., R. 50 E., to the standard cor. of secs. 31 and 36, the SW cor. of T. 35 N., R. 50 E., was found to be 1,347.56 ft., instead of 1,351.78 ft., as approved.

The west boundary of sec. 4, T. 35 N., R. 50 E., Mt. Diablo Mfr., from that sec. cor. of secs. 4 & 5, to the closing cor. of secs. 4 & 5, was found to be N. 00°04' E., 2,967.96 ft., instead of N. 00°02' W., 2,970.00 ft., as approved. From the cor. of secs. 4, 5, 8, 49, to the S. cor. of secs. 4 & 5, was found to be N. 00°03' 03" E., 2,643.45 ft., instead of N. 00°02' W., 2,640.00 ft., as approved.

FIELD ASSISTANTS

NAME	CAPACITY
Allen J. Reynolds	Chairman
Douglas Platonic	Chairman

CERTIFICATE OF SURVEYOR

1969 JAN 6 AM 10:39

Name of Mineral Surveyor: Mark C. DaltonDate: July 12, 1968

Chief, Branch of:

I HEREBY CERTIFY That I, above-named, under order dated April 11, 1968, have carefully executed the survey of the claim of the Gold King Mining Lode, a Delaware Corporation, d/b/a the "Gold King" Group, known as the "Mount Blublo" claim, located in Churchill County, Nevada, and 5 miles west of Gold King, Range 50 E., Section 12, having been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in the specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the lode or placer (Location) embraced in the said mining claim by claimant(s) or its claimants are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Elko, Nevada

(Location)

(Signature of Mineral Surveyor)

CERTIFICATE OF APPROVAL

Office: Bureau of Land Management

Location: Reno, Nevada

Date: August 20, 1969

The foregoing field notes of mineral survey number 4009, Bureau County, Nevada, Township 11 N., Range 50 E., Mount Blublo, State of Nevada, executed by Mark C. Dalton, Mineral Surveyor, under order dated April 11, 1968, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey thereto described are hereby approved.

James G. Morris
James G. Morris

(Authorized Signature)

Chief, Branch of Central Programs

(Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of field notes of the above described mineral survey number 4009 is a true copy of the original field notes.

James G. Morris
James G. Morris

(Authorized Signature)

Chief, Branch of Central Programs

(Title)

Title 18, U. S. C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

PATENT NO. 27-71-0099

REB 18 1971

MINERAL SURVEY
No. 4989
NEVADA

CLAIM OF
NEWMONT EXPLORATION LIMITED

KNOWN AS THE

BLUE STAR-1943, BLUE STAR-I-1944,
BLUE STAR-2-1944, BLUE STAR 1959,
BLUE STAR-1-1959, BLUE STAR-2-1959,
BLUE STAR-3-1959, BLUE STAR-4-1959,
BLUE STAR-15-1959, BLUE STAR-16-
1959, BLUE STAR-17-1959 LODES.

SITUATE IN

the NW $\frac{1}{4}$ and the SW $\frac{1}{4}$ of Sec. 4, the NE $\frac{1}{4}$ and the
SE $\frac{1}{4}$ of Sec. 5, T35N, R50E, M.D.M.

EUREKA COUNTY

Lyon Mining District

Lat. 40°56'N, Long. 116°21'W, of Cor No. 1 of the
BLUE STAR-4-1959 LODE

0 100 200 300 400 500

Foot

Magnetic Declination, 17° East

Surveyed May 16 to June 17, 1968

By Mark Chilton, Mineral Surveyor

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Reno, Nevada, August 30, 1968

I hereby certify that this plot of Mineral Survey
No. 4989 Nevada, is strictly conformed to the
field notes of said survey which have been checked
and approved.

James R. Minnie
Chief, Branch of Geological Engineering

Sec. 4

MADE AT THE REQUEST OF
NEWMONT EXPLORATION LTD

FEBRUARY 24 1971

in 50 min. per sec. A.M.
in Book 39 pt. OFFICIAL
RECORDS, DATED 38-64 RECORDING
DODGERICK COUNTY, NEVADA

File No. 54334 Date 1-29-68