

Form 1680-8
(January 1965)
(Revised 4-1940)

N-3580

The United States of America,

To all to whom these presents shall come, Greeting:

WHEREAS, Newmont Exploration Limited is entitled to a Land Patent pursuant to the general mining laws, R. S. 2325, as amended, 30 U. S. C. 29 (1964), for the lands embraced within the Blue Star lode mining claims, Nos. 1943, 1-1944, 2-1944, 1959, 1-1959, 2-1959, 3-1959, 4-1959, 15-1959, 16-1959 and 17-1959, designated and described as:

Mineral Survey No. 4889, located within the N $\frac{1}{2}$, SW $\frac{1}{4}$ Sec. 4, NE $\frac{1}{4}$, SE $\frac{1}{4}$ Sec. 5, T. 35 N., R. 50 E., Mount Diablo Meridian, Eureka County, Nevada, the said claims being more particularly described in the official field notes and depicted on the official plat which are expressly made a part of this patent and copies of which are attached hereto;

containing 171.77 acres:

NOW KNOW YE, that there is, therefore, granted by the UNITED STATES, unto the above named claimant, the land above described; TO HAVE AND TO HOLD the said land with all the rights, privileges, immunities, and appurtenances, of whatsoever nature, thereunto belonging, unto the said claimant, its successors and assigns, forever;

EXCEPTING AND RESERVING TO THE UNITED STATES:

A right-of-way thereon for ditches and canals constructed by the authority of the United States, Act of August 30, 1890, 26 Stat. 391; 43 U. S. C. 945.

IN TESTIMONY WHEREOF, the undersigned authorized officer of the Bureau of Land Management, in accordance with the provisions of the Act of June 17, 1948 (62 Stat. 476), has, in the name of the United States, caused these letters to be made Patent, and the Seal of the Bureau to be hereunto affixed.



[SEAL]

GIVEN under my hand, in Reno, Nevada, the EIGHTEENTH day of FEBRUARY in the year of our Lord one thousand nine hundred and SEVENTY ONE and of the Independence of the United States the one hundred and NINETY-FIFTH.

By Rolla E. Chandler
Manager, Nevada Land Office

Patent Number 27-71-0099

BOOK 39 PAGE 023

FEB 22 1971

16-70341-1 GPO
850-745

Form 4-653
(January 1963)

U.S. DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
1969 JAN 6 AM 10 29 5
FIELD NOTES

0-000-1-5

IV-13500

Mineral Survey Number
4889
State
Nevada
Land District

Of the Survey of the Mining Claim of (name and address of Claimant)
Newmont Exploration Limited, A Delaware Corporation, c/o Wm. J. Forman, Esq.,
Attorney, One East First Street, Reno, Nevada 89505

Known as the (name of group, if any)

Blue Star

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
Blue Star 1943	7-1-43	3-16-68
Blue Star-1-1944	10-28-44	3-16-68
Blue Star-2-1944	10-28-44	3-16-68
Blue Star 1959	6-22-59	3-16-68
Blue Star-1-1959	6-22-59	3-16-68
Blue Star-2-1959	6-22-59	3-16-68
Blue Star-3-1959	6-22-59	3-16-68
Blue Star-4-1959	6-22-59	3-16-68
Blue Star-15-1959	6-22-59	3-16-68
Blue Star-16-1959	6-22-59	3-16-68
Blue Star-17-1959	6-22-59	4-11-68

PATENT NO. 27-71-0099

Mining district Lyon			County Eureka	
Section 4 & 5	Township 35 North	Range 39 East	Meridian Mount Diablo	Survey under order dated April 12, 1963
Survey commenced 3-16-68	Survey completed 6-17-68		Name of Mineral Surveyor Mark Gillion	

TEXT

This survey was made with a Keuffel and Esser Co. Theodolite No. 664904, with a horizontal circle 3.5 ins. diam., a full vertical circle 2.7 ins. diam., both reading to minutes utilizing the optical micrometer. The instrument was in good condition at the time of the survey, and all adjustments were in good order.

Bearings referred to in this record were determined by the method of double horizontal angles referred to the meridian determined by the following observations:

June 17, 1968, at Cor. No. 1 of the Blue Star-4-1959 lode, in latitude $40^{\circ}56'$ N., and longitude $116^{\circ}21'$ W., I make a series of six altitude observations upon the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reverse positions, observing opposite limbs of the sun, and reading the horizontal angle from Cor. No. 4 of the Blue Star-4-1959 lode, in a counterclockwise direction to the sun.

Mean time of observation

(P.S.T.)

8h 21m a.m.

Declination of sun at mean time

of observation $23^{\circ}24'$

Mean observed vertical angle to

sun's center $43^{\circ}13'$

Mean horizontal angle from Cor.

No. 4 of Blue Star-4-1959 lode
to sun's center $84^{\circ}44'12''$

True bearing to Cor. No. 4 of

Blue Star-4-1959 lode S. $0^{\circ}06'22''$ W.

The lines were measured with a K. & E. steel tape 500' in length, graduated every foot, with the end foot graduated to tenths and hundredths; this tape was compared with a K. & E. Lo-Var tape No. 4125 at the time of beginning the survey, and found correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of 17° E.

BLUE STAR 1943 LODE

At Cor. No. 1 of the Blue Star 1943 lode, identical with Cor. No. 1 of the Blue Star-1-1944 lode of this survey.

Set an iron post, 30 ins. long, 2 ins. diam., 16 ins. in the ground, with a brass cap mkd., BS 1943-1 BS-1-1944-1 4889, from which

The closing cor. of sec. 4 and 5, T. 35 N., R. 50 E., M. Diablo Mts., bears N. $84^{\circ}16'32''$ W., 1,813.91 ft. dist., an iron post, 2 ins. diam., firmly set, marked, and witnessed as described in the official record.

No local bearing objects or bearing trees available.

Thence S. $17^{\circ}18'$ W.

(This form bound on top)

PATENT NO. 27-71-0099

39

040

BOOK PAGE

FEET	
17.59	Intersect the common line 4-1 Blue Star-2-1959 lode and 1-2 Blue Star-3-1959 lode, both of this survey.
525	Road, bears N. 40° W. and S. 49° E.
640	Road, bears N. 55° W. and S. 55° E.
690	Road, bears N. 14° W. and S. 14° E.
790	Road, bears N. 70° W. and S. 70° E.
1,334.23	Intersect the common line 3-4 Blue Star-2-1959 lode and 2-3 Blue Star-15-1959 lode, both of this survey.
1,500.0	Cor. No. 2, identical with Cor. No. 4 of the Blue Star-1-1944 lode of this survey. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap mtd., BS 1943-2 BS-1-1944-4 4889. No local bearing objects or bearing trees available. Thence S. 72°42' E.
300	Lode line; discovery point bears N. 17°18' E., 750 ft. dist.
453.72	Intersect line 1-2 Blue Star-15-1959 lode of this survey.
465	Road, bears N. 46° E. and S. 46° W.
560	Road, bears N. 44° E. and S. 44° W.
600.0	Cor. No. 3, identical with Cor. No. 2 of the Blue Star-2-1944 lode of this survey. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap mtd., BS 1943-3 BS-2-1944-2 4889. No local bearing objects or bearing trees available. Thence N. 17°18' E.
65	Road, bears N. 57° E. and S. 50° W.
230	Road, bears N. 73° E. and S. 60° W.
501.38	Intersect line 2-3 Blue Star-3-1959 lode of this survey.
330	Road, bears N. 88° W. and S. 88° E.
1,163	Road, bears N. 20° W. and S. 20° E.
1,462	Road, bears N. 4° W. and S. 4° E.
2,500.0	Cor. No. 4, identical with Cor. No. 3 of the Blue Star-2-1944 lode of this survey.

GPO 835-784

	FEET	Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap mtd., BS 1943-4 BS-2-1944-1 4889. No local bearing objects or bearing trees available. Thence N. 72°42' W.
30		Road, bears N. 18° W. and S. 11° E.
300		Lode line; discovery point bears S. 17°18' W., 750 ft. dist.
345		Road, bears N. 30° W. and S. 30° E.
600.0		Cor. No. 1, and place of beginning.
BLUE STAR-1-1944 LODE		
Beginning at Cor. No. 1 of the Blue Star-1-1944 lode, identical with Cor. No. 1 of the Blue Star 1943 lode of this survey.		
Thence N. 72°42' W.		
5.44		Intersect the common line 4-1 Blue Star-2-1959 lode and 1-2 Blue Star-3-1959 lode, both of this survey.
260		Road, bears N. 4° W. and S. 4° E.
300		Lode line; discovery point bears S. 17°18' W., 750 ft. dist.
600.0		Cor. No. 2. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap mtd., BS-1-1944-2 4889. No local bearing objects or bearing trees available. Thence S. 17°18' W.
103.29		Intersect the common line 3-4 Blue Star-1-1959 lode and 2-3 Blue Star-2-1959 lode, both of this survey.
416		Road, bears N. 13° W. and S. 13° E.
652		Road, bears N. 22° W. and S. 22° E.
953		Road, bears N. 48° W. and S. 33° E.
1,500.0		Cor. No. 3. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap mtd., BS-1-1944-3 4889. No local bearing objects or bearing trees available.

(This form bound on top)

PATENT NO. 27-71-0099

FEET	
	Thence S. 72°42' E.
226.02	Intersect the common line 2-3 Blue Star-1-1959 lode and 3-4 Blue Star-16-1959 lode, both of this survey.
300	Lode line; discovery point bears N. 17°18' E., 750 ft. dist.
430.65	Intersect the common line 3-4 Blue Star-15-1959 lode and 2-3 Blue Star-16-1959 lode, both of this survey.
440	Road, bears northerly and southerly.
461	Road, bears northerly and southerly.
600.0	Cor. No. 4, identical with Cor. No. 2 of the Blue Star 1943 lode of this survey.
	Thence N. 17°18' E.
115.72	Intersect the common line 3-4 Blue Star-2-1959 lode and 2-3 Blue Star-15-1959 lode, both of this survey.
710	Road.
810	Road.
860	Road.
975	Road.
1,482.41	Intersect the common line 4-1 Blue Star-2-1959 lode, and 1-2 Blue Star-3-1959 lode, both of this survey.
1,500.0	Cor. No. 1, end place of beginning.
	BLUE STAR-2-1944 LODE
	At Cor. No. 1 of the Blue Star-2-1944 lode, identical with Cor. No. 4 of the Blue Star 1943 lode of this survey.
	The closing cor. of ass. 4 and 5, T. 35 N., R. 50 E., M. Diablo Mts., bears N. 81°24' 21" W., 2,404.72 ft. dist; previously described.
	Thence S. 17°18' W.
38	Road.
357	Road.
1,170	Road.
1,193.62	Intersect line 2-3 Blue Star-3-1959 lode of this survey.
1,270	Road.
1,435	Road.

GPO 539-784

FEET	
1,500.0	Cor. No. 2, identical with Cor. No. 3 of the Blue Star 1943 lode of this survey. Thence S. 72°42' E.
271	Road, bears N. 20° E. and S. 20° W.
300	Lode line; discovery point bears N. 17°18' E., 750 ft. dist.
404	Road, bears N. 17° E. and S. 17° W.
450	Road, bears N. 33° E. and S. 33° W.
600.0	Cor. No. 3. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap mtd., BS-2-1944-3 4889. No local bearing objects or bearing trees available. Thence N. 17°18' E.
180	Road, bears N. 83° E. and S. 83° W.
487.05	Intersect line 3-4 Blue Star-4-1959 lode of this survey.
1,355	Road, bears N. 62° E. and S. 62° W.
1,500.0	Cor. No. 4. This Cor. falls on the north side of a road which bears N. 75° W. and S. 75° E. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap mtd., BS-2-1944-4 4889. No local bearing objects or bearing trees available. Thence N. 72°42' W.
280	Road, bears N. 8° W. and S. 8° E.
300	Lode line; discovery point bears S. 17°28' W., 750 ft. dist.
577.37	Intersect the common line 3-4 Blue Star-3-1959 lode and 2-3 Blue Star-4-1959 lode, both of this survey.
600.0	Cor. No. 1, and place of beginning.
BLUE STAR 1959 LODGE	
At Cor. No. 1 of the Blue Star 1959 lode, identical with Cor. No. 1 of the Blue Star-1-1959 lode of this survey. This Cor. is located on the north boundary of Sec. 4, T. 35 N., R. 50 E., N. Diablo Mer.	

(This form bound on top)

PATENT NO. 27-71-0099

39
BGOK PAGE 044

FEET	
	Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap mtd., BS 1959-1 BS-1-1959-1 4889, from which
	The closing cor. of secs. 4 and 5, T. 35 N., R. 50 E., Mt. Diablo Mer., bears N. 89°53' 30" W., 600.60 ft. dist., previously described.
	No local bearing objects or bearing trees available.
	Thence N. 89°53'38" W.
300	Lois line; discovery point bears S. 0°06'22" W., 20 ft. dist.
600.0	Cor. No. 2, identical with the closing cor. of secs. 4 and 5, T. 35 N., R. 50 E., Mt. Diablo Mer., previously described.
	Permanent claim monument cannot be established at this point due to existing sec. cor. monument and rock mound.
	Thence S. 0°06'22" W.
1.0	Point for Witness Cor. No. 2 Blue Star 1959 lode.
	Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap mtd., WC BS 1959-2 4889.
	No local bearing objects or bearing trees available.
1,500.0	Cor. No. 3, identical with Cor. No. 3 of the Blue Star-17-1959 lode of this survey.
	Set an iron post, 30 ins. long, 2 ins. diam., 12 ins. in the ground, and in a rock mound 18 ins. high, 36 ins. diam., with a brass cap mtd., BS 1959-3 BS-17-1959-3 4889.
	No local bearing objects or bearing trees available.
	Thence S. 89°53'38" E.
0.92	Intersect the line bet. secs. 4 and 5, T. 35 N., R. 50 E., Mt. Diablo Mer., at a point from which the closing cor. of secs. 4 and 5 bears N. 0°04' E., 1,500.00 ft. dist.
300	Lois line; discovery point bears N. 0°06'22" E., 1,480 ft. dist.
345	Road, bears northerly and southerly.
600.0	Cor. No. 4, identical with Cor. No. 2 of the Blue Star-1-1959 lode, Cor. No. 4 of the Blue Star-16-1959 lode, Cor. No. 2 of the Blue Star-17-1959 lode, all of this survey.

GPO 838-784

FEET		
		Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap and., BS 1959-5 BS-1-1959-2 BS-16-1959-4 BS-17-1959-2 4889.
		No local bearing objects or bearing trees available.
		Thence N. 0°06'22" E.
930		Road, bears easterly and westerly.
1,500.0		Cor. No. 1, and place of beginning.
		BLUE STAR-1-1959 LODE
		Beginning at Cor. No. 1 of the Blue Star-1-1959 lode, identical with Cor. No. 1 of the Blue Star 1959 lode of this survey.
		Thence S. 0°06'22" W.
570		Road.
1,500.0		Cor. No. 2, identical with Cor. No. 4 of the Blue Star-1959 lode, Cor. No. 4 of the Blue Star-16-1959 lode, Cor. No. 2 of the Blue Star-17-1959 lode, all of this survey.
		Thence S. 89°55'38" E.
300		Lode line; discovery point bears N. 0°06'22" E., 1,480 ft. dist.
404.52		Intersect line 3-4 Blue Star-1-1944 lode of this survey.
600.0		Cor. No. 3, identical with Cor. No. 3 of the Blue Star-3-1959 lode, Cor. No. 3 of the Blue Star-15-1959 lode, and Cor. No. 3 of the Blue Star-16-1959 lode, all of this survey.
		Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap and., BS-1-1959-3 BS-2-1959-3 BS-15-1959-3 BS-16-1959-3 4889.
		No local bearing objects or bearing trees available.
		Thence N. 0°06'22" E.
90		Road, bears N. 16° W. and S. 16° E.
260		Road, bears N. 47° W. and S. 47° E.
1,596.32		Intersect line 2-3 Blue Star-1-1944 lode of this survey.
1,500.0		Cor. No. 4, identical with Cor. No. 2 of the Blue Star-3-1959 lode of this survey.
		This corner is located on the north boundary of sec. 4, T. 35 N., R. 50 E., Mt. Diablo Mer.

(This form bound on top)

PATENT NO. 27-71-0099

39
BOOK PAGE 046

FEET	
	Set an iron post, 30 ins. long, 3 ins. diam., 18 ins. in the ground, with a brass cap add., BS-1-1959-4 BS-2-1959-2:4889. No local bearing objects or bearing trees available. Thence N. $89^{\circ}53'38''$ W.
193	Road, bears N. 18° W. and S. 18° E.
230	Road, bears N. 30° E. and S. 30° W.
300	Lode line; discovery point bears S. $0^{\circ}05'22''$ W., 20 ft. dist.
600.0	Cor. No. 1, and place of beginning.
	BLUE STAR-2-1959 LODE At Cor. No. 1 of the Blue Star-2-1959 lode, identical with Cor. No. 1 of the Blue Star-3-1959 lode of this survey. This corner is located on the north boundary of sec. 4, T. 35 N., R. 50 E., Mt. Diablo Mer. Set an iron post, 30 ins. long, 2 ins. diam., 12 ins. in the ground, and in a rock mound 18 ins. high, 35 ins. diam., with a brass cap add., BS-2-1959-1 BS-3-1959-1:4889; from which The closing cor. of secs. 4 and 5, T. 35 N., R. 50 E., Mt. Diablo Mer., bears N. $89^{\circ}53'33''$ W., 1,000.00 ft. dist.; previously described. Thence N. $89^{\circ}53'38''$ W.
245	Road, bears N. 40° W. and S. 40° E.
300	Lode line; discovery point bears S. $0^{\circ}05'22''$ W., 20 ft. dist.
325	Road, bears N. 53° W. and S. 53° E.
429.73	Intersect the standard $\frac{1}{4}$ sec. cor. of sec. 31, T. 35 N., R. 50 E., Mt. Diablo Mer.; an iron post, 1 in. diam., 12 ins. above ground, firmly set, marked, and witnessed as described in the official record.
600.0	Cor. No. 2, identical with Cor. No. 4 of the Blue Star-1-1959 lode of this survey; from which Cor. No. 2 of the Blue Star-1-1944 lode of this survey bears S. $89^{\circ}30'$ E., 32.01 ft. dist. Thence S. $0^{\circ}06'22''$ W.
103.68	Intersect line 2-3 Blue Star-1-1944 lode of this survey.

GPO 539-764

FEET	
640	Road.
1,410	Road.
1,500.0	Cor. No. 3, identical with Cor. No. 3 of the Blue Star-1-1959 lode, Cor. No. 3 of the Blue Star-15-1959 lode, and Cor. No. 3 of the Blue Star-16-1959 lode, all of this survey. Thence S. 89°53'38" E.
20	Road, bears northerly and southerly.
196.00	Intersect the common line 1-2 Blue Star 1943 lode and 4-1 Blue Star-1-1944 lode, both of this survey.
300	Lode line; discovery point bears N. 0°06'22" E., 1,480 ft. dist.
600.0	Cor. No. 4, identical with Cor. No. 2 of the Blue Star-3-1959 lode, and Cor. No. 2 of the Blue Star-15-1959 lode, all of this survey. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap std., BS-2-1959-4 BS-3-1959-2 BS-15-1959-2 4889. No local bearing objects or bearing trees available. Thence N. 0°06'22" E.
35	Road, bears easterly and westerly.
150	Road, bears N. 22° E. and S. 22° W.
245	Road, bears N. 40° W. and S. 40° E.
575	Road, bears N. 22° W. and S. 22° E.
1,305.61	Intersect the common line 1-2 Blue Star 1943 lode and 4-1 Blue Star-1-1944 lode, both of this survey.
1,324.02	Intersect line 1-2 Blue Star-1-1944 lode of this survey.
1,500.0	Cor. No. 1, and place of beginning.
BLUE STAR-3-1959 LODGE	
Beginning at Cor. No. 1 of the Blue Star-3-1959 lode, identical with Cor. No. 1 of the Blue Star-2-1959 lode of this survey. Thence S. 0°06'22" W.	
175.98	Intersect line 1-2 Blue Star-1-1944 lode of this survey.

(This join bound on top)

PATENT NO. 22-71-0099

BOOK 39 PAGE 048

FEET	
194.39	Intersect the common line 1-2 Blue Star 1943 lode and 4-1 Blue Star-1-1943 lode, both of this survey.
925	Road.
1,255	Road.
1,350	Road.
1,465	Road.
1,500.0	Cor. No. 2, identical with Cor. No. 4 of the Blue Star-2-1959 lode and Cor. No. 2 of the Blue Star-15-1959 lode, both of this survey. Thence S. $89^{\circ}53'33''$ E.
224.0'	Intersect the common line 3-4 Blue Star 1943 lode and 1-2 Blue Star-2-1943 lode, both of this survey.
300	Lode line; discovery point bears N. $0^{\circ}05'22''$ E., 1,430 ft. dist.
350	Road, bears N. 58° W. and S. 58° E.
585	Road, bears N. 18° E. and S. 18° W.
600.0	Cor. No. 3, identical with Cor. No. 3 of the Blue Star-4-1959 lode of this survey. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap and., B3-3-1959-3 B3-4-1959-3 4889. No local bearing objects or bearing trees available. Thence N. $0^{\circ}05'22''$ E.
70	Road, bears N. 18° E. and S. 18° W.
870	Road, bears N. 28° W. and S. 28° E.
1,115	Road, bears N. 33° W. and S. 33° E.
1,133.36	Intersect line 4-1 Blue Star-2-1943 lode of this survey.
1,500.0	Cor. No. 4, identical with Cor. No. 2 of the Blue Star-4-1959 lode of this survey. This corner is located on the north boundary of sp. 4, T. 35 N., R. 50 E., N. Diablo Mer. Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap and., B3-3-1959-4 B3-4-1959-2 4889. No local bearing objects or bearing trees available. Thence E. $89^{\circ}53'33''$ W.
220	and, bears E. 14° W. and S. 14° E.

GPO 839-784

PAGE

255

Road, bears N. 15° E. and S. 15° W.

300

Lode line; discovery point bears S. 0°06'22" W., 20 ft. dist.

510

Road, bears N. 42° W. and S. 43° E.

600.0

Cor. No. 1, and place of beginning.

BLUE STAR-4-1959 LODE

At Cor. No. 1 of the Blue Star-4-1959 lode, located on the north boundary of sec. 4, T. 35 N., R. 50 E., Mt. Diablo Mer.

Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap and., BS-4-1959-1 4889, from which

The closing cor. of secs. 4 and 5, T. 35 N., R. 50 E., Mt. Diablo Mer., bears N. 89°53'38" W., 3,000.00 ft. dist.; previously described.

Thence N. 89°53'38" W.

300

Lode line; discovery point bears S. 0°06'22" W., 20 ft. dist.

310

Road, bears northerly and southerly.

600.0

Cor. No. 2, identical with Cor. No. 4 of the Blue Star-3-1959 lode of this survey.

Thence S. 0°06'22" W.

341.60

Intersect line 4-1 Blue Star-2-1944 lode of this survey.

335

Road.

630

Road.

1,430

Road.

1,500.0

Cor. No. 3, identical with Cor. No. 3 of the Blue Star-3-1959 lode of this survey.

Thence S. 89°53'38" E.

252.14

Intersect line 3-4 Blue Star-2-1944 lode of this survey.

300

Lode line; discovery point bears N. 0°06'22" E., 1,480 ft. dist.

600.0

Cor. No. 4.

Set an iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap and., BS-4-1959-4 4889.

No local bearing objects or bearing trace available.

(This form bound on top)

PATENT NO. 27-71-0099

39

050

BOOK PAGE

FEET		
		Thence N. 0°06'22" E.
890		Road, bears N. 61° E. and S. 62° W.
930		Road, bears N. 40° W. and S. 40° E.
1,500.0		Cor. No. 1, and place of beginning.
		BLUE STAR-15-1959 LODE
		At Cor. No. 1 of the Blue Star-15-1959 lode.
		Set on iron pipe, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap and., BS-15-1959-1 4869, from which
		The closing cor. of sec. 4 and 5, T. 35 N., R. 50 E., Mt. Diablo Mer., bears N. 30°51' 23" W., 3,496.57 ft. dist., previously described.
		Thence N. 0°06'22" E.
445		Road, bears N. 44° E. and S. 44° W.
1,130		Road, bears N. 57° E. and S. 57° W.
1,250		Road, bears N. 44° E. and S. 44° W.
1,253.03		Intersect line 2-3 Blue Star 1943 lode of this survey.
1,500.0		Cor. No. 2, identical with Cor. No. 4 of the Blue Star-2-1959 lode and Cor. No. 2 of the Blue Star-3-1959 lode, both of this survey.
		Thence N. 89°53'38" W.
300		Lode line; discovery point bears S. 0°06'22" W., 1,490 ft. dist.
404.00		Intersect the common line 1-2 Blue Star 1943 lode and 4-1 Blue Star-1-1944 lode, both of this survey.
530		Road.
600.0		Cor. No. 3, identical with Cor. No. 3 of the Blue Star-1-1959 lode, Cor. No. 3 of the Blue Star-2-1959 lode, and Cor. No. 3 of the Blue Star-16-1959 lode, all of this survey.
		Thence S. 0°06'22" W.
60.47		Intersect line 3-4 Blue Star-1-1944 lode of this survey.
1,325		Road, bears N. 84° W. and S. 84° E.
1,500.0		Cor. No. 4, identical with Cor. No. 2 of the Blue Star-16-1959 lode of this survey.
		Set on iron post, 30 ins. long, 2 ins. diam., 18 ins. in the ground, with a brass cap and., BS-16-1959-4 BS-16-1959-2 4869.

		No local bearing objects or bearing trees available.
		Thence S. 89°53'38" E.
300		Lode line; discovery point bears N. 0°06'22" E., 20 ft. dist.
600.0		Cor. No. 1, and place of beginning.
BLUE STAR-16-1959 LODE		
		At Cor. No. 1 of the Blue Star-16-1959 lode, identical with Cor. No. 1 of the Blue Star-17-1959 lode of this survey.
		Set an iron post, 30 ins. long, 2 ins. dia., 18 ins. in the ground, with a brass cap stud., 83-16-1959-1 83-17-1959-1 4889, from which
		The closing cor. of secs. 4 and 5, T. 35 N., R. 50 E., Mt. Diablo Mer., bears N. 11°22' 10" W., 3,059.41 ft. dist., previously described.
		Thence S. 89°53'38" E.
170		Road, bears N. 70° W. and S. 40° E.
300		Lode line; discovery point bears N. 0°06'22" E., 20 ft. dist.
600.0		Cor. No. 2, identical with Cor. No. 4 of the Blue Star-15-1959 lode of this survey.
		Thence N. 0°06'22" E.
175		Road.
1,439.51		Intersect the line 3-4 Blue Star-1-1944 lode of this survey.
1,500.0		Cor. No. 3, identical with Cor. No. 3 of the Blue Star-1-1959 lode, Cor. No. 3 of the Blue Star-2-1959 lode, and Cor. No. 3 of the Blue Star-15-1959 lode, all of this survey.
		Thence N. 89°53'38" W.
195.48		Intersect line 3-4 Blue Star-1-1944 lode of this survey.
300		Lode line; discovery point bears S. 0°06'22" W., 1,490 ft. dist.
600.0		Cor. No. 4, identical with Cor. No. 4 of the Blue Star 1959 lode, Cor. No. 2 of the Blue Star-1-1959 lode, and Cor. No. 2 of the Blue Star-17-1959 lode, all of this survey.
		Thence S. 0°06'22" W.
2,084		Road, bears N. 84° W. and S. 84° E.
1,105		Road, bears N. 63° W. and S. 63° E.

(This form bound on top)

PATENT NO. 27-71-0099

1,500.0	Cor. No. 1, and place of beginning.
	ELITE STAR-17-1959 LODGE Beginning at Cor. No. 1 of the Elite Star-17-1959 lodge, identical with Cor. No. 1 of the Elite Star-16-1959 lodge of this survey. Thence N. $0^{\circ}05'22''$ E.
395	Road.
426	Road.
2,500.0	Cor. No. 2, identical with Cor. No. 4 of the Elite Star 1959 lodge, Cor. No. 2 of the Elite Star-1-1959 lodge, and Cor. No. 4 of the Elite Star-16-1959 lodge, all of this survey. Thence N. $89^{\circ}53'38''$ W.
255	Road.
300	Lode line; discovery point bears S. $0^{\circ}05'22''$ W., 1,480 ft. dist.
599.08	Intersect the line bet. sec. 4 and 5 at a point from which the $\frac{1}{2}$ sec. cor. of sec. 4 and 5 bears S. $0^{\circ}04'4''$ W., 1,467.96 ft. dist.; an iron post, 1 in. diam., 10 ins. above ground, firmly set, marked, and witnessed as described in the official record.
600.0	Cor. No. 3, identical with Cor. No. 3 of the Elite Star 1959 lodge of this survey. Thence S. $0^{\circ}05'22''$ W.
1,497	Road, bears N. 43° E. and S. 43° W.
2,500.0	Cor. No. 4 Set an iron post, 30 inc. long, 2 ins. diam., 18 ins. in the ground, with a brass cap whd., BS-17-1959-4 4889, from which The $\frac{1}{2}$ sec. cor. of sec. 4 and 5, T. 35 N., R. 50 E., Mt. Diablo Mer., bears N. $3^{\circ}17'$ E., 32.09 ft. dist.; previously described. Thence S. $89^{\circ}53'39''$ E.
1.84	Intersect the line bet. sec. 4 and 5, at a point from which the $\frac{1}{2}$ sec. cor. of sec. 4 and 5 bears N. $0^{\circ}23'08''$ E., 32.04 ft. dist.; previously described.
300	Lode line; discovery point bears N. $0^{\circ}05'22''$ E., 20 ft. dist.
600.0	Cor. No. 1, and place of beginning.

GPO 529-724

0003485

FEET

AREAS

Areas

Total area, Blue Star 1943 lode	20.661
Total area, Blue Star-1-1944 lode	20.661
Total area, Blue Star-2-1944 lode	20.661
Total area, Blue Star 1959 lode	20.661
Area in conflict with -	
NE $\frac{1}{4}$ Sec. 5, T. 35 N., R. 50 E., Mt. Diablo Mer.	0.016
Total area, Blue Star-11-1959 lode	20.661
Area in conflict with -	
Blue Star-1-1944 lode of this survey	6.793
Total area, Blue Star-2-1959 lode	20.661
Area in conflict with -	
Blue Star-1-1944 lode of this survey	13.420
Blue Star 1943 lode of this survey	6.054
Total area, Blue Star-3-1959 lode	20.661
Area in conflict with -	
Blue Star-1-1944 lode of this survey	0.001
Blue Star 1943 lode of this survey	11.779
Blue Star-2-1944 lode of this survey	5.223
Total area, Blue Star-4-1959 lode	20.661
Area in conflict with -	
Blue Star-2-1944 lode of this survey	10.008
Total area, Blue Star-15-1959 lode	20.661
Area in conflict with -	
Blue Star 1943 lode of this survey	1.731
Blue Star-1-1944 lode of this survey	0.361
Total area, Blue Star-16-1959 lode	20.661
Area in conflict with -	
Blue Star-1-1944 lode of this survey	0.136
Total area, Blue Star-17-1959 lode	20.661
Area in conflict with -	
NE $\frac{1}{4}$ Sec. 5, T. 35 N., R. 50 E., Mt. Diablo Mer.	0.046
SE $\frac{1}{4}$ Sec. 5, T. 35 N., R. 50 E., Mt. Diablo Mer.	0.001

LOCATION

This survey is located in the NE $\frac{1}{4}$ and the SE $\frac{1}{4}$ of Sec. 4, the NE $\frac{1}{4}$ and the SE $\frac{1}{4}$ of Sec. 5, T. 35 N., R. 50 E., Mt. Diablo Meridian, Nevada.

The survey of all the lodes is identical with the respective location or assumed location as marked on the ground.

EXPENDITURES

For improvements and the value of the labor and improvements made upon or for the benefit of each of the lode locations embraced in said mining claim by the claimant or its grantors are as follows:

No. 1

The discovery point of the Blue Star 1943 lode, a post and notice, 14 on the lode line 730 ft. dist. from the center of line 2-3.
No value.

(This form bound on top)

PATENT NO.

27-71-0099

BOOK

39

PAGE

054

No. 1	The discovery point of the Blue Star-1-1944 lode, a post and notice, is on the lode line 750 ft. dist. from the center of line 1-2. No value.
No. 1	The discovery point of the Blue Star-2-1944 lode, a post and notice, is on the lode line 750 ft. dist. from the center of line 2-3. No value.
No. 1	The discovery point of the Blue Star-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 1-2. No value.
No. 1	The discovery point of the Blue Star-1-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 4-1. No value.
No. 1	The discovery point of the Blue Star-2-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 1-2. No value.
No. 1	The discovery point of the Blue Star-3-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 4-1. No value.
No. 1	The discovery point of the Blue Star-4-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 1-2. No value.
No. 1	The discovery point of the Blue Star-15-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 4-1. No value.
No. 1	The discovery point of the Blue Star-16-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 1-2. No value.
No. 1	The discovery point of the Blue Star-17-1959 lode, a post and notice, is on the lode line 20 ft. dist. from the center of line 4-1. No value.
	An interest in common improvements described as follows:
CI #1	Total value of trenching, 13,253 yards of total excavation in 13 trenches. Value of trenching, \$3,975.00. Value of one eleventh interest, \$361.36.
CI #2	Drill program, 195 holes, with a total depth of 66,050 ft. Value of drilling, \$330,300.00. Value of one eleventh interest, \$30,027.27.

These improvements are described in detail at the end of these field notes.

The improvements are in progress for the development of the eleven lodes of this survey, which are all the contiguous lode claims owned in common within the range of benefit of said improvements.

These improvements afford the most practical and economical means of developing each of the stated lodes.

Five hundred dollars or over has been expended in these improvements in such a manner as leads to the development of each lode of this survey, subsequent to its location and to the time since which common ownership and contiguity have provided; therefore undivided one eleventh interest in their value is hereby credited to each of the said lodes.

No portion of or interest in these improvements has been credited heretofore as patent expenditure to any lode claim.

DETAIL OF IMPROVEMENTS

CE #1 Trench No. 1, the west end of which bears S. 6° E., 210 ft. from Cor. No. 1 of the Blue Star 1943 lode, 15 ft. wide, 7.5 ft. deep, running S. 74° E., 110 ft.
Value, \$388.00.

Trench No. 2, the west end of which bears S. 10° E., 400 ft. from Cor. No. 1 of the Blue Star 1943 lode, 15 ft. wide, 5.3 ft. deep, running S. 65°30' E., 280 ft.
Value, \$247.00.

Trench No. 3, the west end of which bears S. 5° E., 505 ft. from Cor. No. 1 of the Blue Star 1943 lode, 15 ft. wide, 3.9 ft. deep, running S. 55° E., 230 ft.
Value, \$150.00.

Trench No. 4, the east end of which bears S. 9° E., 530 ft. from Cor. No. 4 of the Blue Star-1-1944 lode, 15 ft. wide, 8.4 ft. deep, running N. 57°30' W., 120 ft.
Value, \$168.00.

Trench No. 5, the east end of which bears N. 22° W., 50 ft. from Cor. No. 3 of the Blue Star 1943 lode, 17.5 ft. wide, 5.4 ft. deep, running S. 55°30' W., 245 ft.
Value, \$225.00.

Trench No. 6, the east end of which bears S. 66°30' E., 360 ft. from Cor. No. 1 of the Blue Star-1-1944 lode, 16 ft. wide, 2.4 ft. deep, running S. 77°00' W., 130 ft.
Value, \$175.00.

(This form bound on top)

PATENT NO. 27-71-0099

39

BOOK PAGE

056

Trench No. 6, the east end of which bears S. 32°30' W., 350 ft. from Cor. No. 1 of the Blue Star-1959 lode, 15 ft. wide, 4.5 ft. deep, running S. 72° W., 170 ft.
Value, \$127.00.

Trench No. 7, the east end of which bears S. 31° E., 350 ft. from Cor. No. 1 of the Blue Star-1959 lode, 15 ft. wide, 4.5 ft. deep, running S. 73° W., 530 ft.
Value, \$410.50.

Trench No. 8, the east end of which bears S. 23°30' E., 800 ft. from Cor. No. 1 of the Blue Star-1-1959 lode, 15 ft. wide, 3.5 ft. deep, running S. 66° W., 500 ft.
Value, \$325.00.

Trench No. 9, the east end of which bears S. 20° E., 1,110 ft. from Cor. No. 1 of the Blue Star-1-1959 lode, 15 ft. wide, 3.5 ft. deep, running S. 73° W., 560 ft.
Value, \$320.00.

Trench No. 10, the east end of which bears S. 18°30' E., 1,410 ft. from Cor. No. 1 of the Blue Star-1-1959 lode, 15 ft. wide, 5.2 ft. deep, running S. 73° W., 500 ft.
Value, \$435.00.

Trench No. 11, the east end of which bears S. 24° W., 160 ft. from Cor. No. 3 of the Blue Star-16-1959 lode, 15 ft. wide, 3.8 ft. deep, running S. 72° W., 520 ft.
Value, \$330.00.

Trench No. 12, the east end of which bears S. 2° E., 410 ft. from Cor. No. 3 of the Blue Star-16-1959 lode, 15 ft. wide, 7.2 ft. deep, running S. 72° W., 560 ft.
Value, \$675.00.

Value of trenching, \$3,975.00.

CT. #2	Drill	Bearing	Distance	Vertical Depth
	Hole #			
	From Cor. No. 1 of the Blue Star 1959 lode.			
124	S.	09°34'07" W.	906.878	235
125	S.	05°37'40" W.	1077.039	360
131	S.	01°18'19" W.	1273.553	400
82	S.	61°45'28" E.	525.671	400
64	S.	73°01'11" E.	444.164	220
180	S.	76°11'24" E.	531.473	350
73	S.	49°23'51" E.	219.505	355
76	S.	72°46'28" E.	573.053	400
72	S.	50°36'22" E.	307.507	400
75	S.	67°13'01" E.	511.316	310
74	S.	39°19'57" E.	639.696	215
156	S.	65°07'04" E.	483.615	250
71	S.	50°19'22" E.	409.418	400
61	S.	64°34'13" E.	639.140	400
83	S.	12°39'24" E.	244.855	345
158	S.	33°54'43" E.	889.537	250

Well No.	Bearing	Distance	Vertical Depth
70	S. 45°12'07" E.	698.089	355
83	S. 53°04'18" E.	641.776	395
160	S. 53°03'03" E.	703.639	200
69	S. 40°53'43" E.	583.536	400
55	S. 48°53'50" E.	716.999	795
68	S. 27°02'33" E.	605.129	260
162	S. 52°14'53" E.	757.558	220
126	S. 46°20'45" E.	817.235	250
98	S. 27°10'04" E.	659.971	400
50	S. 45°07'04" E.	776.509	400
165	S. 31°35'39" E.	864.603	250
97	S. 25°25'39" E.	777.466	400
179	S. 30°02'29" E.	835.075	200
48	S. 33°46'12" E.	883.513	500
96	S. 24°55'49" E.	840.366	380
62	S. 36°23'36" E.	955.994	350
111	S. 16°39'13" E.	1007.320	325
183	S. 19°50'28" E.	861.666	200
130	S. 29°04'10" E.	928.584	400
49	S. 32°05'27" E.	982.183	400
115	S. 02°43'29" E.	842.535	360
95	S. 25°23'05" E.	937.361	400
132	S. 20°13'11" E.	964.178	200
128	S. 28°20'14" E.	1027.161	400
47	S. 31°10'07" E.	1075.512	600
145	S. 22°25'56" E.	1011.930	200
113	S. 16°35'09" E.	805.889	405
129	S. 27°12'11" E.	1125.330	400
55	S. 22°45'21" E.	1114.105	400
140	S. 05°26'49" E.	1034.932	600
144	S. 16°43'25" E.	890.837	300
184	S. 26°18'12" E.	1202.015	200
121	S. 07°08'53" E.	1131.856	400
33	S. 20°06'43" E.	1201.205	600
46	S. 24°56'37" E.	1243.554	460
114	S. 17°04'38" E.	1212.615	230
122	S. 07°49'23" E.	1233.042	235
44	S. 18°52'51" E.	1295.510	400
45	S. 23°12'55" E.	1437.994	195
112	S. 17°05'01" E.	1412.482	400
123	S. 08°42'46" E.	1422.879	400
132	S. 01°49'53" E.	1465.155	400
45-A	S. 23°13'09" E.	1415.725	280
45-B	S. 23°07'45" E.	1460.862	560
45-C	S. 23°15'24" E.	1398.603	575
66-A	S. 76°58'12" E.	453.108	270
66-B	S. 80°52'49" E.	436.965	525
69-A	S. 37°29'54" E.	679.454	400
74-A	S. 59°51'30" E.	434.299	400
114-A	S. 17°08'51" E.	1208.165	380
122-A	S. 07°56'00" E.	1227.816	400

From Cor. No. 1 of the Blue Star-3-1959 lead.

77	S. 87°37'21" W.	579.456	400
2	S. 82°07'27" W.	360.053	510
1	S. 79°51'17" W.	247.731	520
3	S. 53°49'37" W.	133.195	520
91	S. 79°25'33" W.	864.391	140
91-A	S. 80°16'47" W.	453.052	65
23	S. 72°14'06" W.	558.796	395
99	S. 63°42'25" W.	252.925	330

(This form bound on top)

PATENT NO. 27-71-0099

39

BOOK PAGE

058

PREF

Drill Hole #	Bearing	Distance	Vertical Depth
92	S. 65°13'48" W.	366.473	395
80	S. 67°12'22" W.	454.470	400
157	S. 72°15'14" W.	606.697	250
79	S. 68°23'21" W.	550.178	395
100	S. 43°15'37" W.	285.930	325
99	S. 49°51'05" W.	385.619	400
197	S. 61°42'36" W.	622.519	250
87	S. 94°18'09" W.	479.257	395
86	S. 93°15'27" W.	565.551	400
101	S. 20°45'42" W.	346.521	375
161	S. 96°28'49" W.	630.592	200
94	S. 77°27'40" W.	439.447	400
88	S. 43°42'19" W.	515.232	355
102	S. 18°53'29" W.	422.072	185
117	S. 51°29'25" W.	640.710	400
105	S. 28°20'05" W.	407.665	400
89	S. 50°17'08" W.	730.269	400
164	S. 47°11'37" W.	691.275	125
116	S. 35°17'30" W.	561.695	330
155	S. 40°23'37" W.	654.817	200
38	S. 29°18'42" W.	571.852	805
103	S. 12°47'03" W.	505.705	300
104	S. 21°05'33" W.	560.730	295
90	S. 52°36'03" W.	921.797	400
106	S. 38°10'14" W.	791.348	360
118	S. 55°15'40" W.	748.208	300
127	S. 41°09'32" W.	878.210	250
119	S. 28°03'56" W.	794.818	150
107	S. 31°08'08" W.	856.807	350
34	S. 35°53'37" W.	925.096	525
120	S. 33°02'13" W.	856.979	150
37	S. 10°50'33" W.	811.525	705
61	S. 34°20'46" W.	1041.414	350
60	S. 29°53'04" W.	1058.156	350
39	S. 03°09'53" W.	970.116	605
33	S. 24°05'03" W.	1091.113	705
59	S. 20°14'18" W.	1192.794	350
31	S. 08°01'40" W.	1079.516	600
146	S. 12°39'45" W.	1101.939	100
108	S. 16°36'05" W.	1151.016	250
169	S. 08°55'46" W.	1123.959	100
51	S. 21°28'49" W.	1222.229	100
168	S. 13°27'49" W.	1174.927	100
136	S. 05°30'01" W.	1145.771	200
51	S. 26°30'20" W.	1285.551	250
134	S. 10°23'33" W.	1191.452	200
40	S. 02°12'11" W.	1174.705	705
157	S. 16°50'39" W.	1228.755	125
166	S. 21°18'10" W.	1266.534	175
109	S. 14°15'39" W.	1237.561	300
170	S. 05°34'46" W.	1214.365	100
137	S. 03°53'34" W.	1240.297	200
151	S. 11°33'43" W.	1265.421	125
21	S. 13°33'56" W.	1307.690	550
57	S. 13°09'05" W.	1375.703	260
110	S. 21°08'11" W.	1359.604	295
172	S. 15°08'35" W.	1425.495	125
154	S. 03°08'10" W.	1279.314	300
175	S. 01°07'52" W.	1267.384	100
173	S. 13°06'30" W.	1265.707	215
153	S. 11°09'01" W.	1326.001	300
176	S. 05°30'22" W.	1309.351	75

GPD 513-714

FEET

Point	Bearing	Distance	Vertical Depth
177	S. 08°56'15" W.	1395.00	30
18	S. 02°50'41" W.	1390.68	505
47	S. 14°53'12" W.	1397.90	400
138	S. 04°25'37" W.	1392.91	25
54	S. 22°22'35" W.	1392.09	200
178	S. 18°11'30" W.	1412.72	115
139	S. 07°58'18" W.	1413.58	100
20	S. 11°51'01" W.	1430.01	525
13-A	S. 05°00'02" W.	1428.97	150
154	S. 01°13'39" W.	1426.56	100
28	S. 14°23'22" W.	1499.18	705
68	S. 27°41'26" E.	83.66	500
16	S. 60°05'39" E.	617.20	505
10	S. 35°28'57" E.	781.97	605
15	S. 68°32'42" E.	780.14	575
9	S. 33°01'18" E.	982.91	505
8	S. 03°15'19" E.	863.61	641
8	S. 28°48'15" E.	1170.45	150
148	S. 09°35'26" E.	1072.68	160
167	S. 04°22'22" E.	1081.21	100
17	S. 02°55'04" E.	1156.03	605
149	S. 10°13'39" E.	1174.90	200
7	S. 24°23'51" E.	1335.49	405
174	S. 03°23'35" E.	1220.57	100
150	S. 10°01'24" E.	1271.13	135
151	S. 01°40'29" E.	1298.19	135
153	S. 02°47'43" E.	1395.19	100
152	S. 00°15'49" E.	1204.49	115
52-A	S. 21°22'12" W.	1227.96	501

From Cor. No. 1 of the Blue Star-4-1999 lode.

32	S. 80°58'15" W.	312.325	240
14	S. 35°51'07" W.	904.305	500
13	S. 28°06'27" W.	1036.56	400
27	S. 20°31'23" W.	1093.76	300
12	S. 26°02'15" W.	1229.16	280
11	S. 20°53'50" W.	1321.53	400
28	S. 18°19'51" W.	1330.53	300

From Cor. No. 1 of the Blue Star 1943 lode.

84	S. 72°17'06" W.	628.843	400
163	S. 61°16'57" W.	684.180	200
44	S. 24°22'55" W.	1446.91	400
19	S. 03°08'00" W.	1313.36	600
25	S. 04°16'01" E.	1448.99	605

From Cor. No. 1 of the Blue Star-2-1944 lode.

26-A	S. 00°55'05" E.	1077.350	405
26	S. 00°49'22" E.	1100.460	160
67	S. 00°34'23" W.	1278.280	305
62-A	S. 00°23'53" W.	1301.843	450
5	S. 16°06'52" W.	1402.63	252
5-A	S. 14°44'11" W.	1375.673	405

From Cor. No. 1 of the Blue Star-16-1959 lode.

311	S. 04°26'16" E.	1107.105	277
163	S. 03°51'39" E.	967.281	280

(This page found on top)

PATENT NO. 27-71-0099

39

BOOK PAGE

060

From Cor. No. 12 of the Blue Star-1955 locs.

73	S. 10°30'48" W.	1504.35	705
74	N. 02°01'38" W.	1251.56	705
6	N. 01°41'11" S.	1178.67	605

From Cor. No. 11 of the Blue Star-1955 locs.

91-B	S. 82°51'07" W.	444.60	330
138-A	S. 06°17'51" W.	1370.70	35
177-A	S. 08°23'08" W.	1342.20	30
177-B	S. 08°23'29" W.	1355.49	100
181	S. 82°05'03" W.	604.86	250

From Cor. No. 1 of the Blue Star-17-1955 locs.

185	N. 24°38'40" W.	1007.06	415
-----	-----------------	---------	-----

OTHER IMPROVEMENTS

There are no other improvements on the claim group.

OTHER CORNER DESCRIPTIONS AND SUPPLEMENTAL DATA

The south boundary of sec. 31, T. 36 N., R. 50 E., Mt. Diablo Mer., was found to bear N. 89°53'38" W., instead of West, as approved.

The east $\frac{1}{4}$ mile was found to be 2,720.17 ft., instead of 2,713.92 ft., as approved, and the west $\frac{1}{4}$ mile was found to be 2,717.67 ft., instead of 2,713.92 ft., as approved.

From the closing cor. of secs. 4 & 5, T. 35 N., R. 50 E., to the standard cor. of secs. 31 and 36, the SW cor. of T. 36 N., R. 50 E., was found to be 1,347.66 ft., instead of 1,361.78 ft., as approved.

The west boundary of sec. 4, T. 35 N., R. 50 E., Mt. Diablo Mer., from the sec. cor. of secs. 4 & 5, to the closing cor. of secs. 4 & 5, was found to be N. 0°04' E., 2,967.96 ft., instead of N. 0°02' W., 2,970.00 ft., as approved; from the cor. of secs. 4, 5, 8, & 9, to the $\frac{1}{4}$ cor. of secs. 4 & 5, was found to be N. 00°03' 03" E., 2,641.45 ft., instead of N. 00°02' W., 2,640.00 ft., as approved.

FIELD ASSISTANTS

NAME	CAPACITY
Alan J. Dymek	Chairman
Dominic Pistorio	Chairman

CERTIFICATE OF SURVEYOR

1969 JAN 6 AM 10 20

Name of Mineral Surveyor: Mark Chilton Date: July 12, 1968

I, Mark Chilton, Engineer, That in pursuance of an order received from the Chief, Branch of
I have carefully executed the survey of the claim
of Mount Diablo Mining District, a Delaware Corporation, c/o W. J. Forman, Inc.,
known as the (code, block, or sill site) Mine, Star Group, Box E, 1st Street,
situated in Elko County, Nevada, East 1/4 and 3/4 of Section 36, Range 30 E, T10N, R30E,
Nevada, Meridian, in the

This survey, designated as number 4389, has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in the specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (code or placer) location(s) embraced in the said mining claim by claimant(s) or its grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

Elko, Nevada (Location) Mark Chilton (Signature of Mineral Surveyor)

CERTIFICATE OF APPROVAL

OIL & Gas Bureau of Land Management
Location: Elko, Nevada
Date: August 30, 1968

The foregoing field notes of mineral survey number 4389, in Elko Mining District, Elko County, Nevada, Township 30 N., Range 30 E., Mount Diablo, Nevada, executed by Mark Chilton, Mineral Surveyor, under order dated April 12, 1968, having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.


James A. Williams, Chief, Branch of Cadastral Engineers
(Authorized Signature) (Title)

CERTIFICATE OF TRANSCRIPT

I CERTIFY That the foregoing transcript of field notes of the above described mineral survey number 4389 is a true copy of the original field notes.

James A. Williams, Chief, Branch of Cadastral Engineers
(Authorized Signature) (Title)

Title 18, U. S. C. Section 1001, makes it a crime for any person knowing and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.



PATENT NO. 27-71-0099

FEB 18 1971

MINERAL SURVEY

No. 4889

NEVADA

CLAIM OF
NEWMONT EXPLORATION LIMITED

KNOWN AS THE

BLUE STAR-1943, BLUE STAR-1-1944,
BLUE STAR-2-1944, BLUE STAR 1959,
BLUE STAR-1-1959, BLUE STAR-2-1959,
BLUE STAR-3-1959, BLUE STAR-4-1959,
BLUE STAR-15-1959, BLUE STAR-16-
1959, BLUE STAR-17-1959 LODES.


SITUATE IN

the N $\frac{1}{2}$ and the SW $\frac{1}{4}$ of Sec. 4, the NE $\frac{1}{4}$ and the
SE $\frac{1}{4}$ of Sec. 5, T35N, R50E, M.D.M.

EUREKA COUNTY

Lyon Mining District

Lat 40°56'N, Long 116°21'W, at Cor No. 1 of the
BLUE STAR-4-1959 LODE



Feet

Magnetic Declination, 17° East

Surveyed May 16 to June 17, 1968

By Mark Chilton, Mineral Surveyor

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Reno, Nevada, August 30, 1968

I hereby certify that this plat of Mineral Survey
No. 4889 Nevada, is strictly conformable to the
field notes of said survey which have been examined
and approved.

James A. Minnie
Chief, Branch of Cadastral Engineering

