

54496
LOCATION CERTIFICATE OF LOSE CLAIMS
FOR MULTIPLE LOCATION
FROM 1 TO 10 CONTIGUOUS CLAIMS

THIS IS TO CERTIFY that the GUEVA 1, GUEVA 2, GUEVA 3, GUEVA 4, GUEVA 5,
GUEVA 6, GUEVA 7, GUEVA 8

Lode Mining Claims were located by WILLIAM E. GERGEN

whose post office address appears below, on the 30 day of April, 1970, situated in the DIAMOND Mining District, County of ELUREKA, State of Nevada, and about T. 21 N., R. 51 E., Sections 23 and 24 (See recorded map). The dimensions and locations of the discovery work done on the claims, exposing ledge, lode or vein in place are Access roads and drill sites.

The total cost of such work consisted of at least \$ 800.00. All discovery and location work necessary to complete these locations has been performed by 5-15, 1971.

Dated this 15th day of May, 1970.

Name of Locator: WILLIAM E. GERGEN Address 370 Parker Avenue, Ely, Nevada

- #1 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #2 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #3 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #4 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a Northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #5 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a northerly direction and 1475 feet in a southerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #6 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a northerly direction and 1475 feet in a southerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #7 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a northerly direction and 1475 feet in a southerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #8 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a northerly direction and 1475 feet in a southerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a _____ direction and 1475 feet in a _____ direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a _____ direction and 1475 feet in a _____ direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.

The northwest corner of each respective claim is marked by a post four feet high, inscribed "NW Corner of Gueva 1", "NW Corner of Gueva 2", "NW Corner of Gueva 3", "NW Corner of Gueva 4", "NW Corner of Gueva 5", "NW Corner of Gueva 6", "NW Corner of Gueva 7", "NW Corner of Gueva 8".

The Southwest Corner of each respective claim is marked by a post four feet high, inscribed "SW Corner of Gueva 1", "SW Corner of Gueva 2", "SW Corner of Gueva 3", "SW Corner of Gueva 4", "SW Corner of Gueva 5", "SW Corner of Gueva 6", "SW Corner of Gueva 7", "SW Corner of Gueva 8".

The Southeast Corner of each respective claim is marked by a post four feet high, inscribed "SE Corner of Gueva 1", "SE Corner of Gueva 2", "SE Corner of Gueva 3", "SE Corner of Gueva 4", "SE Corner of Gueva 5", "SE Corner of Gueva 6", "SE Corner of Gueva 7", "SE Corner of Gueva 8".

The Northeast Corner of each respective claim is marked by a post four feet high, inscribed "NE Corner of Gueva 1", "NE Corner of Gueva 2", "NE Corner of Gueva 3", "NE Corner of Gueva 4", "NE Corner of Gueva 5", "NE Corner of Gueva 6", "NE Corner of Gueva 7", "NE Corner of Gueva 8".

SECTION 14

SECTION 13

WILLIAM E. GERGEN
CREVICE & CUEVA GROUPS

ROBERT W. GERGEN
JOHN H. GERGEN
BILL PALCZEWSKI
OLD CROW GROUP



SECTION 23

SECTION 24

▲ LOCATION MONUMENT

TOWNSHIP 21, N., R. 54 E.
DIAMOND MINING DISTRICT
EUREKA, NEVADA
MAY 1, 1971

CUEVA CLAIM GROUP
CREVICE CLAIM GROUP
OLD CROW CLAIM GROUP

BOOK 39 PAGE 297

RECORDED AT THE REQUEST OF William Gergen
on May 18, 1971, at 10 min. past 4 P. M. in
Book 39 of OFFICIAL RECORDS, page 296-297
EUREKA COUNTY, NEVADA *William E. Gergen* Recorder.
File No. 54496 Fee \$ 9.00

**LOCATION CERTIFICATE OF LOBE CLAIMS
FOR MULTIPLE LOCATION
FROM 1 TO 10 CONTIGUOUS CLAIMS**

THIS IS TO CERTIFY that the CREVICE 1, CREVICE 2, CREVICE 3, CREVICE 4, CREVICE 5,
CREVICE 9, CREVICE 12, CREVICE 16, CREVICE 15, CREVICE 17

Lode Mining Claims were located by WILLIAM E. GERGEN

whose post office address appears below, on the 31st day of April, 1970, situated in the DIAMOND Mining District, County of ELUREKA, State of Nevada, and about T. 21 N., R. 54 E., Sections 13, 14, 23, 24 (See recorded map)

The dimensions and locations of the discovery work done on the claims, exposing ledge, lode or vein in place are Access roads and drill sites.

The total cost of such work consisted of at least \$1,000.00

All discovery and location work necessary to complete these locations has been performed by May 15, 1970.

Dated this 15th day of May, 1970.

Name of Locator WILLIAM E. GERGEN Address 370 Parker Avenue, Ely, Nevada 89301

- #1 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a Northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #2 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #3 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #4 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #5 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #9 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 750 feet from the location monument in a southerly direction and 750 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #12 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #16 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #15 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #17 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a northerly direction and 1475 feet in a southerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.

The northwest corner of each respective claim is marked by a post four feet high, inscribed
 "NW Corner of Crevice 1", "NW Corner of Crevice 2", "NW Corner of Crevice 3",
 "NW Corner of Crevice 4", "NW Corner of Crevice 5", "NW Corner of Crevice 9", "NW Corner of Crevice 12",
 "NW Corner of Crevice 16", "NW Corner of Crevice 15", "NW Corner of Crevice 17"

The Southwest Corner of each respective claim is marked by a post four feet high, inscribed
 "SW Corner of Crevice 1", "SW Corner of Crevice 2", "SW Corner of Crevice 3", "SW Corner of Crevice 4",
 "SW Corner of Crevice 5", "SW Corner of Crevice 9", "SW Corner of Crevice 12",
 "SW Corner of Crevice 16", "SW Corner of Crevice 15", "SW Corner of Crevice 17"

The Southeast Corner of each respective claim is marked by a post four feet high, inscribed
 "SE Corner of Crevice 1", "SE Corner of Crevice 2", "SE Corner of Crevice 3", "SE Corner of Crevice 4",
 "SE Corner of Crevice 5", "SE Corner of Crevice 9", "SE Corner of Crevice 12",
 "SE Corner of Crevice 16", "SE Corner of Crevice 15", "SE Corner of Crevice 17"

The Northeast corner of each respective claim is marked by a post four feet high, inscribed
 "NE Corner of Crevice 1", "NE Corner of Crevice 2", "NE Corner of Crevice 3", "NE Corner of Crevice 4",
 "NE Corner of Crevice 5", "NE Corner of Crevice 9", "NE Corner of Crevice 12",
 "NE Corner of Crevice 16", "NE Corner of Crevice 15", "NE Corner of Crevice 17"

LOCATION - CERTIFICATE OF LOCATION
FOR MULTIPLE LOCATION
FROM 1 TO 10 CONTIGUOUS CLAIMS

54498

THIS IS TO CERTIFY that the CREVICE 6, CREVICE 7, CREVICE 8, CREVICE 10, CREVICE 11,
CREVICE 13 and CREVICE 14

Lode Mining Claims were located by WILLIAM E. GERGEN

whose post office address appears below, on the 15th day of May, 1971, situated in the DIAMOND Mining District, County of EUREKA, State of NEVADA, and about T. 21 N., R. 34 E., Sections 13 and 24 (See recorded map). The dimensions and locations of the discovery work done on the claims, exposing ledge, lode or vein in place are: Access Roads and Drill Sites. The total cost of such work consisted of at least \$ 700.00. All discovery and location work necessary to complete these locations has been performed by May 15, 1971.

Dated this 15th day of May, 1971.

Name of Locator WILLIAM E. GERGEN Address 370 Parker Ave., Ely, Nevada 89301

- #6 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #7 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #8 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #10 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 300 feet from the location monument in a southerly direction and 1200 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #11 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #13 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- #14 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a _____ direction and 1475 feet in a _____ direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a _____ direction and 1475 feet in a _____ direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- Locator claims 1900 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a _____ direction and 1475 feet in a _____ direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.

The northwest corner of each respective claim is marked by a post four feet high, inscribed "NW Corner of Crevice 6", "NW Corner of Crevice 7", "NW Corner of Crevice 8", "NW Corner of Crevice 10", "NW Corner of Crevice 11", "NW Corner of Crevice 13", "NW Corner of Crevice 14", "NW Corner of _____", "NW Corner of _____", "NW Corner of _____".

The Southwest corner of each respective claim is marked by a post four feet high, inscribed "SW Corner of Crevice 6", "SW Corner of Crevice 7", "SW Corner of Crevice 8", "SW Corner of Crevice 10", "SW Corner of Crevice 11", "SW Corner of Crevice 13", "SW Corner of Crevice 14", "SW Corner of _____", "SW Corner of _____", "SW Corner of _____".

The Southeast corner of each respective claim is marked by a post four feet high, inscribed "SE Corner of Crevice 6", "SE Corner of Crevice 7", "SE Corner of Crevice 8", "SE Corner of Crevice 10", "SE Corner of Crevice 11", "SE Corner of Crevice 13", "SE Corner of Crevice 14", "SE Corner of _____", "SE Corner of _____", "SE Corner of _____".

The Northeast corner of each respective claim is marked by a post four feet high, inscribed "NE Corner of Crevice 6", "NE Corner of Crevice 7", "NE Corner of Crevice 8", "NE Corner of Crevice 10", "NE Corner of Crevice 11", "NE Corner of Crevice 13", "NE Corner of Crevice 14", "NE Corner of _____", "NE Corner of _____", "NE Corner of _____".

LOCATION CERTIFICATE OF LODE CLAIMS
FOR MULTIPLE LOCATION
FROM 1 TO 10 CONTIGUOUS CLAIMS

54433

THIS IS TO CERTIFY that the OLD CROW 1, 2, 3, 4 and 5

Lode Mining Claims were located by ROBERT W. GERGEN, JOHN H. GERGEN and
BILL PALCZEWSKI and MICHAEL TOGNONI
whose post office address appears below, on the 3rd day of May, 1970, situated
in the Diamond Mining District, County of Bureau, State of
Nevada, and about T. 21 N., R. 54 E., Sections 23, 14, 13 (see recorded map)
The dimensions and locations of the discovery work done on the claims, exposing ledge, lode
or vein in place are access roads and drill sites
The total cost of such work consisted of at least \$ 500.00
All discovery and location work necessary to complete these locations has been performed by
S-15, 1971.

Dated this 15th day of May, 1970.

Name of Locator Robert W. Gergen - Michael Tognoni Address 370 Parker, Ely, Nevada
John H. Gergen
Bill Palczewski

- #1 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a northerly direction and 1475 feet in a southerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
 - #2 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
 - #3 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
 - #4 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
 - #5 Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a southerly direction and 1475 feet in a northerly direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein extending 25 feet from the location monument in a _____ direction and 1475 feet in a _____ direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein extending 25 feet from the location monument in a _____ direction and 1475 feet in a _____ direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein extending 25 feet from the location monument in a _____ direction and 1475 feet in a _____ direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.
- Locator claims 1500 linear feet along the course of the mineral bearing ledge, lode or vein, extending 25 feet from the location monument in a _____ direction and 1475 feet in a _____ direction, together with 300 feet on each side of the center of the vein for the entire length of the claim.

The northwest corner of each respective claim is marked by a post four feet high, inscribed
"NW Corner of Old Crow 1", "NW Corner of Old Crow 2", "NW Corner of Old Crow 3",
"NW Corner of Old Crow 4", "NW Corner of Old Crow 5", "NW Corner of _____", "NW Corner of _____",
of _____, "NW Corner of _____", "NW Corner of _____", "NW Corner of _____"

The Southwest Corner of each respective claim is marked by a post four feet high, inscribed
"SW Corner of Old Crow 1", "SW Corner of Old Crow 2", "SW Corner of Old Crow 3", "SW Corner of
Old Crow 4", "SW Corner of Old Crow 5", "SW Corner of _____", "SW Corner of _____",
"SW Corner of _____", "SW Corner of _____", "SW Corner of _____"

The Southeast Corner of each respective claim is marked by a post four feet high, inscribed
"SE Corner of Old Crow 1", "SE Corner of Old Crow 2", "SE Corner of Old Crow 3", "SE Corner of
Old Crow 4", "SE Corner of Old Crow 5", "SE Corner of _____", "SE Corner of _____",
"SE Corner of _____", "SE Corner of _____", "SE Corner of _____"

The Northeast corner of each respective claim is marked by a post four feet high, inscribed
"NE Corner of Old Crow 1", "NE Corner of Old Crow 2", "NE Corner of Old Crow 3", "NE Corner of
Old Crow 4", "NE Corner of Old Crow 5", "NE Corner of _____", "NE Corner of _____",
"NE Corner of _____", "NE Corner of _____", "NE Corner of _____"