THIS IS TO CERTIFY that the BOTCHY No. 1
lode mining claim was located by James I. Barnes; whose present
address is 4365 Canyon Drive, Reno, Nevada 89503, on the
first day of December , 1972
The general course of the vein or lode is <u>northeast and</u>
southwest . The claim is situated in unorganized
Mining District, Eureka County, Nevada. The discovery
monument is located approximately 1570 feet from the
southeast corner of Section 33 , Township 22N , Range 50 E;
as shown on the map filed herewith. The undersigned claims
1470 feet in a northeasterly direction, and 30 feet
in a southwesterlydirection from the point of discovery, with a
width of 300 feet on each side of the middle of the vein or lode.
This is one of a group of 36 contiguous claims. The dis-
covery work for the benefit of the entire group consisted of:
Geochemical survey of entire claim group; rock chip
sampling program. Hand excavation at selected points.
The corners and side centers of the claim are located and
marked as follows: BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2
Coot wooden post set in a mound of earth and stones 2 feet in height by feet in diameter and marked " W Cor. Botchy No. 1 "; thence NE
50 feet to the side center post, a post of the seme dimensions
surrounded by a mound of earth and stones as described above and marked NW Side Center Botchy No. 1 ; thence NE 750 feet to the
NW Side Center Botchy No. 1; thence NE 750 feet to the north corner, a rest of the same dimensions surrounded by earth and stones and marked "N Cor. Botchy No. 1"; thence SE 600 feet to
the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No. 1 "; thence
SW 750 feet to the SE side center post, a post of the same
SE Side Center Botchy Fo. 1 "; thence 750 feet to the south corner
of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked " S Cor. Botchy No. 1": thence 600 feet. NV
to the point of beginning.
ate: JAN 1 7 1973
OOR 2: 1 PAGE Tames I. Barnes

1000

. sr 78

LOCATION CERTIFICATE

THIS IS TO CERTIFY that the BOTCHY No. 2 lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December 1972

The general course of the vein or lode is northeast southwest . The claim is situated in unorganized Mining District, Eureka County, Nevada. The discovery monument is located approximately 1080 feet from the southeast corner of Section 33, Township 22 N., Range 50 E. as shown on the map filed herewith. The undersigned claims 1470 feet in a northeasterly direction, and 30 feet in a scuthwesterlydirection from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points.

The corners and side centers of the claim are located and marked as follows:

BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by
4 feet in diameter and marked " W Cor. Botchy No. 2 "; thence No. 2 feet to the NW side center post, a post of the same dimensions ; thence NE 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked "NW Side Center Botchy No.2; thence NE 750 feet to the north corner, a post of the same dimensions surrounded by earth and stones and marked "N Cor. Botchy No.2"; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked "E Cor. Botchy No.2"; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE Side Center Botchy No.2"; thence 750 feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE Side Center Botchy No.2"; thence 750 feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked "S Cor. Botchy No.2"; thence 600 feet NW to the point of beginning. to the point of beginning.

JAN 1 7 1973 Date

ANTEGRADIO PORTO DELP

James I. Barnes

gľ

LOCATION CERTIFICATE

750 NE.

e.		9,7		T	H)	١		I	S		ľÇ)	C	E	R	T	I	F`	Y	į	th	ą	ţ	eta Eta	tl	he	,		2	B	Ó,	T(CI	ĮΥ		Ŋ	ο.		3				1			(
-4		•		-	•	24 54 54		1					7					74			7	7		-				្ន		1				K						1		ſ	į.		Y		1	1	il.	4	
	U	9.0		DI).I	ા ા	n	g		3. 3.	Læ	11	. II		W	a	S		LC) C	a	ιτ	e	đ	· .	D)	Į.	J	a	M C	S	1	1	7	긼	38	r	n	e:			N.	n) 5	e		ρr	e	56	'n	t
а	d	d ı	e.	s	s	i	s		4	3(5 5	ै	C	ā	n	v	o:	n	1)1	٠i	ν	e		1	Rε	211	o	2	- 1	۱e	·ν	а	d	a	۶	9	5	Ó:	ζ.	7	ດ		+	h	е	10	36			3
7	4	1	1	107		Ξv	6	\tilde{c}_{i}	÷.	3	g.		٠.,	13,		Ù	7		ŧ.	116				1	3	1				ं	1	40		ď,		Š,	ं	7		-		4	A			15.		e di cara	Ċĸ,		
Ž.		1	1	r:	ţ	z_{i}		1		lŧ	۲Ŋ	7.	0	f	Ō	Į)€	Ç	e.	M	b	e.	r	j	4	Ŧ.	j.	ě.			1	9	-	1	. 6	í.			, T	7	٠.	2.3	H	7	. 57		A :	1	ž.	:1	-

The general course of the vein or lode is northeast and Southwest . The claim is situated in unorganized Mining District, Eureka County, Nevada. The discovery monument is located approximately 750 feet from the northeast corner of Section 4 , Township 21 N, Range 50 E. as shown on the map filed herewith. The undersigned claims 1470 feet in a northeasterly direction, and 30 feet in a southwesterlylirection from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points.

The corners and side centers of the claim are loc. and and marked as follows:

BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by if feet in diameter and marked " W Cor. Botchy No. 3 "; then 750 feet to the NW side center post, a post of the seme dimensions surrounded by a mound of earth and stones as described above and marked "NW Side Center Botchy No. 3; thence NE 750 feet to the north corner, a post of the same dimensions surrounded by earth and stones and marked "N Cor. Rotchy No. 3"; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked "E Cor Botchy No. 3"; thence EW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE Side Center Botchy No. 3"; thence 750 feet to the south corner as the same dimensions surrounded by earth and stones as of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked " S Cor. Botchy No. 3"; thence 600 feet NV to the point of beginning.

JAN 1 7 1973 Date

James I. Barnes

教育教育李星传统的

THIS IS TO CERTIFY that the BOTCHY No. 4

lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive; Reno; Nevada 89503, on the first day of December; 1972.

The general course of the vein or lode is northeast and southwest. The claim is situated in an expansived.

Mining District, Eureka County, Nevada. The discovery monument is located approximately 810 feet from the northeast corner of Section 4. Township 21 N, Range 50 E, as shown on the map filed herewith. The undersigned claims 1470 feet in a northeasterly direction, and 30 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points.

The corners and side centers of the claim are located and marked as follows:

BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2

foot wooden post set in a mound of earth and stones 2 feet in height by

I feet in diemeter and marked " W Cor. Botchy No. 4 "; thence NE

750 feet to the NW side center post, a post of the seme dimensions

serrounded by a mound of earth and stones as described above and marked

"NW Side Center Botchy No. 4; thence NE 750 feet to the

north corner, a post of the same dimensions surrounded by earth and stones

and marked " N Cor. Botchy No. 4 "; thence SE 600 feet to

the east corner, a post of the same dimensions surrounded by earth and

stones as set forth above and marked " E Cor. Botchy No. 4 "; thence

SW 750 feet to the SE side center post, a post of the same

dimensions surrounded by earth and stones as set forth above and marked

" SE Side Center Botchy No. 4 "; thence 75^ feet to the south corner

of the claim, a post of the same dimensions surrounded by earth and stones as

set forth above and marked " S Cor. Botchy No. 4"; thence 600 feet NW

to the point of beginning.

Date: JAN 1 7 1973

ROOK 44 PAGE Ja

James I. Barnes

OFFICIAL SECONDS, POSS 267 D. RECOND REVADOR FOR ST. 1.00

LOCATION CERTIFICATE

ģ.				Tl	IJ	S		I	5	7	C)	C	E	R	T	Ι	ŗ	Y	#4 #4	t	h	a	t		t	h	e	Ž		Ĺ	В	0	ľ	CI	ľ	:=	1	O			5,		1		9					72	表	9	The state of the s		
97	W	A 22.	(1)	Ų.		Š.	Ŷ.			Ą	30		1					1.1		-,1			Ł	ò	1,		7	Š		÷	7		i.	120	1			Ş		i.		19	14		1		P		4	100	Ž,	7.	ţ.	, 1	43	
Ţ	O	ge V		m.	Ļ	11	n	g	•		. 2	, 1	. In		Ŋ	a	S		1	0	C	а	t	е	đ	77.	D.	y	3	J.	11	116) 5	Ş	1	٠		В	a	r	16	S	,		W	h	0	S	9	Į	1	e	S	ąτ	١ţ	1
ä	d	ďΥ	ė	S		i	Š		1:	36	Š		Ċ	a	'n	Ý	n	'n		D	Т	i	ν	e	21	1	R	è) D	្ត		1	j,	Š	្ទ	ď	១	-	Ŕ	q	í	١.3	ř	1	e O	'n	4				N	Ŷ.	14	Ų.	1	
g.				£	÷		7			44	١,	S.	7	O	į	4,1	3	. •	Ţ	-	131	÷	3	1	-	į		Ĭ		v.	= 1				Ж	'n		۲	្ទ		ż	8		2	6	,				6						
. 1		£	j.	r 5	t	3	2	ં.	Ċ	la	ıγ	î.,	O	f	i		D	e	C	e	'nΙ) (9 1	ľ			Ŷ,					į	1	g	Ĺ	7	24	- 3	ij			÷				7		l	Ŷ	¥.		N.		į.	7.7	Ŧ,

The general course of the vein or lode is northeast southwest . The claim is situated in unorganized Mining District, Eureka County, Nevada. The discovery monument is located approximately 1260 feet from the northwest corner of Section 3 , Township 21 N., Range 50 E, as shown on the map filed herewith. The undersigned claims 1470 feet in a northeasterly direction, and 30 feet in a southwesterly lirection from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points.

The corners and side centers of the claim are located and

corner a 4-inch by 4-inch by 4 1/2
oot wooden post set in a mound of earth and stones 2 feet in height by
feet in diameter and marked " W Cor. Botchy No. 5 "; thence NE
bu feet to the AW side center post, a post of the same dimensions
urrounded by a mound of earth and stones as described above and marked
NW Side Center Botchy No. 5; thence NE 750 feet to the
north corner, a post of the same dimensions surrounded by earth and stones
nd marked " R Cor. Botchy No. 5 ": thence SE 600 feet to
he east corner, a post of the same dimensions surrounded by earth and
tones as set forth above and marked " E Cor. Botchy No. 5 ": thence
50 leet to the 55 side center post, a post of the same
inensions surrounded by earth and stones as set forth above and marked
She Side Center Boteny Ro. 5 "; thence 750 feet to the south corner
f the claim, a post of the same dimensions surrounded by earth and stones as
et forth above and marked " 5 Cor. Botchy No. 5"; thence 600 feet NW
o the point of beginning.

THIS IS TO CERTIFY that the BOTCHY No. 6 lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December , 19 72

The general course of the vein or lode is northeast southwest . The claim is situated in unorganized ... Mining District, Eureka County, Nevada. The discovery monument is located approximately 1800 feet from the northwest corner of Section 3 , Township 21 N., Range 50 E, as shown on the map filed herewith. The undersigned claims 1470 feet in a northeasterly direction, and 30 in a southwesterlydirection from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points.

The corners and side centers of the claim are located and marked as follows:

BEGINNING at the west corner a 4-inch by 4-inch by 4-1/2 foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in directer and marked " W Cor. Botchy No. 6 "; ther ed " W Cor. Botchy No. 6 "; thence N side center post, a post of the same dimensions 750 feet to the NW surrounded by a mound of earth and stones as described above and marked "NW Side Center Botchy No. 6; thence NE 750 feet to the north corner, a pest of the same dimensions surrounded by earth and stones and narked N Cor. Botchy No. 6 "; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth, and stones as set forth above and marked "E Cor. Botchy No. 6 "; thence Cor. Botchy No. 6 "; thence 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked
"SE Side Center Rotchy No. 6"; thence 750 feet to the south corner
of the claim, a post of the same dimensions surrounded by earth and stones as
set forth above and marked "S Cor. Botchy No. 6"; thence 600 feet NW to the point of beginning.

JAN 1 7 1973 Date:

FOOK_ 44

ı,	1	 7	7
	٠.		3

THIS IS TO CERTIFY that the BOTCHY No. 7 lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December 1972

The general course of the vein or lode is northeast southwest . The claim is situated in unorganized Mining District, Eureka County, Nevada. The discovery monument is located approximately 4720 feet from the northeast corner of Section 3, Township 21 N., Range 50 E, as shown on the map filed herewith. The undersigned claims 1470 feet in a northeasterly direction, and 30 feet in a southwesterlydirection from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points.

The corners and side centers of the claim are located and marked as follows:

BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in diameter and marked " W Cor. Botchy No. 7 "; thence N 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked
" NW Side Center Botchy No. 7 "NW Side Center Botchy No. 7; thence NE 750 feet to the north corner, a post of the same dimensions surrounded by earth and stones and marked "N Cor. Botchy No. 7"; thence SE 600 feet to the cast corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked "E Cor. Botchy No. 7"; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE Side Center Botchy No. 7"; thence 750 feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked "S Cor. Botchy No. 7"; thence 600 feet NW to the point of beginning. Side Center Botchy No. 7; thence NE ___ 750 feet to the to the point of beginning.

JAN 1 7 1973

SOOK.

James I. Barnes

	THIS IS TO CERTIFY that the BOTCHY No. 8
	lode mining claim was located by James I. Barnes, whose present
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	address is 4365 Canyon Drive, Reno, Nevada 89503, on the
	first day of December , 19 72 ;
	day of
	The general course of the vein or lode is northeast and and
	southwest . The claim is situated in unorganized in the claim is situated in unorganized in the claim is situated in unorganized in the claim is situated in the claim is s
	Mining District, Eureka County, Nevada. The discovery
	monument is located approximately 4565 feet from the
	northeast corner of Section 3 , Township 21 N., Range 50 E,
	as shown on the map filed herewith. The undersigned claims
	1470 feet in a northeasterly direction, and 30 feet
	in a southwesterlydirection from the point of discovery, with a
	width of 300 feet on each side of the middle of the vein or lode
	C as continuous claims. The disc
	This is one of a group of 36 contiguous claims. The dis-
/	covery work for the benefit of the entire group consisted of:
r m F 4 A	Geochemical survey of entire claim group; rock chip
RECORDED Sp. Jan Book 4 Book 4 EUREKA C	sampling program. Hand excavation at selected points.
EUREKA COUNTY NEEDLES AT THE REQUES AN JOHN TO STRICK A COUNTY NEEDLES AND STRICK A COUNTY NEEDLES AND STRICK	The corners and side centers of the claim are located and
	marked as follows:
REQUEST OF James 1973 et 40 mins OFFICIAL SECOSTS, page NEWSON TO THE SECOND SE	foot wooden rost set in a round of earth and stones 2 feet in height by
1 2 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	4 feet in diameter and marked " W Cor. Botchy No. 8"; thence ME 750 feet to the NW side center post, a post of the same dimensions
CORPS 40 Page	surrounded by a mound of earth and stones as described above and marked " NW Side Center Botchy No. 8 ; thence NE 750 feet to the
poge ning	north corner, a rost of the same dimensions surrounded by earth and stones and marked " N Cor. Botchy No. 8 "; thence SE 600 feet to
, , , , , , , , , , , , , , , , , , ,	the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No. 8 "; thence
Bar 1711	SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked
ines 1 p	" SE Side Certer Botchy Ro. 8 "; thence 750 feet to the south corner
0 R F	of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked "S Cor. Botchy No. 8"; thence 600 feet NW
Encorder	to the point of beginning.
1 5 G A	Date: JAN 17 1973 James & Barnes
ongre kolede k	BOOK PAGE James I. Barnes

THIS IS TO CERTIFY that the BOTCHY No. 9
lode mining claim was located by James I. Barnes, whose present
address is 4365 Canyon Drive, Reno, Nevada 89503; on the
firstday of December, 19 72
The general course of the vein or lode is <u>northeast it</u> and
southwest , The claim is situated in unorganized
Mining District, Eureka County, Nevada. The discovery
monument is located approximately 4485 feet from the
northeast corner of Section 3, Township 21 N, Range 50 E,
as shown on the map filed herewith. The undersigned claims
[1886] [1882] [1982] [1982] [1982] [1982] 1982] [1982] [1982] [1982] [1982] [1982] [1982] [1982] [1982] [1982]
1470 feet in a northeasterly direction, and 30 feet
in a southwesterlydirection from the point of discovery, with a
width of 300 feet on each side of the middle of the vein or lode.
경기 등 보는 경기 등 전 보고 있는 것이 되었다. 그는 그는 그는 그는 그를 보고 있는 것이 되었다. 그를 보고 있는
This is one of a group of 36 contiguous claims. The dis-
covery work for the benefit of the entire group consisted of:
Geochemical survey of entire claim group; rock chip
sampling program. Hand excavation at selected points.
The corners and side centers of the claim are located and
Marked as follows:
BEGINNING at the west corner a 4-inch by 4-inch by 11/2 Front wooden rout set in a round of earth and stones 2 feet in height by
foot wooden post set in a mound of earth and stones 2 feet in height by Lib feet in diameter and marked " W Cor. Botchy No. 2 "; thence ME
750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked
Williams as a Dotobus No. 0 . About HF 750 foot to the
north corner, a post of the same dimensions surrounded by earth and stones
w and marked " N Cor. Rotchy No. 9 "; thence SE 600 feet to H the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No. 9 "; thence
stones as set forth above and marked " E Cor. Botchy No. 9 "; thence
by SW 750 feet to the SE side center post, a post of the same
dimensions surrounded by earth and stones as set forth above and marked SE Side Center Botchy No. 9 "; thence 750 feet to the south corner
of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked " S Cor. Botchy No.9"; thence 600 feet NW
to the point of beginning.
Date: JAN 17 1973 . Semen J. Dames

4460

THIS IS TO CERTIFY that the BOTCHY No. 10 lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December , 1972 , The general course of the vein or lode is northeast southwest . The claim is situated in unorganized Mining District, Eureka County, Nevada. The discovery monument is located approximately 4485 feet from the northeast corner of Section 3 , Township 21 N., Range 50 E, as shown on the map filed herewith. The undersigned claims 1470 feet in a northeasterly direction, and 30 feet in a southwesterlydirection from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode. This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of: Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points. The corners and side centers of the claim are located and marked as follows: corner a 4-inch by 4-inch by 4 1/2 BEGINNING at the west foot wooden post set in a mound of earth and stones 2 feet in height by a feet in diameter and marked " W Cor. Botchy No. 10 "; then Cor. Botchy No. 10 "; thence NE 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked surrounded by a mound of earth and stones as described above and marked

"NW Side Center Botchy No. 10; thence NE 750 feet to the
north corner, a post of the same dimensions surrounded by earth and stones
and marked "N Cor. Botchy No. 10"; thence SE 600 feet to
the east cerner, a post of the same dimensions surrounded by earth and
stones as set forth above and marked "E Cor. Botchy No. 10"; thence

SW 750 feet to the SE side center post, a post of the same
dimensions surrounded by earth and stones as set forth above and marked
"SE Side Center Botchy No. 10"; thence 750 feet to the south corner
of the claim a post of the same dimensions surrounded by earth and stones as

Date:

to the point of beginning. JAN 1 7 1973

of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked " S Cor. Botchy No. 10"; thence 600 feet NW

PAGE James I. Barnes

THIS IS TO CERTIFY that the BOTCHY No. 11 lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December , 19 72

4565

N

The general course of the vein or lode is northeast and southwest . The claim is situated in unorganized Mining District, Eureka County, Nevada. The discovery monument is located approximately 4565 feet from the northeast corner of Section 3 , Township 21 N., Range 50 E, as shown on the map filed herewith. The undersigned claims 1470 feet in a northeasterly direction, and 30 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points.

The corners and side centers of the craim are located and marked as follows:

BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by W feet in diemeter and marked W Cor. Botchy No.11 "; thence W 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked

"NW Side Center Botchy No. 11; thence NE 750 feet to the
north corner, a post of the same dimensions surrounded by earth and stones
and marked "No. 11 "; thence NE 750 feet to the
stones as set forth above and marked "E Cor. Botchy No.11 "; thence SE 600 feet to
the east corner, a post of the same dimensions surrounded by earth and
stones as set forth above and marked "E Cor. Botchy No.11 "; thence

SW 750 feet to the SE side center post, a post of the same SW 750 feet to the SE side center post, a post of the same
dimensions surrounded by earth and stones as set forth above and marked
SE Side Center Botchy No.11 "; thence 750 feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked " S Cor. Botchy No.11"; thence 600 feet NW to the point of beginning.

JAN 1 7 1973 Date:

James I. Barnes

LOCATION CERTIFICATE

	7	1	7	とおり
4		Ĉ.	?	3
ř	Ü	ç!	4	÷.

ż		2,		Ž.	Γŀ	IJ	S	ż	Ţ	S	1	C	ģ	C	E	R	T	I	F	Y	31	t l	ı a	įţ	÷	t	h	e	27	1	ı	30	T	ÇI	H)	3.5	N	٠.	-1	1.	٤.,		Ö			ď	Ŋ,	4			3-3	
	Ý.			, i	Ą.	Š	4		,	j.			Ĉ				4	7		si.	3		-1								1	17				7,4			3			5		9		Ņ.	F	Ä	7.7		J.V	3.2
J	Ļc	d	е	ë,	'n	ĹŢ,	ij	n	g		.1	a.	i	П		Y	a	S		ļ	Q	. (ıţ	. Ε	d		Ď	у.	ે	Ja	M	e	S	I	•		Ba	I	ņ	e:	į,	ė,	W	h	0	į e		p	гe	S	81	ιt
ď		24		į,	1		17			7.			4	_	Ē	V	Ì		i	ź	į,		,				ń	. 1		Ť	, 2			Ą		10		ું	្	_	, -	1	Ú		J.	7	13	1				J.
	10	Ų,	Γ	e	5 E		1	5	Š	14	יינ) J	1	۲	a	n	y	O	T.	1	Ų.	.5	÷4		,		K	eı	ı	,	4	IV Šž	۲,	/a	u	ં		۶	ે	0	,	ď,	ိ	11							7	
4	4		f	i	°S	t	Ŷ	7	3	Į.	1.	ιν	2	n	f		1	De	ć	É	Ī	b	e	r	4	<u>.</u>	4			ç			19		72	ું			17			/ §	V -		Ą						414	100 M

The general course of the vein or lode is northeast and southwest. The claim is situated in unorganized Mining District, Eureka County, Nevada: The discovery monument is located approximately 4720 feet from the northeast corner of Section 3 , Township 21 N., Range 50 E, as shown on the map filed herewith. The undersigned claims 1470 feet in a northeasterly direction, and 30 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points.

The corners and side centers of the claim are located and marked as follows:

growt wooden post set in a mound of earth and stones 2 feet in height by Gor. Botchy No.12 "; thence NE Too feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked NW Side Center Botchy No.12; thence NE Too feet to the NW Side Center Botchy No.12; thence NE Too feet to the north corner, a post of the same dimensions surrounded by earth and stones Hand marked "No.12"; thence SE Goo feet to the east corner, a post of the same dimensions surrounded by earth and stones the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked "E Cor. Botchy No. 12"; thence SE Side Center Botchy No. 12"; thence Too feet to the same of dimensions surrounded by earth and stones as set forth above and marked SE Side Center Botchy No. 12"; thence Too feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE Side Center Botchy No. 12"; thence Too feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE Side Center Botchy No. 12"; thence Too feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE Side Center Botchy No. 12"; thence Too feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE Cor. Botchy No. 12"; thence 600 feet NW

Date: JAN 1 7 1973

BOOK 44 PAGE

James I. Barnes

٠.	٠,		ı.
82			,
	- 3		:
1		32	1
\$	Ł.	v	r,
	27	-14	
. 1	٠.		9
		- 4	Ŧ
10		1.	i
-	3 -	1)	7

THIS IS TO CERTIFY that the BOTCHY No.13
lode mining claim was located by James I. Barnes, whose present
address is 4365 Canyon Drive, Reno, Nevada 89503, on the
first day of December , 19 72 .
The general course of the vein or lode is <u>northeasts. The</u> and
southwest . The claim is situated in unorganized
Mining District, Eureka County, Nevada. The discovery
monument is located approximately 2610 feet from the
southwest corner of Section 34 , Township 22 N., Range 50 E,
as shown on the map filed herewith. The undersigned claims
30 feet in a northeasterly direction, and 1470 feet
in a southwesterly direction from the point of discovery, with a
width of 300 feet on each side of the middle of the vein or lode.
76
This is one of a group of $\frac{36}{}$ contiguous claims. The dis-
covery work for the benefit of the entire group consisted of:
Geochemical survey of entire claim group; excavation and rock chip sampling program.
The corners and side centers of the claim are located and
marked as follows:
BEGINNING at the west corner a Mainch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by
4 feet in diameter and marked W Cor. Betchy No. 13 "; thence NE 750 feet to the NW side center post, a post of the same dimensions
surrounded by a mound of earth and stones as described above and marked " NW Side Center Botchy No. 13; thence NE 750 feet to the
north corner, a post of the same dimensions surrounded by earth and stones and marked " N Cor. Betchy No.13 "; thence SE 600 feet to
the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Bolchy No. 13 "; thence
SW 750 feet to the SE side center post, a post of the same
dimensions surrounded by earth and stones as set forth above and marked " SE Side Center Botchy No.13"; thence 750 feet to the south corner
of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked " S Cor. Botchy No.13"; thence 600 feet NV
to the point of beginning.
Date: JAN 1 7 1973

THIS IS TO CERTIFY that the BOTCHY No.14 lode mining claim was located by James-I. Barnes, whose present address is 4365 Canyon Drive, Reno, Novada 89503, on the first day of December . 19 72.

The general course of the vein or lade is northeast southwest The claim is situated in unorganized Mining District, Eureka County, Nevada. The discovery monument is located approximately 2355 feet from the southwest corner of Section 34 . Township 22 N, Range 50 E, as shown on the map filed herewith. The undersigned claims 30 feet in a northeasterly direction, and 1470 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of: Geochemical survey of entire claim group; excavation and rock chip sampling program.

The corners and side centers of the claim are located and marked as follows:

corner a 4-inch by 4-inch by 4 1/2 BEGINNING at the west foot wooden post set in a mound of earth and stones 2 feet in height by

Lefeet in diameter and marked "W Cor. Botchy No.14"; thence NE

750 feet to the NW side center post, a post of the same dimensions

Surrounded by a mound of earth and stones as described above and marked

"NW Side Center Botchy No.14; thence NE 750 feet to the

morth corner, a post of the same dimensions surrounded by earth and stones

Hand marked "N Cor. Botchy No.14"; thence SE 600 feet to

the east corner, a post of the same dimensions surrounded by earth and marked "E cor. Botchy No.14"; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE Side Center Botchy No. 14"; thence 750 feet to the south corner of the clair, a post of the same dimensions surrounded by earth and stones as set forth above and marked " S cor. Botchy No. 14"; thence 600 feet NW to the point of beginning.

JAN 1 7 1973

LOCATION CERTIFICATE

	U.S	40	f. f.	ľ
1.		'e:	100	
7	9.9			ŀ
47.	~	7	12	
	2	-	w	
7				
V\$	100	23	- 1	١

Ÿ,	1	ß,		Ti	Ι	S	Ι	S		T()	C	Ε	R	T	1	F.	Y.		tj	18	ı t		t	h	e		ĵ.	N.	30)1	Ç	H	Y	-1	۷)	1	5	-		1			7/			養	70				100
		(A)		狠				1	¥	4		÷						19				2			1. 26.			i di					÷	1	ij ki		Į.				3.0	Σ,		3		(7)			W.	7	Que.	Ž.	100
T(DC	ıe		mi	n	11	ıg		C	L	11	п	15	W	a	S		T (3(28	11	:e	C		b	У		J	at	nε	S		1	•		B	17	'n	e	S	9	ľ	'n	0	S	e	Ī	ľ	e	S	er	t	
a (do	lr	e	S 5		i.	,	4	3	6 !	,	C	а	n	y	o.	n	ી	נט	o. C.J	Ĺ١	<i>'</i> e			R	e	n	0		ì	įε	٧	а	d	a	. {	3 5	5	0	3		C	n		t.	h٠	e i				į,		i i
	2			4.4	= 1			1			3.		7	7		4		Ž							ĵ,	÷	¥			934				Ž		į,					,	Ē				72	14				4	4	1
	ŧ.	Ü	S	t		54	Ÿ.	. ;	d	a١	7	٥	f	. 3	ŲŽ.		D	e١	C.	ei	пI	Э (• 1	Ċ.:	Ů.			>		22,	. 1	9	3.3	7	Z	3				7		į,	ΟĒ	4	D.	1	۶.,	4		-	Ħ.		k

The general course of the vein or lode is northeast southwest. The claim is situated in unorganized Mining District, Eureka County, Nevada. The discovery monument is located approximately 2220 feet from the southwest corner of Section 34, Township 22 N, Range 50 E, as shown on the map filed herewith. The undersigned claims feet in a northeasterly direction, and 1470 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. covery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; excavation and rock chip sampling program.

The corners and side centers of the claim are located and marked as follows:

BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in diameter and marked "W Cor. Botchy No.15"; thence N 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked Side Center Botchy No. 15; thence NE 750 feet to the WVnorth corner, a rost of the same dimensions surrounded by earth and stones and marked " N Cor. Botchy No. 15"; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and rarked " E Cor. Botchy No. 15"; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked " SF Side Center Botchy No. 15"; Thence dimensions surrounded by earth and stones as set forth above and marked " SF Side Center Botchy No. 15". Side Center Botchy No. 15 "; thence 750 feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked "S Cor. Botchy No. 15"; thence 600 feet NW to the point of beginning.

JAN 1 7 19

COS

LOCATION CERTIFICATE	
10# 1 ***	144
THIS IS TO CERTIFY that the BOTCHY No. 16	
lode mining claim was located by James I. Barnes, whose present	我と 見る
address is 4365 Canyon Drive, Reno, Nevada 89503, on the	
first day of December , 19:72 .	
ATTION DAY OF PROBLEMS, 13 (A.)	
The general course of the vein or lode is northeast	
southwest , The claim is situated in unorganized	が経済
Mining District, Eureka County, Nevada. The discovery	
monument is located approximately 2265 feet from the	時の元
southwest corner of Section 34 , Township 22 N, Range 50 E,	
as shown on the map filed herewith. The un_ersigned claims	
30 feet in a northeasterly direction, and 1470 feet	
in a southwesterly direction from the point of discovery, with a	
width of 300 feet on each side of the middle of the vein or lode.	
This is one of a group of $\frac{36}{}$ contiguous claims. The dis-	
covery work for the benefit of the entire group consisted of:	9
Geochemical survey of entire claim group; excavation and	٠.
rock chip sampling program.	
	•
The corners and side centers of the claim are located and	
marked as follows:	:
BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by	
la feet in diameter and marked " W Cor. Botchy No. 16 "; thence NE	_
750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked	
" NW Side Center Botchy No. 16; thence NE 750 feet to the	
and marked " N Cor. Botchy No. 16 "; thence SE 600 feet to	
the east corner, a post of the same dimensions surrounded by earth and	
stones as set forth above and marked " E Cor. Botchy No. 16"; thence	
SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked	
"SE Side Center Botchy No. 16 "; thence 750 feet to the south corner	
of the claim, a jost of the same dimensions surrounded by earth and stones as set forth above and marked " S Cor. Botchy No. 16"; thence 600 feet NW	
set forth above and marked " 5 Cor. Bottony No. 16"; thence 600 feet "W" to the point of beginning.	
Date: JAN 1 7 1973 279 James Banes	

vecorped AT THE REQU Book 44 of OFFICIAL BEGO! Foo s 1:00 RECORDS OF

2445

THIS IS TO CERTIFY that the BOTCHY No.17 lode mining claim was located by James I. Barnes, whose present address/is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December , 19 72

The general course of the vein or lode is northeast. and The claim is situated in unorganized Mining District, Eureka County, Nevada. The discovery monument is located approximately 2445 feet from the southwest corner of Section 34 , Township 22 N., Range 50 E as shown on the map filed herewith. The undersigned claims 30 feet in a northeasterly direction, and 1470 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of: Geochemical survey of entire claim group; excavation and rock chip sampling program.

The corners and side centers of the claim are located and marked as follows:

corner a 4-inch by 4-inch by 4 1/2 BEGINNING at the west foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in diameter and marked W Cor. Botchy No. 17 "; thence N 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked ; thence NE NW Side Center Botchy No. 17; thence NE 750 feet to the corner, a post of the same dimensions surrounded by earth and stones and marked " N Cor. Eotchy No. 17 "; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No. 17 "; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E cor. Botchy No. 17 "; thence give representations surrounded by earth and stones as set forth above and marked SE Side Center Botchy No. 17 "; thence 750 feet to the south corner of the clair, a post of the same dimensions surrounded by earth and stones as set forth above and marked " S Cor. Botchy No. 17"; thence 600 feet NW to the point of beginning.

JAN 1 7 1973

280

James J. Bones

James 1. Barnes

	0.0	9
	100	٠
φ.	JL	1
ن اعرا		15
τ.		
)E		
	40	۹.
	20	•

34 22√

THIS IS TO CERTIFY that the BOTCHY No.18

lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December , 19.72

The general course of the vein or lode is northeast and southwest. The claim is situated in unorganized Mining District, Eureka County, Nevada. The discovery monument is located approximately 2610 feet from the southeast corner of Section 34 , Township 22 N, Range 50 E, as shown on the map filed herewith. The undersigned claims 30 feet in a northeasterly direction, and 1470 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; excavation and rock chip sampling program.

The corners and side centers of the claim are located and marked as follows:

BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2

foot wooden post set in a mound of earth and stones 2 feet in height by
L feet in diemeter and marked " W Cor. Botchy No.18 "; thence ME

750 feet to the NW side center post, a post of the same dimensions
surrounded by a mound of earth and stones as described above and marked
"NW Side Center Botchy No. 18; thence NE 750 feet to the
north corner, a post of the same dimensions surrounded by earth and stones
and marked " N Cor. Botchy No.18 "; thence SE 600 feet to
the east corner, a post of the same dimensions surrounded by earth and
stones as set forth above and marked " E Cor. Botchy No. 18 "; thence
SW 750 feet to the SE side center post, a post of the same
dimensions surrounded by earth and stones as set forth above and marked
"SE Side Center Botchy No.18 "; thence 750 feet to the south corner
of the claim, a post of the same dimensions surrounded by earth and stones as
set forth above and marked " S Cor. Botchy No.18"; thence 600 feet NW
to the point of beginning.

JAN 1 7 1973

COOK 14 PAGE

281. James J. Barnes

DED AT THE SEQUEST OF James I. Barnes and I 2. M. and

3160 NE

THIS IS TO CERTIFY that the BOTCHY No.19 lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December , 19 72.

The general course of the vein or lode is northeast The claim is situated in unorganized southwest County, Nevada. The discovery Mining District, Eureka monument is located approximately 2160 feet from the northeast corner of Section 2 ____, Township 21 N., Range 50 E, as shown on the map filed herewith. The undersigned claims feet in a northeasterly direction, and 1470 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of: Geochemical survey of entire claim group; excavation and rock chip sampling program.

The corners and side centers of the claim are located and marked as follows: BEGINNING at the west

corner a 4-inch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by h feet in diameter and marked W Cor. Botchy No. 19 "; thence NE 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked " NW Side Center Botchy No. 19; thence NE 750 feet to the north corner, a post of the same dimensions surrounded by earth and stones and marked " N Cor. Botchy No.19 "; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No. 19 "; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E cor. Botchy No. 19 "; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked dimensions surrounded by earth and stones as set forth above and marked
"SE Side Cent Botchy No.19"; thence 750 feet to the south corner
of the claim, 2 pm. The Lorde dimensions surrounded by earth and stones as
set forth above and Larked "S Cor. Botchy No.19"; thence 600 feet NW to the point of beginning.

James & Banes

James I. Barnes

Section 1

1785 NB

THIS IS TO CERTIFY that the BOTCHY No.20 lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December , 19 72 .

The general course of the vein or lode is northeast and southwest. The claim is situated in unorganized.

Mining District, Eureka County, Nevada. The discovery monument is located approximately 1785. feet from the northeast corner of Section 2., Township 21 Ni, Range 50 E, as shown on the map filed herewith. The undersigned claims 30 feet in a northeasterly direction, and 1470 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:
Geochemical survey of entire claim group; excavation and rock chip sampling program.

The corners and side centers of the claim are located and marked as follows:

BEGINNING at the vest corner a 4-inch by 4-inch by 4 1/2
foot wooden post set in a mound of earth and stones 2 feet in height by
I feet in diameter and marked " W Cor. Botchy No.20 "; thence NE
750 feet to the NW side center post, a post of the same dimensions
surrounded by a mound of earth and stones as described above and marked
" NW Side Center Botchy No. 20 ; thence NE 750 feet to the
north corner, a post of the same dimensions surrounded by earth and stones
and marked " N Cor. Botchy No. 20 "; thence SE 600 feet to
the east corner, a post of the same dimensions surrounded by earth and
stones as set forth above and marked " E Cor. Botchy No.20 "; thence
SW 750 feet to the SE side center post, a post of the same
dimensions surrounded by earth and stones as set forth above and marked
" SE Side Center Botchy No. 20 "; thence 750 feet to the south corner
of the claim, a post of the same dimensions surrounded by earth and stones as
set forth above and marked " S Cor. Botchy No. 20"; thence 600 feet NW
to the point of beginning.

Date: JAN 17 1973

14 mar 44

283 James I. Barnes

THE REQUEST OF James II. Barnes

7 19 73 of 40 min. com 1 P. A

of OFFICIAL RECORDS, page 283 2 Records

17 NEVAS ALCOHOL.

16 968

LOCATION CERTIFICATE

15 75

THIS IS TO CERTIFY that the <u>BOTCHY No.21</u>

Lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of <u>December</u>, 19<u>72</u>.

The general course of the vein or lode is northeast and southwest. The claim is situated in unorganized.

Mining District, Eureka County, Nevada. The discovery monument is located approximately 1575 feet from the northeast corner of Section 2 , Township 21 N., Range 50 E, as shown on the map filed herewith. The undersigned claims 30 feet in a northeasterly direction, and 1470 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; excavation and rock chip sampling program.

The corners and side centers of the claim are located and

marked as follows:

BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2

foot wooden post set in a mound of earth and stones 2 feet in height by
4 feet in diemeter and marked " W cor. Botchy No.21 "; thence NE
750 feet to the NW side center post, a post of the same dimensions
surrounded by a wound of earth and stones as described above and rarked
"NW Side Center Botchy No. 21; thence NE 750 feet to the
north corner, a post of the same dimensions surrounded by earth and stones
and marked " N cor. Botchy No. 21 "; thence SE 600 feet to
the east corner, a post of the same dimensions surrounded by earth and
stones as set forth above and marked " E cor. Botchy No. 21 "; thence
SW 750 feet to the SE side center post, a post of the same
dimensions surrounded by earth and stones as set forth above and marked
"SE Side Center Botchy No. 21 "; thence 750 feet to the south corner
of the claim, a post of the same dimensions surrounded by earth and stones as
set forth above and marked " S cor. Botchy No. 21"; thence 600 feet NW
to the point of beginning.

Jate: JAN 1 7 197

JAN 1 7 1973 44

284

CORDED AT THE REQUEST OF James I. Barnes

1 P. M. 1

Jan 17 19 73 or 40 min. part 1 P. M. 1

Jan 284 Arcords of 284 Arcords of

27 IE75 (10 7) 7)

THIS IS TO CERTIFY that the BOTCHY No.22

lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December, 19 72.

The general course of the vein or lode is northeast and southwest. The claim is situated in unorganized.

Mining District, Eureka County, Nevada. The discovery monument is located approximately 1575 feet from the northeast corner of Section 2 , Township21 N., Range 50 E, as shown on the map filed herewith. The undersigned claims

30 feet in a northeasterly direction, and 1470 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; excavation and rock chip sampling program.

CORRED AT THE REQUEST OF James II. Barnes

Jan. 17,973 of 40 minr. per 1 P. M.
or 44 of OFFICIAL RECORDS, pose 285 Officeros o

UNERA COUNTY, NEVADA LLAS OF 11.00

1. N. 56970

The corners and side centers of the claim are located and marked as follows:

BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in diameter and marked "W Cor. Botchy No.22 "; thence NE 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked "NW Side Center Botchy No.22; thence NE 750 feet to the north corner, a post of the same dimensions surrounded by earth and stones and marked "N Cor. Botchy No.22"; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked "E Cor. Botchy No. 22"; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE Side Center Botchy No.22"; thence 750 feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE Cor. Botchy No.22"; thence 600 feet NW to the point of beginning.

JAN 1 7 1973

285_

Janes & Bano

___PAG

いたしばるので		

THIS IS TO CERTIFY that the BOTCHY No.23
lode mining claim was located by James I. Barnes, whose present
address is 4365 Canyon Drive, Reno, Nevada 89503, on the
first day of December , 19 72 ,
The general course of the vein or lode is <u>northeast</u> and
southwest . The claim is situated in unorganized .
Mining District, Eureka County, Nevada, The discovery
monument is located approximately 1785 feet from the
northeast corner of Section 2 , Township 21 N., Range 50 E,
as shown on the map filed herewith. The undersigned claims
30 feet in a northeasterly direction, and 41470 / feet
in a southwesterly direction from the point of discovery, with a
width of 300 feet on each side of the middle of the vein or lode.
This is one of a group of 36 contiguous claims. The dis-
This is one of a group of $\frac{36}{}$ contiguous claims. The discovery work for the benefit of the entire group consisted of:
covery work for the benefit of the entire group consisted of:
covery work for the benefit of the entire group consisted of: Geochemical survey of entire claim group; excavation and rock chip sampling program.
covery work for the benefit of the entire group consisted of: Geochemical survey of entire claim group; excavation and rock chip sampling program. The corners and side centers of the claim are located and marked as follows:
Covery work for the benefit of the entire group consisted of: Geochemical survey of entire claim group; excavation and rock chip sampling program. The corners and side centers of the claim are located and marked as follows: BEGINNING at the west corner a 4-inch by 4-inch by 4-1/2 foot wooden post set in a mound of earth and stones 2 feet in height by
Covery work for the benefit of the entire group consisted of: Geochemical survey of entire claim group; excavation and rock chip sampling program. The corners and side centers of the claim are located and marked as follows: BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in diameter and marked "W Cor. Botchy No. 23 "; thence NE
Geochemical survey of entire claim group; excavation and rock chip sampling program. The corners and side centers of the claim are located and marked as follows: BEGINNING at the west corner a 4-inch by 4-inch by 4-1/2 foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in diameter and marked " W Cor. Botchy No. 23 "; thence NE 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked " NW Side Center Botchy No. 23 thence NE 750 feet to the
Geochemical survey of entire claim group; excavation and rock chip sampling program. The corners and side centers of the claim are located and marked as follows: BEGINNING at the west corner a 4-inch by 4-inch by 4-1/2 foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in diameter and marked " W Cor. Botchy No. 23 "; thence NE 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked " NW Side Center Botchy No. 23 thence NE 750 feet to the
Covery work for the benefit of the entire group consisted of: Geochemical survey of entire claim group; excavation and rock chip sampling program. The corners and side centers of the claim are located and marked as follows: BEGINNING at the west corner a 4-inch by 4-inch by 4-1/2 foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in diameter and marked W Cor. Botchy No. 23 "; thence NE 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked NW Side Center Botchy No. 23; thence NE 750 feet to the north corner, a post of the same dimensions surrounded by earth and stones and marked N Cor Botchy No. 23 "; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and
Covery work for the benefit of the entire group consisted of: Geochemical survey of entire claim group; excavation and rock chip sampling program. The corners and side centers of the claim are located and marked as follows: BEGINNING at the vest corner a 4-inch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in diameter and marked " W Cor. Botchy No. 23 "; thence NE 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked " NW Side Center Botchy No. 23 ; thence NE 750 feet to the north corner, a post of the same dimensions surrounded by earth and stones and marked " N Cor Botchy No. 23 ; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No. 23 "; thence SW 750 feet to the SE side center post, a post of the same
Covery work for the benefit of the entire group consisted of: Geochemical survey of entire claim group; excavation and rock chip sampling program. The corners and side centers of the claim are located and marked as follows: BEGINNING at the west corner a 4-inch by 4-inch by 4-1/2 foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in diameter and marked " W Cor. Botchy No.23 "; thence NE 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked " NW Side Center Botchy No.23 ; thence NE 750 feet to the north corner, a post of the same dimensions surrounded by earth and stones and marked " N Cor. Botchy No.23 "; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No.23 "; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No.23 "; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No.23 "; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No.23 "; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No.23 "; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No.23 "; thence SW 750 feet to the SW 750 feet to th
Covery work for the benefit of the entire group consisted of: Geochemical survey of entire claim group; excavation and rock chip sampling program. The corners and side centers of the claim are located and marked as follows: BEGINNING at the vest corner a 4-inch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in diameter and marked " W Cor. Botchy No. 23 "; thence NE 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked " NW Side Center Botchy No. 23 ; thence NE 750 feet to the north corner, a post of the same dimensions surrounded by earth and stones and marked " N Cor Botchy No. 23 ; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No. 23 "; thence SW 750 feet to the SE side center post, a post of the same

THE PROPERTY.

JAN 1 7 1973

LOCATION CERTIFICATE

i.	ď	èΪ	i,	
17	ن	r	'n	٠
Ň	21	ē	. 3	Ī
	V	Ľ	1	
ñ	2		ï	3
-	16	1.1	12	1

THIS IS TO CERTIFY that the BOTCHY No.24 lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December 1972.

The general course of the vein or lode is northeast and southwest . The claim is situated in unorganized Mining District, Eureka County, Nevada. The discovery monument is located approximately 2160 feet from the northeast corner of Section 2 , Township 21 N., Range 50 E, as shown on the map filed herewith. The undersigned claims \sim 30 feet in a northeasterly direction, and 1470 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of ³⁶ contiguous claims. The discovery work for the benefit of the entire group consisted of: Geochemical survey of entire claim group; excavation and rock chip sampling program.

The corners and side centers of the claim are located and marked as follows: BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in diameter and marked " W Cor. Botchy No. 24 "; then 750 feet to the __NW __side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked "NW Side Center Botchy No. 24; thence NE 750 feet to the north corner, a post of the same dimensions surrounded by earth and stones and marked " N Cor. Botchy No.24 "; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No. 24 "; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked w SE Side Center Botchy No. 24 "; thence 750 feet to the south corner of the claim, a rost of the same dimensions surrounded by earth and stones as a set forth above and marked "S Cor. Botchy No.24"; thence 600 feet NW to the point of beginning. JAN 1 7 1973

Date:

James I. Barnes

THIS IS TO CERTIFY that the BOTCHY No. 25 lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December 1972

The general course of the vein or lode is northeast and southwest . The claim is situated in unorganized Mining District, Eureka County, Nevada. The discovery monument is located approximately 3090 feet from the southeast corner of Section 34, Township 22 N., Range 50 E, as shown on the map filed herewith. The undersigned claims 1470 feet in a northeasterly direction, and 30 feet in a southwesterlydirection from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points.

The corners and side centers of the claim are located and marked as follows:

corner a 4-inch by 4-inch by 4-1/2 BEGINNING at the west foot wooden post set in a mound of earth and stones 2 feet in height by
4 feet in diameter and marked " W Cor. Botchy No.25 "; thence NE
750 feet to the NW side center post, a post of the same dimensions
surrounded by a mound of eart' and stones as described above and marked "NW Side Center Botchy No. 25; thence NE 750 feet to the north corner, a post of the same dimensions surrounded by earth and stones and marked "N Cor. Botchy No. 25"; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked "E Cor. Botchy No. 25"; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE Side Center Botchy No. 25"; thence 750 feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked " S Cor. Botchy No. 25"; thence 600 feet NW to the point of beginning.

208 James I. Barnes

Date:

26 56974 25847 LOCATION GERTIFICATE Ste 71.4 THIS IS TO CERTIFY that the BOTCHY No. 26 lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December 19 72 The general course of the vein or lode is northeast southwest ... The claim is situated in __unorganized Mining District, Eureka County, Nevada. The discovery monument is located approximately <u>2580</u> feet from the southeast corner of Section 34 , Township 22 N., Range 50 E, as shown on the map filed herewith. The undersigned claims 1470 feet in a northeasterly direction, and 30 feet in a southwesterlydirection from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode. This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of: Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points. The corners and side centers of the claim are located and marked as follows: marked as follows: BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in diameter and marked W Cor. Botchy No. 26 "; thence No. 26 feet to the NW cide center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked surrounded by a mound of earth and stones as described above and marked " B corner, a post of the same dimensions surrounded by earth and stones and marked " B corner, a post of the same dimensions surrounded by earth and stones the east corner, a post of the same dimensions surrounded by earth and stones as set forth acove and marked " E cor. Botchy No. 26 "; thence stones as set forth above and marked side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE Side Center Botchy No. 26"; thence 750 feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as Botchy No. 26". set forth above and marked " S Cor. Botchy No. 26"; thence 600 feet NW

AECCEPS

to the point of beginning.

JAN 1 7 1973

2/00 2/00 2/5 E

THIS IS TO CERTIFY that the BOTCHY No.27

Tode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December , 19 72.

The general course of the vein or lode is northeast and southwest. The claim is situated in unorganized

Mining District, Eureka County, Nevada. The discovery monument is located approximately 2100 feet from the southeast corner of Section 34 , Township 22 N., Range 50 E, as shown on the map filed herewith. The undersigned claims

1470 feet in a northeasterly direction, and 30 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points.

The corners and side centers of the claim are located and marked as follows:

BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2
foot wooden post set in a mound of earth and stones 2 feet in height by
4 feet in diameter and marked " W Cor. Botchy No. 27 "; thence NE
750 feet to the NW side center post, a post of the same dimensions
surrounded by a mound of earth and stones as described above and marked
"NW Side Center Botchy No. 27; thence NE 750 feet to the
north corner, a post of the same dimensions surrounded by earth and stones
and marked " N Cor. Botchy No. 27"; thence SE 600 feet to
the east corner, a post of the same dimensions surrounded by earth and
stones as set forth above and marked " E Cor. Botchy No. 27"; thence
SW 750 feet to the SE side center post, a post of the same
dimensions surrounded by earth and stones as set forth above and marked
" SE Side Center Botchy No. 27"; thence 750 feet to the south corner
of the claim, a post of the same dimensions surrounded by earth and stones as
set forth above and marked " S Cor. Botchy No. 27"; thence 600 feet NW
to the point of beginning.

JAN 1 7 1973

31. Runes J. Barnes

DR 44 PAGE James I. Barnes

COSDED AT THE REQUEST OF James I. Barnes

Jan. 17,973 of 40 min. pust 1 P. M. b.

N. 44 di OFFICIAL RECORDS, poor 290 AECONDS OF

IRERA COUNTY, REVADA

N. 56975

Ton s 1.00

7	10	- 7	0
1	ø.	-	î
10			1
- 1	7	13	Ų
	٠.	33	ŝ
12	, 2 		ŀ
١.	,	٠.	ė
٠-,	٠,	. :	ì
ð,		0	•
-C -2	"	1	ř.

				ì		Т	ì		Ĺ	ς]		S		1	ľ	0	i.	1	C	ŀ		Ž	7		Ĺ	F	3	ľ			t	Ì	ì	8	i	t			1	Ė	ŀ	i	е	À	į	Š	1		1	3	C	Ì	Γ	C	Į	I	1	ľ	Ž.	١	Į	þ	٠	2		3			j			1		3				1	1	L					Ĵ	ţ			9	1
			1	- (ī.					ŝ	Ž,	'n,			G			4		:			Ĵ	7			Į,	ŕ	5		3		ŝ	î	į	Š				्	Č		k	₹.	÷			ż	ļ.	3	į				4	Ť	3		Š	ĵ.	;	7	4		i.	į		À	-		治疗			į	1	į	1	l y	1		The second		7			1				12		ì
	1	Ō	d	e	,	Į	ij	. 1	1	i	Γ	Į	ţ		c		L	a	į	ί	П		١	1	a		s			Ļ	C	1	C	i	1	ţ		e	•	d	į		ļ)	y	100	J	J	a	I	I			S	3	!	Į				,	В	2	Ļ	٢	IJ	•	1	S	1			Ì	ı	h	C	,	S	(7	l		1	ŧ	Š	5			n	Į	L
	2	Ŗ,	7			À	1			i		-	•	1			4	े		į		j			1	J.	ě		Ŷ.	3		V		Ų		3	ì		i	ř						4			7	,,,,	į				÷		4		3			這個	ć	í	2	ľ	1	ŝ	4		1	1	4	,			-Date		ì	,		ì		Š	Ì			100		1		,
•	a (d٠	d	r	е	s		í		1,	S		Š	4	٠	ا	J	۵	e i		Ļ	ć	IJ	n	y)	Π		į	L) o)	į	1	ن د	١	<u>.</u>	Ç	,	,				۶	Ç	l	١	•	,	ş	į		١	Ų	.1		ď	•	١.	ė.	è	1	C		7			ं	J		3		٠				Total Control		۰		C		1	I		À	9	Ž	ž	1		÷
			S.	É.	-	7	9	ij	۲.		Ì	÷	٠	d	٠,		Ü	ì	Ĭ,		1		Š	1		Ť	Ć			Ó		ź		L	i	_	1		-	1	Ĭ,		į,	Ź	-	Û	ź	Ť.		ŧ.	i	ť.	÷	4		į.	1	7	•	7		Ž,		ć	3	j		Ġ	ì	Ź		Č		/	Ō			١	Š		3	4	Ž;	ij	6	2	Š		١			į

The general course of the vein or lode is northeast and southwest. The claim is situated in unorganized

Mining District, Eureka County, Nevada. The discovery monument is located approximately 1715 feet from the northeast corner of Section 2 , Township 21 N, Range 50 E, as shown on the map filed herewith. The undersigned claims 1470 feet in a northeasterly direction, and 30 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points.

The corners and side centers of the claim are located and

BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2

foot wooden post set in a mound of earth and stones 2 feet in height by
4 feet in diameter and marked " W Cor. Botchy No.28 "; thence NE
750 feet to the NW side center post, a post of the same dimensions
surrounded by a mound of earth and stones as described above and marked
"NW Side Center Botchy No.28; thence NE 750 feet to the
north corner, a post of the same dimensions surrounded by earth and stones
and marked " N Cor. Botchy No.28 "; thence SE 600 feet to
H the east corner, a post of the same dimensions surrounded by earth and
stones as set forth above and marked " E Cor. Botchy No.28 "; thence
SW 750 feet to the SE side center post, a post of the same
dimensions surrounded by earth and stones as set forth above and marked
" SE Side Center Ectchy No.28 "; thence 750 feet to the south corner
of the claim, a post of the same dimensions surrounded by earth and stones as
set forth above and marked " S Cor. Botchy No.28"; thence 600 feet NW
to the point of beginning.

DED AT THE REQUEST OF James II. Barnes

Jan. 17,1973 et 40 min. pert 1 P. M.

44 of OFFICIAL RECORDS, page 291 D RECORDS of COUNTY NEVADA-HILLA C. He 122 E Round

5 56976

JAN 1 7 1973

24 2008 PA

GE____am

James I. Barnes

amis I Bane

THIS IS TO CERTIFY that the BOTCHY No.29 lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December , 19 72

NE

The general course of the vein or lode is northeast 📒 and southwest . The claim is situated in unorganized Mining District, Eureka County, Nevada. The discovery monument is located approximately 1500 feet from the northeast corner of Section 2 , Township 21 N., Range 50 E, as shown on the map filed herewith. The undersigned claims 1470 feet in a northeasterly direction, and 30 feet in a southwesterlydirection from the point of discovery, with a width of 300 feet on each side of the middle of the yein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points.

The corners and side centers of the claim are located and marked as follows:

corner a 4-inch by 4-inch by 4 1/2 BEGINNING at the west foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in diamete. and marked " W Cor. Botchy No.29 "; then 4 feet in diameter and marked " W Cor. Botchy No.29 "; thence NE 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked " NW Side Center Botchy No. 29; thence NE 750 feet to the north corner, a rest of the same dimensions surrounded by earth and stones and marked "N Cor. Botchy No.29"; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked "E Cor. Botchy No.29"; thence stones as set forth above and marked " Cor. Botchy No.29"; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked " SE Side Center Botchy No.29"; thence 750 feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked " S Cor. Botchy No.29"; thence 600 feet NW to the point of beginning.

Date: JAN 1 7 1973

297 James I. Barnes

56978 1500 LOCATION CERTIFICATE 21 N THIS IS TO CERTIFY that the BOTCHY No. 30 lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December , 19 72. The general course of the vein or lode is northeast \ and southwest . The claim is situated in unorganized County, Nevada. The discovery Mining District, Eureka monument is located approximately ____ 1500 _____feet from the northeast corner of Section 2 , Township21 N., Range 50 E, as shown on the map filed herewith. The undersigned claims: 1470 feet in a northeasterly direction, and 30 feet in a southwesterlydirection from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode. This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of: Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points. The corners and side centers of the claim are located and marked as follows: corner a 4-inch by 4-inch by 4 1/2 BEGINNING at the west foot wooden post set in a mound of earth and stones 2 feet in height by h feet in diameter and marked " W Cor. Botchy No.30 "; thence NE 750 feet to the NW side center post, a post of the same dimensions NW Side Center Botchy No.30; thence NE 750 feet to the north corner, a rest of the same dimensions surrounded by earth and stones north corner, a post of the same dimensions surrounded by earth and stones and marked " R Cor. Botchy No.30 "; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No.30 "; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked " SE Side Center Botchy No.30 "; thence 750 feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked " S Cor. Botchy No.30"; thence 600 feet NW to the point of beginning. to the point of beginning. 293 Fores I JAN 1 7 1973 Date:

THIS IS TO CERTIFY that the BOTCHY No. 31

lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December , 1972.

The general course of the vein or lode is northeast and southwest. The claim is situated in unorganized.

Mining District, Bureka County, Nevada. The discovery monument is located approximately 1715 feet from the northeast corner of Section 2 , Township 21 N., Range 50 E, as shown on the map filed herewith. The undersigned claims 1470 feet in a northeasterly direction, and 30 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points.

The corners and side centers of the claim are located and marked as follows:

BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2

foot wooden post set in a mound of earth and stones 2 feet in height by
4 feet in diameter and marked " W Cor. Botchy No.31 "; thence NE

750 feet to the NW side center post, a post of the same dimensions
surrounded by a mound of earth and stones as described above and marked
"NW Side Center Botchy No.31 ; thence NE 750 feet to the

north corner, a post of the same dimensions surrounded by earth and stones
and marked " N Cor. Botchy No.31 "; thence SE 600 feet to
the east corner, a post of the same dimensions surrounded by earth and
stones as set forth above and marked " E Cor. Botchy No.31 "; thence
BW 750 feet to the SE side center post, a post of the same
dimensions surrounded by earth and stones as set forth above and marked
" SE Side Center Botchy No.31 "; thence 750 feet to the south corner
of the claim, a post of the same dimensions surrounded by earth and stones as
set forth above and marked " S Cor. Botchy No.31"; thence 600 feet IW
to the point of beginning.

Date: JAN 1 7 1973

enne 44 par

alames I. Barnes

ost, ev

.raul

2/55)))) 2

THIS IS TO CERTIFY that the BOTCHY No. 32

10de mining claim was located by James I. Barnes, whose present address is 4368 Canyon Drive; Reno, Nevada 89503, on the first day of December , 1972.

The general course of the vein or lode is <u>northeast</u> and <u>southwest</u>. The claim is situated in <u>unorganized</u>

Mining District; <u>Eureka</u> County, Nevada, The discovery monument is located approximately <u>2100</u> feet from the <u>northwest</u> corner of Section <u>2</u>, Township21 N., Range <u>50 E</u>, as shown on the map filed herewith. The undersigned claims <u>1470</u> feet in a <u>northeasterly</u>direction, and <u>30</u> feet in a <u>southwesterly</u>direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points.

The corners and side centers of the claim are located and

marked as follows:

BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2

foot wooden post set in a mound of earth and stones 2 feet in height by

4 feet in digneter and marked " W. Cor. Botchy No.32 "; thence NE.

750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked "NW Side Center Botchy No.32 ; thence NE 750 feet to the north corner, a post of the same dimensions surrounded by earth and stones and marked " N Cor. Botchy No.32 "; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No. 32 "; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth "bove and marked " SE Side Center Botchy No.32 "; thence 750 fe to the south corner of the claim, a post of the same dimensions surrounded earth and stones as set forth above and marked " SE Side Center Botchy No.32 "; thence 750 fe to the south corner of the claim, a post of the same dimensions surrounded earth and stones as set forth above and marked " SE Cor. Botchy No.32 "; thence 600 feet NW to the point of beginning.

Date: JAN 1 7 1973

FOOK 44 PAGE

James I. Barnes

REED AT THE REQUEST OF James II. Barnes And II. 17 in 73 of 40 min. set 1 P. W. 18 17 in 73 of 40 min. set 295 Met. 18 in 73 of 44 of official Regions Paris 295 Met. 18 in 73 in 73

302 51 34

THIS IS TO CERTIFY that the BOTCHY No.33

lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December , 19 72.

The general course of the vein or lode is northeast and southwest. The claim is situated in unorganized

Mining District, Eureka County, Nevada. The discovery monument is located approximately 302 feet from the southeast corner of Section 34 , Township 22 N., Range 50 E, as shown on the map filed herewith. The undersigned claims

1470 feet in a northeasterly direction, and 30 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points.

The corners and side centers of the claim are located and marked as follows:

foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in diameter and marked " W Cor. Botchy No.33 "; thence NE 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of carth and stones as described above and marked " NW Side Center Botchy No.33 ; thence NE 750 feet to the north corner, a post of the same dimensions surrounded by earth and stones and marked " N Cor. Botchy No.33 "; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No.33 "; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Side Center Fotchy No.33 "; thence 750 feet to the same of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked " SE Side Center Fotchy No.33 "; thence 750 feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked " S Cor. Botchy No.33"; thence 600 feet NW to the point of beginning.

Date: JAN 1 7 197

SOOK 44 PAGE

-⊂-Vames I. Barnes

ECOLDE: AT THE REQUEST OF James II. Barnes

"Jan: 17 1973 of 40 mins, per 1 F. M.

son 44 of OFFICIAL RECORDS, page 296 Arcounts
URREAL COUNTY NEWS CO

Niver (A

ı

٩,		3	Y	
	ŀ.		J	
Š			ż	i
4	۸	١,	V	
े	Ż	2	i	ે
्	,		λ	ì

THIS IS TO CERTIFY that the BUTCHY NO.34
lode mining claim was located by James I. Barnes, whose present
address is 4365 Canyon Drive, Reno, Nevada 89503, on the
first day of December , 1972.
The general course of the vein or lode is northeast and a
southwest . The claim is situated in unorganized
Mining District, <u>Eureka</u> County, Nevada. The discovery
monument is located approximately <u>302</u> feet from the
<u>northwest</u> corner of Section 2 , Township $21 N_{\bullet}$, Range $50 E$,
as shown on the map filed herewith. The undersigned claims
1470feet in a northeasterly direction, and30feet
in a southwesterlydirection from the point of discovery, with a
width of 300 feet on each side of the middle of the vein or lode.
This is one of a group of 36 contiguous claims. The dis-
covery work for the benefit of the entire group consisted of:
Geochemical survey of entire claim group; rock chip
sampling program. Hand excavation at selected points.
The corners and side centers of the claim are located and marked as follows:
BEGINNING at the vest corner a 4-inch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by
refeet in diemeter and marked " " Cor. Botchy No. 34 "; thence " thence " the cor. Botchy No. 34 "; th
750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked
" NN Side Center Botchy No. 34 ; thence NE 750 feet to the
wanth annous wast of the same dimensions surrounded by earth and stones
and marked " N Cor. Bottony No. 34 "; thence 51 600 feet to
the cast corner a nest of the same dimensions surrounded by earth and
stones as set forth above and marked " E Cor. Botchy No. 34 "; thence
stones as set forth above and marked " E Cor. Botchy No. 34 "; thence SW 750 feet to the SE side center post, a post of the same
stones as set forth above and marked "E Cor. Botchy No. 34"; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked
stones as set forth above and marked "E Cor. Botchy No. 34"; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE Side Center Botchy No. 34"; thence 750 feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as
stones as set forth above and marked "E Cor. Botchy No. 34 "; thence SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE Side Center Botchy No. 34 "; thence 750 feet to the south corner

.

JAN 1 7 1973

Charles and the first that the state of the

THIS IS TO CERTIFY that the BOTCHY No. 35 lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December , 19 72 .

The general course of the vein or lode is northeast 🗼 . and southwest . The claim is situated in unorganized Mining District, Eureka County, Nevada. The discovery monument is located approximately 901 feet from the northwest corner of Section 2 , Township 21 N., Range 50 E, as shown on the map filed herewith. The undersigned claims 1470 feet in a northeasterly direction, and 1/30 feet in a southwesterlydirection from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chip sampling program. Hand excavation at selected points.

The corners and side centers of the claim are located and

marked as follows: BEGINNING at the west corner a 4-inch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by W feet in disaster and marked " W Cor. Botchy No.35 "; thence NE 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked " NV Side Center Botchy No.35; thence NE 750 feet to the north corner, a post of the same dimensions surrounded by earth and stones and marked " N Cor. Botchy No.35 "; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked " E Cor. Botchy No.35 SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked SE Side Center Botchy No.35 "; thence 750 feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked " S Cor. Botchy No.35"; thence 600 feet NW to the point of beginning.

JAN 1 7 1973

The following of the state of t

	P	ŝ,	è
1	Ų	H	
I	\$	7	•
1	À	í	ý.
	_		Ž.
		ş	ľ
	•	í	ŕ

THIS IS TO CERTIFY that the BOTCHY No.36

lode mining claim was located by James I. Barnes, whose present address is 4365 Canyon Drive, Reno, Nevada 89503, on the first day of December , 1972

The general course of the vein or lode is northeast and southwest. The claim is situated in unorganized

Mining District, Eureka County, Nevada. The discovery monument is located approximately 1501 feet from the northwest corner of Section 2 , Township 21 N., Range 50 E, as shown on the map filed herewith. The undersigned claims

1470 feet in a northeasterly direction, and 30 feet in a southwesterly direction from the point of discovery, with a width of 300 feet on each side of the middle of the vein or lode.

This is one of a group of 36 contiguous claims. The discovery work for the benefit of the entire group consisted of:

Geochemical survey of entire claim group; rock chipsampling program. Hand excavation at selected points.

The corners and side centers of the claim are located and marked as follows:

BECHNING at the west corner a 4-inch by 4-inch by 4 1/2 foot wooden post set in a mound of earth and stones 2 feet in height by 4 feet in diemeter and marked "W Cor. Botchy No. 36"; thence NE 750 feet to the NW side center post, a post of the same dimensions surrounded by a mound of earth and stones as described above and marked "NW Side Center Botchy No. 36; thence NE 750 feet to the north corner, a post of the same dimensions surrounded by earth and stones and marked "N Cor. Botchy No. 36"; thence SE 600 feet to the east corner, a post of the same dimensions surrounded by earth and stones as set forth above and marked "E Cor. Botchy No. 36"; thence SW 750 feet to the SE side center post, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE side Center Botchy No. 36"; thence 750 feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked "SE Side Center Botchy No. 36"; thence 750 feet to the south corner of the claim, a post of the same dimensions surrounded by earth and stones as set forth above and marked "S Cor. Botchy No. 36"; thence 600 feet NW to the point of beginning.

Date: JAN 1 7 1973

ACCORDED AT THE REQUEST OF James I. Barnes

Jan. 17 19 73 of 40 min. post 1 P. M.

Book 44 of OFFICIAL RECORDS. page 299 2 PRO

SURERA COUNT HEADY

M. 1. 1.00