## CERTIFICATE OF LOCATION LODE MINING CLAIM 31167

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies (certify) that he (she, they) has (have) located the Dry No. 1 Lode Mining Claim in the following quarter section(s): SE½, SE½ of Section(s) unsurveyed Sec. 36, 35 , Township(s) 24N , Range(s) 50E , M.D.B.&M., in the Antelope Mining District, in Eureka County, in the State of Nevada, on the 15th day of September , 1983
The name(s) and post office address(es) of the locators is (are):
Name Post Office Address
David Fanning Agent for:
Galli Exploration Associates
P. O. Box 12307
Reno, Nevada 89510
The Claim is 1500 feet long and 600 feet wide, such that 50 feet is claimed in a easterly direction and 1450 feet in a westerly direction from the discovery monument, at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width on each side of the discovery monument and centerline of the claim. The general course of the lode deposit and premises is from the easterly to the westerly direction.
The definition of the boundaries of the Claim, together with the erection of boundary or corner monuments, and the marking of such monuments was completed by the 19th day of September , 1983.  The number, location and markings on each boundary or cor-
ner monument is as follows:
Corner Location Markings Description
No. 1: NWC Cor #1 NWC Dry #1 4" diameter white, PVC pipe 5' high
No. 2: NSC Cor #2 NSC Dry #1 4" diameter white, PVC pipe 5' high
No. 3: NEC Cor #3 NEC Dry #1 4" diameter white, PVC pipe
No. 4: SEC Cor #4 SEC Dry # 1 4" diameter white. PVC pipe
No. 5: SSC Cor #5 SSC Dry #1 4" diameter white, PVC pipe
No. 6: SWC Cor #6 SWC Dry #1 . 4" diameter white, PVC pipe
5' high As erected on the ground each boundary or corner monument is marked as described above by scribed metal tags
The location work consisted of making a claim map as provided in N.R.S. 517.040.
DATED this 21st day of November , 19 83.
SIGNATURE OF LOCATOR(S):
RECORDER'S STAME
NOV 28 A 9:    Valley D. Baker   Valley D. Baker
CONTRACTOR OF THE PROPERTY OF

300K | | 8 PAGE | 43

#### CERTIFICATE OF LOCATION LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

91168

The undersigned hereby certifies (certify) that he (she, they) has (have) located the Dry No. 2 Lode Mining Claim in the following quarter section(s): SW4 of Section(s) unsurveyed Sec. 36 , Township(s) 24N , Range(s) 50E , M.D.B.&M., in the Antelope Mining District, in Eureka County, in the State of Nevada, on the 15th day of September , 1983 .
The name(s) and post office address(es) of the locators is (are):
Name Post Office Address  David Fanning Agent for:  Galli Exploration Associates
P. O. Box 12307
Reno, Nevada 89510
The Claim is 1500 feet long and 600 feet wide, such that 50 feet is claimed in a westerly direction and 1450 feet in a easterly direction from the discovery monument, at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width on each side of the discovery monument and centerline of the claim. The general course of the lode deposit and premises is from the westerly to the easterly direction.  The definition of the boundaries of the Claim, together with
the erection of boundary or corner monuments, and the marking of such monuments was completed by the 21st day of September , 19 83.
The number, location and markings on each boundary or corner monument is as follows:
Corner Location Markings Description
No. 1: NWC Cor #1 NWC Dry #2 4" diameter white, PVC pipe 5' high
No. 2: NSC Cor #2 NSC Dry #2 4" diameter white, PVC pipe
No. 3: NEC Cor #3 NEC Dry #2 4" diameter white, PVC pipe 5' high
No. 4: SEC Cor #4 SEC Dry #2 4" diameter white, PVC pipe
No. 5: SSC Cor #5 SSC Dry #2 4" diameter white, PVC pipe
No. 6: SWC Cor #6 SWC Dry #2 . 4" diameter white, PVC pipe
As erected on the ground each boundary or corner monument is marked as described above by scribed metal tags
The location work consisted of making a claim map as provided in N.R.S. 517.040.
DATED this 21st day of November , 19 83.
SIGNATURE OF LOCATOR(S):
Par Stamp
PER S. S. 75  WILLIAM S. B. C. S. 75  FILE NO. 75  FILE N
PARK I O DICE I I

JM/82

300K | 18 PAGE | 44

### LODE MINING CLAIM

TO ALL WHOM IT HAT CONCERD: 91169
The undersigned hereby certifies (certify) that he (she, they) has (have) located the Dry No. 3 Lode Mining Claim in the following quarter section(s): SW4, SE4
Range(s) 50E . M.D.B.&M., in the Antalone
Mining District, in Eureka County, in the State of Nevada.
of Section(s) unsurveyed Sec. 36, 35 Township(s) 24N  Range(s) 50E M.D.B.&M., in the Antelope  Mining District, in Eureka County, in the State of Nevada, on the 15th day of September , 1983
^
The name(s) and post office address(es) of the locators is (are):
is (are):
Name Post Office Address
David Camping
David Fanning Agent for
Galli Exploration Associates
P. C. Box 12307
Reno, Nevada 89510
Keno, Nevada 85310
The Claim is 1500 feet long and 600 feet wide,
such that 50 feet is claimed in a pasterly direction
and 1450 feet in a westerly direction from the discov-
ery monument, at which the Notice of Location is posted, lengthwise
of the claim, together with 300 feet in width on each side of the discovery monument and centerline of the claim. The general
course of the lode deposit and premises is from the easterly
to the westerly direction.
The definition of the boundaries of the Claim, together with the erection of boundary or corner monuments, and the marking of such monuments was completed by the 19th day of September 1983.
The number, location and markings on each boundary or corner monument is as follows:
Corner Location Markings Description
No. 1: NWC Cor #1 NWC Dry #3 4" diameter white, PVC pipe
No. 2: NSC Cor #2 NSC Dry #3 4" diameter white, PVC pipe
No. 3: NEC Cor #3 NEC Dry #3 4" diameter white, PVC pipe  5 high
No. 4: SEC Cor #4 SEC Dry #3 4" diameter white, PVC pipe
No. 5: SSC Cor #5 SSC Dry #3 4" diameter white, PVC pipe
5' high
No. 6: SWC Cor #6 SWC Dry #3 - 4" diameter white, PVC pipe  5' high
As erected on the ground each boundary or corner monument is marked as described above by scribed metal tags
The location work consisted of making a claim map as provided in N.R.S. 517.040.
DATED this 21st day of November . 19 83.
SIGNATURE OF LOCATOR(S):
RECORDER S STAMP
A CONTRACT OF THE PROPERTY OF
% 5 € 6 2 28 × 6 2 28 × 6 2 28 × 6 2 28 × 6 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
William D. Take V Tilles A BABB
; ; <del>[s</del> t
F'
, <del></del>

#### CERTIFICATE OF LOCATION LODE MINING CLAIM

TO ALL WHOM IT MAY	CONCERN: 91	170			
The under they) has (have) lo in the following qu of Section(s) uns Range(s) 50E , h Mining District, in on the 15th day of	1.D.B.&M. in the	No. 4	Lode Mi	ini <b>n</b> g C	
	(s) and post offi		/\.		
Name		Post	t Office Ad	ldress	
David Fanning	Agent fo	r <sub>1</sub>			
		Galli E	ploration	Associa	ites
• .		P. O. Bo	ox 12307		
		Reno, No	evada 89510		- <del></del>
such that 50 and 1450 feet ery monument, at wh of the claim, toget the discovery monum course of the lode to the easterly	hich the Notice of ther with 300 ment and centerli deposit and premdirection.  Altitude of the boundary or corner	in a wester direct of Location feet in the colorest is from the colorest indexies of monuments.	ction from is posted, width on e claim. The om the wes the Claim, and the ma	length each side genera sterly togeth	tion scov- hwise de of al her with
The number	er, location and follows:		each boun	dary o	
Corner Location	Markings		Descrip	tion	
No. 1: NWC	Cor #1 NWC Dry	· \ /	diameter v	white, h	PVC pipe
No. 2: NSC	Cor #2 NSC Dry	#4 4'	diameter 5 high	white,	PVC pipe
No. 3: NEC	Cor #3 NEC Dry	# 4 4'	diameter 5' hig	white,	PVC pipe
No. 4: SEC	Cor #4 SEC Dry	# 4 4'	diameter 5' hig	white,	PVC pipe
No. 5: SSC	Cor #5 SSC Dry	# 4 4'	diameter 5 hig	white,	PVC pipe
No. 6: SWC	Cor #6 SWC Dry	#4 . 4'	diameter	white,	PVC pipe
As erected on the g described above by	round each bound scribed metal	ary or corr	5 hig er monumen		arked as
The locat	ion work consist	ed of makin	g a claim	map as	pro-
DATED thi	s 21st day of	November	<b>, 19</b> 83	_•	
GIGNATURE OF LOCATO	R(S):				
Daily Farm	<del>,</del>	REC	CORDER'S ST	3 NOV	RECORDED Call. Exp
Willen D Baken			ALEANI BALEANI COMPA	83	D AT RE
	· · · · · · · · · · · · · · · · · · ·		ECORDS Y. 16 VAD. Y. 16 VAD. 911 70 9	A 9 : 2	eguesi o Tan <b>Asso</b>

300K | | 8 PAGE | 46

## CERTIFICATE OF LOCATION LODE MINING CLAIM 91171

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby c they) has (have) located the Dry in the following quarter section(s of Section(s) unsurveyed Sec. 36, Range(s) 50E, M.D.B.&M., in the Mining District, in Eureka on the 15th day of September	ertifies (certify) that he (she, No. 5 Lode Mining Claim ): NW4, NE4 35 , Township(s) 24N , e Antelope County, in the State of Nevada, 1983
	ice address(es) of the locators
Name	Post Office Address
David Fanning Agent fo	or t
	Galli Exploration Associates
	P. O. Box 12307
	Reno, Nevada 89510
The Claim is 1500 feet such that 50 feet is claimed and 1450 feet in a westerly ery monument, at which the Notice of the claim, together with 300 the discovery monument and centerly course of the lode deposit and premote the westerly direction.	feet in width on each side of the of the claim. The general
monuments was completed by the 21s	
ner monument is as follows:	markings on each boundary or cor-
Corner Location Markings	Description
No. 1: NWC Cor #1 NWC Dry	
No. 2: NSC Cor #2 NSC Dry	
No. 3: NEC Cor #3 NEC Dry	
No. 4: SEC Cor #4 SEC Dry	5' high #5 4" diameter white, PVC pipe
No. 5: SSC Cor #5 SSC Dry	5' high
.No. 6: SWC Cor #6 SWC Dry	5 high
	5 high
described above by scribed metal	ary or corner monument is marked as
The location work consist vided in N.R.S. 517.040.	ed of making a claim map as pro-
DATED this <u>21st</u> day of _	November , 19 83.
SIGNATURE OF LOCATOR(S):	DECORPORTE GRAVIA
De la Character	RECORDER'S STAMP これの の である。
willing of forming.	OFFI EUREKA FILET FILET FILET
William D. Baker	V 28 V 28 ALE
	A A A A A A A A A A A A A A A A A A A
, , , , , , , , , , , , , , , , , , , ,	1. 6 1. 5 1. 5 1. 5 1. 5 1. 5 1. 5 1. 5 1. 5

300K | 18 PAGE | 47

## CERTIFICATE OF LOCATION LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

91172

The undersigned hereby certifies (certify) that he (she, they) has (have) located the Dry No. 6 Lode Mining Claim in the following quarter section(s): NW4
of Section(s) unsurveyed Sec. 36 , Township(s) 24N , Range(s) 50E , M.D.B.&M., in the Antelope Mining District, in Eureka County, in the State of Nevada, on the 15th day of September , 1983 .
The name(s) and post office address(es) of the locators is (are):
Name Post Office Address
David Fanning Agent for
Galli Exploration Associates
P. O. Box 12307
Reno, Nevada 89510
The Claim is 1500 feet long and 600 feet wide, such that 50 feet is claimed in a westerly direction and 1450 feet in a easterly direction from the discovery monument, at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width on each side of the discovery monument and centerline of the claim. The general course of the lode deposit and premises is from the westerly to the easterly direction.
The definition of the boundaries of the Claim, together wit the erection of boundary or corner monuments, and the marking of such monuments was completed by the 21st day of September , 19 83.
The number, location and markings on each boundary or corner monument is as follows:
Corner Location Markings Description
No. 1: NWC Cor #1 NWC Dry #6 4" diameter white, PVC pip 5' high
No. 2: NSC Cor #2 NSC Dry #6 4" diameter white, PVC pip
No. 3: NEC Cor #3 NEC Dry #6 4" diameter white, PVC pip
No. 4: SEC Cor #4 SEC Dry #6 4" diameter white, PVC pig
No. 5: SSC Cor #5 SSC Dry #6 4" diameter white, PVC pip
No. 6: SWC Cor #6 SWC Dry #6 . 4" diameter white, PVC pip
5 high
As erected on the ground each boundary or corner monument is marked a described above by scribed metal tags
The location work consisted of making a claim map as pro- vided in N.R.S. 517.040.
DATED this 21st day of November , 19 83.
SIGNATURE OF LOCATOR(S):
RECORDER'S STAMP
Tomos Young Town No. 1
william D. B. K.
A SAME OF SAME
DEST PAGE 12
The second secon
BOOK     8 PAGE   48

### LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

91173

they) has (have) lo	cated the Dry No.	fies (certify) that he (she,  7 Lode Mining Claim  NW\(\frac{1}{2}\), NE\(\frac{1}{2}\)  NE\(\frac{1}{2}\)  Township(\frac{1}{2}\) 24N  Antelope  nty, in the State of Nevada,  983
The name( is (are):	s) and post office	address(es) of the locators
Name	•	, Post Office Address
David Panning	Agent for	
		Galli Exploration Associates
		P. O. Box 12307
		Reno, Nevada 89510
ery monument, at wh of the claim, toget the discovery monum	in a westerly ich the Notice of L her with 300 ent and centerline deposit and premise	long and 600 feet wide,  a easterly direction direction from the discov- ocation is posted, lengthwise feet in width on each side of of the claim. The general s is from the easterly
The defin the erection of bou monuments was compl	ition of the bounda ndary or corner mon eted by the <u>25th</u> d	ries of the Claim, together with uments, and the marking of such ay of September , 1983.
. The number ner monument is as	r, location and mar follows:	kings on each boundary or cor-
Corner Location	Markings	Description
No. 1: NWC	_Cor #1 NWC Dry #7	4" diameter white, PVC pipe
No. 2: NSC	Cor #2 NSC Dry #7	
No. 3: NEC	Cor #3 NEC Dry #7	5' high 4" diameter white, PVC pipe
No. 4: _ SEC	Cor #4 SEC Dry #7	4" diameter white, PVC pipe
1 1	/ /	5' high.
1	Cor #5 SSC Dry #7	5' high
.No. 6: SWC	Cor #6 SWC Dry #7	. 4" diameter white, PVC pipe
As erected on the gradescribed above by		or corner monument is marked as
vided in N.R.S. 517		of making a claim map as pro-
/ /		* 10 03 v
SIGNATURE OF LOCATOR	κ(a); ,	RECORDER STAME
Naul Ham	<i></i>	PICE NOV
11-8-16	<del></del>	28 28 28 28 28 28 28 28 28 28 28 28 28 2
12 th Wir an W. TS when	<u></u>	
	<del></del>	
		• • • • • • • • • • • • • • • • • • • •
		1 Q PAGE 1 49

LODE MINING CLAIM
91174

TO ALL WHOM IT MAY CONCERN:

The unders	signed hereby certifies (certify) that he (she, cated the Dry No. 8 Lode Mining Claim arter section(s): NW4	
of Section(s) unsu	rveyed Sec. 36 , Township(s) 24N	
Range(s) 50E , M.	rveyed Sec. 36 , Township(s) 24N , D.B.&M., in the Antelope	
Mining District, in on the 15th day of	Eureka County, in the State of Nevada, September , 1983 -	•
The name(sis (are):	and post office address(es) of the locators	
Name	Post Office Address	
David Fanning	Agent for:	
	Galli Exploration Associates	
· · ·	P. O. Box 12307	
<u> </u>	Reno, Nevada 89510	
and (450) reer	is 1500 feet long and 600 feet wide feet is claimed in a westerly direction in a easterly direction from the discovery	
- Ary monument, at whi	ich the Notice of Location is posted, lengthwise	<b>3</b>
of the claim, toget:	her with 300 feet in width on each side of the claim. The general	- >
course of the lode of	leposit and premises is from the westerly	_/
to theeasterly		_
The defin	ition of the boundaries of the Claim, together	with uch
	ndary or corner monuments, and the marking of settled by the 25th day of September , 19 83	
The numbe ner monument is as	r, location and markings on each boundary or confollows:	r-
Corner Location	Markings Description	•
Corner Location No. 1: NWC	Markings Description  Cor #1 NWC Dry #8 4" diameter white, PVC 5' high	pipe
	Cor #1 NWC Dry #8 4" diameter white, PVC 5' high Cor #2 NSC Dry #8 4" diameter white, PVC 5' high	pipe
No. 1: NWC	Cor #1 NWC Dry #8 4" diameter white, PVC 5' high	pipe
No. 1: NWC No. 2: NSC	Cor #1 NWC Dry #8 4" diameter white, PVC 5' high Cor #2 NSC Dry #8 4" diameter white, PVC 5' high Cor #3 NEC Dry #8 4" diameter white, PVC	pipe pipe
No. 1: NWC  No. 2: NSC  No. 3: NEC	Cor #1 NWC Dry #8 4" diameter white, PVC  5' high  Cor #2 NSC Dry #8 4" diameter white, PVC  5' high  Cor #3 NEC Dry #8 4" diameter white, PVC  5' high  Cor #4 SEC Dry #8 4" diameter white, PVC  5' high  Cor #5 SSC Dry #8 4" diameter white, PVC  5' high  5' high  4" diameter white, PVC	pipe pipe pipe pipe
No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC	Cor #1 NWC Dry #8 4" diameter white, PVC  5' high  Cor #2 NSC Dry #8 4" diameter white, PVC  5' high  Cor #3 NEC Dry #8 4" diameter white, PVC  5' high  Cor #4 SEC Dry #8 4" diameter white, PVC  Cor #5 SSC Dry #8 4" diameter white, PVC	pipe pipe pipe pipe
No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC	Cor #1 NWC Dry #8 4" diameter white, PVC 5' high Cor #2 NSC Dry #8 4" diameter white, PVC 5' high Cor #3 NEC Dry #8 4" diameter white, PVC Cor #4 SEC Dry #8 4" diameter white, PVC Cor #5 SSC Dry #8 4" diameter white, PVC Cor #6 SWC Dry #8 4" diameter white, PVC Cor #6 SWC Dry #8 4" diameter white, PVC	pipe pipe pipe pipe
No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the g described above by	Cor #1 NWC Dry #8 4" diameter white, PVC  5' high  Cor #2 NSC Dry #8 4" diameter white, PVC  5' high  Cor #3 NEC Dry #8 4" diameter white, PVC  Cor #4 SEC Dry #8 4" diameter white, PVC  Cor #5 SSC Dry #8 4" diameter white, PVC  Cor #6 SWC Dry #8 4" diameter white, PVC  5' high  Cor #6 SWC Dry #8 4" diameter white, PVC  5' high  Cor #6 SWC Dry #8 4" diameter white, PVC  5' high  Cor #6 SWC Dry #8 4" diameter white, PVC  5' high  Cor #6 SWC Dry #8 5' high  Cor #6 SWC Dry #8 4" diameter white, PVC  5' high  Cor #6 SWC Dry #8 5' high  Cor #6 SWC Dry #8 4" diameter white, PVC	pipe pipe pipe pipe
No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the g described above by  The locat vided in N.R.S. 517	Cor #1 NWC Dry #8 4" diameter white, PVC  5' high  Cor #2 NSC Dry #8 4" diameter white, PVC  5' high  Cor #3 NEC Dry #8 4" diameter white, PVC  Cor #4 SEC Dry #8 4" diameter white, PVC  Cor #5 SSC Dry #8 4" diameter white, PVC  Cor #6 SWC Dry #8 4" diameter white, PVC  5' high  Cor #6 SWC Dry #8 4" diameter white, PVC  5' high  Cor #6 SWC Dry #8 4" diameter white, PVC  5' high  Cor #6 SWC Dry #8 4" diameter white, PVC  5' high  Cor #6 SWC Dry #8 5' high  Cor #6 SWC Dry #8 4" diameter white, PVC  5' high  Cor #6 SWC Dry #8 5' high  Cor #6 SWC Dry #8 4" diameter white, PVC	pipe pipe pipe pipe
No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the g described above by  The locat vided in N.R.S. 517	Cor #1 NWC Dry #8 4" diameter white, PVC  5' high  Cor #2 NSC Dry #8 4" diameter white, PVC  5' high  Cor #3 NEC Dry #8 4" diameter white, PVC  Cor #4 SEC Dry #8 4" diameter white, PVC  Cor #5 SSC Dry #8 4" diameter white, PVC  Cor #6 SWC Dry #8 4" diameter white, PVC  Tound each boundary or corner monument is marked scribed metal tags  ion work consisted of making a claim map as proceed to the scribed making a claim map as procedure.  21st day of November , 19 83.  R(S):	pipe pipe pipe pipe
No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the g described above by  The locat vided in N.R.S. 517  DATED thi	Cor #1 NWC Dry #8  4" diameter white, PVC  5' high  Cor #2 NSC Dry #8  Cor #3 NEC Dry #8  Cor #4 SEC Dry #8  Cor #5 SSC Dry #8  Cor #6 SWC Dry #8  4" diameter white, PVC  5' high  4" diameter white, PVC  5' high  Cor #6 SWC Dry #8  4" diameter white, PVC  5' high  4" diameter white, PVC  5' high  4" diameter white, PVC  5' high  cor #6 SWC Dry #8  4" diameter white, PVC  5' high  6" diameter white, PVC  6" diameter white, PVC	pipe pipe pipe pipe
No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the g described above by  The locat vided in N.R.S. 517  DATED thi	Cor #1 NWC Dry #8 4" diameter white, PVC  S' high  Cor #2 NSC Dry #8 4" diameter white, PVC  Cor #3 NEC Dry #8 4" diameter white, PVC  Cor #4 SEC Dry #8 4" diameter white, PVC  Cor #5 SSC Dry #8 4" diameter white, PVC  Cor #6 SWC Dry #8 4" diameter white, PVC  Cor #6 SWC Dry #8 4" diameter white, PVC  Tound each boundary or corner monument is marked scribed metal tags  ion work consisted of making a claim map as proceed to the second of the secon	pipe pipe pipe pipe
No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the g described above by  The locat vided in N.R.S. 517  DATED thi	Cor #1 NWC Dry #8  4" diameter white, PVC  5' high  Cor #2 NSC Dry #8  Cor #3 NEC Dry #8  Cor #4 SEC Dry #8  Cor #5 SSC Dry #8  Cor #6 SWC Dry #8  4" diameter white, PVC  5' high  4" diameter white, PVC  5' high  Cor #6 SWC Dry #8  4" diameter white, PVC  5' high  4" diameter white, PVC  5' high  4" diameter white, PVC  5' high  cor #6 SWC Dry #8  4" diameter white, PVC  5' high  6" diameter white, PVC  6" diameter white, PVC	pipe pipe pipe pipe
No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the g described above by  The locat vided in N.R.S. 517  DATED thi	Cor #1 NWC Dry #8  4" diameter white, PVC  5' high  Cor #2 NSC Dry #8  Cor #3 NEC Dry #8  Cor #4 SEC Dry #8  Cor #4 SEC Dry #8  Cor #5 SSC Dry #8  4" diameter white, PVC  Cor #6 SWC Dry #8  4" diameter white, PVC  5' high  4" diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  6" Diameter	pipe pipe pipe pipe
No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the g described above by  The locat vided in N.R.S. 517  DATED thi	Cor #1 NWC Dry #8  4" diameter white, PVC  5' high  Cor #2 NSC Dry #8  4" diameter white, PVC  5' high  Cor #3 NEC Dry #8  4" diameter white, PVC  5' high  Cor #4 SEC Dry #8  4" diameter white, PVC  5' high  Cor #5 SSC Dry #8  4" diameter white, PVC  5' high  Cor #6 SWC Dry #8  4" diameter white, PVC  5' high  Cor #6 SWC Dry #8  4" diameter white, PVC  5' high  Cor #6 SWC Dry #8  4" diameter white, PVC  5' high  Cor #6 SWC Dry #8  4" diameter white, PVC  5' high  Cor #6 SWC Dry #8  4" diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC  5' high  Cor #6 SWC Dry #8  6" Diameter white, PVC	pipe pipe pipe pipe
No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the g described above by  The locat vided in N.R.S. 517  DATED thi	Cor #1 NWC Dry #8  4" diameter white, PVC  5' high  Cor #2 NSC Dry #8  4" diameter white, PVC  5' high  Cor #3 NEC Dry #8  4" diameter white, PVC  5' high  Cor #4 SEC Dry #8  4" diameter white, PVC  5' high  Cor #5 SSC Dry #8  4" diameter white, PVC  5' high  Cor #6 SWC Dry #8	pipe pipe pipe pipe

### CERTIFICATE OF LOCATION LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

91175

they) has (have) loca	ated the Dry No.	fies (certify) that he (she,
in the following quant of Section(s) unsu	ryeyed Sec 36 35	Township(S) 24N
Range(s) 50E , M.I Mining District, in on the 15th day of	D.B.&M., in the Cou September , 1	Antelope nty, in the State of Nevada, 983
		address(es) of the locators
Name	-	Post Office Address
David Fanning	Agent for	\_\
<u> </u>		Galli Exploration Associates
<u> </u>		P. O. Box 12307
		Reno, Nevada 89510
and 1450 feet in ery monument, at which of the claim, together the discovery monument.	in a <u>westerly</u> ch the Notice of L er with 300 nt and centerline eposit and premise	long and 600 feet wide,  a easterly direction direction from the discov- ocation is posted, lengthwise feet in width on each side of of the claim. The general s is from the easterly
the erection of bound monuments was complete	dary or corner mon ted by the _25th d	ries of the Claim, together with uments, and the marking of such ay of September , 1983 . kings on each boundary or cor-
ner monument is as fo	ollows:	Aings on each soundary or our
Corner Location	Markings	Description
No. 1: NWC	Cor #1 NWC Dry #9	4" diameter white, PVC pipe 5' high
No. 2: NSC	Cor #2 NSC Dry #9	The Miles of the Control of the Cont
No. 3: NEC	Cor #3 NEC Dry #9	
No. 4: SEC	Cor #4 SEC Dry #9	4" diameter white. PVC pipe
No. 5: SSC	Cor #5 SSC Dry #9	5 high. 4" diameter white, PVC pipe
.No. 6: SWC	Cor #6 SWC Dry #9	5' high 4" diameter white, PVC pipe
As erected on the grodescribed above by	ound each boundary scribed metal tag	5 high or corner monument is marked as
The location vided in N.R.S. 517.0		of making a claim map as pro-
DATED this	21st day of Nov	ember, 19 <u>83</u> .
SIGNATURE OF LOCATOR	(s):	RECORDER'S STAMP
Dinor.		RECORDER'S STAMP / 関係
William A. Beken		FILE OF
17-3,0-300		The second of t
		A PART PART PART PART PART PART PART PAR

# CONCERN:

mΛ	ATT	MOUGH	TΠ	MAV	CONCERN:
TO	ALL	WHUM	TT	MAY	CONCERN

	they) has (have) loca in the following quar	ted the Dry ter section(s)	rtifies (certify) that he (she, No. 10 Lode Mining Claim
	of Section(s) unsurv	eyed Sec. 36	, Township(s) 24N . Antelope
	Mining District, in on the 15th day of	Eureka September	County, in the State of Nevada,
	The name(s) is (are):	and post office	ce address(es) of the locators
	Name		Post Office Address
	David Fanning	Agent for	
			Galli Exploration Associates
			P. O. Box 12397
			Reno, Nevada 89510
	and $1450$ feet is	n a 🧪 easterly	et long and 600 feet wide, in a westerly direction direction from the discov-
	ery monument, at which of the claim, together the discovery monument	h the Notice of $r$ with $300$ t and centerline	f location is posted, lengthwise feet in width on each side of he of the claim. The general
	to theeasterly	posit and premi direction.	ises is from the <u>westerly</u>
	The definit the erection of boundar monuments was complete	ion of the bour ary or corner med by the 25th	ndaries of the Claim, together with monuments, and the marking of such day of September , 19 83.
	The number,	location and m	markings on each boundary or cor-
	ner monument is as for	TTOMS:	
	Corner Location	Markings	Description
-	Corner Location		#10 4" diameter white, PVC pipe
	Corner Location No. 1: NWC	Markings	#10 4" diameter white, PVC pipe 5' high #10 4" diameter white, PVC pipe
	Corner Location  No. 1! NWC  No. 2: NSC	Markings Cor #1 NWC Dry	#10 4" diameter white, PVC pipe 5' high #10 4" diameter white, PVC pipe 5' high #10 4" diameter white, PVC pipe
	Corner Location  No. 1 NWC  No. 2: NSC  No. 3: NEC	Markings Cor #1 NWC Dry Cor #2 NSC Dry	#10 4" diameter white, PVC pipe 5' high #10 4" diameter white, PVC pipe 5' high #10 4" diameter white, PVC pipe 5' high #10 4" diameter white, PVC pipe
)	Corner Location  No. 1 NWC  No. 2: NSC  No. 3: NEC	Markings Cor #1 NWC Dry Cor #2 NSC Dry Cor #3 NEC Dry	#10 4" diameter white, PVC pipe 5' high #10 4" diameter white, PVC pipe
)-	Corner         Location           No. 1!         NWC           No. 2:         NSC           No. 3:         NEC           No. 4:         SEC	Markings  Cor #1 NWC Dry  Cor #2 NSC Dry  Cor #3 NEC Dry  Cor #4 SEC Dry	#10 4" diameter white, PVC pipe 5' high #10 4" diameter white, PVC pipe
)-	Corner Location  No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC	Markings  Cor #1 NWC Dry  Cor #2 NSC Dry  Cor #3 NEC Dry  Cor #4 SEC Dry  Cor #5 SSC Dry  Cor #6 SWC Dry	#10 4" diameter white, PVC pipe 5' high
)-	Corner Location  No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the grow described above by	Markings  Cor #1 NWC Dry  Cor #2 NSC Dry  Cor #3 NEC Dry  Cor #4 SEC Dry  Cor #5 SSC Dry  Cor #6 SWC Dry  and each bounds scribed metal to	#10 4" diameter white, PVC pipe 5' high
)-	Corner Location  No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the growdescribed above by  The location vided in N.R.S. 517.04	Markings  Cor #1 NWC Dry  Cor #2 NSC Dry  Cor #3 NEC Dry  Cor #4 SEC Dry  Cor #5 SSC Dry  Cor #6 SWC Dry  and each bounds scribed metal to	#10 4" diameter white, PVC pipe 5' high ary or corner monument is marked as ags ed of making a claim map as pro-
)-	Corner Location  No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the growdescribed above by  The location vided in N.R.S. 517.04	Markings  Cor #1 NWC Dry  Cor #2 NSC Dry  Cor #3 NEC Dry  Cor #4 SEC Dry  Cor #5 SSC Dry  Cor #6 SWC Dry  and each bounds scribed metal to  work consisted  21st day of	#10 4" diameter white, PVC pipe 5' high ary or corner monument is marked as ags ed of making a claim map as pro-
)-	Corner Location  No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the growdescribed above by  The location vided in N.R.S. 517.04  DATED this	Markings  Cor #1 NWC Dry  Cor #2 NSC Dry  Cor #3 NEC Dry  Cor #4 SEC Dry  Cor #5 SSC Dry  Cor #6 SWC Dry  and each bounds scribed metal to  work consisted  21st day of	#10 4" diameter white, PVC pipe 5' high ary or corner monument is marked as and of making a claim map as pro-  November , 19 83.  RECORDER'S STAMP
)-	Corner Location  No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the growdescribed above by  The location vided in N.R.S. 517.04  DATED this	Markings  Cor #1 NWC Dry  Cor #2 NSC Dry  Cor #3 NEC Dry  Cor #4 SEC Dry  Cor #5 SSC Dry  Cor #6 SWC Dry  and each bounds scribed metal to  work consisted  21st day of	#10 4" diameter white, PVC pipe 5' high ary or corner monument is marked as ags ed of making a claim map as pro-
)-	Corner Location  No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the growdescribed above by  The location vided in N.R.S. 517.04  DATED this	Markings  Cor #1 NWC Dry  Cor #2 NSC Dry  Cor #3 NEC Dry  Cor #4 SEC Dry  Cor #5 SSC Dry  Cor #6 SWC Dry  and each bounds scribed metal to  work consisted  21st day of	#10 4" diameter white, PVC pipe 5' high ary or corner monument is marked as ags ad of making a claim map as pro-  November , 19 83.
)-	Corner Location  No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the growdescribed above by  The location vided in N.R.S. 517.04  DATED this	Markings  Cor #1 NWC Dry  Cor #2 NSC Dry  Cor #3 NEC Dry  Cor #4 SEC Dry  Cor #5 SSC Dry  Cor #6 SWC Dry  and each bounds scribed metal to  work consisted  21st day of	#10 4" diameter white, PVC pipe 5' high ary or corner monument is marked as ags ed of making a claim map as pro-
)-	Corner Location  No. 1: NWC  No. 2: NSC  No. 3: NEC  No. 4: SEC  No. 5: SSC  No. 6: SWC  As erected on the growdescribed above by  The location vided in N.R.S. 517.04  DATED this	Markings  Cor #1 NWC Dry  Cor #2 NSC Dry  Cor #3 NEC Dry  Cor #4 SEC Dry  Cor #5 SSC Dry  Cor #6 SWC Dry  and each bounds scribed metal to  work consisted  21st day of	#10 4" diameter white, PVC pipe  5' high  #10 8" diameter white, PVC pip

380X | | 8 PAGE | 5 2