## 96494

## AFFIDAVIT OF ASSESSMENT WORK - NEVADA

STATE OF TEXAS SS. COUNTY OF HARRIS

Allen T. Johnson, being first duly sworn upon oath deposes and states that:

- 1. As a person cognizant of the facts, he makes this affidavit for and on behalf of Exxon Corporation.
- 2. Said Exxon Corporation is the party at whose expense the labor and improvements below mentioned were made or performed and is the owner, optionee or lessee of the unpatented mining claims below mentioned.
- 3. The labor or improvements below mentioned were made and performed for the assessment work year ending September 1, 1984, and the same were accomplished between the 1st day of September, 1983 and the 1st day of September, 1984.
- 4. The unpatented lode mining claims, upon which or for the benefit of which the work was performed or improvements made constitute a group of contiguous lode mining claims, are located in Eureka County, Nevada, and are listed in the schedule marked Exhibit A, attached to and hereby made a part of this affidavit of assessment work.
- The amount of money expended was \$105.75 on each claim; the 5. The amount of money expended was \$105.75 on each charm; the character of labor or improvements was geochemical analysis; and the person or character of labor or improvements was geochemical analysis; and the person or character of labor or improvements was geochemical analysis; and the person or character of labor or improvements was geochemical analysis; and the person or character of labor or improvements was geochemical analysis; and the person or character of labor or improvements was geochemical analysis; and the person or character of labor or improvements was geochemical analysis; and the person or character of labor or improvements was geochemical analysis; and the person or character of labor or improvements was geochemical analysis; and the person or character of labor or improvements was geochemical analysis; and the person or character of labor or improvements was geochemical analysis; and the person or character of labor or improvements was geochemical analysis; and the person or character of labor or improvements was geochemical analysis; and the person or character of labor or improvements was geochemical analysis; and the person or character of labor or character corporation who performed the work or made the improvement was Rocky Mountain Geochemical Corp.

FURTHER Affiant saith naught.

Witness:

Allen 1. dohnson Affiant for and on behalf of

Exxon Corporation

Subscribed and sworn to by the above named affiant and subscribing witnesses before me this 23rd day of October, 1984.


My commission

expires: January 11, 1987


SUE CAPLE Notary Public in and for State of Texas My Commission Expires January 11, 1987

Mt. Hope #2608 Eureka County, Nevada

Claim Name and No.	Projected <u>Section</u>	Тwp	<u>Rng</u>	BLM MC No.	Book/Page
Gap 16	1 12	22N 22N	51E 51.5E	NMC 230623	100/452



Geochemical analysis was conducted by A. J. Erickson, Jr., U.S./Europe Mining Geology Manager for Exxon Minerals Company, P.O. Box 4508, Houston, Texas 77210. Mr. Erickson is a geologist with 20 years' experience with various companies in exploration and mining geology. He holds Bachelor of Science and Master of Science degrees in geology. Chemical analyses were done by Rocky Mountain Geochemical Corporation, P.O. Box 337, Midvale, Utah 84047, a reputable major geochemical analytical laboratory.





## EOCKY MOUNTAIN DEOCHEMICAL CORP.

## Certificate of Analysis

June 29, 1984

Exxon Minerals P. O. Box 616

Eureka, Nevada 89316

Attn: James A. Chavis

23086

Recort On:

3 Pulp Samples

James A. Chavis

6/14/84

Whole Rock Analysis for: Copper, Lead, Zinc, Molybdenum,

Cold, Silver, Fluoride, Tin, Tungsten and Mauganese.

Pluoride determined by specific ion electrode. Tungeton determined colormetrically. Resulting elements determined by atomic absorption.

enc. 111e BC1/1w

Element	8-1	8-2	<u>s-3</u>	GAP-16	Element	<u>s-1</u>	S-2
ррш Мо	3	3	3		ррш Ац	<u>}-1</u>	-1 -1
ppm Cu	55	45	45	\	ppm Ag	2	2 2
ppm Pb	230	195	190	\	ррш И	5	55
ppm Zn	65	<u>6</u> 0	55		⊈ F	0.039	0.040 . 0.034
ppm Sn	115	125	105		ppm Mn	535	570 , 600


All values are reported in parts per million unless specified otherwise. A minus sign (—) is to be read "less than." Values in parasthesis are estimates. This analytical report is the confidential property of the above me of this client and outselves we reserve the right to forbid publication or reproduction of this report or any p -) is to be read "less then" and a plus sign (+) "gree openty of the above mentioned client and for the protect ND == None Detected 1 ppm = 0.0001% 1 Troy oz./ton = 34.286 ppm =0.0292 Trey

SALT LAKE CITY, UTAH

RENO, NEVADA

84-09-47-(P)=

M 108088



BOOK | 29 PAGE 433