	•	
	,	File No.
	•	Filed for record at request of
,	. 9 9536	
CERTIFICATE OF LOCATION		at minutes past o'clock m. and recorded in Book of
		Official Records Page County, Nevada.
		County Recorder
•	~	\ \
THIS IS TO CERTIFY that the	ta roe i	1 lode mining claim
located by:	16	
Ed Devenyns		Dave Ernst
690 E. Patriot #272		1000 Beck #254 Reno, Nevada ₈₉ 509
Reno, Nevada 89511		
the He day of TUNE	, 1985,	situated in the unknown
ing District, Eureka		State of Nevada.
	NE/4 of Sec.	
Said claim is located in	the SE/4 of Sec.	6 Two. S North Age. 50 East
	. THANA OF Sec.	
	SW/4 of Sec.	- (-
To tie this claim to the	Public Survey, 1	begin at the southeast corner of Section
l . Township 22 North	. Nange 47	East 'Monte practo tet rolen' energe
AST 4500', thence a	1000 -	alada
Corner No. 1, the northeast		
We (or I) claim 1500	linear fee	t along the course of the mineral-bearing
1	- 1427467	feet from the location monument in a
northerly direction	and	feet in a southerly each side of the center of the ledge for
rection, together with entire length of the claim		6500 2100 Ot 600 content of any 1-100 1-1
/	- har	e clearly marked by substantial 4"x5° PVC pipe
		ents firmly set in the ground bearing applicable s: Beginning at Corner No.1, the Northeast
iner; thence,	or seem erem o	1" od " s dd - shanes
South 750' to the e.	ast side center,	a arch for for the $f'' \times f'' \times f'' \times f'' \times f'' \times f'' \times f' \times$
South 750' to the s	outheast corner,	a JUKS! Pro pro pro thence,
West 600 to the 3	ductines cornery	cor or lifer o" 24" c4" thence,
North 750' to the w	orthwest corner,	a wood over AT CLAST 4"x4"x4"x4"x thence,
East 600' to the n	ortheast corner	a mich for AT LEAST 4" x4" x4" the point
The monumentation and to	arking of the cor	rners was completed by the MAL day of
June , 198	>.	
The location work consis	sted of making a	claim map as provided in MRS 517.040. Two
onles of this claim map have	e been filled with	h the Eureka County Recorder, and
ne lode claim filing fee has	a pesu bard to ri	ne Councy Recorder.
	/ /	,
		Ul brenat
	/ /	-en engr
LOCA	TORS	Let breugh
000		Have Trust
ated	_, 1985	
U	RECODER LY BEG	HFTY OF
	RECORPED AT REQU	
	BOUK 12 2 FA:	<u> </u>
		
	AM (5) (5)	. 9 8
	85 JUN 27 A 9	8 : 6 g
	•	
	OFFICIAL STOO	1875

BOOK 1 36 PAGE 4 4 1

	*,1. *		
	•	File No.	
9	9537	Filed for record at req	uest of
CERTIFICATE OF LOCATION	•	at minutes past m. and recorded in Book	of
		Official Records Page County, I	evada. ty Recorder
THIS IS TO CERTIFY that the	ICE # 4	_ ••	
is located by:			_ \ \
Ed Devenyns		Dave Ernst 1000 Beck #254	\ \
690 E. Patriot #272		Reno, Nevada 89509	
Reno, Nevada 89511		89509	
and Athenne Cline	10.05 -4	tuated in the unknown	
ining District, <u>Furexa</u>		ate of Nevada.	
ming biscifet,		and of Northean	
	NE/4 of Sec.	7	
Said claim is located in the	SE/4 of Sec.	Twp. 23 North Rge.	SO East
· .	NW/W of Sec.		
	SW/4 of Sec.	.))	
To tie this claim to the Publ	Lic Survey, be	in at the southeast cor	ner of Section
1 , Township 23 North	, Range 49 Ea	st , Mount Diablo Mer	ridian, thence
FAST 4500'	·		
Corner No. 1, the northeast cor	ner of this cl	aim.	
We (or I) claim 1500 edge, lode or wein, extending	_ linear feet	along the course of the minera eet from the location monument	in a
northerly direction and	_/300	feet in a southerly	ledge for
irection, together with 300	reet on e	ach side of the center of the	Teafe Lot.
he entire length of the claim.			
The exterior boundaries of th	is claim are	learly marked by substantial	4"x5" PVC pipe
	የምሳፊት፣ መሰጠ (<u>የ</u> ውዕክ)	d limin set in the drawn of	
esignation. The description of :	such claim is:	Beginning at Corner No.1, th	e Northeast
aumore thance		1 1	
South 750* to the east :	side center, a	4"x5" in length PVC pipe	; thence,
South 750' to the south	east corner, a	4"x5' in length PVC pipe	; thence,
West . 600° to the south	west corner. a	4"x5" in length PVC pipe	thence,
Novel 7501 to the west	side center, a	4"x5" in length PVC pipe	thence,
North 750' to the north	west corner, a	4"x5' in length PVC pipe	the poir
East 600 to the north	east corner, a	4"x5" in length PVC pipe	
nd place of beginning.			\mathcal{H}
The monumentation and marking	g of the corne	rs was completed by the $\underline{\hspace{1cm}/\hspace{1cm}}$	day of
June 1985.		, "	
	^		
		aim map as provided in NRS 51	7.040. Two
copies of this claim map have bee	en filed with t		order, and
the lode claim filing fee has been	en paid to the	County Recorder.	
	/		= ,
		El Elmonial	
	_	Dan Engl	
1,004,5000		$\alpha \sim \alpha$	
LOCATORS		X). S	•
Qu. 02 .		yave must	
Dated	, yo	-	
	CORÇED AT REQUES	T OF	
E <u>Q</u>	Deveryns		
806	04_136_fx is 5	97	
85	JUN 27 A 9:	2 7	
•			

OFFICIAL RECOFDS
EULC AA DEUN'T HAT VADA
HUN REBALE AT ACCOPDER
FILE NO. 99997

BOOK 1 36 PAGE 4 4 2

		file No-
	99538	Filed for record at request of
CERTIFICATE OF LOCATION	79.	at minutes past o'clock m. and recorded in Book of Official Records Page County, Nevada.
	•	County Recorder
•		\ \
THIS IS TO CERTIFY that th	e ICE	3 lode mining claim
Ed Devenyns	•	Dave Ernst 1000 Beck #254
690 E. Patriot \$272 Reno, Nevada 89511		Reno, Nevada 89509
the Hilday of Tune	, 1985,	situated in the unknown
ing District, Eureka	County,	State of Newada.
Said claim is located in	NE/4 of Sec. the SE/4 of Sec. - NW/4 of Sec. SW/4 of Sec.	
To tie this claim to the 1 . Township 23 North	, Range 49_	East , Mount Diablo Meridian, thence
Corner No. 1, the northeast	corner of this	claim,
ection, together with	and 20 100 feet on	t along the course of the mineral-bearing feet from the location monument in a feet in a southerly each side of the center of the ledge for
	イランスランイム? かへわいかん	e clearly marked by substantial 4"x5" PVC pipe ents firmly set in the ground bearing applicable s: Beginning at Corner No.1, the Northeast
South 750° to the ea South 750° to the so West , 600° to the so North 750° to the we	st side center, nutheast corner, nuthwest corner, st side center,	a wood post AT WAST 4"x4"x4/2; thence, a 4"x 5" PVC pot 1 thence, a wood post AT WAST 4"x4", 4/2; thence, a wood post AT WAST 4"x4"x4"z; thence, a wood post AT WAST 4"x4"x4"z; thence, a wood post AT WAST 4"x4"x4"z; the point
		ners was completed by the HA day of
		• • • • • • • • • • • • • • • • • • • •
June , 1985. The location work consists of this claim map have	ted of making a been filed with	claim map as provided in NRS 517.040. Two theCounty Recorder, and
June , 1985. The location work consists of this claim map have	ted of making a been filed with	claim map as provided in NRS 517.0%0. Two the Eureka County Recorder, and the County Recorder.
June , 1985. The location work consistoples of this claim map have no lode claim filling fee has	ted of making a been filed with been paid to th	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
June , 1985. The location work consist opies of this claim map have see lode claim filing fee has	ted of making a been filed with been paid to the constant of t	claim map as provided in NRS 517.0%0. Two the Eureka County Recorder, and the County Recorder.
June , 1985. The location work consistoples of this claim map have no lode claim filling fee has	ted of making a been filed with been paid to the been paid to the core pai	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder. Ed Devenys AT REQUEST OF

•	File No.
,	Filed for record at request of
99539	Filed 101 record at request by
CERTIFICATE OF LOCATION	
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of Official Records Page
	County, Nevada.
•	Country, Nevada.
THIS IS TO CERTIFI that the ICE	County Recorder
located by:	
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
83311	45707
the Hay of TUNE, 198	S situated in the unknown
	y, State of Nevada.
NE/4 of Se	ec. 7
Said claim is located in the SE/4 of Se	ec. Two. 73 North Res. 32 Fact
- NW/4 of Se	ec./
SW/4 of Se	ec.
To tie this claim to the Public Survey,	, begin at the southeast corner of Section
Township 23 North Range 4	19 East, Mount Diablo Heridian, thence
AST 5900'	\ \ \ / /
orner No. 1, the northeast corner of this	s claim.
northerly direction and 148 ection, together with 300 feet of entire length of the claim.	on each side of the center of the ledge for
M	and alarmin marked his submanned -1 Allines mes
The exterior boundaries of this claim a	are clearly marked by substantial 4"x5° PVC pip uments firmly set in the ground bearing applica
wooden post not less than 4 %4"%45" monu	is: Beginning at Corner No.1, the Northeast
ner, thence,	was madessifted an account makes mir machinesse
South 750' to the east side center	a 4"x5' in length PVC pipe ; thence
South 750' to the southeast corner	, a 4"x5' in length PVC pipe thence
West. 600° to the southwest corner	, a 4"x5' in length PVC pipe ; thence
North 750° to the west side center	, a 4"x5" in length PVC pipe ; thence
North 750' to the northwest corner	, a 4"x5' in length PVC pipe , thence
East 600' to the northeast corner	, a 4"x5' in length PVC pipe , the po
place of beginning.	
	of the
The monumentation and marking of the co	orners was completed by the day of
June , 1985.	
The location work consisted at making a	a claim map as provided in NRS 517.040. Two
iles of this claim map have been filed wit	
lode claim filing fee has been paid to t	th the Eureka County Recorder, and
seem serving see not need haid to t	one sounty vacoration.
\ \ / /	4.1
	EL SURPLINI
	Ed Swenys
LOCATORS	(X) (Y) (Y) (Y)
0 00	Clark Tamel
ted (hre 23 1985	- TIME COUNTY
RECORDED AT RED!	
Ed Deveny	<u> </u>
Elun ulik uriki	444
C5 (11) 27 a C	43

BOOK 1 36 PASE 4 4 4

-		File No
	99540	Filed for record at request of
CERTIFICATE OF LOCATION		at minutes past o'clock of of of Official Records Page County, Nevada.
		County Recorder
THIS IS TO CERTIFY that the second of the se	he <u>ICE •</u>	5 lode mining claim
·-		Dave Ernst
Ed Devenyns 690 E. Patriot \$272	2	1000 Beck #254
Reno, Nevada 89511	_	Reno, Nevada 89509
n the Haday or TUNE	19 85	situated in the unknown
ining District, <u>Fureka</u>	County,	State of Nevada.
Said claim is located in	HE/4 of Sec the SE/4 of Sec NW/4 of Sec SW/4 of Sec	. 6 , Twp. 5 North , Rge. East
1 . Township 27 North	Public Survey,	begin at the southeast corner of Section East , Mount Diable Heridian, thence
EAST 3300 THENSE US	RIM 1500	
Corner No. 1, the northeast	corner of this	claim.
We (or I) claim 1500 edge, lode or vein, extending northerly direction irection, together with	1inear fee 8	t along the course of the mineral-bearing feet from the location monument in a feet in a southerly leach side of the center of the ledge for
the entire length of the claim	pi -	
		e clearly marked by substantial 4"x5' PVC pipe ents firmly set in the ground bearing applicables: s: Beginning at Corner No.1, the Northeast
South 750° to the earlier to the earlier to the search results to the search results to the search results res	ast side center, outheast corner,	a 4" x 5' fr 6ft , thence, thence,
North 750° to the n East 600° to the n	orthwest corner ortheast corner	a mos for Arthor 4"x4"x4"z'; thence, a mos for Arthory 4"x4"x4"z'; the pol
and place of beginning. The monumentation and ma	arking of the co	rners was completed by the day of
June , 1985		
	e been filed wit	
The location work consist copies of this claim map have	e been filed wit	he County Recorder.
The location work consist copies of this claim map have the lode claim filing fee has	e been filed wit s been paid to t	h the Eureka County Recorder, and
The location work consist copies of this claim map have the lode claim filing fee has	e been filed wits been paid to t TORS	the Eureka County Recorder, and the County Recorder. Sol Abrenge Wave Curst

BOBK 1 36 PAGE 4 4 5

		File Wo.
	99541	Filed for record at request of
CERTIFICATE OF LOCATION	· ·	at minutes past o'clock
		of Official Records Page County, Nevada.
		County Records
•		County Nector of
THIS IS TO CERTIFY that the located by:	ice ICE	6 lode mining claim
Ed Devenyns		Dave Ernst
690 E. Patriot #272		1000 Beck #254 Reno, Nevada 89509
Reno, Nevada 89511		89509
the Hyday of June	, 19 85,	situated in the unknown
ning District,	County,	State of Nevada.
	NE/4 of Sec	./1
Said claim is located in	the SE/4 of Sec	. Tup. 33 North, Age. 50 Eas
	- NW/4 of Sec	
	SW/4 of Sec	
1 . Township 23 North	Public Survey, Range 49	begin at the southeast corner of Se East , Mount Diablo Meridian, the
757 3.500' Corner No. 1, the northeast	corner of this	claim.
		the server of the steems beguing
We (or I) claim 1500	- 20	t along the course of the mineral-bearing
dge, lode or vein, extending	and (480)	feet from the location monument in a feet in a southerly
dge, lode or vein, extending northerly direction rection, together with	and /430 100 feet on	t along the course of the mineral-bearing feet from the location monument in a feet in a southerly each side of the center of the ledge for
dge, lode or vein, extending northerly direction rection, together with se entire length of the claim	and /480 100 feet on	feet from the location monument in a feet in a southerly each side of the center of the ledge for
northerly direction rection, together with a call the claim the exterior boundaries of	and /430 100 feet on	feet from the location monument in a feet in a southerly each side of the center of the ledge for e clearly marked by substantial 4"x5" PVC
mortherly direction rection, together with a me entire length of the claim the exterior boundaries or wooden post not less than esignation. The description	and /450 100 feet on 1. f this claim are 4"x4"x4\; monum of such claim i	feet from the location monument in a feet in a southerly leach side of the center of the ledge for e clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing apps: Beginning at Corner No.1, the Northea
mortherly direction in the exterior boundaries of wooden post not less than borner; thence,	and /4500 feet on f this claim are 4"x4"x41' monum of such claim i	feet from the location monument in a feet in a southerly leach side of the center of the ledge for the clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing apps: Beginning at Corner No.1, the Northea a 4"x5" in length PVC pipe ; the
mortherly direction of the claim the exterior boundaries of wooden post not less than esignation. The description orner; thence, South 750' to the each of the claim orner; to the case of the claim orner; thence,	and /450 feet on f this claim are 4"x4"x45' monum of such claim i	feet from the location monument in a feet in a southerly each side of the center of the ledge for e clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing app s: Beginning at Corner No.1, the Northea a 4"x5" in length PVC pipe the a 4"x5" in length PVC pip
mortherly direction of the claim the exterior boundaries of wooden post not less than esignation. The description orner; thence, South 750' to the each of the claim orner; thence, South 750' to the south of the	and /#300 feet on 1. If this claim are 4"x4"x44' monum of such claim i ist side center, butheast corner, bu	feet from the location monument in a feet in a southerly each side of the center of the ledge for the clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing app s: Beginning at Corner No.1, the Northea a 4"x5" in length PVC pipe the a 4"x5" in length PVC
mortherly direction of the claim the exterior boundaries of wooden post not less than signation. The description orner; thence, South 750' to the each of the soundaries of the claim or the claim of the claim of the claim of the exterior boundaries of the claim of the exterior boundaries of	and /400 feet on f this claim ar 4"x4"x4's monum of such claim i ast side center, outhwest corner,	feet from the location monument in a feet in a southerly leach side of the center of the ledge for e clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing apps: Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe ; the a 4"x5" in length PVC pipe ; the
mortherly direction of the claim the exterior boundaries of wooden post not less than exignation. The description orner; thence, South 750' to the each of the claim the control of the claim orner; thence, South 750' to the sou	and /400 feet on f this claim ar 4"x4"x4's monum of such claim i ast side center, outhwest corner,	feet from the location monument in a feet in a southerly leach side of the center of the ledge for e clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing apps: Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe ; the a 4"x5" in
mortherly direction of the claim of the exterior boundaries of wooden post not less than esignation. The description orner; thence, South 750' to the esignation of the claim orner; thence, South 750' to the south of the sout	and /#20 feet on f this claim ar 4"x4"x4's monum of such claim i ast side center, butheast corner, butheast corner, est side center, botheast corner, orthwest corner,	feet from the location monument in a feet in a southerly leach side of the center of the ledge for e clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing apps: Beginning at Corner No.1, the Northea 4 "x5" in length PVC pipe 1, the a 4"x5" in length PVC pipe 1, the a 4"x5" in length PVC pipe 1, the 4 "x5"
mortherly direction northerly direction, together with me entire length of the claim the exterior boundaries of wooden post not less than signation. The description orner; thence, South 750' to the ease to the south 750' to the me has 600' to t	and / Good feet on 1. If this claim are 4"x4"x44' monum of such claim i list side center, butheast corner, butheast corner, butheast corner, botheast corner,	feet from the location monument in a feet in a southerly leach side of the center of the ledge for e clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing apps: Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe ; the a 4"x5" in length PVC pipe ; the
mortherly direction northerly direction together with 3 me entire length of the claim the exterior boundaries of wooden post not less than signation. The description orner; thence, South 750' to the ease North 750' to the se North 750' to the wooden post not less than signation. The description or the second to the me that the second place of beginning.	and / Good feet on 1. If this claim are 4"x4"x44' monum of such claim i list side center, butheast corner, butheast corner, butheast corner, botheast corner,	feet from the location monument in a feet in a southerly leach side of the center of the ledge for e clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing apps: Beginning at Corner No.1, the Northea 4 "x5" in length PVC pipe 1, the a 4"x5" in length PVC pipe 1, the a 4"x5" in length PVC pipe 1, the 4 "x5"
rection, together with	and / Good feet on 1. If this claim are 4"x4"x44' monum of such claim in the standard corner, butheast corner, but and of making a secondard corner, but a corne	feet from the location monument in a feet in a southerly each side of the center of the ledge for e clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing app s: Beginning at Corner No.1, the Northea a 4"x5" in length PVC pipe the a 4"x5" in length PVC pip
mortherly direction northerly direction, together with me entire length of the claim the exterior boundaries of wooden post not less than signation. The description orner; thence, South 750' to the east 600' to the so North 750' to the wooden post not less than signation. The description or the south 750' to the so west, 600' to the so North 750' to the me had place of beginning. The monumentation and manual of the south of the south of the south of the south place of the south of	and / Good feet on 1. If this claim are 4"x4"x4's monum of such claim i lest side center, butheast corner,	feet from the location monument in a feet in a southerly leach side of the center of the ledge for e clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing app s: Beginning at Corner No.1, the Northea a 4"x5" in length PVC pipe the a 4"x5" in length PVC pi
mortherly direction northerly direction, together with me entire length of the claim the exterior boundaries of wooden post not less than signation. The description orner; thence, South 750' to the east 600' to the so North 750' to the wooden post not less than signation. The description or the south 750' to the so west, 600' to the so North 750' to the me had place of beginning. The monumentation and manual of the south of the south of the south of the south place of the south of	and / Good feet on 1. If this claim are 4"x4"x4's monum of such claim i lest side center, butheast corner,	feet from the location monument in a feet in a southerly leach side of the center of the ledge for e clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing app s: Beginning at Corner No.1, the Northea a 4"x5" in length PVC pipe the a 4"x5" in length PVC pi
mortherly direction northerly direction, together with a me entire length of the claim the exterior boundaries of wooden post not less than signation. The description priner; thence, south 750' to the ease wooden 750' to the south 750' to the south 750' to the south 750' to the weak of the south 750' to the wooden post of the south 750' to the me had place of beginning. The monumentation and manual of the south 750' to the me had place of beginning.	and / Good feet on 1. If this claim are 4"x4"x4's monum of such claim i lest side center, butheast corner,	feet from the location monument in a feet in a southerly leach side of the center of the ledge for e clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing app s: Beginning at Corner No.1, the Northea a 4"x5" in length PVC pipe the a 4"x5" in length PVC pi
mortherly direction northerly direction, together with me entire length of the claim the exterior boundaries of wooden post not less than signation. The description orner; thence, South 750' to the ease to the south 750' to the south 750' to the south 750' to the south 750' to the me horth 750' to the me had place of beginning. The monumentation and manual of the south of the me had been south 750' to the me had place of the south of the me had place of the south of the me had been south of the south of the me had been south of the	and / Good feet on 1. If this claim are 4"x4"x4's monum of such claim i lest side center, butheast corner,	feet from the location monument in a feet in a southerly leach side of the center of the ledge for e clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing app s: Beginning at Corner No.1, the Northea a 4"x5" in length PVC pipe the a 4"x5" in length PVC pi
mortherly direction northerly direction, together with me entire length of the claim the exterior boundaries of wooden post not less than signation. The description orner; thence, South 750' to the ease to the south 750' to the south 750' to the south 750' to the south 750' to the me horth 750' to the me had place of beginning. The monumentation and manual of the south of the me had been south 750' to the me had place of the south of the me had place of the south of the me had been south of the south of the me had been south of the	and / Good feet on 1. If this claim are 4"x4"x4's monum of such claim i lest side center, butheast corner,	feet from the location monument in a feet in a southerly leach side of the center of the ledge for e clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing app s: Beginning at Corner No.1, the Northea a 4"x5" in length PVC pipe the a 4"x5" in length PVC pi
mortherly direction northerly direction, together with me entire length of the claim the exterior boundaries of wooden post not less than signation. The description orner; thence, South 750' to the ease to the south 750' to the south 750' to the south 750' to the south 750' to the me horth 750' to the me horth 750' to the me horth 750' to the me has food to the north 750' to the me has food to the north 750' to the me has south 750' to the me has food to the north 750' to the me has south 750' to the me has food to the north 750' to the me has south 750' to the me	and / Good feet on it. If this claim are 4"x4"x45' monum of such claim it ist side center, buthwest corner, buthwest corner, buthwest corner, borthwest cor	feet from the location monument in a feet in a southerly leach side of the center of the ledge for e clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing app s: Beginning at Corner No.1, the Northea a 4"x5" in length PVC pipe the a 4"x5" in length PVC pi
mortherly direction northerly direction, together with me entire length of the claim the exterior boundaries of wooden post not less than signation. The description orner; thence, South 750' to the ease to the south 750' to the south 750' to the south 750' to the south 750' to the me horth 750' to the me had place of beginning. The monumentation and manual of the south of the me had been south 750' to the me had place of the south of the me had place of the south of the me had been south of the south of the me had been south of the	and / Good feet on it. If this claim are 4"x4"x45' monum of such claim it ist side center, buthwest corner, buthwest corner, buthwest corner, borthwest cor	feet from the location monument in a feet in a southerly leach side of the center of the ledge for e clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing app s: Beginning at Corner No.1, the Northea a 4"x5" in length PVC pipe the a 4"x5" in length PVC pi
rection, together with	and / Good feet on it. If this claim are 4"x4"x45' monum of such claim it ist side center, buthwest corner, buthwest corner, buthwest corner, borthwest cor	feet from the location monument in a feet in a southerly leach side of the center of the ledge for e clearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing app s: Beginning at Corner No.1, the Northea a 4"x5" in length PVC pipe the a 4"x5" in length PVC pi
rection, together with	and / FOOD feet on 1. If this claim are 4"x4"x44' monum of such claim i ist side center, butheast corner, butheast corner, butheast corner, butheast corner, butheast corner, bortheast corner,	feet from the location monument in a feet in a southerly leach side of the center of the ledge for eclearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing app s: Beginning at Corner No.1, the Northea a 4"x5" in length PVC pipe the a 4"x5" in length PVC pip
rection, together with	and / FOND feet on 1. If this claim are 4"x4"x4's monum of such claim is the side center, but heast corner, est side center,	feet from the location monument in a feet in a southerly leach side of the center of the ledge for eclearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing app s: Beginning at Corner No.1, the Northea a 4"x5" in length PVC pipe the a 4"x5" in length PVC pip
rection, together with	and / FOOD feet on 1. If this claim are 4"x4"x44' monum of such claim i ist side center, butheast corner, butheast corner, butheast corner, butheast corner, butheast corner, bortheast corner,	feet from the location monument in a feet in a southerly leach side of the center of the ledge for eclearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing app s: Beginning at Corner No.1, the Northea a 4"x5" in length PVC pipe the a 4"x5" in length PVC pip
rection, together with	and / FOOD feet on 1. If this claim are 4"x4"x44' monum of such claim i ist side center, butheast corner, butheast corner, butheast corner, butheast corner, butheast corner, bortheast corner,	feet from the location monument in a feet in a southerly leach side of the center of the ledge for eclearly marked by substantial 4"x5" PVC ents firmly set in the ground bearing app s: Beginning at Corner No.1, the Northea a 4"x5" in length PVC pipe the a 4"x5" in length PVC pip

BOOK 1 36 PAGE 4 4 6

•		
	99542	File No.
٠.	J334%	Filed for record at request of
CERTIFICATE OF LOCATION		at minutes past o'clock m. and recorded in Book of
		Official Records Page , County, Neveda.
		County Recorder
THIS IS TO CERTIFY that the	ice #	7 lode mining claim
Ed Devenyns		Dave Ernst 1000 Beck #254
690 E. Patriot #272 Reno, Nevada 89511	•	Reno, Nevada 89509
he Hay of TUNE	10 45 4	ftuated in the unknown
ng District, <u>rureka</u>	County, S	tate of Hevada.
	E/4 of Sec.	, Imp. <u>23 North</u> , Rge. <u>50 East</u>
٠ .)	NW/4 of Sec.	<u>/ </u>
<u>.</u>	SW/4 of Sec.	10
To tie this claim to the Public, Township 23 North	lc Survey, be , Range 49 E	egin at the southeast corner of Section ast Mount Diablo Heridian, thence
orner No. 1, the northeast corn	er of this c	laim.
te. lode or vein, extending	1480	along the course of the mineral-bearing feet from the location monument in a southerly
direction and	ii.C	leet in a
ection, together With 300 entire length of the claim.	feet on e	each side of the center of the ledge for
	ie claim are	clearly marked by substantial 4"x5' PVC pip
ignation. The description of s	ncu crarm rai	negitaring at collect mostly
ner; thence, South 750 to the east s	ide center, a	thence
West 600° to the southw North 750° to the west s	ide center.	4"15' AT PAL , thence
North 750' to the west's	est corner,	thence
East 600' to the northe	ast corner,	a wead past of war 4"x4"x4"z"; the po
The monumentation and marking June, 1985.	g of the corn	ers was completed by the day of
		Note the second ded in 198 517 Ohn Tun
The location work consisted opies of this claim map have been a lode claim filing fee has been	n filed with	the Eureka County Recorder, and County Recorder.
		Ed Swewers
LOCATORS	-	Den Grant
Dec 23	05 -	Dave Insel
RECORDED	AT REQUEST OF	
	र महा पुरी	7
	_	
es illus	7 A9: 27	
23 JUN 1	CI 79- E1	

800K 1 36 PAGE 4 4 7

	•	File No.	
	99543	Filed for record at request	t of
	222-13		
	• •		Inlank.
CERTIFICATE OF LOCATION		m. and recorded in Book	of
		Official Records Page,	_ ••
•		County, Neva	da.
		County R	ecorder
•		\	\
,		_ \	\
THIS IS TO CERTIFY that the	he ICE	8 lode mining	clais
located by:			\ \
-		Dave Ernst	\ \
Ed Devenyns 690 E. Patriot #272	i	1000 Beck #254	\ \
Reno, Nevada 89511	•	Reno, Nevada 89509	7 /
1/AL 89511		69309	
the 4 day of TUNE	. 1985.	situated in the unknown	
ing District, Eureka	County	State of Nevada.	
	 		
	NE/4 of Sec.		\
Said claim is located in	the SE/4 of Sec.	, Twp. 23 North, Rge. 9	East
	· NW/ 4 OT OGG:	-/-/-	
	SW/4 of Sec.		
To the this sisin to the	Public Survey, h	egin at the southeast corner	of Section
L , Township 23 North	Range 49 l	East , Mount Diablo Meridi	an, thence
NST 2700'			
Corner No. 1, the northeast	corner of this	laim.	
We (or I) claim1500	linear feet	along the course of the mineral-b	earing
ge, lode or vein, extending	100 m	feet from the location monument in feet in a southerly	4
northerly direction	and	reet in a	-a fan
		each side of the center of the led	Re 10t.
entire length of the claim			
The exterior boundaries o	f this claim are	clearly marked by substantial 4 x	o. SAC bibe
	A VATVAL MODUMA	nta firmly set in the divonic bears.	'd mbbrrane
ignation. The description	of such claim is	Beginning at Corner No.1, the No.	J. Cheds C
ner; thence,		- AMUS! in length PVC pipe	thence
South 750 to the ea	st side center,	a 4"x5' in length PVC pipe a 4"x5' in length PVC pipe	; thence,
South 750° to the so	withwest corner.	a 4"x5' in length PVC pice	thence,
West Buy to the we	est side center.	a 4"x5' in length PVC pipe	
North 750! to the no	orthwest corner.	a 4"x5" in length PVC pipe	thence,
East 600' to the no	ortheast corner,	a 4"x5' in length PVC pipe	, the poi
place of beginning.		-11	
The monumentation and ma	rking of the cor	mers was completed by the	day of
June 1985	tirting or end con	1613 Ed3 Completone of the	,
1			
The location work consis	ted of making a	claim map as provided in MRS 517.04	IO. Two
pies of this claim map have	been filed with	the Eureka County Records	er, and
e lode claim filing fee has	been paid to th	e County Recorder.	
	/ /		•
		Ed Vounces	
		De Emps	-
LOCAT	ORS		
	•	Hand Tanal	
ted June 23	, 1985	WIND COLOR	-
	ORDED AT REQUEST O	<u>-</u>	
## C	PARTIE AL RECOEST OF		
52	d Devenyns	<i>io</i>	
230	· · · · · · · · · · · · · · · · · · ·	•	
_	100 AT - 0 4 9 3	•	
35	JBN 27 A 9:21	f .	

800K 1 36 PAGE4 4 8

./	File No.
99544	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock m. and recorded in Book of Official Records Page County, Nevada.
•	
THIS IS TO CERTIFY that the	County Recorder
located by: Ed Devenyns	pave Ernst
690 E. Patriot \$272 Reno, Nevada 89511	1000 Beck #254 Reno, Nevada 89509
the Haday or Tane , 1985, si	tuated in the unknown
note - A. A	
Said claim is located in the SE/4 of Sec NM/4 of Sec. SW/4 of Sec.	, Twp. A.3 North Rge. SU East
To tie this claim to the Public Survey, beg 1 . Township 23 North , Range 49 Ea	gin at the southeast corner of Section st, Hount Diablo Heridian, thence
Corner No. 1, the northeast corner of this cl	
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
des lade as male automating (X/80) for	eet from the location monument in a feet in a southerly
rection, together with feet on e	ach side of the center of the ledge for
e entire length of the claim.	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
The exterior boundaries of this claim are a wooden post not less than 4"x4"x4" monument signation. The description of such claim is:	clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Reginning at Corner No.1, the Northeast
rners thence.	Arr and other
South 750' to the east side center, a	4"x5' Prc PiPE , thence,
West . 600' to the southwest corner, a	4"x 5' PIE PIDE
North 750' to the west side center, a North 750' to the northwest corner, a	week for AT LEAST 40x4"x4/2"; thence,
East 600' to the northeast corner, a	Jux 5' PIC PDC the point
d place of beginning. The monumentation and warking of the corne June, 1985.	ers was completed by the day of
The location work consisted of making a c	laim was as provided to NRS 517.049. Two
opies of this claim map have been filed with the lode claim filing fee has been paid to the	the Eureka County Recorder, and
	Ex Devenips
LOCATORS	6 6
Dated 33 , 1985 -	David Trust
REGOÇOED AT REQUES	
BOUN 136 TAGE 9	
85 JUN 27 A 9:	27
EFF CIAL HECOMOS EURLIA LUL SI I. ACIA H. N. REBALELTI, NECO. FILE ho	ADA 4DER
FILE N 335 F. FIF 5 5.75	BOOK 36 PASE 449

	File No.
-	Filed for record at request of
99545	
CERTIFICATE OF LOCATION	at minutes past o'clock
	at minutes past o'clock of
	Official Records Page,
	County, Nevada.
	County Recorder
	. \
•	\ \
	\ \
THIS IS TO CERTIFY that the ICE #	/O lode mining claim
located by:	
·	Dave Ernst
Ed Devenyns	1000 Beck #254
690 E. Patriot #272	Dong Neveda
Reno, Nevada 89511	Reno, Nevada 89509
the 44 day of TUNE , 1985, ing District, Eureka County,	situated in the unknown
ing District, Fureka County,	State of Nevada.
NE/4 of Sec.	
Said claim is located in the SE/4 of Sec.	Twp. 65 North , Rge. 50 East
- NW/4 of Sec.	, Twp. 23 North , Age. 50 East
SW/4 of Sec.	<u>₹</u>
To tie this claim to the Public Survey. h	egin at the southeast corner of Secti
1 , Township 23 North , Range 49	. Hount Diablo Heridian, thenc
MST 2100'	
Corner No. 1, the northeast corner of this	
dge, lode or vein, extending	feet from the location monument in a feet in a southerly each side of the center of the ledge for
The exterior boundaries of this claim are	nts firmly set in the ground bearing applic
The exterior boundaries of this claim are wooden post not less than 4"x4"x44' monume signation. The description of such claim is	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast
The exterior boundaries of this claim are wooden post not less than 4"x4"x4"; monume signation. The description of such claim is mer; thence,	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe, thence
The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monume signation. The description of such claim is mer; thence, South 750' to the east side center, South 750' to the southeast corner,	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast 4 "x5' in length PVC pipe , thence 14 "x5' in length PVC pipe , thence
The exterior boundaries of this claim are wooden post not less than 4"x4"x4" monume signation. The description of such claim is mer; thence, South 750° to the east side center, South 750° to the southeast corner,	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe , thence a 4"x5' in length PVC pipe , thence a 4"x5' in length PVC pipe , thence
The exterior boundaries of this claim are wooden post not less than 4"x4"x44' monume signation. The description of such claim is rner; thence, South 750' to the east side center, South 750' to the southwest corner, West, 600' to the southwest corner,	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x4\forall monume signation. The description of such claim is mer; thence, South 750\forall to the east side center, South 750\forall to the southwest corner, West. 600\forall to the southwest corner, North 750\forall to the west side center,	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe , thence
The exterior boundaries of this claim are wooden post not less than 4"x4"x44' monume signation. The description of such claim is rner; thence, South 750' to the east side center, South 750' to the southwest corner, West, 600' to the southwest corner,	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe , thence
The exterior boundaries of this claim are wooden post not less than 4"x4"x4" monume signation. The description of such claim is mer; thence, South 750° to the east side center, South 750° to the southeast corner, West, 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner,	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x4" monume signation. The description of such claim is mer; thence, South 750° to the east side center, South 750° to the southeast corner, West, 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner,	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x44' monume signation. The description of such claim is reer; thence, South 750' to the east side center, South 750' to the southwest corner, West. 600' to the southwest corner, North 750' to the west side center, North 750' to the morthwest corner, East 600' to the northwest corner, ad place of beginning. The monumentation and marking of the corn June , 1985.	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applice: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x44' monume signation. The description of such claim is rner; thence, South 750' to the east side center, South 750' to the southwest corner, West. 600' to the southwest corner, North 750' to the west side center, North 750' to the morthwest corner, East 600' to the northwest corner, at place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a opies of this claim map have been filed with	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applice: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x44' monume signation. The description of such claim is rner; thence, South 750' to the east side center, South 750' to the southwest corner, West. 600' to the southwest corner, North 750' to the west side center, North 750' to the morthwest corner, East 600' to the northwest corner, at place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a opies of this claim map have been filed with	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applice: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x44' monume signation. The description of such claim is rner; thence, South 750' to the east side center, South 750' to the southwest corner, West. 600' to the southwest corner, North 750' to the west side center, North 750' to the morthwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a opies of this claim map have been filed with	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x44' monume signation. The description of such claim is reer; thence, South 750' to the east side center, West. 600' to the southwest corner, North 750' to the west side center, North 750' to the west side center, North 750' to the morthwest corner, East 600' to the northwest corner, at place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a opies of this claim map have been filed with	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x44' monume signation. The description of such claim is rner; thence, South 750' to the east side center, South 750' to the southwest corner, West. 600' to the southwest corner, North 750' to the west side center, North 750' to the morthwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a opies of this claim map have been filed with	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x44' monume signation. The description of such claim is rner; thence, South 750' to the east side center, South 750' to the southwest corner, West. 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, d place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a opies of this claim map have been filed with	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x4\" monume signation. The description of such claim is mer; thence, South 750° to the east side center, South 750° to the southwest corner, West. 600° to the southwest corner, North 750° to the west side center, North 750° to the morthwest corner, East 600° to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a spies of this claim map have been filed with	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x41 monume signation. The description of such claim is mer; thence, South 750 to the east side center, South 750 to the southeast corner, West 600 to the southwest corner, North 750 to the west side center, North 750 to the northwest corner, East 600 to the northwest corner, d place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a spies of this claim map have been filed with the lode claim filing fee has been paid to the	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x41' monume signation. The description of such claim is ree; thence, South 750' to the east side center, South 750' to the southwest corner, West. 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, d place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a opies of this claim map have been filed with the lode claim filing fee has been paid to the	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x41' monume signation. The description of such claim is rner; thence, South 750' to the east side center, South 750' to the southeast corner, West. 600' to the southwest corner, North 750' to the morthwest center, North 750' to the northwest center, North 750' to the northwest center, East 600' to the northeast corner, d place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x41' monume signation. The description of such claim is rner; thence, South 750' to the east side center, West. 600' to the southeast corner, North 750' to the west side center, North 750' to the morthwest corner, North 750' to the northwest corner, East 600' to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the location. LOCATORS LOCATORS	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x44' monume signation. The description of such claim is rner; thence, South 750' to the east side center, South 750' to the southeast corner, West. 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, deplace of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a sopies of this claim map have been filed with the lode claim filling fee has been paid to the LOCATORS LOCATORS Acted LOCATORS Acted LOCATORS	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x44' monume signation. The description of such claim is rner; thence, South 750' to the east side center, South 750' to the southeast corner, West. 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, deplace of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a sopies of this claim map have been filed with the lode claim filling fee has been paid to the LOCATORS LOCATORS Acted LOCATORS Acted LOCATORS	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x44' monume signation. The description of such claim is rner; thence, South 750' to the east side center, South 750' to the southeast corner, West. 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, deplace of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a sopies of this claim map have been filed with the lode claim filling fee has been paid to the LOCATORS LOCATORS Acted LOCATORS Acted LOCATORS	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x41' monume signation. The description of such claim is rner; thence, South 750' to the east side center, West. 600' to the southeast corner, North 750' to the west side center, North 750' to the morthwest corner, North 750' to the northwest corner, East 600' to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x44' monume signation. The description of such claim is rner; thence, South 750' to the east side center, South 750' to the southeast corner, West. 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, de place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a sopies of this claim map have been filed with the lode claim filling fee has been paid to the location work consisted of making a sopies of this claim map have been filed with the lode claim filling fee has been paid to the location work consisted of making a sopies of this claim map have been filed with the lode claim filling fee has been paid to the	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x41' monume signation. The description of such claim is reer; thence, South 750' to the east side center, South 750' to the southeast corner, West. 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, d place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the location work consisted of making a copies of this claim map have been filed with the location work consisted of making a copies of this claim map have been filed with the location work consisted of making a copies of this claim map have been filed with the location work consisted of making a copies of this claim map have been filed with the location work consisted of making a copies of this claim map have been filed with the location work consisted of making a copies of this claim map have been filed with the location work consisted of making a copies of this claim map have been filed with the location work consisted of making a copies of this claim map have been filed with the location work consisted of making a copies of this claim map have been filed with the location work consisted of making a copies of this claim map have been filed with the location work consisted of making a copies of this claim a copies of this claim a copies of	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x41' monume signation. The description of such claim is mer; thence, South 750' to the east side center, South 750' to the southeast corner, West, 600' to the southwest corner, North 750' to the northwest corner, North 750' to the northwest corner, East 600' to the northwest corner, d place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a spies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS LOCATORS	clearly marked by substantial 4"x5' PVC pints firmly set in the ground bearing applic: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe

BOOK 1 36 PAGE 4 5 0

	•
*	File No.
99546	Filed for record at request of
	at minutes past p'clock
CERTIFICATE OF LOCATION	m. and recorded in Book of
	Gestate Reports Rese
	Official Records Page County, Nevada.
	- Admiral Linesage.
	County Recorder
•	
THIS IS TO CERTIFY that the ICE 4	// lode mining claim
•	Dave Ernst
Ed Devenyns	1000 Beck #254
690 E. Patriot #272	Reno, Nevada 89509
Reno, Nevada 89511	
the 4H day of \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	thusbad in the unknown
the 7 day of VUIVE , 1985, 8	take of Navada
ing District, County, S	PERSON NETAMBA
note . A P	
NE/% of Sec. Said claim is located in the SE/4 of Sec.	Tun. 23 North Res. 50 East
Said claim is located in the St/4 of Sec.	Table Character and Table 1
" NW/4 of Sec.	/ / / \ \
SW/4 of Sec.	
To the this claim to the Public Survey, be	gin at the southeast corner of Section
1 Township 23 North , Range 49 E	ast , Hount Diablo Meridian, thence
FAST 1500' HHERE LERTH 1500'	
Corner No. 1, the northeast corner of this c	laim.
	\ \ \ \ \ \ \ /
We (or I) claim 1500 linear feet	elong the course of the mineral-hearing
	Albig cite con ac at the alici al-ocar and
daa lada am wain detanding /%/27/	FAST FROM THE LOCATION MODUMENT IN A
daa lada am wain detanding /%/27/	FAST FROM THE LOCATION MODUMENT IN A
daa lada ah wato detanding /5/27/	FART FROM THE LOCALION MODUMENT IN A
dge, lode or vein, extending /460 in mortherly direction and 20 rection, together with 300 feet on the entire length of the claim.	FART FROM THE LOCALION MODUMENT IN A
northerly direction and correction, together with 300 feet on the entire length of the claim.	feet from the location monument in a feet in a southerly each side of the center of the ledge for
dge, lode or vein, extending 1900 in northerly direction and 20 rection, together with 300 feet on the entire length of the claim.	sect from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe
rection, together with 300 feet on the exterior boundaries of this claim are	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe are firmly set in the ground bearing applicable
northerly direction and O feet on the exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumer signation. The description of such claim is:	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe its firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast
northerly direction and O feet on the exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumer signation. The description of such claim is:	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe its firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast
rection, together with 300 feet on a entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumer signation. The description of such claim is transfer, thence, South 750' to the east side center, 2	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe its firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast the second secon
rection, together with 300 feet on a entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumer signation. The description of such claim is transfer, thence, South 750' to the east side center, 2	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe its firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast the second secon
northerly direction and 20 rection, together with 300 feet on the exterior boundaries of this claim are wooden post not less than 4"x4"x4', monumer signation. The description of such claim is reserved to the cast side center, 2 South 750' to the east side center, 3 West, 600' to the southwest corner, 5	clearly marked by substantial 4"x5" PVC pipe of firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast of the set
rection, together with 300 feet on the exterior boundaries of this claim are wooden post not less than 4"x4"x4's' monumer signation. The description of such claim is recription.	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe its firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast thence, thence, thence, a 4"x5" FVC PIPE thence, thence, a 4000 poor Northeast 4"x4"x5"; thence,
rection, together with 300 feet on the exterior boundaries of this claim are wooden post not less than 4"x4"x4's' monumer signation. The description of such claim is recription.	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe its firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast thence, thence, thence, a 4"x5" FVC PIPE thence, thence, a 4000 poor Northeast 4"x4"x5"; thence,
northerly direction and correction, together with 300 feet on a entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x4; monumer signation. The description of such claim is reserved; thence, South 750° to the east side center, south 750° to the southwast corner, where the southwast corner, to the southwast corner, to the southwast corner, to the west side center, to the west side center, to the west side center, to the morthwast corner, to the northwast corner, the corner of the corner	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe its firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast is beginning at Corner No.1, the Northeast is thence, a fix 5" FVC FVC FVC ; thence, a fix 5" FVC FVC FVC ; thence, a fix 5" FVC FVC FVC FVC ; thence, a fix 5" FVC
rection, together with 300 feet on a entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x4; monumer signation. The description of such claim is recr; thence, South 750' to the east side center, a South 750' to the southeast corner, a West, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, East 600' to the northwest corner,	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe its firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast is sufficiently set in the ground bearing applicable Beginning at Corner No.1, the Northeast is sufficiently for the sufficient for the suffici
rection, together with 300 feet on a entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumer signation. The description of such claim is rectified. South 750' to the east side center, south 750' to the southwest corner, in west, 600' to the southwest corner, in North 750' to the morthwest corner, 500' to the northwest corner, 500' to	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe its firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast thence, thence, thence, a 4"x5" FVC PIPE thence, thence, a 4000 poor Northeast 4"x4"x5"; thence,
northerly direction and correction, together with 300 feet on a entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x4; monumer signation. The description of such claim is true; thence, South 750' to the east side center, a south 750' to the southwast corner, a west, 600' to the southwest corner, a North 750' to the west side center, a south 750' to the morthwest corner, a south 750' to the morthwest corner, a south 750' to the northwest corner, and the southwest corner and the southwest corner and the southwest corner.	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe its firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast is beginning at Corner No.1, the Northeast is thence, a fix 5" FVC FVC FVC ; thence, a fix 5" FVC FVC FVC ; thence, a fix 5" FVC FVC FVC FVC ; thence, a fix 5" FVC
northerly direction and correction, together with 300 feet on a entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x4; monumer signation. The description of such claim is referred. South 750' to the east side center, south 750' to the southwest corner, in North 750' to the west side center, in North 750' to the morthwest corner, in the southwest corner, in North 750' to the northwest corner, in the more side center, in the side center, in the more side center, in t	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe its firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast Beginning at Corner No.1, the Northeast is thence, a fix 5' FVC FVC FVC (thence, thence, a fix 5' FVC FVC FVC (thence, thence, a fix 5' FVC FVC FVC FVC (thence, thence, a fix 5' FVC FVC FVC FVC FVC (thence, thence, a fix 5' FVC FVC FVC FVC FVC FVC (thence, thence, thence
northerly direction and Corection, together with 300 feet on a entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x44; monumer signation. The description of such claim is rear; thence, South 750' to the east side center, a south 750' to the southwast corner, in North 750' to the southwast corner, in North 750' to the west side center, a north 750' to the northwast corner, in the seast side center, in the monumentation and marking of the corner, in the monumentation and marking of the corner, in 1985. The location work consisted of making a center of the corner of the corne	feet in asoutherly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe its firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast a 4"x5" FVC FVC
northerly direction and content of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumer signation. The description of such claim is rear; thence, South 750' to the east side center, a south 750' to the southwest corner, a west, 600' to the southwest corner, a north 750' to the morthwest corner, a content of the corner, and the the corner of the corner of this claim map have been filed with	feet in a
northerly direction and content of this claim are signation. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumer signation. The description of such claim is rear; thence, South 750' to the east side center, a south 750' to the southwest corner, a west, 600' to the southwest corner, a North 750' to the west side center, a north 750' to the northwest corner, a least 600' to the northwest corner, a least 600' to the northwest corner, a least 600' to the northwest corner, and place of beginning. The monumentation and marking of the corn June 1985.	feet in a
northerly direction and content of this claim are signation. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumer signation. The description of such claim is rear; thence, South 750' to the east side center, a south 750' to the southwest corner, a west, 600' to the southwest corner, a North 750' to the west side center, a north 750' to the northwest corner, a least 600' to the northwest corner, a least 600' to the northwest corner, a least 600' to the northwest corner, and place of beginning. The monumentation and marking of the corn June 1985.	feet in a
northerly direction and content of this claim are signation. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumer signation. The description of such claim is rear; thence, South 750' to the east side center, a south 750' to the southwest corner, a west, 600' to the southwest corner, a North 750' to the west side center, a north 750' to the northwest corner, a least 600' to the northwest corner, a least 600' to the northwest corner, a least 600' to the northwest corner, and place of beginning. The monumentation and marking of the corn June 1985.	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe into firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast is segmented by the series of the control of the series of the control of
northerly direction and content of this claim are signation. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumer signation. The description of such claim is rear; thence, South 750' to the east side center, a south 750' to the southwest corner, a west, 600' to the southwest corner, a North 750' to the west side center, a north 750' to the northwest corner, a least 600' to the northwest corner, a least 600' to the northwest corner, a least 600' to the northwest corner, and place of beginning. The monumentation and marking of the corn June 1985.	feet in a
northerly direction and 20 northerly direction and 20 e entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumer signation. The description of such claim is rear; thence, South 750' to the east side center, a south 750' to the southwest corner, a west, 600' to the southwest corner, a North 750' to the morthwest corner, a corner, a south 750' to the northwest corner, a last 600' to the northwest corner, and place of beginning. The monumentation and marking of the corn June 1985.	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe into firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast is segmented by the series of the control of the series of the control of
rection, together with 300 feet on a entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumer signation. The description of such claim is rectioned, South 750' to the east side center, South 750' to the southwest corner, Mest, 600' to the southwest corner, in North 750' to the west side center, North 750' to the northwest corner, and Description of beginning. The monumentation and marking of the corn June 1985.	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe into firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast is segmented by the service of the service o
rection, together with 300 feet on a entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x4; monumer signation. The description of such claim is made to the feet of the country; thence, South 750' to the east side center, a South 750' to the southwast corner, a West, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a base feet of the southwast corner, a seat 600' to the northwest corner, a place of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the locations.	feet in a
northerly direction and 20 rection, together with 300 feet on a entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x4; monumer signation. The description of such claim is mare; thence, South 750' to the east side center, a west, 600' to the southwest corner, a west, 600' to the west side center, a north 750' to the northwest corner, a last 500' to the northwest corner, and a last 500' to the northwest corner, a last 500' to the northwest corner, and a last 500' to the southwest corner, and a last 500' t	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe into firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast is segmented by the service of the service o
northerly direction and 20 northerly direction and 20 entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x4; monumer signation. The description of such claim is remer; thence, South 750' to the east side center, a south 750' to the southwest corner, in the control of the southwest corner, in the control of the southwest corner, in the control of the morthwest corner, in the control of the morthwest corner, in the monumentation and marking of the corner of the location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the located filling fee has been filling fee has been filling fee has located filling fee has been filling fee has located filling	feet in asoutherly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe hts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast A"x5" FVC FVC A T"x5" FVC FVC A T'x5" FV
dge, lode or vein, extending	feet in a
northerly direction and 20 rection, together with 300 feet on a entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x4; monumer signation. The description of such claim is rection. South 750' to the east side center, a south 750' to the southwest corner, in North 750' to the west side center, a North 750' to the morthwest corner, a least 600' to the northwest corner, and place of beginning. The monumentation and marking of the corner of this claim map have been filed with the lode claim filling fee has been paid to the location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the location.	feet in a
northerly direction and 20 rection, together with 300 feet on a entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x4; monumer signation. The description of such claim is rection. South 750' to the east side center, a south 750' to the southwest corner, in North 750' to the west side center, a North 750' to the morthwest corner, a least 600' to the northwest corner, and place of beginning. The monumentation and marking of the corner of this claim map have been filed with the lode claim filling fee has been paid to the location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the location.	feet in asoutherly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe hts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast A"x5" FVC FVC A T"x5" FVC FVC A T'x5" FV
northerly direction and 20 northerly direction and 20 entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x4; monumer signation. The description of such claim is remer; thence, South 750' to the east side center, a south 750' to the southwest corner, in the control of the southwest corner, in the control of the southwest corner, in the control of the morthwest corner, in the control of the morthwest corner, in the monumentation and marking of the corner of the location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the located filling fee has been filling fee has been filling fee has located filling fee has been filling fee has located filling	feet in asoutherly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe hts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast A"x5" FVC FVC
northerly direction and 20 rection, together with 300 feet on a entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x4; monumer signation. The description of such claim is rection. South 750' to the east side center, a south 750' to the southwest corner, west, 600' to the southwest corner, a North 750' to the morthwest corner, a last 600' to the northwest corner, and place of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the southwest corner, and the lode claim filing fee has been paid to the location.	feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe has firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast A"X5" FVC FVC A T'X5" FV
northerly direction and 20 rection, together with 300 feet on a entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x4; monumer signation. The description of such claim is rear; thence, South 750' to the east side center, a south 750' to the southwest corner, in west, 600' to the southwest corner, in North 750' to the morthwest corner, in North 750' to the northwest corner, in the seast 500' to the northwest corner, in 1985. The monumentation and marking of the corner of this claim map have been filed with the lode claim filling fee has been paid to the location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the location.	feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" FVC pipe has firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast A"X5" FVC FVC A T'X5" FV

BOOK 1 36 PAGE 451

	File No.
99547	filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock m. and recorded in Book of Official Records Page
	Official Records Page County, Hevada.
	County Recorder
	\ \
THIS IS TO CERTIFY that the ICH was located by:	lode mining claim
Ed DeVenyns	Dave Ernst
690 E. Patriot #272	1000 Beck 4254
Reno, Nevada 89511	Reno, Nevada 89509
on the full day of Quee 19	85, situated in the unknown
Mining District, Eureka Count	ty, State of Nevada.
NE/4 of	Sen
Said claim is located in the SE/4 of	Sec North Rge. East
'- NW/4 of . SW/4 of .	Sec. 7
1 . Township 23 North , Range	y, begin at the southeast corner of Section 49 East , Mount Diablo Meridian, thence
to Corner No. I, the northeast corner of the	us claim.
	feet along the course of the mineral-bearing
20	Fact from the location monument in a
the entire length of the claim.	on each side of the center of the ledge for
	are clearly marked by substantial 4"x5' PVC pipe
or wooden post not less than 4"x4"x45' mo	numents firmly set in the ground bearing applicable
designation. The description of such that	W 121 Sediminal as and
Corner; thence,	er, a 4"x5" in length PVC pipe , thence,
- book as a contract corn	of a divinity line length is to prove
West, 600' to the southwest corn North 750' to the west side cent	thence,
The second secon	or A 4"Y5 IR length fie Pipe
East 600 to the northeast corn	der, a 4 K5. Ill Teligiti 112 Pape
and place of beginning.	corners was completed by the 7th day of
The monumentation and marking of the June , 1985.	corners was completed by the day of
The location work consisted of making	g a claim map as provided in NRS 517.040. Two with the Eureka County Recorder, and
copies of this claim map have been filed the lode claim filing fee has been paid t	
	Ext Sevenyos
LOCATORS	Kland Carlo
Dated (June 23 , 1985	www.
	HIP49 A4
RECORDED AT REQ EA Deven	UEST OF
BOOK_/36_FAC	457
85 Jun 27 A 9	
φουφικ ΖΣΕ ΑΚ ζ	7 • 6 [

BOOK 1 36 PAGE 4 5 2

	•
	File No.
	Filed for record at request of
99548	
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of
	Official Records Page
	County Recorder
	\ \
THIS IS TO CERTIFY that the	3 lode mining claim
located by:	\ \
Ed Devenyns	Dave Ernst
690 E. Patriot 1272	1000 Beck #254 Reno, Nevada 89509
Reno, Nevada 89511	Reno, 16484 89509
he Hay of Tune 1985, est	uated in the unknown
ng District, Eureka County, Sta	ite of Nevada.
NE/4 of Sec.	
NE/4 of Sec	Twp. 23 North Rge. East
- NW/4 of Sec. SW/4 of Sec.	<u>/-</u> / \ \ \
·	
To tie this claim to the Public Survey, beg	in at the southeast corner of Section to Hount Diablo Heridian, thence
AST 900 FREEL WORTH 1500	1,104,10
corner No. 1, the northeast corner of this cla	
We (or I) claim 1500 linear feet a	long the course of the mineral-bearing
1-4	AT FRAM THA LARGETION MONUMENT IS A
northerly direction and 20 rection, together with 300 feet on ea	ch side of the center of the ledge for
entire length of the claim.	
	learly marked by substantial 4"x5" PVC pipe
ignation. The description of such Claim 13;	Dedrighting by corner man-1
ner; thence, South 750' to the east side center, a	ACOD COST PT LEAST 4"x4"x4" thence,
South 750° to the southeast corner, a	thence,
West, 500° to the southwest corner, a North 750° to the west side center, a	44x5' P/C P/C ; thence,
North 750 to the northwest corner, a	VIXS PRE PAR
East 600' to the northeast corner, a	MODE POST NT CONST T
place of beginning. The monumentation and marking of the corner	re was completed by the TH day of
June 1985.	
	ote man as appartised in NRS 517.040. Two
The location work consisted of making a clupies of this claim map have been filed with t	he Eureka County Recorder, and
e lode claim filing fee has been paid to the	County Recorder.
	•
	Ed Downers
	Ed Severyps
LOCATORS	(i) C 1
ated June 33 , 1985	Wave Yearst
ited <u>fune 33</u> , 1985	
RECENCED AT REQUES	re
RECONCED AT REQUEST	Ur S
1200 136 FALL 4	∑ }
କିଲିଟ୍ଟମ 27 ଲ ଗ୍: 2	7
	•
ECRET & CENTRAL	
นี้ มีนี้ได้ คนั้น นี้หน้าได้ คนั้นไม้ หัวเหมือนเก่า 18 มาตัวกับ	4
105 10	800K 36 FASE 453
· · · · · · · · · · · · · · · · · · ·	

South 750' to the southeast corner, a 4"x5' in length PVC pipe West. 600' to the southwest corner, a 4"x5' in length PVC pipe West. 500' to the west side center, a 4"x5' in length PVC pipe	clock of a
THIS IS TO CERTIFY that the	corder East Caring
THIS IS TO CERTIFY that the	corder East Caring
THIS IS TO CERTIFY that the	corder East Caring
County React Bay of Fatriot \$272 Reno, Nevada \$9511 The day of Tank County, State of Nevada \$9509 The day of Tank County, State of React NE/A of Sec. Said claim is located in the SE/A of Sec. NW/A of Sec. Sw/A of Sec. To tie this claim to the Public Survey, begin at the Southeast Corner Rownship 23 North Range 49 East Rounty React To tie this claim to the Public Survey, begin at the Southeast Corner Rownship 23 North Range 49 East Rounty React To tie this claim to the Public Survey, begin at the Southeast Corner Rownship 23 North Range 49 East Rounty React To tie this claim to the Public Survey, begin at the Southeast Corner Rownship 23 North Range 49 East Rounty React Township 23 North React Survey, begin at the Southeast Corner Rownship 25 North Range 49 East Rounty React Rounty React	2 East of Section, there
County Re Dave Ernst 1000 Beck \$254 Reno, Nevada 89511 Reno, Nevada 89511 Reno, Nevada 89509 And A of Sec. NE/A of Sec. N	East of Section, then
THIS IS TO CERTIFY that the ICE \$ // look mining clocated by: Ed Devenyns 690 E. Patriot \$272	2 East of Section, then
THIS IS TO CERTIFY that the ICE \$ /4 lode mining ocated by: Ed Devenyns 690 E. Patriot \$272 Reno, Nevada 89511 Hay of Tank County, State of Nevada 89509 NE/A of Sec. Sulfaction is located in the SE/A of Sec. Nevada Reno, Ne	2 East of Section, then
Ed Devenyns 690 E. Patriot \$272 Reno, Nevada 89511 Me	2 East of Section, then
Ed Devenyns 690 E. Patriot \$272 Reno, Nevada 89511 Me	2 East of Section, then
Ed Devenyns 690 E. Patriot #272 Reno, Nevada 89511 The day of Tawk	2 East of Section, then
Ed Devenyns 690 E. Patriot #272 Reno, Nevada 89511 The day of Tawk	of Sect
Reno, Nevada 89511 May of Tank County, State of Nevada 89509 NE/A of Sec. Said claim is located in the SE/A of Sec. NN/A of Sec. To tie this claim to the Public Survey, begin at the southeast corner, township 23 North , Range 49 East , Hount Diablo Meridia for the corner of this claim. Ne (or I) claim 1500 linear feet along the course of the mineral-burst, extending feet from the location monument in northerly direction and feet in a southerly section, together with 300 feet on each side of the center of the ledjentire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4-xi rooden post not less than 4-x4-x4-y monuments firmly set in the ground bearing there, a south 750 to the southeast corner, a 4-x5 in length PVC pipe South 750 to the southeast corner, a 4-x5 in length PVC pipe west side center, a 4-x5 in length PVC pipe	of Sect
Reno, Nevada 89511 The day of Tunce 1985, situated in the unknown 1985, south situated in the southeast corner of Sec. 1985, situated in the unknown 1985, south	of Sect
Reno, Nevada 89511 Table 1 1985, situated in the unknown County, State of Nevada. NE/A of Sec. Said claim is located in the SE/A of Sec. NW/4 of Sec. SW/A of Sec. To tie this claim to the Public Survey, begin at the southeast corner No. 1, the northeast corner of this claim. NE (or I) claim 1500 linear feet along the course of the mineral-beg, lode or vein, extending feet from the location monument in northerly direction and feet in a southerly entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x3" concerpose not less than 4"x4"x44," monuments firmly set in the ground bearing according to the claim is: Beginning at Corner No.1, the No. 1, the northeast corner, a 4"x5" in length PVC pipe South 750° to the southeast corner, a 4"x5" in length PVC pipe Nest. 600° to the southwest corner, a 4"x5" in length PVC pipe	of Sect
ne day of Tunce, 1985, situated in the unknown County, State of Nevada. NE/A of Sec. Said claim is located in the SE/A of Sec. NW/A of Sec. SW/A of Sec. To tie this claim to the Public Survey, begin at the southeast corner, Township 23 North, Range 49 East, Mount Diablo Meridia orner No. 1, the northeast corner of this claim. We (or I) claim 1500 linear feet along the course of the mineral-begin location, extending feet from the location monument in northerly direction and feet in a southerly entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x3" concerns the northerly set in the ground bearing and the course of the ledgentian. The description of such claim is: Beginning at Corner No.1, the Northerly thence, South 750' to the east side center, a 4"x5' in length PVC pipe Nest. 600' to the southwest corner, a 4"x5' in length PVC pipe Nest. 600' to the southwest corner, a 4"x5' in length PVC pipe	of Sect
NE/A of Sec. Said claim is located in the SE/A of Sec. NW/4 of Sec. To tie this claim to the Public Survey, begin at the southeast corner, foundable Meridia NE/A of Sec. To tie this claim to the Public Survey, begin at the southeast corner Noundaries of this claim. NE/A of Sec. NW/4 of S	of Sect
NE/A of Sec. Said claim is located in the SE/A of Sec. NW/4 of Sec. To tie this claim to the Public Survey, begin at the southeast corner, foundable Meridia NE/A of Sec. To tie this claim to the Public Survey, begin at the southeast corner Noundaries of this claim. NE/A of Sec. NW/4 of S	of Sect
NE/A of Sec. Said claim is located in the SE/A of Sec. NW/4 of Sec. N	of Sect
To tie this claim to the Public Survey, begin at the southeast corner, Township 23 North, Range 49 East, Mount Diablo Meridia former No. 1, the northeast corner of this claim. We (or I) claim 1500 linear feet along the course of the mineral-bute, lode or vein, extending feet from the location monument in northerly direction and feet in a southerly ention, together with 300 feet on each side of the center of the ledgentire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x3" cooden post not less than 4"x4"x45" monuments firmly set in the ground bearing ation. The description of such claim is: Beginning at Corner No.1, the No. 18; thence, South 750" to the east side center, a 4"x5" in length PVC pipe South 750" to the southwest corner, a 4"x5" in length PVC pipe West. 600" to the southwest corner, a 4"x5" in length PVC pipe	of Sect
To tie this claim to the Public Survey, begin at the southeast corner, Township 23 North, Range 49 East, Hount Diablo Meridia former No. 1, the northeast corner of this claim. We (or I) claim 1500 linear feet along the course of the mineral-but feet from the location monument in northerly direction and feet in a southerly ection, together with 300 feet on each side of the center of the ledgentire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x3" south a 4"x4"x44," monuments firmly set in the ground bearing signation. The description of such claim is: Beginning at Corner No.1, the No. 1, thence, South 750° to the east side center, a 4"x5° in length PVC pipe South 750° to the southeast corner, a 4"x5° in length PVC pipe West. 600° to the southwest corner, a 4"x5° in length PVC pipe	of Sect
To tie this claim to the Public Survey, begin at the southeast corner, Township 23 North , Range 49 East , Hount Diablo Meridia for 900 orner No. 1, the northeast corner of this claim. We (or I) claim 1500 linear feet along the course of the mineral-begin lode or vein, extending feet from the location monument in northerly direction and feet in a southerly ection, together with 100 feet on each side of the center of the ledgentire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x3" souther post not less than 4"x4"x4\; monuments firmly set in the ground bearing thence, South 750° to the east side center, a 4"x5° in length PVC pipe South 750° to the southeast corner, a 4"x5° in length PVC pipe West. 600° to the southeast corner, a 4"x5° in length PVC pipe	aring
To tie this claim to the Public Survey, begin at the southeast corner, Township 23 North , Range 49 East , Hount Diablo Meridia (ST 900) Orner No. 1, the northeast corner of this claim. We (or I) claim 1500	aring
Now ship 23 North , Range 49 East , Hount Diable Feridae We (or I) claim 1500 linear feet along the course of the mineral-be ge, lode or vein, extending feet from the location monument in northerly direction and feet in a southerly ection, together with 300 feet on each side of the center of the led entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"xi rooden post not less than 4"x4"x45' monuments firmly set in the ground bearing ignation. The description of such claim is: Beginning at Corner No.1, the No. ser; thence, South 750' to the east side center, a 4"x5' in length PVC pipe South 750' to the southwest corner, a 4"x5' in length PVC pipe West. 600' to the southwest corner, a 4"x5' in length PVC pipe	aring
Now ship 23 North , Range 49 East , Hount Diable Feridae We (or I) claim 1500 linear feet along the course of the mineral-be ge, lode or vein, extending feet from the location monument in northerly direction and feet in a southerly ection, together with 300 feet on each side of the center of the led entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"xi rooden post not less than 4"x4"x45' monuments firmly set in the ground bearing ignation. The description of such claim is: Beginning at Corner No.1, the No. ser; thence, South 750' to the east side center, a 4"x5' in length PVC pipe South 750' to the southwest corner, a 4"x5' in length PVC pipe West. 600' to the southwest corner, a 4"x5' in length PVC pipe	aring
We (or I) claim 1500 linear feet along the course of the mineral-by, lode or vein, extending feet from the location monument in northerly direction and feet in a southerly ection, together with 300 feet on each side of the center of the ledgentire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x cooden post not less than 4"x4"x4", monuments firmly set in the ground bearing ation. The description of such claim is: Beginning at Corner No.1, the No. 1, thence, South 750° to the east side center, a 4"x5° in length PVC pipe South 750° to the southwest corner, a 4"x5° in length PVC pipe West. 600° to the southwest corner, a 4"x5° in length PVC pipe	aring
We (or I) claim 1500 linear feet along the course of the mineral-beg, lode or vein, extending feet from the location monument in northerly direction and feet in a southerly ection, together with 300 feet on each side of the center of the ledge entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x3 rooden post not less than 4"x4"x45' monuments firmly set in the ground bearing attain. The description of such claim is: Beginning at Corner No.1, the No. 1, thence, South 750' to the east side center, a 4"x5' in length PVC pipe South 750' to the southwest corner, a 4"x5' in length PVC pipe West, 600' to the southwest corner, a 4"x5' in length PVC pipe	aring
linear feet along the course of the mineral-begg, lode or vein, extending feet from the location monument in northerly direction and feet in a southerly ection, together with 300 feet on each side of the center of the ledge entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x000 coden post not less than 4"x4"x4", monuments firmly set in the ground bearing enation. The description of such claim is: Beginning at Corner No.1, the No. 100 courses; thence, South 750° to the east side center, a 4"x5° in length PVC pipe South 750° to the southeast corner, a 4"x5° in length PVC pipe West. 600° to the southwest corner, a 4"x5° in length PVC pipe	aring
the exterior boundaries of this claim are clearly marked by substantial 4"x5" in length PVC pipe South 750' to the southeast corner, a 4"x5' in length PVC pipe West. 600' to the southwest corner, a 4"x5' in length PVC pipe West. 600' to the southwest corner, a 4"x5' in length PVC pipe West. 600' to the southwest corner, a 4"x5' in length PVC pipe	aring
entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x3" monuments firmly set in the ground bearing at corner no.1, the No.1, the No.1, thence, South 750° to the east side center, a 4"x5° in length PVC pipe South 750° to the southeast corner, a 4"x5° in length PVC pipe West. 600° to the southwest corner, a 4"x5° in length PVC pipe West. 500° to the west side center, a 4"x5° in length PVC pipe	a
entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x3" monuments firmly set in the ground bearing at corner no.1, the No.1, the No.1, thence, South 750° to the east side center, a 4"x5° in length PVC pipe South 750° to the southeast corner, a 4"x5° in length PVC pipe West. 600° to the southwest corner, a 4"x5° in length PVC pipe West. 500° to the west side center, a 4"x5° in length PVC pipe	-
The exterior boundaries of this claim are clearly marked by substantial 4"x3" rooden post not less than 4"x4"x41' monuments firmly set in the ground bearing ignation. The description of such claim is: Beginning at Corner No.1, the No. 10 to the east side center, a 4"x5' in length PVC pipe South 750' to the southeast corner, a 4"x5' in length PVC pipe West. 600' to the southwest corner, a 4"x5' in length PVC pipe West. 500' to the west side center, a 4"x5' in length PVC pipe	e for
The exterior boundaries of this claim are clearly marked by substantial 4"xi" rooden post not less than 4"x4"x4" monuments firmly set in the ground bearing in the description of such claim is: Beginning at Corner No.1, the Notes: thence, South 750° to the east side center, a 4"x5° in length PVC pipe South 750° to the southeast corner, a 4"x5° in length PVC pipe West. 600° to the southwest corner, a 4"x5° in length PVC pipe	,
rooden post not less than 4"x4" monuments firmly set in the grantion. The description of such claim is: Beginning at Corner No.1, the Noter; thence, South 750° to the east side center, a 4"x5° in length PVC pipe South 750° to the southeast corner, a 4"x5° in length PVC pipe West. 600° to the southwest corner, a 4"x5° in length PVC pipe	· · ·
rooden post not less than 4"x4" monuments firmly set in the grantion. The description of such claim is: Beginning at Corner No.1, the Noter; thence, South 750° to the east side center, a 4"x5° in length PVC pipe South 750° to the southeast corner, a 4"x5° in length PVC pipe West. 600° to the southwest corner, a 4"x5° in length PVC pipe	a annii
south 750' to the east side center, a 4"x5' in length PVC pipe South 750' to the southeast corner, a 4"x5' in length PVC pipe West. 600' to the southwest corner, a 4"x5' in length PVC pipe West. 600' to the southwest corner, a 4"x5' in length PVC pipe	
South 750° to the east side center, a 4"x5° in length PVC pipe South 750° to the southeast corner, a 4"x5° in length PVC pipe West. 600° to the southwest corner, a 4"x5° in length PVC pipe West. 500° to the west side center, a 4"x5° in length PVC pipe	
South 750' to the southeast corner, a 4"x5' in length PVC pipe West. 600' to the southwest corner, a 4"x5' in length PVC pipe West. 500' to the west side center, a 4"x5' in length PVC pipe	_; ther
West. 600' to the southwest corner, a 4 x3 in length PVC pipe	; ther
The state of the west side center, a 4 x3 in length to pro-	, the
	, the
North 730 to the parthuest corner, a 4"x5" in length PVC pipe	; the
East 600' to the northeast corner, a 4"x5' in length PVC pipe	_; the
place of beginning.	
The monumentation and marking of the corners was completed by the	day of
June 1985.	
, 1703.	
The location work consisted of making a claim map as provided in NRS 517.04	O. Two
ples of this claim map have been filed with the Eureka County Recorde	r, and
lode claim filing fee has been paid to the County Recorder.	
, ., ., ., ., ., ., ., ., ., ., ., ., .,	
Go Smenero	
LOCATORS LOCATORS	•
LOCATORS	
Pine 23 1085 WING WAY	
ted June 33 , 1985	-
RECORDED AT REQUEST OF	-
Ford Dollan and C	-
Ed Devenynt	-
	-
	-
	-

CEFIC AL FEC. FDS. ELIZERA LEC II T. VENDA KIL REBALEATH FECUALEN THE NO. 99549 FF F. 5.75

BOOK 1 36 PAGE 4 5 4

-	File No.
99550	
•	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of
	Official Records Page
	County, Nevada.
	County Recorder
•	\ \
·	\ \ \
THIS IS TO CERTIFY that the ICE \$	/5 lode mining claim
located by:	
	Dave Ernst
Ed Devenyos 690 E. Patriot #272	1000 Beck #254
	Reno, Nevada 89509
Reno, Nevada 89511	
the 4 day of TUNE, 1985,	eddunded in the unknown
the T day of YEAR TOWNER 1985, 1	State of Navada
ing District, Eureka County,	State of unique.
unth 4.4	
NE/4 of Sec.	Tun 23 North Bea 49 East
Said claim is located in the SE/4 of Sec.	
NV/4 of Sec.	Tup 23 Abern, Age. 50 EAST
SW/4 of Sec.	6 Tup 23 section, one se con
To tie this claim to the Public Survey, b	egin at the southeast corner of Section
To the this claim to the Public Survey, o	East , Hount Diablo Meridian, thence
I Township 23 North Range 49 I	, Indice page 12.12.12.11, vienes
Corner No. 1, the northeast corner of this c	craim.
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
ge, lode or vein, extending 1480 northerly direction and 20	feet from the location monument in a
eartherly direction and 20	feet in a southerly
ection, together with 300 feet on	each side of the center of the ledge for
	Early Olde of Alle Courses as any stable se-
	Sacri ofge of the course of any seeks to.
e entire length of the claim.	
entire length of the claim.	clearly marked by substantial 4*x5° PVC pipe
the exterior boundaries of this claim are	clearly marked by substantial 4"x5° PVC pipe
the exterior boundaries of this claim are	clearly marked by substantial 4"x5° PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x4' monume signation. The description of such claim is	clearly marked by substantial 4"x5° PVC pipe ints firmly set in the ground bearing applicabl Beginning at Corner No.1, the Northeast
The exterior boundaries of this claim are wooden post not less than 4"x4"x4\footnote{1}' monume signation. The description of such claim is	clearly marked by substantial 4"x5° PVC pipe ints firmly set in the ground bearing applicabl Beginning at Corner No.1, the Northeast
The exterior boundaries of this claim are wooden post not less than 4"x4"x44' monume signation. The description of such claim is mer; thence,	clearly marked by substantial 4"x5° PVC pipe ints firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast a 4"x 5 PVC PUC, thence,
The exterior boundaries of this claim are wooden post not less than 4"x4"x4"; monume ignation. The description of such claim is mer; thence, South 750' to the east side center, South 750' to the southeast corner,	clearly marked by substantial 4"x5° PVC pipe ints firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC pipe in thence, thence, thence,
The exterior boundaries of this claim are wooden post not less than 4"x4"x4"; monume ignation. The description of such claim is mer; thence, South 750' to the east side center, South 750' to the southeast corner,	clearly marked by substantial 4"x5° PVC pipe ints firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC pipe interest in the set
the exterior boundaries of this claim are wooden post not less than 4*x4*x45 monume ignation. The description of such claim is ner; thence, South 750' to the east side center, South 750' to the southeast corner, West, 600' to the southwest corner,	clearly marked by substantial 4"x5° PVC pipe ints firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PIPE , thence, thence, a 4"x 5" PVC PIPE , thence, thence,
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume rignation. The description of such claim is mer; thence, South 750' to the east side center, South 750' to the southeast corner, West, 600' to the southeast corner, North 750' to the west side center,	clearly marked by substantial 4"x5° PVC pipe into firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PRE , thence,
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume signation. The description of such claim is mer; thence, South 750' to the east side center, North 750' to the southeast corner, North 750' to the west side center, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner,	clearly marked by substantial 4"x5" PVC pipe into firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC
me exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume ignation. The description of such claim is ner; thence, South 750' to the east side center, North 750' to the southeast corner, North 750' to the west side center, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner,	clearly marked by substantial 4"x5" PVC pipe into firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC
The exterior boundaries of this claim are wooden post not less than 4"x4"x4"; monume ignation. The description of such claim is ner; thence, South 750' to the east side center, South 750' to the southeast corner, North 750' to the southeast corner, North 750' to the west side center, North 750' to the northwest corner, Fast 600' to the northwest corner, place of beginning. The monumentation and marking of the corn	clearly marked by substantial 4"x5" PVC pipe into firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC
metire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x4"; monume ignation. The description of such claim is ner; thence, South 750' to the east side center, South 750' to the southeast corner, West , 600' to the west side center, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northeast corner,	clearly marked by substantial 4"x5" PVC pipe into firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC
The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monume signation. The description of such claim is mer; thence, South 750' to the east side center, North 750' to the southeast corner, North 750' to the west side center, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985.	clearly marked by substantial 4"x5" PVC pipe ints firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume ignation. The description of such claim is ner; thence, South 750' to the southeast corner, North 750' to the southwest corner, North 750' to the west side center, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the cert June , 1985.	clearly marked by substantial 4"x5° PVC pipe into firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PIPE , thence, a 4"x 5" PVC PIPE , the point ners was completed by the 4 day of claim map as provided in MRS 517.040. Two
The exterior boundaries of this claim are wooden post not less than 4"x4"x4\(\) monume ignation. The description of such claim is ner; thence, South 750' to the east side center, South 750' to the southeast corner, North 750' to the southeast corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the cert June , 1985. The location work consisted of making a ples of this claim map have been filed with	clearly marked by substantial 4"x5° PVC pipe into firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC pipe thence, thence, a 4"x 5" PVC pipe the day of claim map as provided in MRS 517.040. Two the Eureka County Recorder, and
The exterior boundaries of this claim are wooden post not less than 4"x4"x4\(\) monume ignation. The description of such claim is ner; thence, South 750' to the east side center, South 750' to the southeast corner, North 750' to the west side center, North 750' to the west side center, North 750' to the northwest corner, Fast 600' to the northwest corner, place of beginning. The monumentation and marking of the cert June , 1985. The location work consisted of making a ples of this claim map have been filed with	clearly marked by substantial 4"x5° PVC pipe into firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC pipe thence, thence, a 4"x 5" PVC pipe the day of claim map as provided in MRS 517.040. Two the Eureka County Recorder, and
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume ignation. The description of such claim is ner; thence, South 750' to the east side center, South 750' to the southeast corner, North 750' to the southeast corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the cert June , 1985. The location work consisted of making a cories of this claim map have been filed with	clearly marked by substantial 4"x5° PVC pipe into firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC pipe thence, thence, a 4"x 5" PVC pipe the day of claim map as provided in MRS 517.040. Two the Eureka County Recorder, and
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume ignation. The description of such claim is ner; thence, South 750' to the east side center, South 750' to the southeast corner, North 750' to the southeast corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the cert June , 1985. The location work consisted of making a cories of this claim map have been filed with	clearly marked by substantial 4"x5° PVC pipe into firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC pipe thence, thence, a 4"x 5" PVC pipe the day of claim map as provided in MRS 517.040. Two the Eureka County Recorder, and
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume ignation. The description of such claim is ner; thence, South 750' to the east side center, South 750' to the southeast corner, North 750' to the southeast corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the cert June , 1985. The location work consisted of making a cories of this claim map have been filed with	clearly marked by substantial 4"x5° PVC pipe into firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC pipe thence, thence, a 4"x 5" PVC pipe the day of claim map as provided in MRS 517.040. Two the Eureka County Recorder, and
The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monume rignation. The description of such claim is mer; thence, South 750' to the southeast corner, North 750' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, The monumentation and marking of the corn June , 1985. The location work consisted of making a cories of this claim map have been filed with	clearly marked by substantial 4"x5° PVC pipe into firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC pipe thence, thence, a 4"x 5" PVC pipe the day of claim map as provided in MRS 517.040. Two the Eureka County Recorder, and
The exterior boundaries of this claim are wooden post not less than 4"x4"x4; monume signation. The description of such claim is mer; thence, South 750' to the southeast corner, North 750' to the southeast corner, North 750' to the west side center, North 750' to the west side center, North 750' to the morthwest corner, East 600' to the northwest corner, The monumentation and marking of the cert June , 1985. The location work consisted of making a opies of this claim map have been filed with the lode claim filing fee has been paid to the	clearly marked by substantial 4"x5° PVC pipe into firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC pipe thence, thence, a 4"x 5" PVC pipe the day of claim map as provided in MRS 517.040. Two the Eureka County Recorder, and
The exterior boundaries of this claim are wooden post not less than 4"x4"x4"; monume signation. The description of such claim is mer; thence, South 750' to the southeast corner, North 750' to the southeast corner, North 750' to the west side center, North 750' to the morthwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corner of this claim map have been filed with	clearly marked by substantial 4"x5° PVC pipe into firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC pipe thence, thence, a 4"x 5" PVC pipe the day of claim map as provided in MRS 517.040. Two the Eureka County Recorder, and
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume ignation. The description of such claim is ner; thence, South 750' to the east side center, South 750' to the southeast corner, West , 600' to the southwest corner, North 750' to the morthwest corner, North 750' to the northwest corner, Fast 600' to the northwest corner, a place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a ples of this claim map have been filed with a lode claim filing fee has been paid to the	clearly marked by substantial 4"x5° PVC pipe into firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC pipe thence, thence, a 4"x 5" PVC pipe the day of claim map as provided in MRS 517.040. Two the Eureka County Recorder, and
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume ignation. The description of such claim is ner; thence, South 750' to the east side center, South 750' to the southeast corner, West , 600' to the southwest corner, North 750' to the morthwest corner, North 750' to the northwest corner, Fast 600' to the northwest corner, a place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a ples of this claim map have been filed with a lode claim filing fee has been paid to the	clearly marked by substantial 4"x5° PVC pipe into firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC pipe thence, thence, a 4"x 5" PVC pipe the day of claim map as provided in MRS 517.040. Two the Eureka County Recorder, and
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume ignation. The description of such claim is ner; thence, South 750' to the east side center, North 750' to the southeast corner, North 750' to the west side center, North 750' to the morthwest corner, East 600' to the northwest corner, Fast 600' to the northwest corner, in place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a ples of this claim map have been filed with the lode claim filing fee has been paid to the location work consisted of making a ples of this claim map have been paid to the lode claim filing fee has been paid to the location work consisted of making a ples of this claim map have been filed with the lode claim filing fee has been paid to the location work consisted of making a ples of this claim map have been filed with the lode claim filing fee has been paid to the location work consisted of making a ples of this claim map have been filed with the lode claim filing fee has been paid to the location.	clearly marked by substantial 4"x5" PVC pipe ints firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC 1, thence, thence, a 4"x 5" PVC PVC PVC 1, thence, a 4"x 5" PVC PVC 1, th
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume ignation. The description of such claim is ner; thence, South 750' to the east side center, South 750' to the southeast corner, West , 600' to the southwest corner, North 750' to the morthwest corner, North 750' to the northwest corner, Fast 600' to the northwest corner, a place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a ples of this claim map have been filed with a lode claim filing fee has been paid to the	clearly marked by substantial 4"x5" PVC pipe ints firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC 1, thence, thence, a 4"x 5" PVC PVC PVC 1, thence, a 4"x 5" PVC PVC 1, th
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume ignation. The description of such claim is mer; thence, South 750' to the east side center, North 750' to the southeast corner, North 750' to the west side center, North 750' to the morthwest corner, East 600' to the northwest corner, Fast 600' to the northwest corner, I place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a ples of this claim map have been filed with the lode claim filing fee has been paid to the location.	clearly marked by substantial 4"x5" PVC pipe ints firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC 1, thence, thence, a 4"x 5" PVC PVC PVC 1, thence, a 4"x 5" PVC PVC 1, th
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume signation. The description of such claim is mer; thence, South 750' to the east side center, North 750' to the southeast corner, North 750' to the west side center, North 750' to the morthwest corner, East 600' to the northwest corner, Fast 600' to the northwest corner, at place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a spies of this claim map have been filed with the lode claim filing fee has been paid to the location. LOCATORS LOCATORS	clearly marked by substantial 4"x5" PVC pipe ints firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC 1, thence, thence, a 4"x 5" PVC PVC PVC 1, thence, a 4"x 5" PVC PVC 1, th
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume signation. The description of such claim is mer; thence, South 750' to the east side center, North 750' to the southeast corner, North 750' to the west side center, North 750' to the morthwest corner, East 600' to the northwest corner, East 600' to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a spies of this claim map have been filed with the lode claim filing fee has been paid to the location work consisted of making a spies of this claim map have been paid to the location work consisted of making a spies of this claim map have been paid to the location work consisted of making a spies of this claim filing fee has been paid to the location work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this claim map have been paid to the location work consisted of making a spies of this claim map have been paid to the location.	clearly marked by substantial 4"x5" PVC pipe ints firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC 1, thence, thence, a 4"x 5" PVC PVC PVC 1, thence, a 4"x 5" PVC PVC 1, th
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume signation. The description of such claim is mer; thence, South 750' to the east side center, North 750' to the southeast corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, East 600' to the northwest corner, The monumentation and marking of the corn June , 1985. The location work consisted of making a spies of this claim map have been filed with the lode claim filing fee has been paid to the southwest corner, LOCATORS According Africa Southwest corner, 1985. **RECEPCIO AFREG.** **Extending Africa Southwest corner and marking of the corner and marking a	clearly marked by substantial 4"x5" PVC pipe ints firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume signation. The description of such claim is mer; thence, South 750' to the east side center, North 750' to the southeast corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, Fast 600' to the northwest corner, at place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a spies of this claim map have been filed with the lode claim filing fee has been paid to the state of the corner of the c	clearly marked by substantial 4"x5" PVC pipe ints firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume signation. The description of such claim is mer; thence, South 750' to the east side center, North 750' to the southeast corner, North 750' to the west side center, North 750' to the morthwest corner, East 600' to the northwest corner, East 600' to the northwest corner, A place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this claim map have been paid to the LOCATORS LOCATORS	clearly marked by substantial 4"x5" PVC pipe ints firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume signation. The description of such claim is mer; thence, South 750' to the east side center, North 750' to the southeast corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, East 600' to the northwest corner, The monumentation and marking of the corn June , 1985. The location work consisted of making a spies of this claim map have been filed with the lode claim filing fee has been paid to the southwest corner, LOCATORS According Africa Southwest corner, 1985. **RECEPCIO AFREG.** **Extending Africa Southwest corner and marking of the corner and marking a	clearly marked by substantial 4"x5" PVC pipe ints firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume rignation. The description of such claim is mer; thence, South 750' to the east side center, South 750' to the southeast corner, North 750' to the west side center, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, at 600' to the northwest corner, The monumentation and marking of the cert June , 1985. The location work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this claim map have been paid to the selection work consisted of making a spies of this claim filing fee has been paid to the selection work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this claim filing fee has been paid to the selection work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this claim map have been filed with the location work consisted of making a spies of this c	clearly marked by substantial 4"x5" PVC pipe ints firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume ignation. The description of such claim is ner; thence, South 750' to the east side center, South 750' to the southeast corner, North 750' to the west side center, North 750' to the morthwest corner, North 750' to the northwest corner, East 600' to the northwest corner, in place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a ples of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS Accorded AFRED Ed Deyth 1880 35 JUN 27 A	clearly marked by substantial 4"x5" PVC pipe ints firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC
The exterior boundaries of this claim are wooden post not less than 4"x4"x4h' monume ignation. The description of such claim is ner; thence, South 750' to the east side center, South 750' to the southeast corner, North 750' to the west side center, North 750' to the morthwest corner, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a ples of this claim map have been filed with the lode claim filing fee has been paid to the southwest corner, LOCATORS Accorded Afred Ed Deven Book 131 1985	clearly marked by substantial 4"x5" PVC pipe ints firmly set in the ground bearing applicable. Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC 1, thence, thence, a 4"x 5" PVC PVC PVC 1, thence, a 4"x 5" PVC PVC 1, thence, thence, a 4"x 5" PVC PVC 1, thence, a 4"x 5" PVC PVC 1, thence, a 4"x 5" PVC PVC 1, thence, thence, thence, thence, a 4"x 5" PVC PVC 1, thence, thence, thence, thence, thence, a 4"x 5" PVC PVC 1, thence, thence, thence, a 4"x 5" PVC PVC 1, thence, thence, thence, a 4"x 5" PVC PVC 1, thence, thence, thence, a 4"x 5" PVC PVC 1, thence, thence, thence, a 4"x 5" PVC PVC 1, thence, thence, a 4"x 5" P
The exterior boundaries of this claim are wooden post not less than 4"x4"x41' monume signation. The description of such claim is mer; thence, South 750' to the east side center, North 750' to the southeast corner, North 750' to the west side center, North 750' to the morthwest corner, East 600' to the northwest corner, East 600' to the northwest corner, and place of beginning. The monumentation and marking of the cert June, 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the LOCATORS LOCATORS ACCURATORS ACCURATORS 35 JUN 27 A	clearly marked by substantial 4"x5" PVC pipersts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast a 4"x 5" PVC PVC piperstant of the Northeast a 4"x 5" PVC

	•	,	
•		File Ro.	
	99551	Filed for record at	request of
CERTIFICATE OF LOCATION		at minutes past	o'clock
		m. and recorded in Bo Official Records Page	
•			County Recorder
-	•		Doney necorder
	he ICE	1/2	mining claim
THIS IS TO CERTIFY that t is located by:	ne <u>ICE U</u>	1000	111111111111111111111111111111111111111
Ed Devenyns 690 E. Patriot 127	2	Dave Ernst 1000 Beck #254	\ \
Reno, Nevada 89511		Reno, Nevada 89509	
the Allay or Tune	, 19 85, 8	ituated in the unknown	
ning District, Eureka	County, S	tate of Nevada.	
Sold oleim (a located in	NE/4 of Sec.	/2, Twp. 23 North	Rge. 49 East
Owing Claim is located in	.NW/A of Sec.	1 Tup 23 NORTH.	Rge. 50 EMST
To tie this claim to the	SW/4 of Sec. Public Survey, be	gin at the southeast	corner of Section
1 , Township 23 North	, Range 49 E	ast Hount Diable	Meridian, thence
Corner No. 1, the northeast			
We (or I) claim1500	linear feet	along the course of the m	ineral-bearing
edge, lode or vein, extendin	and 7490	feet from the location mon feet in a sout	nerly
irection, together with	300 reer on	each side of the center of	the ledge for
the entire length of the clai			LA AFEE DUT NIDA
		clearly marked by substant old firmly set in the group	
or wooden post not less than lesignation. The description Corner: thence,	\	\ \	, thence,
South 750° to the e	outheast corner.		, thence,
time cool to the s	outhwest corner.	44 X 51 PVC DIDE.	thence,
North 750° to the W	orthwest corner,	WEGD 251 ATCHAT	स्याप्रडा ; thence,
East 600' to the r	northeast corner,	a 44x5 PIE PAR	the poin
and place of beginning. The monumentation and many many many many many many many many	arking of the corr	ers was completed by the	The day of
June 198	5.		
The location work consi	sted of making a	laim map as provided in N	RS 517.040. Two
copies of this claim map have the lode claim filing fee ha	e been filed with s been paid to the	County Recorder-	A tracer age & gran
\ \	/ /		•
	/ /	You Devenued	
0 0	TORS	Nous Timel	
Dated June 23	_, 1985	value vous	
	rcorses at reque	T OF	
	Ed Peven		
	and the second s		
•	35 JUN 27 A 9:	27	
	gu com an ima		
	्रासुनुष्टा ।	ş.,	
	Mill KEBALEAU RESI	ROER Et	K136 PAGE456
	5.25	800,	(130 HOLT 30

•			
	GOCEO	File No	
	99552	Filed for record at request of	
	•.		
CERTIFICATE OF LOCATION	•	at minutes past o'clock	
******		a. and recorded in Book of	
•		Official Records Page, County, Kevada.	
		County Recorder	
. •		\ \	
	;	.,	
THIS IS TO CERTIFY that th	ICE •	/7 lode mining claim	\
located by:	•	Paris Paris	\
Ed Devenyns 690 E. Patriot #272		Dave Ernst 1000 Beck #254	\
Reno, Nevada 89511		Reno, Nevada 89509	\
· · · · · · · · · · · · · · · · · · ·			\
the May of MAY	, 19 85, a:	ituated in the unknown	1
ning District, Fureka	County, S	tate of Nevada.	
	NE/4 of Sec.	10	/
Said claim is located in t	the SE/4 of Sec.	, Twp. 23 North_, Rge. 49 East	<u> </u>
	. NW/4 of Sec.		
	SW/4 of Sec.		
To tie this claim to the	Public Survey, be	gin at the southeast corner of Sect	ion
1 . Township 23 North	, Range <u>49 E</u>	ast , Hount Diablo Meridian, then	ce
WEST 300' HEAR LORIN			_
Corner No. 1, the northeast	corner of this cl	Laim.	
We (or I) claim 1500	linear feet	along the course of the mineral-bearing	
dge, lode or vein, extending	1480 1	eet from the location monument in a	
dge, lode or vein, extending	and 20	eet from the location monument in a feet in a southerly	
idge, lode or vein, extending northerly direction irection, together with 3	and 20 00 feet on e	eet from the location monument in a	
northerly direction irection, together with 3 the entire length of the claim	and 20 100 feet on e	feet from the location monument in a feet in a southerly each side of the center of the ledge for	
idge, lode or vein, extending northerly direction trection, together with 3 the entire length of the claim	and 20 100 feet on e	eet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC p	ipe cabl
northerly direction in the entire length of the claim the exterior boundaries of the claim the claim that	and 20 00 feet on e	eet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC puts firmly set in the ground bearing appli	
northerly direction in the exterior boundaries or wooden post not less than esignation. The description	f this claim are 4"x4"x4" monumen of such claim is:	feet from the location monument in a feet in a southerly such side of the center of the ledge for clearly marked by substantial 4*x5° PVC puts firmly set in the ground bearing applitudes a peginning at Corner No.1, the Northeast	
northerly direction in the exterior boundaries or wooden post not less than exterior. The description is signation. The description is south 750° to the ear	f this claim are 4"x4"x4" monumen of such claim is:	rect from the location monument in a feet in a southerly feet in a southerly rach side of the center of the ledge for clearly marked by substantial 4"x5" PVC puts firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast 4"x5" PVC PUT , then	ce,
dge, lode or vein, extending northerly direction rection, together with 3 se entire length of the claim The exterior boundaries o wooden post not less than signation. The description parer; thence, South 750° to the ea	f this claim are 4"x4"x4" monumen of such claim iss	clearly marked by substantial 4"x5" PVC points firmly set in the ground bearing appliate firmly set in the ground bearing appliate firmly set in the ground bearing appliate firmly set in the ground bearing appliated for the set in the ground bearing appliated for the set in the ground bearing appliated for the set in	ce,
dge, lode or vein, extending northerly direction rection, together with 3 we entire length of the claim The exterior boundaries o wooden post not less than signation. The description syner; thence, South 750° to the ea	f this claim are 4"x4"x4" monumen of such claim iss	clearly marked by substantial 4"x5" PVC puts firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast A"x5" PVC puts firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast A"x5" PVC PUTS A WOOD FOR A WOOD FO	ce, ce,
dge, lode or vein, extending northerly direction in the exterior boundaries or wooden post not less than extending the description extends the exterior boundaries or wooden post not less than extending thence, south 750° to the ease of the extending the	f this claim are 4"x4"x4\forall monumen of such claim is: st side center, a putheast corner, a set side center, a	clearly marked by substantial 4"x5" PVC puts firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast A"x5" PVC puts firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast A"x5" PVC puts firmly set in the Northeast A"x5" PVC puts firmly set in the Northeast A"x5" PVC puts firmly set in them them the Northeast A"x5" PVC puts firmly set in them them the Northeast A"x5" PVC puts firmly set in them them them them them them them them	ce, ce, ce,
dge, lode or vein, extending northerly direction rection, together with 3 se entire length of the claim The exterior boundaries o wooden post not less than signation. The description extens; thence, South 750° to the ea South 750° to the so West, 600° to the so North 750° to the we North 750° to the we	f this claim are 4"x4"x4\forall monumen of such claim is: st side center, a putheast corner, a set side center, a	clearly marked by substantial 4"x5" PVC police firmly set in the ground bearing appliate for the ground set in the groun	ce, ce, ce,
dge, lode or vein, extending northerly direction rection, together with 3 we entire length of the claim The exterior boundaries o wooden post not less than signation. The description where, South 750° to the ea South 750° to the so West, 600° to the so North 750° to the we North 750° to the no East 600° to the no	f this claim are f this claim are f this claim are f such claim is: st side center, a putheast corner, a puthest corner, a puthest corner, a putheast corner, a putheast corner, a putheast corner, a	clearly marked by substantial 4"x5" PVC polities firmly set in the ground bearing appliate firmly set in the Northeast process of the first firmly set in the firm	ce, ce, ce,
mortherly direction or the right of the claim of the exterior boundaries or two den post not less than extended the description or the case of the cas	f this claim are f this claim are f this claim are f such claim is: st side center, a putheast corner, a puthest corner, a puthest corner, a putheast corner, a putheast corner, a putheast corner, a	clearly marked by substantial 4"x5" PVC polities firmly set in the ground bearing appliate firmly set in the Northeast process of the first firmly set in the firm	ce, ce, ce,
northerly direction in the entire length of the claim the exterior boundaries or wooden post not less than esignation. The description former; thence, South 750° to the east of the soundaries or wooden post not less than esignation. The description former; thence, South 750° to the soundaries or wooden post not less than esignation. The description former; thence, South 750° to the soundaries of the so	f this claim are f this claim are f this claim are f such claim is: st side center, a putheast corner, a puthest corner, a puthest corner, a putheast corner, a putheast corner, a putheast corner, a	rect from the location monument in a feet in a southerly feet in a southerly rach side of the center of the ledge for clearly marked by substantial 4"x5" PVC por its firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast A"x5" PVC por its firmly set in the feet of the f	ce, ce, ce,
redge, lode or vein, extending northerly direction direction together with 3 the entire length of the claim the exterior boundaries or wooden post not less than esignation. The description orner; thence, South 750° to the ea South 750° to the so West, 600° to the so North 750° to the wooden post not less than esignation. The monumentation and man June , 1985.	f this claim are 4 "x4" x4" monument of such claim is: st side center, a sutheast corner, a sutheast corner, a st side center, a st side center, a sutheast corner, a	rect from the location monument in a feet in a southerly feet in a southerly reach side of the center of the ledge for clearly marked by substantial 4"x5" PVC points firmly set in the ground bearing appliance beginning at Corner No.1, the Northeast the firmly set in the ground bearing appliance beginning at Corner No.1, the Northeast them the firmly for the first	ce, ce, ce, ce, poi
mortherly direction northerly direction in the exterior boundaries or wooden post not less than estimation. The description syner; thence, South 750° to the earth of the soundaries or wooden post not less than estimation. The description syner; thence, South 750° to the soundaries or wooden post not less than estimation. The description syner; thence, South 750° to the soundaries or wooden for the soundaries of the note of the soundaries	f this claim are f this claim are f this claim are f this claim are f "x4" x4" monumen of such claim is: set side center, a sutheast corner, a set side center, a set	rect from the location monument in a feet in a southerly feet in a southerly rach side of the center of the ledge for clearly marked by substantial 4"x5" PVC points firmly set in the ground bearing appliable beginning at Corner No.1, the Northeast for the firmly set in the ground bearing appliable beginning at Corner No.1, the Northeast firmly set in the firmly set in t	ce, ce, ce, ce, poi
mortherly direction northerly direction in the exterior boundaries of two den post not less than extending northerly. The exterior boundaries of two den post not less than extended north 750° to the east of the solution of the extended north 750° to the solution of the extended north 750° to the morth 750° to the more post of the post of t	f this claim are f this claim are f this claim are f "x4" x4" monumen of such claim is set side center, a sutheast corner, a set side center, a se	rect from the location monument in a feet in a southerly feet in a southerly rach side of the center of the ledge for clearly marked by substantial 4"x5" PVC por its firmly set in the ground bearing applit beginning at Corner No.1, the Northeast in the Northeas	ce, ce, ce, ce, poi
rection, together with 3 rection, together with 3 rection, together with 3 rection, together with 3 rection boundaries o rection post not less than resignation. The description or the case of this claim map have	f this claim are f this claim are f this claim are f "x4" x4" monumen of such claim is set side center, a sutheast corner, a set side center, a se	rect from the location monument in a feet in a southerly feet in a southerly rach side of the center of the ledge for clearly marked by substantial 4"x5" PVC por its firmly set in the ground bearing applit beginning at Corner No.1, the Northeast in the Northeas	ce, ce, ce, ce, poi
mortherly direction northerly direction in the exterior boundaries of two den post not less than extending northerly. The exterior boundaries of two den post not less than extended north 750° to the east of the solution of the extended north 750° to the solution of the extended north 750° to the morth 750° to the more post of the post of t	f this claim are f this claim are f this claim are f "x4" x4" monumen of such claim is set side center, a sutheast corner, a set side center, a se	rect from the location monument in a feet in a southerly feet in a southerly rach side of the center of the ledge for clearly marked by substantial 4"x5" PVC por its firmly set in the ground bearing applit beginning at Corner No.1, the Northeast in the Northeas	ce, ce, ce, ce, poi
redge, lode or vein, extending northerly direction direction together with 3 the entire length of the claim the exterior boundaries or wooden post not less than esignation. The description orner; thence, South 750° to the ea South 750° to the so West, 600° to the so North 750° to the wooden post not less than esignation. The monumentation and man June , 1985.	f this claim are f this claim are f this claim are f "x4" x4" monumen of such claim is set side center, a sutheast corner, a set side center, a se	rect from the location monument in a feet in a southerly feet in a southerly rach side of the center of the ledge for clearly marked by substantial 4"x5" PVC p its firmly set in the ground bearing appli beginning at Corner No.1, the Northeast feet was completed by the feet was completed by the feet day of the Eureka County Recorder, and County Recorder.	ce, ce, ce, ce, poi
redge, lode or vein, extending northerly direction together with 3 the entire length of the claim the exterior boundaries or wooden post not less than exignation. The description or the country thence, South 750' to the east of the south 750' to the south 750' to the south 750' to the south 750' to the month 750' to the month 750' to the north 750' to	f this claim are f this claim are f wat at monument of such claim is a st side center, a sutheast corner, a st side center, a suthwest corner, a orthwest corner, a retheast corne	rect from the location monument in a feet in a southerly feet in a southerly rach side of the center of the ledge for clearly marked by substantial 4"x5" PVC p its firmly set in the ground bearing appli beginning at Corner No.1, the Northeast feet was completed by the feet was completed by the feet day of the Eureka County Recorder, and County Recorder.	ce, ce, ce, ce, poi
rection, together with 3 rection, together with 3 rection, together with 3 rection, together with 3 rection boundaries o rection post not less than resignation. The description or the case of this claim map have	f this claim are f this claim are f wat at monument of such claim is a st side center, a sutheast corner, a st side center, a suthwest corner, a orthwest corner, a retheast corne	rect from the location monument in a feet in a southerly feet in a southerly rach side of the center of the ledge for clearly marked by substantial 4"x5" PVC por its firmly set in the ground bearing applit beginning at Corner No.1, the Northeast in the Northeas	ce, ce, ce, ce, poi
rection, together with 3 rection, together with 3 rection, together with 3 rection together with 3 rection to the claim The exterior boundaries of wooden post not less than esignation. The description exterior thence, South 750° to the ease of the south 750° to the month 750° to the note of the south 750° to the month 750° to the note of the south 750° to the note of the note of the note of the south 750° to the note of the no	f this claim are 4"x4"x4" monument of such claim is: st side center, a sutheast corner,	rect from the location monument in a feet in a southerly feet in a southerly rach side of the center of the ledge for clearly marked by substantial 4"x5" PVC p its firmly set in the ground bearing appli beginning at Corner No.1, the Northeast feet was completed by the feet was completed by the feet day of the Eureka County Recorder, and County Recorder.	ce, ce, ce, ce, poi
rection, together with 3 he entire length of the claim The exterior boundaries of wooden post not less than estignation. The description orner; thence, South 750° to the ease of the south 750° to the month 750	f this claim are 4"x4"x4" monumen of such claim iss st side center, a sutheast corner, a suthwest corner, a sorthwest corner,	rect from the location monument in a feet in a southerly set in a southerly substantial 4"x5" PVC ports firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast A"x5" PVC ports A"x5" PVC ports A"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"	ce, ce, ce, ce, poi
rection, together with 3 rection, together with 3 rection, together with 3 rection together with 3 rection to the claim The exterior boundaries of wooden post not less than esignation. The description exterior thence, South 750° to the ease of the south 750° to the month 750° to the note of the south 750° to the month 750° to the note of the south 750° to the note of the note of the note of the south 750° to the note of the no	f this claim are 4"x4"x4" monument of such claim is: st side center, a sutheast corner,	rect from the location monument in a feet in a southerly set in a southerly substantial 4"x5" PVC ports firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast A"x5" PVC ports A"x5" PVC ports A"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"	ce, ce, ce, ce, poi
rection, together with 3 me entire length of the claim The exterior boundaries of wooden post not less than estignation. The description extens; thence, South 750° to the east of the south 750° to the month 750° to the month 750° to the month 750° to the south 750° to the month 75	f this claim are 4"x4"x4" monumen of such claim iss st side center, a sutheast corner, a suthwest corner, a sorthwest corner,	rect from the location monument in a feet in a southerly set in a southerly substantial 4"x5" PVC ports firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast A"x5" PVC ports A"x5" PVC ports A"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"	ce, ce, ce, ce, poi
rection, together with 3 rection, together with 3 rection, together with 3 rection together with 3 rection to the claim The exterior boundaries of wooden post not less than esignation. The description exterior thence, South 750° to the ease of the south 750° to the month 750° to the note of the south 750° to the month 750° to the note of the south 750° to the note of the note of the note of the south 750° to the note of the no	f this claim are 4"x4"x4" monumen of such claim iss st side center, a sutheast corner, a suthwest corner, a sorthwest corner,	rect from the location monument in a feet in a southerly set in a southerly substantial 4"x5" PVC ports firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast A"x5" PVC ports A"x5" PVC ports A"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"	ce, ce, ce, ce, poi
rection, together with 3 rection, together with 3 rection, together with 3 rection together with 3 rection to the claim The exterior boundaries of wooden post not less than esignation. The description exterior thence, South 750° to the ease of the south 750° to the month 750° to the note of the south 750° to the month 750° to the note of the south 750° to the note of the note of the note of the south 750° to the note of the no	f this claim are 4"x4"x4" monumen of such claim iss st side center, a sutheast corner, a suthwest corner, a sorthwest corner,	rect from the location monument in a feet in a southerly set in a southerly substantial 4"x5" PVC ports firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast A"x5" PVC ports A"x5" PVC ports A"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"x4"	ce, ce, ce, ce, poi
rection, together with 3 he entire length of the claim The exterior boundaries of wooden post not less than estignation. The description orner; thence, South 750° to the ease of the south 750° to the month 750	f this claim are 4"x4"x4" monumen of such claim iss st side center, a sutheast corner, a suthwest corner, a sorthwest corner,	rect from the location monument in a feet in a southerly feet in a southerly rach side of the center of the ledge for clearly marked by substantial 4"x5" PVC p its firmly set in the ground bearing appli beginning at Corner No.1, the Northeast in the Northeast i	ce, ce, ce, ce, poi
rection, together with 3 he entire length of the claim The exterior boundaries of wooden post not less than estignation. The description orner; thence, South 750° to the ease of the south 750° to the month 750	f this claim are 4"x4"x4" monumen of such claim iss st side center, a suthwest corner, a set side center, a suthwest corner, a set side center, a	rect from the location monument in a feet in a southerly feet in a southerly rach side of the center of the ledge for clearly marked by substantial 4"x5" PVC p its firmly set in the ground bearing appli beginning at Corner No.1, the Northeast in the Northeast i	ce, ce, ce, ce, poi
rection, together with 3 rection, together with 3 rection, together with 3 rection together with 3 rection to the claim The exterior boundaries of wooden post not less than esignation. The description exterior thence, South 750° to the ease of the south 750° to the month 750° to the note of the south 750° to the month 750° to the note of the south 750° to the note of the note of the note of the south 750° to the note of the no	f this claim are 4"x4"x4" monument of such claim is: st side center, as outhwest corner, as outhwest corner, as orthwest cor	reet from the location monument in a feet in a southerly feet in a southerly seach side of the center of the ledge for clearly marked by substantial 4"x5" PVC pits firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast was a feet of the northeast of the feet of the firmly set in the firmly set	ce, ce, ce, ce, poi
dge, lode or vein, extending northerly direction rection, together with 3 entire length of the claim. The exterior boundaries o wooden post not less than signation. The description rect; thence, South 750° to the easouth 750° to the so West, 600° to the so North 750° to the month	f this claim are 4"x4"x4" monument of such claim is: st side center, as outhwest corner, as outhwest corner, as orthwest cor	rect from the location monument in a feet in a southerly set in a southerly substantial 4"x5" PVC por its firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast them is a firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast them is a firmly set in the firmly set in th	ce, ce, ce, ce, poi
rection, together with 3 me entire length of the claim The exterior boundaries of wooden post not less than estignation. The description extens; thence, South 750° to the east of the south 750° to the month 750° to the month 750° to the month 750° to the south 750° to the month 75	f this claim are 4"x4"x4" monumen of such claim iss st side center, a suthwest corner, a set side center, a suthwest corner, a set side center, a	rect from the location monument in a feet in a southerly feet in a southerly seach side of the center of the ledge for clearly marked by substantial 4"x5" PVC pits firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast firmly set in the firmly set in	ce, ce, ce, ce, poi

		File No.
	99553	Filed for record at request of
CERTIFICATE OF LOCATION		at
		County, Nevada.
THIS IS TO CERTIFY that the	ice !	18 lode mining claim
Ed Devenyns		Dave Ernst
690 E. Patriot #272	•	1000 Beck #254
Reno, Nevada 89511		Reno, Nevada 89509
with and		The state of the s
he day or		situated in the unknownState of Nevada.
ing District, <u>Fureka</u>	County,	Pilte of Measur.
	NE/4 of Sec.	12 00 10
Said claim is located in	the SE/4 of Sec.	Twp. 65 North Rge. 47 East
	SW/4 of Sec.	(_
pr ble blie alaim to the	Fuhlic Sunwaw h	egin at the southeast corner of Section
I , Township 23 North	. Range 49	East , Mount Diablo Heridian, thence
WEST 300'		
Corner No. 1, the northeast	corner of this	claim.
We (or 1) claim 1500	linear feet	along the course of the mineral-bearing
dge, lode or vein, extending	3 <u>-600</u>	feet from the location monument in a
northerly direction	and	feet from the location monument in a feet in a southerly each side of the center of the ledge for
rection, together with	1000 011	SSCH STOR OI che remeet at one reade sa-
d sucted realists or the crare	7	a secondary affect DUC niv
The exterior boundaries of	f this claim are	clearly marked by substantial 4"x5" PVC pip
		ents firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast
signation. The description	OI SACU CISTE To	ny beginning as obtained as the
south 750' to the early 750' to the so	est side center.	a 4"x 5' NC PRE thence
South 750' to the so	outheast corner.	a 4"x'5' FNC AR , thence
West 600' to the se	outhwest corner.	a 4"x S' AVC P.A thence
March 750' TO TOP W	est since center.	
North 750' to the n	orthwest corner,	a 4"15" PVC FIFE
East 600' to the n	ortheast corner,	a wood post AT WAST 4 " X4" 1974 Ille IX
d place of beginning.		146
The monumentation and ma	rking of the cor	ners was completed by the 6th day of
June , 1985	·.	
L		claim map as provided in NRS 517.040. Two
The location work consist opies of this claim map have	red or making a been filad with	the Eureka County Recorder, and
he lode claim filing fee has	been paid to th	
THE PARK AVERT STREET, ST. STREET,	/ /	· · · · · ·
	/ /	
	/ /	Get Chestrers
		en kuringhi
1004	tnes	Ed Evenips
roca	10kg	Nauganal
pated June 23	. 1985	LIME INVO
	_ '	
	RECEPCED AT REC	OUEST OF
	Ed Deva	nyns
	EULN. /36 17	-45X
	OE 1995 03 -	0.07
•	95 JUN 27 A	3+ 21

BOOK 136 PAGE 458

South 750' to the east side center, a 4"x5' in length PVC pipe West, 600' to the southeast corner, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe 1 to the vest side center, a 4"x5' in length PVC pipe 1 to the porthwest corner, a 4"x5' in length PVC pipe 1 to the porthwest corner, a 4"x5' in length PVC pipe	
THIS IS TO CERTIFY that the ICE \$ 9	
THIS IS TO CERTIFY that the ICE # 9 Iode mining claim as located by: Ed Devenyns 690 E. Patriot #272 Dave Ernst 1000 Beck #254 Reno, Nevada 89511 Reno, Nevada 89509 In the I day of I County, State of Nevada. NE/4 of Sec. Said claim is located in the SE/4 of Sec. NW/6 of Sec. Said claim is located in the SE/4 of Sec. NW/6 of Sec. To tie this claim to the Public Survey, begin at the southeast corner of St. Township 23 North Range 49 East , Hount Diablo Heridian, the County State of Nevada southeast corner of St. Township 23 North Range 49 East , Hount Diablo Heridian, the Corner No. 1, the northeast corner of this claim. We (or I) claim 1500 lipear feet along the course of the mineral-bearing feet from the location monument in a feet in a southerly direction and I feet from the location monument in a feet in a southerly direction contents of the claim. The exterior boundaries of this claim are clearly marked by substantial 4*x5' pror wooden post not less than 4*x4*x44' monuments firmly set in the ground bearing ap designation. The description of such claim is: Beginning at Corner No.1, the Northe Corner; thence, South 750' to the east side center, a 4*x5' in length PVC pipe 1 North 750' to the southeast corner, a 4*x5' in length PVC pipe 1 North 750' to the northwest corner, a 4*x5' in length PVC pipe 1 North 750' to the northwest corner, a 4*x5' in length PVC pipe 1 North 750' to the northwest corner, a 4*x5' in length PVC pipe 1 North 750' to the northwest corner, a 4*x5' in length PVC pipe 1 North 750' to the northwest corner, a 4*x5' in length PVC pipe 1 North 750' to the northwest corner, a 4*x5' in length PVC pipe 1 North 750' to the northwest corner, a 4*x5' in length PVC pipe 2 Amage and place of beginning.	
THIS IS TO CERTIFY that the ICE # 9 Iode mining claim as located by: Ed Devenyns 690 E. Patricot #272 Dave Ernst 1000 Beck #254 Reno, Nevada 89511 Reno, Nevada 69509 In the I day of I county State of Nevada. NE/4 of Sec. Said claim is located in the SE/A of Sec. NW/A of Sec. SW/A of Sec. To tie this claim to the Public Survey, begin at the southeast corner of St. Hount Diablo Heridian, the state of Nevada 1000 Deck #254 Reno, Nevada 1000 Deck #255 Reno, Nevada 1000 Deck	<u></u>
THIS IS TO CERTIFY that the ICE # 9 Iode mining claim is located by: Ed Devenyns 690 E. Patriot #272 1000 Beck #254 Reno, Nevada 89511 The May of MM 1985, situated in the unknown country, State of Nevada. NE/4 of Sec. Said claim is located in the SE/4 of Sec. NE/4 of Sec. SW/4 of Sec. SW/4 of Sec. SW/4 of Sec. SW/4 of Sec. To tie this claim to the Public Survey, begin at the southeast corner of Sec. NE/4 of Sec. To tie this claim to the Public Survey, begin at the southeast corner of Sec. NE/4 of Sec. I Township 23 North Range 49 East Rount Diablo Heridian, the southeast corner No. 1, the northeast corner of this claim. We (or I) claim 1500 linear feet along the course of the mineral-bearing feet from the location monument in a southerly direction, together with 300 feet on each side of the center of the ledge for he entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x5" PW recoden post not less than 4"x4"x4", monuments firmly set in the ground bearing aperignation. The description of such claim is: Beginning at Corner No.1, the Northeorner; thence, South 750' to the east side center, a 4"x5" in length PWC pipe the North 750' to the southeast corner, a 4"x5" in length PWC pipe the North 750' to the west side center, a 4"x5" in length PWC pipe the North 750' to the west side center, a 4"x5" in length PWC pipe the North 750' to the west side center, a 4"x5" in length PWC pipe the North 750' to the west side center, a 4"x5" in length PWC pipe the North 750' to the west side center, a 4"x5" in length PWC pipe the North 750' to the northwest corner, a 4"x5" in length PWC pipe the North 750' to the northwest corner, a 4"x5" in length PWC pipe the North 750' to the northwest corner, a 4"x5" in length PWC pipe the North 750' to the northwest corner, a 4"x5" in length PWC pipe the North 750' to the northwest corner, a 4"x5" in length PWC pipe the North 750' to the northwest corner, a 4"x5" in length PWC pipe the North 750' to the northwest corner, a 4"x	•
THIS IS TO CERTIFY that the ICE # 9 Iode mining claims to located by: Ed Devenyns 690 E. Patriot #272 1000 Beck #254 Reno, Nevada 89511 The day of My 1985, situated in the unknown 1987, and District, Fureka County, State of Nevada. NE/4 of Sec. Said claim is located in the St/4 of Sec. Ne/4 of Sec. SW/4 of Sec. S	—
THIS IS TO CERTIFY that the ICE # 9	ier
Bed Devenyns Geo E. Patriot \$272 Reno, Nevada George E. Patriot \$274 Reno, Nevada George #254 Reno, Nevada Begon Reno, Nevada George #254 Reno, Nevada Reno, Nevada George #254 Reno, Nevada Ren	
Bed Devenyns Geo E. Patriot \$272 Reno, Nevada George E. Patriot \$274 Reno, Nevada George #254 Reno, Nevada Begon Reno, Nevada George #254 Reno, Nevada Reno, Nevada George #254 Reno, Nevada Ren	\
Bd Devenyns 690 E. Patriot #272 Reno, Nevada 89511 The day of MM4	4
Reno, Nevada 89511 The day of day of state of Nevada 89511 NE/4 of Sec. Said claim is located in the SE/4 of Sec. NH/A of Sec. SW/A of Sec. To tie this claim to the Public Survey, begin at the southeast corner of S. Township 23 North Range 49 East Mount Diablo Meridian, the feet from the location monument in a southerly direction and feet in a southerly direction, together with 300 feet on each side of the center of the ledge for the exterior boundaries of this claim are clearly marked by substantial 4"x5" pur wooden post not less than 4"x4"x4½" monuments firmly set in the ground bearing apprinting the corner No. 1, the Northeorner; thence, South 750' to the east side center, a 4"x5' in length PVC pipe the North 750' to the southwest corner, a 4"x5' in length PVC pipe the North 750' to the southwest corner, a 4"x5' in length PVC pipe the North 750' to the southwest corner, a 4"x5' in length PVC pipe the North 750' to the southwest corner, a 4"x5' in length PVC pipe the North 750' to the northeast corner, a 4"x5' in length PVC pipe the North 750' to the northeast corner, a 4"x5' in length PVC pipe the North 750' to the northeast corner, a 4"x5' in length PVC pipe the North 750' to the northeast corner, a 4"x5' in length PVC pipe the North 750' to the northeast corner, a 4"x5' in length PVC pipe the North 750' to the northeast corner, a 4"x5' in length PVC pipe the North 750' to the northeast corner, a 4"x5' in length PVC pipe the North 750' to the northeast corner, a 4"x5' in length PVC pipe the North 750' to the northeast corner, a 4"x5' in length PVC pipe the North 750' to the northeast corner, a 4"x5' in length PVC pipe the North 750' to the northeast corner, a 4"x5' in length PVC pipe the North 750' to the northeast corner, a 4"x5' in length PVC pipe the North 750' to the northeast corner, a 4"x5' in length PVC pipe the North 750' to the northeast corner, a 4"x5' in length PVC pipe the North 750' to the northeast corner, a 4"x5' in length PVC pipe the North 750' to the northeast corner, a 4"x5' in le	\
the // day of // Eureka County, State of Nevada. NE/4 of Sec. Said claim is located in the SE/4 of Sec. / Twp. 83 North Reg. 49 Each New A of Sec. SW/A of Sec. SW/A of Sec. SW/A of Sec. To tie this claim to the Public Survey, begin at the southeast corner of States of the northeast corner of this claim. We (or I) claim 1500 linear feet along the course of the mineral-bearing direction and feet in a southerly direction and feet in a southerly direction, together with 300 feet on each side of the center of the ledge for the entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x5' pure two den post not less than 4"x4"x45' monuments firmly set in the ground bearing appreciation. The description of such claim is: Beginning at Corner No.1, the Northespansion. The description of such claim is: Beginning at Corner No.1, the Northespansion. The description of such claim is: Beginning at Corner No.1, the Northespansion. The description of such claim is: Beginning at Corner No.1, the Northespansion. The description of such claim is: Beginning at Corner No.1, the Northespansion. The description of such claim is: Beginning at Corner No.1, the Northespansion. The description of such claim is: Beginning at Corner No.1, the Northespansion. The description of such claim is: Beginning at Corner No.1, the Northespansion. The description of such claim is: Beginning at Corner No.1, the Northespansion. The description of such claim is: Beginning at Corner No.1, the Northespansion. The description of such claim is: Beginning at Corner No.1, the Northespansion. The description of such claim is: Beginning at Corner No.1, the Northespansion. The description of such claim is: Beginning at Corner No.1, the Northespansion. The description of such claim is: Beginning at Corner No.1, the Northespansion. The description of such claim is: Beginning at Corner No.1, the Northespansion. The description of such claim is: Beginning at Corner No.1, the Northespansion. The description of such c	\
NE/4 of Sec. Said claim is located in the SE/4 of Sec. NW/A of Sec. To tie this claim to the Public Survey, begin at the southeast corner of S. NW/A of Sec. To tie this claim to the Public Survey, begin at the southeast corner of S. NW/A of Sec. To tie this claim to the Public Survey, begin at the southeast corner of S. NW/A of Sec. To tie this claim to the Public Survey, begin at the southeast corner of S. NW/A of Sec. The corner No. 1, the northeast corner of this claim. We (or I) claim 1500 linear feet along the course of the mineral-bearing and section, together with 300 feet from the location monument in a northerly direction and 200 feet in a southerly linear southerly linear feet along the center of the ledge for the entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x5° PV or wooden post not less than 4"x4"x4" monuments firmly set in the ground bearing appreciation. The description of such claim is: Beginning at Corner No.1, the Northear South 750' to the east side center, a 4"x5' in length PVC pipe the South 750' to the southwest corner, a 4"x5' in length PVC pipe the North 750' to the northwest corner, a 4"x5' in length PVC pipe the Sest 600' to the northwest corner, a 4"x5' in length PVC pipe the Sest 600' to the northwest corner, a 4"x5' in length PVC pipe the Sest 600' to the northwest corner, a 4"x5' in length PVC pipe the Sest 600' to the northwest corner, a 4"x5' in length PVC pipe the Sest 600' to the northwest corner, a 4"x5' in length PVC pipe the Sest 600' to the northwest corner, a 4"x5' in length PVC pipe the Sest 600' to the northwest corner, a 4"x5' in length PVC pipe the Sest 600' to the northwest corner, a 4"x5' in length PVC pipe the Sest 600' to the northwest corner, a 4"x5' in length PVC pipe the Sest 600' to the northwest corner, a 4"x5' in length PVC pipe the Sest 600' to the northwest corner, a 4"x5' in length PVC pipe t	\
NE/4 of Sec. Said claim is located in the SE/4 of Sec. NW/A of Sec. SW/A of Sec. SW/A of Sec. To tie this claim to the Public Survey, begin at the southeast corner of S. 1. Township 23 North Range 49 East Mount Diablo Meridian, to the former No. 1, the northeast corner of this claim. We (or I) claim 1500 linear feet along the course of the mineral-bearing feet in a southerly direction and feet in a southerly direction, together with 300 feet on each side of the center of the ledge for the entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x5" pure wooden post not less than 4"x4"x4½" monuments firmly set in the ground bearing appreciation. The description of such claim is: Beginning at Corner No.1, the Northead South 750' to the east side center, a 4"x5' in length PVC pipe South 750' to the southeast corner, a 4"x5' in length PVC pipe to North 750' to the southwest corner, a 4"x5' in length PVC pipe to North 750' to the west side center, a 4"x5' in length PVC pipe to North 750' to the west side center, a 4"x5' in length PVC pipe to North 750' to the northwest corner, a 4"x5' in length PVC pipe to North 750' to the northwest corner, a 4"x5' in length PVC pipe to North 750' to the northwest corner, a 4"x5' in length PVC pipe to North 750' to the northwest corner, a 4"x5' in length PVC pipe to North 750' to the northwest corner, a 4"x5' in length PVC pipe to North 750' to the northwest corner, a 4"x5' in length PVC pipe to North 750' to the northwest corner, a 4"x5' in length PVC pipe to North 750' to the northwest corner, a 4"x5' in length PVC pipe to North 750' to the northwest corner, a 4"x5' in length PVC pipe to North 750' to the northwest corner, a 4"x5' in length PVC pipe to North 750' to the northwest corner, a 4"x5' in length PVC pipe to North 750' to the northwest corner, a 4"x5' in length PVC pipe to North 750' to the northwest corner, a 4"x5' in length PVC pipe to North 750' to the Northwest corner, a 4"x5' in length PVC pipe to North 750' to No	_ \
Said claim is located in the SE/4 of Sec. NW/4 of Sec. SW/4 of Sec. SW/4 of Sec. To tie this claim to the Public Survey, begin at the southeast corner of S. 1 Township 23 North	\ \
To tie this claim to the Public Survey, begin at the southeast corner of S 1 , Township 23 North Range 49 East Mount Diablo Meridian, to We (or I) claim 1500 linear feet along the course of the mineral-bearing edge, lode or vein, extending Meridian feet from the location monument in a northerly direction and feet on each side of the center of the ledge for the entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x5' PV r wooden post not less than 4"x4"x4½' monuments firmly set in the ground bearing ap esignation. The description of such claim is: Beginning at Corner No.1, the Northe corner; thence, South 750' to the east side center, a 4"x5' in length PVC pipe West. 600° to the southwest corner, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe North 750' to the northwest corner, a 4"x5' in length PVC pipe North 750' to the northwest corner, a 4"x5' in length PVC pipe East 600° to the northwest corner, a 4"x5' in length PVC pipe East 600° to the northwest corner, a 4"x5' in length PVC pipe East 600° to the northwest corner, a 4"x5' in length PVC pipe East 600° to the northwest corner, a 4"x5' in length PVC pipe East 600° to the northwest corner, a 4"x5' in length PVC pipe East 600° to the northwest corner, a 4"x5' in length PVC pipe East 600° to the northwest corner, a 4"x5' in length PVC pipe East 600° to the northwest corner, a 4"x5' in length PVC pipe East 600° to the northwest corner, a 4"x5' in length PVC pipe East 600° to the northwest corner, a 4"x5' in length PVC pipe East 600° to the northwest corner, a 4"x5' in length PVC pipe East 600° to the northwest corner, a 4"x5' in length PVC pipe East 600° to the northwest corner, a 4"x5' in length PVC pipe	
To tie this claim to the Public Survey, begin at the southeast corner of S 1 , Township 23 North , Range 49 East , Mount Diablo Meridian, to the following of the mortheast corner of this claim. We (or I) claim 1500 linear feet along the course of the mineral-bearing adde, lode or vein, extending /480 feet from the location monument in a northerly direction and feet in a southerly irection, together with 300 feet on each side of the center of the ledge for the entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x5" PV report wooden post not less than 4"x4"x4½" monuments firmly set in the ground bearing appearation. The description of such claim is: Beginning at Corner No.1, the Northeorner; thence, South 750° to the east side center, a 4"x5° in length PVC pipe to the southwest corner, a 4"x5° in length PVC pipe to the North 750° to the southwest corner, a 4"x5° in length PVC pipe to the North 750° to the west side center, a 4"x5° in length PVC pipe to the North 750° to the northwest corner, a 4"x5° in length PVC pipe to the North 750° to the northwest corner, a 4"x5° in length PVC pipe to the East 600° to the northwest corner, a 4"x5° in length PVC pipe to the Least 600° to the northwest corner, a 4"x5° in length PVC pipe to the Least 600° to the northwest corner, a 4"x5° in length PVC pipe to the Least 600° to the northwest corner, a 4"x5° in length PVC pipe to the Least 600° to the northwest corner, a 4"x5° in length PVC pipe to the Least 600° to the northwest corner, a 4"x5° in length PVC pipe to the Least 600° to the northwest corner, a 4"x5° in length PVC pipe to the Least 600° to the northwest corner, a 4"x5° in length PVC pipe to the Least 600° to the northwest corner, a 4"x5° in length PVC pipe to the Least 600° to the northwest corner, a 4"x5° in length PVC pipe to the Least 600° to the northwest corner, a 4"x5° in length PVC pipe to the Least 600° to the northwest corner, a 4"x5° in length PVC pipe to the Least 600° to the corner of the Least 600° t	st
1 Township 23 North Range 49 East Mount Diable Meridian, to WEST 700' Annoc North 1500' Corner No. 1, the northeast corner of this claim. We (or 1) claim 1500 linear feet along the course of the mineral-bearing feet from the location monument in a northerly direction and feet from the location monument in a northerly direction and feet in a southerly irection, together with 300 feet on each side of the center of the ledge for the entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x5" pv wooden post not less than 4"x4"x4½' monuments firmly set in the ground bearing ap esignation. The description of such claim is: Beginning at Corner No.1, the Northeorner; thence, South 750' to the east side center, a 4"x5' in length PVC pipe the North 750' to the southwest corner, a 4"x5' in length PVC pipe the North 750' to the west side center, a 4"x5' in length PVC pipe the North 750' to the northwest corner, a 4"x5' in length PVC pipe the North 750' to the northwest corner, a 4"x5' in length PVC pipe the East 600' to the northwest corner, a 4"x5' in length PVC pipe the East 600' to the northwest corner, a 4"x5' in length PVC pipe the East 600' to the northwest corner, a 4"x5' in length PVC pipe the East 600' to the northwest corner, a 4"x5' in length PVC pipe the Market Good Beginning.	
1 Township 23 North Range 49 East Mount Diable Meridian, to WEST 700' Annoc North 1500' Corner No. 1, the northeast corner of this claim. We (or 1) claim 1500 linear feet along the course of the mineral-bearing feet from the location monument in a northerly direction and feet from the location monument in a northerly direction and feet in a southerly irection, together with 300 feet on each side of the center of the ledge for the entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x5" pv wooden post not less than 4"x4"x4½' monuments firmly set in the ground bearing ap esignation. The description of such claim is: Beginning at Corner No.1, the Northeorner; thence, South 750' to the east side center, a 4"x5' in length PVC pipe the North 750' to the southwest corner, a 4"x5' in length PVC pipe the North 750' to the west side center, a 4"x5' in length PVC pipe the North 750' to the northwest corner, a 4"x5' in length PVC pipe the North 750' to the northwest corner, a 4"x5' in length PVC pipe the East 600' to the northwest corner, a 4"x5' in length PVC pipe the East 600' to the northwest corner, a 4"x5' in length PVC pipe the East 600' to the northwest corner, a 4"x5' in length PVC pipe the East 600' to the northwest corner, a 4"x5' in length PVC pipe the Market Good Beginning.	ection
We (or I) claim 1500 linear feet along the course of the mineral-bearing age, lode or vein, extending 1500 feet from the location monument in a northerly direction and feet in a southerly irection, together with 300 feet on each side of the center of the ledge for the entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x5" PV representation. The description of such claim is: Beginning at Corner No.1, the Northerstreer; thence, South 750° to the east side center, a 4"x5° in length PVC pipe 1 to the southwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the southwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to North 750° to North 750° to Northwest corner, a 4"x5° in length PVC pipe 1 to Northwest 600° to Northwest corner, a 4"x5° in length PVC pipe 1 to Northwest 600° to Northwest corner, a 4"x5° in length PVC pipe 1 to Northwest 600° to Northwest corner, a 4"x5° in length PVC pipe 1 to Nor	hence
We (or I) claim 1500 linear feet along the course of the mineral-bearing 1480 feet from the location monument in a northerly direction and 200 feet from the location monument in a southerly linection, together with 300 feet on each side of the center of the ledge form entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x5" PV wooden post not less than 4"x4"x4½" monuments firmly set in the ground bearing application. The description of such claim is: Beginning at Corner No.1, the Northeorner; thence, South 750° to the east side center, a 4"x5° in length PVC pipe 1 to 100 North 750° to the southwest corner, a 4"x5° in length PVC pipe 1 to 100 North 750° to the west side center, a 4"x5° in length PVC pipe 1 to 100 North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to 100 North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to 100 North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to 100 North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to 100 North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to 100 North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to 100 North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to 100 North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to 100 North 750° to the northwest corner, a 4"x5° in length PVC pipe 1 to 100 North 750° to	
northerly direction and the content of the ledge for the entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x5" PV resident post not less than 4"x4"x4% monuments firmly set in the ground bearing application. The description of such claim is: Beginning at Corner No.1, the Northerlands of the cast side center, a 4"x5" in length PVC pipe South 750 to the southwest corner, a 4"x5" in length PVC pipe West, 600 to the southwest corner, a 4"x5" in length PVC pipe North 750 to the west side center, a 4"x5" in length PVC pipe North 750 to the northwest corner, a 4"x5" in length PVC pipe East 600 to the northwest corner, a 4"x5" in length PVC pipe East 600 to the northwest corner, a 4"x5" in length PVC pipe the place of beginning.	i g
northerly direction and feet on each side of the center of the ledge for the entire length of the claim. The exterior boundaries of this claim are clearly marked by substantial 4"x5" PV revolved not less than 4"x4"x4% monuments firmly set in the ground bearing appreciation. The description of such claim is: Beginning at Corner No.1, the Northeorner; thence, South 750 to the east side center, a 4"x5" in length PVC pipe West, 600 to the southwest corner, a 4"x5" in length PVC pipe North 750 to the west side center, a 4"x5" in length PVC pipe North 750 to the northwest corner, a 4"x5" in length PVC pipe East 600 to the northwest corner, a 4"x5" in length PVC pipe East 600 to the northwest corner, a 4"x5" in length PVC pipe East 600 to the northwest corner, a 4"x5" in length PVC pipe East 600 to the northwest corner, a 4"x5" in length PVC pipe the place of beginning.	•
The exterior boundaries of this claim are clearly marked by substantial 4"x5" PV r wooden post not less than 4"x4"x45" monuments firmly set in the ground bearing ap esignation. The description of such claim is: Beginning at Corner No.1, the Northeorner; thence, South 750" to the east side center, a 4"x5" in length PVC pipe South 750" to the southeast corner, a 4"x5" in length PVC pipe West. 600" to the southwest corner, a 4"x5" in length PVC pipe North 750" to the west side center, a 4"x5" in length PVC pipe North 750" to the northwest corner, a 4"x5" in length PVC pipe East 600" to the northeast corner, a 4"x5" in length PVC pipe East 600" to the northeast corner, a 4"x5" in length PVC pipe The stantage of beginning.	or .
wooden post not less than 4"x4"x45" monuments firmly set in the growth of the morthest corner, thence, South 750" to the east side center, a 4"x5" in length PVC pipe South 750" to the southwest corner, a 4"x5" in length PVC pipe West. 600" to the southwest corner, a 4"x5" in length PVC pipe North 750" to the west side center, a 4"x5" in length PVC pipe North 750" to the morthwest corner, a 4"x5" in length PVC pipe South 750" to the northwest corner, a 4"x5" in length PVC pipe East 600" to the northwest corner, a 4"x5" in length PVC pipe the southwest corner is the southwest c	
wooden post not less than 4"x4"x45" monuments firmly set in the growth of the morthest corner, thence, South 750" to the east side center, a 4"x5" in length PVC pipe South 750" to the southwest corner, a 4"x5" in length PVC pipe West. 600" to the southwest corner, a 4"x5" in length PVC pipe North 750" to the west side center, a 4"x5" in length PVC pipe North 750" to the morthwest corner, a 4"x5" in length PVC pipe South 750" to the northwest corner, a 4"x5" in length PVC pipe East 600" to the northwest corner, a 4"x5" in length PVC pipe the southwest corner is the southwest c	C pipe
South 750° to the east side center, a 4"x5° in length PVC pipe South 750° to the southeast corner, a 4"x5° in length PVC pipe West. 600° to the southwest corner, a 4"x5° in length PVC pipe North 750° to the west side center, a 4"x5° in length PVC pipe North 750° to the northwest corner, a 4"x5° in length PVC pipe East 600° to the northwest corner, a 4"x5° in length PVC pipe that follow to the northwest corner, a 4"x5° in length PVC pipe Tast 600° to the northwest corner, a 4"x5° in length PVC pipe and place of beginning.	
South 750° to the southeast corner, a 4°x5° in length PVC pipe West. 600° to the southwest corner, a 4°x5° in length PVC pipe North 750° to the west side center, a 4°x5° in length PVC pipe North 750° to the northwest corner, a 4°x5° in length PVC pipe East 600° to the northwest corner, a 4°x5° in length PVC pipe to the northeast corner, a 4°x5° in length PVC pipe to the northeast corner, a 4°x5° in length PVC pipe to the northeast corner, a 4°x5° in length PVC pipe the place of beginning.	hence,
West, 600° to the southwest corner, a 4"x5' in length PVC pipe North 750° to the west side center, a 4"x5' in length PVC pipe North 750° to the northwest corner, a 4"x5' in length PVC pipe East 600° to the northeast corner, a 4"x5' in length PVC pipe to the northeast corner, a 4"x5' in length PVC pipe and place of beginning.	hence,
North 750' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe ind place of beginning.	hence, thence,
East 600 to the northeast corner, a 4 x5 in length PVC pipe and place of beginning.	thence, the point
The monumentation and marking of the corners was completed by the 64 day	ne point
	of
June, 1985,	
THE TOCKSTON BOLK CONSTRUCT OF SMILTING & CHARLE SON AS ALL SALES	Tvo
opies of this claim map have been filed with the <u>Eureka</u> County Recorder, a	na
	- •
Col Om	
Ed Welleys	
LOCATORS LOCATORS	
Dated June 23, 1985 - Were Trust	
RECORDED AT REQUEST OF	
Ed Doven yn	
Buita de la la caracteria de la caracter	
85 JUN 27 A 9: 27	
ርያይፈርት እና 2015 ዓ.ም ነው። የመደርዘ እና 2015 ዓ.ም ነው።	
nii kedhir i joshir k	
800X 36 PAGE 45 S	ŧ

		File No.	
	99555	Filed for record at request of	or
CERTIFICATE OF LOCATION		at minutes past o'c. m. and recorded in Book	
		Official Records Page	
		County, Nevada	1
		County Rec	order
		\	\
THIS IS TO CERTIFY that the was located by:	1CE ! 6	lode mining el	aim
Ed Devenyns		Dave Ernst	\ \
690 E. Patriot #272		1000 Beck #254	\ \
Reno, Nevada 89511		Reno, Nevada 89509	4
on the 17 day of MAY	, 1985, si	tuated in the unknown	
Mining District, Fureka	County, St	ate of Nevada.	1
	NE/4 of Sec.	12 -	
Said claim is located in the	SE/4 of Sec	, Twp. <u>23 North</u> , Rge. <u>49</u>	East
* -	- NW/4 of Sec SW/4 of Sec.		
	_		
1 . Township 23 North	lic Survey, beg _, Range <u>49 Eas</u>	in at the southeast corner of st Hount Diablo Heridian	r Section , thence
to Corner No. 1, the northeast cor	mer of this cla	nim.	
		long the course of the mineral-bea	eina
ledge. lode or wein, extending	20 fe	et from the location monument in a	1 11.0
martharly direction and	14750	leet in a	
the entire length of the claim.	feet on ea	ch side of the center of the ledge	Tor
		y 4"x5"	PVC pipe
		learly marked by substantial 4*x5* s firmly set in the ground bearing	
C thence		Beginning at Corner No.1, the North	
Fourth 7501 to the east	side center, a	3 A.	; thence, ; thence,
a at 7500 to the court	eact corner. a	4"x5" in length PVC pipe	; thence,
arms acol to the weet	cide center, a	4"x5" in length PVC pipe	thence,
Names 750° to the north	west corner, a	4. X2. Ili Terrden sac bibe	; thence, ; the point
East 600' to the north	neast corner, a	4-X5 in length PVC pipe	; the point
and place of beginning.		rs was completed by the 6th	lay of
June , 1985.	ng of the corne	rs was completed by the	
			The
The location work consisted copies of this claim map have be	of making a cl	aim map as provided in NRS 517.040. he Eureka County Recorder.	and
the lode claim filing fee has be	en paid to the	County Recorder.	,
		410	
	/ _	Dave Good	
LOCATORS	.		
	,	Wart Inst	
Dated <u>June 23</u> , 1	1985 -		
•	RECORDED AT REQU		
	Ed Covery	<u> थटल</u>	
	· Output All Indian		
		- 07	
	85 JUN 27 A 9	161	
	geejorat, egict	CCS.	
	MIR. RESALE 995	ू १९२५ ट्रेट् र-वर्ग	
		BOOK 36 PAGE 4 6 O	
	rrr s _5_/5	none 1 3 0 14354 6 0	

	•
	File No.
99556	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock
==: -== =	m. and recorded in Book of
	Official Records Page
	County, Hevada.
•	County Bandadan
	County Recorder
	\ \
THIS IS TO CERTIFY that the ICE	1 2/ lode mining claim
located by:	\ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
89511	33300
the	S, situated in the unknown
ing District, Fureka County	, State of Nevada.
NE/4 of Se	ec Run 23 North . Ros. 49 East
Said claim is located in the SE/4 of Se	eu. / 140. Daniel 160.
· .NW/4 of Se	
SW/4 of Se	oc- <u>/</u>
To his this slate to the Dublic Common	, begin at the southeast corner of Section
1 , Township 23 North , Range 4	9 East Hount Diablo Heridian, thence
VEST 1500' HEERE NOOTH 1500	The state of the s
Corner No. 1, the northeast corner of this	s claim.
We (or I) claim 1500 linear fe	met along the course of the mineral-bearing
ige. lode or vein, extending / //////	fest from the location monument in a
northerly direction and 20	on each side of the center of the ledge for
rection, together with feet o	on each side of the center of the reage for
e entire length of the claim.	
The exterior boundaries of this claim a	are clearly marked by substantial 4"x5" PVC pipe
・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	HMORE ELEMIN SEE IN LIE GLOWING PORTING OFFI
signation. The description of such claim	is: Beginning at Corner No.1, the Northeast
South 750° to the east side center	thence,
South 750' to the southeast corner	T, a 4" x J/2", thence,
West 600 to the southwest corner	it, a ucco por prignst 4"x4" x fly; thence,
North 750' to the west side center North 750' to the northwest corner	thence,
	1
The monumentation and marking of the c June . 1985.	corners was completed by the 644 day of
The monumentation and marking of the c June 1985,	countels and combreces of one on as as or
June , 1985.	
The location work consisted of making	a claim map as provided in NRS 517.040. Two
ppies of this claim map have been filed wi	ith the Eureka County Recorder, and
he lode claim filing fee has been paid to	the County Recorder.
\ \ /	• •
\ \ / /	42 0
	Ea Verens
	a surviyo
LOCATORS	Y
O O O	Nand Genet
ated (Mrs. 23 , 1985	Tome house
	•
RECORDED AT	IT REQUEST OF
Ed De	venyns
B:04_/35	10. 461
-	
85 JUN 27	д д 9: 28
40 000 E	
	ri etalagas

BOOK 1 36 PAGE 46 1

99557	~
	file No.
33337	Filed for record at request of
•	
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of
	Official Records Page County, Nevada.
	County Recorder
	\ \
•	\ \
THIS IS TO CERTIFY that the ICE .	22 lode mining claim
located by:	
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
the // day of ///7/ 1985, 81	tuated in the unknown
ing District, County, St	tate of Nevada.
NE/4 of Sea.	12
Said claim is located in the SE/4 of Sec.	Tup. 013 North Rge. 77 East
- NW/4 of Sec.	Z / - \ \ \ -
SW/4 of Sec.	
to the this plain to the Public Survey, her	gin at the southeast corner of Section
L , Township 23 North , Range 49 Ea	st, Mount Diablo Meridian, thence
EST 1500'	
Corner No. 1, the northeast corner of this cl	aim.
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
ea. lode or vain, extending 20	eet from the location monument in m
ge, lode or vain, extending 20 for northerly direction and 1480	feet in a southerly
ection, together with icet on e	ach side of the center of the ledge for
entire length of the claim.	
/ /	
	clearly marked by substantial 4"x5" PVC pipe
	clearly marked by substantial 4°x5° PVC pipe ts firmly set in the ground bearing applicable
wooder post not less than 4"x4"x4" monument ignation. The description of such claim is:	Beginning at Corner No.1, the Northeast
wooder post not less than 4"x4"x4" monument ignation. The description of such claim is: ner; thence,	Beginning at Corner No.1, the Northeast 4"x 5' PIC PIC 1, thence,
ignation. The description of such claim is: ner; thence, South 750' to the east side center, a South 750' to the southeast corner, a	Beginning at Corner No.1, the Northeast 4"x 5" PIC PIC ; thence, thence, thence,
wooder post not less than 4"x4"x4" monument ignation. The description of such claim is: her; thence, South 750 to the east side center, a South 750 to the southeast corner, a West, 600 to the southwest corner, a	Beginning at Corner No.1, the Northeast 4"x 5" Ple Ple ; thence, 4"x 5" Ple Ple ; thence, 1"x 5" Ple Ple ; thence,
wooder post not less than 4"x4"x4" monumentignation. The description of such claim is: ner; thence, South 750' to the east side center, a South 750' to the southeast corner, a West, 600' to the southeast corner, a North 750' to the west side center, a	Beginning at Corner No.1, the Northeast 4"x 5" PIC PIC ; thence, 4"x 5" PIC PIC ; thence, 1"x 5" PIC PIC ; thence,
wooder post not less than 4"x4"x4" monumentignation. The description of such claim is: ner; thence, South 750' to the east side center, a South 750' to the southeast corner, a West, 600' to the southeast corner, a North 750' to the west side center, a	Beginning at Corner No.1, the Northeast 4"x 5" PIC PIC ; thence, 4"x 5" PIC PIC ; thence, 1"x 5" PIC PIC ; thence,
wooder post not less than 4"x4"x4" monument ignation. The description of such claim is: ner; thence, South 750' to the east side center, a West, 600' to the southeast corner, a North 750' to the southwest corner, a North 750' to the northwest corner, a East 600' to the northwest corner, a	Beginning at Corner No.1, the Northeast 4"x 5" PIC PIC , thence, 4"x 5" PIC PIC , thence, was par in that 4"x4" x 4/2", thence, was par in that 4"x4" x 4/2", thence, 4"x 5" PIC PIC , the point
wooden post not less than 4"x4"x4" monument ignation. The description of such claim is: her; thence, South 750' to the east side center, a South 750' to the southeast corner, a West, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a	Beginning at Corner No.1, the Northeast 4"x 5" PIC PIC , thence, 4"x 5" PIC PIC , thence, was par in that 4"x4" x 4/2", thence, was par in that 4"x4" x 4/2", thence, 4"x 5" PIC PIC , the point
wooden post not less than 4"4" 4"4" monument ignation. The description of such claim is ner; thence, South 750" to the east side center, a west, 600" to the southwest corner, a North 750" to the west side center, a North 750" to the northwest corner, a East 600" to the northwest corner, a	Beginning at Corner No.1, the Northeast 4"x 5" PIC PIC , thence, 4"x 5" PIC PIC , thence, was par in that 4"x4" x 4/2", thence, was par in that 4"x4" x 4/2", thence, 4"x 5" PIC PIC , the point
wooden post not less than 4"x4"x4" monumentignation. The description of such claim is: ner; thence, South 750' to the east side center, a South 750' to the southeast corner, a North 750' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a i place of beginning. The monumentation and marking of the corner June , 1985.	Beginning at Corner No.1, the Northeast \[\frac{\psi'\times 5' PlC PlC}{\psi'\times 5' PlC PlC} \qua
wooden post not less than 4"x4"x4" monumentignation. The description of such claim is: South 750	Beginning at Corner No.1, the Northeast \[\left\{''\times \text{PlC
sooder post not less than 4"x4"x4" monumentignation. The description of such claim is: south 750" to the east side center, a South 750" to the southeast corner, a West, 600" to the southwest corner, a North 750" to the west side center, a North 750" to the northwest corner, a East 600" to the northwest corner, a iplace of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a character of this claim map have been filed with	Beginning at Corner No.1, the Northeast 4"x 5" PIC PIC , thence, the point ers was completed by the 6#4 day of laim map as provided in NRS 517.040. Two the Bureka County Recorder, and
wooden post not less than 4"x4"x4" monumentignation. The description of such claim is: ner; thence, South 750" to the east side center, a South 750" to the southeast corner, a West, 600" to the southeast corner, a North 750" to the west side center, a North 750" to the northwest corner, a East 600" to the northwest corner, a i place of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a claim map have been filed with	Beginning at Corner No.1, the Northeast 4"x 5" PIC PIC , thence, the point ers was completed by the 6#4 day of laim map as provided in NRS 517.040. Two the Bureka County Recorder, and
sooder post not less than 4"x4"x4" monumentignation. The description of such claim is: south 750" to the east side center, a South 750" to the southeast corner, a West, 600" to the southwest corner, a North 750" to the west side center, a North 750" to the northwest corner, a East 600" to the northwest corner, a iplace of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a character of this claim map have been filed with	Beginning at Corner No.1, the Northeast 4"x 5" PIC PIC , thence, the point ers was completed by the 6#4 day of laim map as provided in NRS 517.040. Two the Bureka County Recorder, and
wooden post not less than 4"x4"x4" monumentignation. The description of such claim is: ner; thence, South 750" to the east side center, a South 750" to the southeast corner, a West, 600" to the southeast corner, a North 750" to the west side center, a North 750" to the northwest corner, a East 600" to the northwest corner, a i place of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a claim map have been filed with	Beginning at Corner No.1, the Northeast 4"x 5" PIC PIC , thence, the point ers was completed by the 6#4 day of laim map as provided in NRS 517.040. Two the Bureka County Recorder, and
wooden post not less than 4"x4"x4" monumentignation. The description of such claim is: ner; thence, South 750' to the east side center, a West, 600' to the southeast corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a i place of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a chair of this claim map have been filed with	Beginning at Corner No.1, the Northeast 4"x 5" PIC PIC , thence, the point ers was completed by the 6#4 day of laim map as provided in NRS 517.040. Two the Bureka County Recorder, and
wooden post not less than 4"x4"x4" monumentignation. The description of such claim is: ner; thence, South 750' to the east side center, a West, 600' to the southeast corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a i place of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a chair of this claim map have been filed with	Beginning at Corner No.1, the Northeast 4"x 5" PIC PIC , thence, the point ers was completed by the 6#4 day of laim map as provided in NRS 517.040. Two the Bureka County Recorder, and
wooden post not less than 4"x4"x4" monument ignation. The description of such claim is: her; thence, South 750° to the east side center, a South 750° to the southeast corner, a North 750° to the southwest corner, a North 750° to the northwest corner, a North 750° to the northwest corner, a Fast 600° to the northwest corner, a i place of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a cl pies of this claim map have been filed with the location filling fee has been paid to the	Beginning at Corner No.1, the Northeast 4"x 5" PIC PIC , thence, the point ers was completed by the 6#4 day of laim map as provided in NRS 517.040. Two the Bureka County Recorder, and
wooden post not less than 4"x4"x4" monumentignation. The description of such claim is: her; thence, South 750° to the east side center, a West, 600° to the southeast corner, a North 750° to the west side center, a North 750° to the morthwest corner, a East 600° to the northwest corner, a i place of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a cl pies of this claim map have been filed with the location filling fee has been paid to the	Beginning at Corner No.1, the Northeast 4"x 5" PIC PIC , thence, the point ers was completed by the 6#4 day of laim map as provided in NRS 517.040. Two the Bureka County Recorder, and
wooden post not less than 4"x4"x4" monumentignation. The description of such claim is: her; thence, South 750° to the east side center, a South 750° to the southeast corner, a West, 600° to the southeast corner, a North 750° to the west side center, a North 750° to the northwest corner, a East 600° to the northwest corner, a i place of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a cl pies of this claim map have been filed with the location filling fee has been paid to the	Beginning at Corner No.1, the Northeast #"x 5' Ple Ple
wooden post not less than 4"x4"x4" monument ignation. The description of such claim is: her; thence, South 750" to the east side center, a South 750" to the southeast corner, a North 750" to the west side center, a North 750" to the west side center, a North 750" to the northwest corner, a East 600" to the northwest corner, a i place of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a cl pies of this claim map have been filed with the location filling fee has been paid to the	Beginning at Corner No.1, the Northeast #"x 5' Ple Ple
wooden post not less than 4"x4"x4" monument ignation. The description of such claim is: her; thence, South 750° to the east side center, a South 750° to the southeast corner, a North 750° to the southwest corner, a North 750° to the northwest corner, a East 600° to the northwest corner, a iplace of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a claim of this claim map have been filed with the location filling fee has been paid to the LOCATORS LOCATORS	Beginning at Corner No.1, the Northeast 4"x 5" PR PR ; thence, the point ers was completed by the 6#2 day of laim map as provided in NRS 517.040. Two the Eureka County Recorder, and County Recorder.
wooden post not less than 4"4"4"4" monument ignation. The description of such claim is: ner; thence, South 750' to the east side center, a West, 600' to the southeast corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a iplace of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a cl pies of this claim map have been filed with the location filling fee has been paid to the	Beginning at Corner No.1, the Northeast 4"x 5" PR PR ; thence, the point ers was completed by the 6#2 day of laim map as provided in NRS 517.040. Two the Eureka County Recorder, and County Recorder.
wooden post not less than 4"4"4"4" monument ignation. The description of such claim is: ner; thence, South 750' to the east side center, a West, 600' to the southeast corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a iplace of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a claim sap have been filed with the lode claim filling fee has been paid to the LOCATORS ACCEPTED AT ALL Ed. 1985.	Beginning at Corner No.1, the Northeast 4"x 5" Ple Ple 1, thence, thence,
wooden post not less than 4"14" 14" monument ignation. The description of such claim is inter; thence, South 750' to the east side center, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a seast 600' to the northwest corner, a place of beginning. The monumentation and marking of the corner june , 1985. The location work consisted of making a clopies of this claim map have been filed with the location work in the location work consisted of making a clopies of this claim map have been filed with the location work consisted of making a clopies of this claim map have been filed with the location work consisted of making a clopies of this claim map have been filed with the location work consisted of making a clopies of this claim filing fee has been paid to the location work consisted of making a clopies of this claim filing fee has been paid to the location work consisted of making a clopies of this claim map have been filed with the location work consisted of making a clopies of this claim map have been filed with the location work consisted of making a clopies of this claim map have been filed with the location work consisted of making a clopies of this claim map have been filed with the location work consisted of making a clopies of this claim map have been filed with the location work consisted of making a clopies of this claim map have been filed with the location work consisted of making a clopies of this claim map have been filed with the location work consisted of making a clopies of this claim map have been filed with the location work consisted of making a clopies of this claim map have been filed with the location work consisted of making a clopies of this claim map have been filed with the location work consisted of making a clopies of this claim map have been filed with the location work consisted of making a clopies of the location work consisted of making a clopies of the location work consisted of making a clopies of the location w	Beginning at Corner No.1, the Northeast 4"x 5" Ple Ple 1, thence, thence,
wooden post not less than 4"4"4"4" monument ignation. The description of such claim is: mer; thence, South 750' to the east side center, a West, 600' to the southeast corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a iplace of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a claim sap have been filed with the location filling fee has been paid to the LOCATORS ACCORDEN.	Beginning at Corner No.1, the Northeast 4"x 5" Ple Ple 1, thence, thence,
wooden post not less than 4"4"4"4" monument ignation. The description of such claim is: mer; thence, South 750' to the east side center, a South 750' to the southeast corner, a West, 600' to the southwest corner, a North 750' to the northwest corner, a East 600' to the northwest corner, a iplace of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a claim sap have been filed with the location filling fee has been paid to the LOCATORS Action 1985. RECORTED AT ALL STATES ACTION 1985	Beginning at Corner No.1, the Northeast 4"x 5" Ple Ple 1, thence, thence,
wooden post not less than 4"4"4"4" monument ignation. The description of such claim is: ner; thence, South 750° to the east side center, a South 750° to the southeast corner, a West, 600° to the southeast corner, a North 750° to the west side center, a North 750° to the northwest corner, a East 600° to the northwest corner, a iplace of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a clapies of this claim map have been filed with the lode claim filling fee has been paid to the LOCATORS ALCOHOLDER: SS JUN 27	Beginning at Corner No.1, the Northeast 4"x 5" Ple Ple 1, thence, thence,
wooden post not less than 4"14" 24" monument ignation. The description of such claim is inter; thence, South 750" to the east side center, a South 750" to the southeast corner, a West, 600" to the southwest corner, a North 750" to the west side center, a North 750" to the northwest corner, a East 600" to the northwest corner, a place of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a claim so this claim map have been filed with the location to the location work consisted of making a claim filing fee has been paid to the LOCATORS ACCORDANCE EAGLE ACCORDANCE ECOLOGICAL ACCORDANCE ECOLOG	Beginning at Corner No.1, the Northeast 4"x 5" Ple Ple 1, thence, thence,

	File No.
99558	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock of
	Official Records Page County, Nevada.
	County Recorder
•	. \ \
THIS IS TO CERTIFI that the ICE # 6	23 lode mining claim
Ed Devenyns	Dave Ernst 1000 Beck #254
690 E. Fatriot #272 Reno, Nevada 89511	Reno, Nevada 69509
69311	
the 6 day of line , 1985, si ling District, gureka County, St	ate of Nevada.
Said claim is located in the SE/4 of Sec	(
To tie this claim to the Public Survey, beg 1, Township 23 North, Range 49 Ea 750 HANCE WOTH +500	st southeast corner of Section Hount Diablo Heridian, thence
Corner No. 1, the northeast corner of this cl	aim.
We (or I) claim 1500 linear feet a sige, lode or vein, extending /480 feet northerly direction and 20	eet from the location monument in a feet in a southerly
northerly direction and 20 rection, together with 300 feet on each entire length of the claim.	ach side of the center of the ledge for
wooden post not less than 4"x4"x4" monument signation. The description of such claim is: thence, South 750° to the east side center, a South 750° to the southeast corner, a West, 600° to the southwest corner, a North 750° to the west side center, a	weed post AT CENST 4"x4"x4"x4"; thence, 4"x 5" AVC PIE weed post AT CENST 4"x4"x4"x4"; thence, weed post AT CENST 4"x4"x4"; thence,
The location work consisted of making a clopies of this claim map have been filed with the lode claim filing fee has been paid to the	he Eureka County Recorder, and
LOCATORS	Let Deveryes
ated June 33 , 1985 -	Dave Enst
RECORDED AT REQU F. Dovan BOOK 136 FACE	
85 JUN 27 A 9	29
CFRICIAL PERSON EUREAA COURTES HA REBALLATI FILS NO. 305	DOCK 1.2 C PASE 4.63
155 <u>5</u>	ם מיויים ביאיר אים מ

	File No.
99559	filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock
Total of Books of .	w. and recorded in Book of
	Official Records Page
	County, nevada.
	County Recorder
•	\ \
A1174 44 44 44 44 44 44 44 44 44 44 44 44 4	21
THIS IS TO CERTIFY that the ICE # costs located by:	lode mining claim
•	Dave Ernst
Ed Devenyns 690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
on the GH day of June , 1985, sittining District, Eureka County, St.	tuated in the unknown
NE/4 of Sec	6 00
Said claim is located in the SE/4 of Sec	6. Twp. 65 North Rge. 50 East
SW/4 of Sec.	/ / \ \ \
_	 (
To tie this claim to the Public Survey, beg.	in at the southeast corner of Section the Hount Diable Meridian, thence
1 , Township 23 North , Range 49 East 4500 4 Hotel weeth 9000	, rount biable refidian, thence
o Corner No. 1, the northeast corner of this cla	
. We (or I) claim 1500 linear feet a	land the severe of the uturnel boarder
ledge, lode or vein, extending 20 fe	tong the course of the mineral-bearing at from the location monument in a
northerly direction and	feet in a southerry
direction, together with 300 feet on ea the entire length of the claim.	ch side of the center of the ledge for
West , 600' to the southeast corner, a , West , 600' to the southwest corner, a . North 750' to the west side center, a	Beginning at Corner No.1, the Northeast wood post of Chost 4"x4"x4"s; thence, wood post of Chost 4"x4" x4"s; thence,
June , 1985.	s was completed by the day of
The leasting week assistant of white and	
The location work consisted of making a cla copies of this claim map have been filed with th	ne Eureka County Recorder, and
the lode claim filing fee has been paid to the C	County Recorder
	• •
	el O
	GOL DINENIPS
LOCATORS	- b - /
O O O	None Gunder
Dated	wave toust
RECORDED AT RECUEST	DF .
Ed Deveny	<u> </u>
4000	~
85 JUN 27 A 9: 2	8
M. REPALEATI, RECOVOR	æ €R
<u> 199559</u>	<u></u>
	BOOK 1 3 6 PAGE 4 6 4

BOOK 1 36 PAGE 464

•	·
	File No.
99560	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock
OBMITTACKID OF DOCKISON .	m. and recorded in Book of
	Official Records Page,
	County, Nevada.
	County Recorder
	\ \
	\ \
THIS IS TO CERTIFY that the ICE .	25 lode mining claim
s located by:	
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
the 6th day of June, 1985, a	ituated in the unknown
	State of Nevada.
NE/4 of Sec. Said claim is located in the SE/4 of Sec.	
Said dialm is incated in the SE74 of Sec.	1 18h - m marrie 1 uke. m - marrie
SW/4 of Sec.	
We are and glade to the Politic Possion to	and at the southeast
? Township 22 Noveh Range 49 F	egin at the southeast corner of Section ast . Hount Diablo Heridian, thence
155 3900 HARL HOLDIN 4500'	
Corner No. 1, the northeast corner of this c	laim.
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
edge, lode or vein, extending /480	fest from the location monument in a
northerly direction and 20	feet in a southerly
irection, together with 300 feet on the entire length of the claim.	each side of the center of the ledge for
	A A A A A A A A A A B A B A B A B A B A
The exterior boundaries of this claim are	clearly marked by substantial 4"x5° PVC pipe
r wooden post not less than 4 x x x 4 1 monumer esignation. The description of such claim is:	Beginning at Corner No.1, the Northeast
e Tent to the east side center, a	ween asy or censt 4' x4" x4/2; thence,
South 750 to the southeast corner, a	a wood post of was 4"x4"x4"z'; thence,
West , 600° to the southwest corner, a North 750° to the west side center, a	access post for care
at the agent to the northwest corner	thence,
	wood post of wast 4" 4" x4/2; the poi
nd place of beginning.	7th
The monumentation and marking of the corn June 1985.	ers was completed by the day of
, 19 63.	
The location work consisted of making a c	
copies of this claim map have been filed with	
the lode claim filing fee has been paid to the	County Recorder-
	_
	Les Samuel
	er reways
LOCATORS	
0	Name Trust
Dated <u>(14)44 83</u> , 1985 -	B/ WOL V
RECORDED AT RE	
Ed Deven	1445
P-US-markhamark	v is map the de
85 JUN 27 A	9:28
g www. Et	
_	
Dariotal bee Errena County	
H.H. RESALEAT	5560 5560
1 (£ 34	25 800K 36 PAGE 465
- · · · · · · · · · · · · · · · · · · ·	

•	
•	File No.
9956	
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of Official Records Page County, Nevada.
	County Recorder
	County Recorder
THIS IS TO CERTIFY that the	a 26 lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot \$272	1000 Beck #254 Reno, Nevada 89509
Reno, Nevada 89511	89509
ne bull day of fune, 1985	S, situated in the unknown
g District, <u>rureka</u> County	, State of Nevada.
NE/A of Se	e. 6
Said claim is located in the SE/4 of Se	cc. 6, Twp. 23 North , Rge. 50 East
- NW/N of Se Swi/N of Se	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	_
To tie this claim to the Public Survey, _, Township 23 North , Range 4 57 3900 Vience warn 3000	, begin at the southeast corner of Section 9 East , Hount Diablo Heridian, thence
orner No. 1, the northeast corner of this	s claim.
We (or I) claim 1500 linear fe	set along the course of the mineral-bearing
a, lode or vein, extending 20 northerly direction and 148	feet in a southerly
ction, together with 300 feet o	on each side of the center of the ledge for
entire length of the claim.	A STATE OF THE STA
	are clearly marked by substantial 4"x5" PVC pipe uments firmly set in the ground bearing applicable is: Beginning at Corner No.1, the Northeast
	t, a wood post Ar LEAST 4"x4"x41/2"; thence, t, a wood post Ar LEAST 4"x4" x41/2"; thence,
west . 600' to the southwest corner	t, a 1000 105 10 CENS: 4 -1 -11:
	t, a 4"x 5" PC PC ; thence, t, a actor Post of aless d"-4" A 4"; thence,
North 750' to the northwest corne:	r, a with post or cens 4" = 4" = 4" the point
place of beginning.	
The monumentation and marking of the c	orners was completed by the day of
June, 1985.	
The location work consisted of making	a claim map as provided in NAS 517.040. Two
ies of this claim map have been filed wi	th theEureka County Recorder, and
lode claim filing fee has been paid to	the County Recorder.
	Let Dovemas
	Leverys
LOCATORS	Klaric Land
ed June 23 , 1985	- Wave Inve
RECORCES AT A	EBUEST OF
ELPeve	MYNC
Eáth 136	766
85 JUN 27	A 9: 28
. , -	
ع الشارية ع	eartos
EUREKA COUR E K ETRALEAT	€Y, KE kADA (Lingeon)ofr
Full 41.24	9561 800K 36 PAGE/ S.C.
5.	7.5

**	99562	File No	
	,	Filed for record a	t request of
CERTIFICATE OF LOCATION		at minutes past	o'elock
		m. and recorded in B	
		Official Records Page	ty, Nevada.
•			
			County Recorder
• .	-		. \ \
THIS IS TO CERTIFY that the state of the sta	he <u>ICE</u> !	27 lode	mining claim
Ed Devenyns	•	Dave Ernst	\ \
690 E. Patriot #272	:	1000 Beck #254	
Reno, Nevada 89511		Reno, Nevada 89509	
11/1			
on theday ofdust Uning District,Eureka	, 1985, a	ituated in the unknown	
To tie this claim to the	SW/4 of Sec. Public Survey, be	gin at the southeast	corner of Section
1 Township 23 North East Sico therce ucert	Range 49 E	ast Mount Diabl	o Meridian, thence
o Corner No. 1, the northeast	corner of this c	laim.	
We (or I) claim 1500 ledge, lode or vein, extending	1480	along the course of the management from the location mon	ument in a
northerly direction direction together with	and acc	feet in a south	the ledge for
the entire length of the claim	1.		
or wooden post not less than designation. The description corner; thence, South 750' to the ea	4"x4"x4's monumer of such claim is:	Beginning at Corner No.	the Northeast ; thence,
North 750' to the we	st side center,	11 x 51 f. P. P. P.	; thence,
East 600' to the no	ortheast corner,	4"x 5' PIC PIPE.	the poin
and place of beginning.			-10
The monumentation and man	rking of the corn	ers was completed by the	ZZZ day of
June , 1985	•		
The location work consist copies of this claim map have the lode claim filing fee has	been filed with		IS 517.040. Two Recorder, and
	/ /	_	•
	/ /	Ed Durains	
	/	6 . 1	
LOCAT	ORS	Nassil	•
Dated Puxe 23	. 1985	White Minor	
7	RECORDED AT RED		
	puun <u>La</u> arakii	n andre Miner	
•	85 JUN 27 A): 2 §	
	OFFICIAL FECT ELHERA COUNTY	STOS NE VADA	
	ALERS 5-7	5	BOOK 1 36 PAGE 4 6 7

•	
	File No.
Goroa	Filed for record at request of
99563	Filed toh tecord at reduct of
**	
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of
	Official Records Page
	County, Nevada.
	County Recorder
•	County Recorder
	\ \
	· \ \ \
THIS IS TO CERTIFY that the ICE #	28 lode mining claim
	200 1000
s located by:	
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
89511	03207
The latter of Pines 1000	situated in the unknown
	State of Nevada.
ning District, <u>Fureka</u> County,	Didde At Manage.
NE/4 of Sec.	6/ =
Gaid state to located in the SP/B of Sec	, Twp. <u>23 North</u> , Rge. <u>50</u> East_
Said Claim is ideated in the SEA of Sec.	76 7
SW/4 of Sec.	· //
38/4 OI 360.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
To tie this claim to the Public Survey,	begin at the southeast corner of Section
1 , Township 23 North Range 49	East , Hount Diablo Heridian, thence
ENST 3300 HEAR NOOTH 3000'	
CHIS SOC TRAINS ILLEGA SOCO	claim
Corner No. 1, the northeast corner of this	
We (or I) claim 1500 linear fee	t along the course of the mineral-bearing
edge, lode or vein, extending 20	fest from the incation monument in a
	feet in a southerly
irection, together with 300 feet on	each side of the center of the ledge for
he entire length of the claim.	
The exterior boundaries of this claim are	e clearly marked by substantial 4"x5' PVC pip
or wooden post not less than 4 x 4 x 47 monum designation. The description of such claim i	s: Beginning at Corner No.1, the Northeast
South 750' to the east side center,	a 4"x5 PVE PVE PVE
North 750° to the west side center,	a 4"x 5" MC PA I I thence
East 600' to the northeast corner	a wood post NT LENST ATTAUXIVE, the po
and place of beginning.	-11
TIM Beace or reductionals	many was appointed by the His day of
. The monumentation and marking of the con	Thera was completed by the day of
June , 1985.	
	-1-4 securidad (m NDC K17 Obo Tom
The location work consisted of making a	claim map as provided in NRS 517.040. Two h the Eureka County Recorder, and
copies of this claim map have been filed wit	n the county Recorder, and
the lode claim filing fee has been paid to t	ne county necorder.
\ \ /	
\ \ \	110
	Gd Churine
	not humayru
	The stevening
LOCATORS	
0 00	Wave Tust
Dated (UKL 05 1985	- Ar a Calla
RECORDED AT RED	HERT BY
E A Geven	
EA Deven	Žätz
BLUN-LEDD: AY	4 - - 4, T 4+4
•	
AF About and a d	0.08
85 JUN 27 A	3; £9
DE+Qualit ROLE	, EFR

BOOK 1 36 PAGE 4 6 B

		File No.	
	99564	Filed for record at request o	ſ
CERTIFICATE OF LOCATION		at minutes past o'cl	ock
		m. and recorded in Book	οľ
	•	Official Records Page	
		County, Nevada	
		County Rec	order
		5525, 15	
•		\	\
•		20	. \
THIS 1S TO CERTIFY that t	he <u>ICE I c</u>	10de mining cl	aim
located by:	•		\ \
Ed Devenyns		Dave Ernst	\ \
690 E. Patriot #27	2	1000 Beck #254	\ \
Reno, Nevada 89511	•	Reno, Nevada 89509	_ \ \
49311			
the 6 day of June	, 1985, s	ituated in the unknown	
ning District, Eureka	County, S	tate of Nevada.	
	NE/4 of Sec.	, Twp. 23 North_, Rge. 50	Fact
Said claim is located in	the SE/4 of Sec.	Tup. Noten , age. 30	Last
	- NW/4 of Sec. SW/4 of Sec.	<u></u>	
•	3874 OI 3661		
To tie this claim to the	Public Survey, be		f Section
1 , Township 23 North	, Range 49 E	ast , Mount Diablo Heridian	, thence
ENST 2700' theres we	WOTH 4500'		
Corner No. 1, the northeast	corner of this c	laim.	
We (or I) claim 1500	Tinear leet	along the course of the mineral-beat feet from the location monument in a	Ling
northerly direction	and 20	feet in a southerly	
irection, together with	300 feet on	each side of the center of the ledge	for
he entire length of the clai			
	ak abia alaka ara	clearly marked by substantial 4"x5"	PVC pipe
most not lace than	A war var monumer	ta firmly set in the ground bearing	abbircapy
esignation. The description	of such claim is	Beginning at Corner No.1, the Nor	theast
		\ \	
South 750' to the e	ast side center, a	4"x5' PC PR 0400"x0"x0"x	thence,
south 750' to the s	outheast corner,	acces pes proper to	thence,
West , 600° to the s North 750° to the w	outhwest corner,	11 5 20 CM	, thence,
North 750' to the w	est side center,	11.6. D. D.A	thence,
East 600' to the n	ortheast corner,		the poin
nd place of beginning.			
The manufaction and ma	while of the corn	ers was completed by the 11th o	lay of
June , 198	iracing of the corn	ers was completed by the	
, ,,,,	^		
The location work consis	sted of making a c	laim map as provided in KRS 517.040.	Two
copies of this claim map have	been filed with	the Eureka County Recorder	
the lode claim filing fee has	s been paid to the	County Recorder.	
	/ /		-
		161 0	
	/ /	The Levenin	
		La Levenips	
LOCA	TORS		
D. 22		Dave Terret	
Dated June 23	_, 1985		
	RECORDED AT RE		
	Ed Devan		
	tun. 136 : "		
	85 JUN 27 A	(3. t.d	
		er und	
	ԵՐ Ջ ՀՀԵՐՋ Է	75 A B 6 6	

	99565	F11e No
•		Filed for record at request of
CERTIFICATE OF LOCATION		at minutes past o'clock
		m. and recorded in Book of Official Records Page
•		County, Nevada.
		County Recorder
•		555.57
		\ \
THIS IS TO CERTIFY that th	e ICE	30 lode mining claim
located by:	-	\ \
Ed Devenyns		Dave Ernst
690 E. Patriot #272	•	1000 Beck #254
Reno, Nevada 89511		Reno, Nevada 89509
ulk o		
he by day of fune		ituated in the unknown
ng District, <u>Fufeka</u>	County, S	tate of Nevada.
	NE/4 of Sec.	
Said thim is located in t	he SE/4 of Sec.	Twp. 23 North , Rge. 50 East
	NW/4 of Sec. SW/4 of Sec.	6
	SW/4 of Sec.	76
To tie this claim to the !	Public Survey, be	gin at the southeast corner of Section
, Township 23 North	Range 49 E	. Hount Diablo Meridian, thence
951 2700 HEAR NOW		
orner No. 1, the northeast	corner of this c	laim.
We (or I) claim 1500	linear feet	along the course of the mineral-bearing
te. lode or vein. extending	20	feet from the location monument in a southerly
northerly direction	and /480	feet in a southerly
ection, together with 3	00 feet on e	each side of the center of the ledge for
entire length of the claim	/	
- /	/	a and the same and the same to the same
The exterior boundaries of	this claim are	clearly marked by substantial 4"x5' PVC pipe
	"x4"x45" monumen	ts firmly set in the ground bearing applican
ignation. The description of	of such claim is:	Beginning at Corner No.1, the Northeast
ner; thence,		J"x5'PP DD thence
South 750 to the ear	st side center, a	we will a distance thence
South 750 to the so	utneast corner, a	ucco as of tense 4"x4"x4"x4"; thence
		with the state of
North 750' to the no	rtheast corner - =	wood for or chost 4"x4" 4/2, the poi
place of beginning.		
/ = /	slidan ad blo	
The monumentation and mar June 1985.		ers was completed by the day of
June, 1985.		
The location work consist	ed of making a e	laim map as provided in NRS 517.040. Two
ies of this claim map have		
lode claim filing fee has		
\ \	/ /	•
	/ /	
	/ /	Son Omerca
	/ /	Cox x wenger
		El Swengs
LOCAT	UKS	XI- of I
es Pun 23	1085 ~	Wave Timor
ea june os	, 1985 ~	•
•	RECONDED AT REQUEST	r CF
	Ed Deveny	
	830n 136 9	
		- 0
•	55 JUH 27 A 9:	28
i	go don de la viva i	-
	E. 2.2 11 975, 778	
	CORP. A PLANT TO A PLANT	ga Ger
	1.a.m.341-59565	pen Dases = -
	1,	BOOK 136 PAGE 470

•	00700	File No.	
	99566	Filed for record at request of	
	٠,	1116d IOL LECOLO WE LEGAESE OF	·
		at minutes past o'cle	ock
RTIFICATE OF LOCATION	• •	m. and recorded in Book	
	•	Official Records Page	
		County, Nevada.	^
		County Reco	rder
		would need	
	÷	\	\
IS IS TO CERTIFY that t	ha von 1	3/ lode mining cla	۱. ۱
is is to comitee that t	1UE F		_ \
•		Dave Ernst	\
Ed Devenyns 690 E. Patriot #27	2	1000 Beck #254	\
Reno, Nevada 89511		Reno, Nevada 89509	1
"11			
· · · · · · · · · · · · · · · · · · ·	. 19 85	situated in the unknown	
)istrict, Eureka	County,	State of Nevada.	
	NE/4 of Sec.		
ld claim is located in	the SE/4 of Sec.	Tup. 23 North , Rge. 50	Eas
	NW/4 of Sec.	· <u></u>	
	SW/4 of Sec.		
tie this claim to the	Public Survey. 1	begin at the southeast corner of	Sect
Township 23 North	, Range <u>49</u>	East , Mount Diablo Heridian,	then
2100 Thence WERT	4 45co"		
r No. 1, the northeast			
(or I) claim 1500	linear feet	t along the course of the mineral-bear	ing
lode or vein, extendin	8 <u>1480</u>	feet from the location monument in a	
arthoriv direction	and A	[eet in a southern	for
ion, together with tire length of the clai	JUU leet on	each side of the center of the ledge	
ASIA SENDAN AT SHE CIST	7		PVC 10
		e clearly marked by substantial 4"x5" ents firmly set in the ground bearing	
ten post not less plan tion. The description	of such claim is	s: Beginning at Corner No.1, the Nort	heast
South 750' to the e		- Allises De DA	ther
		3 WOOD COS. AT UPST 4"x4" x 4/2)	ther
North 750' to the w	est side center,	3 7 - 3 <u> </u>	
North 750° to the r	orthwest corner,	a 2"x5" PIC PICE	ther the
East 600' to the I	northeast corner,	a 4"x 5' FVC PA	Lne
ce of beginning.		me of the second	_
e monumentation and ma	arking of the cor	ners was completed by the da	ay of
June 198	5.		
e incation work consi	sted of making =	claim map as provided in NRS 517.040.	Two
of this claim map have	e been filed with	the County Recorder.	and
in claim filing fee ha	s been paid to th	ne County Recorder-	
	/ /		
	/ /	-110	
	/ /	GRI LEVENUM	
		La Swenips	
LOCA	TORS	No of well	
Aure 23	, 1985	- Wave rush	
yure 1)2	-1 1303		
•	RECORDED AT REA	OUEST OF	
	Ed Deven	TANT.	
	#UUN_ <u>/_5 6 </u> -	47!	
	•		
	85 JUN 27 A	9:28	
	GG JUNE A	J + € +	
	DECLIMAL RECO FUNENA COLLUM	0.5 元章 レジュラ スラン・アル	
	* 0.00 * 1.4 * 10.0 * 1.1 * 1.1 * 1.1	30 x 2.01 3	

BOCK | 36 PAGE 471

	·. · ·		
		•	-
		File No.	
-	99567	Filed for record at request of	
CERTIFICATE OF LOCATION	· .	m. and recorded in Book of Official Records Page ,	
		County, Nevada.	
		County Recorder	
·	•	\ \	
THIS IS TO CERTIFY that the	ICE 1 3	32 lode mining claim	\
Ed Devenyns		Dave Ernst	\
690 E. Patriot #272 Reno, Nevada 89511		1000 Beck #254 Reno, Nevada 89509	\
14.			
the G day of June ning District, Eureka		tuated in the unknown	- \
Said claim is located in the	NE/4 of Sec. SE/4 of Sec.	, Tup. 23 North , Rge. 50 Eas	<u>t</u>
• .	NW/4 of Sec.	<u>/6</u> /	_ \
•	SW/4 of Sec.		
To tie this claim to the Publ 1 , Township 23 North WY 200 Yhonee Locare	, Range 49 Ea	gin at the southeast corner of Section , Hount Diablo Heridian, the	tion nce
Corner No. 1, the northeast corn		aim.	
We (or I) claim 1500	linear feet	along the course of the mineral-bearing	
edge, lode or vein, extending	20 5	eet from the location monument in a feet in a southerly	
lrection, together with <u>300</u> _	feet on e	ach side of the center of the ledge for	
he entire length of the claim.			pipe
		clearly marked by substantial 4"x5" PVC ; ts firmly set in the ground bearing appl: Beginning at Corner No.1, the Northeas	
		wood post or wost 4" x4" x4" the	
South 750 to the south	east corner, a	Non 5 PVC FIFE . I will . Use . the	nce, nce.
West , 600° to the south	west corner, a	web per AT CAN THE UNK UNK UNIT I the	nce,
North /50, to the north	Mear corner a	acceptable to the second	nce, point
East 600' to the north	east corner, a	Larxes pre pp	-
The monumentation and markin June 1985.	g of the corn	ers was completed by the day of	r
	of waking a c	laim map as provided in NRS 517.040. Two	9
copies of this claim map have been the lode claim filing fee has been the lode claim.	n filed with	the Eureka County Recorder, and	
the lode claim lilling lee has bee	para co una	Country Metal and	٠
		ce o	
	/	El Erlnyr	
LOCATORS		Res Revenues	
Dated <u>fune 23</u> , 19	n 85	Dave rust	
	ORCEO AT REQUES	TOF	
<u>E</u>	d Peveny		
6 6u	18. <u>13.6.</u> : nu : 1.1	7.25	
85	JUN 27 A 9:	28	
	F 114 2550000		
	TOPE THAT RECORDS	! .	

BOCK 1 36 PAGE 472

	File No
	Filed for record at request of
's Gorea	
CERTIFICATE OF LOCATION 99568	at minutes past o'clock
	m. and recorded in Book of
•	Official Records Page County, Revada.
	County Recorder
•	\ \
	oo \ \ \
THIS IS TO CERTIFY that the 10t # >	1ode mining claim
as located by:	\ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
<i>A</i>	
	ituated in the unknown
Mining District, Eureka County, S	tate of Nevada.
NE/4 of Sec.	/ m
Said claim is located in the SE/4 of Sec.	Tup North Rge East
- NW/9 Of Sec.	<u> </u>
SW/4 of Sec.	 < \ \ \ \
To the this claim to the Public Survey he	gin at the southeast corner of Section
1 . Township 23 North Range 49 E	ast, Hount bladto Heritann, thence
EAST 1500 YAKIKE LEKTA 4500	
to Corner No. 1, the northeast corner of this c	laim.
No for 11 state 1500 1(near feet	along the course of the mineral-bearing
ladas lada an uain extending /Y-OC/ 1	fast iron the location monument in w
direction and off	leet in a
direction, together with lest on e	each side of the center of the ledge for
the entire length of the claim.	
The exterior boundaries of this claim are	clearly marked by substantial 4"x5" PVC pipe
designation. The description of such claim is:	s beginning at corner sorter
Corner; thence, South 750' to the east side center, a	4"x5' P/C P/R 1 thence,
couth 750; to the southeast corner,	a weed too, MI WAS
ware anni to the southwest corner, o	a - 4
North 750° to the west side center,	a 4"×5" FIL FIE
North 750' to the northwest corner, East 600' to the northeast corner,	a 4 33 116 1
and place of beginning.	10
The monumentation and marking of the corn	ers was completed by the day of
June , 1985.	101 n non auchanan 18 - 102 - 112 -
The location work consisted of making a c	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
copies of this claim map have been filed with the lode claim filing fee has been paid to the	County Recorder.
the rode CIETE ITITUE Les USE neen hard to tue	and and an
\ \ /	. 0
	Ed Sevenins
LOCATORS	
	Wave Trust
Dated June 8,3 , 1985	
RECORDED AT REC	CUEST OF
6006_1.7L	1 VNC
_	
85 JUH 27 A	9:28
	v · v ·

BOOK 1 36 PAGE 4 7 3

•		File No.	
	•	Filed for reco	ard at request of
	•		
CERTIFICATE OF LOCATION		at winutes ;	pasto'clock
	99569	m. and recorded	in Book of
•		Official Records Pa	age
			County, Nevada.
			County Recorder
•		-	\ \
		al .	\ \
THIS IS TO CERTIFY that	the ICE	34 · ·	lode mining claim
located by:			_ \ \
		Dave Ernst	\ \
Ed Devenyna		1000 Beck #254	_ \ \
690 E. Patriot 12		TOUG BECK #254	
Reno, Nevada 8951	1	Reno, Nevada 89509	
e 18 th day of MAY			
e 10 day of 77/14	, 19 85, s	ituated in the unknown	vn
g District, Eureka	County, S	tate of Nevada.	
	NE/4 of Sec.	/m 23 mm	th . Rge. 50 East
Said claim is located in	the Sa/4 of Sec.	THE POPULATION	, age
	- NW/4 of Sec.		\ \
-	SW/4 of Sec-	<u> </u>	\ \
To tie this claim to the	. Dublin Cumunu be	win at the southeast	corner of Section
to the this claim to the	rubila survey, be	Bill at the abatheast	Dieble Montdiss thence
Township 23 North	Range 49 E	, nounc	hispro meligian, thence
5. 1500 HEARL NEW			
rner No. 1, the northeas	t corner of this c	laim.	
We (or I) claim1500	Massa fort	stone the course of	the minoral-hearing
Me (or 1) claim1500	- 11mean 1eec	test from the location	a monument in a
northerly direction	1480	feet trou the tocautor	southerly
tion, together with	200 feet on	each side of the cent	er of the ledge for
acton, together with	100 1000 011	ach 3100 of the com-	et of the reago to.
entire length of the cla	/		
man autorior boundaries	of this claim are	clearly marked by sub	ostantial 4"x5" PVC pipe
The exterior communities	ARMARWAL! monumer	ts firmly set in the	ground bearing applicable
gnation. The description	of such claim is:	Reginning at Corne	r No.1. the Northeast
er; thence,	lde conter :	und our milest	$-\frac{4^{4}\times4^{4}\times4/2^{2}}{4^{4}\times4^{4}\times4^{4}\times4^{4}}$ thence.
South 750' to the	sast side center, a	accopes Arecens	- Ulasylik Clyz's thence.
South 750° to the	southeast corner, .	accopes Ni Censi	- 4*x4"x4"z': thence,
West , 600' to the	southwest corner,	week for the con-	thence.
North 750' to the	west side center,	4"×3 P/C P/P	st d*xd*x442; thence, thence, thence,
East 600' to the	northeast corner,	1,000 post AT LES	AST 4"x4'44/2's the poin
where of bogioning			
The monumentation and m	naking of the corn	are was completed by	the The day of
June , 198	arking or the corn	cra was completed by	
The location work consi	isted of making a c	laim man as provided	in NRS 517.040. Two
ies of this claim map hav	e been filed with	the Eureka (County Recorder, and
lode claim filing fee ha	s been paid to the	County Recorder-	<u> </u>
	/ /		
\ \	/ /	_	
	/ /	411	
	/ /	TO SURNIN	<u></u>
		-0	
LOC.	ATORS		
1		1. Vac Tinde	
es /ww 2,3	, 1985	with the same	
	 -		
-	RECOPDED AT RE	CUEST OF	•
	Ed peve		
	530A_136 -	424	
	85 JUN 27 A	0 · 9 R	
	03 184 KI H	3 - 44	
	OFFICIAL SE	ರವಾದಕ್ಕೆ ೧.೧೯೬೩ ರಾಜ	
	HH. REBALEA L	<u>ˈe̯ojollor</u> k	
	9	<u>9569 </u>	BARK LAC PICCL TI
	: = <u>S</u> .	25	800K 1 36 FAGE 4 7 4
		* **	· · · · ·

CERTIFICATE OF LOCATION 99570 THIS IS TO CERTIFY that the	File No. Filed for record at request of at
THIS IS TO CERTIFY that the ICE # was located by: Ed Devenyns 690 E. Patriot #272	m. and recorded in Book of Official Records Page County, Nevada. County Recorder
THIS IS TO CERTIFY that the ICE # was located by: Ed Devenyns 690 E. Patriot #272	m. and recorded in Book of Official Records Page County, Nevada. County Recorder
THIS IS TO CERTIFY that the ICE # was located by: Ed Devenyns 690 E. Patriot #272	Official Records Page County, Nevada County Recorder
THIS IS TO CERTIFY that the ICE # was located by: Ed Devenyns 690 E. Patriot #272	County Recorder
THIS IS TO CERTIFY that the ICE # was located by: Ed Devenyns 690 E. Patriot #272	
was located by: Ed Devenyns 690 E. Patriot #272	
was located by: Ed Devenyns 690 E. Patriot #272	35 lode mining claim
was located by: Ed Devenyns 690 E. Patriot #272	35 lode mining claim
was located by: Ed Devenyns 690 E. Patriot #272	
690 E. Patriot #272	\ \
690 E. Patriot #272	Dave Ernst
Reno, Nevada 89511	1000 Beck #254
	Reno, Nevada 89509
18th a new 1900	atturbed to the unknown
	situated in the unknown State of Nevada.
RateRa	
HE/4 of Sea.	
Said claim is located in the SE/4 of Sec-	Twp. 23 North, Rge. 50 East
SW/4 of Sec.	
To tie this claim to the Public Survey, t	begin at the southeast corner of Section
1, Township 23 North , Range 49 EAST 900' Horsel NERTH 4500'	East, Mount Diablo Meridian, thence
to Corner No. 1, the northeast corner of this	claim
We (or I) claim 1500 linear feet	t along the course of the mineral-bearing
ledge, lode or vein, extending /480	feet from the location monument in a feet in a
direction, together with 300 feet on	each side of the center of the ledge for
the entire length of the claim.	
-	clearly marked by substantial 4"x5" PVC pipe
or wooden post not less than 4 x4 x4; approach designation. The description of such claim is	Beginning at Corner No.1, the Northeast
n-unau. Abanon	\ \
South 750° to the east side center, South 750° to the southeast cotner,	a 4"x5' in length PVC pipe; thence,
West. 600 to the southwest corner,	
wanth 7501 to the west side Center.	a 4"x5" in length rvc Fibe
warth 750! to the northwest Corner.	a 4"x5" in igngen FVC pipe
East 600 to the northeast corner,	a 4"x5' in length PVC pipe ; the poi
and place of beginning.	orth.
The monumentation and marking of the cor	ners was completed by the day of
June , 1985.	
The location work consisted of making a	claim map as provided in NRS 517.040. Two
copies of this claim map have been filed with	the Eureka County Recorder, and
the lode claim filing fee has been paid to th	e County Recorder.
	•
	Ed Nevenum
	Red Verenyes
LOCATORS	M_{\bullet} () · · ·
	Wave Yurst
Dated June 23 , 1985	
Dated June 23 , 1985	EST OF
Dated <u>June</u> 2,3 , 1985	EST OF
Dated June 23 , 1985	EST OF 105 475
Dated June 23 , 1985	EST OF 475
Dated June 23 , 1985	<u>425</u>

BOOK 1 36 PAGE 4 75

	File No.
· ,	Filed for record at request of
1 COPPIA	
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of
	Official Records Page
•	
	County Recorder
•	\ \
	\ \
THIS IS TO CERTIFY that the	36 lode mining claim
located by:	\ \
	Dave Ernst
Ed Devenyns 690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
89511	. 03303
the 18 day of MAY , 1985,	situated in the unknown
ing District, Eureka County,	State of Nevada.
NE/4 of Sec.	, Twp. 23 North , Rge. 50 East
Said claim is located in the SE/4 of Sec.	, IND. 25 NOTCH , 188. 25 250
NW/4 of Sec. SW/4 of Sec.	10
To tie this claim to the Public Survey, t	egin at the southeast corner of Section
1 Township 23 North Range 49	East , Mount Diablo Meridian, thence
AST 900 HENCE LOSTA 3000'	
Corner No. 1, the northeast corner of this	claim.
No (on I) alalm 1500 linear feet	t along the course of the mineral-bearing
We (or I) claim 1500 linear feet adde, lode or vain, extending 20 northerly direction and 1480 rection, together with 300 feet on	feet from the location monument in a
northerly direction and 1480	feet in a southerly
rection, together with 300 feet on	each side of the center of the ledge for
e entire length of the claim.	
The exterior boundaries of this claim are	clearly marked by substantial 4"x5" PVC pipe
wooden post not less than 4"x4"x45' monumersignation. The description of such claim is	ents firmly set in the ground bearing applicable
south 750' to the east side center,	a 4"x 5' P/C P/C thence,
South 750 to the southeast corner,	a was post wit const
Wash Ann' to the southwest corner,	4 ~ - 1 (0. 100
North 750' to the west side center,	a 4 5 PVC PIEC
North 750' to the northwest corner,	a 41x5 FIC PIR
East 600' to the northeast corner,	
nd place of beginning.	. 27
	ore lb
The monumentation and marking of the cor	ners was completed by the day of
The monumentation and marking of the cor- June , 1985.	ners was completed by the day of
^	
The location work consisted of making a	claim map as provided in MRS 517.040. Two
The location work consisted of making a opies of this claim map have been filed with	claim map as provided in MRS 517.040. Two the County Recorder, and
The location work consisted of making a opies of this claim map have been filed with	claim map as provided in MRS 517.040. Two the County Recorder, and
The location work consisted of making a opies of this claim map have been filed with	claim map as provided in MRS 517.040. Two the County Recorder, and
The location work consisted of making a opies of this claim map have been filed with	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder.
The location work consisted of making a opies of this claim map have been filed with	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder.
The location work consisted of making a opies of this claim map have been filed with	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder.
The location work consisted of making a opies of this claim map have been filed with	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder.
The location work consisted of making a opies of this claim map have been filed with he lode claim filing fee has been paid to the LOCATORS	claim map as provided in MRS 517.040. Two the County Recorder, and
The location work consisted of making a opies of this claim map have been filed with he lode claim filing fee has been paid to the	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder.
The location work consisted of making a opies of this claim map have been filed with the lode claim filing fee has been paid to the locators. LOCATORS Dated June 23, 1985	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder.
The location work consisted of making a opies of this claim map have been filed with the lode claim filing fee has been paid to the locators LOCATORS Dated June 23 , 1985 RECYFEEO AT RECE	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder.
The location work consisted of making a opies of this claim map have been filed with the lode claim filing fee has been paid to the locators LOCATORS Dated	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder. Can Dwenger EST OF
The location work consisted of making a opies of this claim map have been filed with the lode claim filing fee has been paid to the locators LOCATORS Dated June 23 , 1985 RECYFEEO AT RECE	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder. Can Dwenger EST OF
The location work consisted of making a opies of this claim map have been filed with the lode claim filing fee has been paid to the locators LOCATORS Dated	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder. Can Dwenger EST OF
The location work consisted of making a opies of this claim map have been filed with the lode claim filing fee has been paid to the locators LOCATORS Dated	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder. Est Durnym Law Gunty EST OF
The location work consisted of making a opies of this claim map have been filed with the lode claim filing fee has been paid to the locators LOCATORS Dated	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder. Est Durnym Law Gunty EST OF
The location work consisted of making a opies of this claim map have been filed with the lode claim filing fee has been paid to the locators LOCATORS Dated	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder. Est Durnym Law Gunty EST OF
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the locators LOCATORS Dated June 23 , 1985 PECARBES AFRESE AFRESE Ed. Deveny 830K 136 Feb.	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder. Est Durnym Est of 1970
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the locators LOCATORS Dated	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder. County Recorder.
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the lode claim filing fee has been paid to the locations LOCATORS PEDABESO AT RECUE A PRICE STORE STORE A STORE AND A STORE A STO	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder. County Recorder. CEST OF 476 28
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the locators LOCATORS Dated	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder. County Recorder. Can Durings CEST OF 470 1:28

	•
	File No.
005	Filed for record at request of
99572	
CERTIFICATE OF LOCATION	at minutes past p'elock
	m. and recorded in Book of
	Official Records Page , County, Nevada.
<u>-</u>	County Recorder
	· ·
	\ \
THIS IS TO CERTIFY that the ICE # S	37 lode mining claim
located by:	\ \
Ed Devenyns	Dave Ernst
690 E. Patriot \$272	1000 Beck #254 Reno, Nevada 89509
Reno, Nevada 89511	
he 18 day of MA4 , 1985, s	ituated in the unknown
ng District, Fureka County, S	tate of Nevada.
NE/4 of Sec.	4 00 10
Said claim is located in the SE/4 of Sec.	, Two. 65 North Rge. 77 East
NW/4 of Sec. SW/4 of Sec.	- 1 W. 25 10001, 19c. 50 0.0
To tie this claim to the Public Survey, be Township 23 North , Range 49 E	egin at the southeast corner of Section ast . Hount Diablo Meridian, thence
55 300 HELLE ALON 4500	
orner No. 1, the northeast corner of this c	laim.
We (or I) claim 1500 linear feet	slong the course of the mineral-bearing
ge, lode or vein, extending 1480	feet from the location monument in a
ge, lode or vein, extending 1480 northerly direction and 20	feet in a southerly
ection, together with 300 feet on	each side of the center of the ledge for
entire length of the claim.	a charter and about 1 Agust 1990 mino
	clearly marked by substantial 4"x5" PVC pipe hts firmly set in the ground bearing applicab
ignation. The description of such claim is:	Beginning at Corner No.1, the Northeast
thoron	APVS in length PVC pipe ; thence,
South 750° to the east side center, south 750° to the southeast corner,	a 4"x5' in length PVC pipe thence,
west, 500' to the southwest corner,	a 4"x5" in length PVC pipe
Name to the west side center.	a 4"x5' in length PVC pipe ; thence,
North 750° to the northwest corner, East 600° to the northeast corner,	a a ka the tendent to be a
place of beginning.	ofth
	ers was completed by the day of
June , 1985.	
June	claim map as provided in NRS 517.040. Two
June, 1985. The location work consisted of making a codes of this claim map have been filed with	claim map as provided in NRS 517.040. Two
June, 1985. The location work consisted of making a codes of this claim map have been filed with	claim map as provided in NRS 517.040. Two
June, 1985. The location work consisted of making a codes of this claim map have been filed with	claim map as provided in NRS 517.040. Two
June, 1985. The location work consisted of making a codes of this claim map have been filed with	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder.
June, 1985. The location work consisted of making a content of this claim map have been filed with	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder.
June, 1985. The location work consisted of making a codes of this claim map have been filed with	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and the County Recorder.
June . 1985. The location work consisted of making a copies of this claim map have been filed with a lode claim filing fee has been paid to the LOCATORS	claim map as provided in NRS 517.040. Two
June , 1985. The location work consisted of making a copies of this claim map have been filed with me lode claim filing fee has been paid to the LOCATORS	claim map as provided in NRS 517.040. Two the
June . 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and a County Recorder. Ed Annual
June . 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and a County Recorder. Ed Annual
June, 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and a County Recorder. Ed Annual
June . 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS LOCATORS ALECCREDED AT RECUES Ed Deveny Found 134 ranks	claim map as provided in NRS 517.040. Two the
June . 1985. The location work consisted of making a copies of this claim map have been filed with a lode claim filing fee has been paid to the LOCATORS LOCATORS AECCREED AJ RECUES Ed Deveny Edual Jala ratio	claim map as provided in NRS 517.040. Two the
June . 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and a County Recorder. Ed Sunny County Recorder.

BOOK | 36 PAGE 477

	and the second second		
		Ella No	
		File No.	
;	99573	Filed for record at	request of
		at minutes past	o'clock
CERTIFICATE OF LOCATION		m. and recorded in Boo	k of
		Official Records Page	
		County	, Kevada
•			
THIS IS TO CERTIFY that the			unty Recorder
a located by:			\ \
Ed Devenyns		Dave Ernst	\ \
690 E. Patriot #272		1000 Beck #254	_
Reno, Nevada 89511	•	Reno, Nevada 89509	1
the 18 day of MA4	, 1985, at	tuated in the unknown	
ning District, Fureka	County, St	ate of Nevada.	
Said claim is located in the	NE/4 of Sec	T Tun 23 2	a 49 m
Said Claim is located in the	NUMBER OF CO.	North N	
,	· nw/4 of 5ec SV/N of 5ec.	6 Tup 23 Abon, 1	ge. 50 EAST
To tie this claim to the Pub	olic Survey, be	in at the southeast	corner of Section
1 . Township 23 North	, Range 49 Ea	st, Mount Diable	Meridian, thence
45T 300 HAVE NOON S	<u>'000 '</u>		
Corner No. 1, the northeast co	rmer of this cl	aim.	
We (or I) claim 1500	_ linear feet	along the course of the min	erai-bearing
dge, lode or vein, extending	20	eet from the location monum	en t in a ·lv
northerly direction and	1480	feet in a souther	
rection, together with300	feet on e	ach side of the center of t	ne ledge for
he entire length of the claim.			
The exterior boundaries of t	his claim are o	learly marked by substantia	1 4"x5" PVC pip
2	ATTAL MODUMENT	s lithia sec in the drawn	bearing opprior
esignation. The description of	such claim is:	Beginning at Corner No.1,	the Northeast
courts 750° to the east	side center, a	4"x5' in length PVC pipe	thence
South 750 to the south	neast corner, a	4"x5 in tenden PVC pipe	; thence
Work Coul to the court			
BESE SOUTH TO LIE SOUTH	west corner, a	4"x5" in length PVC pipe	; thence
Newth 2501 to the west	side center. a	4"x5' in length PVC pipe 4"x5' in length PVC pipe	thence thence
North 750' to the west	side center, a	4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe	; thence ; thence ; thence
North 750' to the west	side center, a	4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe	thence thence
North 750' to the west North 750' to the north East 600' to the north	side center, a nwest corner, a neast corner, a	4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe	; thence ; thence ; thence ; the po
North 750' to the west North 750' to the north East 600' to the north	side center, a nwest corner, a neast corner, a	4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe	; thence ; thence ; thence ; the po
North 750' to the west North 750' to the north East 600' to the north ad place of beginning. The monumentation and marki	side center, a nwest corner, a neast corner, a	4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe	; thence ; thence ; thence ; the po
North 750' to the west	side center, a nwest corner, a neast corner, a	4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe	; thence ; thence ; thence ; the po
North 750' to the west North 750' to the north East 600' to the north nd place of beginning. The monumentation and marki June , 1985.	side center, a nwest corner, a heast corner, a ng of the corne	4"x5' in length PVC pipe rs was completed by the	; thence ; thence ; thence ; the po
North 750' to the west North 750' to the north East 600' to the north ad place of beginning. The monumentation and marki June , 1985. The location work consisted	side center, a nuest corner, a neast corner, a ng of the corne of making a cl	4"x5' in length PVC pipe rs was completed by the	; thence ; thence ; thence ; the po
North 750° to the west North 750° to the north East 600° to the north ad place of beginning. The monumentation and marki June , 1985. The location work consisted opies of this claim map have be	side center, a nwest corner, a neast corner, a ng of the corne of making a cl en filed with t	4"x5' in length PVC pipe rs was completed by the	; thence; thence; thence; thence; the po
North 750' to the west North 750' to the north East 600' to the north ad place of beginning. The monumentation and marki June , 1985. The location work consisted opies of this claim map have be	side center, a nwest corner, a neast corner, a ng of the corne of making a cl en filed with t	4"x5' in length PVC pipe rs was completed by the	; thence; thence; thence; thence; the po
North 750' to the west North 750' to the north East 600' to the north ad place of beginning. The monumentation and marki June , 1985. The location work consisted opies of this claim map have be	side center, a nwest corner, a neast corner, a ng of the corne of making a cl en filed with t	4"x5' in length PVC pipe rs was completed by the	; thence; thence; thence; thence; the po
North 750' to the west North 750' to the north East 600' to the north ad place of beginning. The monumentation and marki June , 1985. The location work consisted opies of this claim map have be	side center, a nwest corner, a neast corner, a ng of the corne of making a cl en filed with t	4"x5' in length PVC pipe rs was completed by the	; thence; thence; thence; thence; the po
North 750° to the west North 750° to the north East 600° to the north ad place of beginning. The monumentation and marki June , 1985. The location work consisted opies of this claim map have be	side center, a nwest corner, a neast corner, a ng of the corne of making a cl en filed with t	4"x5' in length PVC pipe rs was completed by the	; thence; thence; thence; thence; the po
North 750° to the west North 750° to the north East 600° to the north ad place of beginning. The monumentation and marki June , 1985. The location work consisted opies of this claim map have be	side center, a nwest corner, a neast corner, a ng of the corne of making a cl en filed with t	4"x5' in length PVC pipe rs was completed by the	; thence; thence; thence; thence; the po
North 750' to the west North 750' to the north East 600' to the north ad place of beginning. The monumentation and marki June , 1985. The location work consisted opies of this claim map have be	side center, a nuest corner, a neast corner, a ng of the corne of making a cl en filed with t en paid to the	4"x5' in length PVC pipe rs was completed by the	; thence; thence; thence; thence; the po
North 750' to the west North 750' to the north East 600' to the north ad place of beginning. The monumentation and marki June , 1985. The location work consisted opies of this claim map have be the lode claim filling fee has be	side center, a nuest corner, a neast corner, a ng of the corne of making a cl en filed with t en paid to the	4"x5' in length PVC pipe rs was completed by the	; thence; thence; thence; thence; the po
North 750' to the west North 750' to the north East 600' to the north ad place of beginning. The monumentation and marki June 1985. The location work consisted opies of this claim map have be he lode claim filling fee has be	side center, a nuest corner, a neast corner, a ng of the corne of making a cl en filed with t en paid to the	4"x5' in length PVC pipe rs was completed by the	; thence; thence; thence; thence; the po
North 750' to the west North 750' to the north East 600' to the north and place of beginning. The monumentation and marki June , 1985. The location work consisted opies of this claim map have be the lode claim filling fee has be	side center, a nuest corner, a neast corner, a ng of the corne of making a cl en filed with t en paid to the	4"x5' in length PVC pipe aim map as provided in NRS the Eureka County F County Recorder. La Durnings Lawrence Law	; thence; thence; thence; thence; the po
North 750' to the west North 750' to the north East 600' to the north and place of beginning. The monumentation and marki June , 1985. The location work consisted opies of this claim map have be the lode claim filling fee has be LOCATORS	side center, a nuest corner, a neast corner, a ng of the corne of making a cl en filed with t en paid to the	4"x5' in length PVC pipe aim map as provided in NRS the Eureka County F County Recorder. La Durnings Lawrence Law	; thence; thence; thence; thence; the po
North 750' to the west North 750' to the north East 600' to the north ad place of beginning. The monumentation and marki June , 1985. The location work consisted opies of this claim map have be the lode claim filling fee has be	side center, a nuest corner, a neast corner, a ng of the corne of making a cl en filed with t en paid to the	4"x5' in length PVC pipe aim map as provided in NRS the Eureka County F County Recorder. La Durnings Lawrence Law	; thence; thence; thence; thence; the po
North 750° to the west North 750° to the north East 600° to the north deplace of beginning. The monumentation and marki June , 1985. The location work consisted opies of this claim map have be the lode claim filling fee has be	side center, a nuest corner, a neast corner, a ng of the corne of making a cl en filed with t en paid to the	4"x5' in length PVC pipe aim map as provided in NRS the Eureka County F County Recorder. La Durnings Lawrence Law	; thence; thence; thence; thence; the po
North 750' to the west North 750' to the north East 600' to the north ad place of beginning. The monumentation and marki June , 1985. The location work consisted opies of this claim map have be the lode claim filling fee has be	side center, a nuest corner, a neast corner, a ng of the corne of making a cl en filed with t en paid to the	4"x5' in length PVC pipe aim map as provided in NRS the Eureka County F County Recorder. La Durnings Lawrence Law	; thence; thence; thence; thence; the po
North 750° to the west North 750° to the north East 600° to the north d place of beginning. The monumentation and marki June , 1985. The location work consisted opies of this claim map have be he lode claim filling fee has be	of making a clen filed with the paid to the	4"x5' in length PVC pipe aim map as provided in NRS the Eureka County F County Recorder. La Durry SF SF STA	; thence; thence; thence; thence; the po
North 750' to the west North 750' to the north East 600' to the north ad place of beginning. The monumentation and marki June , 1985. The location work consisted opies of this claim map have be the lode claim filling fee has be LOCATORS	of making a clen filed with the paid to the	4"x5' in length PVC pipe aim map as provided in NRS the Eureka County F County Recorder. La Durry SF SF STA	; thence; thence; thence; thence; the po
North 750' to the west North 750' to the north East 600' to the north ad place of beginning. The monumentation and marki June , 1985. The location work consisted opies of this claim map have be the lode claim filling fee has be LOCATORS	side center, a nuest corner, a neast corner, a ng of the corne of making a cl en filed with t en paid to the	4"x5' in length PVC pipe aim map as provided in NRS the Eureka County F County Recorder. La Durry SF SF STA	; thence; thence; thence; thence; the po

BOOK 1 36 PAGE 4 7 8

·	
	File No Filed for record at request of
CERTIFICATE OF LOCATION : 995	at minutes past o'clock
	m. and recorded in Book of
	Official Records Page
	County, nevada.
	County Recorder
•	\ \
THIS IS TO CERTIFY that the	ICE # 39 lode mining claim
ocated by:	
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
. if	
ne /8 day of MAY	, 1985, situated in the unknown County, State of Nevada.
NE/4	of Sec
Said claim is located in the SE/4	of Sec. , Twp. 3 North , Nge. 37 East
	of Sec.
To tie this claim to the Public Se	urvey, begin at the southeast corner of Section
, Township 23 North, Ran	nge 49 East Hount Diablo Meridian, thence
st 300' thence worth 450	
orner No. 1, the northeast corner o	of this claim.
We (or I) claim1500 line	ear feet along the course of the mineral-bearing
e. lode or vein, extending	Feet from the location monument in a
northerly direction and	feet in a southerly feet on each side of the center of the ledge for
entire length of the claim.	Test on each side of the center of the reage to
_ / /	a the substantial Affect DUC nine
The exterior boundaries of this cl	laim are clearly marked by substantial 4"x5" PVC pipe monuments firmly set in the ground bearing applicable
poden post not less than 4"x4"x45"	claim is: Beginning at Corner No.1, the Northeast
er: thence.	\ \
South 750 to the east side (center, a 4"x5' in length PVC pipe ; thence,
South 750' to the southeast	
West. 600° to the southwest	corner, a 4"x5' in length PVC pipe ; thence, center, a 4"x5' in length PVC pipe ; thence,
North 750' to the northwest	corner, a 4"x5" in length PVC pipe f thence,
East 600' to the northeast	corner, a 4"x5' in length PVC pipe, the point
place of beginning.	7th
The monumentation and marking of	the corners was completed by the day of
June , 1985.	
The Secondary would constant of an	thing a shall man as arounded in NPS 517 Obo Turn
ing location work consisted of ma	aking a claim map as provided in NRS 517.040. Two led with theEurekaCounty Recorder, and
lode claim filing fee has been pai	
	Gel Duenne
LOCATORS	Ed Elvenps
. 1 23	Dave Trust
ed <u>June 23</u> , 1985	
eteror	CED AT REQUEST OF
	DevenyNS
200n_	136 rpc 477
\$5 JUI	п 27 д 9: 29
25	rmanu PEC 1778
Elike	rright PEC 1773 AL ELL VI A. FOUNDA EBALEALA RELOYUFR
25N, No. 15N, No. 15N	800K 36 PAGE 479
rain ara	5.75 SUCK J D HASE4 J
e e e	5.75

	File No.
	Filed for record at request of
99575	
CERTIFICATE OF LOCATION	at minutes past o'clock
	_ m. and recorded in Book of
	Official Records Page
	County Recorder
•	\ \
THIS IS TO CERTIFY that the ICE	40
as located by:	lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
المراجعة الم	About at the bound of
	ituated in the unknown tate of Nevada.
NE/4 of Sec. Said claim is located in the SE/4 of Sec.	- Tun 23 wards Box 4/9 mass
NW/4 of Sec.	, Twp. Of J North , age. F/ Last
SW/4 of Sec.	
To tie this claim to the Public Survey, be	gin at the southeast corner of Section
1 , Township 23 North Range 49 E	ast , Mount Diablo Meridian, thence
PUEST 500' HEARE LIGHTH 5000'	
O Corner No. 1, the northeast corner of this c	laim.
We (or I) claim1500 linear feet	along the course of the mineral-bearing
We (or I) claim 1500 linear feet edge, lode or vein, extending 20	eet from the location monument in a
northerly direction and /486 irection, together with 300 feet on e	ach side of the center of the ledge for
the entire length of the claim.	
The exterior boundaries of this claim are	clearly marked by substantial 4"x5' PVC pipe
or wooden post not less than 4"x4"x45' monumen	ts firmly set in the ground bearing applicable
designation. The description of such claim is:	Beginning at Corner No.1, the Northeast
South 750° to the east side center, a	4"x5" in length PVC pipe ; thence,
South 750' to the southeast corner, a	4"x5' in length PVC pipe ; thence,
West, 600° to the southwest corner, a	4"x5' in length PVC pipe ; thence,
North 750' to the northwest corner, a	4"x5' in length PVC pipe ; thence,
East 600' to the northeast corner, a	4"x5' in length PVC pipe ; the point
and place of beginning.	The same of the sa
The monumentation and marking of the corner June , 1985.	ers was completed by the day of
The location work consisted of making a copies of this claim map have been filed with	laim map as provided in NRS 517.040. Two the Eureka County Recorder, and
the lode claim filing fee has been paid to the	County Recorder.
	•
	. 1
	Ed Aweners
	0 /
LOCATORS	No. 6 /-
Dated <u>fune 33</u> , 1985 -	Wave linst
/	
VECCLLED AL VECNER	_
book 136 Aug	7 <u>80</u>
	·
PË IIII AS A BA	20
55 JUN 27 A 9:	
	,i

BOOK 1 36 PAGE 480

•		•
		File No
	99576	Filed for record at request of
CERTIFICATE OF LOCATION	*	at minutes past o'clock m. and recorded in Book of
		Official Records Page County, Nevada.
		County Recorder
THIS IS TO CERTIFY that the slocated by:	ICE	4/ lode mining claim
Ed Devenyns		Dave Ernst
690 E. Patriot #272		1000 Beck #254 Reno, Nevada ₈₉₅₀₉
Reno, Nevada 89511		RENO, NEVADO 89509
the 18 day of MAY	. 1985. :	situated in the unknown
ning District, Eureka	County,	State of Nevada.
Said claim is located in the	SE/4 of Sec.	Two. 65 North Rge. 47 East
	· WHIA OI PGC.	
•	SW/4 of Sec.	(
To tie this claim to the Put	olic Survey, b	egin at the southeast corner of Section
1 . Township 23 North	, Range 49 1	East Mount Diablo meridian, thence
1857 400 HORACE LEETH	4500'	
Corner No. I, the northeast co		
We (or I) claim1500	_ linear feet	along the course of the mineral-bearing
northerly direction and	20	feet in a southerly each side of the center of the ledge for
irection, together with300	ieet on	each side of the Center of the reaks to.
he entire length of the claim.		
		clearly marked by substantial 4-x5' FVC pipe nts firmly set in the ground bearing applical
esignation. The description of	such claim is	: Beginning at Corner No.1, the Northeast
		a 4"x5' in length PVC pipe , thence
	and corest	a 4"x5' in length PVC pipe thence
er fort to the cout)	west curper.	a 4"x5' in leggth PVC pipe
" TEA! to the uset	side Center.	Z 4 X3 III Tengent FVC Pres
neath 7601 to the port	hwest corner.	a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; the po
East 600 to the nort	mease corner,	11
The monumentation and marki	ng of the cor	ners was completed by the the day of
June 1985.		
		alain to a provided in MRS 517 MM. Tun
The location work consisted copies of this claim map have be	en filed with	claim map as provided in NRS 517.040. Two
the lode claim filing fee has be	en paid to th	
	/ /	
	/	. 1
	/	Led Sevenions
		7. 2
LOCATORS	5	None Gurd
Dated June 23	1985	- Were Trust
Dated		HERET AF
	FECCOTED AT RED Ed Deven	9 N S_
	E304_13.b	481.
		0.20
	95 JUH 27 A	3: Za

806K 1 3 6 PAGE 4 6 1

	•	File No.	
	99577	Filed for record at request	or ———
ADDRESS OF LOCATION	٠.	at minutes past o'	clock
CERTIFICATE OF LOCATION		m. and recorded in Book	of
		Official Records Page,	
		County, Nevad	a.
-		0	
		County Re	corder
		\	\
		/m · ·	\
THIS IS TO CERTIFY that the	ICE #	10de mining c	laim
located by:	•	·	\ \
Ed Devenyns		Dave Ernst	\ \
690 E. Patriot #272		1000 Beck #254	\ \
Reno, Nevada 89511		Reno, Nevada 89509	7 /
10th - mare	30.44		
he 18 day of 184	, 19 85, :	Strated in the unknown	
ng District, <u>Eureka</u>	County,	State of Nevada.	
	NE/4 of Sec.		
Said claim is located in the	: \$2/4 of Sec.	, Tup. 23 Abor, Rge. 49	ERST
-	NW/4 of Sec.	/ \ \ \ \ .	
	SW/4 of Sec.	(<u> </u>	
We him this place to the Dul	hlin Sumpor h	egin at the southeast corner	af Section
Township 23 North	Range 49	East , Mount Diablo Meridian	n, thence
57 900' Thence WELTH	3000		
corner No. 1, the northeast co	rner of this	laim.	
·			
We (or I) claim 1500	_ linear feet	along the course of the mineral-be	arıng
ge, lode or vain, extending	d later	along the course of the mineral-be feet from the location monument in feet in a southerly	а
northerly direction and	feet on	each side of the center of the ledg	e for
entire length of the claim.		COU. B120 D1 VIII D10000 D1 VIII 1110	
		areals marked by substantial 4"x5"	PVC pipe
The exterior boundaries of the	ture crarm are	clearly marked by substantial 4"x5" nts firmly set in the ground bearing	applicable
wooden post not less than 4 -	such claim is	: Beginning at Corner No.1, the No.	theast
mare thence.			
south 750! to the east	side center,		thence, thence,
South 750' to the south	heast corner,	a 4"x5' in length PVC pipe	_; thence,
West 600 to the south	hwest corner,	a 4"x5' in length PVC pipe a 4"x5' in length PVC pipe	; thence,
North 750' to the west	hwest corner.	s Arver in length PVC DIDE	; thence,
East 600' to the nort	heast corner,	a 4"x5' in length PVC pipe	_; the poin
place of beginning.			
The monumentation and marki	ng of the cor	ners was completed by the	day of
June , 1985.			
	^		
The location work consisted	of making a	claim map as provided in NRS 517.040	. Two
pies of this claim map have be e lode claim filing fee has be	en filed with	the Eureka County Recorder	, arkı
s fode craim filling fee use of	sen paru to th	e Councy Recorder.	-
		41 12	
		a prevenyry	
. 001700		Ed Slevenyrs	
LOCATORS	>	Also South	
ted <u>June 23</u> .	1985	petite pro-	
- june - i-	-		
-	RECORDED AT FED	UEST OF	
	Ed Dever		
	200 J .36	<u> 48.7</u>	
,	05 JEL 27 A S	· • • •	
i			
•	GO CHARLE II.		

BOOK 1 36 PAGE 482

		File No.	
	99578	Filed for record at request of	
CERTIFICATE OF LOCATION		at minutes past o'clock m. and recorded in Book of	
		Official Records PageCounty, Nevada.	
,		County Recorder	
		(n)	
THIS IS TO CERTIFY that the s located by:	ICE I	lode mining claim	
Ed Devenyns		Dave Ernst	
690 E. Patriot #272		1000 Beck #254	\
Reno, Nevada 89511	•	Reno, Nevada 89509	\
. 1		I have been a share with room	/
the 18 day of may		ituated in the unknown tate of Nevada.	
ning District, <u>Fureka</u>	County, S	Ivano of Meagner	
Said claim is located in the	NE/4 of Sec. SE/4 of Sec. NW/4 of Sec.	, Tup. &3 /KEAN, Rge. 47 CNS	_
	SW/4 of Sec.		
1 . Township 23 North	. range 47 C	egin at the southeast corner of Sections ast , Mount Diable Meridian, then	ce
Corner No. 1, the northeast co	omer of this c	laim.	_
We (or I) claim 1500 idge, lode or vein, extending northerly direction and	7750	along the course of the mineral-bearing feet from the location monument in a feet in a southerly	
irection, together with 300	feet on	each side of the center of the ledge for	
me entire length of the claim.			
	this claim are	clearly marked by substantial 4"x5' PVC pr	ipe
		its firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast	
		. 4"x5' in length PVC pipe; then	ce,
The state of the court	haset corner. a	4"X5' in length FVC pipe	
the state of the south	breet corner. a	4"x5' in length PVC pipe; then	ce,
			ce,
A STATE OF THE PROPERTY OF THE	huger morner.	1 4"X3" III 16114 CH + + + + + + + + + + + + + + + + + +	poi:
East 600' to the nort	heast corner,	4"X5. IN Tengen Fve pipe	
nd place of beginning. The monumentation and marki	ing of the corn	ers was completed by the THE day of	
	^		
copies of this claim map have be	een filed with	laim map as provided in NRS 517.040. Two the Eureka County Recorder, and	
he lode claim filing fee has be	en paid to the	County Recorder-	-
		Ed Devenuers	
LOCATOR	5	Ed Devenyes	
0	1985	Wave Tingt	
REC	CREED AT REQUEST	of .	
_ <u>£</u> 500	d Deveryos	3.	
~	JUN 27 A 9:1	» <u>9</u>	
85	JUN 61 M 3 * 4	₽ 74	

800X | 36 PAGE483

	File No.
99579	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock m. and recorded in Book of Official Records Page County, Nevada.
	County Recorder
	County Letter 51.
THIS IS TO CERTIFY that the	44 lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada B9511	Reno, Nevada 89509
the <u>184</u> day of <u>MA4</u> , 1985, si	tuated in the unknown
ning District, Eureka County, St	ate of Nevada.
NE/4 of Sec Said claim is located in the SE/4 of Sec - NW/4 of Sec SW/4 of Sec	/ , Tup. 013 JULIA , Rge. 47 CASI
1 Township 23 North Range 49 Ea	st, Hount Diablo Heridian, thence
WEST 1500' HAIRE NOON 3000'	
Corner No. 1, the northeast corner of this cl	
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
ada, toda ol. satul extending	gauthorly
northerly direction and /480	feet in a southerry
edge, lode or vein, extending 20 for northerly direction and 1480 frection, together with 300 fest on extending 20	feet in a southerry ach side of the center of the ledge for
irection, together with 300 lest on each be entire length of the claim.	ach side of the center of the ledge for
the exterior boundaries of this claim are companies of this claim are companies.	clearly marked by substantial 4*x5° PVC pipe
the exterior boundaries of this claim are companies of this claim are companies.	clearly marked by substantial 4"x5° PVC pipe
the entire length of the claim. The exterior boundaries of this claim are or wooden post not less than 4"x4"x4" monument esignation. The description of such claim is:	clearly marked by substantial 4"x5° PVC pipe s firmly set in the ground bearing applicab Beginning at Corner No.1, the Northeast
The exterior boundaries of this claim are or wooden post not less than 4"x4"x4\footnote{1000}" monument esignation. The description of such claim is: orner; thence, South 750\footnote{1000} to the east side center, a	clearly marked by substantial 4"x5" PVC pipe is firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe ; thence,
the entire length of the claim. The exterior boundaries of this claim are or wooden post not less than 4"x4"x4" monument esignation. The description of such claim is: orner; thence, South 750' to the east side center, a south 750' to the southeast corner, a	clearly marked by substantial 4"x5' PVC pipe sefirmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe sthence, 4"x5' in length PVC pipe sthence,
The exterior boundaries of this claim are of twooden post not less than 4"x4"x4\forall' monument signation. The description of such claim is: South 750' to the east side center, a South 750' to the southwest corner, a West , 600' to the southwest corner, a	learly marked by substantial 4"x5' PVC pipe sefirmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe sthence,
The exterior boundaries of this claim are or wooden post not less than 4"x4"x4" monument esignation. The description of such claim is: borner; thence, South 750' to the east side center, a South 750' to the southeast corner, a west, 600' to the southwest corner, a North 750' to the west side center, a	clearly marked by substantial 4"x5' PVC pipe s firmly set in the ground bearing applicab Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence,
The exterior boundaries of this claim are or wooden post not less than 4"x4"x4" monument esignation. The description of such claim is: orner; thence, South 750' to the east side center, a south 750' to the southeast corner, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a	clearly marked by substantial 4"x5' PVC pipe s firmly set in the ground bearing applicab Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence,
the entire length of the claim. The exterior boundaries of this claim are or wooden post not less than 4"x4"x41' monument esignation. The description of such claim is: former; thence, South 750' to the east side center, a south 750' to the southeast corner, a west, 600' to the southwest corner, a north 750' to the west side center, a	clearly marked by substantial 4"x5' PVC pipe s firmly set in the ground bearing applicab Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence,
The exterior boundaries of this claim are or wooden post not less than 4"x4"x41' monument esignation. The description of such claim is: orner; thence, South 750' to the east side center, a west , 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a and place of beginning. The monumentation and marking of the corne June , 1985.	clearly marked by substantial 4"x5' PVC pipe s firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe 7 thence 4"x5' in length PVC pipe 7 thence 7 thence 8 thence 9 thence
The exterior boundaries of this claim are or wooden post not less than 4"x4"x4" monument esignation. The description of such claim is: orner; thence, South 750' to the east side center, a west , 600' to the southeast corner, a North 750' to the west side center, a North 750' to the morthwest corner, a test 600' to the northwest corner, a north 750' to the northwest corner, a least 600' to the northwest 600' to the least 600' to the l	clearly marked by substantial 4"x5' PVC pipe se firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe stance, 5 the point aim map as provided in NRS 517.040. Two he Eureka County Recorder, and
the entire length of the claim. The exterior boundaries of this claim are or wooden post not less than 4"x4"x4" monument esignation. The description of such claim is: orner; thence, South 750' to the east side center, a South 750' to the southeast corner, a West , 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a and place of beginning. The monumentation and marking of the corne June , 1985. The location work consisted of making a cleopies of this claim map have been filed with the results of the corne of this claim map have been filed with the corne of this claim map have been filed with the corne of the	clearly marked by substantial 4"x5' PVC pipe se firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe stance, 5 the point aim map as provided in NRS 517.040. Two he Eureka County Recorder, and
The exterior boundaries of this claim are or a wooden post not less than 4"x4"x4" monument esignation. The description of such claim is: orner; thence, South 750' to the east side center, a west , 600' to the southeast corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a cast 600' to the northwest corner, a north 750' to the northwest corner, a least 600' to the northwest 600' to the least 600' to th	clearly marked by substantial 4"x5' PVC pipe s firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe sthence, thence,
The exterior boundaries of this claim are or wooden post not less than 4"x4"x4" monument esignation. The description of such claim is: orner; thence, South 750' to the east side center, a south 750' to the southeast corner, a west , 600' to the southeast corner, a North 750' to the morthwest corner, a East 600' to the northwest corner, a cast 600' to the northwest corner, a north 750' to the northwest corner, a least 600' to the northwest 600' to the least 600' to the	clearly marked by substantial 4"x5' PVC pipe s firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe sthence, thence,
The exterior boundaries of this claim are or a wooden post not less than 4"x4"x4" monument esignation. The description of such claim is: orner; thence, South 750' to the east side center, a west , 600' to the southeast corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a cast 600' to the northwest corner, a north 750' to the northwest corner, a least 600' to the northwest 600' to the least 600' to th	clearly marked by substantial 4"x5' PVC pipe se firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe stance, 5 the point aim map as provided in NRS 517.040. Two he Eureka County Recorder, and
the entire length of the claim. The exterior boundaries of this claim are or wooden post not less than 4"x4"x4" monument esignation. The description of such claim is: forner; thence, South 750' to the east side center, a west 600' to the southeast corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a and place of beginning. The monumentation and marking of the corne June 1985. The location work consisted of making a cleopies of this claim map have been filed with the lode claim filing fee has been paid to the	clearly marked by substantial 4"x5' PVC pipe s firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe sthence, thence,
the entire length of the claim. The exterior boundaries of this claim are or wooden post not less than 4"x4"x4" monument esignation. The description of such claim is: forner; thence, South 750' to the east side center, a south 750' to the southeast corner, a west, 600' to the southeast corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northeast corner, a and place of beginning. The monumentation and marking of the corne June , 1985. The location work consisted of making a cleopies of this claim map have been filed with the lode claim filling fee has been paid to the	clearly marked by substantial 4"x5' PVC pipe is firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence, thence, in length PVC pipe ; thence, thence, thence, in length PVC pipe ; thence, thence, thence, thence, in length PVC pipe ; thence,
irection, together with 300 feet on eithe entire length of the claim. The exterior boundaries of this claim are or wooden post not less than 4"x4"x4" monument esignation. The description of such claim is: orner; thence, South 750' to the east side center, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a and place of beginning. The monumentation and marking of the corne June , 1985. The location work consisted of making a claim map have been filed with the lode claim filing fee has been paid to the LOCATORS Dated June 23 , 1985 **ECCREED AI REQUEST OF Ed Dayenyns**	clearly marked by substantial 4"x5' PVC pipe is firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence, thence, in length PVC pipe ; thence, thence, thence, in length PVC pipe ; thence, thence, thence, thence, in length PVC pipe ; thence,
The exterior boundaries of this claim are or wooden post not less than 4"x4"x4" monument esignation. The description of such claim is: orner; thence, South 750' to the east side center, a south 750' to the southeast corner, a west , 600' to the southeast corner, a North 750' to the morthwest corner, a East 600' to the northwest corner, a and place of beginning. The monumentation and marking of the corne June 1985. The location work consisted of making a cleopies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS Dated June 23 , 1985	clearly marked by substantial 4"x5' PVC pipe is firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence, thence, in length PVC pipe ; thence, thence, thence, in length PVC pipe ; thence, thence, thence, thence, in length PVC pipe ; thence,
The exterior boundaries of this claim are or wooden post not less than 4"x4"x4" monument esignation. The description of such claim is: orner; thence, South 750' to the east side center, a south 750' to the southeast corner, a west, 600' to the southwest corner, a North 750' to the morthwest corner, a East 600' to the northwest corner, a test 600' to the northwest corner, a north 750' to the northwest corner, a 1985. The monumentation and marking of the corner of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS Dated LOCATORS Dated LOCATORS Dated LOCATORS	clearly marked by substantial 4"x5' PVC pipe se firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe

BOOK | 36 PAGE 484

	•
	File No.
•	
	Filed for record at request of
, 99580	
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of
	Official Records Page
	County Recorder
•	\ \
•	\ \
THIS IS TO CERTIFY that the ICE #	45 lode mining claim
located by:	\ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
_ //	
the 187 day of MR4, 1985, a	ituated in the unknown
ing District, Eureka County, S	scate of nevaca.
NE/4 of Sec.	7/
Said claim is located in the SE/4 of Sec.	T, Twp. 23 MICH, Rge. 50 EAST
· NW/4 of Sec.	<u></u> / \ \ \ .
SW/4 of Sec.	
To big this alois to the Dublic Sunsay by	egin at the southeast corner of Section
1 Township 23 North Range 49 E	ast , Hount Diablo Meridian, thence
AST 4500 HALACE SCHOTH 1500'	
Corner No. 1, the northeast corner of this c	laim.
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
dge, lode or vein, extending 20 northerly direction and /480	feet in a southerly
rection, together with 300 feet on	each side of the center of the ledge for
e entire length of the claim.	
	clearly marked by substantial 4"x5° PVC pipe
	use illuit set in the droupe profits albi
signation. The description of such claim is	: Beginning at Corner No.1, the Northeast
thoras	\ \
court TEAL to the east side center.	a 4"x5' in length PVC pipe ; thence,
South 750° to the southeast corner,	a 4"x5' in length PVC pipe; thence,
West 600' to the southwest corner, North 750' to the west side center,	a 4"x5' in length PVC pipe ; thence,
Massa 750 to the northwest coiner.	a 4 No III Teligen Co Fall
East 600' to the northeast corner,	a 4"x5' in length PVC pipe : the poin
The monumentation and marking of the corr	ners was completed by the Had day of
June , 1965.	
	the same as according to NRC 517 ANA Time
The location work consisted of making a copies of this claim map have been filed with	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
he lode claim filing fee has been paid to the	County Recorder
D 2000 COLLEGE TO THE OWN PARTY OF THE	•
	Ed Same
	Ed Sevenyes
LOCATORS	Ed Sevenyes
LOCATORS	Ed Sevenyes
0 00	Dave Errel
0 00	Dave Eurol
nated June 23 , 1985 PECCROED AT REQUEST	OF
ated June 23 , 1985 PECCROED AT REQUEST	OF
ated <u>June 23</u> , 1985	OF
ated June 23 , 1985 PECCROED AT REQUEST	OF
PECORDED AT REQUEST Ed Deservas ETCh 136 Page 148	of S
ated <u>fixe 33</u> , 1985	of S
PECCROED AT REQUEST Ed Deservas ETCh 136 Page 148	of S

BOOK 1 36 PAGE 4 8 5

	•	File No
	99581	Filed for record at request of
CERTIFICATE OF LOCATION	<i>:</i> ·	at minutes past o'clock of
		Official Records Page
		County Recorder
· .		\ \
THIS IS TO CERTIFY that that the	ie <u>ICE</u> #	46 lode mining claim
Ed Devenyns		Dave Ernst 1000 Beck #254
690 E. Patriot #272 Reno, Nevada 89511		Reno, Nevada 39509
n the 18 day of MAY	, 19 85, s	situated in the unknown State of Nevada.
ining District, <u>Fureka</u>		
Said claim is located in	the SE/4 of Sec.	7, Tup. 23 Now, Rge. 50 Erst
•	· NW/4 of Sec. SW/4 of Sec.	
To tie this claim to the	Public Survey, b	egin at the southeast corner of Section
EAST 5900' Higher South	<u> 1500' </u>	
Corner No. 1, the northeast		
We (or I) claim 1500 edge, lode or vein, extending	linear feet	feet from the location monument in a feet in a southerly
irection, together with3	00 teer out	each side of the center of the ledge for
r wooden post not less than esignation. The description	f this claim are	clearly marked by substantial 4"x5" PVC pipe nts firmly set in the ground bearing applicat Beginning at Corner No.1, the Northeast
	st side center,	a 4"x5' in length PVC pipe ; thence
South 750° to the ea	utheast corner,	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence,
South 750° to the ea South 750° to the so West 600° to the so	utheast corner, uthwest corner, st side center.	a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; thence
South 750° to the earlier to the south 750° to the so west 600° to the so North 750° to the we	utheast corner, uthwest corner, st side center, orthwest corner,	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence
South 750° to the ea South 750° to the so West 600° to the so North 750° to the we North 750° to the no East 600° to the no	uthwest corner, uthwest corner, st side center, rthwest corner, rtheast corner,	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the po
South 750° to the ea South 750° to the so West 600° to the so North 750° to the we North 750° to the no East 600° to the no	witheast corner, withwest corner, st side center, withwest corner, witheast corner, whing of the corn	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence
South 750° to the earlier to the south 750° to the so west, 600° to the so North 750° to the we north 750° to the new to the south 750° to the new to the south 750° to the new to the south 150° to the new to the south 150° to th	witheast corner, withwest corner, st side center, withwest corner, witheast corner, whing of the corn ted of making a been filed with	a 4"x5' in length PVC pipe ; thence ; a 4"x5' in length PVC pipe ; thence ; a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; the posmers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
South 750° to the earlier to the south 750° to the so west, 600° to the so North 750° to the we north 750° to the new to the south 750° to the new to the south 750° to the new to the south 150° to the new to the south 150° to th	witheast corner, withwest corner, st side center, withwest corner, witheast corner, whing of the corn ted of making a been filed with	a 4"x5' in length PVC pipe ; thence ; a 4"x5' in length PVC pipe ; thence ; a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; the posmers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
South 750° to the earlier to the south 750° to the so west, 600° to the so North 750° to the we north 750° to the new to the south 750° to the new to the south 750° to the new to the south 150° to the new to the south 150° to th	witheast corner, withwest corner, st side center, withwest corner, witheast corner, whing of the corn ted of making a been filed with	a 4"x5' in length PVC pipe ; thence ; a 4"x5' in length PVC pipe ; thence ; thence a 4"x5' in length PVC pipe ; thence the case was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and e County Recorder.
South 750° to the earlier to the south 750° to the so west 600° to the so North 750° to the we North 750° to the new to the south 750° to the new to the south 750° to the new to the south 91ace of beginning. The monumentation and mandument of the south 1985 The location work consists to the south 1985	witheast corner, withwest corner, st side center, withwest corner, witheast corner, with a corner, with a co	a 4"x5' in length PVC pipe ; thence ; a 4"x5' in length PVC pipe ; thence ; thence a 4"x5' in length PVC pipe ; thence the case was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and e County Recorder.
South 750° to the so West , 600° to the so North 750° to the we North 750° to the me North 750° to the no East 600° to the no and place of beginning. The monumentation and man June , 1985 The location work consisted the location filling fee has	witheast corner, withwest corner, st side center, withwest corner, witheast corner, with a corner, with a co	a 4"x5' in length PVC pipe ; thence, a 4"x5' in
South 750° to the earlier South 750° to the more south 750° to the note and place of beginning. The monumentation and man June , 1985. The location work consists copies of this claim map have the lode claim filling fee has	witheast corner, withwest corner, st side center, withwest corner, withwest corner, witheast corner, witheast corner, witheast corner, with of the corn ted of making a been filed with been paid to th ORS ACCERTED AT RE	a 4"x5' in length PVC pipe ; thence, a 4"x5' in
South 750° to the ea South 750° to the so West 600° to the so North 750° to the month 750° to the north 750° to the north 750° to the north 750° to the north place of beginning. The monumentation and man June , 1985. The location work consist copies of this claim map have the lode claim filling fee has	witheast corner, withwest corner, st side center, withwest corner, withwest corner, whing of the corn ted of making a been filed with been paid to th	a 4"x5' in length PVC pipe ; thence, a 4"x5' in
South 750° to the ea South 750° to the so West 600° to the so North 750° to the month 750° to the north 750° to the north 750° to the north 750° to the north place of beginning. The monumentation and man June , 1985. The location work consist copies of this claim map have the lode claim filling fee has	witheast corner, withwest corner, st side center, withwest corner, withwest corner, witheast corner, witheast corner, witheast corner, with of the corn ted of making a been filed with been paid to th ORS ACCERTED AT RE	a 4"x5' in length PVC pipe ; thence, a 4"x5' in

800K | 36 PAGE 486

	File No.
	Filed for record at request of
CERTIFICATE OF LOCATION : .99582	minutes past o'clock m. and recorded in Book of Official Records Page County, Nevada.
	County Recorder
THIS IS TO CERTIFY that the ICE :	a 47 lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot 1272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
the 4th day of TUNE, 1985	situated in the unknown
ing District, Fureka County	, State of Nevada.
SW/4 of Se	c. $\frac{7}{7}$, Twp. $\frac{23 \text{ NCBN}}{1}$, Rge. $\frac{50 \text{ EAST}}{1}$
To tie this claim to the Public Survey, 1 , Township 23 North , Range 49 457 SSOO' Theme South 1500'	begin at the southeast corner of Section East , Mount Diablo Meridian, thence
Corner No. 1, the northeast corner of this	claim.
	et along the course of the mineral-bearing
ge, lode or vein, extending northerly direction and /48 rection, together with 300 feet of the claim.	feet from the location monument in a feet in a southerly on each side of the center of the ledge for
wooden post not less than 4"x4"x4"; monu signation. The description of such claim	re clearly marked by substantial 4"x5" PVC pipe ments firmly set in the ground bearing applicabl is: Beginning at Corner No.1, the Northeast
that cont to the southwest corner	a 4"x5" in length PVC pipe ; thence,
North 750° to the west side teners North 750° to the northwest corner East 600° to the northeast corner	a 4"x5" in length PVC pipe
d place of beginning.	THE
The monumentation and marking of the conjune, 1985.	orners was completed by the day of
The location work consisted of making apples of this claim map have been filed with location filing fee has been paid to	a claim map as provided in NRS 517.040. Two th the
	Ed Sevenips
LOCATORS	Dave Eurst
ated June 33 , 1985	
RECORDED AT RE Ed Deveny 800n_136	25.00551 OF 05
95 Jun 27 a	9:29

800K | 36 PASE487

•	File No.
	Filed for record at request of
, 0000	
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of Official Records Page,
	County, Nevada.
	County Recorder
•	\ \
	\ \
THIS IS TO CERTIFY that the ICE #	48 lode mining claim
located by:	\ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
he 18 day of MAY , 1985,	situated in the unknown
ing District, Eureka County,	State of Nevada.
NE/h =f Soo	
Said claim is located in the SE/A of Sec	, Tup. 23 NGCTN , Rge. 50 EAST
- NW/4 of Sec	1
SW/4 of Sec	/-/
	(
To tie this claim to the Public Survey,	begin at the southeast corner of Section
Township 23 North , Range 49	East , Mount Diablo Meridian, thence
ST 2700 thence south 1500'	
orner No. 1, the northeast corner of this	claim.
We (or I) claim /000 linear fee	t along the course of the mineral-bearing
ge, lode or vein, extending 20	feet from the location monument in a
northerly direction and 980	feet in a southerly
ection, together with feet on	each side of the center of the ledge for
entire length of the claim.	
The autorior boundaries of this claim are	e clearly marked by substantial 4"x5" PVC pipe
wedge nock not loca than 4"x4"x4\" monum	eufs tilmly set in the digmo beating appricant
ignation. The description of such claim i	s: Beginning at Corner No.1, the Northeast
ner, thence.	\ \
South 500' to the east side center,	a 4*x5' in length PVC pipe , thence,
South 500° to the southeast corner,	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence,
West , 600' to the southwest corner, North 500' to the west side center,	a 4"x5" in length PVC pipe , thence,
North soo' to the west side tenter,	a 4"v5' in length PVC pipe ; thence,
East 600' to the northeast corner,	a 4"x5" in length PVC pipe ; the point
nlace of beginning	
The monumentation and marking of the cor	ners was completed by the day of
June , 1985.	
	claim map as provided in NRS 517.040. Two
les of this claim map have been filed with	the Eureka County Recorder, and
lode claim filing fee has been paid to the	ne County Recorder-
	, · ·
	ce a 0
	a Devenir
	
LOCATORS	/ ^
2 22	Wave Gural
ed <u>Gine 23</u> , 1985	Dave Eurst
7	Dave Eurol
RECORDED AT R	Dave Engl
RECORDED AT R	Dave Engl
7	EQUEST OF (105 486
RECORDED AT R	EQUEST OF (105 1-486
RECORDED AT R FAI Daving	(ns. 488
RECORDED AT R	(ns. 488
RECORDED AT R FAI DEVEN	(ns. 488
RECORDED AT R FAI DEVEN	(ns. 488
RECORDED AT R FAI DEVEN	(ns. 488

800K 1 3 6 PAGE 4 8 8

	File No
	Filed for record at request of
CERTIFICATE OF LOCATION 99584	ato'clock. m. and recorded in Book of Official Records Page County, Nevada.
	County Recorder
THIS IS TO CERTIFY that the ICE # 5	lode mining claim
89311	Dave Ernst 1000 Beck #254 Reno, Nevada 89509
n the /8 day of MAY , 1985, air	tuated in the unknown
NE/4 of Sec	2 \
To tie this claim to the Public Survey, beg 1 , Township 23 North , Range 49 East 1	, Mount Diable Heridish, thence
o Corner No. 1, the northeast corner of this cla	im.
We (or I) claim 1000 linear feet a ledge, lode or vein, extending 20 fee northerly direction and 780 lirection, together with 300 feet on eather entire length of the claim.	feet in a southerly ch side of the center of the ledge for
The exterior boundaries of this claim are cor wooden post not less than 4"x4"x4h' monument lesignation. The description of such claim is:	c titulo dec in the dropping poursell all all
Corner; thence,	4"x5' in length PVC pipe ; thence,
South 500 to the southeast corner, a	4"x5' in length PVC pipe thence,
North soo' to the west side center, a North soo' to the northwest corner, a	4"x5' in length PVC pipe ; thence, 4"x5' in length PVC pipe ; thence,
East 600' to the northeast corner, a	4.X2. IN Tendri LAC bibe
and place of beginning. The monumentation and marking of the corner June, 1965.	rs was completed by the day of
The location work consisted of making a cl. copies of this claim map have been filed with the	he Eureka County Recorder, and
the lode claim filing fee has been paid to the	county necotides.
	Ed Swenyns
LOCATORS Dated Quee 23 , 1985	Deve Gerry
RECORCED AT REQUE Ed Deventos ECON_136 N.E.E.	ST OF
85 JUN 27 A 9:	29

800K | 36 PAGE 489

		File No	
	99585	filed for record at request o	ŗ
	33363		
CERTIFICATE OF LOCATION	•	at	ock of
		Official Records Page .	
		County, Nevada.	\
	•	County Reco	rder
. *	٠		\
		\	\
THIS IS TO CERTIFY that the located by:	ICE •	50 lode mining cl	aim
-		Dave Ernst	-\
Ed Devenyns 690 E. Patriot #272		1000 Beck #254	\ \
Reno, Nevada 89511		Reno, Nevada 89509	7 /
		-thurstand to the universe	
ing District,nreka	, 1985, County.	State of Nevada.	
Entera			
اه سه السام من السهام الله الله الله الله الله الله الله ا	NE/4 of Sec.	, TMP. 23 ALESN, Rge. 50	EAST
Said Claim is located in the	he SE/4 of Sec. - NW/4 of Sec.	7 189. <u>60 100011,</u> 180. <u>50</u>	
	SW/4 of Sec.		
		pegin at the southeast corner of	. Sant 1 n
To tie this claim to the r	, Range 49		
50 1500' HERCE STUTE	y 1500'		
orner No. 1, the northeast o		claim.	
We (or I) claim	∞ linear feet	t along the course of the mineral-bear	ing.
ge. lode or vain, extending	20	feet from the location monument in a	-
northerly direction a	ind 960	feet in a southerly	
	Foot on	each aids of the center of the ladge	For
ection, together with30	o reet on	each side of the center of the ledge	for
ection, together with 30 entire length of the claim.	o leet on	each side of the center of the ledge	PVC pip
ection, together with 30 entire length of the claim. The exterior boundaries of	this claim are	each side of the center of the ledge c clearly marked by substantial 4"x5"	PVC pip applica
ection, together with 30 entire length of the claim. The exterior boundaries of	this claim are	each side of the center of the ledge	PVC pip applica
entire length of the claim. The exterior boundaries of sooden post not less than 4 ignation. The description of the post than 2 ignation.	this claim are "x4"x45' monume f such claim is	each side of the center of the ledge clearly marked by substantial 4"x5" ents firmly set in the ground bearing a: Beginning at Corner No.1, the Nort	PVC pip applica
entire length of the claim. The exterior boundaries of rooden post not less than 4 lignation. The description of the case; thence, South 500° to the eas	this claim are "x4"x4" monume f such claim is t side center,	each side of the center of the ledge clearly marked by substantial 4"x5" ents firmly set in the ground bearing Beginning at Corner No.1, the Nort	PVC pip applica heast thence thence
ection, together with 30 entire length of the claim. The exterior boundaries of scoden post not less than 4 ignation. The description oner; thence, South 500° to the eas South 500° to the s	this claim are "x4"x4" monume f such claim is t side center, theast corner,	each side of the center of the ledge clearly marked by substantial 4"x5' ents firmly set in the ground bearing at Beginning at Corner No.1, the Nort a 4"x5' in length PVC pipe a 4"x5' in length PVC pipe a 4"x5' in length PVC pipe	PVC pip applica heast thence thence
entire length of the claim. The exterior boundaries of rooden post not less than 4 (gnation. The description oner; thence, South 500° to the eas South 500° to the sou West 500° to the sou	this claim are "x4"x4; monume f such claim is t side center, theast corner, thest corner,	each side of the center of the ledge clearly marked by substantial 4"x5' ints firmly set in the ground bearing Beginning at Corner No.1, the Nort a 4"x5' in length PVC pipe	PVC pip applica heast thence thence thence
ection, together with 30 entire length of the claim. The exterior boundaries of wooden post not less than 4 ignation. The description oner; thence, South 500' to the eas South 500' to the sou West 500' to the sou North 500' to the wes	this claim are "x4"x45' monume f such claim is t side center, theast corner, these corner,	each side of the center of the ledge clearly marked by substantial 4"x5" ints firmly set in the ground bearing Beginning at Corner No.1, the Nort a 4"x5" in length PVC pipe	PVC pip applica heast thence thence
ection, together with 30 entire length of the claim. The exterior boundaries of wooden post not less than 4 ignation. The description oner; thence, South 500' to the eas South 500' to the sou West 500' to the sou North 500' to the wes North 500' to the nor East 600' to the nor	this claim are "x4"x4" monume f such claim is t side center, theast corner, thwest corner, thwest corner, theast corner,	each side of the center of the ledge clearly marked by substantial 4"x5' ents firmly set in the ground bearing at Beginning at Corner No.1, the Nort a 4"x5' in length PVC pipe	PVC pip applica heast thence thence thence thence thence
entire length of the claim. The exterior boundaries of mooden post not less than 4 ignation. The description of the case, south 500° to the eas South 500° to the sou West 500° to the sou North 500° to the wes North 500° to the nor East 600° to the nor place of beginning. The monumentation and mark	this claim are "x4"x4" monume f such claim is t side center, theast corner, thwest corner, thwest corner, theast corner,	each side of the center of the ledge clearly marked by substantial 4"x5' ents firmly set in the ground bearing at Beginning at Corner No.1, the Nort a 4"x5' in length PVC pipe	PVC pip applica heast thence thence thence thence thence
entire length of the claim. The exterior boundaries of scoden post not less than 4 ignation. The description of the claim. South 500' to the eas South 500' to the sou West, 500' to the sou North 500' to the wes North 500' to the nor East 600' to the nor	this claim are "x4"x4" monume f such claim is t side center, theast corner, thwest corner, thwest corner, theast corner,	each side of the center of the ledge clearly marked by substantial 4"x5" ints firmly set in the ground bearing Beginning at Corner No.1, the Nort a 4"x5" in length PVC pipe	PVC pip applica heast thence thence thence thence thence
ection, together with 30 entire length of the claim. The exterior boundaries of wooden post not less than 4 ignation. The description oner; thence, South 500' to the eas South 500' to the sou West 500' to the sou North 500' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985.	this claim are "x4"x4" monume f such claim is t side center, theast corner,	each side of the center of the ledge clearly marked by substantial 4"x5" ents firmly set in the ground bearing in Beginning at Corner No.1, the Nort a 4"x5" in length PVC pipe beautiful or a 4"x5" in length PVC pipe a 4"x5" in length PVC pipe beautiful or a 4"x5" in length PVC pipe concern was completed by the Albert	PVC pip applica heast thence thence thence thence thence the po
ection, together with 30 entire length of the claim. The exterior boundaries of wooden post not less than 4 ignation. The description oner; thence, South 500' to the eas South 500' to the sou west, 500' to the sou North 500' to the nor East 600' to the nor iplace of beginning. The monumentation and mark June , 1985. The location work consistences of this claim map have the set of the sou mark claim map have the south	this claim are "x4"x41' monume f such claim is t side center, theast corner, theast corner, theast corner, theast corner, this center, theast corner,	each side of the center of the ledge clearly marked by substantial 4"x5" ints firmly set in the ground bearing Beginning at Corner No.1, the Nort a 4"x5" in length PVC pipe begin to be a 4"x5" in length PVC pipe claim map as provided in NRS 517.040. The Eureka County Recorder,	PVC pip applica heast thence thence thence thence the po
ection, together with 30 entire length of the claim. The exterior boundaries of wooden post not less than 4 ignation. The description oner; thence, South 500' to the eas South 500' to the sou west, 500' to the sou North 500' to the nor East 600' to the nor I place of beginning. The monumentation and mark June , 1985. The location work consistences of this claim map have the series of the sou mark claim map have the south so	this claim are "x4"x41' monume f such claim is t side center, theast corner, theast corner, theast corner, theast corner, this center, theast corner,	each side of the center of the ledge clearly marked by substantial 4"x5" ints firmly set in the ground bearing Beginning at Corner No.1, the Nort a 4"x5" in length PVC pipe begin to be a 4"x5" in length PVC pipe claim map as provided in NRS 517.040. The Eureka County Recorder,	PVC pip applica heast thence thence thence thence the po
ection, together with 30 entire length of the claim. The exterior boundaries of wooden post not less than 4 ignation. The description oner; thence, South 500' to the eas South 500' to the sou west, 500' to the sou North 500' to the nor East 600' to the nor I place of beginning. The monumentation and mark June , 1985. The location work consistences of this claim map have the series of the sou mark claim map have the south so	this claim are "x4"x41' monume f such claim is t side center, theast corner, theast corner, theast corner, theast corner, this center, theast corner,	each side of the center of the ledge clearly marked by substantial 4"x5" ints firmly set in the ground bearing Beginning at Corner No.1, the Nort a 4"x5" in length PVC pipe begin to be a 4"x5" in length PVC pipe claim map as provided in NRS 517.040. The Eureka County Recorder,	PVC pip applica heast thence thence thence thence the po
ection, together with 30 entire length of the claim. The exterior boundaries of wooden post not less than 4 ignation. The description oner; thence, South 500' to the eas South 500' to the sou west, 500' to the sou North 500' to the nor East 600' to the nor iplace of beginning. The monumentation and mark June , 1985. The location work consistences of this claim map have the set of the sou mark claim map have the south	this claim are "x4"x41' monume f such claim is t side center, theast corner, theast corner, theast corner, theast corner, this center, theast corner,	each side of the center of the ledge clearly marked by substantial 4"x5' ents firmly set in the ground bearing in Beginning at Corner No.1, the Nort a 4"x5' in length PVC pipe claim map as provided in NRS 517.040. The Eureka County Recorder, the County Recorder.	PVC pip applica heast thence thence thence thence the po
entire length of the claim. The exterior boundaries of scoden post not less than 4 ignation. The description of the case, south 500° to the eas South 500° to the sou west 500° to the sou North 500° to the nor East 500° to the nor place of beginning. The monumentation and mark June , 1985. The location work consistences of this claim map have the set of the claim map have the set of the claim map have the set of the claim map have the case of the claim map have the claim map have the set of the claim map have the claim	this claim are "x4"x41' monume f such claim is t side center, theast corner, theast corner, theast corner, theast corner, this center, this corner, theast corner,	each side of the center of the ledge clearly marked by substantial 4"x5' ents firmly set in the ground bearing in Beginning at Corner No.1, the Nort a 4"x5' in length PVC pipe claim map as provided in NRS 517.040. The Eureka County Recorder, the County Recorder.	PVC pip applica heast thence thence thence thence the po
entire length of the claim. The exterior boundaries of scoden post not less than 4 ignation. The description of the case, south 500° to the eas South 500° to the sou West , 500° to the sou North 500° to the nor East 500° to the nor place of beginning. The monumentation and mark June , 1985. The location work consisted the south sou	this claim are "x4"x41' monume f such claim is t side center, theast corner, theast corner, thest corner, theast corner, theast corner, theast corner,	each side of the center of the ledge clearly marked by substantial 4"x5' ents firmly set in the ground bearing in Beginning at Corner No.1, the Nort a 4"x5' in length PVC pipe claim map as provided in NRS 517.040. The Eureka County Recorder, the County Recorder.	PVC pip applica heast thence thence thence thence the po
entire length of the claim. The exterior boundaries of gooden post not less than 4 ignation. The description oner; thence, South 500' to the eas South 500' to the sou West, 500' to the sou West, 500' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consistence of this claim map have the location filling fee has be located.	this claim are "x4"x41' monume f such claim is t side center, theast corner, theast corner, thest corner, theast corner, theast corner, theast corner,	each side of the center of the ledge clearly marked by substantial 4"x5' ents firmly set in the ground bearing in Beginning at Corner No.1, the Nort a 4"x5' in length PVC pipe claim map as provided in NRS 517.040. The Eureka County Recorder, the County Recorder.	PVC pip applica heast thence thence thence thence the po
entire length of the claim. The exterior boundaries of wooden post not less than 4 ignation. The description oner; thence, South 500' to the eas South 500' to the sou west, 500' to the wes North 500' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consistence of this claim map have the location filling fee has be consistent of the sour place of this claim map have the location filling fee has be consistent of the sour place of this claim map have the location filling fee has be consistent of the sour place of this claim map have the location filling fee has be consistent of the sour place of this claim map have the location filling fee has be consistent of the sour place of this claim map have the location filling fee has be consistent or the sour place of the so	this claim are "x4"x41' monume f such claim is t side center, theast corner, theast corner, thest corner, theast corner, theast corner, theast corner,	each side of the center of the ledge clearly marked by substantial 4"x5" ints firmly set in the ground bearing Beginning at Corner No.1, the Nort a 4"x5" in length PVC pipe begin to be a 4"x5" in length PVC pipe claim map as provided in NRS 517.040. The Eureka County Recorder,	PVC pip applica heast thence thence thence thence the po
ection, together with 30 entire length of the claim. The exterior boundaries of wooden post not less than 4 ignation. The description oner; thence, South 500' to the eas 5outh 500' to the sou west 500' to the sou west 500' to the wes North 500' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consistences of this claim map have be lode claim filling fee has be consistent to the claim filling fee has be claim filling fee has be consistent to the claim filling fee has be cl	this claim are "x4"x41' monume f such claim is t side center, theast corner, this center, theast corner, theast corner, theast corner, theast corner theast	each side of the center of the ledge clearly marked by substantial 4"x5" ints firmly set in the ground bearing Beginning at Corner No.1, the Nort a 4"x5" in length PVC pipe ba 4"x5" in length PVC pipe claim map as provided in NRS 517.040. The Eureka County Recorder, be County Recorder. While Lively 1.	PVC pip applica heast thence thence thence thence the po
entire length of the claim. The exterior boundaries of gooden post not less than 4 ignation. The description oner; thence, South 500' to the eas South 500' to the sou West, 500' to the sou West, 500' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consistence of this claim map have the location filling fee has be located.	this claim are "x4"x41' monume f such claim is t side center, theast corner, theast corner, theast corner, theast corner, theast corner, theast corner, theast corner that corner ded of making a been filed with been paid to the RS 1985 RECCROED AT FI	each side of the center of the ledge clearly marked by substantial 4"x5" ints firmly set in the ground bearing Beginning at Corner No.1, the Nort a 4"x5" in length PVC pipe claim map as provided in NRS 517.040. The Eureka County Recorder, be County Recorder County Recorder	PVC pip applica heast thence thence thence thence the po
entire length of the claim. The exterior boundaries of rooden post not less than 4 ignation. The description of the case; thence, South 500' to the ease South 500' to the sou West, 500' to the sou North 500' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consisted its of this claim map have its lode claim filling fee has its location.	this claim are "x4"x41' monume f such claim is t side center, theast corner, theast corner, theast corner, theast corner, theast corner, theast corner, theast corner that corner ded of making a been filed with been paid to the RS 1985 RECCROED AT FI	each side of the center of the ledge clearly marked by substantial 4"x5" ints firmly set in the ground bearing Beginning at Corner No.1, the Nort a 4"x5" in length PVC pipe claim map as provided in NRS 517.040. The Eureka County Recorder, be County Recorder County Recorder	PVC pip applica heast thence thence thence thence the po
entire length of the claim. The exterior boundaries of rooden post not less than 4 ignation. The description of the case; thence, South 500' to the ease South 500' to the sou West, 500' to the sou North 500' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consisted its of this claim map have its lode claim filling fee has its location.	this claim are "x4"x41' monume f such claim is t side center, theast corner, this center, theast corner, theast corner, theast corner, theast corner theast	each side of the center of the ledge clearly marked by substantial 4"x5" ints firmly set in the ground bearing Beginning at Corner No.1, the Nort a 4"x5" in length PVC pipe claim map as provided in NRS 517.040. The Eureka County Recorder, be County Recorder County Recorder	PVC pip applica heast thence thence thence thence the po
entire length of the claim. The exterior boundaries of moden post not less than 4 ignation. The description of the claim. South 500' to the east south 500' to the south 500' to the south 500' to the south 500' to the uest 600' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consistents of this claim map have it to the claim filling fee has it to	this claim are "x4"x41' monume f such claim is t side center, theast corner, theast corner, theast corner, theast corner, theast corner, theast corner, theast corner that corner ded of making a been filed with been paid to the RS 1985 RECCROED AT FI	each side of the center of the ledge clearly marked by substantial 4"x5" ints firmly set in the ground bearing Beginning at Corner No.1, the Nort a 4"x5" in length PVC pipe beginning at County PVC pipe claim map as provided in NRS 517.040. The Eureka County Recorder, be County Recorder. COUNTY Recorder.	PVC pip applica heast thence thence thence thence the po

BOOK 1 36 PAGE 4 9 0

· ·	
	•
	•
	File No.
	Filed for record at assumpt of
	Filed for record at request of
. 99586	
CERTIFICATE OF LOCATION	at minutes past o'clock
Amutatanam at Papation	
	m. and recorded in Book of Official Records Page
·	
•	County, Nevada.
	County Recorder
	county Recorder
e e	\ \
•	\ \
THIS IS TO CEDATER ALLE AL	e/ \ \
THIS IS TO CERTIFY that the ICE # 5	lode mining claim
was located by:	\ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
. //	89509
on the 19 day of 17744 , 1985, st	
	tuated in the unknown
Mining District, Eureka County, St.	ate of Nevada.
NE/4 of Sec.	- 1 man / 1 man
Said claim is located in the SE/4 of Sec.	, Tup. 23 Nown, Rge. 50 EAST
* NW/4 of Sec	7_/
SW/4 of Sec.	7
To tie this claim to the Public Survey, beg	in at the southeast corner of Section
l, Township 23 North Range 49 East	t . Mount Diablo Meridian, thence
EAST 900' HIEREC SCUTH 1500'	
to Corner No. 1, the northeast corner of this cla	
We (or I) claim 1500 linear feet a	long the course of the mineral-bearing
imped, loca or value, extending	et from the location monument in a
northerlydirection and/480	feet in a southerly
direction, together with 300 feet on ea	ch side of the center of the ledge for
the entire length of the claim.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
_ / /	. \ \ \
The exterior boundaries of this claim are c	learly marked by substantial 4"x5" PVC pipe
or wooden post not less than 4"x4"x4' monument:	s firmly set in the ground bearing applicable
designation. The description of such claim is:	Beginning at Corner No.1, the Northeast
Corner; thence,	
South 750' to the east side center, a	4"x5' in length PVC pipe ; thence,
South 750 to the southeast corner, a	4"x5' in length PVC pipe , thence,
West 600' to the southwest corner, a	4"x5' in length PVC pipe, thence,
North 750° to the west side center, a	4"x5' in length PVC pipe; thence,
North 750° to the northwest corner, a	4"x5' in length PVC pipe thence,
East 600° to the northeast corner, a	4"x5' in length PVC pipe ; the point
and place of beginning.	
The monumentation and marking of the corner	s was completed by the THE day of
	s was completed by the/ day of
The leasting much annulus as a series	1
The location work consisted of making a cla	im map as provided in NRS 517.040. Two
copies of this claim map have been filed with the	e Eureka County Recorder, and
the lode claim filing fee has been paid to the C	ounty Hecorder.
\ \ / /	• ,
\ \ / / c	Ed Noumes
	ay exercises
	No Carlo
LOCATORS	M = I = I
1. 02	Herre Tens
Dated <u>June</u> 23 , 1985	X Div X
/	
RECERDED ++ A	
RECORDED AT REQUE	STOF
BOUK 12/ Payor	T:
rain the same	<u> </u>
	, -
C2 0m. =	
85 JUN 27 A 9:	29
	L U

BOOK 1 36 PAGE 4 9 1

	·
•	File No.
	99587 Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock m. and recorded in Book of
	Official Records Page County, Nevada.
	County, Nevada.
	County Recorder
	councy necorder
·	\ \
THIS IS TO CERTIFY that the	ICE # 52 lode mining claim
	\ \
Ed Devenyns	Dave Ernst 1000 Beck #254
690 E. Patriot 1272 Peno, Nevada 89511	Reno, Nevada 89509
89511	89509
the 19 day of MAY.	1985, situated in the unknown
Ining District, Eureka C	ounty, State of Nevada.
NE/4	of Sec. 12
said claim is located in the SE/4	of Sec. 12, Tup. 23 Notin, Rge. 49 Ense
* /W/A (* eu /h :	of Sec. 7 Tup 23 Neurn, Rge. 50 EAST
To tie this claim to the Public Su	rvey, begin at the southeast corner of Section
1, Township 23 North , Nan	ge 49 East . Hount Diablo Heridian, thence
AST 300 thence SOUTH 1500	
Corner No. 1, the northeast corner of	f this claim.
We (or I) claim 1500 line	an foot along the source of the placest board-p
edes. lode or vein, extending 20	er feet along the course of the mineral-bearing feet from the location monument in a
northerly direction and /5	feet in a southerly
irection, together with 300 f	eet on each side of the center of the ledge for
he entire length of the claim.	
	aim are clearly marked by substantial 4"x5" PVC pipe
The exterior boundaries of this cu	monuments firmly set in the ground bearing applicable
esignation. The description of such c	laim is: Beginning at Corner No.1, the Northeast
orner: thence,	
South 750° to the east side co	enter, a 4"x5' in length PVC pipe; thence,
	orner, a 4"x5' in length PVC pipe, thence,
West 600 to the southwest c	orner, a 4"x5' in length PVC pipe ; thence,
North 750 to the west side c	enter, a 4"x5' in length PVC pipe ; thence, orner, a 4"x5' in length PVC pipe ; thence,
East 600' to the northwest c	orner, a 4"x5" in length PVC pipe , the poi
-d place of beginning	
The manufacture and marking of a	the corners was completed by the day of
June . 1985.	the corners was completed by the day of
June , 1985.	
The location work consisted of make	king a claim map as provided in MRS 517.040. Two
copies of this claim map have been file	
the lode claim filing fee has been paid	to the County Recorder
\ \ \	
	God Charmers
	En Duringes
LOCATORS	Ed Generalis
Cocktons	Name Grand
Dated	Dave and
7	
RECECHE	AY A
FA Th.	AT REQUEST OF
Ban_134	402
	The state of the s
CS 388 27	7 A 9: 29
= 4 44.1 ()	J+ EN

800K | 36 PAGE 492

	
	File No.
•	Filed for record at request of
, 99588	
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of
	Official Records Page , County, Nevada.
,	
	County Recorder
•	\ \
·	
THIS IS TO CERTIFY that the ICE # :	lode mining claim
•	. \ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272 Reno, Nevada 89511	1000 Beck #254 Reno, Nevada 89509
	89509
the 19 day of 1984, 1985, 3	ituated in the unknown
	tate of Nevada.
	12
NE/4 of Sec.	12, Tup. 23 Mich, Age. 49 Ens
- NW/4 of Sec.	12, twp. On JUGGA, age. TI CAN
SW/4 of Sec.	
10 tie this claim to the Public Survey, be 1 , Township 23 North , Range 49 E.	gin at the southeast corner of Section
1EST 300 thence South 1500	, Mount Diablo Heridian, thence
Corner No. 1, the northeast corner of this cl	aim.
No (on I) elete 1500	
dge, lode or vaim, extending ~ 20	along the course of the mineral-bearing
northerly direction and 1480 rection, together with 300 feet on e	feet in a southerly
rection, together with 300 feet on e	ach side of the center of the ledge for
e entire length of the claim.	
The exterior boundaries of this claim are	clearly marked by substantial 4"x5' PVC pipe
wooden post not less than 4"x4"x4', monument	
signation. The description of such claim is: rmer; thence,	beginning at tother no.1, the northeast
South 750 to the east side center, a	4"x5' in length PVC pipe , thence,
South 750' to the southeast corner, a	4"x5' in length PVC pipe ; thence,
West , 600' to the southwest corner, a	4"x5' in length PVC pipe ; thence,
North 750 to the west side center, a	
North 750° to the northwest corner, a East 600° to the northeast corner, a	
d place of beginning.	
The monumentation and marking of the corne	Es was completed by the
June , 1985.	the damped of the day of
The location work consisted of making a cl	aim map as provided in NRS 517.040. Two
pies of this claim map have been filed with t me lode claim filing fee has been paid to the	he Eureka County Recorder, and
	county necorder.
	•
	Ed Some of
_	ac povoujs
LOCATORS	Ed devenips
	Wend Gurst
11 . 11	
ated <u>June 23</u> , 1985 -	
	
RECORDED AT REQUEST OF	=
RECORDED AT REQUEST OF	• •
	- [
RECORDED AT REQUEST OF	- [
RECORDED AT REQUEST OF Ed. Devenyas Bour. 136 Ph. 49	Ī
RECORDED AT REQUEST AS	Ī

BOOK 1 36 PAGE 493

		_	
		File No.	
	99589	Filed for record at request of	
•			_
CERTIFICATE OF LOCATION		at minutes past o'clo	ek
		m. and recorded in Book o	ε
		Official Records Page	
		County, Nevada.	
		Charles Barre	4
		County Recor	ger
THIS IS TO CERTIFY that the	ICE	54 lode mining clai	_\
•	•	\	\
Ed Devenyns	-	Dave Ernst	\
690 E. Patriot #272		1000 Beck #254	\
Reno, Nevada 89511		Reno, Nevada 89509	\
-4			\
the 19 day of MAY	, 19 85, si	tuated in the unknown	
ing District, Eureka	County, 5t	ate of Nevada.	
W	E/A of Sen	12/	
Said claim is located in the S	E/4 of Sen	12, Tup. <u>23 Nach,</u> Rge. <u>49 E</u>	15-
· h	W/4 of Sec.	1 mgs. 7/ Cr	
	W/4 of Sec		
۵			
To tie this claim to the Publi	A Summer be-	the at the southeast	
1 Tournels of water	Dance 40 To	in at the southeast corner of S	
1 , Township 23 North	Range 49 cas	st, Mount Diablo Meridian, t	hence
55 900 thence South 15			
Corner No. 1, the northeast corne	er of this cla	aim.	
entire length of the claim.	leet on ea	et from the location monument in a feet in a southerly ch side of the center of the ledge fo	
The exterior boundaries of this	s claim are c	learly marked by substantial 4"x5" PV	C bibe
wooden post not less than 4"x4":	x45' monument	s firmly set in the ground bearing app	plicab
signation. The description of su	ch claim is:	Beginning at Corner No.1, the Northe	ast
rner; thence,			
	de conter, a	4"x5' in length PVC pipe ; ti	
South 750' to the east sign	de centeri a		hence,
South 750' to the southea:	st corner. a	4"x5' in length PVC pipe; t	hence,
South 750' to the southear West , 600' to the southwe	st corner, a	4"x5' in length PVC pipe ; the control of the contr	hence,
South 750' to the southear West , 600' to the southwe	st corner, a	4"x5' in length PVC pipe t	hence, hence, hence,
South 750' to the southea:	st corner, a st corner, a de center, a	4"x5' in length PVC pipe the time to the state of the sta	hence, hence, hence,
South 750' to the southca West , 600' to the southwe North 750' to the west si North 750' to the northwe	st corner, a st corner, a de center, a st corner, a	4"x5' in length PVC pipe ; t 4"x5' in length PVC pipe ; t 4"x5' in length PVC pipe ; t	hence, hence, hence,
South 750 to the souther west, 600 to the southwe North 750 to the west site than 500 to the northwe East 600 to the northwe lace of beginning.	st corner, a st corner, a de center, a st corner, a st corner, a	4"x5' in length PVC pipe ; t 4"x5' in length PVC pipe ; t 4"x5' in length PVC pipe ; t 4"x5' in length PVC pipe ; t	hence, hence, hence, hence, hence,
South 750 to the souther West, 600 to the southwe North 750 to the west site than 750 to the northwe East 600 to the northwe lace of beginning.	st corner, a st corner, a de center, a st corner, a st corner, a	4"x5' in length PVC pipe ; t 4"x5' in length PVC pipe ; t 4"x5' in length PVC pipe ; t 4"x5' in length PVC pipe ; t	hence, hence, hence, hence, hence,
South 750° to the souther West 600° to the southwe North 750° to the west sire North 750° to the northwe East 600° to the northwe place of beginning. The monumentation and marking	st corner, a st corner, a de center, a st corner, a st corner, a	4"x5' in length PVC pipe ; t 4"x5' in length PVC pipe ; t 4"x5' in length PVC pipe ; t	hence, hence, hence, hence, hence,
South 750 to the souther West, 600 to the southwe North 750 to the west single Horth 750 to the northwe East 600 to the northead place of beginning.	st corner, a st corner, a de center, a st corner, a st corner, a	4"x5' in length PVC pipe ; t 4"x5' in length PVC pipe ; t 4"x5' in length PVC pipe ; t 4"x5' in length PVC pipe ; t	hence, hence, hence, hence, hence,
South 750° to the souther West, 600° to the southwe North 750° to the west si North 750° to the northwe East 600° to the northwe place of beginning. The monumentation and marking June , 1985.	st corner, a st corner, a de center, a st corner, a st corner, a of the corner	4"x5' in length PVC pipe ; td 3"x5' in length PVC pipe ; td	hence, hence, hence, hence, hence,
South 750 to the souther West , 600' to the souther North 750' to the west si North 750' to the northwe East 600' to the northwe place of beginning. The monumentation and marking June , 1985. The location work consisted of	st corner, a st corner, a de center, a st corner, a st corner, a of the corner	4"x5' in length PVC pipe 5 the day 6 was completed by the 4"x5' day 6 in map as provided in NRS 517.040.	hence, hence, hence, hence, he poi
South 750° to the southca West , 600° to the southwe North 750° to the west si North 750° to the northwe East 600° to the northwe place of beginning. The monumentation and marking June , 1985. The location work consisted of ples of this claim map have been	st corner, a st corner, a de center, a st corner, a st corner, a of the corner making a cla filed with th	4"x5' in length PVC pipe ; td 4"x5'	hence, hence, hence, hence, he poi
South 750° to the southca West , 600° to the southwe North 750° to the west si North 750° to the northwe East 600° to the northwe place of beginning. The monumentation and marking June , 1985. The location work consisted of ples of this claim map have been	st corner, a st corner, a de center, a st corner, a st corner, a of the corner making a cla filed with th	4"x5' in length PVC pipe ; td 4"x5'	hence, hence, hence, hence, he poi
South 750° to the southca West , 600° to the southwe North 750° to the west single North 750° to the northwe East 600° to the northwe place of beginning. The monumentation and marking June , 1985. The location work consisted of pies of this claim map have been	st corner, a st corner, a de center, a st corner, a st corner, a of the corner making a cla filed with th	4"x5' in length PVC pipe ; td 4"x5'	hence, hence, hence, hence, he poi
South 750° to the southca West , 600° to the southwe North 750° to the west single North 750° to the northwe East 600° to the northwe place of beginning. The monumentation and marking June , 1985. The location work consisted of pies of this claim map have been	st corner, a st corner, a de center, a st corner, a st corner, a of the corner making a cla filed with th	4"x5' in length PVC pipe ; td 4"x5'	hence, hence, hence, hence, he poi
South 750° to the southca West , 600° to the southwe North 750° to the west si North 750° to the northwe East 600° to the northwe place of beginning. The monumentation and marking June , 1985. The location work consisted of ples of this claim map have been	st corner, a st corner, a de center, a st corner, a st corner, a of the corner making a cla filed with th	4"x5' in length PVC pipe 4"x5' in length PVC pipe 1 td 4"x5' in length PVC pipe 2 td 4"x5' in length PVC pipe 3 td 4"x5' in length PVC pipe 4"x5' in length PVC pipe 5 was completed by the	hence, hence, hence, hence, he poi
South 750° to the southca West , 600° to the southwe North 750° to the west single North 750° to the northwe East 600° to the northwe place of beginning. The monumentation and marking June , 1985. The location work consisted of pies of this claim map have been	st corner, a st corner, a de center, a st corner, a st corner, a of the corner making a cla filed with th	4"x5' in length PVC pipe 4"x5' in length PVC pipe 1 td 4"x5' in length PVC pipe 2 td 4"x5' in length PVC pipe 3 td 4"x5' in length PVC pipe 4"x5' in length PVC pipe 5 was completed by the	hence, hence, hence, hence, he poi
South 750° to the southca West , 600° to the southwe North 750° to the west si North 750° to the northwe East 600° to the northea place of beginning. The monumentation and marking June , 1985. The location work consisted of ples of this claim map have been e lode claim filling fee has been	st corner, a st corner, a de center, a st corner, a st corner, a of the corner making a cla filed with th	4"x5' in length PVC pipe 4"x5' in length PVC pipe 1 td 4"x5' in length PVC pipe 2 td 4"x5' in length PVC pipe 3 td 4"x5' in length PVC pipe 4"x5' in length PVC pipe 5 was completed by the	hence, hence, hence, hence, he poi
South 750° to the southca West , 600° to the southwe North 750° to the west single North 750° to the northwe East 600° to the northwe place of beginning. The monumentation and marking June , 1985. The location work consisted of pies of this claim map have been	st corner, a st corner, a de center, a st corner, a st corner, a of the corner making a cla filed with th	4"x5' in length PVC pipe 4"x5' in length PVC pipe 1 td 4"x5' in length PVC pipe 2 td 4"x5' in length PVC pipe 3 td 4"x5' in length PVC pipe 4"x5' in length PVC pipe 5 was completed by the	hence, hence, hence, hence, he poi
South 750° to the souther West , 600° to the southwe North 750° to the west sir North 750° to the northwe East 600° to the northwe i place of beginning. The monumentation and marking June , 1985. The location work consisted of ples of this claim map have been e lode claim filling fee has been	st corner, a st corner, a de center, a st corner, a st corner, a of the corner making a cla filed with th paid to the C	4"x5' in length PVC pipe ; td 4"x5'	hence, hence, hence, hence, he poi
South 750' to the souther West , 600' to the southwe North 750' to the west si North 750' to the northwe East 600' to the northwe i place of beginning. The monumentation and marking June , 1985. The location work consisted of ples of this claim map have been e lode claim filing fee has been	st corner, a st corner, a de center, a st corner, a st corner, a of the corner making a cla filed with th paid to the C	4"x5' in length PVC pipe 4"x5' in length PVC pipe 1 td 4"x5' in length PVC pipe 2 td 4"x5' in length PVC pipe 3 td 4"x5' in length PVC pipe 4"x5' in length PVC pipe 5 was completed by the	hence, hence, hence, hence, he poi
South 750° to the souther west, 600° to the souther North 750° to the west sire North 750° to the northweed place of beginning. The monumentation and marking June , 1985. The location work consisted of the place of this claim map have been be lode claim filling fee has been to the location works.	st corner, a st corner, a de center, a st corner, a st corner, a of the corner making a cla filed with th paid to the C	4"x5' in length PVC pipe 4"x5' in length PVC pipe 1 td 4"x5' in length PVC pipe 2 td 4"x5' in length PVC pipe 3 td 4"x5' in length PVC pipe 4"x5' in length PVC pipe 5 was completed by the	hence, hence, hence, hence, he poi
South 750° to the souther west, 600° to the souther North 750° to the west simple East 600° to the norther East 600° to the norther place of beginning. The monumentation and marking June , 1985. The location work consisted of this claim map have been see lode claim filing fee has been less for the location work to be lode claim filing fee has been less for the location work to be lode claim filing fee has been less lode claim filing fee has been less for the location work to be lode claim filing fee has been less lode claim filing fee has lode claim filing f	st corner, a st corner, a de center, a st corner, a st corner, a of the corner making a cla filed with th paid to the C	4"x5' in length PVC pipe ; the day style of the style of	hence, hence, hence, hence, he poi
South 750° to the souther west 600° to the southwe North 750° to the west 51° North 750° to the northwe East 600° to the northwe deplace of beginning. The monumentation and marking June , 1985. The location work consisted of spies of this claim map have been see lode claim filling fee has been lode claim filling fee has been seed the filling fee has been seed for the filling	st corner, a st corner, a de center, a st corner, a st corner, a st corner, a of the corner making a clafiled with the paid to the Corner a st corner	4"x5' in length PVC pipe ; the d'x5' in length PVC pipe ; the day is was completed by the day day in map as provided in NRS 517.040. In Eureka County Recorder, and county Recorder.	hence, hence, hence, hence, he poi
South 750° to the souther West , 600° to the southwe North 750° to the west sign of the following to the northwe East 600° to the northwe least 600° to the northwe least 600° to the northwe glace of beginning. The monumentation and marking June , 1985. The location work consisted of pies of this claim map have been to lode claim filling fee has been lode claim filling fee has been lode for the location work the location filling fee has been lode claim filling fee has been lode for the location work the location work the location work consisted of pies of this claim map have been lode claim filling fee has been lode claim filling fee has been location.	st corner, a st corner, a de center, a st corner, a st corner, a of the corner making a cla filed with th paid to the C	4"x5' in length PVC pipe ; the d'x5' in length PVC pipe ; the day is was completed by the day day in map as provided in NRS 517.040. In Eureka County Recorder, and county Recorder.	hence, hence, hence, hence, he poi
South 750° to the souther West , 600° to the southwe North 750° to the west sign of the following to the northwe East 600° to the northwe least 600° to the souther least 600° to the souther least 600° to the location work consisted of pies of this claim map have been lode claim filling fee has been lode claim filling fee has been location.	st corner, a st corner, a de center, a st corner, a st corner, a st corner, a of the corner making a clafiled with the paid to the Corner a st corner	4"x5' in length PVC pipe ; the d'x5' in length PVC pipe ; the day is was completed by the day day in map as provided in NRS 517.040. In Eureka County Recorder, and county Recorder.	hence, hence, hence, hence, he poi
South 750° to the souther West , 600° to the southwe North 750° to the west sign of the following to the northwe East 600° to the northwe least 600° to the northwe least 600° to the northwe glace of beginning. The monumentation and marking June , 1985. The location work consisted of pies of this claim map have been to lode claim filling fee has been lode claim filling fee has been lode for the location work the location filling fee has been lode claim filling fee has been lode for the location work the location work the location work consisted of pies of this claim map have been lode claim filling fee has been lode claim filling fee has been location.	st corner, a st corner, a de center, a st corner, a st corner, a st corner, a of the corner making a clafiled with the paid to the Corner a st corner	4"x5' in length PVC pipe ; the d'x5' in length PVC pipe ; the day is was completed by the day day in map as provided in NRS 517.040. In Eureka County Recorder, and county Recorder.	hence, hence, hence, hence, he poi
South 750° to the souther West, 600° to the southwe North 750° to the west sign of the Southwe East 600° to the northwe East 600° to the northwe I place of beginning. The monumentation and marking June , 1985. The location work consisted of ples of this claim map have been a lode claim filing fee has been been selected for the southern filing fee has been selected for the southern fili	st corner, a st corner, a de center, a de center, a st corner, a st corner, a st corner, a st corner, a st corner de	4"x5' in length PVC pipe ; the day of the length PVC pipe ; the day of the length PVC pipe ; the day of the length PVC pipe ; the le	hence, hence, hence, hence, he poi
South 750° to the souther West, 600° to the southwe North 750° to the west signature Fast 600° to the northwe East 600° to the northwe place of beginning. The monumentation and marking June , 1985. The location work consisted of ples of this claim map have been a lode claim filling fee has been been followed by the southern filling fee has been seen the location work as a seen seen the location filling fee has been seen the location filling fee has been seen seen seen seen seen seen see	st corner, a st corner, a de center, a st corner, a st corner, a st corner, a of the corner making a clafiled with the paid to the Corner a st corner	4"x5' in length PVC pipe ; the day of the length PVC pipe ; the day of the length PVC pipe ; the day of the length PVC pipe ; the le	hence, hence, hence, hence, he poi
South 750° to the souther west, 600° to the southwe North 750° to the west signature of beginning. The monumentation and marking June , 1985. The location work consisted of pies of this claim map have been a lode claim filing fee has been lode.	st corner, a st corner, a de center, a de center, a st corner, a st corner, a st corner, a st corner, a st corner de	4"x5' in length PVC pipe ; the day of the length PVC pipe ; the day of the length PVC pipe ; the day of the length PVC pipe ; the le	hence, hence, hence, hence, he poi

BOOK 1 36 PAGE 494

· ·	•
	File No.
•	Filed for record at request of
99590	billed for record at reduces or
CERTIFICATE OF LOCATION	at
CERTIFICATE OF BOCKITON	m. and recorded in Book of
	Official Records Page
	County, Revada.
	County Recorder
•	. \ \
	\ \ \
THIS IS TO CERTIFY that the ICE #	55 lode mining claim
located by:	
Ed Devenyns	Dave Ernst 1000 Beck #254
690 E. Patriot #272	Reno, Nevada 89509
Reno, Nevada 89511	Ba20a
the 1942 day of MAY, 1985,	situated in the unknown
ing District, Eureka County,	State of Nevada.
NE/4 of Sec.	12.
Said claim is incated in the SE/4 of Sec.	12 Tup. 23 NODA Rec. 44 CAST
- null of sec.	\ \ \\.
SW/4 of Sec.	
To tie this claim to the Public Survey, b	begin at the southeast corner of Section
Township 23 North Range 49	East Mount Diablo Meridian, thence
5- 1500' thence South 1500'	
orner No. 1, the northeast corner of this	
We (or I) claim 1500 linear feet	t along the course of the mineral-bearing
ge, lode or vein, extending 20 northerly direction and 1480	feet from the location monument in a
ection, together with 300 feet on	each side of the center of the ledge for
entire length of the claim.	
	clearly marked by substantial 4"x5" PVC pipe
ignation. The description of such claim is	s: Beginning at Corner No.1, the Northeast
ner; thence, South 750 to the east side center,	\ \
	- AMAGE in length PVC Dipe ; thence,
West, 600 to the southeast corner,	a 4"x5' in length PVC pipe thence,
Which dent to the west side century	8 4 AJ 11 1 2 CH 3 M 1 2 CH 3 M 1 2 CH 3 CH
North 150' to the northwest current	
East 600' to the northeast corner, place of beginning.	16
The monumentation and marking of the cor	ners was completed by the The day of
June 1985.	the o and compared of any Training and
The location work consisted of making a	claim map as provided in NRS 517.040. Two
pies of this claim map have been filed with e lode claim filing fee has been paid to th	e County Recorder.
from recard the ime same kees as an	•
	Land General
LOCATORS	\mathcal{X}_{i} \mathcal{C}_{i}
10 Acres 22 100E	4 Yard Trust
ted June 23 . 1985	
RECORDED AT RECU	
Ed Devenyn	
805K_136_r/AU	1.472.
85 JUN 27 A 9	q: 99
១១ ១១៤ ៩៛	¥· Eu
nerop at Reco	-a

800K J 36 PAGE 495

i e	
•	File Wo.
99591	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock m. and recorded in Book of
	Official Records PageCounty, Nevada.
	County Recorder
THIS IS TO CERTIFY that the ICE # located by:	56 lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
~11	developed to the unknown
the	ituated in the unknown
ng District, Eureka County, S	IPBAC OT HEADOM.
NE/4 of Sec.	
Said claim is located in the SE/4 of Sec.	
. NW/4 of Sec.	8
SW/4 of Sec.	8
To tie this claim to the Public Survey, be	egin at the southeast corner of Section
Township 23 North Range 49 E	ast, Mount Diablo Meridian, thence
5r 6300' thence South 1500'	1.50
corner No. 1, the northeast corner of this c	
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
ge, lode or wein, extending 1480	feet from the location monument in a
	rest in a section-;
ection, together with feet on	each side of the center of the ledge for
entire length of the claim.	
	clearly marked by substantial 4"x5" PVC pip
wooden post not less than 4 k4 k47 mondates signation. The description of such claim is	: Beginning at Corner No.1, the Northeast
	1 1
court 750 to the east side center.	a 4"x5' in length PVC pipe thence
a the Book to the coutheast corper.	a 4.x2, IU Teudin bec bibe
the foot to the couthwest corner.	a 4"x5" in length Fit pipe
wall acol to the west side center.	a 4"x5' in length PVC vipe thence
North 750' to the northwest corner, East 600' to the northeast corner,	
z brace or nediminide	ners was completed by the day of
The monumentation and marking of the corr	sera was completed by the day of
June , 1985.	
The location work consisted of making a	claim map as provided in NRS 517.040. Two
ples of this claim map have been filed with	the Eureka County Recorder, and
e lode claim filing fee has been paid to the	e County Recorder.
\ \ / /	
	Go Chierias
	ac vereniges
LOCATORS	Ka Vevenysi
/ DOCATORS	Mare Great
ated June 23, 1985	Now our
- June	•
RECOREST AT	
Ed Dover	REDUEST oc
56un 136	KEDUEST OF
	HEQUEST OF CALL 496
	HAZUEST OF HAZUEST OF HAZE 496
	nyns 1-1: 492
55 JUN 27	nyns 1-1: 492
85 JEW 27	nyns 1-1: 492
85 JUN 27	nyns :: 492

800K 1 36 PAGE 4 9 6

•	
	File No.
995	
CERTIFICATE OF LOCATION	at minutes past o'clock m. and recorded in Book of
	Official Records Page
	County Recorder
THIS IS TO CERTIFY that theI	CE \$ 57 lode mining claim
located by:	Dave Ernst
Ed Devenyns 690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
the 19 day of MAY, 1 ning District, Eureka Cou	985, situated in the <u>unknown</u> nty, State of Nevada.
Said claim is located in the SE/4 of	Sec, Twp. <u>Q3 Nalsh</u> , Rge. <u>50 EAST</u>
	Sec. E
l . Township 23 North Range	rey, begin at the southeast corner of Section 49 East hount Diablo Heridian, thence
AST 6300 HENCE SOUTH 300 Corner No. 1, the northeast corner of t	· · · · · · · · · · · · · · · · · · ·
We for I) claim 1500 linear	feet along the course of the mineral-bearing
edge, lode or vein, extending 20	feet from the location monument in a /80 feet in a southerly
irection, together with <u>300</u> fee	et on each side of the center of the ledge for
he entire length of the claim.	and a series of the substantial 4 x5° PVC pipe
	m are clearly marked by substantial 4"x5" PVC pipe conuments firmly set in the ground bearing applicable
signation. The description of such cla	im 15; Beginning at corner hear, and meet
orner: thence, South 750' to the east side cen	nter, a 4"x5' in length PVC pipe , thence,
South 750° to the southeast cor	rner, a 4"x5' in length PVC pipe ; thence, rner, a 4"x5' in length PVC pipe ; thence,
worth 7501 to the west side cen	nter, a 4"x5' in length PVC pipe; thence,
wath 750° to the porthwest cou	rner a 4"x5" in length PVC pipe; thence,
East 600' to the northeast con	rner, a 4"x5' in length PVC pipe the post
nd place of beginning. The monumentation and marking of the June 1985.	e corners was completed by the The day of
	ng a claim map as provided in NRS 517.040. Two
copies of this claim map have been filed the lode claim filing fee has been paid	with the Eureka County Recorder, and
tue Tode Claim Illing lee that neet hair	ov the sound incorner.
	el Our
	Ed Owners
LOCATORS	
Dated June 23 , 1985	5 Eug Turst
	AT REQUEST OF
<u>.Ed</u>	kven yns 16 497
SS JUN 2	27 A9:30
	TALESTOMMS Nount No. ACA LEATE RECORDER DROW LOOK DICTE OF
£, 743	600K 36 PAGE 497

,	
	mile Ne
·	File No.
99593	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of Official Records Page,
•	County, Nevada.
	County Recorder
THIS IS TO CERTIFY that the ICE &	58 lode mining claim
located by:	
Ed Devenyns	Dave Ernst 1000 Beck #254
690 E. Patriot 1272	Reno, Nevada 89509
Reno, Nevada 89511	89509
the 19 day of MA4 , 1985, s	tuated in the unknown
ning District, Fureka County, S	tate of Nevada.
WE share Can	4/
ne/4 of Sec.	7, Twp. 23Nocth, Rge. 50 EAST
Said claim is incated in the SEA of Sec.	E Proposition of the Party of t
SW/4 of Sec.	
To tie this claim to the Public Survey, be	gin at the southeast corner of Section ast . Hount Diablo Meridian, thence
1 , Township 23 North , Range 49 E.	, todate bibble terroration
Corner No. 1, the northeast corner of this cl	laim.
	along the course of the mineral-bearing
ige, lode or vein, extending 1480 f	est from the location monument in a
rection, together with 300 feet on e	feet in a southerty
rection, together with 300 feet on e entire length of the claim.	feet in a Southerry each side of the center of the ledge for
rection, together with 300 feet on e entire length of the claim.	feet in a Southerry each side of the center of the ledge for clearly marked by substantial 4"x5" PVC pipe
rection, together with 300 feet on e entire length of the claim. The exterior boundaries of this claim are	feet in a southerry ach side of the center of the ledge for clearly marked by substantial 4"x5" PVC pipe to firmly set in the ground bearing applicable
rection, together with 300 feet on estime length of the claim. The exterior boundaries of this claim are wooden post not less than 4°x4°x45' monumen signation. The description of such claim is:	feet in a southerry ach side of the center of the ledge for clearly marked by substantial 4"x5" PVC pipe to firmly set in the ground bearing applicable
rection, together with 300 feet on estimate length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumen signation. The description of such claim is:	feet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast
The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumen signation. The description of such claim is: mer; thence,	feet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe , thence,
The exterior boundaries of this claim are wooden post not less than 4*x4*x45 monument signation. The description of such claim is: mer; thence, South 750* to the east side center, a south 750* to the southeast corner, a	feet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe , thence, 4"x5" in length PVC pipe , thence, 4"x5" in length PVC pipe , thence,
The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumen signation. The description of such claim is: mer; thence, South 750' to the east side center, a south 750' to the southeast corner, a west, 750' to the southeast corner, a south 750' to the seat side center.	feet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe , thence, 4"x5' in length PVC pipe , thence, 4"x5' in length PVC pipe , thence,
rection, together with 300 feet on estimate length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumentignation. The description of such claim is: mer; thence, South 750° to the east side center, a South 750° to the southeast corner, a West, 600° to the southwest corner, a North 750° to the west side center, a	feet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe , thence, 4"x5" in length PVC pipe ; thence, 4"x5" in length PVC pipe , thence, 4"x5" in length PVC pipe , thence, 4"x5" in length PVC pipe , thence,
The exterior boundaries of this claim are wooden post not less than 4*x4*x45' monumen signation. The description of such claim is: rner; thence, South 750' to the east side center, a south 750' to the southeast corner, a west, 750' to the southeast corner, a south 750' to the southeast corner, a	feet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe , thence,
The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumen signation. The description of such claim is: mer; thence, South 750' to the east side center, a west, 600' to the southeast corner, a worth 750' to the west side center, a North 750' to the northwest corner, a corner, a west, 600' to the northwest corner, a c	feet in a southerry clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe , thence,
The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monument signation. The description of such claim is: mer; thence, South 750' to the east side center, a west, 600' to the southwest corner, a north 750' to the west side center, a such 750' to the southwest corner, a worth 750' to the northwest corner, a north 750' to the northwest corner, a seat 600' to the northwest corner, a	feet in a southerry clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe , thence,
The exterior boundaries of this claim are wooden post not less than 4°x4°x45' monumen signation. The description of such claim is: mer; thence, South 750' to the east side center, a west, 600' to the southeast corner, a west, 600' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a place of beginning. The monumentation and marking of the corner June , 1985.	reet in a southerly clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe , thence, 4"x5" in length PVC pipe ; thence, 4"x5" in length PVC pipe ; thence, 4"x5" in length PVC pipe , thence,
The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monuments of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monuments of the content of such claim is: cher; thence, South 750' to the east side center, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a cast 600' to the northwest corner, a diplace of beginning. The monumentation and marking of the corner of the location work consisted of making a content of this claim map have been filled with the souther of the claim map have been filled with the souther of the claim map have been filled with the souther of the claim map have been filled with the souther of the claim map have been filled with the souther of the claim map have been filled with the souther of the corner of the claim map have been filled with the souther of the corner of the claim map have been filled with the corner of the corner	feet in a southerry clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe , thence, 4"x5" in length PVC pipe ; thence, 4"x5" in length PVC pipe , thence, 4"
rection, together with 300 feet on e entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x45 monumen signation. The description of such claim is: mer; thence, South 750' to the east side center, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the west side center, a east 600' to the northwest corner, a least 600' to the northwest corner, a lace of beginning. The monumentation and marking of the corner of the location work consisted of making a copies of this claim map have been filed with	feet in a southerry clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe , thence, 4"
The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monuments of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monuments of the content of such claim is: cher; thence, South 750' to the east side center, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a cast 600' to the northwest corner, a diplace of beginning. The monumentation and marking of the corner of the location work consisted of making a content of this claim map have been filled with the souther of the claim map have been filled with the souther of the claim map have been filled with the souther of the claim map have been filled with the souther of the claim map have been filled with the souther of the claim map have been filled with the souther of the corner of the claim map have been filled with the souther of the corner of the claim map have been filled with the corner of the corner	feet in a southerry clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe , thence, 4"
The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monuments of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monuments of the content of such claim is: cher; thence, South 750' to the east side center, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a cast 600' to the northwest corner, a diplace of beginning. The monumentation and marking of the corner of the location work consisted of making a content of this claim map have been filled with the souther of the claim map have been filled with the souther of the claim map have been filled with the souther of the claim map have been filled with the souther of the claim map have been filled with the souther of the claim map have been filled with the souther of the corner of the claim map have been filled with the souther of the corner of the claim map have been filled with the corner of the corner	feet in a southerry lach side of the center of the ledge for clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monument signation. The description of such claim is: mer; thence, South 750' to the east side center, a South 750' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a to the northwest corner, a sest 600' to the northwest corner, a place of beginning. The monumentation and marking of the corner of this claim map have been filed with the lode claim filing fee has been paid to the	feet in a southerry lach side of the center of the ledge for clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe , thence, 4"x5" in length PVC pipe , the
rection, together with 300 feet on elements entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monuments ignation. The description of such claim is: mer; thence, South 750' to the east side center, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the west side center, a north 750' to the northwest corner, a East 600' to the northwest corner, a large of beginning. The monumentation and marking of the corner of the location work consisted of making a corner of this claim map have been filed with	feet in a southerry lach side of the center of the ledge for clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe , thence, 4"x5" in length PVC pipe , the
The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monuments ignation. The description of such claim is: mer; thence, South 750' to the east side center, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a place of beginning. The monumentation and marking of the corner of the location work consisted of making a copies of this claim map have been filed with the location filling fee has been paid to the locators.	feet in a southerry clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe , thence, 4"x5" in length PVC pipe ; thence, 4"x5" in length PVC pipe , thence, 4"
rection, together with 300 feet on e entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumen signation. The description of such claim is: rner; thence, South 750' to the east side center, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a diplace of beginning. The monumentation and marking of the corner of this claim map have been filed with the lode claim filing fee has been paid to the located filing fee has been filed with the located filing feeth filing feet	feet in a southerty clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monument signation. The description of such claim is: xner; thence, South 750' to the east side center, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a to the northwest corner, a north 750' to the northwest corner, a south 750' to the northwest corner, a north 750' to the northwest corner, a south 750' to the southwest corner, a south 750'	feet in a southerry clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe 5 thence, 6 the point 6 the Dureka County Recorder, and 6 County Recorder. County Recorder.
The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monumen signation. The description of such claim is: mer; thence, South 750' to the east side center, a west, 600' to the southwest corner, a west, 600' to the west side center, a North 750' to the northwest corner, a Rorth 750' to the northwest corner, a last 600' to the northwest corner, a place of beginning. The monumentation and marking of the corner of this claim map have been filed with the lode claim filing fee has been paid to the located filing fee has been filed with the located filing fee has been paid to the located filing fee has been paid to the located filing fee has been filed with the located filing filed filing fee has been filed with the located filing filing filed filing filing fee has been filed f	feet in a southerry clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe 5 thence, 6 the point 6 the Dureka County Recorder, and 6 County Recorder. County Recorder.
The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monument signation. The description of such claim is: thence, South 750' to the east side center, a South 750' to the southwest corner, a West, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a d place of beginning. The monumentation and marking of the corner of this claim map have been filed with the lode claim filing fee has been paid to the location. LOCATORS ALCCATORS RECCROED AI PERCENCED AI	feet in a southerry clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe 5 thence, 6 the point 6 the Dureka County Recorder, and 6 County Recorder. County Recorder.
rection, together with 300 feet on e entire length of the claim. The exterior boundaries of this claim are wooden post not less than 4"x4"x45 monumen signation. The description of such claim is: rner; thence, South 750' to the east side center, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a place of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the RECCROFE AT RECUrs Ed Doventas 500. 136.	feet in a southerty sach side of the center of the ledge for clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe
The exterior boundaries of this claim are wooden post not less than 4"x4"x45' monument signation. The description of such claim is: mer; thence, South 750' to the east side center, a South 750' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a to the northwest corner, a horth 750' to the northwest corner, a feast 600' to the southwest feast	feet in a southerty sach side of the center of the ledge for clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe

BOOK 136 PAGE 498

•	•
	File No.
99594	Filed for record at request of
·	tited for record at reducat or
CERTIFICATE OF LOCATION	at minutes past o'clock
Chillians of bookson	m. and recorded in Book of
	Official Records Page
	County, nevada.
·	County Recorder
·	-\ \
	\\\
THIS IS TO CERTIFY that the ICE & located by:	1 29 lode mining claim
•	Rouge Person
Ed Devenyns 690 E. Patriot #272	Dave Ernst 1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
he 19th day of MA4, 1985, ng District, Fureka County,	situated in the unknown State of Nevada.
NE/N of Sec Said claim is located in the SF/N of Sec	7, IMP. 23/6014, Age. 50 EAST
JARTA OF Sec	
SW/4 of Sec	· <u>E</u> (
To tie this claim to the Fublic Survey,	
Township 23 North Range 49 57 5700 4herre South 8000	East , Mount Diablo Meridian, thence
orner No. 1, the northeast corner of this	claim.
We (or I) claim 1500 linear fee	et along the course of the mineral-bearing
ge, lode or vein, extending 20 northerly direction and /480	feet from the location monument in a feet in a southerly
ection, together with feet on	each side of the center of the ledge for
entire length of the claim.	A A A A A A A A A A A A A A A A A A A
The exterior boundaries of this claim are	e clearly marked by substantial 4°x5° PVC pipe ents firmly set in the ground bearing applicat
ignation. The description of such claim i	s: Beginning at Corner No.1, the Northeast
er, thence.	
South 750° to the east side center, South 750° to the southeast corner,	a 4"x5' in length PVC pipe ; thence,
West . 600' to the southwest corner,	a 4 x2. In renden ive byle, man
North 750' to the west side center,	, a 4"x5" in length PVC pipe thence,
North 750 to the northwest corner, East 600 to the northeast corner,	
alone of beginning	
The monumentation and marking of the cor	oners was completed by the day of
June , 1985.	
	claim map_as provided in NRS_517.040. Two
ies of this claim map have been filed with lode claim filing fee has been paid to th	
rode crarm tittus ten man neen bard to th	ne county necorder.
	El Vivenios
LOCATORS	
ed June 23 , 1985	Wave Twee
1 1900	
RECORDED AT RE	COUEST OF
Ed Doyon	402 1000
£3., <i>_136</i> r.	in the
85 JUN 27 A	vg: 30
2022	•
CFH TAX 40	211.74

BOOK | 36 PAGE 499

	•
	File No.
99	Filed for record at request of
•	
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of
	Official Records Page
	County, Nevada.
	County Recorder
	\ \ \
THIS IS TO CERTIFY that the	ICE # 60 lode mining claim
-	Dave Ernst
Ed Devenyns	1000 Beck #254
690 E. Patriot 1272 Reno, Nevada ₈₉₅₁₁	Reno, Nevada 89509
n the 19 Hay of MAY	1985 situated in the unknown
ining District, Fureka Co	ounty, State of Nevada.
	
NE/4 c	of Sec. 7, Tup. 23 NECTH, Rge. 50 EAST
Said claim is located in the SE/4 C	of Sec
	of Sec.
To tie this claim to the Public Sur	rvey, begin at the southeast corner of Section
1 , Township 23 North , Range 500 Hence South 150	se 49 East , Mount Diablo Meridian, thence
AST 5100 THERE SOUTH 150	<u>0'</u>
o Corner No. 1, the northeast corner of	this claim.
We (or I) claim 1500 line:	ar feet along the course of the mineral-bearing SO feet from the location monument in a
edge, lode or vein, extending /	80 feet from the location monument in a
northarty direction and .	ieet in a
irection, together with 300 1	eet on each side of the center of the ledge for
the entire length of the claim.	
The exterior boundaries of this cla	aim are clearly marked by substantial 4"x5' PVC pipe
designation. The description or such c.	laim is: Beginning at Corner No.1, the Northeast
Corner; thence,	enter, a 4"x5" in length PVC pipe ; thence,
courb Jso! to the southeast c	grner, a 4 x5. In length Ftc Pipe
week cool to the southwest c	orner, a 4"x5' in length PVC pipe thence,
North 750' to the west side c	enter, a 4°x5' in length PVC pipe thence
wouth 7501 to the northwest C	orner, a 4"x5" in length PVC pipe
East 600' to the northeast c	orner, a 4"x5" in length PVC pipe ; the poin
and place of beginning.	- Athers
The monumentation and marking of t	the corners was completed by the day of
, 1985.	
The location work consisted of ma	king a claim map as provided in NRS 517.040. Two
copies of this claim map have been file	ed with the County Recorder, and
the lode claim filing fee has been paid	to the County Recorder.
	•
	0.1.0
	En devenues
	La Gent
LOCATORS	1 9 1
0 02	- Wave Censel
Dated June 23 , 1985	
RECORDE	O AT REQUEST OF
Ed D	angestas An venotes 1 05
E1_at08	2 in 500
A.F	
สิริ ปียน ส	27 A9: 30
A	** *******
Figure 1	71 570 102 - 104 104 102 - 104 104 105 105

800K | 36 PAGE 500

		File No.
	99596	Filed for record at request of
• •		
CERTIFICATE OF LOCATION		at minutes past o'clock
	•	Official Records Page,
		County, Nevada.
		(_1,
•		County Recorder
•		\ \
BUTE TE MA ACOMICY ALAL AL-	ice #	(c) lode mining claim
THIS IS TO CERTIFY that the located by:	ICE F	7000 Militag Claim
		Dave Ernst
Ed Devenyns 690 E. Patriot #272		1000 Beck #254
Reno, Nevada 89511		Reno, Nevada 89509
89511		
he 19 day of MA4	, 19 85, 2	ituated in the unknown
ng District, Eureka	County, S	State of Nevada.
M	E/4 of Sec.	
Said claim is located in the Si	E/4 of Sec.	T, Tup. 23 Nexth, Age. 50 EAST
- IN	W/4 of Sec.	
	W/4 of Sec.	
We are this place to the William	a Cumpau h	egin at the southeast corner of Section
To the this claim to the Public , Township 23 North	Range 49 E	east, Mount Diablo Meridian, thence
951 5100' HICKE SOUTH	3000	
orner No. 1, the northeast corne		
		along the course of the mineral-bearing feet from the location monument in a
ga, lode or vein, extending		iest thom the location monument in a
direction and	7.120	feet in a southerly
northerly direction and	1480	feet in a southerry
northerly direction and ection, together with	1480	feet in a southerly each side of the center of the ledge for
northerly direction and ection, together with 300 entire length of the claim.	feet on	each side of the center of the ledge for
northerly direction and ection, together with 300 entire length of the claim.	feet on	each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe
northerly direction and ection, together with 300 entire length of the claim. The exterior boundaries of this	feet on	each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe this firmly set in the ground bearing applical
northerly direction and ention, together with 300 entire length of the claim. The exterior boundaries of this wooden post not less than 4"x4"; ignation. The description of surest thence.	feet on section are x44 monumer ch claim is:	each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe nts firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast
northerly direction and entire tength of the claim. The exterior boundaries of this gooden post not less than 4"x4"; ignation. The description of sumer; thence,	feet on section are x44 monumer ch claim is:	each side of the center of the ledge for clearly marked by substantial 4"x5" PVC pipe this firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5" in length PVC pipe; thence
northerly direction and ection, together with 300 entire length of the claim. The exterior boundaries of this gooden post not less than 4"x4"; ignation. The description of sumer; thence, South 750° to the east signature.	feet on s claim are x44' monumer ch claim is: de center,	each side of the center of the ledge for clearly marked by substantial 4"x5" PVC pipe nts firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5" in length PVC pipe ; thence
northerly direction and entire length of the claim. The exterior boundaries of this gooden post not less than 4"x4"; ignation. The description of sumer; thence, South 750° to the east signature of the country of the south services.	feet on s claim are x44' monumer ch claim is: de center, st corner,	each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe nts firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast 4 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; thence
northerly direction and enterion, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4"; ignation. The description of sumer; thence, South 750' to the east simple west, 600' to the southea west, 600' to the southea west, 501' to the yest simple years simple years and the southea west, 501' to the years simple years y	feet on s claim are x44 monumer ch claim is: de center, st corner, de center	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; thence
northerly direction and ention, together with 300 entire length of the claim. The exterior boundaries of this wooden post not less than 4"x4"; ignation. The description of sumer; thence, South 750' to the east signation of the southeat west, 600' to the southwe North 750' to the west signature.	feet on s claim are x4' monumer ch claim is: de center, st corner, de center, st corner,	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe 4"x5' in length PVC pipe 5 thence 4"x5' in length PVC pipe 7 thence 7 thence 7 thence 7 thence 7 thence 7 thence
northerly direction and ention, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4" ignation. The description of sumer; thence, South 750' to the east si South 750' to the southea West , 600' to the southwe North 750' to the uest si North 750' to the uest si North 750' to the northwe East 600' to the northwe	feet on s claim are x44' monumer ch claim is de center, st corner, de center, st corner, st corner, st corner,	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe this firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe before a 4"x5' in length PVC pipe chence che
northerly direction and ention, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4" ignation. The description of sumer; thence, South 750' to the east si South 750' to the southea West , 600' to the southwe North 750' to the uest si North 750' to the uest si North 750' to the northwe East 600' to the northwe	feet on s claim are x44' monumer ch claim is de center, st corner, de center, st corner, st corner, st corner,	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe this firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe before a 4"x5' in length PVC pipe chence che
northerly direction and enterion, together with 300 entire length of the claim. The exterior boundaries of this moden post not less than 4"x4"; ignation. The description of sumer; thence, South 750' to the east six South 750' to the southea west , 600' to the southwe North 750' to the west six North 750' to the northwe East 600' to the northwe place of beginning. The monumentation and marking	feet on s claim are x44' monumer ch claim is de center, st corner, de center, st corner, st corner, st corner,	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe 4"x5' in length PVC pipe 5 thence 4"x5' in length PVC pipe 7 thence 7 thence 7 thence 7 thence 7 thence 7 thence
northerly direction and ention, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4" ignation. The description of sumer; thence, South 750' to the east si South 750' to the southea West , 600' to the southwe North 750' to the uest si North 750' to the uest si North 750' to the northwe East 600' to the northwe	feet on s claim are x44' monumer ch claim is de center, st corner, de center, st corner, st corner, st corner,	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe this firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe before a 4"x5' in length PVC pipe chence che
northerly direction and ention, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4"; ignation. The description of summer; thence, South 750' to the east si. South 750' to the southea West, 600' to the southea North 750' to the southea North 750' to the vest si North 750' to the northea place of beginning. The monumentation and marking June , 1985.	feet on s claim are x44 monumer ch claim is: de center, st corner, de center, st corner, of the corn f making a c	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; the po mers was completed by the day of
northerly direction and ection, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4"; ignation. The description of summer; thence, South 750' to the east simple west, 600' to the souther North 750' to the west simple North 750' to the west simple North 750' to the northwe East 600' to the northwe place of beginning. The monumentation and marking June 1985. The location work consisted of this claim map have been	feet on s claim are x44 monumer ch claim is: de center, st corner, st corner, st corner, of the corn f making a c filed with	reach side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe in thence a 4"x5' in length PVC pipe in the powers was completed by the first was completed was completed by the first was com
northerly direction and ention, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4"; ignation. The description of summer; thence, South 750' to the east si. South 750' to the southea West, 600' to the southea North 750' to the southea North 750' to the vest si North 750' to the northea place of beginning. The monumentation and marking June , 1985.	feet on s claim are x44 monumer ch claim is: de center, st corner, st corner, st corner, of the corn f making a c filed with	reach side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe in thence a 4"x5' in length PVC pipe in the powers was completed by the first was completed was completed by the first was com
northerly direction and ection, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4"; ignation. The description of summer; thence, South 750' to the east simple west, 600' to the souther North 750' to the west simple North 750' to the west simple North 750' to the northwe East 600' to the northwe place of beginning. The monumentation and marking June 1985. The location work consisted of this claim map have been	feet on s claim are x44 monumer ch claim is: de center, st corner, st corner, st corner, of the corn f making a c filed with	reach side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe in thence a 4"x5' in length PVC pipe in the powers was completed by the first was completed was completed by the first was com
northerly direction and ection, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4"; ignation. The description of summer; thence, South 750' to the east simple west, 600' to the souther North 750' to the west simple North 750' to the west simple North 750' to the northwe East 600' to the northwe place of beginning. The monumentation and marking June 1985. The location work consisted of this claim map have been	feet on s claim are x44 monumer ch claim is: de center, st corner, st corner, st corner, of the corn f making a c filed with	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; the po mers was completed by the
northerly direction and ection, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4"; ignation. The description of summer; thence, South 750' to the east simple west, 600' to the souther North 750' to the west simple North 750' to the west simple North 750' to the northwe East 600' to the northwe place of beginning. The monumentation and marking June 1985. The location work consisted of this claim map have been	feet on s claim are x44 monumer ch claim is: de center, st corner, st corner, st corner, of the corn f making a c filed with	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; the po mers was completed by the
northerly direction and ection, together with 300 entire length of the claim. The exterior boundaries of this sooden post not less than 4"x4"; ignation. The description of such respectively. The east signation of the east signation of the east signation of the souther west, 600° to the souther North 750° to the souther North 750° to the norther East 600° to the norther place of beginning. The monumentation and marking June , 1985. The location work consisted of this claim map have been to lode claim filling fee has been	feet on s claim are x44 monumer ch claim is: de center, st corner, st corner, st corner, of the corn f making a c filed with	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; the po mers was completed by the
northerly direction and ection, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4"; ignation. The description of summer; thence, South 750' to the east simple west, 600' to the souther North 750' to the west simple North 750' to the west simple North 750' to the northwe East 600' to the northwe place of beginning. The monumentation and marking June 1985. The location work consisted of this claim map have been	feet on s claim are x44 monumer ch claim is: de center, st corner, st corner, st corner, of the corn f making a c filed with	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; the po mers was completed by the
northerly direction and ection, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4"; ignation. The description of sumer; thence, South 750' to the east si. South 750' to the souther North 750' to the west si. North 750' to the west si. North 750' to the norther East 600' to the norther place of beginning. The monumentation and marking June 1985. The location work consisted of the souther sides of this claim map have been a lode claim filling fee has been	feet on s claim are x44' monumer ch claim is: de center, st corner, de center, st corner, of the corn f making a c filed with paid to the	reach side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe in thence a 4"x5' in length PVC pipe in the powers was completed by the first was completed was completed by the first was com
northerly direction and ection, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4"; ignation. The description of sumer; thence, South 750' to the east si. South 750' to the souther North 750' to the west si. North 750' to the west si. North 750' to the norther East 600' to the norther place of beginning. The monumentation and marking June 1985. The location work consisted of the souther sides of this claim map have been a lode claim filling fee has been	feet on s claim are x44' monumer ch claim is: de center, st corner, de center, st corner, of the corn f making a c filed with paid to the	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe ; thence a 4"x5' in length PVC pipe ; the po mers was completed by the
northerly direction and entire length of the claim. The exterior boundaries of this groden post not less than 4"x4" in the claim. The exterior boundaries of this groden post not less than 4"x4" in the claim. The description of surfaces, south 750' to the southea west, 600' to the southea North 750' to the west si North 750' to the northwee East 600' to the northwee place of beginning. The monumentation and marking June , 1985. The location work consisted of the claim filling fee has been to location for the claim filling fee has been to location filling fee has been the lo	feet on s claim are x41 monumer ch claim is: de center, st corner, de center, st corner, of the corn f making a c filed with paid to the	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical is Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe ; thence a 4"x5' in l
northerly direction and ection, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4"; ignation. The description of summer; thence, South 750' to the east si. South 750' to the souther west, 600' to the souther North 750' to the vest si. North 750' to the vest si. North 750' to the norther place of beginning. The monumentation and marking June 1985. The location work consisted of the claim filling fee has been to the form of the claim filling fee has been 1985.	feet on s claim are x41 monumer ch claim is: de center, st corner, st corner, st corner, of the corn f making a c filed with paid to the	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical is Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
northerly direction and ection, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4"; ignation. The description of summer; thence, South 750' to the east si. South 750' to the souther west, 600' to the souther North 750' to the vest si. North 750' to the vest si. North 750' to the norther place of beginning. The monumentation and marking June 1985. The location work consisted of the claim filling fee has been to the form of the claim filling fee has been 1985.	feet on s claim are x41 monumer ch claim is: de center, st corner, st corner, st corner, of the corn f making a c filed with paid to the	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical is Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
northerly direction and ection, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4"; gration. The description of surger; thence, South 750' to the east si. South 750' to the souther west, 600' to the souther North 750' to the vest si. North 750' to the vest si. North 750' to the norther least 600' to the norther place of beginning. The monumentation and marking June 1985. The location work consisted of this claim map have been a lode claim filling fee has been 1985.	feet on s claim are x41 monumer ch claim is: de center, st corner, de center, st corner, of the corn f making a c filed with paid to the	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical is Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
northerly direction and ection, together with 300 entire length of the claim. The exterior boundaries of this moden post not less than 4"x4": gnation. The description of surgnation. The description of surgnation. The description of surgnation. The description of surgnation. The souther south 750' to the souther North 750' to the southwe North 750' to the vest since 1 horth 750' to the northwe less 600' to the northwe place of beginning. The monumentation and marking June 1985. The location work consisted of its of this claim map have been a lode claim filling fee has been 1985.	feet on s claim are x41 monumer ch claim is: de center, st corner, st corner, st corner, of the corn f making a c filed with paid to the	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical is Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
northerly direction and ention, together with 300 entire length of the claim. The exterior boundaries of this rooden post not less than 4"x4"; gnation. The description of surfer; thence, South 750' to the southea West, 600' to the southea North 750' to the southwe North 750' to the northwe East 600' to the northwe place of beginning. The monumentation and marking June , 1985. The location work consisted of the south results of this claim map have been a lode claim filling fee has been together the south results of the south results of the northween results of the south results of the so	feet on s claim are x41' monumer ch claim is: de center, st corner, de center, st corner, of the corn f making a c filed with paid to the ECCROED AI RE Fed Deveny	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical is Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
northerly direction and exterior, together with 300 entire length of the claim. The exterior boundaries of this coden post not less than 4"x4"; gnation. The description of sweet; thence, South 750' to the southea west, 600' to the southea west, 600' to the southwe North 750' to the northweet ast 600' to the northweet ast 600' to the northweet place of beginning. The monumentation and marking June , 1985. The location work consisted or its of this claim map have been lode claim filling fee has been location.	feet on s claim are x41 monumer ch claim is: de center, st corner, st corner, st corner, of the corn f making a c filed with paid to the	reet in a southerry each side of the center of the ledge for clearly marked by substantial 4"x5' PVC pipe ints firmly set in the ground bearing applical is Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe bear a 4"x5' in length PVC pipe ca

300 K 136 Page 501

	•
	File No
99597	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock m. and recorded in Book of Official Records Page County, Nevada
	Court y Bassadan
_	County Recorder
·	\ \
THIS IS TO CERTIFY that the ICE # 4	2 lode mining claim
•	Dave Ernst
Ed Devenyns 690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
10th -214	
the 19 day of MAY, 1985, sit lining District, <u>Fureka</u> County, Sta	tuated in the unknown
ning pistrict, <u>Fureka</u> county, See	are or metada.
NE/4 of Sec	
Said claim is located in the SE/4 of Sec.	Twp. 25 NORTH , Rge. 50 EAST
· NW/4 of Sec	
SW/4 of Sec.	\ \ \ \ \ \
We have the close he has Bublin Common hour	in at the southeast corner of Section
To tie this claim to the Public Survey, beg 1 , Township 23 North , Range 49 Eas	that the Standard Diablo Meridian, thence
MST 4500' Theme SOUTH 3000'	
Corner No. 1, the northeast corner of this cla	im.
northerly direction and /480 irection, together with 300 feet on eather entire length of the claim. The exterior boundaries of this claim are convocated post not less than 4"x4"x41" monuments.	ch side of the center of the ledge for learly marked by substantial 4"x5" PVC pipe s firmly set in the ground bearing applicable
esignation. The description of such claim is:	Beginning at Corner No.1, the Northeast
orner; thence, South 750' to the east side center, a	4"x5' in length PVC pipe ; thence,
South 750' to the southeast corner. a	4"x5" in length PVC pipe Tulence,
west 600' to the southwest corner, a	4.x2, in Teugtu bor bibe turner!
worth 350! to the west side center, a	4"x5" in length PVC pipe
North 7501 to the northwest corner, a	4"x5" in length PVC pipe thence;
East 600' to the northeast corner, a	4.x2. In lendth bac bibe
nd place of beginning. The monumentation and marking of the corner June , 1985.	rs was completed by the day of
The location work consisted of making a cla copies of this claim map have been filed with the the lode claim filing fee has been paid to the	he Eureka County Recorder, and
	•
	Severys
LOCATORS	1.
	Wave yearst
Dated <u>June 23</u> , 1985	
	**
Ed Down	1 0/
EST Date No. 5	0.2
95 Itin 22	
85 JUN 27 A 9: 3	I Ģ
•	

300K | 36 PAGE 5 C 2

	File No
99598	Filed for record at request of
CERTIFICATE OF LOCATION	at
	County Recorder
, · · ·	\ \
THIS IS TO CERTIFY that the ICE 4 de located by:	63 lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
the 19 day of MAY 1985, st	Ituated in the unknown
ing District, Eureka County, S	tate of Nevada.
unth - c P	
NE/4 of Sec.	7 Tup. 25 LOCTH, Rge. SC ENST
NW/4 of Sec.	
SW/4 of Sec.	
To the this claim to the Public Survey, be	gin at the southeast corner of Section
. Township 23 North Range 49 Ea	ist , Mount Diable Meridian, thence
57 3900' thence SOUTH 3000'	
orner No. 1, the northeast corner of this cl	aim,
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
ge, lode or vein, extending 20 f	eet from the location monument in a
ge, lode or vein, extending northerly direction and 480 ection, together with 300 feet on e	ach side of the center of the ledge for
entire length of the claim.	acti 2146 bi and action at the said and
	clearly marked by substantial 4"x5" PVC pipe
ignation. The description of such claim is:	Beginning at Corner No.1, the Northeast
··· Aleman	
South 750' to the east side center, a South 750' to the southeast corner, a	Abust in length DVC pipe ; thence,
wast cont to the couthwest corner. 4	4.X2. III IEUGUL FAC DIEG
North 750 to the northwest corner, a	4.X2. If Tender inc bibs
I place of beginning. The monumentation and marking of the corne June 1985.	are was completed by the The day of
June , 1985.	10 100 0000
The location work consisted of making a c	laim map as provided in RMS 517.040. Two the Eureka County Recorder, and
ples of this claim map have been filed with to lode claim filing fee has been paid to the	
	1
	Ed Sevenini
	Ed Sevenips
LOCATORS	
	XI. 6. 1- · ·
Les Oras 22 ince -	Dave Einst
ated June 23 , 1985 -	Dave Einst
7	Dave Trust
nted June 23 , 1985 RECCRECULAT RI Ed Devices	Dave Trust
RECCRESO AT AL	Dave Trust
RECCRESO AT AL	Dave Trust
RECCRECO AT RI Ed Deveny US., 136	COUEST OF
RECCRESO AT AL	COUEST OF

900K | 36 PAGE 5 0 3

	File No
	Filed for record at request of
99599	
CERTIFICATE OF LOCATION	at minutes past o'clock m. and recorded in Book of
	Official Records Page
	County, Nevada.
	County Recorder
	County hecoroci
	\ \
•	
THIS IS TO CERTIFY that the ICE located by:	1 64 lode mining claim
Ed Devenyes	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
he 2 day of TUNE, 1985	5. situated in the unknown
ing District, Eureka County	. State of Nevada.
NE/4 of Se	90.
Said claim is located in the SE/4 of Se	ec, Iwp. 23 Nectry, Age. 50 EAST
	50.
SW/4 of Se	ec. <u>8</u>
To tie this claim to the Public Survey,	, begin at the southeast corner of Section
, lownship 23 North , Range 4	9 East , Mount Diablo Meridian, thence
57 6900 thence South 3000'	a plain
corner No. 1, the northeast corner of this	s ciaim.
U- (1) -1-(1500 14 6	eet along the course of the mineral-bearing
ge, lode or vein, extending 20	feet from the location monument in a
ge, tode or vein, extending	feet in a southerly
northerly direction and /48	on each side of the center of the ledge for
entire length of the claim.	All effett 2744 at alle animate at alle 7478- 44-
	and the second s
The exterior boundaries of this claim a	are clearly marked by substantial 4"x5" PVC pipe
wooden post not less than 4"x4"x45" monu	uments firmly set in the ground bearing applicab
ignation. The description of such claim	is: Beginning at Corner No.1, the Northeast
ner; thence, South 750° to the east side center	- a swy5' in length PVC pipe ; thence,
South 750° to the southeast corner	- a Amys" in length byt bibe ; thence:
West , 600' to the southwest corner	
Marth 750° to the west side center	P. a 4 X5 In Tengen PVC DIPC
Name 7501 to the northwest cornel	r. a 4"x5" in length PVC pipe themce
East 600' to the northeast corner	r, a 4"x5' in length PVC pipe the poi
The monimentation and marbins of the o	corners was completed by the Had day of
June 1985.	the same and sample and
The location work consisted of making	a claim map as provided in NRS 517.040. Two
nies of this claim map have been filed wi	ith theEureka County Recorder, and
e lode claim filing fee has been paid to	the County Recorder.
/ /	•
	A
	LA Bruenes
	Col Menings
I 004 T000	
LOCATORS	No a Girela
ted June 23 , 1985	will from
ted <u>June 23</u> , 1985	
geneanen	AT REQUEST OF
EY De	YENVOS
File13	504
35 JUU 2	27 A9:30

BOOK | 36 PAGE 504

	File No.
99600	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock of Official Records Page,
	County, Nevada.
	\ \
THIS IS TO CERTIFY that the ICE # 4	10de mining claim
Ed Devenyns 690 E. Patriot #272	Dave Ernst 1000 Beck #254 Reno, Nevada 89509
neno, Nevada 89511 on the Zab day of Tune, 1985, si	tuated in the unknown
Mining District, Fureka County, St	cate of Nevada.
NE/M of Sec. Said claim is located in the SE/M of Sec NW/M of Sec. SW/M of Sec.	11. Twp. 23/1664, Rge. 50 EAST
1 Township 23 North Range 49 Ea	
to Corner No. 1, the northeast corner of this cl We (or I) claim 1500 linear feet	along the course of the mineral-bearing
ledge, lode or vein, extending from and log feet on extending from and log feet on extending feet on e	eet from the location monument in a feet in a southerly ach side of the center of the ledge for
or wooden post not less than 4"x4"x45' monument designation. The description of such claim is:	clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast
South 750' to the east side center, a South 750' to the southeast corner, a West , 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a	4"x5' in length PVC pipe ; thence, 4"x5' in length PVC pipe ; thence, 4"x5' in length PVC pipe ; thence,
East 600' to the northeast corner, a and place of beginning. The monumentation and marking of the corner June 1985.	-14
The location work consisted of making a cleopies of this claim map have been filed with the lode claim filing fee has been paid to the	the Eureka County Recorder, and
LOCATORS	Ed berenges
Dated	Dave and
RECORDED AT REC Ed Davenya Both 136	9EST OF 5 1. 505.
as jun 27 A	9:30
Estina filt in Anna Anna Anna Anna Anna Anna Anna A	800K 36 PAGES 05

	File No.
	filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock m. and recorded in Book of Official Records Page .
	County, Nevada.
	obsity necotati
THIS IS TO CERTIFY that the ICE &	lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254 Reno, Nevada 89509
Reno, Nevada 89511	89509
on the 2 day of June 1985, sin	tuated in the unknown
Mining District, Eureka County, St.	ate of Nevada.
NE/4 of Sec	
Said claim is located in the SE/A of Sec.	
- NW/4 of Sec SW/4 of Sec.	
1 . Township 23 North Range 49 Eas	in at the southeast corner of Section st Mount Diablo Heridian, thence
ERST 1900 HEAVE JOUTH 4500	
to Corner No. 1, the northeast corner of this cla	
We (or I) claim 1500 linear feet a	long the course of the mineral-bearing set from the location monument in a
portharly direction and	feet in a southerry
direction, together with 300 feet on ea	ch side of the center of the ledge for
the entire length of the claim.	and a second second second
The exterior boundaries of this claim are con wooden post not less than 4"x4"x45' monument.	learly marked by substantial 4"x5° PVC pipe
designation. The description of such claim is:	Beginning at Corner No.1, the Northeast
Corner, thence	\ \
South 750' to the east side center, a	4"x5' in length PVC pipe ; thence,
west 600' to the southwest corner, a	4=x5' in length PVC pipe f thence,
ward 750 to the west side tenter, a	4"x5' in length PVC pipe; thence,
North 750' to the northwest corner, a	4"x5' in length PVC pipe ; thence, 4"x5' in length PVC pipe ; the point
East 600' to the northeast corner, a and place of beginning.	4 x5 In lengur Ivo pape
The monumentation and marking of the corner	rs was completed by the The day of
June 1985.	
The location work consisted of making a cla copies of this claim map have been filed with the	aim map as provided in NRS 517.0%0. Two he Eureka County Recorder, and
the lode claim filing fee has been paid to the	County Recorder-
	••
	Ed bevenum
_	Ed devening
LOCATORS	Naus Sund
Dated June 23 , 1985	Mure June
•	OVERT OF
recorded at rec Ed. Daveny	ns
(C)136	506
95 059 27 A	9:30
1 U 3 1 6 1 1	u · v ·

300K | 36 PAGES 0 6

	·
	File No.
	Filed for record at request of
. 996	02
	at minutes past o'clock
CERTIFICATE OF LOCATION	m. and recorded in Book of
	Official Records Page
	County, Nevada.
	County Recorder
·	
•	
	ICE # 67 lode mining claim
THIS IS TO CERTIFY that the	ICE 1 6/
a located by:	
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
neth .	
the day of Tuve	1985 situated in the unknown
ning District, Eureka C	ounty, State of Nevada.
nem etc.	
P-18 P-18	of Sec, Twp. 23 MOON, Rge. 90 EAST
Said Claim 13 located in the Style	of Sec. 17
- INR/4 (of Sec.
To tie this claim to the Public Su	rvey, begin at the southeast corner of Section
1 . Township 21 North Ran	Me the Fast ' Month Digoto Let Idian' thence
AST 6900 THERE SOON 600	o'
Corner No. 1, the northeast corner of	f this claim.
We (or I) claim 1500 line	ear feet along the course of the mineral-bearing
dge, lode or vein, extending	feet from the location monument in a feet in a southerly feet on each side of the center of the ledge for
northerly direction and	feet in a southerry
irection, together with 300	feet on each side of the center of the ledge for
he entire length of the claim.	
	The state of the substantial 4"YS" PVC Dipe
The exterior boundaries of this cl	aim are clearly marked by substantial 4"x5" PVC pipe
wooden post not less than 4"x4"x45.	monuments firmly set in the ground bearing applicable laim is: Beginning at Corner No.1, the Northeast
signation. The description of such c	Haim is: Bediminid as source the state
orner; thence,	enter, a 4"x5' in length PVC pipe , thence,
South 750' to the east side of	corner, a 4"x5' in length PVC pipe ; thence,
South 750° to the southwest of	thence,
Waste 7501 to the wast side of	renter a 4 A - A - A - A - A - A - A - A - A - A
North 2501 to the northwest 6	corner, a 4"x5' in length PVC pipe ; thence,
Fast 600' to the northeast of	corner, a 4"x5" in length PVC pipe ; the point
nd place of beginning.	
	the corners was completed by the day of
	the corners was completed by the day of
, 1985.	
The leastion work constitut of ma	king a claim map as provided in NRS 517.040. Two
opies of this claim map have been fil-	
he lode claim filing fee has been paid	
de fore crara filling tee has been bar	
	Sel Promose
	Ed alvening
	Ed Sevenips Dave Gurd
LOCATORS	
	Have great
Dated Viloue 23, 1985	- 00 00 - C 00 -
PECCH	GEO AT REQUEST OF
<u></u>	Deveryn So7
£00⊀_	136 507
	1
	,
65 .48	,
65 វិយ	127 A9:30

900K | 36 PAGE 507

	# L # #	
	99603	Filed for record at request of
CERTIFICATE OF LOCATION		et minutes cost piologic
CERTIFICATE OF LOCATION		at minutes past o'clock
		. and recorded in Book of
		Official Records Page
		County, Nevada.
		County Recorder
*	-	\ \
		\ \
THIS IS TO CERTIFY that th		last total along
located by:	ICE #	60 lode mining claim
·		\ \
Ed Devenyns		Dave Ernst
690 E. Patriot #272		1000 Beck #254
Reno, Nevada 89511		Reno, Nevada 89509
he 2 nd day of June	. 19 85. 8	situated in the unknown
ing District, Eureka	County.	State of Nevada.
	NE/4 of Sec.	, two. <u>23 Kegin</u> , rge. <u>90 Emst</u>
Said claim is located in t	the SE/4 of Sec.	, TMP. OS MERTH, Rge. 50 EAST
	NW/4 of Sec.	7/7
	SW/4 of Sec.	र्न्ह
		\
To tie this claim to the I	Public Survey, he	gin at the southeast corner of Secti
, Township 23 North	Rance 40 F	ast , Mount Diablo Heridian, thenc
5 6300 There sow	7	I want practo Detratan, thenc
orner No. 1, the northeast	corner of this c	laim,
Va (au 7) alala 2000		
WE COR I/ Claim 1500	linear leet	along the course of the mineral-bearing
re, lode or vein, extending	1480	feet from the location monument in a
e, lode or wein, extending northerly direction a	/4801 and201	Teet from the location monument in a feet in a southerly
pe, lode or wein, extending northerly direction a section, together with	7480 i	along the course of the mineral-bearing feet from the location monument in a feet in a southerly each side of the center of the ledge for
section, together after30	ieer on e	feet from the location monument in a feet in a southerly sach side of the center of the ledge for
section, together after30	ieer on e	feet from the location monument in a feet in a southerly each side of the center of the ledge for
entire length of the claim.	leet on e	each side of the center of the ledge for
entire length of the claim. The exterior boundaries of	this claim are	each side of the center of the ledge for clearly marked by substantial 4°x5° PVC pig
entire length of the claim. The exterior boundaries of rooden post not less than 4	this claim are	each side of the center of the ledge for clearly marked by substantial 4°x5° PVC pig ts firmly set in the ground bearing applica
entire length of the claim. The exterior boundaries of cooden post not less than 4 agnation. The description of	this claim are	each side of the center of the ledge for clearly marked by substantial 4°x5° PVC pig
entire length of the claim. The exterior boundaries of cooden post not less than 4 gnation. The description of the claim thence,	this claim are "x4"x4" monumen of such claim is:	clearly marked by substantial 4°x5° PVC pig ts firmly set in the ground bearing applications and the Beginning at Corner No.1, the Northeast
entire length of the claim. The exterior boundaries of cooden post not less than 4 gnation. The description over; thence, South 750' to the eas	this claim are "x4"x4" monumen f such claim is:	clearly marked by substantial 4"x5" PVC pig ts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast
entire length of the claim. The exterior boundaries of coden post not less than 4 gnation. The description of the case; thence, South 750' to the east south 750' to the sou	this claim are "x4"x4" monumen of such claim is: st side center, a	clearly marked by substantial 4"x5" PVC pig ts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe ; thence the standard process ; the set to the set
entire length of the claim. The exterior boundaries of coden post not less than 4 gnation. The description of the case; thence, South 750' to the east south 750' to the sou	this claim are "x4"x4" monumen of such claim is: st side center, a	clearly marked by substantial 4"x5" PVC pig ts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe ; thence the standard process ; the set to the set
entire length of the claim. The exterior boundaries of coden post not less than 4 gnation. The description of the cast them to the cast them to the cast them to the cast to the cast to the source west . 600° to the source to the source them.	this claim are "x4"x4" monumen of such claim is: st side center, a theast corner, a	clearly marked by substantial 4"x5" PVC pig ts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe ; thence the standard process ; t
entire length of the claim. The exterior boundaries of coden post not less than 4 gnation. The description of the case; thence, South 750' to the ease West 600' to the south 750' to the vesty 600' to the ves	this claim are "x4"x4" monument f such claim is: st side center, a atheast corner, a athest corner, a	clearly marked by substantial 4"x5" PVC pig ts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe ; thence 1, the Northeast 2, 4"x5" in length PVC pipe ; thence 3, 4"x5" in length PVC pipe ; thence 3, 4"x5" in length PVC pipe ; thence 4"x5" in length PVC pipe ; thence 3, 4"x5" in length PVC pipe ; thence 4"x5" in length PVC pip
metric length of the claim. The exterior boundaries of a gooden post not less than a gnation. The description of the cas south 750' to the south 750' to the south 750' to the south 750' to the west North 750' to the north 750'	this claim are "x4"x41" monumen of such claim is: st side center, a theast corner, a st side center, a	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence
The exterior boundaries of ooden post not less that gnation. The description of the cas South 750' to the eas South 750' to the sou West, 600' to the sou North 750' to the nor East 600' to the nor	this claim are "x4"x41" monumen of such claim is: st side center, a theast corner, a st side center, a	clearly marked by substantial 4"x5" PVC pig ts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe ; thence 1, the Northeast 2, 4"x5" in length PVC pipe ; thence 3, 4"x5" in length PVC pipe ; thence 3, 4"x5" in length PVC pipe ; thence 4"x5" in length PVC pipe ; thence 3, 4"x5" in length PVC pipe ; thence 4"x5" in length PVC pip
entire length of the claim. The exterior boundaries of moden post not less than 4 gnation. The description of the claim. South 750' to the east south 750' to the south 750' to the south 750' to the south 750' to the west 600' to the more place of beginning.	this claim are "x4"x4" monumen of such claim is: st side center, a theast corner, a st side center, a thwest corner, a thwest corner, a theast corner, a	clearly marked by substantial 4"x5' PVC pig ts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe
entire length of the claim. The exterior boundaries of cooden post not less than 4 gnation. The description of the claim. South 750' to the east south 750' to the south 750' to the south 750' to the west 600' to the west 600' to the nor last 600' to the nor place of beginning.	this claim are "x4"x4" monumen of such claim is: st side center, a theast corner, a st side center, a thwest corner, a thwest corner, a theast corner, a	clearly marked by substantial 4"x5' PVC pig ts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe
the exterior boundaries of the claim. The exterior boundaries of the coden post not less than 4 genation. The description of the coden post not less than 5 genation. The description of the coden to the sour south 750' to the sour North 750' to the nor East 600' to the nor place of beginning. The monumentation and mark	this claim are "x4"x4' monumen of such claim is: st side center, a atheast corner, a st side center, a cthwest corner, a cthwest corner, a	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence
entire length of the claim. The exterior boundaries of moden post not less than 4 gnation. The description of the claim. South 750' to the east south 750' to the south 750' to the south 750' to the south 750' to the west North 750' to the more last 600' to the nor place of beginning.	this claim are "x4"x4' monumen of such claim is: st side center, a atheast corner, a st side center, a cthwest corner, a cthwest corner, a	clearly marked by substantial 4"x5' PVC pig ts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe
entire length of the claim. The exterior boundaries of moder post not less than 4 ignation. The description of the claim. South 750' to the east South 750' to the south 750' to the south 750' to the wes North 750' to the wes North 750' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985.	this claim are "x4" x4" monumen of such claim is: st side center, a theast corner, a thwest corner, a thwest corner, a theast corner, a theast corner, a	clearly marked by substantial 4"x5' PVC pig ts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe
The exterior boundaries of the claim. The exterior boundaries of a conden post not less than 4 conden, The description of the case; thence, South 750' to the ease South 750' to the south 750' to the south 750' to the west 600' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985.	this claim are "x4"x41' monumen of such claim is: st side center, a thwest corner, a thwest corner, a thwest corner, a that corner, a that corner, a	clearly marked by substantial 4"x5' PVC pig ts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe
settin, together with 31 sentire length of the claim. The exterior boundaries of tooden post not less than 4 ser; thence, South 750' to the eas South 750' to the sou West, 600' to the sou West, 600' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consisting of this claim map have the south 1985.	this claim are "x4"x4½ monumen of such claim is: st side center, a theast corner, a thwest corner, a theast corner, a theast corner, a theast corner, a	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe 1, thence 4"x5' in length PVC pipe 2, thence 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe 5, the pers was completed by the 4"x5' and length PVC pipe 5, the pers was completed by the 4"x5' pipe 6, thence 6, the pers was completed by the 6, the pers was completed by the 6, the form of the 6, the 6, the form of t
settin, together with 31 sentire length of the claim. The exterior boundaries of tooden post not less than 4 ser; thence, South 750' to the eas South 750' to the sou West, 600' to the sou West, 600' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consisting of this claim map have the south 1985.	this claim are "x4"x4½ monumen of such claim is: st side center, a theast corner, a thwest corner, a theast corner, a theast corner, a theast corner, a	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe 1, thence 4"x5' in length PVC pipe 2, thence 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe 5, the pers was completed by the 4"x5' and length PVC pipe 5, the pers was completed by the 4"x5' pipe 6, thence 6, the pers was completed by the 6, the pers was completed by the 6, the form of the 6, the 6, the form of t
entire length of the claim. The exterior boundaries of rooden post not less than 4 agnation. The description of the claim. South 750' to the eas South 750' to the south 750' to the south 750' to the south 750' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consisting of this claim map have the content of the claim map have the claim map hav	this claim are "x4"x4½ monumen of such claim is: st side center, a theast corner, a thwest corner, a theast corner, a theast corner, a theast corner, a	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe 1, thence 4"x5' in length PVC pipe 2, thence 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe 5, the pers was completed by the 4"x5' and length PVC pipe 5, the pers was completed by the 4"x5' pipe 6, thence 6, the pers was completed by the 6, the pers was completed by the 6, the form of the 6, the 6, the form of t
entire length of the claim. The exterior boundaries of gooden post not less than 4 ignation. The description of the claim. South 750' to the eas South 750' to the south 750' to the south 750' to the south 750' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consists the of this claim map have the content of the claim map have the content of this claim map have the content of this claim map have the content of the claim map have the cl	this claim are "x4"x4½ monumen of such claim is: st side center, a theast corner, a thwest corner, a theast corner, a theast corner, a theast corner, a	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe 1, thence 4"x5' in length PVC pipe 2, thence 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe 5, the pers was completed by the 4"x5' and length PVC pipe 5, the pers was completed by the 4"x5' pipe 6, thence 6, the pers was completed by the 6, the pers was completed by the 6, the form of the 6, the 6, the form of t
entire length of the claim. The exterior boundaries of rooden post not less than 4 agnation. The description of the claim. South 750' to the eas South 750' to the south 750' to the south 750' to the south 750' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consisting of this claim map have the content of the claim map have the claim map hav	this claim are "x4"x4½ monumen of such claim is: st side center, a theast corner, a thwest corner, a theast corner, a theast corner, a theast corner, a	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence 5" in length PVC pipe ; thence 6"
settin, together with 31 sentire length of the claim. The exterior boundaries of tooden post not less than 4 ser; thence, South 750' to the eas South 750' to the sou West, 600' to the sou West, 600' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consisting of this claim map have the south 1985.	this claim are "x4"x4½ monumen of such claim is: st side center, a theast corner, a thwest corner, a theast corner, a theast corner, a theast corner, a	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence 5" in length PVC pipe ; thence 6"
entire length of the claim. The exterior boundaries of gooden post not less than 4 ignation. The description of the claim. South 750' to the eas South 750' to the south 750' to the south 750' to the south 750' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consists the of this claim map have the content of the claim map have the content of this claim map have the content of this claim map have the content of the claim map have the cl	this claim are "x4"x4½ monumen of such claim is: st side center, a theast corner, a thwest corner, a theast corner, a theast corner, a theast corner, a	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence 5" in length PVC pipe ; thence 6"
entire length of the claim. The exterior boundaries of a conden post not less than 4 continuous them. The description of the claim. The description of the claim. The description of the claim of the claim of the claim. South 750' to the eas North 750' to the wes North 750' to the wes to the continuous to the nor place of beginning. The monumentation and mark June 1985. The location work consists it is of this claim map have the claim filling fee has the continuous that the claim filling fee has the claim filling fee	this claim are "x4"x41' monumen of such claim is: st side center, a atheast corner, a	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence 5" in length PVC pipe ; thence 6"
entire length of the claim. The exterior boundaries of gooden post not less than 4 ignation. The description of the claim. South 750' to the eas South 750' to the south 750' to the south 750' to the south 750' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consists the of this claim map have the content of the claim map have the content of this claim map have the content of this claim map have the content of the claim map have the cl	this claim are "x4"x41' monumen of such claim is: st side center, a atheast corner, a	clearly marked by substantial 4°x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4°x5' in length PVC pipe ; thence 6°x5' in len
entire length of the claim. The exterior boundaries of a grooden post not less than 4 agnation. The description of the claim. South 750' to the east 500th 750' to the south 750' to the south 750' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consisting of this claim map have a lode claim filling fee has a location.	this claim are "x4"x41' monumen of such claim is: st side center, a atheast corner, a atheast corner, a athwest corner, a	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe 1, thence 4"x5' in length PVC pipe 2, thence 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 4"x5' in length PVC pipe 5, the pers was completed by the 4"x5' and length PVC pipe 5, the pers was completed by the 4"x5' pipe 6, thence 6, the pers was completed by the 6, the pers was completed by the 6, the form of the 6, the 6, the form of t
entire length of the claim. The exterior boundaries of cooden post not less than 4 lignation. The description of the claim. South 750' to the east both 750' to the south 750' to the south 750' to the west 600' to the west 600' to the nor East 600' to the nor place of beginning. The monumentation and marifum 1985. The location work consists the of this claim map have it lode claim filling fee has it lode claim filling fee has it location.	this claim are "x4"x41' monumen of such claim is: st side center, a atheast corner, a	clearly marked by substantial 4°x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4°x5' in length PVC pipe ; thence 6°x5' in len
entire length of the claim. The exterior boundaries of a lignation. The description of the claim. South 750' to the east thence, South 750' to the south 750' to the south 750' to the south 750' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consisted of this claim map have in location feel has in	this claim are "x4"x4½ monumen of such claim is: st side center, a theast corner, a	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe 1, thence 4"x5' in length PVC pipe 2, thence 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, the picture was completed by the May of the Eureka County Recorder, and County Recorder.
entire length of the claim. The exterior boundaries of a lignation. The description of the claim. South 750' to the east thence, South 750' to the south 750' to the south 750' to the south 750' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consisted of this claim map have in location feel has in	this claim are "x4"x4' monumen of such claim is: st side center, a stheast corner, a	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe 1, thence 4"x5' in length PVC pipe 2, thence 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 4"x5' in length PVC pipe 3, thence 4"x5' in length PVC pipe 3, the possible was completed by the May of the Eureka County Recorder, and County Recorder. **Additional County Recorder** **Additional County R
entire length of the claim. The exterior boundaries of a lignation. The description of the claim. South 750' to the east thence, South 750' to the south 750' to the south 750' to the south 750' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consisted of this claim map have in location feel has in	this claim are "x4"x41' monumen of such claim is: st side center, a atheast corner, a atheast corner, a athwest corner, a cthwest corner, a cthwest corner, a cthwest corner, a ctheast corner,	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence 4"x5' in length PVC pipe ; the process was completed by the
entire length of the claim. The exterior boundaries of a grooden post not less than 4 agnation. The description of the claim. South 750' to the east 500th 750' to the south 750' to the south 750' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consisting of this claim map have a lode claim filling fee has a location.	this claim are "x4"x4' monumen of such claim is: st side center, a stheast corner, a	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence 4"x5' in length PVC pipe ; the process was completed by the
entire length of the claim. The exterior boundaries of a grooden post not less than 4 agnation. The description of the claim. South 750' to the east 500th 750' to the south 750' to the south 750' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consisting of this claim map have a lode claim filling fee has a location.	this claim are "x4"x41' monumen of such claim is: st side center, a atheast corner, a atheast corner, a athwest corner, a cthwest corner, a cthwest corner, a cthwest corner, a ctheast corner,	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence 4"x5' in length PVC pipe ; the process was completed by the
entire length of the claim. The exterior boundaries of a grooden post not less than 4 agnation. The description of the claim. South 750' to the east 500th 750' to the south 750' to the south 750' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consisting of this claim map have a lode claim filling fee has a location.	this claim are "x4"x41' monumen of such claim is: st side center, a atheast corner, a atheast corner, a athwest corner, a cthwest corner, a cthwest corner, a cthwest corner, a ctheast corner, a ctheast corner, a ctheast corner	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence 4"x5' in length PVC pipe ; the process was completed by the
entire length of the claim. The exterior boundaries of toden post not less than 4 tonation. The description of the claim. South 750' to the east 500th 750' to the south 750' to the south 750' to the nor East 600' to the nor place of beginning. The monumentation and mark June , 1985. The location work consisting of this claim map have a lode claim filling fee has to the control of the claim filling fee has to the claim filling fee has the	this claim are "x4"x41' monumen of such claim is: st side center, a atheast corner, a atheast corner, a athwest corner, a cthwest corner, a cthwest corner, a cthwest corner, a ctheast corner, a ctheast corner, a ctheast corner	clearly marked by substantial 4"x5' PVC piges firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe ; thence 4"x5' in leng

800K | 36 PAGE 508

		File No.	
•	99604	Filed for record at	neguest of
		tited for tecord as	reduces or
·	• •	ah was onet	o'clock
CERTIFICATE OF LOCATION		m. and recorded in Boo	ok of
	•	Occional Records Page	-
		Count	y, Nevada.
			ounty Recorder
			\. \
			\ \
THIS IS TO CERTIFY that the	ICE I	10de	mining claim
as located by:	•		\ \
Ed Devenyns		Dave Ernst	
690 E. Patriot #272		1000 Beck #254 Reno, Nevada 89509	
Reno, Nevada 89511		B9509	
the 2 nd day or June	. 1985 sit	uated in the unknown	
ining District,	County, Sta	ite of Nevada.	
•			
Said claim is located in th	NE/4 of Sec.	- Two. 23 Now . 1	ige. 50 EAST
2810 Claim 12 located In a	NW/4 of Sec.	7	\
	SW/4 of Sec.)
To tie this claim to the Po	uhita Sumuay hagi	in at the southeast	corner of Section
l . Township 23 North	, Range 49 Eas	t, Mount Diable	Meridian, thence
FAST 6300' HEACE SOU	TH GOCO'		
Corner No. 1, the northeast o	orner of this cla	im.	
We (or I) claim	linean feet a	long the course of the mi	neral-bearing
ados lode on wein extending	(e)	at from the location monu	ment in a
banty direction as	no /Y////	icet in a	·
lirection, together with 🔼 💢 🔾	o leet on ear	ch side of the center of	the ledge for
the entire length of the claim.			
The exterior boundaries of	this claim are cl	learly marked by substanti	al 4"x5" PVC pipe
lesignation. The description of	f such claim is:	Beginning at Corner No.1	Cite HOLLineast
corner; thence,	+ eida contor a :	4"x5" in length PVC pipe	thence,
TEAT to the FOR	theast corper. A '	arxo, iu fendiu tac bric -	; thence,
track cont to the sou	thwest Corner. a '	d.X2. In females the base.	
TEAL TEAL OF THE WAS	r side center. a '	d X2. The resident resident	thence,
North 750' to the nor	thwest corner, a	4"x5' in length PVC pipe 4"x5' in length PVC pipe	
and place of beginning.		conslated by the	THE day of
and place of beginning. The monumentation and mark June , 1985.	ting of the corner	and completed by the	7 0.,
	^		
The location work consists	ed of making a cla	im map as provided in NR	517.040. Two
contes of this claim map have I	been filed with th	ne Eureka County	Recorder, and
the lode claim filing fee has	been paid to the (county Recorder.	_
	/ /	0	,
		Ed Some	
		St. C.	
LOCATO	pe	61 1.	_
LUCATO	n.o.	Dave Genel	•
Dated	1985	Julia or	,
		0=	
	RECORDED AT RECLEST	ur	
•	FOL 134 : 50	<u> </u>	
,	· _		
	35 JUN 27 A 9: 3	3 0	
	35 JUN 27 A 9: 3	3 G	
		3 9	
	premise remises	3 Q	
		DA Jar	
	CFFIGUL FETURES EURERA COULT A SEA	DA Jar	ok (36 Page50S

· · · · · · · · · · · · · · · · · · ·	•
	File No.
99605	
•	
CERTIFICATE OF LOCATION	at minutes past o'clock
CENTIFICATE OF BOOMIZO	m. and recorded in Book of
	Official Records Page , County, Nevada.
	County Recorder
THIS IS TO CERTIFY that the	70 lode mining claim
	Dave Ernst
Ed Devenyns 690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
1 1	
	ituated in the unknown tate of Nevada.
ning District, Eureka County, St	ogte of notacut
NE/4 of Sec. Said claim is located in the SE/4 of Sec. NW/4 of Sec. SW/4 of Sec.	17. Twp. 23 NOBTW, Age. 20 EAST
To tie this claim to the Public Survey, ber	gin at the southeast corner of Section
1 , Township 23 North , Range 49 Ea	, route plants fellular, theree
Corner No. 1, the northeast corner of this cl	aim.
	along the course of the mineral-bearing
idea lods on vain extending /4/201/	eat from the location monument in a
enthorize direction and	feet in a southerry
irection, together with feet on e	ach side of the center of the ledge for
he entire length of the claim.	
The exterior boundaries of this claim are	clearly marked by substantial 4"x5' PVC pipe
The exterior boundaries of this claim are a wooden post not less than 4"x4"x4" monuments ignation. The description of such claim is:	
	1 1
games great to the east eide certer. d	4"x5' in length PVC pipe , thence,
prof A. Abe coutboact corper 3	A"x5' in length byc pipe theneve
West, 600' to the southwest corner, a North 750' to the west side center, a	4"x5' in length PVC pipe ; thence,
warth 7500 to the northwest corner, a	4"x5' in length PVC pipe ; thence,
East 600' to the northeast corner, a	4"x5' in length PVC pipe ; the poin
nd place of beginning.	ma th
The monumentation and marking of the corner June , 1985.	ers was completed by the day of
^	A A A A NUMBER OF THE PARTY OF
The location work consisted of making a copies of this claim map have been filed with the	the Eureka County Recorder, and
the lode claim filing fee has been paid to the	County Recorder.
\ \ \	•
	Ed Commens
4	- Caroling
LOCATORS	XI. 6 1
Dated Pune 23 , 1985 -	Dave Just
· · · · · · · · · · · · · · · · · · ·	
RECORDED AT RECUES	ST OF
Ed Davenyns	<u>510</u>
500%	Cina
	•
85 JUN 27 A 9:	30
egarist RT. C.YV	3

800K | 36 PAGES | 0

	File No.
99606	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock m. and recorded in Book of
	Official Records Page County, Nevada.
·	County Recorder
	\ \
THIS IS TO CERTIFY that the ICE \$	// lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
n the 2 day of June , 1985, sil	busted in the unknown
ining District, Fureka County, St.	ate of Nevada.
	
NE/4 of Sec. / Said claim is located in the SE/4 of Sec.	18 TIN 23 NETT BUR SO FAST
Said claim is located in the SE/4 of Sec	7, 14p, 18e
SW/4 of Sec.	
(-	
To tie this claim to the Public Survey, beg 1 , Township 23 North , Range 49 Eas	. Hount Diablo Meridian, thence
FAST STOO THEICE SOUTH 6000'	
Corner No. 1, the northeast corner of this cla	im.
We (or I) claim 1500 linear feet a	long the course of the mineral-bearing
edge, lode or vein, extending 20 fe northerly direction and 7480	et from the location monument in a
northerly direction and	feet in a southerry
irrection, together with 300 feet on eathe entire length of the claim.	Cu side of the center of the renge for
	a an amend by substantial 4"x5" PVC pipe
The exterior boundaries of this claim are or wooden post not less than 4"x4"x41' monument.	e firmly set in the ground bearing applicable
or wooden post not less than 4 x4 x41 monument. designation. The description of such claim is:	Beginning at Corner No.1, the Northeast
	\ \
court scal to the east side center. A	4"x5" in length PVC pipe ; thence, 4"x5" in length PVC pipe ; thence,
South 750' to the southeast corner, a West, 600' to the southwest corner, a	4 x3 in length PVC pipe ; thence,
North 750' to the west side center, a	4"x5' in length PVC pipe ; thence,
want and the northwest corner. a	4.X2. In fench her bile
East 600' to the northeast corner, a	4"x5" in length pvc bipe
and place of beginning.	a was completed by the TH day of
and place of beginning. The monumentation and marking of the corner June, 1985.	s was completed by the day of
The location work consisted of making a cla	im map as provided in NRS 517.040. Two
copies of this claim map have been filed with the the lode claim filing fee has been paid to the (County Recorder, and
the lode craim tilling tee may been baid to the t	South Meest do.
	2. 1
	Ed Sevenins
	(A Maring Marin
LOCATORS	A: C'
1 22	Dave gust
Dated June 63 , 1985	
PERSONNER AT DEBUG	
rederded at reque Lea Devempas	ST OF
50 3n 136 14dc	511
88 m A.	
05 JUN 27 A 9:	30
prate to appoint	5
รับลิสิลักรอีสิริกัร ม.พ. ลิสิยภ คราม สิริกั	ANA POR — a acame t t
9960	300K 36 PAGE 5 1
: 5. 7 5	

	File No.
99607	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock m. and recorded in Book of
	Official Records Page County, Nevada.
	County Recorder
	\ \
THIS IS TO CERTIFY that the ICE # 78	2 lode mining claim
•	Dave Ernst
Ed Devenyns 690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
	-1111
on the Ridday of Tune . 1985, sit Mining District, Fureka County, St.	tuated in the unknown
Hining District, <u>Fureka</u> County, St.	ate of Nevada.
NE/4 of Sec.	18
Said claim is located in the SE/4 of Sec.	T. IND. OS MEETH, Rge. 50 EAST
nw/4 of sec	
SW/4 of Sec.	_ \
To tie this claim to the Public Survey, beg	in at the southeast corner of Section
1 . Township 23 North . Range 49 Eas	it . Mount Diablo Heridian, thence
EAST SICO' THEIRE SOUTH 4500	
to Corner No. 1, the northeast corner of this cla	im.
We (or I) claim 1500 linear feet a ledge, lode or vein, extending 1480 fe northerly direction and 20 direction, together with 300 feet on ea	et from the location monument in a feet in a southerly
the entire length of the claim.	cut 21de of the delicet, of the reaks to:
The exterior boundaries of this claim are cl	anny marked by substantial 4"x5" PVC DiDe
or wooden post not less than 4"x4"x41 monuments	firmly set in the ground bearing applicable
designation. The description of such claim is:	Beginning at Corner No.1, the Northeast
Corners thence.	
South 750° to the east side center, a south 750° to the southeast corner, a	4"x5' in length PVC pipe ; thence,
weet 600' to the southwest corner, a	4°x5' in length PVC pipe ; thence,
North 750 to the west side center, a	4.X2, IN Tenden Acc bibe enemera
North 750° to the northwest corner, a	4"x5" in length PVC pipe thence,
East 600' to the northeast corner, a	4"x5" in length PVC pipe Che point
and place of beginning.	Miller a
The monumentation and marking of the corner June 1985.	s was completed by the day or
The location work consisted of making a cla	im map as provided in NRS 517.040. Two
copies of this claim map have been filed with the the lode claim filing fee has been paid to the C	e Eureka County Recorder, and
	• •
	e. 1
\ \ / / %	a sevenini
LOCATORS	1. 6 1-
Dated June 24 , 1985	Year herst
RECOPCED AT PEQUEST ()F
Ed Doranyns	-
BCGn_136fA_i_\$/4	<u>z.</u>
85 JUT 27 A 9: 3	0

CONTROL PROVISE A PER RESALEATURE CONORA PER SESALEATURE CONTROL PER SESALEATURE CO

BOOK 1 36 PAGE 5 1 2

·	
•	File No
99608	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock
CERTIFICATE OF LOCATION	 and recorded in Book
	Official Records Page County, Nevada.
	County; Nevada
·	County Recorder
	\ \
	40
THIS IS TO CERTIFY that the ICE #	10de mining claim
	Dave Ernst
Ed Devenyns 690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
-4	
the \sim day of $\gamma/\ell N C$ 1985 3	ituated in the unknown
ing District, Eureka County, S	
NE/4 of Sec.	18 02 Var En Face
Said claim is located in the SE/4 of Sec.	Tup. On Relay, lige.
· .NW/% of Sec. SW/4 of Sec.	
•	
To tie this claim to the Public Survey, be	gin at the southeast corner of Section ast . Mount Diablo Meridian, thence
1 , Township 23 North , Range 49 E	ast, Mount blable Heridian, thence
Corner No. 1, the northeast corner of this cl	laim.
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
We (or 1) claim 1500 linear reet dge, lode or vein, extending 20 from northerly direction and 7800 freet on section and 1800 freet on section and 18	feet in a southerly
rection, together with 300 feet on e	each side of the center of the ledge for
e entire length of the claim.	
The exterior boundaries of this claim are	clearly marked by substantial 4"x5" PVC pipe
signation. The description of such claim is:	bedruing at corner in the
rner; thence, South 750' to the east side center, a	4"x5' in length PVC pipe ; thence
South 750° to the southeast corner, a	Amost in largth PVC pipe : thence
North 750' to the west side center, a	a 4"x5' in length PVC pipe thence
West , 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a	a 4"x5' in length PVC pipe; the po
East 600 to the northeast corner, a	a 4 x5 in length 1 vo page
d place of beginning.	ers was completed by the THE day of
The monumentation and marking of the corn- June , 1985.	ers was completed by the day of
The location work consisted of making a c	laim map as provided in NRS 517.040. Two the Eureka County Recorder, and
oples of this claim map have been filed with	County Recorder, and
he lode claim filing fee has been paid to the	county hecorati
	0
	Les Churinas
	Ed provides
LOCATORS	
	About Grand
ated <u>Oual 33</u> , 1985	N. W. C. J. W. C.
RECCACED AT REQU	50 7 .05
Ed Devenyns	
ELON 136	513
e i er i annum ma i di la e	
	••
85 JUN 27 - A 91	: 30
PTC 6 11 TA .	06
TAFIE TEITULE	93

BOOK 1 36 PAGE 5 1 3

99609	File No-
99609	1116 1101
	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of
	Official Records Page . County, Nevada.
	County, Nevada.
	Manufacture Passardes
	County Recorder
·	\ \
	\ \
PHIC IN TO COUTTRY ALLE ALL TOP	1 J4 lode mining claim
THIS IS TO CERTIFY that theICE scated by:	200 200
scated by:	\ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
- AN	
$e \propto day of \sqrt{UNC}$, 1985	, situated in the unknown
g District, Eureka County	, State of Nevada.
	_/ \
NE/4 of Sec	c. 18, Twp. 23 NORTH, Age. 50 EAST c.
Said claim is located in the SE/4 of Sec	c. The NO NOW Re. WEST
	· //
SW/4 of Se	<u> </u>
	the same as the southeast sounds of Continue
To tie this claim to the Public Survey,	begin at the southeast corner of Section Beast , Hount Diablo Meridian, thence
, Township 23 North , Range 49	
T 4500' theree Scient 4500'	-1
mer No. I, the northeast corner of this	
We (or I) claim 1500 linear fe	et along the course of the mineral-bearing
northerly direction and	feet in a southerly
ction, together with 300 feet o	on each side of the center of the ledge for
entire length of the claim.	
	re clearly marked by substantial 4"x5" PVC pip
	te creatif marker of
ooden post not less than 4"x4"x4h' monu gnation. The description of such claim :	ments firmly set in the ground bearing applica is: Beginning at Corner No.1, the Northeast
noden post not less than 4"x4"x4" monus	is: Beginning at Corner No.1, the Northeast
nation. The description of such claim ration. The description of such claim rations. South 750' to the east side center	is: Beginning at Corner No.1, the Northeast a 4"x5" in length PVC pipe , thence a 4"x5" in length PVC pipe , thence
notion. The description of such claim ser; thence, South 750' to the east side center South 750' to the southeast corner	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence
soden post not less than 4"x4"x4" monumentation. The description of such claim set; thence, South 750' to the east side center South 750' to the southwest corner West , 600' to the southwest corner West , 500' to the southwest corner	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , a 4"x5" in length PVC pipe , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence
mation. The description of such claim thence, South 750' to the east side center South 750' to the southeast corner West , 600' to the southwest corner Worth 750' to the west side center	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence
woden post not less than 4"x4"x4" monu- mation. The description of such claim is thence, South 750' to the east side center South 750' to the southeast corner West, 600' to the southwest corner North 750' to the west side center North 750' to the west side center North 750' to the west side center	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence
oden post not less than 4"x4"x4" monu- mation. The description of such claim r; thence, South 750' to the east side center South 750' to the southeast corner West , 600' to the southwest corner North 750' to the west side center North 750' to the northwest corner East 600' to the northwest corner	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence
oden post not less than 4"x4"x4" monu- mation. The description of such claim r; thence, South 750' to the east side center South 750' to the southeast corner West , 600' to the southwest corner North 750' to the west side center North 750' to the northwest corner East 600' to the northwest corner to the northwest corner clace of beginning.	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence
oden post not less than 4"x4"x4" monu- mation. The description of such claim r; thence, South 750' to the east side center South 750' to the southeast corner West , 600' to the southwest corner North 750' to the west side center North 750' to the northwest corner East 600' to the northwest corner clace of beginning. The monumentation and marking of the co	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence
coden post not less than 4"x4"x4" monu- mation. The description of such claim is thence, South 750° to the east side center South 750° to the southeast corner West , 600° to the southwest corner North 750° to the west side center North 750° to the northwest corner East 600° to the northwest corner place of beginning.	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence
coden post not less than 4"x4"x4" monugnation. The description of such claim er; thence, South 750° to the east side center South 750° to the southeast corner West , 600° to the southwest corner North 750° to the west side center North 750° to the northwest corner East 600° to the northwest corner place of beginning. The monumentation and marking of the conduction of the conducti	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe The polymers was completed by the
coden post not less than 4"x4"x4" monumentation. The description of such claim is thence, South 750° to the east side center South 750° to the southeast corner West, 600° to the southwest corner North 750° to the west side center North 750° to the northwest corner East 600° to the northwest corner place of beginning. The monumentation and marking of the conjune , 1985. The location work consisted of making as	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , the pc corners was completed by the day of a claim map as provided in NRS 517.040. Two
coden post not less than 4"x4"x4" monumentation. The description of such claim re; thence, South 750' to the east side center South 750' to the southeast corner West , 600' to the southeast corner North 750' to the southwest corner North 750' to the northwest corner East 600' to the northwest corner place of beginning. The monumentation and marking of the conjune , 1985. The location work consisted of making researches of this claim map have been filed with	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; the pc orners was completed by the
ooden post not less than 4"x4"x4" monugnation. The description of such claim er; thence, South 750' to the east side center. South 750' to the southeast corner west, 600' to the southwest corner North 750' to the morthwest corner East 600' to the northwest corner place of beginning. The monumentation and marking of the country 1985. The location work consisted of making are of this claim map have been filed with the country that the country	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , the pc orners was completed by the
coden post not less than 4"x4"x4" monumentation. The description of such claim ser; thence, South 750' to the east side center. South 750' to the southeast corner west, 600' to the southwest corner. North 750' to the morthwest corner. East 600' to the northwest corner. Place of beginning. The monumentation and marking of the conjune , 1985. The location work consisted of making series of this claim map have been filed with	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , the pc orners was completed by the
woden post not less than 4"x4"x4" monumation. The description of such claim is; thence, South 750' to the east side center South 750' to the southeast corner West , 600' to the southwest corner North 750' to the west side center North 750' to the northwest corner East 600' to the northwest corner place of beginning. The monumentation and marking of the conjune , 1985. The location work consisted of making are of this claim map have been filed with	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; the po orners was completed by the
coden post not less than 4"x4"x4" monumentation. The description of such claim re; thence, South 750' to the east side center South 750' to the southeast corner West , 600' to the southeast corner North 750' to the southwest corner North 750' to the northwest corner East 600' to the northwest corner place of beginning. The monumentation and marking of the conjune , 1985. The location work consisted of making researches of this claim map have been filed with	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; the po orners was completed by the
woden post not less than 4"x4"x4" monumation. The description of such claim is; thence, South 750' to the east side center South 750' to the southeast corner West , 600' to the southwest corner North 750' to the west side center North 750' to the northwest corner East 600' to the northwest corner place of beginning. The monumentation and marking of the conjune , 1985. The location work consisted of making are of this claim map have been filed with	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; the po orners was completed by the
woden post not less than 4"x4"x4" monumation. The description of such claim is; thence, South 750' to the east side center South 750' to the southeast corner West , 600' to the southwest corner North 750' to the west side center North 750' to the northwest corner East 600' to the northwest corner place of beginning. The monumentation and marking of the conjune , 1985. The location work consisted of making are of this claim map have been filed with	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , the pc orners was completed by the
coden post not less than 4"x4"x4; monumation. The description of such claim is; thence, South 750° to the east side center. South 750° to the southeast corner west, 600° to the southeast corner North 750° to the morthwest corner East 600° to the northwest corner place of beginning. The monumentation and marking of the course of this claim map have been filed with lode claim filling fee has been paid to the course of this claim map have been paid to the course of this claim map have been paid to the course of this claim map have been paid to the course of this claim map have been paid to the course of this claim map have been paid to the course of this claim map have been paid to the course of this claim map have been paid to the course of this claim filling fee has been paid to the course of the course of this claim map have been paid to the course of the course of this claim map have been paid to the course of this claim filling fee has been paid to the course of the course of this claim map have been paid to the course of the cours	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , the pc orners was completed by the
coden post not less than 4"x4"x4" monugnation. The description of such claim er; thence, South 750' to the east side center. South 750' to the southeast corner. West , 600' to the southeast corner. North 750' to the west side center. North 750' to the northwest corner. East 600' to the northwest corner. place of beginning. The monumentation and marking of the conjune. 1985. The location work consisted of making sizes of this claim map have been filed with lode claim filing fee has been paid to the conference of the conjune of the	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe , the pc orners was completed by the
coden post not less than 4"x4"x4" monugnation. The description of such claim er; thence, South 750' to the east side center South 750' to the southeast corner West , 600' to the southeast corner North 750' to the west side center North 750' to the northwest corner East 600' to the northwest corner place of beginning. The monumentation and marking of the conjune , 1985. The location work consisted of making are sof this claim map have been filed with lode claim filing fee has been paid to the formal of the conjune of the conjune filing fee has been paid to the filing fee has been filed with the fill filed with the filed has been filed with the fill filed has been filed with the fill filed has be	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; the po orners was completed by the
cooden post not less than 4"x4"x41" monungnation. The description of such claim ser; thence, South 750' to the east side center South 750' to the southeast corner West , 600' to the southeast corner North 750' to the west side center North 750' to the northwest corner East 600' to the northwest corner place of beginning. The monumentation and marking of the conjune June , 1985. The location work consisted of making at the south south service of the south s	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe , thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; thence , a 4"x5" in length PVC pipe ; the po orners was completed by the
coden post not less than 4"x4"x4" monumentation. The description of such claim er; thence, South 750' to the east side center South 750' to the southeast corner West , 600' to the southeast corner North 750' to the west side center North 750' to the northwest corner East 600' to the northwest corner place of beginning. The monumentation and marking of the conjune , 1985. The location work consisted of making are of this claim map have been filed with lode claim filing fee has been paid to the force of the conjune of	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe
coden post not less than 4"x4"x4; monumentation. The description of such claim is r; thence, South 750' to the east side center South 750' to the southeast corner West , 600' to the southwest corner North 750' to the west side center North 750' to the northwest corner East 600' to the northwest corner place of beginning. The monumentation and marking of the conjune , 1985. The location work consisted of making are sof this claim map have been filed with lode claim filing fee has been paid to the conjune of the conjune filing fee has been paid to the conjune filing fee has been filed with the conjune filed with the conjune	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe
coden post not less than 4"x4"x4" monugnation. The description of such claim er; thence, South 750' to the east side center South 750' to the southeast corner West , 600' to the southwest corner North 750' to the west side center North 750' to the northwest corner East 600' to the northwest corner place of beginning. The monumentation and marking of the conjune , 1985. The location work consisted of making are sof this claim map have been filed with lode claim filing fee has been paid to the formal of the conjune of the conjune filing fee has been paid to the formal of the conjune filing fee has been paid to the formal of the conjune filing fee has been paid to the formal of the conjune filing fee has been paid to the formal of the conjune filing fee has been paid to the formal of the conjune filing fee has been paid to the formal of the conjune filing fee has been paid to the formal of the conjunction	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe
And the control of such claim and the control of such claim ser, thence, South 750° to the east side center. South 750° to the southeast corner west, 600° to the southwest corner North 750° to the northwest corner and to the northwest corner of the southwest corner of the southwest corner seat 600° to the northwest corner place of beginning. The monumentation and marking of the conjune 1985. The location work consisted of making are of this claim map have been filled with lode claim filling fee has been paid to the southwest corner seat filling fee has been paid to the southwest corner seat filling fee has been paid to the southwest corner seat filling fee has been paid to the southwest corner seat filling fee has been paid to the southwest corner seat filling fee has been paid to the southwest corner seat filling fee has been paid to the southwest corner seat filling fee has been paid to the southwest corner seat filling fee has been paid to the southwest corner seat filling fee has been paid to the southwest corner seat filling fee has been paid to the southwest corner seat filling fee has been paid to the southwest corner seat filling fee has been paid to the southwest corner seat filling fee has been seat filling fee has been seat filling fee has been filled with seat filling fee has been	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe
oden post not less than 4"x4"x4" monumation. The description of such claim in; thence, South 750' to the east side center South 750' to the southeast corner West, 600' to the southwest corner North 750' to the west side center North 750' to the northwest corner East 600' to the northwest corner Place of beginning. The monumentation and marking of the conjune , 1985. The location work consisted of making are soft this claim map have been filled with lode claim filling fee has been paid to the southwest corner for the conjune , 1985. **LOCATORS**, 1985** **LOCATO	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe
oden post not less than 4"x4"x41 monumation. The description of such claim in; thence, South 750' to the east side center South 750' to the southeast corner West , 600' to the southwest corner North 750' to the west side center North 750' to the northwest corner East 600' to the northwest corner lace of beginning. The monumentation and marking of the country June , 1985. The location work consisted of making as of this claim map have been filed with the country of the cou	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe
oden post not less than 4"x4"x4" monumation. The description of such claim in; thence, South 750' to the east side center South 750' to the southeast corner West, 600' to the southwest corner North 750' to the west side center North 750' to the northwest corner East 600' to the northwest corner Place of beginning. The monumentation and marking of the conjune , 1985. The location work consisted of making are soft this claim map have been filled with lode claim filling fee has been paid to the southwest corner for the conjune , 1985. **LOCATORS**, 1985** **LOCATO	is: Beginning at Corner No.1, the Northeast , a 4"x5" in length PVC pipe

300K | 36 PAGES | 4

	File No.
99610	Filed for record at request of
	1-31
CERTIFICATE OF LOCATION	m. and recorded in Book of
	Official Records Page
	County, Nevada.
•	
	County Recorder
	\ \
•	\\
THIS IS TO CERTIFY that the ICE # s located by:	75 lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
ير ميسور	
the day of June , 1985,	situated in the unknown
ning District, <u>Eureka</u> County,	State of Nevada.
NE /h a c Can	18
NE/4 of Sec.	
Said ciaim is located in the Serv of Sec.	
SW/4 of Sec.	
<u> </u>	
To tie this claim to the Public Survey, b	egin at the southeast corner of Section
1 Township 23 North Range 49 I	East , Mount Diablo Meridian, thence
MST TOW THERE CLUST GOLD	ilain
Corner No. 1, the northeast corner of this c	
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
edge, lode or vein, extending 1480 northerly direction and 20	feet from the location monument in a
northerly direction and 20	feet in a southerty
rection, cogether with 100 rest on	each aide of the center of the reake to:
ne entire length of the claim.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
The exterior boundaries of this claim are	clearly marked by substantial 4"x5" PVC pipe
> 1 +5 4*v4*v45* monume	Wed filmin ser in one drowns occurs.
signation. The description of such claim is	: Beginning at Corner No.1, the Noteness-
South 750' to the east side center,	a 4"x5' in length PVC pipe; thence,
- court 7501 to the southeast Coiner.	a 4"x5. in length FVC bibe, annual
ware COA! to the southwest corner.	a 4-x5. in length PVC pice
North 750' to the west side center,	a 4"x5. In length by prhe
warth 750 to the northwest Corner.	a 4"x5' in length PVC pipe, thende
East 600° to the northeast corner,	a 4"X5" in length PVC pipe
d place of beginning.	of the
The monumentation and marking of the corr	mers was completed by the/_ day of
June 1985,	
The location work consisted of making a	elaim map as provided in NRS 517.040. Two
opies of this claim map have been filed with	the Eureka County Recorder, and
he lode claim filing fee has been paid to the	County Recorder.
\ \ /	•
	En Burners
	The state of the s
LOCATORS	
1 21	Dave with
ated	
RECORDED AT RE	ONEST OF
Ed Doven	install of
Econ 136 7	515
	-
85 JUN 27 A	9:30
** -	
eren e e e	*C-#=

800K | 36 PAGE 5 | 5

	File No.
` •	99611 Filed for record at request of
•	
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of
	Official Records Page County, Nevada.
	County Recorder
•	******
THIS IS TO CERTIFY that the	ICE # 76 lode mining claim
s located by:	
Ed Devenyns	Dave Ernst 1000 Beck #254
690 E. Patriot 4272	Reno, Nevada 89509
Reno, Nevada 89511	
the 2nd day of TUNE	10 or eitmeted in the unknown
ning District, Fureka	County, State of Nevada.
	
NE/4	or Sec. <u>18</u>
Said claim is located in the SE/4	of Sec. 1. Twp. 23 Nocth, Ree. 50 ENST
F/#/L	or see
	of Sec.
To the this claim to the Public S	urvey, begin at the southeast corner of Section
1 , Township 23 North , Rail 1957 3900 Thence Scatt 45	nge 49 East , Mount Diablo Heridian, thence
AST 3400 Thence South 45	∞
Corner No. 1, the northeast corner of	f this claim.
des lada em vais extending	ear feet along the course of the mineral-bearing feet from the location monument in a
northerlydirection and	feet in a southerly feet on each side of the center of the ledge for
rection, together with 300	166f OU 696B 21de of the calltar of the ranke for
he entire length of the claim.	
The exterior boundaries of this C	laim are clearly marked by substantial 4"x5" PVC pipe
	. WOUNDALES ITIMIA SEC IN ONE drawing popularies
signation. The description of such	claim is: Beginning at Corner No.1, the Northeast
rner; thence,	center, a 4"x5' in length PVC pipe ; thence,
The second is able and the contract	corper a 4"x5' in length PVC pipe ; thence,
the Engl to the contribuest	corner a dixo in length ive pire
Name TEAL to the wast side	center, a 4"x5' in length PVC pipe; thence,
Names 750% to the northwest	corner, a 4"x5' in length PVC pipe; thence,
East 600' to the northeast	corner, a 4"x5' in length PVC pipe ; the point
The monumentation and marking of	the corners was completed by the day of
June, 1985.	the corners was completed by the H day or
^	
The location work consisted of ma	aking a claim map as provided in NRS 517.040. Two
opies of this claim map have been fil	led with the Eureka County Recorder, and
he lode claim filing fee has been par	id to the County Recorder.
\ \ /	•
	a . O
	Ed Devenips
LOCATORS	
1	Dave Jund
Dated / WALL 24 , 1985	A CONTRACTOR OF THE PROPERTY O
• /	h-Attract as
redisces at Ed. Dow	KOUUEST DE
50 is 134	## <u>###</u>
1644 1576	=1 M = 1, M_ E (B
85 JEN 27	۱۶ ۰ ۵ ۵
00 3 5 to 61	7,111

BOOK 1 36 PAGES 1 6

		File No.
	99612	filed for record at request of
CERTIFICATE OF LOCATION	.* ·	at minutes past o'clock of
		Official Records Page County, Nevada.
_		County Recorder
	-	\\
THIS IS TO CERTIFY that the a located by:	ICE #	lode mining claim
Ed Devenyns	-	Dave Ernst
690 E. Patriot 1272		1000 Beck #254 Reno, Nevada 89509
Reno, Nevada 89511	•	. 83303
the 1 day of June	, 19 85,	situated in the unknown
ning District,		State of Nevada.
		18/
Said claim is located in th	NE/4 of Sec. e SE/4 of Sec.	10, Tup. 23/400 Ree. 50 EAST
Owin didin to recores in all	NW/W of Sec.	7 /
	SW/4 of Sec.	
To tie this claim to the Pu	iblic Survey.	begin at the southeast corner of Section
1 . Township 23 North	, Range 49	East , Mount Diablo Meridian, thence
1900' HALAKE SO	UTH 6000	
Corner No. 1, the northeast C	orner of this	claim,
e entire length of the claim.	o feet on	each side of the center of the ledge for
r wooden post not less than 4' esignation. The description of		ents firmly set in the ground bearing applicables: Beginning at Corner No.1, the Northeast
orner; thence, south 750' to the eas'	t side center,	a 4"x5' in length PVC pipe ; thence,
South 750' to the sou	theast corner.	a 4 X3 In Length IVE Pape
		a 4"v5' in length PVC pipe thence,
North 750' to the Wes	thuest coinci.	a 4"x5' in length PVC pipe ; thence,
East 600 to the nor	theast corner	a 4"x5' in length PVC pipe , the poin
nd place of beginning.		MK.
	cing of the co	rners was completed by the day of
June , 1985.	^	
The location work consists copies of this claim map have the lode claim filing fee has	been filed wit	elaim map as provided in NRS 517.040. Two h the Eureka County Recorder, and he County Recorder.
ation Tests Attention strategy and Home .	7 7 7	•
		Ed Derening
LOCATO	RS	De C
Dated June 24.	1985	were trust
r RE	ICORDET AT RECUE	ST CF
<u> </u>	in 136	517
•	- 4-1	
_		• 1
65	JEN 27 A 9:	31

800K 1 36 PAGES 17

	File No
	filed for record at request of
99613	
CERTIFICATE OF LOCATION	mt minutes past o'clock m. and recorded in Book of
	Official Records Page County, Nevada.
THIS IS TO CERTIFY that the	County Recorder
located by:	~ \ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
125 0	
the	ituated in the unknown
ing District, Fureka County, S	tate of Nevada.
	/ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
SW/4 of Sec.	18. Twp. <u>AS/REATH</u> , Rge. <u>SO EMSV</u>
To tie this claim to the Public Survey, be 1 , Township 23 North , Range 49 E	ast, Mount Diable meridian, thence
PS- 3300' HEIRE SOUTH 6000'	
Corner No. 1, the northeast corner of this cl	laim.
II for #3 -1.fr 1500 Times fort	along the course of the mineral-bearing
We (or I) claim 1500 linear feet dge, lode or vein, extending 1480 f	ent from the location monument in a
northerly direction and 20	feet in a southerly
rection, together with 300 feet on e	ach side of the center of the ledge for
e entire length of the claim.	
	allers warked by substantial 4"x5" PVC pipe
The exterior boundaries of this claim are	clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicabl
wooden post not less than 4 x4 x47 monuments signation. The description of such claim is:	Beginning at Corner No.1, the Northeast
thomas	\ \
rner; thence, South 750' to the east side center, a	4"x5' in length PVC pipe ; thence,
see 7501 to the southeast corner, a	1"x5" in length PVC pipe Attender
cool to the couthwest corner. a	4-x5. ir length Fvc Fipc
walk find to the west side center. A	4 X3. 11 1500 C. 1
The seal to the northwest corner. a	4 x5 in length PVC bibe
East 600' to the northeast corner, a	4 4x5 in length FVC pipe
d place of beginning.	THE.
The monumentation and marking of the corporation June , 1985.	ers was completed by the day of
The location work consisted of making a c	laim map as provided in NRS 517.040. Two
opies of this claim map have been filed with he lode claim filing fee has been paid to the	the Eureka County Recorder, and
	•
	Let Breeze
	Ed Willey KI
LOCATORS	
	Were Tinst
ated // 1985 -	- · ·
RECORDED AT RECUEST	CF
Ed Dayany as	· ·
6001	<u>10</u>
85 JUN 27 A 9: 1	9 I
SUBSECT AGES	• •

900X 1 3 6 PAGE 5 1 8

	File No.
99614	Filed for record at request of
· .	_1_1_
CERTIFICATE OF LOCATION	at minutes past o'clock m. and recorded in Book of
	Official Records Page
	County, Nevada.
·	County Recorder
	County Recorder
	\ \ \
	10 ·.
THIS IS TO CERTIFY that the ICE 4 /	lode mining claim
located by:	\ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
_	
he / day of June, 1985, sit	tuated in the unknown
ng District, Eineka County, Sta	ate of Nevada.
NE/4 of Sec	- 23 Khar on 50 FAST
Said claim is located in the SE/4 of Sec	(C) 180
SW/4 of Sec.	
To tie this claim to the Public Survey, beg	in at the southeast corner of Section
. Township 23 North Range 49 Eas	t, Mount planto meridian, thence
45T 2700' theme South 6000'	
orner No. 1, the northeast corner of this cla	im.
We (or I) claim 1500 linear feet a	long the course of the mineral-bearing
ge, lode or vein, extendingfe	et from the location monument in a
northerly direction and 20	feet in a southerly
ge, lode or vein, extending 480 fe northerly direction and contact with 300 feet on ea	ch side of the center of the ledge for
ductie leuktu of the craim.	
The exterior boundaries of this claim are of	learly marked by substantial 4"x5" PVC pip
ignation. The description of such claim is:	Beginning at Corner No.1, the Northeast
ware thousan	\ \
South 750 to the east side center, a	
South 750 to the southeast corner, a	
West , 600° to the southwest corner, a North 750° to the west side center, a	A"v5' in length PVC pipe ; thence
armed Stol as the northwest corner. A	4"x5' in length PVC pipe ; thence
East 600' to the northeast corner, a	4"x5' in length PVC pipe ; the po
place of beginning. The monumentation and marking of the corner	to use completed by the THE day of
The monumentation and marking of the corner	as sas completed of the day or
June 1985.	
The location work consisted of making a cla	aim map as provided in NRS 517.040. Two
oles of this claim map have been filed with the	he Eureka County Recorder, and
lode claim filing fee has been paid to the	County Recorder.
\ / //	
\ / /	
\ \ / / 9	Ed Elevenins
	u ouvrigus
Lagrana	d Elevenins
LOCATORS	#
ted Que 23 , 1985	Ve a Guest
ted <u>(UNI) 015</u> , 1985	Your rush
	Live was
EZACROZE AT RE	DUEST OF
א דר מזכרתים ש	ourst of
- 	ourst of
א דר מזכרמסור אד אד	ourst of
FECCRIES AT RE Ed. Deveny. BOCK_136_CA	OUEST OF
א דר מזכרמסום	OUEST OF

EUTERA COLVITA - ADA HA RESA EATH STEEROFR 11 99614

388X 1 36 PASE 5 1 9

	•
99615	File No.
	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock
CERTIFICATE OF ECCRITOR	m. and recorded in Book of
	Official Records Page
	County, Nevada.
,	County Recorder
•	\ \
•	\ \
•	_ \ \
THIS IS TO CERTIFY that the ICE # 6	lode mining claim
located by:	
	Dave Ernst
Ed Devenyns	1000 Beck #254
690 E. Patriot #272	Reno, Nevada 89509
Reno, Nevada 89511	MENO, MEYANA 89509
	tuated in the unknown
ning District, <u>Eufeka</u> County, St	ate of Nevada.
NE/4 of Sec	- now so For
Said claim is located in the SE/4 of Sec.	Two. CONTROLLY Rige.
.NW/4 of Sec.	18
SW/4 of Sec.	
_	
To tie this claim to the Public Survey, beg	gin at the southeast corner of Section
1 , Township 23 North Range 49 Eas	
AST 2100' HEARE SOUTH 6000'	
Corner No. 1, the northeast corner of this cla	aim.
We (or I) claim 1500 linear feet a	along the course of the mineral-bearing
idge, lode or vein, extending/480 fe	eet from the location monument in a
northerly direction and 20	feet in a southerly
rection, together with 300 feet on ea	ach side of the center of the ledge for
he entire length of the claim.	
_ / /	
The exterior boundaries of this claim are c	clearly marked by substantial 4"x5' PVC pipe
wooden post not less than 4"x4"x45' monument	is firmly set in the ground bearing applicable
signation. The description of such claim is:	Beginning at Corner No.1, the northeast
orner; thence,	4"x5" in length PVC pipe ; thence,
South 750' to the east side center, a	
South 750° to the southeast corner, a	4"x5' in length PVC pipe ; thence,
West , 600 to the southwest corner, a	4"x5' in length PVC pipe ; thence,
worth 750 to the west side center. A	4"x5" in length PVC pipe theace,
North 750' to the northwest corner, a	4"x5' in length PVC bipe thence,
East 600' to the northeast corner, a	4"x5' in length PVC pipe ; the poi
nd place of beginning.	- 10
The monumentation and marking of the corner	rs was completed by the day of
June , 1985.	is as completed by the out of
1, 1903.	
The location work consisted of making a cl	ate was as apprended in MRS 517 080. Tun
opies of this claim map have been filed with t	
he lode claim filing fee has been paid to the	county Recorder.
	•
\ \ \ / /	2.0
	Es l'avenirs
\ / / 4	a very
LOGATORO	
LOCATORS	·Xi 6 /
Per 20 -	Weve Trust
ated School 29, 1985	T of
FECUROED AT REQUES	1 01
El Devenyos	
. [30 <u>n13 </u>	مقق
. [330 <u>.134</u> .74.52	520
	_
	_
35 JUN 27 A 9:	_
	_

BOOK 1 36 PAGE 5 2 0

•	
	File No.
	Filed for record at request of
·	
	ab minutes nast nicleous
CERTIFICATE OF LOCATION	at minutes past o'clock m. and recorded in Book of
99616	Official Records Page,
	County, Nevada.
•	County Recorder
,	Soundy needs del
•	\ \
	21
THIS IS TO CERTIFY that the ICE #	8/ lode mining claim
ocated by:	Total Proof
Ed Devenyns	Dave Ernst 1000 Beck #254
690 E. Patriot #272 Reno, Nevada 89511	Reno, Nevada 89509
89511	4004
ne Gay of June 1985, a	situated in the unknown
ng District, Eureka County, S	State of Nevada.
 ·	
NE/4 of Sec.	, IMP. 231604, Rge. 50 EPSV
Said claim is located in the SEA of Sec.	18
SW/4 of Sec.	
	\
To tie this claim to the Public Survey, be	egin at the southeast corner of Section
, Township 23 North , Range 49 E	East , Mount Diablo Meridian, thence
PST 1500 Thence South 6000	1.7-
orner No. 1, the northeast corner of this c	
the feet The state 1500 House Seat	wlong the course of the mineral-bearing
We (or 1) claim 1500 linear reet	feet from the location monument in a
We (or I) claim 1500 linear feet e, lode or vein, extending 750' northerly direction and 750'	feet in a southerly
northeriv direction and	
otion together with 200 feet on	each side of the center of the ledge for
ction, together with lest on a	each side of the center of the ledge for
entire length of the claim.	each side of the center of the torse for
entire length of the claim.	pleasing marked by substantial 4"x5' PVC pig
entire length of the claim. The exterior boundaries of this claim are	clearly marked by substantial 4"x5' PVC pig
entire length of the claim. The exterior boundaries of this claim are coden post not less than 4"x4"x4" monumer quation. The description of such claim is:	clearly marked by substantial 4*x5' PVC pignts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast
entire length of the claim. The exterior boundaries of this claim are cooden post not less than 4"x4"x4h' monumer quation. The description of such claim is: er; thence,	clearly marked by substantial 4"x5' PVC pignts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast
the exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer quation. The description of such claim is: er; thence, South 750' to the east side center,	clearly marked by substantial 4"x5' PVC pignts firmly set in the ground bearing applicated Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe thence a 4"x5' in length PVC pipe thence the standard bearing thence a 4"x5' in length PVC pipe thence the standard bearing the standard by the
The exterior boundaries of this claim are cooden post not less than 4"x4"x4h' monumer quation. The description of such claim is er; thence, South 750' to the east side center, South 750' to the southeast corner,	clearly marked by substantial 4"x5' PVC pignts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe 1 thence 4"x5' in length PVC pipe 2 thence 4"x5' in length PVC pipe 1 thence 4"x5' in len
The exterior boundaries of this claim are cooden post not less than 4"x4"x4h' monumer quation. The description of such claim is south 750' to the east side center, South 750' to the southeast corner, West, 600' to the southwest corner,	clearly marked by substantial 4"x5' PVC pignts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe 1 thence 4"x5' in length PVC pipe 2 thence 4"x5' in length PVC pipe 3 thence 4"x5' in length PVC pipe 3 thence 4"x5' in length PVC pipe 3 thence
the exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer quation. The description of such claim is er; thence, South 750' to the east side center, South 750' to the southeast corner, West , 600' to the southwest corner, North 750' to the west side center,	clearly marked by substantial 4"x5' PVC pigness firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4 4"x5' in length PVC pipe thence 5 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
The exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer quation. The description of such claim is er; thence, South 750' to the east side center, South 750' to the southeast corner, West 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner,	clearly marked by substantial 4"x5' PVC pignts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe 1 thence 2 thence 3 thence 4"x5' in length PVC pipe 1 thence 4 thence 4 thence 4 thence 4 thence 4 thence 5 thence 5 thence 5 thence 5 thence 5 thence 5 thence 6 thence
The exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer quation. The description of such claim is er; thence, South 750' to the east side center, South 750' to the southeast corner, West 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner,	clearly marked by substantial 4"x5' PVC pignts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe 1 thence 2 thence 3 thence 4"x5' in length PVC pipe 1 thence 4 thence 4 thence 4 thence 4 thence 4 thence 5 thence 5 thence 5 thence 5 thence 5 thence 5 thence 6 thence
The exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, West , 600' to the southwest corner, North 750' to the west side center, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, Place of beginning.	clearly marked by substantial 4"x5' PVC pignts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe thence
cation, together with 300 leet on a centire length of the claim. The exterior boundaries of this Claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, South 750' to the southeast corner, West , 600' to the southeast corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985.	clearly marked by substantial 4*x5' PVC pigness firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast a 4*x5' in length PVC pipe thence a 4*x5
colon, together with 300 leet on an entire length of the claim. The exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer gration. The description of such claim is er; thence, South 750' to the east side center, South 750' to the southeast corner, west, 600' to the southwest corner, worth 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June 1985.	clearly marked by substantial 4"x5' PVC pignts firmly set in the ground bearing applicate the segment of the se
chion, together with 300 leet on an entire length of the claim. The exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, West, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a claim map have been filed with	clearly marked by substantial 4"x5' PVC pignts firmly set in the ground bearing applicate the second set of the second
chion, together with 300 leet on an entire length of the claim. The exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, West, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a claim map have been filed with	clearly marked by substantial 4"x5' PVC pigness firmly set in the ground bearing applicate the second set of the second second set of the second se
chion, together with 300 leet on an entire length of the claim. The exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, West, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a claim map have been filed with	clearly marked by substantial 4"x5' PVC pigness firmly set in the ground bearing applicate the second set of the second second set of the second se
chion, together with 300 leet on an entire length of the claim. The exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, West, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a claim map have been filed with	clearly marked by substantial 4"x5' PVC pigness firmly set in the ground bearing applicate the second set of the second second set of the second se
chion, together with 300 leet on an entire length of the claim. The exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, West, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a claim map have been filed with	clearly marked by substantial 4"x5' PVC pigness firmly set in the ground bearing applicate the segment of the s
chion, together with 300 leet on an entire length of the claim. The exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, West, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a claim map have been filed with	clearly marked by substantial 4"x5' PVC pigness firmly set in the ground bearing applicate the segment of the s
chion, together with 300 leet on an entire length of the claim. The exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, West, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a claim map have been filed with	clearly marked by substantial 4"x5' PVC pigness firmly set in the ground bearing applicate the segment of the s
colon, together with 300 leet on an entire length of the claim. The exterior boundaries of this Claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, West ,600' to the southeast corner, North 750' to the west side center, North 750' to the morthwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a coiles of this claim map have been filed with lode claim filling fee has been paid to the	clearly marked by substantial 4"x5' PVC pignts firmly set in the ground bearing applicate the second set of the second second set of the second sec
The exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, South 750' to the southeast corner, West, 600' to the west side center, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, Place of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a cales of this claim map have been filed with lode claim filling fee has been paid to the	clearly marked by substantial 4"x5' PVC pigness firmly set in the ground bearing applicate the segment of the s
The exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er, thence, South 750' to the east side center, South 750' to the southeast corner, West, 600' to the west side center, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, Place of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a claim of this claim map have been filed with lode claim filling fee has been paid to the	clearly marked by substantial 4"x5' PVC pigness firmly set in the ground bearing applicate the set of the ground bearing applicate the set of t
cation, together with any leet on the entire length of the claim. The exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, south 750' to the southeast corner, west, 600' to the west side center, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, Place of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a claim of this claim map have been filed with lode claim filling fee has been paid to the LOCATORS LOCATORS LOCATORS	clearly marked by substantial 4"x5' PVC pigness firmly set in the ground bearing applicate the Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe thence a 4"x5'
The exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, South 750' to the southeast corner, West, 600' to the west side center, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, Place of beginning. The monumentation and marking of the corn June, 1985. The location work consisted of making a coiles of this claim map have been filed with lode claim filling fee has been paid to the	clearly marked by substantial 4"x5' PVC pigness firmly set in the ground bearing applicate the Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe thence a 4"x5'
entire length of the claim. The exterior boundaries of this claim are cooden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, West, 600' to the southeast corner, North 750' to the morthwest corner, Place of beginning. The monumentation and marking of the corner of the southeast corner, 1985. The location work consisted of making a coiles of this claim map have been filed with lode claim filling fee has been paid to the location work consisted of making a coiles of this claim map have been filed with lode claim filling fee has been paid to the location work consisted of making a coiles of this claim map have been filed with lode claim filling fee has been paid to the location work consisted of making a coiles of this claim map have been filed with lode claim filling fee has been paid to the location work consisted of making a coiles of this claim map have been filed with lode claim filling fee has been paid to the location.	clearly marked by substantial 4"x5' PVC pigness firmly set in the ground bearing applicate the Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe thence a 4"x5'
entire length of the claim. The exterior boundaries of this claim are cooden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, South 750' to the southeast corner, West, 600' to the west side center, North 750' to the west side center, Rorth 750' to the northwest corner, East 600' to the northwest corner, Place of beginning. The monumentation and marking of the corn June, 1985. The location work consisted of making a claim of this claim map have been filed with lode claim filling fee has been paid to the LOCATORS LOCATORS LOCATORS LOCATORS	clearly marked by substantial 4"x5' PVC pigness firmly set in the ground bearing applicate the set of the ground bearing applicated as 4"x5' in length PVC pipe thence as 4"x5' in length PVC p
entire length of the claim. The exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, South 750' to the southeast corner, West, 600' to the southeast corner, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a coiles of this claim map have been filed with lode claim filling fee has been paid to the LOCATORS ed	clearly marked by substantial 4"x5' PVC pigness firmly set in the ground bearing applicate the set of the ground bearing applicated as 4"x5' in length PVC pipe thence as 4"x5' in length PVC p
the exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, South 750' to the southeast corner, West, 600' to the west side center, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, Place of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a coiles of this claim map have been filed with lode claim filling fee has been paid to the	clearly marked by substantial 4"x5' PVC pigness firmly set in the ground bearing applicate the set of the ground bearing applicated as 4"x5' in length PVC pipe thence as 4"x5' in length PVC p
the exterior boundaries of this claim are coden post not less than 4"x4"x4h' monumer gnation. The description of such claim is er; thence, South 750' to the east side center, South 750' to the southeast corner, West, 600' to the west side center, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, Place of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a coiles of this claim map have been filed with lode claim filling fee has been paid to the	clearly marked by substantial 4"x5' PVC pigness firmly set in the ground bearing applicate the Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe thence a 4"x5'

800K 1 36 PAGE 52 1

•	
	File No.
	Filed for record at request of
·	
CERTIFICATE OF LOCATION	at minutes past o'clock
99617	. and recorded in Book of
	Official Records Page
•	
	County Recorder
·	
	82.
THIS IS TO CERTIFY that the ICE #_was located by:	lode mining claim
•	Dave Ernst
Ed Devenyns 690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
, 46. D	It is a fact to delegan
	ituated in the unknown tate of Nevada.
NE/4 of Sec.	- 221 horse on 50 FAST
Said claim is located in the SE/4 of Sec	, Twp. 23 NOOTH, Rgs. 50 EAST
SN/4 of Sec.	
To tie this claim to the Public Survey, be 1 , Township 23 North , Range 49 E.	ast Hount Diablo Heridian, thence
EAST 900' Thence JOHN 6000'	
to Corner No. 1, the northeast corner of this cl	laim.
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
ledge, lode or vein, extending	reet from the location monument in a feet in a southerly
direction, together with 300 feet on e	each side of the center of the ledge for
the entire length of the claim.	
The exterior boundaries of this claim are	clearly marked by substantial 4"x5' PVC pipe
1 1 +b 47-44-4b monumen	ts firmly set in the dround pearing approach
designation. The description of such claim is: Corner; thence,	1 1
court 7501 to the east side center. a	4"x5' in length PVC pipe thence,
south 7501 to the southeast corner, a	4"x5' in length PVC pipe thence,
West, 600' to the southwest corner, a North 750' to the west side center, a	4"x5' in length PVC pipe thence,
North 750' to the northwest corner, 8	4"x5' in length PVC pipe; thence,
East 600' to the northeast corner, a	1 4"x5' in length PVC pipe ; the point
and place of beginning.	ers was completed by the day of
The monumentation and marking of the corner June , 1985.	ers was completed by the day of
The location work consisted of making a copies of this claim map have been filed with	laim map as provided in NRS 517.040. Two the Eureka County Recorder, and
the lode claim filing fee has been paid to the	County Recorder.
	• •
	Ca A.
	De Gunt
LOCATORS	
	Dane- Turk
Dated June 24 , 1985 -	W OU
PECORDER AT REQUI	FST BF
Ed Dovenyos	
5400. 13G ALE	<u>522</u>
85 JUN 27 A 9	: 3]
fig a pie et a	W =

BOOK 136 PAGE 522

	File No
*	filed for record at request of
CERTIFICATE OF LOCATION . 99618	m. and recorded in Book of Official Records Page . County, Nevada.
THIS IS TO CERTIFY that the E located by:	County Recorder 33 lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
89511	07003
the 18 day of June , 1985, 81 ing District, Eureka County, St	ituated in the unknown tate of Nevada.
NE/4 of Sec. Said claim is located in the SE/4 of Sec. NW/4 of Sec. SW/4 of Sec.	Twp. 3 North , Rge. 47 East
1 . Township 23 North , Range 49 Ea	gin at the southeast corner of Section ast , Mount Diablo Heridian, thence
VEST 2100' HEIRE NORTH 1500'	-th
Corner No. 1, the northeast corner of this cl	idam _a
We (or I) claim 1500 linear feet dge, lode or vein, extending 1480 for northerly direction and rection, together with 300 feet on e entire length of the claim.	eet from the location monument in a feet in a southerly
	A
* **** 1000 Mb-10 40-477444 MONIMEN	clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicabl
signation. The description of such claim is:	Beginning at Corner No.1, the Northeast
A S	\ \
	$4'' \times 5 PC PA$, thence,
South 750' to the southeast corner, a	WOOD COST NT CENST
North 750' to the west side center, a	4"x5' PIC PIG
North 750' to the northwest corner, a	2000
East 600 to the northeast corner, a	4"x5 PVC PIGE , the point
d place of beginning.	
The monumentation and marking of the corne June , 1985.	ers was completed by the AOR day of
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the	theEureka County Recorder, and
The fram serving and the provi hard to one	
	1.0
	El Devenyon
LOCATORS	No a Guest
ated June 24 , 1985	Willie min
FEOGRAFIAT RE	EQUEST OF YMS
550F	<u></u>
35 JUN 27 A	9:31
tifficulty and	****

BOOK | 36 PAGE 523

	1	File No
	٠.	filed for record at request of
CERTIFICATE OF LOCATION	3 99619	at minutes past o'clock
CRUITICALE OF POCKITOR	•	and recorded in Book of
		Official Records Page
		County, Nevada.
		County Recorder
		\\
THIS IS TO CERTIFY that t	he ICE I	84 lode mining claim
s located by:		
Ed Devenyns		Dave Ernst
690 E. Patriot \$273	2	1000 Beck #254
Reno, Nevada 89511		Reno, Nevada 89509
n the 18th day of June	, 19 85,	situated in the unknown
ining District, <u>Fureka</u>	County,	State of Nevada.
	META AP CAL	12/
ente alaim to located to	NE/4 of Sec.	72, Tup. 23 North , Rge. 49 East
2410 6191# 12 10cared 10	NW/4 of Sec.	12.
	SW/4 of Sec.	
To tie this claim to the	Public Survey, b	begin at the southeast corner of Section
1 . Township 23 North_	, Range <u>49</u>	East , Hount Diablo Meridian, thence
WEST 2100'		01-1-
o Corner No. 1, the northeast		
We (or I) claim 1500	linear feet	t along the course of the mineral-bearing
ledes lode on wein, extendin	20	feet from the location monument in a
turbawly direction	and / W	reet in a
direction, together with 🖊	300 feet on	each side of the center of the ledge for
the entire length of the clai		
-t boundaries	of this claim are	e clearly marked by substantial 4"x5" PVC pipe
designation. The description	of such claim is	s: Beginning at Corner No.1, the Northeast
Corner; thence,	\	thomas and the state of the same
South 750' to the e	ast side center,	a wood post per were 4" x4" x4" thence,
COURT /501" ED EDE S	DUTHERS COLUCE	thence,
West, 600' to the s	outhwest corner.	
North 750' to the w		$-2/4\sqrt{\epsilon}$
East 600' to the r	ortheast corner,	a GOOD POST NT LENST 4"= 4" K41E; the poin
and place of beginning.	010	
	while of the cor	ners was completed by the 20 day of
June, 198	arking of the col	Hera was compressed by sinc +47 =-
, , , , , ,	J.	
The location work consi-	sted of making a	claim map as provided in NRS 517.040. Two
copies of this claim map have	e been filed with	theEureka County Recorder, and
the lode claim filing fee ha	s been paid to th	ne County Recorder-
	/ /	•
		El Devenier
		Tod Devening
LOCA	TORS	
1 21		Have gund
Dated /INC	_, 1985	80 VI C [N-V
7	 -	
	A TA DECENDER AT A	EQUEST OF
	Ed Deven	yns
	A. 2. TES	1 <u>3.24</u>
	35 JUN 27 A	. 0 . 3 !
	99 50 4 EL P	13.91
	DIF, CALLET	n hae
	รีบครื่อนั้น ได้บันไก้ สมพ. หยะ มะ ยังกัก	1. N ^
	Figure 9	
		9619 BOOK 36 PAGE 524
	٦./٩	

	File No.
	filed for record at request of
. 99620	
CERTIFICATE OF LOCATION	s. and recorded in Book of
•	Official Records Page
	County, Nevada.
	County Recorder
•	\ \
	o- \ \ \
THIS IS TO CERTIFY that the ICE # (lode mining claim
as located by:	
Ed Devenyns	Dave Ernst 1000 Beck #254
690 E. Patriot #272 Reno, Nevada 89511	Reno, Nevada 89509
	tuated in the unknown
ining District, <u>Eureka</u> County, St	ate of Nevada.
NE/4 of Sec	1021/11 10500
Said claim is located in the SE/4 of Sec	Two. 65 10017, Rge. 7 10101
- NW/4 of Sec SW/4 of Sec.	
<u>-</u>	_ / / /
To the this claim to the Public Survey, beg	gin at the southeast corner of Section Section Hount Diablo Heridian, thence
1, Township 23 North , Range 49 La WEST 8700' Yhuke WETH 1500'	
O Corner No. 1, the northeast corner of this cl	aim.
v. f., The line line lines fort	sions the course of the mineral-hearing
We (or I) claim 1500 linear feet and 160 fee	set from the location monument in a
northerly direction and 20	feet in a southerly
irection, together with 300 feet on each the entire length of the claim.	ach side of the center of the leage for
and entire tengen or the clara.	
	clearly marked by substantial 4*x5' PVC pipe ts firmly set in the ground bearing applicable
or wooden post not less than 4 14 14 monaism designation. The description of such claim is:	Beginning at Corner No.1, the Northeast
	1 1
South 750° to the east side center, a South 750° to the southeast corner, a	4"x5' in length PVC pipe ; thence,
the fool to the southwest corner, a	4"x5' in length PVC pipe thence;
TENT to the react side center. A	4.X2 In length Fig. 1.4 by b.
North 750' to the northwest corner, a East 600' to the northeast corner, a	4"x5' in length PVC pipe ; the point
and place of beginning.	- 10
The monumentation and marking of the corne	rs was completed by the day of
June, 1985.	
The location work consisted of making a cl	aim map as provided in NRS 517.040. Two
cooles of this claim map have been filed with t	theEureka County Recorder, and
the lode claim filing fee has been paid to the	County Recorder-
	Le Ourners
	a Kerrya
LOCATORS	Xi / /
	Dave Just
Dated	
RECONSTRUCTION AT RECU	EST OF
Ed Dovenyas	525
かしら 5<u>…を必定</u>**。<u>に</u>**。	
	•
85 JUN 27 A 9	: 31

BOOK 1 36 PAGE 525

	Ed) a No
	File No.
	Filed for record at request of
99621	
ERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of
	Official Records Page, County, Nevada.
	County Records
	\
	~· · ·
HIS IS TO CERTIFY that the ICE #	80 lode mining claim
ated by:	~
£d Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
10 day of VUNE , 1985, a	ituated in the unknown
District, Eureka County, S	State of Nevada.
NE/4 of Sec.	
NE/4 of Sec.	- Two. 23/LOON HEE. 49 EA
. NW/A of Sec.	12
SW/4 of Sec.	
tie this claim to the Public Survey, be	ast , Hount Diable Meridian, th
, Township 23 North , Range 49 E	ast , nounc plante meridian, th
- 2700'	
er No. 1, the northeast corner of this c	laim.
tion, together with 300 reet on	along the course of the mineral-bearing feet from the location monument in a feet in a southerly each side of the center of the ledge for
northerly direction and /490 ction, together with 300 feet on entire length of the claim.	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4*x5° PVC
thin, together with 300 reet on a set of the claim. The exterior boundaries of this claim are	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5' PVC
tion, together with 300 reet on a ntire length of the claim. The exterior boundaries of this claim are	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5' PVC
thin, together with 300 reet on a cutine length of the claim. The exterior boundaries of this claim are oden post not less than 4"x4"x41' monumer mation. The description of such claim is: r: thence,	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app in Beginning at Corner No.1, the Northea
The exterior boundaries of this claim are oden post not less than 4"x4"x4" monumer nation. The description of such claim is: r; there,	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC tes firmly set in the ground bearing app Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe, the
tion, together with 300 reet on a native length of the claim. The exterior boundaries of this claim are oden post not less than 4"x4"x4" monumer nation. The description of such claim is: 1; thence, South 750' to the east side center,	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app Beginning at Corner No.1, the Northean 4"x5" in length PVC pipe , the A"x5" in length PVC pipe ; the length
tion, together with 300 reet on a native length of the claim. The exterior boundaries of this claim are used post not less than 4"x4"x4" monumer nation. The description of such claim is: 1; thence, South 750' to the east side center,	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe
tion, together with 300 reet on a nation, together with 300 reet of a nation. The exterior boundaries of this claim are iden post not less than 4"x4"x4\footnote{1}" monumer nation. The description of such claim is: thence, South 750' to the east side center, a noth 750' to the southwest corner, a north 750' to the west side center, a north 750' to the west side center, and the northwest corner, and the northwest corner.	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe ; the
tion, together with 300 reet on the claim. The exterior boundaries of this claim are iden post not less than 4"x4"x4\footnote monumer ation. The description of such claim is: thence, South 750' to the east side center, and the content of the southwest corner, and the content of the southwest corner, and the center, and the content of the southwest corner, and the southwest corner, an	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe ; the
tion, together with 300 reet on a native length of the claim. The exterior boundaries of this claim are oden post not less than 4"x4"x4'; monumer nation. The description of such claim is: 1; thence, South 750' to the east side center, South 750' to the southwest corner, West, 600' to the southwest corner, North 750' to the west side center, North 750' to the morthwest corner, East 600' to the northwest corner,	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe ; the
tion, together with 300 reet on a matire length of the claim. The exterior boundaries of this claim are iden post not less than 4"x4"x4"; monumer action. The description of such claim is: thence, south 750' to the east side center, south 750' to the southeast corner, west, 600' to the southwest corner, worth 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, lace of beginning.	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe ; the
the exterior boundaries of this claim are iden post not less than 4"x4"x4' monumer action. The description of such claim is: ; thence, South 750' to the east side center, West, 600' to the southwest corner, North 750' to the west side center, North 750' to the west side center, East 600' to the northwest corner, East 600' to the northwest corner, Lace of beginning. The monumentation and marking of the corn	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe ; the
the exterior boundaries of this claim are the post not less than 4"x4"x4' monumer action. The description of such claim is: thence, South 750' to the east side center, and the southeast corner, and the southeast corner are southeast corner, and the southeast corner are southeast corner and the southeast corner are southeast corner are southeast corner and the southeast corner a	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe ; the
the exterior boundaries of this claim are den post not less than 4"x4"x4½ monumer action. The description of such claim is: thence, South 750' to the east side center, is west, 500' to the southwest corner, is North 750' to the west side center, is north 750' to the west side center, is north 750' to the northwest corner, is north 750' to the northwest corner, is as 600' to the northwest corner, is 600' to the northwest corner, i	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe ; the
tion, together with 300 reet on a native length of the claim. The exterior boundaries of this claim are then post not less than 4"x4"x4' monumer action. The description of such claim is: r; thence, South 750' to the east side center, south 750' to the southwest corner, west, 600' to the southwest corner, worth 750' to the west side center, North 750' to the northwest center, East 600' to the northwest corner, lace of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a ces of this claim map have been filed with	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app is Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe the 4"x5" in length PVC pipe in 4"x5" in length PVC pipe in the 4"x5" in
the exterior boundaries of this claim are den post not less than 4"x4"x4' monumer action. The description of such claim is: ; thence, south 750' to the east side center, South 750' to the southwest corner, West, 600' to the southwest corner, North 750' to the west side center, North 750' to the morthwest center, East 600' to the northwest center, Lace of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a case of this claim map have been filed with	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app is Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe the 4"x5" in length PVC pipe in 4"x5" in length PVC pipe in the 4"x5" in
the exterior boundaries of this claim are den post not less than 4"x4"x4' monumer action. The description of such claim is: ; thence, south 750' to the east side center, South 750' to the southwest corner, West, 600' to the southwest corner, North 750' to the west side center, North 750' to the morthwest center, East 600' to the northwest center, Lace of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a case of this claim map have been filed with	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app is Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe the 4"x5" in length PVC pipe in 4"x5" in length PVC pipe in the 4"x5" in
tion, together with 300 reet on a nation tire length of the claim. The exterior boundaries of this claim are oden post not less than 4"x4"x4' monumer nation. The description of such claim is: r; thence, South 750' to the east side center, south 750' to the southwest corner, west, 600' to the southwest corner, worth 750' to the west side center, North 750' to the northwest center, East 600' to the northwest center, lace of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a cess of this claim map have been filed with	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app is Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe the 4"x5" in length PVC pipe in 4"x5" in length PVC pipe in the 4"x5" in
tion, together with 300 reet on a native length of the claim. The exterior boundaries of this claim are then post not less than 4"x4"x4' monumer action. The description of such claim is: r; thence, South 750' to the east side center, south 750' to the southwest corner, west, 600' to the southwest corner, worth 750' to the west side center, North 750' to the northwest center, East 600' to the northwest corner, lace of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a ces of this claim map have been filed with	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app is Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe the 4"x5" in length PVC pipe in 4"x5" in length PVC pipe in the 4"x5" in
tion, together with 300 reet on a native length of the claim. The exterior boundaries of this claim are oden post not less than 4"x4"x4' monumer nation. The description of such claim is: r; thence, South 750' to the east side center, south 750' to the southwest corner, west, 600' to the southwest corner, worth 750' to the west side center, North 750' to the northwest center, East 600' to the northwest corner, lace of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a cess of this claim map have been filed with	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app is Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe the 4"x5" in length PVC pipe in 4"x5" in length PVC pipe in the 4"x5" in
tion, together with 300 reet on antire length of the claim. The exterior boundaries of this claim are oden post not less than 4"x4"x4' monumer nation. The description of such claim is: r; thence, South 750' to the east side center, South 750' to the southwest corner, West, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest center, East 600' to the northwest center, lace of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a ces of this claim map have been filed with lode claim filing fee has been paid to the	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app is Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe the 4"x5" in length PVC pipe in 4"x5" in length PVC pipe in the 4"x5" in
tion, together with 300 reet on a native length of the claim. The exterior boundaries of this claim are oden post not less than 4"x4"x4' monumer nation. The description of such claim is: r; thence, South 750' to the east side center, south 750' to the southwest corner, west, 600' to the southwest corner, worth 750' to the west side center, North 750' to the northwest center, East 600' to the northwest corner, lace of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a cess of this claim map have been filed with	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app is Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe the 4"x5" in length PVC pipe in 4"x5" in length PVC pipe in the 4"x5" in
tion, together with 300 reet on antire length of the claim. The exterior boundaries of this claim are oden post not less than 4"x4"x4' monumer nation. The description of such claim is: 1; thence, South 750' to the east side center, south 750' to the southwest corner, west, 600' to the southwest corner, worth 750' to the west side center, worth 750' to the northwest corner, East 600' to the northwest corner, lace of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a ces of this claim map have been filed with lode claim filling fee has been paid to the locations.	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app is Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe the 4"x5" in length PVC pipe in 4"x5" in length PVC pipe in the 4"x5" in
The exterior boundaries of this claim are coden post not less than 4"x4"x4' monumer mation. The description of such claim is: ex; thence, South 750' to the east side center, South 750' to the southeast corner, West, 600' to the southeast corner, North 750' to the west side center, North 750' to the northeast corner, East 600' to the northeast corner, place of beginning. The monumentation and marking of the corn June, 1985. The location work consisted of making a ces of this claim map have been filed with lode claim filing fee has been paid to the	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app is Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe the 4"x5" in length PVC pipe in 4"x5" in length PVC pipe in the 4"x5" in
tion, together with 300 reet on antire length of the claim. The exterior boundaries of this claim are oden post not less than 4"x4"x4' monumer nation. The description of such claim is: r; thence, South 750' to the east side center, a south 750' to the southwest corner, west, 600' to the southwest corner, worth 750' to the west side center, north 750' to the northwest corner, lace of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a ces of this claim map have been filed with lode claim filling fee has been paid to the location.	reet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app. Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe , the
tion, together with 300 reet of this claim are then post not less than 4"x4"x4' monumer action. The description of such claim is: r; thence, South 750' to the east side center, a south 750' to the southwest corner, west, 600' to the southwest corner, west, 600' to the west side center, north 750' to the northwest corner, both 750' to the northwest corner, and the monumentation and marking of the corner June 1985. The location work consisted of making a case of this claim map have been filed with lode claim filling fee has been paid to the second of the corner of the c	reet from the location monument in a feet in a southerly reach side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing apply the Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe the 4"x5" in length PVC pipe
the exterior boundaries of this claim are then post not less than 4"x4"x4\footnote monumer action. The description of such claim is: 1 thence, South 750' to the east side center, is thence, South 750' to the southwest corner, is west, 500' to the southwest corner, is morth 750' to the west side center, is north 750' to the morthwest corner, is as a few to the southwest corner, is as a few to the northwest corner, is as a few to the southwest corner, is as a few to the northwest corner, is as a few to the northwest corner, is as a few to the southwest corner, is as a few to the northwest corner	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app is Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe 1 the 4"x5" in length PVC pipe 2 the 4"x5" in length PVC pipe 3 the 4"x5" in length PVC pipe 4 the 4"x5" in length PVC pipe 5 the 4"x5" in length PVC pipe 6 the 4"x5" in length PVC pipe 7 the 4"x5" in length PVC pipe 8 the 4"x5" in length PVC pipe 9 t
the exterior boundaries of this claim are den post not less than 4"x4"x4½ monumer ation. The description of such claim is; thence, South 750' to the east side center, a south 750' to the southwest corner, west, 600' to the west side center, north 750' to the west side center, and the southwest corner, but to the northwest corner, and the southwest corne	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app is Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe 1 the 4"x5" in length PVC pipe 2 the 4"x5" in length PVC pipe 3 the 4"x5" in length PVC pipe 4 the 4"x5" in length PVC pipe 5 the 4"x5" in length PVC pipe 6 the 4"x5" in length PVC pipe 7 the 4"x5" in length PVC pipe 8 the 4"x5" in length PVC pipe 9 t
tire length of the claim. The exterior boundaries of this claim are len post not less than 4"x4"x4" monumer ation. The description of such claim is: 1 thence, South 750' to the east side center, South 750' to the southwest corner, West, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, ace of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a call of this claim map have been filed with a corner filling fee has been paid to the location filling fee has been paid to the location work consisted of making a call of this claim map have been filed with a corner filling fee has been paid to the location work consisted of making a call of this claim filling fee has been paid to the location work consisted of making a call of this claim filling fee has been paid to the location work consisted of making a call of this claim filling fee has been paid to the location work consisted of making a call of this claim filling fee has been paid to the location work consisted of making a call of this claim filling fee has been paid to the location work consisted of making a call of this claim filling fee has been paid to the location work consisted of making a call of this claim filling fee has been paid to the location work consisted of making a call of this claim filling fee has been paid to the location work consisted of making a call of this call in the location work consisted of making a call of this call in the location work consisted of making a call of this call in the location work consisted of making a call of this call in the location work consisted of making a call of this call in the location work consisted of making a call of this call in the location work consisted of making a call of the location work consisted of making a call of the location work consisted of making a call of the location work consisted of making a call of the location work consisted of making a	feet from the location monument in a feet in a southerly each side of the center of the ledge for clearly marked by substantial 4"x5" PVC its firmly set in the ground bearing app is Beginning at Corner No.1, the Northea 4"x5" in length PVC pipe 1 the 4"x5" in length PVC pipe 2 the 4"x5" in length PVC pipe 3 the 4"x5" in length PVC pipe 4 the 4"x5" in length PVC pipe 5 the 4"x5" in length PVC pipe 6 the 4"x5" in length PVC pipe 7 the 4"x5" in length PVC pipe 8 the 4"x5" in length PVC pipe 9 t

800K | 36 PLGE 526

•	•
	File No.
	Filed for record at request of
CERTIFICATE OF LOCATION 99622	at minutes past o'clock
	m. and recorded in Book of Official Records Page County, Nevada.
	County Recorder
·	
THIS IS TO CERTIFY that the ICE #	84 lode mining claim
was located by:	Dave Ernst
Ed Devenyns 690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
nul	
on the 187 day of TWE, 1985, a Mining District, pureka County, S	ituated in the unknown
Furning District, Furnka County, 5	plate of bevada.
NE/4 of Sec.	- 22,1-24, 19 625
Said claim is located in the SE/4 of Sec.	
· .NW/4 of Sec. SW/4 of Sec.	
To tie this claim to the Public Survey, be	egin at the southeast corner of Section ast . Hount Diablo Meridian, thence
1 , Township 23 North , Range 49 E	, Mount bigoto retitian, eneme
to Corner No. 1, the northeast corner of this c	laim,
ledge, lode or vein, extending 180 for mortherly direction and 20 direction, together with 300 feet on the entire length of the claim.	clearly marked by substantial 4*x5° PVC pipe
or wooden post not less than 4"x4"x4" monumen designation. The description of such claim is:	(68 Litula 266 Its rite drouge pearters met
Corners thence.	1 1
eouth 750 to the east side center. a	4"x5' in length PVC pipe ; thence,
South 750; to the southeast corner. a	4"x5" in length PVC pipe thence,
West , 600' to the southwest corner, a North 750' to the west side center, a	4"x5' in length PVC pipe ; thence,
North 750; to the northwest corner, a	4 4 x5 in length PVC pipe thence,
East 600' to the northeast corner, a	a 4"x5' in length PVC pipe ; the poi
and place of beginning.	nith
The monumentation and marking of the corn	ers was completed by the day of
June 1985	
June, 1985.	
The location work consisted of making a c	laim map as provided in NRS 517.040. Two
The location work consisted of making a copies of this claim map have been filed with	laim map as provided in NRS 517.040. Two the County Recorder, and
The location work consisted of making a c	the County Recorder, and
The location work consisted of making a copies of this claim map have been filed with	the County Recorder, and
The location work consisted of making a copies of this claim map have been filed with	the County Recorder, and
The location work consisted of making a copies of this claim map have been filed with	the County Recorder, and
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the	the County Recorder, and
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the	the County Recorder, and
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the	the County Recorder, and
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS Dated June 25 , 1985	Ed Seerns Lawe and
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS Dated June 25 . 1985	ECUEST OF
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS Dated June 25 , 1985	EQUEST OF
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS Dated	EQUEST OF
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS LOCATORS Dated June 25 . 1985 RECERTED AT READ Dates	EQUEST OF
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS Dated	EQUEST OF
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS LOCATORS Dated June 25 . 1985 RECERTED AT READ Dates	EQUEST OF
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS LOCATORS Dated June 25 . 1985 RECERTED AT READ Dates	EQUEST OF

	File No.
	filed for record at request of
\ 0.00m	
CERTIFICATE OF LOCATION . 99623	at minutes past o'clock
	m. and recorded in Book of Official Records Page
	County, Nevada-
	County Recorder
	\ \
THIS IS TO CERTIFY that the ICE #	88 lode mining claim
as located by:	Tode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272 Reno, Nevada 89511	1000 Beck #254 Reno, Nevada 89509
89511	
on the 18 day of TUNE, 1985,	situated in the unknown .
Enreka County,	State of Nevada.
NE/4 of Sec Said claim is located in the SE/4 of Sec	, IMP. 23160TM, Rge. 49 EAST
NW/4 of Sec	/12
SW/4 of Sec	\\
To tie this claim to the Public Survey,	begin at the southeast corner of Section
1 Township 23 North Range 49	East , Mount Diablo Meridian, thence
o Corner No. 1, the northeast corner of this	claim.
We (or I) claim 1500 linear fee	t along the course of the mineral-bearing
ledge, lode or wein, extending 20 northerly direction and /480	feet from the location monument in a
direction, together with 300 feet on	each side of the center of the ledge for
the entire length of the claim.	
The exterior boundaries of this claim are	e clearly marked by substantial 4"x5" PVC pipe ents firmly set in the ground bearing applicable
designation. The description of such claim is	s: Beginning at Corner No.1, the Northeast
Corner; thence, South 750° to the east side center,	a 4"x5' in length PVC pipe ; thence,
South 750' to the southeast corner,	a 4"x5' in length PVC pipe , thence,
West , 600' to the southwest corner, North 750' to the west side center,	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence,
North 750' to the northwest corner,	a 4"x5' in length PVC pipe ; thence,
East 600' to the northeast corner, and place of beginning.	a 4"x5' in length PVC pipe ; the point
The monumentation and marking of the cor	mers was completed by the day of
June , 1985.	
The location work consisted of making a	claim map as provided in NRS 517.040. Two
copies of this claim map have been filed with the lode claim filing fee has been paid to th	the Eureka County Recorder, and
The road state in the last been pare to the	to county necotaet.
	Tag Devenips
LOCATORS	$\theta = \theta'$
1: 20	Daveland
Dated 1/412 85 , 1985	•
RECORDED AT R Ed Daysoya	ECUEST OF
Book 136 5	
85 JUN 27 A	9:31
Ξ	.

BOOK 1 36 PAGE 5 28

·	Edia Na
	File No.
	Filed for record at request of
CERTIFICATE OF LOCATION 99624	at minutes past o'clock
OBRITI ICATO SI BOTILISTI	m. and recorded in Book of
•	Official Records Page,
	County, Nevada.
	County Recorder
	\ \
÷	00
THIS IS TO CERTIFY that the ICE #	lode mining claim
is located by:	\ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
n the 18th day of Tune, 1985,	situated in the unknown
ining District, Fureka County,	State of Measur.
NEZE of Sec.	/ / / / / /
Said claim is located in the SE/4 of Sec.	
.NW/4 of Sec.	
SW/4 of Sec.	
	southeast seems of Section
To tie this claim to the Public Survey,	begin at the southeast corner of Section East , Mount Diablo Meridian, thence
WEST 3900 HERRE WEETH 1500'	FAST PROMIC PLANES SEE THE SEE
Corner No. 1, the northeast corner of this	claim.
We (or I) claim 1500 linear fee	t along the course of the mineral-bearing
edge, lode or vein, extending	feet from the location monument in a
northerly direction and lirection, together with 300 feet on	
the entire length of the claim.	- Cach 2200 21 5112 200-1-1
The same of the sa	
The exterior boundaries of this claim are	e clearly marked by substantial 4"x5' PVC pipe ents firmly set in the ground bearing applicable
or wooden post not less than 4 x4 x44 mondain designation. The description of such claim is	s: Beginning at Corner No.1, the Northeast
	\ \
a gent to the east side center.	a 4"x5' in length PVC pipe ; thence,
The coal by the coutbook torner	7 4.77 IN TOUGHT 1 C BAPA
North 750° to the west side center, North 750° to the northwest corner,	a 4"x5' in length PVC pipe thence,
East 600' to the northwest corner,	a 4"x5" in length PVC pipe ; the point
East 600' to the northeast corner, and place of beginning.	
The monumentation and marking of the cor	more was completed by the 20 th day of
June , 1985.	ners was compressed by the property and
The location work consisted of making a	claim map as provided in NRS 517.040. Two
copies of this claim map have been filed with	the Eureka County Recorder, and
the lode claim filing fee has been paid to the	he County Recorder.
	• •
	410
	Ed Verens
	7
LOCATORS	
2 20	Wave wish
Dated here to 1985	
PECOTOTA -==-	
RECOTINED AT REQUE	EST OF :
TOUR JACK	£30
	
_	
85 JUN 27 A 9:	- 31
2000 (F) NJ.	

BOOK 136 PAGE 529

		Filed for record at request	of
	·. 99625		
CERTIFICATE OF LOCATION	•	at minutes past o'c	lock
		m. and recorded in Book	ા
		Official Records Page	-
		County, Nevad	a-(\
			· \
		County Re-	corder
•		_ \	\
	•	\	\
		20	\ \
THIS IS TO CERTIFY that the	ICE # 7	lode mining c	laim \
was located by:			\ \
Ed Devenyns		pave Ernst	\ \
690 E. Patriot #272		1000 Beck #254	\ \
Reno, Nevada 89511	•	Renc, Nevada 89509	7 1
89511		89509	
an the 18th and Prome			
on the 18 day of June	, 19 85, 81	tuated in the unknown	
Mining District, Eufeka	County, St	ate of Nevada.	
	11575		
Pate alata da lacara da la	NE/4 of Sec.	79, Twp. 23NORTH, Rge. 49	E DAY
Said Claim 13 located in th	ie SE/4 of Sec.	Twp. OSNOVOTH, Rge. 77	CAT
•		7 2	
	SW/4 of Sec.	\	
To 44- 404- 41-4- 4-44- 5	.blda Guanna s		
1 , Township 23 North	orte Survey, Deg	in at the southeast corner o	r Section
WEST 3900'	, range 49 ta:	st, Mount Diablo Meridian	, thence
to Corner No. 1, the northeast co			
We (or I) claim 1500	linear feet a	long the course of the mineral-bea et from the location monument in a feet in a southerly ch side of the center of the ledge	ring
ledge, lode or vein, extending	- 20 te	et from the location monument in a	
northerly direction as	id 1480	feet in a southerly	
direction, together with 300	feet on ea	ch side of the center of the ledge	for
the entire length of the claim.		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	AS-1 9 - 8		Tric sine
The exterior boundaries of	this claim are c	learly marked by substantial 4"x5"	annitable
or wooden post not less than 4"	x4 x43 monument:	s firmly set in the ground bearing	aphircanie
	such claim 18;	Beginning at Corner No.1, the Nort	ineas c
Corner; thence,	side contor a	4"x5" in length PVC pipe	thence
South 750° to the east	heast corner a	4"x5" in length PVC pipe	thence.
West 600' to the sout	huest corner a	4"x5" in length PVC vipe	thence.
North 750' to the west	side center, a	4"x5' in length PVC pipe	thence,
North 750' to the north	hwest corner. a	4"x5' in length PVC pipe	thence,
			the point
and place of beginning.			r –
/ - /		s was completed by the 20 th	_
	ing of the corner	s was completed by thed	ay of
June , 1985,			
The location work consists	L 0 (-01-	im map as provided in NRS 517.040.	_
copies of this claim map have be	or making a cia	eEureka County Recorder,	TWO
the lode claim filing fee has be	en maid to the C	county seconder,	200
and and other stating fee has be	en para to the C	ounty necorder.	* •
	/ /	-	• •
	ں / ر		
	/ 2	A Novemal	
	/		
LOCATORS		K / · · · ·	
	/.	Vine Grant	
Dated June 25	1985 -42	Aut Mar	
R	ECCROED AT REQUEST.	0.5	
	Ed Doveryns	UF .	
F	COS 136 FE	2	
•		-	
ne	JUN 27 A 9: 3		
83	IANUS CI WAT 7	•	
	fift the statement		
_5	المُعَادِّةِ عَالَمَ الْمُعَادِّةِ عَالَمَ الْمُعَادِّةِ عَالَهُمُ الْمُعَادِّةِ عَلَيْكُمُ الْمُعَا	1	
F.	一角 しんと にっこん メラナ ここがく かりご	a contract of the contract of	

BOOK 1 36 PAGE 5 3 0

	File No.
	Filed for record at request of
. socar	
CERTIFICATE OF LOCATION . 99626	m. and recorded in Book of
	Official Records Page County, Nevada.
	County Recorder
	2/
THIS IS TO CERTIFY that the	lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272 Reno, Nevada 89511	1000 Beck #254 Reno, Nevada 89509
n the Stay of TUNE, 1985, eit Ining District, Fureka County, Sta	tuated in the unknown
NE/4 of Sec.	
Said claim is located in the SE/4 of Sec	
SW/4 of Sec.	
To tie this claim to the Public Survey, beg.	in at the southeast corner of Section
1 , Toynship 23 North , Range 49 Eas	, Mount Diablo Heridian, thence
Corner No. 1, the northeast corner of this cla	im.
ledge, lode or vein, extending 1480 fe northerly direction and 20 feet on eache entire length of the claim.	ch side of the center of the ledge for
The exterior boundaries of this claim are con wooden post not less than 4"x4"x45' monument. lesignation. The description of such claim is:	s firmly set in the dround bearing approach
orner, thence, South 750° to the east side center, a	
south 750' to the southeast corner, a	4"x5' in length PVC pipe
West , 600' to the southwest corner, a North 750' to the west side center, a	4"x5' in length PVC pipe ; thence,
North 750' to the northwest corner, a East 600' to the northeast corner, a	4"x5" in length PVC pipe
and place of beginning.	- 46
The monumentation and marking of the corner June , 1985.	rs was completed by the day of
The location work consisted of making a clacopses of this claim map have been filed with the lode claim filing fee has been paid to the	heEureka County Recorder, and
the 1946 state titing tee has som paid to the	•
	Ent Rovenins
	Dane Grand
LOCATORS	Dave unst
Dated <u>fuse</u> 25 , 1985	
RECORDED AT REQUEST	CF
Ed Deveryns	<u> </u>
75 # A 27 A 9: 3	11

BOOK 1 36 PAGE 5 3 1

	File No.
-	Filed for record at request of
	LITER TOL LECOLA DE LEARESE AL
CERTIFICATE OF LOCATION 99627	at minutes past o'clock m. and recorded in Book of
	Official Records Page
	County, Nevada.
	County Recorder
	\ \
•	\ \ \
THIS IS TO CERTIFY that the ICE #	92 lode sining claim
located by:	A LUI David
Ed Devenyns 690 E. Patriot #272	Dave Ernst 1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
	attented in the unknown
he Aday of June , 1985, and District, purela County, S	situated in the unknown State of Nevada.
NE/4 of Sec.	TNP. 231ERTH, Rge. 49 EAST
- NW/4 OI Sec.	Ide.
SW/4 of Sec.	- \
To tie this claim to the Public Survey, be	egin at the southeast corner of Section
, Township 23 North , Range 49 E	, Mount Diablo Meridian, thence
orner No. 1, the northeast corner of this c	laim.
We (or I) claim 1500 linear feet	
za. loda or vein. extending :///	leet from the location monument in a
more her iv direction and /%/XXX	leet in a
ection, together with 300 feet on entire length of the claim.	each side of the center of the leage for
	clearly marked by substantial 4"x5' PVC pipe
lock than A"YA"YAH! MODUME!	Vis illust a sed in the drouge somerna all all and
ignation. The description of such claim is	: Beginning at Corner No.1, the Northeast
PANDETONS THE ADALLE AND	\ \
	a 4"x5' in length PVC pipe; thence,
south 750' to the east side center,	a 4"x5" in length PVC pipe ; thence,
South 750 to the east side center, South 750 to the southeast corner,	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence,
South 750 to the east side center, South 750 to the southeast corner, West, 600 to the southwest corner,	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence,
South 750' to the east side center, South 750' to the southeast corner, West, 600' to the southwest corner, North 750' to the west side center,	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence,
South 750' to the east side center, South 750' to the southeast corner, West , 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northeast corner, place of beginning.	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the poi
South 750° to the east side center, South 750° to the southeast corner, West , 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northeast corner, place of beginning. The monumentation and marking of the corn	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the poi
South 750' to the east side center, South 750' to the southeast corner, West , 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northeast corner, place of beginning.	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the poi
South 750° to the east side center, South 750° to the southeast corner, West , 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corner of the corner of th	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the poi mers was completed by the day of
South 750° to the east side center, South 750° to the southeast corner, West, 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a coies of this claim map have been filed with	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the pointers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
South 750° to the east side center, South 750° to the southeast corner, West , 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corner of the corner of th	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the pointers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
South 750° to the east side center, South 750° to the southeast corner, West, 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a coies of this claim map have been filed with	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the pointers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
South 750° to the east side center, South 750° to the southeast corner, West, 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a coies of this claim map have been filed with	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the pointers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
South 750° to the east side center, South 750° to the southeast corner, West , 600° to the southwest corner, North 750° to the morthwest corner, North 750° to the northwest corner, East 600° to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a coile of this claim map have been filed with a lode claim filling fee has been paid to the	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the pointers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
South 750° to the east side center, South 750° to the southeast corner, West, 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a coies of this claim map have been filed with	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the pointers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
South 750° to the east side center, South 750° to the southeast corner, West, 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, Fast 600° to the northwest corner, The monumentation and marking of the corn June , 1985. The location work consisted of making a coies of this claim map have been filed with a lode claim filling fee has been paid to the	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the pointers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
South 750° to the east side center, South 750° to the southeast corner, West, 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a coles of this claim map have been filed with a lode claim filling fee has been paid to the	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the pointers was completed by the day of claim map as provided in NRS 517.0%0. Two the Eureka County Recorder, and e County Recorder.
South 750° to the east side center, South 750° to the southeast corner, West, 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a coiles of this claim map have been filed with a lode claim filling fee has been paid to the	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the pointers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and a County Recorder.
South 750° to the east side center, South 750° to the southeast corner, West, 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a coiles of this claim map have been filed with a lode claim filling fee has been paid to the	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the pointers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and a County Recorder.
South 750° to the east side center, South 750° to the southeast corner, West, 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a coles of this claim map have been filed with a lode claim filling fee has been paid to the	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the pointers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and a County Recorder.
South 750° to the east side center, South 750° to the southeast corner, West, 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a coiles of this claim map have been filed with a lode claim filling fee has been paid to the	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the pointers was completed by the Aday of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and a County Recorder.

BOOK 136 PAGE532

	File No.
	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of Official Records Page,
	County, Nevada.
	County Recorder
•	\ \
•	n- · \ \
THIS IS TO CERTIFY that theICE #	93 lode mining claim
was located by:	
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
//	0,307
on the 18 day of Table , 1985, 81	tuated in the unknown
Mining District. Eureka County, St	ate of Nevada.
Noth of for	
NE/4 of Sec	T. NO. 23 LOCK RO. 49 EAST
· .NW/4 of Sec.	1 100 177
SW/4 of Sec.	<u> </u>
- AJ- 444	
1 Township 23 North , Range 49 East	in at the southeast corner of Section
WEST SICO HEIRE LORTH 1500'	Mount Diable Meridian, thence
to Corner No. 1, the northeast corner of this cla	im.
We (or I) claim 1500 linear feet a	long the course of the mineral-bearing
ledge, lode or vein, extending /460 fe	et from the location monument in a feet in a
direction, together with 875 feet on ea	ch side of the center of the ledge for
the entire length of the claim.	/ /
The exterior boundaries of this claim are ci	learly marked by substantial 4"x5° PVC pige
or wooden post not less than 4"x4"x4', monuments	s firmly set in the ground bearing applicable
designation. The description of such claim is:	Beginning at Corner No.1, the Northeast
Corner, thence,	
South 750' to the east side center, a	4"x5" in length PVC pipe ; thence, 4"x5" in length PVC pipe ; thence,
West , 175° to the southwest corner, a	4"x5' in length PVC pipe ; thence,
North 750' to the west side center, a	4"x5' in length PVC pipe thence,
North 750' to the northwest corner, a	4"x5' in length PVC pipe thence,
East 175' to the northeast corner, a	4"x5' in length PVC pipe ; the point
and place of beginning.	2-46
The monumentation and marking of the corner	s was completed by the all day of
, 1985.	
The location work consisted of making a cla	im map as provided in NRS 517.040. Two
copies of this claim map have been filed with th	e Eureka County Recorder, and
the lode claim filing fee has been paid to the C	ounty Recorder.
\ \ /	• •
	0011
	of Levening
	A Company
LOCATORS	$C = C + \cdots$
Dated Up 25 1985	Dave Trust
Dated Yuku do 1985	
RECORCEA TA DECROCER	STOS
Ed Devenyor	
hour 136	533
(5 mg 62 - 6 -	9.1
65 JUN 27 A 9:	े ग
	•

BOOK | 36 PAGE 533

	File No
	Filed for record at request of
	0.000
	99629
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of
	Official Records Page County, Nevada.
	County, Nevada.
	County Recorder
	\ \
•	
	100 mining claim
THIS IS TO CERTIFY that the s located by:	ICE \$ 7.72 Loge sitting claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
ON E. PACITOC PLAN	Reno, Nevada 89509
Reno, Nevada 89511	89509
the 18th day of June	The state of the s
the 10 day of 1000	, 1985, situated in the unknown County, State of Nevada.
ning District, <u>Eufeka</u>	county, heate of herada.
NE/k	or Sec
Said claim is located in the SE/4	of Sec, Twp. 23 LOCTH , Rge. 49 EAST
Outd CTHTM IS IDESted IN the DEVA	1 of 6-2 12
* .NR/4	of Sec. 12
SW/4	of Sec.
To tie this claim to the Public S	Survey, begin at the southeast corner of Section
1 , Township 23 North Ra	ange 49 East . Hount Diablo Meridian, thence
UEST 5100'	
Corner No. 1, the northeast corner	of this claim.
We (or I) claim	Jean Leet Stoud the Contac of the mineral-hearing
edge, lode or vein, extending	near feet along the course of the mineral-bearing feet from the location monument in a
northerly direction and	reet in a
irection, together with 87.5	feet on each side of the center of the ledge for
he entire length of the claim.	
no children to the	
The autorior boundaries of this (laim are clearly marked by substantial 4"x5" PVC pipe
wooden post not less than 4 44 44.	claim is: Beginning at Corner No.1, the Northeast
esignation. The description of such	Claim 13: Doyalinary -
orner; thence,	thence.
South 750' to the east side	center, a 4"x5' in length PVC pipe ; thence,
a the grot to the coutbeact	COLDER 3 V.X.). IN ISUBILITY LAC DIDE CHONGAL
wast 1741 to the southwest	corner, a 4"x5' in length fit pape
Names 7601 to the west side	center, a 4"X5' in length rec pape
North 750 to the porthuest	and a struct in length PVC pipe ; thence,
North 750' to the northwest	corner, a 4"x5' in length PVC pipe ; the point
East 175' to the northeast	
nd place of beginning.	n-the
The monumentation and marking of	the corners was completed by the acompleted by
June . 1985.	the corners was completed by the 20th day of
er . Touchton made annahment of a	aking a claim map as provided in NRS 517.040. Two
The location work consisted of m	isking a claim map as provided in and Silings and
copies of this claim map have been fi	lled with the Eureka County Recorder, and
the lode claim filing fee has been pa	ild to the County Recorder.
\ \ \	
	Tol Klovenini
10010054	\mathcal{S}
LOCATORS	La Devenips
1 2	Dave lust
Dated 1985 , 1985	
7	
RECT	CROSS AT REQUEST OF
Æ	
195	136 1-1534
	
**	Dr. on - 0 - 5 1
ჩე ე	JEN 27 A 9: 31

300K | 36 PAGE 534

	File No.	
	Filed for record at request of	
CERTIFICATE OF LOCATION 99630	at minutes past o'clock	
CENTIFICATE OF LOCATION	m. and recorded in Book of	
	Official Records Page,	_
	County, Nevada.	
	C Brandon	:
THIS IS TO CERTIFY that theCE # C	County Recorder	\
s located by:		\
Ed Devenyns	Dave Ernst	\
690 E. Patriot #272	1000 Beck #254	\
Reno, Nevada 89511	Reno, Nevada 89509	1
the 18 day of Tune , 1985, si		-
	tuated in the unknown ate of Nevada.	
Enreka County, St.	are of Header	/
NE/4 of Sec	1/	. '
Said claim is located in the SE/4 of Sec.	Typ. OBLUETH, Rge. 49 EPST	
· .NW/W of Sec. Z		
SW/4 of Sec. ∑		
We also able that is a second of the second		
To tie this claim to the Public Survey, beg	in at the southeast corner of Sect	
1 , Township 23 North Range 49 Eas	st, Mount Diablo Meridian, ther	ice
IEST 2100' HALICE NORTH 4500'		
Corner No. 1, the northeast corner of this cla	aim.	
northerly direction and rection, together with 300 feet on ease entire length of the claim.	ach side of the center of the ledge for	
The exterior boundaries of this claim are c	learly marked by substantial 4 x5 PVC p	ipe
wooden post not less than 4"x4"x4" monument.	s firmly set in the ground bearing appli Beginning at Corner No.1, the Northeast	.cap
orner: thence,		
South 750° to the east side center, a	4"x5" in length PVC pipe ; then	
South 750' to the southeast corner, a	4"x5' in length PVC pipe then	
West , 600° to the southwest corner, a	4"x5' in length PVC pipe ; then	
North 750° to the west side center, a	4"x5' in length PVC pipe ; then 4"x5' in length PVC pipe ; then	
North 750 to the northwest corner, a East 600 to the northwast corner, a		
East 600' to the northeast corner, a place of beginning.	4 ks. In Telligen FVC pape	
	246	
The monumentation and marking of the corner	rs was completed by the other day of	
, 1985.		
The location work consisted of making a cla	aim man as provided in NRS 517.040. Two	
opies of this claim map have been filed with th	he Eureka County Recorder, and	
he lode claim filing fee has been paid to the (
	•	
\ \ \	_	-
	<i>7</i>)	•
	EN Chuanne	•
	Ef Severyps	•
LOCATORS	Ef Severys	•
LOCATORS	Severys Sanda	•
	Save Einst	•
lated June 25, 1985	Save Einst	•
0 0-	Save Einst	•
ated June 25 , 1985 A		•
nated <u>June 25</u> , 1985 A		•
nated <u>June 25</u> , 1985 A		•
RECORDED AT RED EL Dovenyn	13 1. <u>335</u>	-
RECORDED AT RED EL Dovenyn	13 1. <u>335</u>	-
ated <u>June 25</u> , 1985 A	13 1. <u>335</u>	•
RECORDED AT RED EL Dovenyn	g: 31	•

300K 1 3 6 PAGE 5 3 5

· ·	File No.
•	filed for record at request of
99631	
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of Official Records Page
	County, Nevada.
THYO YE BO ODDOOR ALL A LA	County Recorder
THIS IS TO CERTIFY that the ICE # 9	lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
-10 1	
on the 184 day of June , 1985, 511	tuated in the unknown
Mining District, Eureka County, Sta	ate of Nevada.
عرشت بالإنسند	
NE/4 of Sec	// , Тыр. <u>23. Оскти</u> , Rge. <u>49 EAST</u>
To tie this claim to the Public Survey, beging the property of the Public Survey, begins to the Public Survey (and the Public Survey).	in at the southeast corner of Section
WEST 2100 FRICE WORTH 3000	, Mount Diable Meridian, thence
o Corner No. 1, the northeast corner of this cla	
northerly direction and //Codinection, together with 300 feet on each the entire length of the claim. The exterior boundaries of this claim are claim.	ch side of the center of the ledge for learly marked by substantial 4"x5' PVC pipe
or wooden post not less than 4"x4"x45' monuments designation. The description of such claim is:	s firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast
Corner; thence,	Amusi i- locath DVC pins . thence
South 750' to the east side center, a 4 South 750' to the southeast corner, a 4	1"x5' in length PVC pipe ; thence,
West , 600' to the southwest corner, a	"x5' in length PVC pipe ; thence,
North 750' to the west side center, a	4"x5 in length PVC pipe; thence,
North 750 to the northwest corner, a	4"x5' in length PVC pipe ; thence,
East 600' to the northeast corner, a	4"x5' in length PVC pipe , the poin
and place of beginning. The monumentation and marking of the corner June , 1985,	s was completed by the 20th day of
.,	
The location work consisted of making a cla copies of this claim map have been filed with the lode claim filing fee has been paid to the C	e Eureka County Recorder, and
\\	el Our
	a severifis
LOCATORS -	Jave End
Dated June 20 , 1985	
RECORDED AT ABOVE Ed Dovenyns Bush 136	
www.machillan	3. <u>5</u> .6
:0 A 75 MBL 28	31

BOOK 1 36 PAGE 5 36

	DATA MA
	File No
•	11160 101 15000 25 1040035 01
CERTIFICATE OF LOCATION 99632	at minutes past o'clock
	m. and recorded in Book of Official Records Page
	County, Nevada.
,	
	County Recorder
,	\ \
THIS IS TO CERTIFY that the ICE # C	77 lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
18th a Prose	Ituated in the unknown
the /O day of /// , 1985, string District, pureka County, St	Ituated in the unknown tate of Nevada.
NE/4 of Sec.	- 221 home - 10 som
NE/4 of Sec. Said claim is located in the SE/4 of SecNW/4 of Sec.	, Tup. Ochora, Rge. 47 CASI
SW/4 of Sec.	
•	
To tie this claim to the Public Survey, be	gin at the southeast corner of Secti
1 , Township 23 North , Range 49 Ea	Mount Diablo Heridian, thenc
Corner No. 1, the northeast corner of this cl	aim.
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
dge, lode or vein, extending 1480 f	feet in a southerly
rection, together with 300 feet on e	ach side of the center of the ledge for
ne entire length of the claim.	
The exterior boundaries of this claim are	clearly marked by substantial 4"x5' PVC pi
signation. The descr.ption of such claim is:	Beginning at Corner No.1, the Northeast
rner; thence, South 750° to the east side center, a	1 1
Court 3501 to the coutheast Corner. A	4"x5' in length PVC pipe ; thence
wort son! to the southwest corner, a	4"x5" in length PVC pipe; thence
wath 750 to the west side center, a	4.x2, in feudin sac bibe
North 750° to the northwest corner, a East 600° to the northeast corner, a	
East 600' to the northeast corner, and place of beginning.	10
The monumentation and marking of the corne	ers was completed by the day of
June , 1985.	and or
The location work consisted of making a cl	laim map as provided in NRS 517.040. Two
opies of this claim map have been filed with the lode claim filing fee has been paid to the	the Eureka County Recorder, and
me lode craim illing lee has been pard to the	councy recorder-
	. 1
	Col Chienial
	ar werryn
LOCATORS .	
1.05	Divernst
ated <u>fune 25</u> , 1985 -	
RECognen in	P. Tourson
FED DOVED	ACQUEST OF
C)J., 136	14:537
	-
65 m. 1.	
13 JUN 27	A 9: 3 Į
13 JUL 27	49:31

800K | 36 PAGE 537

	File No.
	Filed for record at request of
CERTIFICATE OF LOCATION 99633	at minutes past o'clock m. and recorded in Book of Official Records Page County, Nevada.
	County Recorder
THIS IS TO CERTIFY that the ICE #	78 lode mining claim
was located by:	Dave Ernst
Ed Devenyns 690 E. Patriot #272 Reno, Nevada 89511	1000 Beck #254 Reno, Nevada 89509
on the 18th day of little . 1985 at	Ltuated in the unknown
NE/4 of Sec. Said claim is located in the SE/4 of Sec. .NW/4 of Sec.	Twp. <u>assum</u> , age. <u>Treatr</u>
SW/4 of Sec.	
To tie this claim to the Public Survey, be 1, Township 23 North, Range 49 Ea WEST 2700 Hone World 3000	gin at the southeast corner of Section st , Hount Diablo Heridian, thence
to Corner No. 1, the northeast corner of this cl	aim.
lades lade on wain extending f	along the course of the mineral-bearing eet from the location monument in a
northerly direction and /450 direction, together with 300 feet on e	ach side of the center of the ledge for
or wooden post not less than 4*x4*x4* monumen designation. The description of such claim is:	clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast
Corner; thence, South 750' to the east side center, a	4"x5" in length PVC pipe ; thence,
South 750 to the southeast corner, a West , 600 to the southwest corner, a	4"x5" in length PVC pipe thence,
worth 750' to the west side center. a	4"x5' in length byc pipe
North 750' to the northwest corner, a	4 KD III TENGON I VO PIEGO
and place of beginning.	
The monumentation and marking of the corner June , 1985.	ers was completed by the day of
The location work consisted of making a cl copies of this claim map have been filed with the lode claim filing fee has been paid to the	the Eureka County Recorder, and
	·
	Dene Guel
Dated Acre 25 , 1985 -	Dave und
RECORDED AT REDI	PEST EF
95 JUN 27 A 9	: 32

BOOK 1 36 PAGES 38

	File No.
•	Filed for record at request of
	at minutes past o'clock
CERTIFICATE OF LOCATION 99634	m. and recorded in Book of
	Official Records Page
	County, Hevada.
	County, nevada.
	County Recorder
	1
THIS IS TO CERTIFY that the	lode mining claim
located by:	\ \
63 6-4	Dave Ernst
Ed Devenyns	1000 Beck #254
690 E. Patriot #272	Reno, Nevada 89509
Reno, Nevada 89511	89509
est 1	
	ituated in the unknown
ing District, County, S	State of Nevada.
NE/4 of Sec.	, Twp. 231414, Rge. 49 EAST
Said claim is located in the SE/4 of Sec.	, Twp. askCctr , Rge. 77 Chin
NW/4 of Sec.	
SW/4 of Sec.	
To tie this claim to the Public Survey, be	egin at the southeast corner of Section
1 . Township 23 North , Range 49 1	ast, Mount Diaglo Meridian, thence
1855 3300 There LOCIH 4500'	
Corner No. 1, the northeast corner of this c	laim.
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
dge, lode or vein, extending //80	feet from the location monument in a
northarly direction and 20	feet in a southerly
rection, together with 300 feet on	each side of the center of the ledge for
e entire length of the claim.	
e dutyle tengen or the craim.	
houndaries of this claim are	clearly marked by substantial 4"x5' PVC pipe
wooden post not less than 4"x4" x47 monumers signation. The description of such claim is	Beginning at Corner No.1, the Northeast
- 45	
south 750' to the east side center,	a 4"x5' in length PVC pipe; thence,
South 750° to the southeast corner, West, 600° to the southwest corner,	a dwost in length PVC pipe
North 750' to the west side center,	
North 750. to the west side center,	a 4"v5" in length PVC Pipe
	a 4"x5' in length PVC pipe ; the point
nd place of beginning.	soft.
The monumentation and marking of the corr	ers was completed by the day of
June , 1985.	
The location work consisted of making a	claim map as provided in RRS 517.040. Two
opies of this claim map have been filed with	the Eureka County Recorder, and
he lode claim filing fee has been paid to the	County Recorder.
\ \ \ \	• •
	1
	Let Moure and
	ZT WENCHURY
LOCATORS	
	Nave Trust
lated /11/2 25 , 1985	NIVOCO DUCK
ated	
•	
RECORCED AT REQUES	ST DE
	• *
6 30K 134 1:15 5	39
	-1-
85 JUN 27 A 9:	2.2
an and ti # A!	ρĘ
, · · · · · · · · · · · · · · · · · · ·	BOOK 136 PAGE539
4 7 4 4 4 4 4 5 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6 7 6	200K 1 3 E BUED 3 A
Eurana dia 1900 and 1	a. Rithe I ald many

	File No.
	Filed for record at request of
99635	
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of
	Official Records Page
	County Recorder
	\ \
•	\ \
THIS IS TO CERTIFY that the	lode mining claim
THIS IS TO CERTIFY that the ICE # as located by:	Tode attitue crani
<u>-</u>	Punch
Ed Devenyns	Dave Ernst 1000 Beck #254
690 E. Patriot #272 Reno, Nevada 89511	Reno, Nevada 89509
89511	89503
in the 18 day of June, 1985, :	situated in the unknown
ining District, Fureka County,	State of Nevada.
NE/4 of Sec.	- souls all com
Said claim is located in the SE/4 of Sec.	, TMP. 25 LOCATA, Rge. 49 EAST
- NW/4 Of Sec.	1 1
SW/4 of Sec.	
To tie this claim to the Public Survey, b	egin at the southeast corner of Section
1 . Township 23 North Range 49 P	East Mount Diablo Meridian, thence
WEST 3300 Thence WEST 3000'	
o Corner No. 1, the northeast corner of this o	claim.
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
ledge. lode or vain, extending	feet from the location monument in a
northerly direction and 1490	feet in a southerly
direction, together with 300 feet on	each side of the center of the ledge for
the entire length of the claim.	
The exterior boundaries of this claim are	clearly marked by substantial 4"x5" PVC pipe
	nts firmly set in the dibund beating applicant
designation. The description of such claim is	Beginning at Corner No.1, the Northeast
Corner; thence,	a 4"x5' in length PVC pipe ; thence,
South 750° to the east side center,	a 4"x5' in length PVC pipe; thence,
in a feet the couthwest corner.	a 4"x5' in length PVC pipe ; thence,
watch 750 to the west side center.	a 4"X5" in length PVC pipe
worth 750° to the northwest corner.	a 4"x5. in length PVC pipe; thence:
East 600' to the northeast corner,	a 4"x5" in length PVC pipe; the poin
and place of beginning.	2-4
The monumentation and marking of the corr	ners was completed by the day of
June , 1985.	•
The leasting work consisted of walting a	alain man as provided in NRS 517 080 Two
The location work consisted of making a copies of this claim map have been filed with	the Eureka County Recorder, and
the lode claim filing fee has been paid to the	
\	•
	LA Navina
	au uenjuju
LOCATORS	$0 \sim 10^{-10}$
1ACRIONS	Name Grand
Dated 11x 25 , 1985	pour pour
Pron	·
RECORDED AT F	REQUEST BE
000K_136	tos
	nc: 548
85 Jen 27 a	19:32

BOOK 1 36 PAGE 5 4 0

·	
	File No.
	Filed for record at request of
99636	at minutes past o'clock
CERTIFICATE OF LOCATION	m. and recorded in Book of
•	Official Records Page
	County Recorder
	\ \
THIS IS TO CERTIFY that the ICE # /was located by:	O/ lode mining claim
Ed Devenyns	Dave Ernst
690 E_ Patriot #272	1000 Beck #254 Reno, Nevada 89509
Reno, Nevada 89511	89509
on the 18 day of June , 1985, si	twated in the unknown
Mining District, Fufeka County, St	ate of Nevada.
NE/4 of Sec.	(
Said claim is located in the SE/4 of Sec.	Tup. 13/CCTN , Rge. 49 CHSV
. NW/4 of Sec.	/_ /
SW/4 of Sec.	
To tie this claim to the Public Survey, beg	st the southeast corner of Section st , Mount Diablo Meridian, thence
I Township 23 North Range 49 Ea	, Mount Diablo Meridian, thence
to Corner No. 1, the northeast corner of this cl	aim.
	along the course of the mineral-bearing
ledge lode or wein, extending /480 ft	eet from the location monument in a
mortherly direction and	feet in a southerry
direction, together with 300 feet on exthe entire length of the claim.	ach side of the center of the leage for
	clearly marked by substantial 4"x5" PVC pipe
designation. The description of such claim is:	Beginning at Corner No.1, the Northeast
Corner; thence, South 750° to the east side center, a	1 1
south 750% to the southeast corner, a	4"x5" in length PVC pipe / chence,
week scot to the couthwest corner, a	4"x5' in length PVC pipe, chence,
North 750' to the west side center, a	4-X2. In Isiden bac bibe and the
North 750' co the northwest corner, a East 600' to the northeast corner, a	4"x5' in length PVC pipe ; the poin
and place of beginning.	221
The monumentation and marking of the corne	rs was completed by the day of
June , 1985,	
The location work consisted of making a cl	aim map as provided in NRS 517.040. Two
copies of this claim map have been filed with t	he Eureka County Recorder, and
the lode claim filing fee has been paid to the	county recorder.
	1
	EN Vaveniers
	1 Description
LOCATORS	X 6 1
Dated Pupe 25 , 1985 -	Wave lind
Dated / Upe 35 , 1985 -	
GERRARE	
RECERCISA TRECI LEA Dadessa	UEST OF
930K_136_(c)	541
·- <u>-</u>	
	·
85 IIII 93 - A	. 20
85 JUN 27 A 9	: 32

BOOK 1 36 PASE5 4 1

	File No.
	Filed for record at request of
99637	
CERTIFICATE OF LOCATION	at minutes past o'clock m. and recorded in Book of
	Official Records Page
	County, Nevada.
	County Recorder
	\ \
THIS IS TO CERTIFY that the ICE # /	102 lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot 4272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
18th of Park 3005 M	tuated in the unknown
on the 18 day of Jure , 1985, si Hining District, Eureka County, St	ate of Nevada.
	
NE/4 of Sec.	
Said claim is located in the SE/4 of Sec	
SW/4 of Sec.	
To tie this claim to the Public Survey, beg	gin at the southeast corner of Section
WEST 3900' Thence NORTH DOOD'	
to Corner No. 1, the northeast corner of this cl	aim.
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
ladge lede on vein extending -//- II	AAT IPOM THE IDCATION MONUMENT IN A
northerly direction and /480 direction, together with 300 feet on each	feet in a southerly
the entire length of the claim.	201 3200 01 010 000000
	clearly marked by substantial 4"x5" PVC pipe
	of titule ser in the drough program
designation. The description of such claim is:	Beginning at Corner No.1, the Northeast
Corner; thence, South 750° to the east side center, a	4"x5' in length PVC pipe ; thence,
Touch 7501 to the southeast corner, a	4"x5' in length PVC pipe ; thence,
West , 600° to the southwest corner, a	4"x5" in length PVC pipe thence;
North 750' to the west side center, a	4"x5' in length PVC pipe : thence,
North 750' to the northwest corner, a East 600' to the northeast corner, a	
and place of beginning.	and the same of th
The monumentation and marking of the corne	ers was completed by the acome day of
June 1985.	
The location work consisted of making a cl	aim map as provided in NRS 517.040. Two
copies of this claim map have been filed with t	theEureka County Recorder, and
the lode claim filing fee has been paid to the	County Recorder.
	El Orange
	2 Severage
LOCATORS	\mathcal{L}_{i}
	Dave und
Dated, 1985	
RECOSDED	·
RECOFDED AT REQU	JEST OF
C321. 136 100	543
85 mm 2	
85 JUN 27 A 9	; <u>3</u>
	-
j John ei ge	71

300K | 36 PAGE 542

	F41a Va
	File No.
·	Filed for record at request of
99638	o la
CERTIFICATE OF LOCATION	at minutes past o'clock of
	Official Records Page
	Official Records Page
	County Recorder
	33. (1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
•	\ \
THIS IS TO CERTIFY that the ICE \$	103 lode mining claim
located by:	
·	Dave Ernst
Ed Devenyns 690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
-100	
···	ituated in the unknown
ng District, <u>Fureka</u> County, S	tate of Nevada.
NE/4 of Sec.	10 -
NE/4 of Sec. Said claim is located in the SE/4 of Sec.	, Tup. 231667H, Rge. 47 EAST
· NW/4 of Sec.	<u>4</u> /\\\.
SW/4 of Sec.	
To tie this claim to the Public Survey, be	gin at the southeast corner of Secti
. Township 23 North . Range 49 E	ast , Mount Diable Meridian, thenc
or 4500 there were 4500'	
orner No. 1, the northeast corner of this c	laim.
	along the course of the mineral-bearing
1900	fort from the location monument in a
northerly direction and 20	feet in a southerly
rection, together with 300 feet on e	each side of the center of the ledge for
e entire length of the claim.	
	clearly marked by substantial 4"x5' PVC pi
wooden post not less than 4 x4 x41 monuments ignation. The description of such claim is:	Beginning at Corner No.1, the Northeast
Tent to the east side center, a	4 4 x 5 in length PVC pipe , thence
a aces 4 - the -outhoact corner 2	a dran' in length had bibe
West, 600' to the southwest corner,	
North 750 to the west side center, a	a 4"x5" in length PVC pipe ; thence
East 600' to the northeast corner,	
East 800 to Lite Mol these	
Place of beginning. The monumentation and marking of the corn	
1 place of beginning. The monumentation and marking of the corn June , 1985.	ers was completed by the 2014 day of
The monumentation and marking of the corn June , 1985. The location work consisted of making a c	ers was completed by the 2000 day of
Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corn of this claim map have been filed with	claim map as provided in NRS 517.040. Two
Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with	claim map as provided in NRS 517.040. Two
Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with	claim map as provided in NRS 517.040. Two
Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with	claim map as provided in NRS 517.040. Two
Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corn of this claim map have been filed with	claim map as provided in NRS 517.040. Two
Place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a c pies of this claim map have been filed with a lode claim filing fee has been paid to the	claim map as provided in NRS 517.040. Two
The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with	claim map as provided in NRS 517.040. Two
The monumentation and marking of the corn June , 1985. The location work consisted of making a c pies of this claim map have been filed with a lode claim filing fee has been paid to the LOCATORS	claim map as provided in NRS 517.040. Two
The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with a lode claim filing fee has been paid to the LOCATORS	claim map as provided in NRS 517.040. Two
The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS LOCATORS	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and County Recorder and County Recorder.
The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS LOCATORS RECERCE: AT REQUEST	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and County Recorder and County Recorder.
The monumentation and marking of the corn June , 1985. The location work consisted of making a c pies of this claim map have teen filed with a lode claim filing fee has been paid to the LOCATORS LOCATORS	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and County Recorder and County Recorder.
The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with a lode claim filing fee has been paid to the LOCATORS LOCATORS THE COLORS AT REQUEST	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and County Recorder and County Recorder.
The monumentation and marking of the corn June , 1985. The location work consisted of making a coies of this claim map have been filed with a lode claim filing fee has been paid to the LOCATORS LOCATORS LOCATORS RECCERCE? AT REQUEST	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and County Recorder and County Recorder.
The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with a lode claim filing fee has been paid to the LOCATORS ted LOCATORS FECCERCE? AT REQUEST	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and County Recorder and County Recorder and County Recorder and County Recorder County R

BOOK 1 36 FAGE 5 4 3

	•
	File No.
	Filed for record at request of
, 99639	
CERTIFICATE OF LOCATION	at minutes past o'clock
	m. and recorded in Book of
	Official Records Page,
	County, Nevada.
	Causty Pagardes
	County Recorder
	\ \
THIS IS TO CERTIFY that the ICE #	104 lode mining claim
as located by:	707 Tode atning crais
	Dave Ernst
Ed Devenyns	1000 Beck #254
690 E. Patriot #272	Reno, Nevada 89509
Reno Nevada 89511	89509
the 18 day of fune , 1985, s	situated in the unknown
	State of Nevada.
many products Emberg)
NE/4 of Sec.	
Said claim is located in the SE/4 of Sec.	, IMP. BILLEW, Rge. 49 EAST
nw/4 of Sec.	
SW/4 of Sec.	
To tie this claim to the Public Survey, be	egin at the southeast corner of Section
1 . Township 23 North . Range 49 E	ast , Mount Diablo Meridian, thence
EST 4500' Fleare LOETH 3000'	, ibone blace in total, thence
Corner No. 1, the northeast corner of this c	laim.
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
northerly direction and 1480	feet in a southerly
irection, together with 300 feet on	each side of the center of the ledge for
he entire length of the claim.	
The exterior boundaries of this claim are	clearly marked by substantial 4"x5' PVC pipe
wooden post not less than 4"x4"x44' monumer	nts firmly set in the ground bearing applicable
esignation. The description of such claim is:	Beginning at Corner No.1, the Northeast
orner; thence, South 750° to the east side center, a	a 4"x5' in length PVC pipe; thence,
South 750° to the east side center, a	a 4"x5' in length PVC pipe thence,
West , 600' to the southwest corner, a	a 4"x5' in length PVC pipe ; thence,
North 750' to the west side center, a	a 4"x5" in length PVC pipe ; thence,
North 750 to the northwest carner,	a 4"x5' in length PVC pipe, thence,
East 600° to the northeast corner,	a 4"x5' in length PVC pipe : the point
nd place of beginning.	
The monumentation and marking of the corn	ers was completed by the Way of
June , 1985.	
The location work consisted of making a c	laim map as provided in NRS 517.040. Two
copies of this claim map have been filed with	the Eureka County Recorder, and
the lode claim filing fee has been paid to the	County Recorder.
	• •
	11
	EN llevenus
LOCATORS	$H \subset I$
	Wave Trust
Dated June 25, 1985 -	your view
7	<i>\$</i>
\$5660000 47 674	Top
RECORDED AT REQUES	THE
<u>Ed 12 venya 5</u> 500n_136	<i>₹4.</i> ₽
**************************************	***
_	
85 JUN 27 A 9:	32
00001121 1000	7 E

BOOK | 36 PAGE 544

and the second s		
·	-	
	File No	
	Filed for record at request o	ı,
99640		
CERTIFICATE OF LOCATION		lock
	Official Records Page	O1
	County, Nevada	1
	County Reco	-dec
	County Meet); der
	\	\
	105 lode mining cl	-1m
THIS IS TO CERTIFY that the ICE # .	Total Milling CI	\ \
•	Dave Ernst	\ \
Ed Devenyns 690 E. Patriot #272	1000 Beck #254	\ \
Reno, Nevada 89511	Reno, Hevada 89509	7 1
the day of (une , 1985, s	ituated in the unknown	
ing District,rureka County, S	State of Nevada.	
NE/4 of Sec.		سرمدس
NE/4 of Sec- Said claim is located in the SE/4 of Sec.	, Tup. 33 FGETH, Rge. 47	2431
NW/4 of Sec.		
SW/4 of Sec.		
To tie this claim to the Public Survey, bo	egin at the southeast corner of	Section
1 . Township 23 North Range 49 E	ast, Mount Diablo Meridian,	, thence
55 5100 There NORTH 4500		
Corner No. 1, the northeast corner of this c		
We (or I) claim 1500 linear feet	along the course of the mineral-bear	ring
ige, lode or vein, extending 1400 northerly direction and 20	feet from the location monument in a	
rection, together with 875 feet on	each side of the center of the ledge	for
e entire length of the claim.	584, 5125 61 5115 111111 11 11 11 11 11 11 11 11 11	
	clearly marked by substantial 4"x5"	PVC pipe
wooden post not less than 4"x4"x41" monumer signation. The description of such claim is:	: Beginning at Corner No.1, the Nort	heast
rner; thence,	\ \	thence,
South 750' to the east side center, 5outh 750' to the southeast corner,	4"w6' in length PVC pice	thence,
the the southwest corner.	a 4 x5 in length FVC bibe	thence,
want 7501 to the west side center.	a 4"x5' in length PVC Fipe	thence,
The state to the northwest corner.	a 4"x5" in length PVC pipe	thence, the poin
East 175' to the northeast corner,	a 4"x5' in length FVC pipe	
d place of beginning.	and and and but the 20th	ay of
d place of beginning. The monumentation and marking of the corn June, 1985.	sers was combilered by the	-, 0,
		•
The location work consisted of making a	laim map as provided in NRS 517.040.	Two
opies of this claim map have been filed with he lode claim filing fee has been paid to the	the Eureka County Recorder,	дли
se tode craim ittiuR ies una peeu bard to cue	Committee and a contract and a contr	-
	En Almenns	
	ey party	
LOCATORS	X. (1	
1. 00	While Turst	
ated		
RECOPDED AT RED	DEST OF	
Ed Dovenyn Book 136	Cdr	
And the second s	- 	
	•	
85 JUN 27 A 9	: 32	
•		

300K | 36 FAGE 545

	File No.
•	Filed for record at request of
CERTIFICATE OF LOCATION . 99641	at minutes past o'clock o'clock of Official Records Page County, Nevada.
THIS IS TO CERTIFY that the ICE # /	Olo lode mining claim
Ed bevenyns 690 E. Patriot \$272 Reno, Nevada 89511 on the /BHday of / Luxe , 1985, si Mining District, Eureka County, St	Dave Ernst 1000 Beck #254 Reno, Nevada 89509 Luated in the unknown Late of Nevada.
NE/4 of Sec. Said claim is located in the SE/4 of Sec NW/4 of Sec. SW/4 of Sec.	Twp. JUNEAUN, Nge. FI CONT
1 , Township 23 North , Range 49 Ea	
to Corner No. 1, the northeast corner of this cl	aim.
northerly direction and direction, together with 875 feet on ethe entire length of the claim. The exterior boundaries of this claim are or wooden post not less than 4"x4"x4h' monument designation. The description of such claim is:	clearly marked by substantial 4"x5" PVC pipe ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast
South 750' to the southeast corner, a West, 175' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 175' to the northwast corner, a and place of beginning.	4"x5' in length PVC pipe ; thence, 4"x5' in length PVC pipe ; thence, 4"x5' in length PVC pipe ; the point
The monumentation and marking of the corner June , 1985.	ers was completed by the AOM day of
The location work consisted of making a cleopies of this claim map have been filed with the lode claim filing fee has been paid to the	theEureka County Recorder, and
	Dave Grast
Dated June 25, 1985	Dave Grust
RECERSED AT REQUEST OF Ed. Devenyos Sugn. 1316 1935 546	, [
85 JUN 27 A 9: 32	

900K 1 3 6 PAGE 5 4 6

•	
	File No
	Filed for record at request of
CERTIFICATE OF LOCATION . 99642	at minutes past o'clock of
	Official Records PageCounty, Nevada.
	County Recorder
THIS IS TO CERTIFY that the ICE #	07 lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272 Reno, Nevada 89511	1000 Beck #254 Reno, Nevada 89509
	tuested to the unknown
ning District, Furgha County, St	tuated in the unknown ate of Nevada.
NE/4 of Sec	Tup. 23/2 NEAR Age. SO EAST
· .NW/4 of Sec. SW/4 of Sec.	
To tie this claim to the Public Survey, beg	in at the southeast corner of Section
1 , Township 23 North , Range 49 Ea	st , Mount Plablo Revidian, thence
Corner No. I, the northeast corner of this cla	aim.
We (or I) claim 1500 linear feet and an index of the state of the stat	along the course of the mineral-bearing set from the location monument in a
northerly direction and	feet in a southerky
irection, together with feet on ea	ach side of the center of the ledge for
ne entire length of the claim.	lacely marked by substantial 4*x5' PVC pipe
The exterior boundaries of this claim are of two post not less than 4"x4"x45' monument signation. The description of such claim is:	clearly marked by substantial 4*x5' PVC pipe is firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast
	\ \
South 750 to the east side center, a	Anver in length PVC pipe ; thence,
TOOL by the southwart corner of	A"x5" in length PVC pipe ; thence,
watch 750' to the West Side Center, a	4 X2 III Tendon - 40 Pares
North 750' to the northwest corner, a	4 X3 In Teligen 1 Ve Pape
East 600' to the northeast corner, a nd place of beginning.	
nd place of beginning. The monumentation and marking of the corne June, 1985.	rs was completed by the day of
The location work consisted of making a cl	aim map as provided in NRS 517.040. Two
opies of this claim map have been filed with the lode claim filing fee has been paid to the	he Eureka County Recorder, and County Recorder
	Al Au
_	A Serening
LOCATORS Dated June 25, 1985	Dave und
Dated Juste 35, 1985	
RECORDED AT REQUES	TOF
Ed Daveryns	- 23
8045.4 <u>.494.</u> 1771.2 <u>4</u> .	** p
: PA 75 HUL 28	32

300K | 36 PAGE5 4 7

	File No.
	Filed for record at request of
99643	
CERTIFICATE OF LOCATION	at minutes past o'clock
CENTIFICATE OF ECCUTION	m. and recorded in Book of
·	Official Records Page
	County, Nevada.
•	County Recorder
	\ \
•	\ \
THIS IS TO CERTIFY that the ICE #	108 lode mining claim
was located by:	
	_ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Ed Devenyns	Dave Ernst 1000 Beck #254
690 E. Patriot 1272	Reno, Nevada 89509
Reno, Nevada 89511	89509
19th 19th	the state of the s
	tuated in the unknown
Mining District, <u>Fureka</u> County, St	tate of Nevada.
NE/4 of Sec.	
Said claim is located in the SE/4 of Sec.	T. Tup. 23 NOOTH, Rge. 50 EAST
NW/N of Sec.	/ 4 / \ \
SW/4 of Sec.	6 Tup 23/2 NOON Rgc 50 EAST
To tie this claim to the Public Survey, beg	gin at the southeast corner of Section
1 , Township 23 North , Range 49 Ea	st , Hount Diablo Heridian, thence
EAST 2700' HERE LORIH 6000'	
to Corner No. 1, the northeast corner of this cl	aim,
northerly direction and direction, together with 300 feet on ea	set from the location monument in a feet in a southerly ach side of the center of the ledge for
the entire length of the claim.	
boundaries of this claim are c	learly marked by substantial 4"x5' PVC pipe
nost not lose than 4"x4"x44" monument	is tirmly set in the drough bearing appricable
designation. The description of such claim is:	Beginning at Corner No.1, the Northeast
Corners thence.	\ \
South 750' to the east side center, a	4"x5' in length PVC pipe , thence,
South 750' to the southeast corner, a	4"x5" in length PVC pipe; thence,
West , 600' to the southwest corner, a	4"x5' in length PVC pipe ; thence, 4"x5' in length PVC pipe ; thence,
North 750 to the west side center, a North 750 to the northwest corner, a	
East 600' to the northeast corner, a and place of beginning.	
The monumentation and marking of the corner	and the same of the same of
June , 1985.	rs was completed by the day of
- tuite 1983.	
The location work consisted of making a cl	aim map as provided in NRS 517.040. Two
copies of this claim map have been filed with t	he Eureka County Recorder, and
the lode claim filing fee has been paid to the	County Recorder-
\ \ \	• •
	El Musica
	a puriya
11111111	α
LOCATORS	XL. 6 /
Dated June 25 , 1985 -	Dave mise
Dated	
RECORDED AT REQUI	EST OF
Ed Dovenyos	
650n 136 . Au	548
· · · ·	•
• •	
25 JUN 27 A 9	: 32
	· ·

300K | 36 PAGE 548

•	•
	File No.
	Filed for record at request of
00044	
, 99644	at minutes past p'clock
CERTIFICATE OF LOCATION	at minutes past o'clock m. and recorded in Book of
	Official Records Page,
	County, Nevada.
	County Recorder
•	\ \
	-4
THIS IS TO CERTIFY that the ICE	109 lode mining claim
was located by:	\ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
Al 1	It and to the unknown
	situated in the unknown State of Nevada.
Mining District, Fireka County,	orate of Weigner.
NE/4 of Sec.	
Said claim is located in the SE/4 of Sec.	Typ. 23/2/CCTV, Rge. 50 ENST
NW/4 of Sec.	<u> </u>
SW/4 of Sec.	6
To the this state to the Bublic Survey, b	egin at the southeast corner of Section
1 . Township 23 North . Range 49 5	, Mount Diablo Meridian, thence
ENST 2100' HERE LEGIN 7500	
to Corner No. 1, the northeast corner of this o	laim.
We (or I) claim 1500 linear feet ledge, lode or vein, extending /480	fact from the location monument in a
northerly direction and 20	feet in a southerly
direction, together with 300 feet on	each side of the center of the ledge for
the entire length of the claim.	
houndaries of this claim are	clearly marked by substantial 4"x5" PVC pipe
Ab ab A ### ### #######################	who ilimin sor in the drawin mentily attached
designation. The description of such claim is	r Beginning at Corner No.1, the Northeast
a-warma Abanca	\ \
South 750' to the east side center,	a 4"x5" in length PVC pipe ; thence,
	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence,
West , 600° to the southwest corner, North 750° to the west side center,	- APOST in langen PVC Dide
North 7501 to the northwest corner.	a 4*x5' in length PVC pipe; thence,
East 600° to the northeast corner,	a 4"x5' in length PVC pipe ; the point
and place of beginning.	
The monumentation and marking of the corn	ers was completed by theday of
June 1985.	
	and the second and the Name Care Ohio. The
The location work consisted of making a c	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
copies of this claim map have been filed with the lode claim filing fee has been paid to the	
the tode claim inting lee mas been para so and	, odana, motorous
	- 0
	LA Chiences
	an Maryn
LOCATORS	α
FOCKTORS	None Gund
Dated less 25 , 1985	wave and
- ACACHDER AT CEN	ISET OF
RECERDED AT RECE Ed Doveryn	
5001 36 - 764	549
*** ****	, r
•	- •
25 JUN 27 A 9	1: 3 ²
## = = = : · · ·	

800K 1 36 PAGE 5 4 9

•	File No.
	Filed for record at request of
00045	
CERTIFICATE OF LOCATION 99645	at minutes past o'clock
CREITFICKER OF POCKTION	m. and recorded in Book of
	Official Records Page
	County, Nevada.
•	County Recorder
	\ \
<i>,</i>	\ \
THIS IS TO CERTIFY that the ICE .	100 lode mining claim
was located by:	\ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
All. D	
on the 19 day of Juxe , 1985, si	ituated in the unknown
Mining District, <u>Freka</u> County, St	ate of Nevada.
NE/4 of Sec	/
Fild alate to looping to the CF/N of Son	Tun A WESTH Ree. TO COM
- NW/4 of Sec.	6
SW/4 of Sec.	6 Tup 23/2 North Rgc. 50 EAST
To bie this alone to the Bublis Curvey has	gin at the southeast corner of Section
1 Township 21 North Range 49 Ea	. Hount Diablo Heridian, thence
EAST 2100' HEAR WETH 6000	
to Corner No. I, the northeast corner of this cl.	aim,
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
ledge, lode or vein, extending 20 for northerly direction and 1490	feet in a southerly
direction, together with 300 feet on ea	ach side of the center of the ledge for
the entire length of the claim.	
	clearly marked by substantial 4°x5° PVC pipe
or wooden post not less than 4 x4 x42 monument designation. The description of such claim is:	Beginning at Corner No.1, the Northeast
T Abonto	
must gent to the east side center, a	4"x5' in length PVC pipe ; thence, 4"x5' in length PVC pipe ; thence,
- it sent to the coutboast corner. A	4"x5" in length PVC pipe theree.
West , 600° to the southwest corner, a North 750° to the west side center, a	4"x5' in length PVC pipe thence,
North 750' to the west side center, a	4"x5' in length PVC pipe ; thence,
North 750' to the northwest corner, a East 600' to the northeast corner, a	
East 600' to the northeast corner, a and place of beginning.	
and place of beginning.	ers was completed by the and day of
The monumentation and marking of the corne June , 1985.	ers was completed by the tay or
The location work consisted of making a cl	laim map as provided in NRS 517.040. Two
copies of this claim map have been filed with t	the thread County Recorder, and
the lode claim filing fee has been paid to the	County Recorder.
\ \ / /	•
	en 1
	EN WERRYN
	<u> </u>
LOCATORS	\mathcal{L}
1	Wave Trust
Dated /4Ke 25 , 1985	
RECORDED AT REDUES!	T CF
Ed Davenyns	
Edgn 136 Act S	<u>50</u> _
85 JUN 27 A 9:	3.8
85 304 21 43 4	병원

•	
	File No.
	Filed for record at request of
996	AC
CERTIFICATE OF LOCATION	at minutes past o'clock
	m, and recorded in Book of
	Official Records Page
	County, Nevada.
	County Recorder
	\ \
	\ \
THIS IS TO CERTIFY that theI	CE # /// lode mining claim
located by:	\ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
89511	89509
19th Comment	985, situated in the unknown
the 77 day of (use) 1	985, Situated in the unknown inty, State of Nevada.
Ing District, <u>rureka</u> Cou	iing , meace of metang.
NE/4 of	· San
Said alake to located to the SE/8 of	Sec, Twp. 23/21/00TH, Rge. 50 CHST
10 P/W.	See
	Sec. 7
To tie this claim to the Public Surv	ey, begin at the southeast corner of Section
I , Township 23 North , Range	49 East , Hount Diable Meridian, thence
5V 1500' there NOOTH 7500'	
orner No. 1, the northeast corner of t	bhie elaim
orner No. 1, the northeast corner of t	inis claim.
No (on I) plate 1600 linear	feet along the course of the mineral-bearing
lee lode on value extending	feet from the location monument in a
ge, lode of fein, extending	feet in a southerly
tention together with 200 for	et on each side of the center of the ledge for
entire length of the claim.	to the section of the center of the reason of
- / /	
The exterior boundaries of this claim	m are clearly marked by substantial 4"x5" PVC pip
dom nort not less than 4"x4"x45" m	conuments tirmly set in the ground bearing applica
ignation. The description of such cla	im is: Beginning at Corner No.1, the Northeast
mer, thence.	1 1
south 750° to the east side cen	iter, a 4"x5" in length PVC pipe thence
South 750' to the southeast cor	mer, a 4"x5" in length PVC pipe; thence
West , 600' to the southwest cor	mer_ a 4"x5' in length PVC pipe; thence
North 750' to the west side cen	nter, a 4"x5' in length PVC pipe ; thence
North 750' to the northwest cor	mer, a 4"x5' in length PVC pipe thence
East 600' to the northeast cor	
aless of beginning	
place of beginning.	onthe
The monumentation and marking of the	e corners was completed by the Bolday of
June , 1985.	
The location work consisted of making	ng a claim map as provided in NRS 517.040. Two
pies of this claim map have been filed	with theEureka County Recorder, and
e lode claim filing fee has been paid	to the County Recorder-
	Ed Devening
	Ed Severys
LOCATORS	$\mathcal{M} = \mathcal{M} + \mathcal{M}$
0	Name Yours
sted June 25 , 1985	wint on
, , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
•	
	Propert AE
RECORDED AT R	
RECORDED AT R Ed Daven 500-136	
	1975 - 551

•	
•	N
	File No.
	Filed for record at request of
00044	
99647	at minutes past o'clock
CERTIFICATE OF LOCATION	m. and recorded in Book of
•	Official Records Page , County, Revada.
•	County Recorder
	County Recorder
	\ \
	\ \
THIS IS TO CERTIFY that the ICE #	lode mining claim
s located by:	\ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
the 19 day of flace, 1985,	situated in the unknown
ining District, Fireka County, S	SPECE OF MEASON.
NE/4 of Sec.	
Said claim is located in the SE/4 of Sec.	Twp. 23 REKSH, Rge. 50 2457
. MU/H = F C= A	/ 6 /
SW/4 of Sec.	6 Tap 23/2 NORTH, Rige. 50 EAST
To the this plain to the Bublin Convey b	egin at the southeast corner of Section
1 Township 23 North Range 49 F	East, Mount Diablo Heridian, thence
AST 1500' HOUSE METH 6000'	
Corner No. 1, the northeast corner of this c	laim.
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
edge, lode or vein, extending on ortherly direction and 1480	feet in a southerly
firection, together with 300 feet on	each side of the center of the ledge for
the entire length of the claim.	
	clearly marked by substantial 4"x5" PVC pipe
or wooden post not less than 4 14 14 1 monday. Designation. The description of such claim is	: Beginning at Corner No.1, the Northeast
tament thance.	1 1
South 750 to the east side center,	
South 750' to the southeast corner, West , 600' to the southwest corner,	a A"x5, in length bac bide
TEAL to the coef Cide Center.	a 4 X3 In lender FVC Pro
warth 750' to the northwest corner,	a 4"x5' in length PVC pipe ; thence,
East 600' to the northeast corner,	a 4"x5' in length PVC pipe , the poi
/	
nd place of beginning. The monumentation and marking of the corr June , 1985.	ners was completed by the Otto
June 1985.	
	claim map_as provided in NRS 517.040. Two
copies of this claim map have been filed with	the Eureka County Recorder, and
the lode claim filing fee has been paid to the	e County Recorder
V V V V V V V V -	•
\ \ \	/
	Ed Suenini
	Ed Swenips
LOCATORS	
	Dave Inst
Dated have to 1985	
	<u> </u>
	-
RECORDED AT REDUES	T GF
RECORDED AT REDUES	T GF
	T GF
	1 GF 32
	32

	File No
	Filed for record at request of
CERTIFICATE OF LOCATION 99648	at minutes past o'clock of
	Official Records Page
	County, Nevada.
	County Recorder
·	\ \
	\ \
THIS IS TO CERTIFY that the ICE # /	1/3 lode mining claim
located by:	\ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
the 19 day of June , 1985, st	ituated in the unknown
ng District, Freka County, St	tate of Nevada.
Moth _P c	
NE/4 of Sec. Said claim is located in the SE/4 of Sec.	Tun. 23/2 NOOH Ree. 50 EAST
. NW/4 of Sec.	
SW/4 of Sec.	
•	
To tie this claim to the Public Survey, be	gin at the southeast corner of Section
Township 23 North Range 49 Ea	
5 400 thence worth 4500'	
orner No. 1, the northeast corner of this cl	laim.
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
ge, lode or vein, extending 1480 f	eet from the location monument in a
northerly direction and	feet in a southerly
ection, together with rees on e	ach side of the center of the ledge for
entire length of the claim.	Sell Sing of pur double, of the reads in
entire length of the claim.	clearly marked by substantial 4*x5° PVC pip
entire length of the claim. The exterior boundaries of this claim are and the control of the claim are and the control of the claim are and the control of	clearly marked by substantial 4*x5° PVC pip
entire length of the claim. The exterior boundaries of this claim are a cooden post not less than 4"x4"x44 monument ignation. The description of such claim is:	clearly marked by substantial 4*x5° PVC pip
entire length of the claim. The exterior boundaries of this claim are a cooden post not less than 4"x4"x44' monumentignation. The description of such claim is:	clearly marked by substantial 4°x5° PVC pip ts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast
entire length of the claim. The exterior boundaries of this claim are cooden post not less than 4"x4"x4" monument ignation. The description of such claim is: aer; thence, South 750° to the east side center, a	clearly marked by substantial 4*x5' PVC pip ts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4*x5' in length PVC pipe ; thence
entire length of the claim. The exterior boundaries of this claim are cooden post not less than 4"x4"x4\footnote{\text{monument}} ignation. The description of such claim is: ter; thence, South 750' to the east side center, a South 750' to the southeast corner, a	clearly marked by substantial 4"x5" PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe ; thence 4"x5" in length PVC pipe ; thence
The exterior boundaries of this claim are cooden post not less than 4"x4"x4's monument ignation. The description of such claim is: South 750' to the east side center, a west, 600' to the southwest corner, a west, 200' to the southwest corner, a content of the southwest corner, a content of the seath side center.	clearly marked by substantial 4*x5' PVC pipts firmly set in the ground bearing applicate Beginning at Corner No.1, the Northeast 4*x5' in length PVC pipe
entire length of the claim. The exterior boundaries of this claim are gooden post not less than 4"x4"x44' monument ignation. The description of such claim is: are; thence, South 750' to the east side center, a West, 600' to the southwast corner, a North 750' to the west side center, a	clearly marked by substantial 4*x5' PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4*x5' in length PVC pipe ; thence 4*x5' in length PVC pipe ; thence 4*x5' in length PVC pipe ; thence ; thenc
entire length of the claim. The exterior boundaries of this claim are a gooden post not less than 4"x4"x4's monument ignation. The description of such claim is: thence, South 750' to the east side center, a gooth 750' to the southeast corner, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a	clearly marked by substantial 4*x5' PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4*x5' in length PVC pipe ; thence
entire length of the claim. The exterior boundaries of this claim are a gooden post not less than 4"x4"x4's monument ignation. The description of such claim is: thence, South 750' to the east side center, a gooth 750' to the southeast corner, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a	clearly marked by substantial 4*x5' PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4*x5' in length PVC pipe ; thence
entire length of the claim. The exterior boundaries of this claim are cooden post not less than 4"x4"x4's monument gnation. The description of such claim is: ter; thence, South 750' to the east side center, a South 750' to the southeast corner, a West, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a	clearly marked by substantial 4*x5' PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4*x5' in length PVC pipe ; thence
entire length of the claim. The exterior boundaries of this claim are cooden post not less than 4"x4"x4's monument ignation. The description of such claim is: her; thence, South 750' to the east side center, a South 750' to the southeast corner, a West, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a	clearly marked by substantial 4*x5' PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4*x5' in length PVC pipe ; thence
entire length of the claim. The exterior boundaries of this claim are a gooden post not less than 4"x4"x4\footnote monument ignation. The description of such claim is: ner; thence, South 750\footnote to the east side center, a south 750\footnote to the southwast corner, a west, 600\footnote to the west side center, a North 750\footnote to the northwest corner, a east 600\footnote to the northwast corner, a place of beginning. The monumentation and marking of the corner June 1985.	clearly marked by substantial 4"x5" PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe ; thence
entire length of the claim. The exterior boundaries of this claim are a gooden post not less than 4"x4"x44' monument ignation. The description of such claim is: thence, South 750' to the east side center, a west, 600' to the southwast corner, a west, 600' to the southwast corner, a North 750' to the west side center, a North 750' to the northwest corner, a least 600' to the northwest corner, a place of beginning. The monumentation and marking of the corner June 1985. The location work consisted of making a claim of the corner content of the corner content of the corner content corner content corner	clearly marked by substantial 4"x5" PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe
entire length of the claim. The exterior boundaries of this claim are a gooden post not less than 4"x4"x4's monument in the claim is: thence, South 750' to the east side center, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the west side center, a less 600' to the northwest corner, a place of beginning. The monumentation and marking of the corner of the location work consisted of making a claim map have been filed with the content of the country of the corner of the	clearly marked by substantial 4*x5' PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4*x5' in length PVC pipe ; thence 4*x5' in length PVC pipe ; the pose 5 was completed by the Aday of the Sureka County Recorder, and
entire length of the claim. The exterior boundaries of this claim are gooden post not less than 4"x4"x4's monument ignation. The description of such claim is: thence, South 750' to the east side center, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the west side center, a least 600' to the northwest corner, a place of beginning. The monumentation and marking of the corner of the location work consisted of making a claim of this claim map have been filed with the content of the country of this claim map have been filed with the content of the country of this claim map have been filed with the content of the country of this claim map have been filed with the content of the country of this claim map have been filed with the content of the country of this claim map have been filed with the content of the country of the	clearly marked by substantial 4*x5' PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4*x5' in length PVC pipe ; thence 4*x5' in length PVC pipe ; the pose 5 was completed by the Aday of the Sureka County Recorder, and
entire length of the claim. The exterior boundaries of this claim are cooden post not less than 4"x4"x44 monumentiquation. The description of such claim is: thence, South 750° to the east side center, a west, 600° to the southwast corner, a North 750° to the west side center, a North 750° to the morthwest corner, a north 750° to the northwest corner, a content of the monumentation and marking of the corner of the monumentation and marking of the corner of th	clearly marked by substantial 4"x5" PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe
entire length of the claim. The exterior boundaries of this claim are cooden post not less than 4"x4"x44 monumentiquation. The description of such claim is: thence, South 750° to the east side center, a west, 600° to the southwast corner, a North 750° to the west side center, a North 750° to the morthwest corner, a north 750° to the northwest corner, a content of the monumentation and marking of the corner of the monumentation and marking of the corner of th	clearly marked by substantial 4"x5" PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe
entire length of the claim. The exterior boundaries of this claim are a gooden post not less than 4"x4"x44 monumenting intion. The description of such claim is: ner; thence, South 750 to the east side center, a west, 600 to the southwast corner, a North 750 to the west side center, a North 750 to the morthwest corner, a north 750 to the northwest corner, a place of beginning. The monumentation and marking of the corner June 1985. The location work consisted of making a claim of this claim map have been filed with the close of this claim map have been paid to the	clearly marked by substantial 4"x5" PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe
entire length of the claim. The exterior boundaries of this claim are cooden post not less than 4"x4"x44 monumentiquation. The description of such claim is: thence, South 750° to the east side center, a west, 600° to the southwast corner, a North 750° to the west side center, a North 750° to the morthwest corner, a north 750° to the northwest corner, a content of the monumentation and marking of the corner of the monumentation and marking of the corner of th	clearly marked by substantial 4"x5" PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe
entire length of the claim. The exterior boundaries of this claim are a gooden post not less than 4"x4"x44 monument ignation. The description of such claim is: ner; thence, South 750 to the east side center, a west, 600 to the southwast corner, a North 750 to the west side center, a North 750 to the morthwest corner, a horth 750 to the northwest corner, a place of beginning. The monumentation and marking of the corner June 1985. The location work consisted of making a claim of this claim map have been filed with the close of this claim map have been paid to the	clearly marked by substantial 4"x5" PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe
entire length of the claim. The exterior boundaries of this claim are cooden post not less than 4"x4"x4\footnote{\text{thence}}, south 750\footnote{\text{to the east side center, a}} North 750\footnote{\text{to the southeast corner, a}} North 750\footnote{\text{to the southeast corner, a}} North 750\footnote{\text{to the morthwest corner, a}} North 750\footnote{\text{to the northwest corner, a}} North 750\footnote{\text{to the northwest corner, a}} Place of beginning. The monumentation and marking of the corner June , 1985. The location work consisted of making a claim of this claim map have been filed with the clode claim filing fee has been paid to the	clearly marked by substantial 4*x5' PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4*x5' in length PVC pipe ; thence 4*x5' in length PVC pipe ; the pose 5 was completed by the Aday of the Sureka County Recorder, and
entire length of the claim. The exterior boundaries of this claim are accorden post not less than 4"x4"x4\footnote{\text{thence}}, south 750\footnote{\text{to the east side center, a South 750\footnote{\text{to the southeast corner, a West, 600\footnote{\text{to the west side center, a North 750\footnote{\text{to the morthwest corner, a North 750\footnote{\text{to the northwest corner, a East 600\footnote{\text{to the northwest corner, a place of beginning.}} The monumentation and marking of the corner function of this claim map have been filed with the close of this claim map have been paid to the location filing fee has been paid to the location.	clearly marked by substantial 4"x5" PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe
entire length of the claim. The exterior boundaries of this claim are exceeden post not less than 4"x4"x41 monumentiquation. The description of such claim is: ner; thence, South 750 to the east side center, a South 750 to the southwast corner, a West, 600 to the southwast corner, a North 750 to the west side center, a North 750 to the northwest corner, a Last 600 to the northwast corner, a place of beginning. The monumentation and marking of the corner June 1985. The location work consisted of making a close of this claim map have been filed with the location filing fee has been paid to the	clearly marked by substantial 4"x5" PVC pipts firmly set in the ground bearing applica Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe
the exterior boundaries of this claim are wooden post not less than 4"x4"x44' monumentingnation. The description of such claim is: mer; thence, South 750' to the east side center, a west, 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a tast 600' to the northwest corner, a large of beginning. The monumentation and marking of the corner june 1985. The location work consisted of making a claim so of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS LOCATORS	clearly marked by substantial 4"x5" PVC pipts firmly set in the ground bearing applicated Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe
entire length of the claim. The exterior boundaries of this claim are exceeden post not less than 4"x4"x41 monument ignation. The description of such claim is: ner; thence, South 750 to the east side center, a south 750 to the southwest corner, a west, 600 to the southwest corner, a North 750 to the west side center, a south 750 to the northwest corner, a large of beginning. The monumentation and marking of the corner of this claim map have been filed with the lode claim filing fee has been paid to the	clearly marked by substantial 4"x5" PVC pipts firmly set in the ground bearing applicated Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe
entire length of the claim. The exterior boundaries of this claim are a recorden post not less than 4"x4"x4's monument in injunction. The description of such claim is: thence, South 750' to the east side center, a west, 600' to the southwast corner, a North 750' to the west side center, a North 750' to the northwest corner, a large of beginning. The monumentation and marking of the corner june 1985. The location work consisted of making a close of this claim map have been filed with the lode claim filing fee has been paid to the LOCATORS LOCATORS	clearly marked by substantial 4"x5" PVC pipts firmly set in the ground bearing applicated Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe
entire length of the claim. The exterior boundaries of this claim are a gooden post not less than 4"x4"x44 monument ignation. The description of such claim is: thence, South 750 to the east side center, a west, 600 to the southwast corner, a west, 600 to the southwast corner, a North 750 to the northwest corner, a least 600 to the northwest corner, a place of beginning. The monumentation and marking of the corner june 1985. The location work consisted of making a claim of this claim map have been filed with the location filing fee has been paid to the LOCATORS LOCATORS	clearly marked by substantial 4"x5" PVC pipts firmly set in the ground bearing applicated Beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe
entire length of the claim. The exterior boundaries of this claim are a gooden post not less than 4"x4"x44 monument ignation. The description of such claim is: thence, South 750 to the east side center, a west, 600 to the southwast corner, a west, 600 to the southwast corner, a North 750 to the northwest corner, a least 600 to the northwest corner, a place of beginning. The monumentation and marking of the corner june 1985. The location work consisted of making a claim of this claim map have been filed with the location filing fee has been paid to the LOCATORS LOCATORS	clearly marked by substantial 4"x5" PVC pipts firmly set in the ground bearing applicated beginning at Corner No.1, the Northeast 4"x5" in length PVC pipe

800K | 36 PAGE 553

	File No.
	Filed for record at request of
CERTIFICATE OF LOCATION	ato'clock m. and recorded in Book of
	Official Records Page County, Nevada.
	County Recorder
	\\
THIS IS TO CERTIFY that the ICE #	//4_ lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada	Reno, Nevada 89509
	dama, a de abeninebroum
the 197 day of June , 1985, 8	State of Nevada.
ning District, <u>Fiffeka</u> County, S	Vente of heradu.
NE/4 of Sec.	- Perhow Enter
Said claim is located in the SE/4 of Sec.	, Tup. AS ACCOUNT, Ree. Court
- NW/4 of Sec. SW/4 of Sec.	6 Tup 231/2 Llein, Rge. 50 EAST
To the this claim to the Public Survey, be	egin at the southeast corner of Section
1 Township 23 North , Mange 49 E	, Mount Diable Meridian, thence
Corner No. 1, the northeast corner of this c	laim
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
northerly direction and /490	feet from the location monument in a
northerly direction and /// irection, together with 300 feet on	each side of the center of the ledge for
he entire length of the claim.	cach dide of the control of the saids and
	-1
	clearly marked by substantial 4"x5" PVC pipe hts firmly set in the ground bearing applicable
signation. The description of such claim is:	: Beginning at Corner No.1, the Northeast
	1 1
court 7500 to the east side center.	
South 750' to the southeast corner, West, 600' to the southwest corner,	Anuel in length PVC Dide ; thence,
washe ded to the west fine center,	a 4"xS' in length PVC pipe ; thence,
walk find to the northwest corner.	A 4 X3 III Dendell A C Pare
East 600 to the northeast corner,	a 4"xS' in length PVC pipe ; the poin
nd place of beginning. The monumentation and marking of the corn June , 1985.	ners was completed by the accompleted by the
The location work consisted of making a c	claim map as provided in NRS 517.040. Two
opies of this claim map have been filed with.	the Eureka County Recorder, and
he lode claim filing fee has been paid to the	County Recorder-
	Let Jeneral
	ea puringer
LOCATORS	
)	Ward Truck
Dated May 1985	
	÷
	· ····································
RECORDED AT REGU	R51 UF
FA DEVENYO	<u>ॅ</u> <u>ऽऽ</u> ¥
۵۰ ۸ د <u>ست کا که اس ۱</u> (ایر پ	
85 JUN 27 A 9	1: 32
85 JUN 27 A S	j. UL

	File No
.	Filed for record at request of
· •	
CERTIFICATE OF LOCATION 99650	at minutes past o'clock of
	Official Records Page , County, Nevada.
•	
	County Recorder
•	\ \
THIS IS TO CERTIFY that the	//5 lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254 Reno, Nevada 89509
Reno, Nevada 89511	
	situated in the unknown State of Nevada.
NE/4 of Sec. Said claim is located in the SE/4 of Sec.	1 Tup. 23/21/21 Rge. 49 ERST
- NW/4 of Sec-	U Tap 83/2 lberr, Age: 50 EAST
To tie this claim to the Public Survey, be Township 23 North Range 49 E	egin at the southeast corner of Section
5 300 HEIRE LOW + 1000	
orner No. 1, the northeast corner of this c	
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
northerly direction and 20	ieet in a second
ection, together with loct on	each side of the center of the ledge for
entire length of the claim.	A A A A A A A A A A A A A A A A A A A
The exterior boundaries of this claim are	clearly marked by substantial 4"x5" PVC pipe nts firmly set in the ground bearing applicable a Reginning at Corner No.1, the Northeast
moden post not less than 4-x4-x4- monumer ignation. The description of such claim is	Beginning at Corner No.1, the Northeast
er; thence, South 750° to the east side center,	a sever in length PVC pipe thence,
a TEAL to the southeast corner.	a 4"x5' in length PVC pipe ; thence,
coat as the coutburget corner	a 4-x2. In Tenden tac bibe
West 600' to the southwest corner,	a 4"x5' in length PVC pipe ; thence,
North 750' to the west side center,	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence,
North 750' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northeast corner, place of beginning.	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence,
North 750' to the southwest corner, North 750' to the vest side center, Fast 600' to the northwest corner, place of beginning. The monumentation and marking of the corn	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence,
North 750' to the west side center, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northeast corner, place of beginning. The monumentation and marking of the corn June , 1985.	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the point mers was completed by the day of
North 750° to the west side center, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corner,	a 4"x5' in length PVC pipe; thence, a 4"x5' in length PVC pipe; thence, a 4"x5' in length PVC pipe; thence, a 4"x5' in length PVC pipe; the point mers was completed by the day of claim map as provided in NRS 517.040. Two
Nest, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corner of this claim map have been filed with	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the point mers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
West, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corner of this claim map have been filed with	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the point hers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
Nest, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corner of this claim map have been filed with	a 4"x5' in length PVC pipe; thence, a 4"x5' in length PVC pipe; thence, a 4"x5' in length PVC pipe; thence, a 4"x5' in length PVC pipe; the point mers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and e County Recorder.
West, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corner of this claim map have been filed with	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the point a 4"x5' in length PVC pipe ; the point hers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and e County Recorder.
West, 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, place of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a corner of this claim map have been filed with the claim filling fee has been paid to the	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the point a 4"x5' in length PVC pipe ; the point hers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and e County Recorder.
Nest, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corner of this claim map have been filed with	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the point hers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
Nest, 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, place of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a corner of the corn	a 4"x5' in length PVC pipe; thence, a 4"x5' in length PVC pipe; thence, a 4"x5' in length PVC pipe; thence, a 4"x5' in length PVC pipe; the point mers was completed by the day of claim map as provided in NRS 517.040. Two the Eureka County Recorder, and e County Recorder.
Nest, 600° to the southwest corner, to the vest side center, North 750° to the northwest corner, East 600° to the northwest corner, place of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a corner of the corner	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the point a 4"x5' in length PVC pipe ; the point hers was completed by the
Nest, 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corner of this claim map have been filled with a lode claim filling fee has been paid to the location work consisted of making a corner of this claim map have been filled with a lode claim filling fee has been paid to the location filling fee has been filled with the location filling fee has been paid to the location filling fee has been filling fee has been paid to the location filling fee has been filling fee has been paid to the location fee has been paid to the location	a 4"x5 in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the point ners was completed by the day of claim map as provided in NRS 517.0%0. Two the Eureka County Recorder, and the Eureka County Recorder, and the Authors Authors County Recorder.
Nest, 600° to the southwest corner, to the vest side center, North 750° to the northwest corner, East 600° to the northwest corner, place of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a corner of the corner	a 4"x5 in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the point ners was completed by the day of claim map as provided in NRS 517.0%0. Two the Eureka County Recorder, and the Eureka County Recorder, and the Authors Authors County Recorder.
West, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corner of this claim map have been filed with a lode claim filling fee has been paid to the location work consisted of making a corner of this claim map have been filed with a lode claim filling fee has been paid to the location. LOCATORS LOCATORS RESCRICTOR AT REQUE Fed Dougnance.	a 4"x5 in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the point ners was completed by the day of claim map as provided in NRS 517.0%0. Two the Eureka County Recorder, and e County Recorder.
West, 600° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East 600° to the northwest corner, place of beginning. The monumentation and marking of the corn June 1985. The location work consisted of making a corner of this claim map have been filled with a lode claim filling fee has been paid to the location work consisted of making a corner of this claim map have been filled with a lode claim filling fee has been paid to the location work consisted of making a corner of this claim map have been filled with a lode claim filling fee has been paid to the location filling fee has been filled with the location filling fee has been paid to the location filling fee has been filled with the location filling fee has been f	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the point mers was completed by the
West, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corner of this claim map have been filed with a lode claim filling fee has been paid to the location work consisted of making a corner of this claim map have been filed with a lode claim filling fee has been paid to the location. LOCATORS LOCATORS RESCRICTOR AT REQUE Fed Dougnance.	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the point hers was completed by the
West, 600' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 600' to the northwest corner, place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a cortes of this claim map have been filled with a lode claim filling fee has been paid to the location work consisted of making a cortes of this claim map have been filled with a lode claim filling fee has been paid to the location work consisted of making a corner of the location work consisted of the location work consisted of the location work consisted of the location work co	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the point hers was completed by the

THIS IS TO CERTIFY that the ICE \$ 16 lode mining claim located by: Ed Devenyns 690 E. Patriot \$272 Reno, Nevada 89511 The day of located located in the unknown log District, Enfeka NE/A of Sec. 1 Top 23 Nach, Rgc. 49 EASS
CERTIFICATE OF LOCATION 99651 atminutes pasto'clock
E. and recorded in Book of Official Records Page County, Nevada. County Records Page Page Page Page Page Page Page Page
Ed Devenyns 690 E. Patriot \$272 Reno, Nevada 89511 2 Jacob
County Records ICE # //6 lode mining claim Dave Ernst 1000 Beck #254 Reno, Nevada 89511 Reno, Nevada 89511 And Jane 1985, situated in the unknown County, State of Nevada.
County Records CHIS IS TO CERTIFY that the ICE # //6 lode mining claim ocated by: Ed Devenyns 690 E. Patriot #272 loon Beck #254 Reno, Nevada 89511 Aday of Anal 1985, situated in the unknown County, State of Nevada.
County Records CHIS IS TO CERTIFY that the ICE # //6 lode mining claim ocated by: Ed Devenyns 690 E. Patriot #272 loon Beck #254 Reno, Nevada 89511 Aday of Anal 1985, situated in the unknown County, State of Nevada.
THIS IS TO CERTIFY that the ICE # //6 lode mining claim clai
Ed Devenyns 690 E. Patriot \$272 Reno, Nevada 89511 2
Ed Devenyns 690 E. Patriot \$272 Reno, Nevada 89511 day of
Ed Devenyns 690 E. Patriot \$272 Reno, Nevada 89511 day of Acas
Ed Devenyns 690 E. Patriot \$272 Reno, Nevada 89511 day of
690 E. Patriot \$272 1000 Beck \$254 Reno, Nevada 89511 Aday of Acac 1985, situated in the unknown Bistrict, Enfeka County, State of Nevada.
Reno, Nevada 89511 Reno, Nevada 89509 1976 day of <u>func</u> , 1985, situated in the <u>unknown</u> Bistrict, <u>Eureka</u> County, State of Nevada.
day of <u>lune</u> , 1985, situated in the <u>unknown</u> Bistrict, <u>Enteka</u> County, State of Nevada.
day of hase 1985, situated in the unknown County, State of Nevada.
District, Fufeka County, State of Nevada.
District, Fufeka County, State of Nevada.
we the second se
NE/4 of Sec. / Tap 23 Date, Rgc. 49 EAST Said claim is located in the SE/4 of Sec. / Tup. 23/2/Lara Rgc. 49 EAST
Said claim is located in the SE/A of Sec, Twp Rge. 47 EMS
SW/4 of Sec. 6 Two 23 Novem, Rgc. 50 EAST SW/4 of Sec. 6 Two 23 Novem, Rige. 50 EAST
SHIP OF SEC. 6 TWO 23 HACKETA, KIE. SOEPST
To tie this claim to the Public Survey, begin at the southeast corner of Se
, Township 23 North , Range 49 East , Mount Diablo Meridian, th
7 300' Here North 6000'
mer No. 1, the northeast corner of this claim.
We (or I) claim 1500 linear feet along the course of the mineral-bearing
We (or I) claim 1500 linear feet along the course of the mineral-bearing
northerly direction and 1480 feet from the location monument in a southerly
northerly direction and 1400 leet in a
tion, together with jeet on each side of the center of the reage for
entire length of the claim.
The exterior boundaries of this claim are clearly marked by substantial 4"x5" PVC
oden post not less than 4 14 14. Bolimans Beginning at Corner No.1, the Northea
w- thomas
I ment as the east side center, a 4"x5" in length PVC pipe C.
- i Tros as the coutheast corner a 4"x5" in length PVC pipe
Transport to the continuest corner, a 4"XD" in lunger for pre-
North 750' to the west side center, a 4"x5' in length PVC pipe , th
North 750' to the northwest corner, a 4"x5' in length PVC pipe ; th
East 600' to the northeast corner, a 4"x5' in length PVC pipe ; ti
EASE BOO CO CHE HOLENCOLL COLUMN
race of sognatury
The monumentation and marking of the corners was completed by the
June , 1985.
The location work consisted of making a claim map as provided in NRS 517.040. The location work consisted of making a claim map as provided in NRS 517.040.
es of this claim map have been filed with theEureka County Recorder, an
lode claim filing fee has been paid to the County Recorder-
The Louisins
WAS FRESH WARTED
- to the state of
LOCATORS
LOCATORS LOCATORS
a se Wave unst
LOCATORS Dave Gund
a se Wave unst
d fine 25, 1985 Wave unst
2 25 Wave unst
d fine 25, 1985 Wave unst
d flue 25, 1985 Wave unst
od fline 25, 1985 Wave unst

BOOK 1 3 6 PAGE 5 5 6

THIS IS TO CERTIFY that the	
THIS IS TO CERTIFY that the	
THIS IS TO CERTIFY that the	
CERTIFICATE OF LOCATION 39652 at minutes past a moutes past a many recorded in Soc Official Records Fage County Located by: Ed Devenyns 690 E. Patriot \$272 Deno, Nevada 89519 The Gay of Many County, State of Nevada 89509 The Gay of Many County, State of Nevada 89509 To tie this claim to the Public Survey, begin at the muknown of Sec. SW/A of Sec.	·
THIS IS TO CERTIFI that the	<u></u>
THIS IS TO CERTIFY that the	request of
THIS IS TO CERTIFY that the	n*elock
THIS IS TO CERTIFY that the ICE # // Ioo Beck \$754 Reno, Nevada 89511 The day of Act County, State of Nevada 89509 The day of Act County, State of Nevada 89509 The day of Act County, State of Nevada 89509 To tie this claim to the Public Survey, begin at the southeast 1, Township 23 North Range 49 East Mount Diablo 12 North Range 49 East Mount Diablo 12 North Range 49 East Mount Diablo 14 Northerly direction and Revention together with 100 feet on each side of the center of the entire length of the claim. The exterior boundaries of this claim are clearly marked by substantive wooden post not less than 4 %4 %4 % monuments fixuly set in the ground signation. The description of such claim is: Beginning at Corner No.1, reer; thence, South 750' to the southwast corner, a 4 %5' in length PVC pipe North 750' to the southwast corner, a 4 %5' in length PVC pipe North 750' to the southwast corner, a 4 %5' in length PVC pipe North 750' to the southwast corner, a 4 %5' in length PVC pipe North 750' to the southwast corner, a 4 %5' in length PVC pipe North 750' to the southwast corner, a 4 %5' in length PVC pipe North 750' to the southwast corner, a 4 %5' in length PVC pipe North 750' to the northwast corner, a 4 %5' in length PVC pipe North 750' to the northwast corner, a 4 %5' in length PVC pipe North 750' to the northwast corner, a 4 %5' in length PVC pipe North 750' to the northwast corner, a 4 %5' in length PVC pipe North 750' to the northwast corner, a 4 %5' in length PVC pipe North 750' to the northwast corner, a 4 %5' in length PVC pipe North 750' to the northwast corner, a 4 %5' in length PVC pipe North 750' to the northwast corner, a 4 %5' in length PVC pipe North 750' to the northwast corner, a 4 %5' in length PVC pipe North 750' to the northwast corner, a 4 %5' in length PVC pipe North 750' to the northwast corner, a 4 %5' in length PVC pipe North 750' to the northwast corner, a 4 %5' in length PVC pipe North 750' to the northwast corner, a 4 %5' in length PVC pipe North 750' to the northwast Northwast Nort	k of
THIS IS TO CERTIFY that the ICE \$ //7 look Ed Devenyns	
THIS IS TO CERTIFF that the	, Nevada.
THIS IS TO CERTIFF that the	ounty Recorder
Ed Devenyns 590 E. Patriot \$272 Reno, Nevada 89511 The Jay of Jake County, State of Nevada. NE/A of Sec. Said claim is located in the SE/A of Sec. NW/A of Sec. NW/A of Sec. SW/A of Sec. SW/A of Sec. SW/A of Sec. To tie this claim to the Public Survey, begin at the southeast 1, Township 23 North Range 49 East Hourt Corner No. 1, the northeast corner of this claim. We (or I) claim 1500 linear feet along the course of the minuterity direction and feet in a southe rection, together with 300 feet on each side of the center of signation. The exterior boundaries of this claim are clearly marked by substantive oden post not less than 4"x4"x4", monuments firmly set in the ground signation. The description of such claim is: Beginning at Corner No. 1, each 750' to the southeast corner, a 4"x5' in length PVC pipe South 750' to the southeast corner, a 4"x5' in length PVC pipe Nest 600' to the southeast corner, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe North 750' to the horthwest corner, a 4"x5' in length PVC pipe North 750' to the horthwest corner, a 4"x5' in length PVC pipe North 750' to the horthwest corner, a 4"x5' in length PVC pipe North 750' to the horthwest corner, a 4"x5' in length PVC pipe North 750' to the horthwest corner, a 4"x5' in length PVC pipe North 750' to the horthwest corner, a 4"x5' in length PVC pipe North 750' to the horthwest corner, a 4"x5' in length PVC pipe North 750' to the horthwest corner, a 4"x5' in length PVC pipe North 750' to the horthwest corner, a 4"x5' in length PVC pipe North 750' to the horthwest corner, a 4"x5' in length PVC pipe North 750' to the horthwest corner, a 4"x5' in length PVC pipe North 750' to the horthwest corner, a 4"x5' in length PVC pipe North 750' to the horthwest corner, a 4"x5' in length PVC pipe North 750' to the horthwest corner, a 4"x5' in length PVC pipe North 750' to the horthwest corner, a 4"x5' in length PVC pipe North 750' to the horthwest corner	Mitch Heco. do.
Ed Devenyns 590 E. Patriot \$272 Reno, Nevada 89511 the	\ \
Ed Devenyns 590 E. Patriot \$272 Reno, Nevada 89511 the	\ \
Ed Devenyns 590 E. Patriot \$272 Reno, Nevada 89511 the	mining claim
the Aday of Aure 1972 Reno, Nevada 89511 the Aday of Aure 1985, situated in the unknown ing District, Eucka 1984 County, State of Nevada 198509 NE/A of Sec. 1984 Nevada 198509 NE/A of Sec. 1985 Said claim is located in the SE/A of Sec. 1987 of Sec.	\ \
Reno, Nevada 89501 the day of lowe	\ \
the Aday of June 1985, situated in the unknown ing District,	_
NE/A of Sec. Said claim is located in the SE/A of Sec. NW/A of Sec. NW/A of Sec. NW/A of Sec. NW/A of Sec. SW/A of Sec. To tile this claim to the Public Survey, begin at the southeast 1. Township 23 North Range 49 East The contract Corner of this claim. We (or I) claim 1500 Ilinear feet along the course of the min feet in a southerly direction and feet in a southerly direction and feet in a southerly direction and feet in a souther entire length of the claim. The exterior boundaries of this claim are clearly marked by substantification. The description of such claim is: Beginning at Corner No. 1. The exterior boundaries of this claim is: Beginning at Corner No. 1. South 750' to the east side center, a 4"x5' in length PVC pipe South 750' to the southeast corner, a 4"x5' in length PVC pipe North 750' to the southeast corner, a 4"x5' in length PVC pipe North 750' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length	7
NE/A of Sec. Said claim is located in the SE/A of Sec. NN/A of Sec. NN/A of Sec. SW/A of Sec. To tie this claim to the Public Survey, begin at the southeast 1 , Township 23 North , Range 49 East , Hount Diablo OCST FOO HILL LETH 7500 Corner No. 1, the northeast corner of this claim. We (or I) claim 1500 linear feet along the course of the min figs. lode or vein, extending feet from the location monum northerly direction and feet in a souther entire length of the claim. The exterior boundaries of this claim are clearly marked by substants wooden post not less than 4"x4"x4" monuments firmly set in the ground signation. The description of such claim is: Beginning at Corner No. 1. South 750' to the east side center, a 4"x5' in length PVC pipe South 750' to the southeast corner, a 4"x5' in length PVC pipe North 750' to the southeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' i	
NE/N of Sec	
Said claim is located in the SE/4 of Sec. NW/N of Sec. SW/N of Sec. SW/N of Sec. To tie this claim to the Public Survey, begin at the southeast 1, Township 23 North	
To tie this claim to the Public Survey, begin at the southeast 1, Township 23 North , Range 49 East , Hount Diablo Corner No. 1, the northeast corner of this claim. We (or I) claim 1500 linear feet along the course of the minding, lode or vein, extending feet from the location monum northerly direction and Corner no. 1 feet in a souther rection, together with 300 feet on each side of the center of the entire length of the claim. The exterior boundaries of this claim are clearly marked by substantifundation. The description of such claim is: Beginning at Corner No. 1 feet from the ground signation. The description of such claim is: Beginning at Corner No. 1 from the claim. South 750' to the east side center, a 4"x5' in length PVC pipe North 750' to the southwest corner, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe North 750' to the northwest corner, a 4"x5' in length PVC pipe North 750' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northwest corner, a 4"x5' in length PVC pipe di place of beginning. The conumentation and marking of the corners was completed by the June , 1985. The location work consisted of making a claim map as provided in NRS opies of this claim map have been filed with the Eureka County the lode claim filling fee has been paid to the County Recorder.	19 500
To tie this claim to the Public Survey, begin at the southeast 1, Township 23 North , Range 49 East , Hount Diablo Corner No. 1, the northeast corner of this claim. We (or I) claim 1500 linear feet along the course of the minding, lode or vein, extending feet from the location monum northerly direction and Corner no. 1 feet in a souther rection, together with 300 feet on each side of the center of the entire length of the claim. The exterior boundaries of this claim are clearly marked by substantifundation. The description of such claim is: Beginning at Corner No. 1 feet from the ground signation. The description of such claim is: Beginning at Corner No. 1 from the claim. South 750' to the east side center, a 4"x5' in length PVC pipe North 750' to the southwest corner, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe North 750' to the northwest corner, a 4"x5' in length PVC pipe North 750' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northwest corner, a 4"x5' in length PVC pipe di place of beginning. The conumentation and marking of the corners was completed by the June , 1985. The location work consisted of making a claim map as provided in NRS opies of this claim map have been filed with the Eureka County the lode claim filling fee has been paid to the County Recorder.	ge. 77 C//J
To tie this claim to the Public Survey, begin at the southeast 1. Township 23 North Range 49 East Rount Diablo We (or I) claim 1500 Rectangly Re	
Corner No. 1, the northeast corner of this claim. We (or I) claim 1500 linear feet along the course of the minimum northerly direction and feet in a souther northerly direction and feet on each side of the center of the entire length of the claim. The exterior boundaries of this claim are clearly marked by substant; wooden post not less than 4"x4"x4", monuments firmly set in the ground signation. The description of such claim is: Beginning at Corner No.1, mer; thence, South 750' to the east side center, a 4"x5' in length PVC pipe South 750' to the southwest corner, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe North 750' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northwest corner, a 4"x5' in length PVC pipe Both 750' to the northwest corner, a 4"x5' in length PVC pipe North 750' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to th	
Corner No. 1, the northeast corner of this claim. We (or I) claim 1500 linear feet along the course of the minimum northerly direction and feet in a souther northerly direction and feet on each side of the center of the entire length of the claim. The exterior boundaries of this claim are clearly marked by substant; wooden post not less than 4"x4"x4", monuments firmly set in the ground signation. The description of such claim is: Beginning at Corner No.1, mer; thence, South 750' to the east side center, a 4"x5' in length PVC pipe South 750' to the southwest corner, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe North 750' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northwest corner, a 4"x5' in length PVC pipe Both 750' to the northwest corner, a 4"x5' in length PVC pipe North 750' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe East 600' to th	corner of Section
Corner No. 1, the northeast corner of this claim. We (or I) claim 1500 linear feet along the course of the mindee, lode or vein, extending 1450 feet from the location monument of feet in a souther rection, together with 300 feet on each side of the center of sentire length of the claim. The exterior boundaries of this claim are clearly marked by substantifus wooden post not less than 4"x4"x4"; monuments firmly set in the ground signation. The description of such claim is: Beginning at Corner No.1, armer; thence, South 750' to the east side center, a 4"x5' in length PVC pipe west, 600' to the southwest corner, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe Morth 750' to the most side center, a 4"x5' in length PVC pipe East 600' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northwest corner, a 4"x5' in length PVC pipe and place of beginning. The conumentation and marking of the corners was completed by the June 1985. The location work consisted of making a claim map as provided in NRS opies of this claim map have been filed with the Eureka County the lode claim filling fee has been paid to the County Recorder.	Meridian, thence
We (or I) claim 1500 linear feet along the course of the mindegs, lode or vein, extending feet from the location monum northerly direction and feet in a souther rection, together with 300 feet on each side of the center of a entire length of the claim. The exterior boundaries of this claim are clearly marked by substantive wooden post not less than 4"x4"x4"; monuments firmly set in the ground signation. The description of such claim is: Beginning at Corner No.1, thence, South 750' to the east side center, a 4"x5' in length PVC pipe west, 600' to the southeast corner, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe west, 600' to the northwest corner, a 4"x5' in length PVC pipe North 750' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northwest corner, a 4"x5' in length PVC pipe and place of beginning. The conumentation and marking of the corners was completed by the June 1985. The location work consisted of making a claim map as provided in NRS pipes of this claim map have been filed with the Eureka County the location filling fee has been paid to the County Recorder.	
northerly direction and 20 feet from the location monument of the direction and 100 feet in a souther tection, together with 300 feet on each side of the center of the entire length of the claim. The exterior boundaries of this claim are clearly marked by substantifus wooden post not less than 4"x4"x4" monuments firmly set in the ground signation. The description of such claim is: Beginning at Corner No.1, res; thence, South 750° to the east side center, a 4"x5° in length PVC pipe North 750° to the southwest corner, a 4"x5° in length PVC pipe North 750° to the west side center, a 4"x5° in length PVC pipe North 750° to the northwest corner, a 4"x5° in length PVC pipe East 600° to the northwest corner, a 4"x5° in length PVC pipe and place of beginning. The conumentation and marking of the corners was completed by the 2 June 1985. The location work consisted of making a claim map as provided in NRS opies of this claim map have been filed with the Eureka County the lode claim filling fee has been paid to the County Recorder.	
northerly direction and 20 feet from the location monument of the direction and 20 feet in a south rection, together with 300 feet on each side of the center of the entire length of the claim. The exterior boundaries of this claim are clearly marked by substantifus wooden post not less than 4"x4"x4" monuments firmly set in the ground signation. The description of such claim is: Beginning at Corner No.1, where there, South 750' to the east side center, a 4"x5' in length PVC pipe North 750' to the southwest corner, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe North 750' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northwest corner, a 4"x5' in length PVC pipe and place of beginning. The conumentation and marking of the corners was completed by the 2 June 1985. The location work consisted of making a claim map as provided in NRS opies of this claim map have been filed with the Eureka County the lode claim filing fee has been paid to the County Recorder.	eral-bearing
rection, together with 300 feet on each side of the center of the entire length of the claim. The exterior boundaries of this claim are clearly marked by substantic wooden post not less than 4"x4"x4" monuments firmly set in the ground signation. The description of such claim is: Beginning at Corner No.1, prince; thence, South 750° to the east side center, a 4"x5° in length PVC pipe west, 600° to the southwest corner, a 4"x5° in length PVC pipe North 750° to the west side center, a 4"x5° in length PVC pipe Horth 750° to the northwest corner, a 4"x5° in length PVC pipe East 600° to the northwest corner, a 4"x5° in length PVC pipe and place of beginning. The conumentation and marking of the corners was completed by the June 1985. The location work consisted of making a claim map as provided in NRS copies of this claim map have been filed with the Eureka County the lode claim filling fee has been paid to the County Recorder.	ment in a
The exterior boundaries of this claim are clearly marked by substantic wooden post not less than 4"x4"x4h' monuments firmly set in the ground signation. The description of such claim is: Beginning at Corner No. 1, brief; thence, South 750' to the east side center, a 4"x5' in length PVC pipe South 750' to the southeast corner, a 4"x5' in length PVC pipe West, 600' to the southwest corner, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe North 750' to the northwest corner, a 4"x5' in length PVC pipe Bast 600' to the northwest corner, a 4"x5' in length PVC pipe and place of beginning. The conumentation and marking of the corners was completed by the June 1985. The location work consisted of making a claim map as provided in NRS opples of this claim map have been filed with the Eureka County the lode claim filling fee has been paid to the County Recorder.	arly
The exterior boundaries of this claim are clearly marked by substants wooden post not less than 4"x4"x4" monuments firmly set in the ground signation. The description of such claim is: Beginning at Corner No.1, street; thence, South 750" to the east side center, a 4"x5" in length PVC pipe South 750" to the southwast corner, a 4"x5" in length PVC pipe West, 600" to the southwast corner, a 4"x5" in length PVC pipe North 750" to the west side center, a 4"x5" in length PVC pipe North 750" to the northwast corner, a 4"x5" in length PVC pipe East 600" to the northwast corner, a 4"x5" in length PVC pipe and place of beginning. The conumentation and marking of the corners was completed by the corners of this claim map have been filed with the Eureka County the lode claim filling fee has been paid to the County Recorder.	the ledge for
resignation. The description of such claim is: Beginning at Corner No.1, orner; thence, South 750° to the east side center, a 4"x5° in length PVC pipe South 750° to the southwest corner, a 4"x5° in length PVC pipe West , 600° to the southwest corner, a 4"x5° in length PVC pipe North 750° to the west side center, a 4"x5° in length PVC pipe North 750° to the northwest corner, a 4"x5° in length PVC pipe East 600° to the northwest corner, a 4"x5° in length PVC pipe East 600° to the northwest corner, a 4"x5° in length PVC pipe and place of beginning. The conumentation and marking of the corners was completed by the 2 June , 1985. The location work consisted of making a claim map as provided in NRS copies of this claim map have been filed with the Eureka County the lode claim filling fee has been paid to the County Recorder.	
resignation. The description of such claim is: Beginning at Corner No.1, orner; thence, South 750° to the east side center, a 4"x5° in length PVC pipe South 750° to the southwest corner, a 4"x5° in length PVC pipe West , 600° to the southwest corner, a 4"x5° in length PVC pipe North 750° to the west side center, a 4"x5° in length PVC pipe North 750° to the northwest corner, a 4"x5° in length PVC pipe East 600° to the northwest corner, a 4"x5° in length PVC pipe East 600° to the northwest corner, a 4"x5° in length PVC pipe and place of beginning. The conumentation and marking of the corners was completed by the 2 June , 1985. The location work consisted of making a claim map as provided in NRS copies of this claim map have been filed with the Eureka County the lode claim filling fee has been paid to the County Recorder.	Al 4-X5, eve pipe
South 750' to the east side center, a 4"x5' in length PVC pipe South 750' to the southeast corner, a 4"x5' in length PVC pipe West, 600' to the southwest corner, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe North 750' to the northwest corner, a 4"x5' in length PVC pipe Bast 600' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northeast corner, a 4"x5' in length PVC pipe and place of beginning. The conumentation and marking of the corners was completed by the	the Northeast
South 750° to the east side center, a 4"x5° in length PVC pipe South 750° to the southeast corner, a 4"x5° in length PVC pipe West, 600° to the southwest corner, a 4"x5° in length PVC pipe North 750° to the west side center, a 4"x5° in length PVC pipe North 750° to the northwest corner, a 4"x5° in length PVC pipe East 600° to the northwest corner, a 4"x5° in length PVC pipe East 600° to the northeast corner, a 4"x5° in length PVC pipe and place of beginning. The conumentation and marking of the corners was completed by the 2 June , 1985. The location work consisted of making a claim map as provided in NRS copies of this claim map have been filed with the Eureka County the lode claim filling fee has been paid to the County Recorder.	
South 750' to the southeast corner, a 4"x5' in length PVC pipe West, 600' to the southwest corner, a 4"x5' in length PVC pipe North 750' to the west side center, a 4"x5' in length PVC pipe North 750' to the northwest corner, a 4"x5' in length PVC pipe East 600' to the northwest corner, a 4"x5' in length PVC pipe and place of beginning. The conumentation and marking of the corners was completed by the 2 June , 1985. The location work consisted of making a claim map as provided in NRS opies of this claim map have been filed with the Eureka County the lode claim filling fee has been paid to the County Recorder.	; thence,
North 750° to the west side center, a 4°x5° in length PVC pipe North 750° to the northwest corner, a 4°x5° in length PVC pipe East 600° to the northeast corner, a 4°x5° in length PVC pipe and place of beginning. The conumentation and marking of the corners was completed by the	; thence,
North 750° to the northwest corner, a 4"x5° in length PVC pipe East 600° to the northeast corner, a 4"x5° in length PVC pipe and place of beginning. The consumentation and marking of the corners was completed by the _c June, 1985. The location work consisted of making a claim map as provided in NRS opies of this claim map have been filed with the	; thence,
East 600' to the northeast corner, a 4"x5' in length PVC pipe of place of beginning. The conumentation and marking of the corners was completed by the _c	; thence,
The conumentation and marking of the corners was completed by the June , 1985. The location work consisted of making a claim map as provided in NRS opies of this claim map have been filed with the Eureka County me lode claim filing fee has been paid to the County Recorder. LOCATORS LOCATORS LOCATORS	; the poin
The conumentation and marking of the corners was completed by the	
The location work consisted of making a claim map as provided in NRS opies of this claim map have been filed with the Eureka County he lode claim filing fee has been paid to the County Recorder. LOCATORS LOCATORS LOCATORS Agency 25 , 1985	day or
The location work consisted of making a claim map as provided in NRS opies of this claim map have been filed with the Eureka County he lode claim filing fee has been paid to the County Recorder. LOCATORS LOCATORS LOCATORS And June 25, 1985	
LOCATORS Locators Locators Locators Locators Locators Locators Locators	
LOCATORS Lated June 25, 1985	Penorder and
LOCATORS LOCATORS Dave Gust 1985	MeCorder & and
ated June 25, 1985 Dave guist	•
pated June 25, 1985 Dave gust	
pated June 25, 1985 Dave gust	
ated June 25, 1985 Dave Gurd	
ated June 25, 1985 Dave Gurd	
	
RECORDED AT REQUEST OF	
Ed Donners	
600H 136 7 557	
f	
Of the on the on	
85 JUN 27 A 9: 33	
CFF LIMIT 35 TO TO	
OFFI IV observe	

		File No.
	-	Filed for record at request of
nonwentales on 1661770M	99653	at minutes pasto'clock
CERTIFICATE OF LOCATION		m. and recorded in Book of
		Official Records Page
		County, Nevada
		County Recorder
		\\
	ann A	118 lode mining claim
THIS IS TO CERTIFY that thewas located by:	ICE	770 1000 mining craim
•		Dave Ernst
Ed Devenyns 690 £. Patriot ¶272		1000 Beck #254
Reno, Nevada 89511	•	Reno, Nevada 89509
89511		
	, 1985, s	situated in the unknown
Mining District, Freeka	County, S	State of Nevada.
•	NE/4 of Sec.	1 Tup 23 News, Age. 49 EAST 1. Tup. 23/210274, Age. 49 EAST
Said claim is located in the	SE/4 of Sec.	1. Tup. 23/220cm, Age. 49 ENST
• .	NW/4 of Sec.	
•	SW/4 of Sec.	
To the this sinim to the Publ	to Survey, by	egin at the southeast corner of Section
1 , Township 23 North	, Range 49 E	East , Hount Diablo Meridian, thence
WEST 300' HEAVE NORTH O	6000'	
to Corner No. 1, the northeast corn	ner of this c	claim.
He (on I) alsom 1500	linear feet	along the course of the mineral-bearing
ledge, lode or vein, extending	20	along the course of the mineral-bearing feet from the location monument in a
morehorly direction and	1440	feet in a southers
direction, together with 300	feet on	each side of the center of the ledge for
the entire length of the claim.		and the state of t
The exterior boundaries of th	is claim are	clearly marked by substantial 4"x5" PVC pipe
		nts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast
n		1 1
cough 7501 to the east 5	ide center,	a 4"x5' in length PVC pipe ; thence,
neuth 7501 to the couth	east corner.	a 4"x5" in length PVC pipe
West 600' to the south	est corner,	a 4"x5' in length PVC pipe thence,
North 750' to the west:	est corner.	a 4"x5" in length PVC pipe ; thence,
East 600' to the north	east corner,	a 4"x5' in length PVC pipe the point
-14 -14-n of beginning-		
The monumentation and markin	g of the corr	ners was completed by the 20th day of
, 1985.	•	
The location work consisted	of making a c	claim map as provided in NRS 517.040. Two
copies of this claim map have been	n filed with	the Eureka County Recorder, and
the lode claim filing fee has bee	n paid to the	e County Recorder.
		• •
		A. 1
		Ed Swenips
LOCATORS		Do a Gamel
Dated (25 , 19)B5	white our
,		•
	PECCROTO AT RE	TRIEST OF
	Ed Daveny	<u>'ns</u>
	6004_136fA	
	-	
	25 1111 27 -	n• 33
	35 JUN 27 A	12. 49
	g over each	51 (3 ₀₀) = meet 5 (
	ELRE CA LEUNTY ION, RESALEATA	SOUR 136 MSE 55
	3	9653

		File No.	
•		Filed for record at request of)Î
		-4	lock
CERTIFICATE OF LOCATION	99654	m. and recorded in Book	ot
		Official Records Page, County, Nevada	
•		County Rec	order
		\	\
THIS IS TO CERTIFY that the	ICE #	119 lode mining cl	aim
was located by:	•	Paris Franch	\ \
Ed Devenyns 690 E. Patriot #272		Dave Ernst 1000 Beck #254	\ \
Reno, Nevada 89511	•	Reno, Nevada 89509	7 /
od 1	10	the state of the surbantum	
on the day of Mining District,		ituated in the <u>unknown</u> tate of Mevada.	_ /
Said claim is located in th	NE/4 of Sec.	/, Tup. 23/2 skark rge. 49 i	51850m
	DB/4 OI Sec.		
	SW/4 of Sec.	 \	
To tie this claim to the P	ublic Survey, be	gin at the southeast corner of	
1 , Township 23 North WEST 900 HICKE LOCATE		Ast Hount Diablo Meridian	, thence
o Corner No. 1, the northeast of		laim.	
•		along the course of the mineral-bear	rine
We (or I) claim 1500 ledge, lode or vein, extending	1480	eet from the location monument in a	B
northerly direction a	nd <i>20</i>	feet in a southerly	
the entire length of the claim.		ach side of the center of the ledge	101-
The exterior boundaries of	this claim are	clearly marked by substantial 4"x5"	PVC pipe
	"v4"v4" monumen	ts firmly set in the ground bearing	abbittcanre
Corners thence		Beginning at Corner No.1, the Nort	
south 750° to the east	t side center, a		thence,
South 750° to the sou	theast corner, a		thence,
North 750 to the Wes	t side center, a	4"x5" in length PVC pipe	thence,
North 750° to the nor	thwest corner, a		thence, the point
East 600' to the nor and place of beginning.	theast corner, c		
The monumentation and mark	ing of the corne	ers was completed by the 20th d	ay of
, 1985.			
The location work consists	ed of making a c	laim map as provided in NRS 517.040.	Two
copies of this claim map have the lode claim filing fee has t	been filed with	the Eureka County Recorder,	and
the lode claim tiling lee has t	seen paid to the	County Recorder.	٠.
	/ /	4	
		Ed Gevenins	
	/	De servins	
LOCATO	rs .	Dane Greek	
Dated June 25.	1985 ~	nac mi	
7		•	
	FA COMMENTAGE	JEST CF	
	Ed Dovenyns	<u> 559</u>	
		€ -	
	85 JUH 27 A 9	• 43	
	aaav⊪ ∠ (#3	(4 JU	

	File No.
	Filed for record at request of
CERTIFICATE OF LOCATION 99655	atminutes pasto'clockof Description ofof Official Records Page
	County Recorder
THIS IS TO CERTIFY that the ICE # /	120 lode mining claim
was located by:	~ \ \
Ed Devenyns 690 E. Patriot 1272 Reno, Nevada 89511	Dave Ernst 1000 Beck \$254 Reno, Nevada 89509
	ituated in the unknown tate of Nevada.
NE/4 of Sec. Said claim is located in the SE/4 of SecNW/4 of Sec. SW/4 of Sec.	
To tie this claim to the Public Survey, be 1 , Township 23 North , Range 49 Ea WEST 900' House Water 2000'	gin at the southeast corner of Section ast hount Diablo Meridian, thence
o Corner No. 1, the northeast corner of this cl	aim.
northerly direction and direction, together with 300 feet on e the entire length of the claim.	eet from the location monument in a feet in a southerly ach side of the center of the ledge for clearly marked by substantial 4"x5" pvC pipe
The exterior boundaries of this claim are corrected by wooden post not less than 4"x4"x45' monument designation. The description of such claim is: Corner; thence, South 750' to the east side center, a South 750' to the southwest corner, a West , 600' to the southwest corner, a North 750' to the west side center, a North 750' to the northwest corner, a East 600' to the northwest corner, a	ts firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast 4"x5' in length PVC pipe , thence,
and place of beginning. The monumentation and marking of the corner June 1985.	
The location work consisted of making a clacopies of this claim map have been filed with the lode claim filing fee has been paid to the	he Eureka County Recorder, and
LOCATORS	Ed fiverips
Dated	www.ungs
Peogreso at rec Ed. Devenya Boda <u>lak</u> ia	
85 JBN 27 - A 9	3: 33

tion
tion
tion
tion
nce.
nce
•
pipe
pipe icable t
t
nce,
point
_
r
•
٠.

	File No.
	filed for record at request of
CERTIFICATE OF LOCATION	at
	Official Records Page . County, Nevada.
	County Recorder
·.	\ \
THIS IS TO CERTIFY that the ICE **	122 lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254 Reno, Nevada 89509
Reno, Nevada 89511	89509
on the 19th day of 1884 , 1985, 2	situated in the unknown
Mining District. Pureka County.	State of Nevada.
	TWO 23 NORTH RIC 49 EAST
NE/4 of Sec.	1 Tup 23 DETH RGC 49 EAST
. NW/4 of Sec.	<u></u>
SW/4 of Sec.	
To tie this claim to the Public Survey, be	egin at the southeast corner of Section
1 . Township 23 North . Range 49 E	East _ Mount Diablo Heridian, thence
WEST 1500 THERE WELL 6000	
to Corner No. 1, the northeast corner of this c	
We (or I) claim 1500 linear feet ledge, lods or vein, extending	along the course of the mineral-bearing feet from the location monument in a
portherly direction and 1480	feet in a southerry
direction, together with 300 feet on	each side of the center of the ledge for
the entire length of the claim.	
The exterior boundaries of this claim are	clearly marked by substantial 4°x5° PVC pipe
	ute titulia ses in fire diomin hearing abbitoner
designation. The description of such claim is	: Beginning at Corner no.1, the motions
Corner; thence, South 750' to the east side center,	a 4"x5' in length PVC pipe ; thence,
couth 750 to the southeast corner.	a 4"x5' in length PVC pipe; thence,
West 600 to the southwest corner.	a 4"x5' in length PVC pipe/ thence,
North 750° to the west side center.	a 4"x5' in length PVC bipe thence,
North 750' to the northwest corner, East 600' to the northeast corner,	
and place of beginning.	
and place of beginning. The monumentation and marking of the corn June, 1985.	ners was completed by theday of
June , 1985.	
copies of this claim map have been filed with	claim map as provided in NRS 517.040. Two the Eureka County Recorder, and
the lode claim filing fee has been paid to the	
	• •
	El Duenni
	De Chi
LOCATORS	
Dated Rue 25 , 1985	Wave guel
Dated 1985	•
T	WEST OF
RECORDED AT REC Ed. Deutsbyr	.9651 UE 5<
8004 <u>136</u> 75	. 562
, , , , , , , , , , , , , , , , , , ,	·
	22
35 JUN 27 A	9: 33

	•	•
	File i	
	Filed for	record at request of
9:	358	- Inlank
CERTIFICATE OF LOCATION	at mand recor	es past o'clock ded in Book of
	Official Record	s Page
		County, Nevada.
•		County Recorder
	- -	Councy Recorder
		\ \
	100	
THIS IS TO CERTIFY that the	CE 1/25	lode mining claim
located by:		\ \
Ed Devenyns	Dave Ernst 1000 Beck #254	
690 E. Patriot #272	Reno, Nevada 89	Eng
Reno, Nevada 89511	. 69	309
he 10 day of June	985, situated in the un	known
ng District, Fureka C	enty, State of Nevada.	
ME / N	Sec	
NE/4 Said claim is located in the SE/4	Sec. 7. Two. 23%	ELLENN, Rge. 49 EAST
P\WK.	Sec	7 /
	Sec. Z	\ \
m as able aluke to the Butter Co	row hagin at the South	east corner of Section
To tie this claim to the Public St., Township 23 North, Bar	49 East Mou	nt Diablo Meridian, thence
55 2100' FRENCE LOWSH 7	00	/ /
orner No. 1, the northeast corner o		
		at he simple hearing
We (or I) claim 1500 line ge, lode or wein, extending //8	reet along the course	tion monument in a
northerly direction and	feet in a	southerly
ection, together with 300	et on each side of the c	enter of the ledge for
entire length of the claim.		
	m are clearly marked by	substantial 4"x5' PVC pipe
wooden post not less than 4 x4 x4 in ingration. The description of such of	tim is: Deginning at Co.	rner No.1, the Northeast
thance	\ \	
South 750° to the east side of South 750° to the southeast of	iter, a 4"x5" in length	PVC pipe ; thence,
West, 600 to the southwest	rner, a 4"x5' in length	PVC pipe ; thence,
Walth Jene to the west side (nter, a 4"x5' in length	PVC_PIPE
warm 250! to the porthwest	rner a 4"x5' in length	PVC pipe, chance,
East 600' to the northeast	rner, a 4"x5" in length	rvc pipe ; the point
place of beginning.		soll.
The monumentation and marking of	e corners was completed	by the day or
June , 1985.		
The location work consisted of ma	ng a claim map as provid	ded in NRS 517.040. Two
ples of this claim map have been fil	with the Eureka	County Recorder, and
e lode claim filing fee has been pai	to the County Recorder.	
		· .
	ean Ame.	-1
	To sweny	
	Tag pelleng	
LOCATORS	1)6	1-
ted Pure 25, 1985	wine ins	<u></u>
ted <u>fune 25</u> , 1983		
•		
and the second s	DED AT REQUEST OF	
	Dougnyns 136 101 563	
2.59		
	-	
2 5 -		
(Pall a)	127 A9: 33	

	•
	File No.
•	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock
9965	- W. KID FECULTED IN DOOK OF
	Official Records Fage County, Nevada
	County Recorder
•	\ \
•	\ \
THIS IS TO CERTIFY that the	10de mining claim
located by:	_ \ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck \$254
Reno, Nevada 89511	Reno, Nevada 89509
no 10ther of Our 100	35, situated in the unknown
the /Saday of /www., 198	y, State of Nevada.
NE/A OF S	ec
Said claim is located in the SE/4 of S	ec
2 10 ₽\NM. * 2 10 ₽\W2	ec Tup 23 LEWA Kgc, 49 EAST
To tie this claim to the Public Survey	, begin at the southeast corner of Section
1 Township 23 North Range	49 East , Mount Diablo Heridian, thence
EST 2100' theme NOWN 6000'	
Corner No. 1, the northeast corner of thi	is claim.
We (or I) claim 1500 linear f	feet along the course of the mineral-bearing
ige. lode or vein, extending 20	feet from the location monument in a
northerly direction and	feet in asoutherly
rection, together with 300 feet	on each side of the center of the ledge for
se entire length of the claim.	
The exterior boundaries of this claim .	are clearly marked by substantial 4"x5° PVC pipe
	uments firmly set in the ground bearing applicable
signation. The description of such claim	is: Beginning at Corner No.1, the Northeast
rner; thence, South 750' to the east side cente	thence,
South 750' to the southeast corne	r, a 4"x5' in length PVC pipe , thence,
West 600' to the southwest corne	er, a 4"x5' in length PVC pipe : thence,
y 7501 to the west side cente	er. a 4"x5" in length PVC pipe renence,
North 750' to the northwest corne	er. a 4"x5" in length PVC pipe : thence,
	r, a 4"x5' in length PVC pipe ; the poi
d place of beginning.	and the second
The monumentation and marking of the	corners was completed by the 20th day of
<u>June</u> , 1985.	
The location work consisted of making	a claim map as provided in NRS 517.040. Two
pies of this claim map have been filed wi	ith the Eureka County Recorder, and
me lode claim filing fee has been paid to	the County Recorder.
	•
	1. 1
	Est Westmens
LOCATORS	
0 0	Dave most
ated /1162 75 , 1985	
	D AT REQUEST OF
	Dolery 02 136 1256+
\$00:1	136_7/1564
00 100	27 A9: 33
95 J 18	71 ㅋㅋ : 보호

	File No.
	Filed for record at request of
1	
CERTIFICATE OF LOCATION - 99660	at minutes past o'clock m. and recorded in Book of
·	Official Records Page,
	County, Nevada.
	County Recorder
·	\ \
	126
THIS IS TO CERTIFY that the ICE * was located by:	lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
on the 18th day of June, 1985 s	ituated in the unknown
Mining District, Eureka County, S	tate of Nevada.
NE/4 of Sec.	/ / / / / / / /
Said claim is located in the SE/4 of Sec.	. IND. 25/2002TH, Rge. 47 EMS.
· .NW/4 of Sec. SW/4 of Sec.	/
	<u> </u>
To tie this claim to the Public Survey, be 1 . Township 23 North . Range 49 Ea	gin at the southeast corner of Section
WEST 2700' HEIKE LOETH 7500'	
to Corner No. 1, the northeast corner of this cl	
We (or I) claim 1500 linear feet ledge, lode or vein, extending f	along the course of the mineral-bearing
northerly direction and RO	eet from the location monument in a feet in a southerly
direction, together with 300 feet on e	ach side of the center of the ledge for
the entire length of the claim.	A SAN
den noct not less than 4"x4"x45' monument	clearly marked by substantial 4 x5 PVC pipe ts firmly set in the ground bearing applicable
designation. The description of such claim is:	Beginning at Corner No.1, the Northeast
Corner; thence, South 750' to the east side center, a	4"x5' in length PVC pipe thence,
south 750° to the southeast corner, a	4"x5' in length PVC pipe; thence,
West , 600' to the southwest corner, a North 750' to the west side center, a	4"x5' in length PVC pipe ; thence, 4"x5' in length PVC pipe ; thence,
North 750' to the northwest corner, a	4"x5' in length PVC pipe ; thence,
East 600' to the northeast corner, a	4"x5' in length PVC pipe ; the point
and place of beginning. The monumentation and marking of the corne	ers was completed by the 20th day of
June 1985.	and was completed by the any or
The location work consisted of making a cl	aim man as provided in NRS 517.040. Two
copies of this claim map have been filed with t	he Eureka County Recorder, and
the lode claim filing fee has been paid to the	County Recorder.
	Get downers
	A garage
LOCATORS	De a Grade
Dated 16 25 , 1985	sive into
7	
RECORDED AT RE	GUEST OF
Fd Dayon	yns
800a <u>/36</u> ,	
0° 00	0.99
85 JUN 27 A	8: 44

300K | 36 PAGE 565

	File No.
	Filed for record at request of
CERTIFICATE OF LOCATION 99661	at
	County Recorder
THIS IS TO CERTIFY that the ICE &	126 lode mining claim
•	~ \ \
Ed Devenyns 690 E. Patriot #272	Dave Ernst 1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
	situated in the unknown
Hining District, Fureka County, S	
NE/4 of Sec.	- 72,1 10
Said claim is located in the SE/4 of Sec. NW/4 of Sec.	, Twp. 23 Man, Rge. 49EAST
SW/4 of Sec.	I Tup 23/2 NERSH Rgc. 49 EAST
To bie this slaim to the Dublic Possess to	
1 Township 23 North , Range 49 E	ast . Mount Diablo Meridian, thence
WEST 2700' HICKE LOWH 6000'	The state of the s
to Corner No. 1, the northeast corner of this c	laim.
We (or I) claim 1500 linear feet	along the course of the mineral-hearing
ledge, lode or vein, extending	feet from the location monument in a
northerly direction and 7480	feet in a southerly
direction, together with 300 feet on a	each side of the center of the ledge for
The exterior boundaries of this claim are or wooden post not less than 4"x4"x44' monumen designation. The description of such claim is: Corner: thence,	clearly marked by substantial 4"x5' PVC pipe its firmly set in the ground bearing applicable Beginning at Corner No.1, the Northeast
South 750° to the east side center, a	4"x5' in length PVC pipe thence,
South 750' to the southeast corner, a	4"x5' in length PVC pipe; thence,
West , 600' to the southwest corner, a North 750' to the west side center, a	4 "x5' in length PVC pipe ; thence, 4 4"x5' in length PVC pipe ; thence,
North 750' to the west side center, a	4 *x5' in length PVC pipe ; thence,
East 600' to the northeast corner, a	
and place of beginning.	المد
The monumentation and marking of the corn June , 1985.	ers was completed by the 200 day of
, 1903.	
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the	the Eureka County Recorder, and
	• .
	Ed Answers
	ex averge
LOCATORS	
26	Dave unst
Dated	
-	TOURING OF
SECOLUED AT M _EdDeven	
	1 <u>516.</u>
85 381 27 - 4	Ag: 33
GO CALLET .	- -

ELSE CLUST - 143A HN RED LL 99661

BOOK 1 36 PAGE 5 6 6

		File No.
		Filed for record at request of
-		at minutes past o'clock
CERTIFICATE OF LOCATION	99662	and recorded in Book Of
		Official Records Page County, Revada.
		County, Revada.
		County Recorder
<i>,</i>		\ \
THIS IS TO CERTIFY that the	· TCE #	127 lode mining claim
located by:	·	<u> </u>
Ed Devenyns		Dave Ernst
690 E. Patriot #272		1000 Beck #254
Reno, Nevada 89511		Reno, Nevada 89509
-1/1	j	
the 18 day of June	, 19 BS,	situated in the unknown State of Nevada.
ing District, <u>euréka</u>		
	NE/4 of Sec.	, Tup. 23/21/001, Rgc. 49 EAST
Said claim is located in t	he SE/4 of Sec.	Tup. ELS/LADICH, Rge. 47 ZNS
	· NW/4 of Sec.	/ /
	SW/4 of Sec.	((
To tie this claim to the P	ublic Survey, b	egin at the southeast corner of Section
l . Township 23 North	Range 49	East , Mount Diablo Meridian, thence
<u> </u>	TA 7500'	
corner No. 1, the northeast (corner of this	claim.
Va (on T) alaim 1500	linear feet	along the course of the mineral-bearing
tee. lode or vein, extending	1480	talong the course of the mineral-bearing feet from the location monument in a feet in a southerly each side of the center of the ledge for
northerly direction a	nd <i>20</i>	feet in asoutherly
		each side of the center of the ledge for
e entire length of the claim.		
The exterior boundaries of	this claim are	clearly marked by substantial 4"x5" PVC pipe
signation. The description of	of such claim is	: Beginning at Corner No.1, the Northeast
rner; thence,	t -ido conter.	a 4*x5' in length PVC pipe ; thence,
walls TERT to the not	Chwest comer.	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; the poin
I de of beginning		
d place of beginning.	bina of the con	ners was completed by the 20th day of
The monumentation and mar June , 1985.	KINE OF THE COL	ners was combined at one Total and or
	^	
The location work consist	ed of making a	claim map as provided in NRS 517.040. Two
nies of this claim map have	been filed with	the Eureka County Recorder, and
e lode claim filing fee has	been paid to th	e County Recorder.
\ \	/ /	
	/ /	God & present
		all revenien
100100	150	Si C'
LOCATO	/443	Nacre Great
ated June 25	1985	WWW DAY
	- -	
•	RECOFÇED AT RE	DHEET OF
	Ed Dovenya	
	âûû, 136 -	567
		<i>'</i>
		66
	85 JUH 27 A	9:33

EL 1 99662 5.75

300K | 36 PASE 567

•		File No.
· ·	*	Filed for record at request of
CERTIFICATE OF LOCATION		at minutes past o'clock
CERTIFICATE OF LOCATION	99663	m. and recorded in Book of
•		Official Records Page,
·		County, Nevada.
		Causey Rosporder
		County Recorder
•		\ \
		\ \
THIS IS TO CERTIFY that the	e tos #	/28 lode mining claim
located by:	·	_ \ \
•		Same Manne
Ed Devenyns		Dave Ernst 1000 Beck #254
690 E. Patriot #272		Reno, Nevada 89509
Reno, Nevada 89511		Reno, Revous 89509
he 18 day or June		
he 10 day of yuke	, 19 85, 8	State of Navada
ng District, Fufeka	County, S	State of Nevada.
	week of Co	
	NE/W of Sec.	
Said claim is located in t	ne alia el acc.	
	. NW/4 of Sec.	1 - 2024.1 - 0 10
	SW/4 of Sec.	I Tup 23/216erm, Rgc. 49 EAST
To bin this alois to the D	hihlin Simuau he	egin at the southeast corner of Section
Township 22 Years	Rance 49 E	ast , Mount Diablo Heridian, thence
EST 3300' Hence Not	ord Loon	, today bracks the restriction
orner No. 1, the northeast		
We (or I) claim 1500 ge, lode or vein, extending	linear feet	along the course of the mineral-bearing feet from the location monument in a feet in a southerly each side of the center of the ledge for
northerly direction a	and /480	feet in a southerry
ection, together with 30	o feet on	each side of the center of the ledge for
entire length of the claim.	•	
/ /	tabi- alaim are	clearly marked by substantial 4"x5" PVC pipe
	マンイサーイト! かつりいからて	"te titule set in the diamid beating abbitcan
gooden post not less than t Senation, who description o	of such claim is:	Beginning at Corner No.1, the Northeast
		1 1
south 750° to the eas	st side center, a	a 4"x5' in length PVC pipe ; thence, a 4"x5' in length PVC pipe ; thence,
south 750' to the sou	theast corner.	a 4"x5' in length PVC pipe thence,
The state of the sou	ithwest corner. 2	a 4 x3 In lender Fre bib tribitely
North 750' to the wes	st side center, a	a 4"x5' in length PVC pipe ; thence,
Ma⇒th 750° to the no:	ctnwest corner.	a 4 kg III Jengen 10 Pipo
East 600' to the no	theast corner,	a 4"x5' in length PVC pipe ; the poi
alace of beginning.		
The monumentation and wan	king of the corn	ers was completed by the 20 th day of
June , 1985.	usid or end eath	
, ,,,,,,		
The location work consist	ed of making a c	laim map as provided in NRS 517.040. Two
pies of this claim map have	been filed with	the Eureka County Recorder, and
lode claim filing fee has	been paid to the	County Recorder.
	/ /	•
	/ /	_
\ \	/	LA American
		COX DEVENUITY
	/	7 0
LOCATO	RS	R / / /
1 0=		L'and yourst
es luce 25	1985	
	•	
-	#C200000 4# 6***	
	RECORDED AT REQU	PEST OF
	Ed Dovenyns	المو عر نترانا
	adou <u>tak</u> Pádo	ं रुं हर्ष
	Of the extra	. 22
	95 JUN 27 A 9	្រុង

•	and the second s
	File No.
•	filed for record at request of
	664 at minutes pasto'clock
CERTIFICATE OF LOCATION 99	664 at minutes past o'clock of
	Official Records Page
	County, Nevada.
	County Recorder
THIS IS TO CERTIFY that the	Tool Marie
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
0	
on the 8 day of June , 19	BS, situated in the unknown
fining District, Eureka Coun	ty, State of Nevada.
	
NE/4 of	Sec, Twp. 23/21/20/18ge. 49 EAS
Said claim is located in the SE/4 of	Sec. 1wp. 2007-10-10-10-10-10-10-10-10-10-10-10-10-10-
TO PANK.	Sec
SW/4 of	Sec
To tie this claim to the Public Surve	y, begin at the southeast corner of Section
1 . Township 23 North . Range	49 East , Hount Diablo Meridian, thence
WEST 3900 HONCE NORTH 7500	
o Corner No. 1, the northeast corner of the	his claim.
We (or I) claim 1500 linear	feet along the course of the mineral-bearing
ledge, lode or wein, extending ///80	feet from the location monument in a
northerly direction and 2	feet in a southerly
	t on each side of the center of the ledge for
	a are clearly marked by substantial 4"x5' PVC pipe onuments firmly set in the ground bearing applicable im is: Beginning at Corner No.1, the Northeast
Corner; thence, South 750' to the east side cent	ter, a 4"x5' in length PVC pipe ; thence,
good 7500 to the southeast corr	ner_ a 4*x5' in length PVC pipe thence;
West 600 to the southwest corr	ner. a 4"x5" in length PVC pipe theree.
North 750% to the west side cent	er. a 4"x5' in length Fyt bist
worth 750° to the northwest corn	ner, a 4"x5" in length PVC pipe
East 600' to the northeast corn	ner, a 4"x5' in length PVC pipe ; the point
and place of reginning.	nel nel
The monumentation and marking of the June , 1985.	corners was completed by the 2014 day of
The location work consisted of makin copies of this claim map have been filed the lode claim filing fee has been paid t	g a claim map as provided in NRS 517.040. Two with the Eureka County Recorder, and the County Recorder.
\ \ / /	• •
	.010
	SA KERNUN
	The state of the s
LOCATORS	\mathbb{N}
and district the same	Wave mot
Dated Line 1985	•
/	
SECELOED AT B	REQUEST OF
<u>Ed Devel</u> 136 136	ny ns
E361_136_3	- La SEG.
	•
95 JB4 27	A 9: 33

	File No.
	Filed for record at request of
CERTIFICATE OF LOCATION	at minutes past o'clock
99665	m. and recorded in Book of Official Records Page
	County, Nevada.
	County Recorder
·	\ \ \
THIS IS TO CERTIFY that the ICE # /	130 lode mining claim
Ed Devenyns	pave Ernst 1000 Beck #254
690 E. Patriot #272 Reno, Nevada 89511	Reno, Nevada 89509
- W	ituated in the unknown
Mining District, Eufeka County, S	tate of Nevada.
NE/4 of Sec.	, Tup. 23 ALETN , Rge. 49 EAST
Said claim is located in the SE/4 of Sec	
SW/4 of Sec.	1_ Tap 23/2Lban, Rgc. 49 CAS
l . Township 23 North Range 49 E	gin at the southeast corner of Section ast , Hount Diablo Heridian, thence
to Corner No. 1, the northeast corner of this cl	laim.
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
northerly direction and	eet from the location monument in a feet in a southerly
direction, together with 300 feet on e	ach side of the center of the ledge for
	clearly marked by substantial 4"x5" PVC pipe
or wooden post not less than 4"x4"x45' monumen designation. The description of such claim is:	
Corner; thence, South 750' to the east side center, a	4"x5" in length PVC pipe; thence
South 750' to the southeast corner, a	4.x2, fu tenden tac bibe,
West, 600' to the southwest corner, a North 750' to the west side center, a	Alusi in length PVC pice ; thence,
Morth 750' to the northwest corner, a	4"x5" in length PVC pipe
East 600 to the northeast corner, a	4"x5' in length PVC pipe
and place of beginning. The monumentation and marking of the corn- June , 1985.	ers was completed by the 20th day of
The location work consisted of making m c	
copies of this claim map have been filed with the lode claim filing fee has been paid to the	theEureka County Recorder, and
	Est Novemens
	The state of the s
Dated Aure 25 , 1985	Dave Trust
RECERTED AT REDUCTO	CF .
Ed Davenyns	E.
25 biologica - La	•
05 EV 27 A 9: 3	1

900K | 36 PAGE 570

	File No
E	Tiled for record at request of
CERTIFICATE OF LOCATION at	minutes past o'clock
GENTIFICATE OF ECONOTION 99666 M.	and recorded in Book of
Offic	Lal Records Page
	country, deviate.
	County Recorder
•	\ \
121	\\
THIS IS TO CERTIFY that the ICE \$ /3/	lode mining claim
located by:	Proof
Ed Devenyns Dave I	sense Beck #254
PAO E' LECTION ET 12	Nevada 89509
29511	3333
the 18 day of June . 1985, situated	in the unknown
ing District, Fureka County, State of	Nevada.
ME/4 of Sec.	and her
Said claim is located in the SE/4 of Sec,	NO. 23/2/LOW Rge. 49 EAST
. NW/4 of Sec.	" \ \ \
SW/4 of Sec.))
To tie this claim to the Public Survey, begin at the	the southeast corner of Section
1 . 10Umanin 23 North Linding 37 Page	, Mount Diablo Meridian, thence
55 4500' YARICE WATH 1500	
Corner No. 1, the northeast corner of this claim,	` '
	he course of the mineral-bearing
dge, lode or vein, extending 1480 feet fro northerly direction and 20	m the location monument in a feet in a southerly
northerly direction and rection, together with 300 feet on each sid	e of the center of the ledge for
e entire length of the claim.	
	marked by substantial 4"x5' PVC pip
The exterior boundaries of this claim are clearly wooden post not less than 4"x4"x4\" monuments firm	ly set in the ground bearing applica
signation. The description of such claim is: begin	und at Colusi no.t, the notineast
rner; thence,	in length PVC pipe thence
	in length PVC pipe thence
South 750' to the southeast corner, a 4"x5' North 750' to the west side center, a 4"x5' North 750' to the northwest corner, a 4"x5' to the northwest corner, a 4"x5'	in length PVC pipe ; thence in length PVC pipe ; thence
North 750' to the west side center, a 4"x5'	in length PVC pipe thence
North 750° to the northwest corner, a 4°x5° East 600° to the northeast corner, a 4"x5°	in length PVC pipe ; the po
East 600 to the northeast corner, a 4 kg	· D
The monumentation and marking of the corners was	completed by the about day of
June 1985.	
The location work consisted of making a claim ma	n as provided in NRS 517.040. Two
opies of this claim map have been filed with the	Eureka County Recorder, and
he lode claim filing fee has been paid to the County	
/_/	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1.
Ed 1	VII VERILIKI
	(Inverigns
LOCATORS	a land
nated aura 25, 1985	Annor
lated, iyos	
RECOULD AT REDUSST OF	
Ed Devenyns	
EUG. 136 7. 571	·
	

900K | 36 PAGE 57 |

	File No.
	Filed for record at request of
CERTIFICATE OF LOCATION . 99667	at minutes past o'elock of
	Official Records Page County, Nevada.
•	County Recorder
	\ \
THIS IS TO CERTIFY that the	132 lode mining claim
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck \$254 Reno, Nevada 89509
Reno, Nevada 89511	Reno, 1827509
the 16 day of June , 1985, a	ituated in the unknown
ning District, Eureka County, S	tate of Nevada.
NE/4 of Sec.	
Said claim is located in the SE/4 of Sec.	Tup. as Letter , Rge. 47 Errs
· .NW/4 of Sec. SW/4 of Sec.	Trup 23/12 News, Ric 49 EAS
To tie this claim to the Public Survey, be 1 , Township 23 North, Range 49 E	gin at the southeast corner of Section
VEST 4500' HOERE NORTH 6000	
Corner No. 1, the northeast corner of this cl	
We (or I) claim linear feet	along the course of the mineral-bearing
edge, lods or vein, extending 20 inortherly direction and 1460	feet from the location monument in a
irection, together with 300 feet on e	each side of the center of the ledge for
he entire length of the claim.	
me autorior boundaries of this claim are	clearly marked by substantial 4"x5" PVC pipe
esignation. The description of such Claim is:	Hedimind at corner work, and and and
South 750' to the east side center, a	4"x5' in length PVC pipe , thence,
North 750' to the west side center, a North 750' to the northwest corner, a	4"x5' in length PVC sipe thence,
East 600' to the northeast corner, a	a 4"x5' in length PVC pipe , the poi
nd place of beginning.	- L/D
The monumentation and marking of the corn- June , 1985.	ers was completed by theday of
The location work consisted of making a copies of this claim map have been filed with the lode claim filing fee has been paid to the	laim map as provided in NRS 517.040. Two the Eureka County Recorder, and County Recorder
	•
	Ed Sweners
LOCATORS	De Carel
Dated	Dave Guill
RECORDED AT RI Ed. Dokeny Bur. 136 f.	EGUEST OF
2301. <u>136</u> 5,	nuc <u>572</u>

800K | 36 FAGE 572

	File No	
	Filed for record at request	of
CERTIFICATE OF LOCATION 99668	at minutes past o'c B. and recorded in Book Official Records Page County, Nevada	
•	County Rec	order
THIS IS TO CERTIFY that the ICE 5 was located by:	133 lode mining of	lain
Ed Devenyns	Dave Ernst	\ \
690 E. Patriot #272	1000 Beck #254 Reno, Nevada 89509	\ \
Reno, Nevada 89511	RENO, BETTOO 89509	7 (
18th Cure)	ituated in the unknown	
	tate of Nevada.	_ /
Mining District, Fufeka County, S	ones or marane.	/ /
NE/N of Sec. Said claim is located in the SE/4 of Sec NW/N of Sec. SW/A of Sec.	, Tup. <u>225/2/2007</u> , Rge. <u>47</u>	
To tie this claim to the Public Survey, be 1 , Township 23 North , Range 49 E. WEST 5/00 Herre Learn 7500	ast, Rull Diable Riluien	f Section , thence
to Corner No. 1, the northeast corner of this c	laim.	
We (or I) claim 1500 linear feet ledge, lode or vein, extending 1480 in northerly direction and 20	feet in asoutherly	
direction, together with 875 feet on e	ach side of the center of the ledge	for
the entire length of the claim.		
The exterior boundaries of this claim are or wooden post not less than 4"x4"x4b' monumen		
designation. The description of such claim is:	Beginning at Corner Worl, the Mor	********
Corner; thence, South 750' to the east side center, a		thence,
Acat to the coutheast corner. 3	4 "K5 . 10 16 19 th ve Pipe	; thence,
ties (75) to the southwest corner, d	4"X5" In length Fit Pipe	thence,
North 750' to the west side center, a	1 4 X3 111 16119C1 1 10 P1PC	thence,
	4"x5" in length PVC pipe	; the point
East 175 to the northeast corner, a		-
and place of beginning. The monumentation and marking of the corn- June 1985.	ers was completed by the Diff.	lay of
The location work consisted of making a c copies of this claim map have been filed with the lode claim filing fee has been paid to the	laim map as provided in NRS 517.040 theEurekaCounty Recorder	. Iwo , and
	Let Devents	
LOCATORS	Dave wast	
Dated June 00 1985		
FECORDED AT REDUC Ed. Devenyns		
530n_136_14023	<u>573.</u>	
35 JUH 27 A 9:	34	

800K | 36 PAGE 573

		•	
·		File No.	
•		Filed for record at r	equest of
CERTIFICATE OF LOCATION	99669	at minutes past	— o'clock
		m. and recorded in Book	
		Official Records PageCounty,	Nevada.
		Cou	nty Recorder
			\ \
·			\ \
THIS IS TO CERTIFY that th	e TCE	/34lode at	ning claim
located by:	•		\ \
Ed Devenyns		Dave Ernst	\ \
690 E. Patriot #272		1000 Beck #254	_ \ \
Reno, Nevada 89511		Reno, Nevada 89509	7
the 18 day of Wine	<u>ノ</u> , 1985, :	ituated in the unknown	
ning District, <u>Furéka</u>		State of Nevada.	
	NF/h of Soc		
Said alaim to located in t	the SE/4 of Sec.	- Typ. 23 learn, Rg	e. 49 EAS
Daid Claim 13 locates in .	.NW/4 of Sec.		,
	SW/4 of Sec.	, Tup. <u>23 lburn</u> , Rg 	e 49 EAST
To tie this claim to the	Public Survey, b	egin at the southeast cast , Mount Diablo F	orner of Section bridian, thence
1 Township 23 North	Hange 49 1		C. 1418.1, 1
Corner No. 1, the northeast	corner of this c	laim.	
We (or I) claim1500	linear feet	along the course of the mine	ral-bearing
dge, lode or vein, extending	20	feet from the location monume feet in a souther	ent in a 1v
northerly direction	and /480	feet in a souther	n lades for
irection, together with		each side of the center of the	ie reage ton
he entire length of the claim	•		
The exterior boundaries o	f this claim are	clearly marked by substantia	1 4"X5' PVC Pipe
signation. The description	of such claim is	: Beginning at Corner No.1,	CHE HOLANTE
orner; thence,		a 4"x5' in length PVC pipe	j thence,
annels acol to the co	wtheast corner.	a 4. xp. to lender the babe	; thence,
			; thence,
North 750' to the we	st side center,	a 4"x5' in length PVC pipe a 4"x5' in length PVC pipe	thence,
North 750° to the no	rthwest corner,	a 4"x5" in length PVC pipe	the point
East 175 to the no	rtheast corner,	a 4 X3 In rengal 140 Fers	
nd place of beginning.		mers was completed by the	ofthe .
The monumentation and man	king of the cor	ners was completed by the	day of
June , 1985			
The location work consist	ted of making a	claim map as provided in NRS	517.040. Two
opies of this claim map have	been filed with	the Eureka County R	ecorder, and
he lode claim filing fee has	been paid to th	e County Recorder-	-
	/ /		•
	/		
		As therene	
		ey may "	
LOCAT	ors	De Hueryn	•
0		West Yourst	
lated June 25	, 1985	- Vive Vive Vive Vive Vive Vive Vive Vive	
7	,		
•	************		
	RECORDED AT REQU		
	Ed Jouenin	<u></u>	
•			
	35 JUH 27 A 9	: 34	

	File No.
	Filed for record at request of
•	-
CERTIFICATE OF LOCATION . 99670	at minutes past o'clock
	m. and recorded im Book of
	Official Records Pags County, Nevada.
	County Recorder
	Carry 1000.00
	\ \
THIS IS TO CERTIFY that the ICE #	/35 Lode mining claim
was located by:	
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254 Reno, Nevada 89509
Reno, Nevada 89511	
on the 20 day of June . 1985, a	ituated in the unknown
Mining District, Fureka County, S	tate of Nevada.
NE/4 of Sec.	1 may the some
Said claim is located in the SE/4 of Sec.	1 , Dip. 23/2/12/4 Fee. 47 6/55
NW/4 of Sec. SW/4 of Sec.	/ \ \ \ \ .
	 \
To tie this claim to the Public Survey, be	gin at the southeast corner of Section ast . Hount Diablo Peridian, thence
1 Township 23 North , Range 49 E.	
to Corner No. 1, the northeast corner of this cl	laim.
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
ledge, lode or vein, extending 1480 1 Postery direction and 20	eet from the location monument in a
direction, together with 300 feet on e	sach side of the center of the ledge for
the entire length of the claim.	
The exterior boundaries of this claim are	clearly marked by substantial 4"x5' PVC pipe
or wooden post not less than 4"x4"x4" monumen designation. The description of such claim is:	to titude sed in the drawn pearing abbition.
Corners thence.	\ \
South 600' to the South East called, a	4"x5' in length PVC pipe , thence,
West 750 to the Southwest corner, a	A*v51 in length BVC cite ; thence,
week and to the approximate Codiffe. 3	4"x5' in length PVC pipe ; thence,
Firm 2501 to the chart rive (fifter a	4"x5" in length PVC pips f Enemce,
East 450 to the northeast corner, a and place of beginning.	
and place of beginning. The monumentation and marking of the cornel 1985.	ers was completed by the 20th day of
June , 1985.	
The location work consisted of making a c.	lain man as provided in WRS 517.040. Two
copies of this claim map have been filed with	theEureka County Recorder, and
the lode claim filing fee has been paid to the	County Recorder.
	1
	Get Chirenina
_	as weengry
LOCATORS	X 6' 1
Dated	Have linst
RECERDED TA CECURE OF THE CEURE OF THE CECURE OF THE CECUR	UEST OF
Ed Davenyz Boon 136	25
BUJT. 136 . Ž.	= 57 5
85 JUN 27 A 9	: 34
•	

300% | 36 PAGE 575

•		File No
		Filed for record at request of
	99671	
CERTIFICATE OF LOCATION	. > 33071	at minutes past o'clock m. and recorded in Book of
		Official Records Page County, Nevada.
		County Recorder
		County Necorda
		\ \
		136 lode mining claim
. THIS IS TO CERTIFY that the located by:	e <u>ICE #</u>	2000
-		Dave Ernst
Ed Devenyns 690 E. Patriot #272	·	1000 Beck #254
Reno, Nevada 89511		Reno, Nevada 89509
89511		
the 20 day of June	<u>ノ</u> , 1985, :	situated in the unknown
ing District, Eureka	County,	State of Nevada.
	NE/4 of Sec.	1 2
Said claim is located in t		
MATERIAL TO TACRACE THE	- NW/4 of Sec.	
	SW/4 of Sec.	
	n	agin at the southeast games of Section
To tie this claim to the I	rupile Survey, b	egin at the southeast corner of Section
FST 2400 HIEREL NOR	TH 8100	
corner No. 1, the northeast	corner of this	claim.
		along the course of the mineral-bearing
ge, lode or vein, extending Corply direction ection, together with 3 entire length of the claim	and 20 00 feet on	feet in a ESTELLY each side of the center of the ledge for
/ /		clearly marked by substantial 4"x5" PVC pipe
ignation. The description	of such claim is	: Beginning at Corner No.1, the Northeast
ner; thence,		- seuct in length pur nine thence
South GO' to the So	WETH ENDS CORE	a 4"x5' in length PVC pipe ; thence
WEST 750' to the say	uthwest corner,	
North 600' to the us	CAN OST COLUNZ,	a 4"x5' in length PVC pipe ; thence
EAST 750 ' to the NO	CHAIDE CENTER	a 4"x5" in length PVC pipe thence
East 750. to the no	Filleast Corner	
l place of beginning.		ners was completed by the 20 th day of
The monumentation and man	rking of the cor	ners was completed by the 20th day of
	^	
The location work consist	ted of making a	claim map as provided in NRS 517.040. Two
pies of this claim map have	been filed with	the turexa tounty necorder, and
e lode claim filing fee has	been paid to th	e County Recorder.
	/ /	
\ \	/	Cel Summer
		a wellyn
	oge	Ω
FOCYL	UN3	Marso Grand
sted War 25	. 1985	wowe own
- june		• *
	RECORDED AT REOU	FST AF
	Ed Davenyn	576
		1
	8 A 75 MUL 23	1 34

800K | 36 PASE 576

·	File No
	Filed for record at request of
• • • • • • • • • • • • • • • • • • • •	at minutes past o'clock
CERTIFICATE OF LOCATION 39672	at minutes past o'clock m. and recorded in Book of
	Official Records Page
	County, Nevada.
	County Recorder
	oodney Account
	\ \
	194
THIS IS TO CERTIFY that the	137 lode mining claim
s located by:	\ \
Ed Devenyns	Dave Ernst 1000 Beck #254
690 E. Patriot #272 Renc, Nevada 89511	Reno, Nevada 89509
89511	60509
the 20 day of luxe , 1985, s	ituated in the unknown
ning District, Fireka County, S	State of Nevada.
NE/4 of Sec.	
Said claim is located in the SE/4 of Sec NW/4 of Sec.	
SW/4 of Sec.	
To tie this claim to the Public Survey, be	egin at the southeast corner of Section
1 Township 23 North Range 49 E	ast , Mount Diablo Heridian, thence
Corner No. 1, the northeast corner of this c	laim
We (or I) claim 1500 linear feet	along the course of the mineral-bearing
edge, lode or wein, extending 1480	feet from the location monument in a
northerly direction and 20	feet in a southerly
irection, together with 300 feet on the entire length of the claim.	SECU RIGG OF THE COURSE, OF THE YEARS TO:
The exterior boundaries of this claim are	clearly marked by substantial 4"x5" PVC pipe nts firmly set in the ground bearing applicabl
r wooden post not less than 4"X4"X43' monumer esignation. The description of such claim is:	Beginning at Corner No.1, the Northeast
thouse	\ \
each gent to the east side center.	a 4*x5' in length PVC pipe , thence,
south 7501 to the coutheast corner.	a 4"x5" in length PVC pipe
name foot to the couthwest corner.	a 4"X5 in length FVC Pipe
North 750' to the west side center, North 750' to the northwest corner,	a 4"x5" in length PVC pipe , thence,
East 600' to the northeast corner,	a 4"x5' in length PVC pipe the point
nd place of beginning.	- 10
The monumentation and marking of the corn	ners was completed by the day of
June . 1985.	
The location work consisted of making a c	
copies of this claim map have been filed with	the Eureka County Recorder, and
the lode claim filing fee has been paid to the	e County Recorder-
	1
	Ed Marion
	og perenger
LOCATORS	
LUCATURS	Nave Garde
Dated (1112) 25 , 1985	whole our
- Jacob	
DES TA GEORGOEA	L'EST DE
Ed Doubarda	CE21 07
Ed Dovenyn	<u>- 577</u>
 .16.	
·	
0E 100 05 . 5	
S5 JUN 27 A 9	3: 34

	-	
	File No	
	Filed for record at request of	
	11460 101 124014 23 144013 33	
99673		
CERTIFICATE OF LOCATION	at minutes past o'clo	CK.
	Official Records Page	•
	County, Nevada.	<u> </u>
		1
	County Reco	raer
	\	\
	\ .	\
THIS IS TO CERTIFY that the ICE .	38 lode mining cla	100
s located by:		\
Ed Devenyns	Dave Ernst	\ \
690 E. Patriot #272	1000 Beck #254	7 /
Reno, Nevada 89511	Reno, Nevada 89509	
the Hay of June , 1985, st		
the day of fixe, 1985, si	tuated in the unknown	
ining District, syreka County, St	ate of meyada.	
NE/4 of Sec	n-lil la	
Said claim is located in the SE/4 of Sec.	, Tup. 60/2/60%, Rge. 47 6	155
. NW/4 of Sec.		
SW/4 of Sec.		
To tie this claim to the Public Survey, beg	in at the southeast corner of	Section
1 , Township 23 North Range 49 Ea	st . Hount Diablo Meridian.	thence
WEST 4500' FREKE LOCTH 9000'		
Corner No. 1, the northeast corner of this cl		
We (or I) claim 1500 linear feet a	along the course of the mineral-bear;	Lng
northerly direction and	feet in a southerly	
irection, together with 300 feet on ea	ach side of the center of the ledge	for
the entire length of the claim.		
The exterior boundaries of this claim are	learly marked by substantial 4"x5" :	VC pipe
	ce limits and in the drawing and and	
esignation. The description of such claim is:	Beginning at Corner No.1, the North	least
orner; thence, South 750' to the east side center, a	Amust in length PVC pipe :	thence,
		thence,
want foo! to the southwest corner, a	4"x5' in length PVC pipe	thence,
wast side center, a	4"x5' in length PVC pipe	thence,
North 150' to the northwest corner, a	4"x5" in length PVC pipe	thence, the point
East 600' to the northeast corner, a	4"x5' in length FVC pipe	and position
and place of beginning.	on the	
The monumentation and marking of the corne	rs was completed by the	yof
, 1983.		
The location work consisted of making a cl	aim map as provided in NRS 517.040.	Two
copies of this claim map have been filed with t	he Eureka County Recorder,	and
the lode claim filing fee has been paid to the	County Recorder.	
		- •
	Cal Para	
	EN BORRIEN	
	El C. L.	•
LOCATORS	X la a Giral	
Dated /110 25 ; 1985	war my	
Dated (1145) 65 ; 1985 -		
/	₹	
RECORDED AT REQUE	STOF	
Ed Devenyns		
BOCK136_1/60_	¥7 <u>¥</u>	
85 JUN 27 A 9:	94	
COUNTY NO.	¥ 1	
	•	

	File No.
•	Filed for record at request of
3	at minutes past o'clock
CERTIFICATE OF LOCATION 99674	m. and recorded in Book of
	Official Records Page
	Official Records Page County, Nevada.
	Causty Baserder
	County Recorder
	\ \
THIS IS TO CERTIFY that the ICE #	10de mining claim
s located by:	\ \
Ed Devenyns	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Reno, Nevada 89511	Reno, Nevada 89509
and a	the best for the conbination
	situated in the unknown State of Nevada.
ning District, Eweka County, S	state of merada.
NE/4 of Sec.	- mul
Said claim is located in the SE/4 of Sec.	, Twp. 23/21/2014 Rge. of ENT
. NW/4 of Sec.	<u></u>
SW/4 of Sec.	
To tie this claim to the Public Survey. bo	egin at the southeast corner of Section
1 Township 23 North Range 49 F	ase Mount Planto meridian, chance
185-5100 HERE LEATH 9000'	
Corner No. 1, the northeast corner of this c	laim.
	along the course of the mineral-bearing
We (or I) claim 1500 linear feet	fact from the location monument in a
edge, lode or vein, extending 1400 northerly direction and	feet in a southerly
irection, together with 87.5 feet on	each side of the center of the ledge for
he entire length of the claim.	
	Clearly marked by substantiant a war are fee.
r wooden post not less than 4"X4" X4" monumer esignation. The description of such claim is	: Beginning at Corner No.1, the Northeast
r wooden post not less than 4"14" wormand signation. The description of such claim is owner; thence, South 750° to the east side center,	Beginning at Corner No.1, the Northeast a 4*x5' in length PVC pipe , thence,
wooden post not less than 4"x4" x41 monumer esignation. The description of such claim is exper; thence, South 750° to the east side center,	Beginning at Corner No.1, the Northeast a 4"x5" in length PVC pipe , thence, a 4"x5" in length PVC pipe , thence,
r wooden post not less than 4"X4"X4" monutes signation. The description of such claim is orner; thence, South 750° to the east side center, South 750° to the southeast corner,	: Beginning at Corner No.1, the Northeast a 4"x5" in length PVC pipe , thence, a 4"x5" in length PVC pipe , thence, a 4"x5" in length PVC pipe ; thence,
wooden post not less than 4"x4"x4" monumers isignation. The description of such claim is exper; thence, South 750' to the east side center, South 750' to the southeast corner, West . 175' to the southwest corner, North 750' to the west side center,	: Beginning at Corner No.1, the Northeast a 4"x5" in length PVC pipe , thence,
wooden post not less than 4"X4"X4" monumers isignation. The description of such claim is brace; thence, South 750' to the east side center, West . /75' to the southwest corner, North 750' to the west side center, North 750' to the morthwest corner, East /75' to the northwest corner,	: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe , thence, a 4"x5' in length PVC pipe , thence, a 4"x5' in length PVC pipe ; thence, b 4"x5' in length PVC pipe ; thence, b 4"x5' in length PVC pipe ; the point pvC pipe ; the pvC pipe
r wooden post not less than 4"%4"%47" monumers signation. The description of such claim is orner; thence, South 750' to the east side center, West . 175' to the southwest corner, North 750' to the west side center, North 750' to the mest side center, East . 175' to the northwest corner, East . 175' to the northwest corner,	: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe , thence, a 4"x5' in length PVC pipe , thence, a 4"x5' in length PVC pipe ; thence, b 4"x5' in length PVC pipe ; thence, b 4"x5' in length PVC pipe ; the point pvC pipe ; the pvC pipe
r wooden post not less than 4"X4"X41" monumers signation. The description of such claim is corner; thence. South 750' to the east side center. South 750' to the southwest corner. North 750' to the west side center. North 750' to the morthwest corner. East 775' to the northwest corner.	: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe , thence, a 4"x5' in length PVC pipe , thence, a 4"x5' in length PVC pipe ; thence, b 4"x5' in length PVC pipe ; thence, b 4"x5' in length PVC pipe ; the point pvC pipe ; the pvC pipe
r wooden post not less than 4"4" 44" monumers sesignation. The description of such claim is corner; thence. South 750' to the east side center, South 750' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 775' to the northwest corner,	: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe , thence, a 4"x5' in length PVC pipe , thence, a 4"x5' in length PVC pipe ; thence, b 4"x5' in length PVC pipe ; thence, b 4"x5' in length PVC pipe ; the point pvC pipe ; the pvC pipe
r wooden post not less than 4 24 142 monumers resignation. The description of such claim is former; thence, South 750 to the east side center, West . 175 to the southeast corner, North 750 to the west side center, North 750 to the west side center, North 750 to the northwest corner, East 175 to the northeast corner, and place of beginning. The monumentation and marking of the corn June , 1985.	: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe , thence, a 4"x5' in length PVC pipe , thence, a 4"x5' in length PVC pipe ; the pointers was completed by the
r wooden post not less than 4"4" 4"4" monumers esignation. The description of such claim is orner; thence, South 750' to the east side center, West . 175' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 175' to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a	: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
r wooden post not less than 4"4" 4"4" monumers sesignation. The description of such claim is owner; thence, South 750' to the east side center, West . 175' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 175' to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a consist of this claim map have been filed with	: Beginning at Corner No.1, the Northeast a 4"x5" in length PVC pipe , thence, a 4"x5" in length PVC pipe ; thence, a 4"x
r wooden post not less than 4"4" 4"4" monumers sesignation. The description of such claim is owner; thence, South 750' to the east side center, West . 175' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 175' to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a consist of this claim map have been filed with	: Beginning at Corner No.1, the Northeast a 4"x5" in length PVC pipe , thence, a 4"x5" in length PVC pipe ; thence, a 4"x
r wooden post not less than 4"4" 4"4" monumers assignation. The description of such claim is corner; thence, South 750' to the east side center, West . 175' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 175' to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corner of this claim map have been filed with	: Beginning at Corner No.1, the Northeast a 4"x5" in length PVC pipe , thence, a 4"x5" in length PVC pipe ; thence, a 4"x
r wooden post not less than 4"X4"X4" monumers asignation. The description of such claim is corner; thence, South 750' to the east side center, West . /75' to the southwest corner, North 750' to the west side center, North 750' to the west side center, North 750' to the northwest corner, East /75' to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corner of this claim map have been filed with	: Beginning at Corner No.1, the Northeast a 4"x5" in length PVC pipe , thence, a 4"x5" in length PVC pipe ; thence, a 4"x
r wooden post not less than 4"4" will monume assignation. The description of such claim is corner; thence, South 750' to the east side center, West . /75' to the southwest corner, North 750' to the west side center, North 750' to the west side center, East /75' to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a corner of this claim map have been filed with	: Beginning at Corner No.1, the Northeast a 4"x5" in length PVC pipe , thence, a 4"x5" in length PVC pipe ; thence, a 4"x
r wooden post not less than 4.74.74.7 Montages esignation. The description of such claim is orner; thence, South 750' to the east side center, West . 175' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 175' to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the	: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe , thence, a 4"x5' in length PVC pipe , thence, a 4"x5' in length PVC pipe ; thence, a 4"x
r wooden post not less than 4"%4"%41" monumers theres, south 750° to the east side center, South 750° to the southwest corner, West . /75° to the southwest corner, North 750° to the west side center, North 750° to the northwest corner, East /75° to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a comies of this claim map have been filed with	: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe , thence, a 4"x5' in length PVC pipe ; thence, a 4"x
r wooden post not less than 4.74.74.7 Mondages asignation. The description of such claim is corner; thence, South 750' to the east side center, West . 175' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 175' to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the	: Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe , thence, a 4"x5' in length PVC pipe ; thence, a 4"x
r wooden post not less than 4 % 4 % 4 % workers saignation. The description of such claim is corner; thence, South 750' to the east side center, West . 175' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 175' to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the	Beginning at Corner No.1, the Northeast a 4"x5" in length PVC pipe
signation. The description of such claim is esignation. The description of such claim is former; thence, South 750° to the east side center, West . 175° to the southeast corner, North 750° to the west side center, North 750° to the west side center, North 750° to the northwest corner, East 175° to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the	Beginning at Corner No.1, the Northeast a 4"x5' in length PVC pipe
resignation. The description of such claim is esignation. The description of such claim is former; thence, South 750° to the east side center, West , 175° to the southeast corner, North 750° to the southeast corner, North 750° to the northwest corner, East 175° to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the	Beginning at Corner No.1, the Northeast a 4"x5" in length PVC pipe
revoiden post not less than 4.74 %44 monthsessignation. The description of such claim is owner; thence, South 750' to the east side center, West . 175' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 175' to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the	a 4"x5" in length PVC pipe because of the point of the
revoiden post not less than 4.74 %44 monthsessignation. The description of such claim is owner; thence, South 750' to the east side center, Nest . 175' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 175' to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the	Beginning at Corner No.1, the Northeast a 4"x5" in length PVC pipe
r wooden post not less than 4 % 4 % 4 % workers saignation. The description of such claim is corner; thence, South 750' to the east side center, West . 175' to the southwest corner, North 750' to the west side center, North 750' to the northwest corner, East 175' to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the	Beginning at Corner No.1, the Northeast a 4"x5" in length PVC pipe
r wooden post not less than 4"X4" X4" monumer esignation. The description of such claim is former; thence, South 750" to the east side center, West , 175" to the southeast corner, North 750" to the west side center, North 750" to the morthwest corner, East 175" to the northwest corner, and place of beginning. The monumentation and marking of the corn June , 1985. The location work consisted of making a copies of this claim map have been filed with the lode claim filling fee has been paid to the	Beginning at Corner No.1, the Northeast a 4"x5" in length PVC pipe because of the content of the

EL STATION NAVOA

800X 136 PAGE 579

		File No.
		Filed for record at request of
CERTIFICATE OF LOCATION	99675	at minutes past o'clock
		m. and recorded in Book of Official Records Page,
•		County, Nevada.
		County Recorder
		\ \
		1/0
THIS IS TO CERTIFY that the	ICE #	10de mining claim
located by.		Dave Ernst
Ed Devenyns 690 E. Patriot #272		1000 Beck #254
Reno, Nevada 89511	·	Reno, Nevada 89509
he 26 day of Juxe	. 1985 :	ituated in the unknown
ng District, Eureka	County, S	tate of Nevada.
v	E/4 of Sec.	
Said claim is located in the S	E/4 of Sec.	Tup & SILLERTH . Age. 44 EAST
· .N	W/4 of Sec.	
	W/4 of Sec.	
To tie this claim to the Publi	c Survey, be	gin at the southeast corner of Section
Township 23 North	Range 49 E	Ast, Hount Diablo Meridian, thence
orner No. 1, the northeast corner		laim.
We for T) plate 1500	linean feet	along the course of the mineral-bearing
ga. lode or vein. extending	1480	feet from the location monument in a
75TFZC4 direction and	20	feet in a WCSTECY
ection, together with300	feet on	each side of the center of the ledge for
entire length of the claim.		- A Las to substantial AP-ER DUC mine
	wall monumer	clearly marked by substantial 4"x5' PVC pipe its firmly set in the ground bearing applical
ignation. The description of su	ch claim is:	Beginning at Corner No.1, the Northeast
ner; thence, South 600 to the South		
Were 7501 to the Secretary	St. CELTIZ.	4"x5" in length PVC pipe Hence
the state of the southern	or corner	A with in length PVC pipe ; thence
North 600 to the WATHE	DE CENTEL	4"x5' in length PVC pipe ; thence
East 750 ' to the norther	st corner,	4"x5' in length PVC pipe ; the po
place of beginning.		21.46
The monumentation and marking June , 1985.	of the corn	ers was completed by the $\frac{26 \text{Hz}}{26 \text{Hz}}$ day of
, 1905.		
		laim map as provided in NRS 517.040. Two the Eureka County Recorder, and
des of this claim map have been to lone claim filing fee has been		
/	7	
	/	2.1
		In Nevenens
100,5000	7	Land Gund
LOCATORS		Nace Genet
ted <u>June</u> 26th , 198	5 -	wave our
		•
	เดลดูรอ 🗚 ลรอย	
<u> </u>	Devenyns	580
230	. 11 W. m. i.	- 15-15-2
	== =	. 1.1
55	1101 27 A Q	7.34

900K i 36 PAGE 580

	File No.
	filed for record at request of
99676	- alalask
CERTIFICATE OF LOCATION	at minutes past o'clock m. and recorded in Book of
	Official Records Page
	County, Nevada.
	County Recorder
-	\ \
	\ \
	1.11
THIS IS TO CERTIFY that the ICE #	10de mining claim
ss located by:	\ \
£d Devenyos	Dave Ernst
690 E. Patriot #272	1000 Beck #254
Nevada 89511	Reno, Nevada 89509
89511	69309
a the 26 Hay of Cherce . 1985 s	situated in the unknown
	State of Nevada.
enroll argentest Kaleka	
NE/4 of Sec.	1/ 1/20
Said claim is located in the SE/N of Sec.	Two 23/2 North Rge. 49 East
.NW/4 of Sec.	7 7
SW/4 of Sea.	
`	
To tie this claim to the Public Survey, be	egin at the southeast corner of Section
l , Township 23 North , Range 49 E	ast, Hount Diablo Meridian, thence
WEST 2400' HIETKE LOCAN 8700'	
Corner No. 1, the northeast corner of this c	laim.
	S. L. S.
We (or I) claim 1500 linear feet ledge, lode or vein, extending 1480 UFSTELLY direction and 20	along the course of the mineral-bearing
ledge, lode or vein, extending 7700	leat from the location monument in a
direction, together with 300 feet on	each wide of the center of the ledge for
the entire length of the claim.	CECH 2140 Of the retter of and realism.
- / /	
The exterior boundaries of this claim are	clearly marked by substantial 4"x5" PVC pipe
- well- mark bot less than 4"v4"v4% monumer	ats firmly set in the ground bearing applicable
designation. The description of such claim is:	Beginning at Corner No.1, the Northeast
Corner; thence,	4×5 PVC P.C., thence,
south 600' to the Standar callel;	
WEST 750' to the Scarwing CLUTCE;	
West 150' to the southwest corner,	A 41x51 FIE, thence,
North 600' to the postwest counce.	
CAST 750' to the ACCUSING COUTER	
East 750' to the northeast corner,	3 7 3 913 712
and place of beginning.	214
The monumentation and marking of the corn	ers was completed by the 26th day of
June 1985.	
	* * * * * * * * * * * * * * * * * * *
The location work consisted of making a c	claim map as provided in NRS 517.040. Two
copies of this claim map have been filed with	the Eureka County Recorder, and
the lode claim filing fee has been paid to the	County Recorder.
	· ·
	. 00 C.
	THE LEVELUM
LOCATORS	Ed Leverys
accatoms	Naus S. L
Dated / 100 36 , 1985 .	were fine
11700	
-	
	e ·
TA DEGROOGR	DEGINECY DE
	WEAGES! OF
Ed Dayro 8107 136	\\ns

85 JUN 27 A 9: 34

300K | 36 PAGE 58 |