### CERTIFICATE OF LOCATION

	MAY CONCERNE		and
	rhe undersign	ed, J. D. Welsh and	Associates , hereby
certifies	that it has c	aused to be locate e following quarte	d the DWF/
rode wining	-	and the second of the second o	
	1/4 Section	Township Range	M.D. BEM
	NE 34		
all in the	Unorganized	Mining District, _	Eureka County,
in the Sta	te of Nevada,	on the 11th day	of <u>June</u> , 19 <u>87</u> .
	The name and	address of the lo	cator is:
	J.	D. Welsh and Associate	8
		Coney Island Dr.	
		rks Nevada 89431	
	The claim is	feet	d in a Sourry direction
wide, such	that	feet are claime	d in a South direction
and 147	5 feet are	claimed in a <u>No</u>	e of Location is posted,
I amathmil an	of the cloim	togothor with	300 reet in width on
anch aide	of the discou	erv monument and c	enterline of the claim.
The genera	1 course of t	he lode deposit an ction to the Sout	d premises is from the direction.
NOTE			
	The definiti	on of the boundari	es of the claim, together
with the e of such mo	rection of bo numents was o	oundary or corner me completed by the	onuments, and the marking 7th day of July ,1987
•	The number.	location and marki	ngs on each boundary or
corner mon	uments are as	follows:	
		Markings	Description
	Location	Markings	<u>Description</u>
	Location W. Corner	Markings N.W. Corner DW# /	Description 3" P.V.C. Pipe 4' high
No. 1: N.		N.W. Corner DW# /	
No. 1: N. No. 2: N.	W. Corner E. Corner	N.W. Corner DW# /	3" P.V.C. Pipe 4' high 3" P.V.C. Pipe 4' high
No. 1: No. 2: No. 3: Ea	W. Corner  E. Corner  st Side Center	N.W. Corner DW# / N.E. Corner DW# / Fast Side Center DW#	3" P.V.C. Pipe 4' high  3" P.V.C. Pipe 4' high  1" P.V.C. Pipe 4' high
No. 1: No. 1: No. 2: No. 3: Ea	W. Corner E. Corner st Side Center E. Corner	N.W. Corner DW# / N.E. Corner DW# / Fast Side Center DW# S.E. Corner DW# /	3" P.V.C. Pipe 4' high
No. 1: N. No. 2: N. No. 3: Ea No. 4: S. No. 5: S.	W. Corner E. Corner st Side Center E. Corner W. Corner	N.W. Corner DW# /  N.E. Corner DW# /  Fast Side Center DW#  S.E. Corner DW# / S.W. Corner DW# /	3" P.V.C. Pipe 4' high
No. 1: N. No. 2: N. No. 3: Ea No. 4: S. No. 5: S.	W. Corner E. Corner st Side Center E. Corner W. Corner	N.W. Corner DW# / N.E. Corner DW# / Fast Side Center DW# S.E. Corner DW# /	3" P.V.C. Pipe 4' high
No. 1: N. No. 2: N. No. 3: Ea No. 4: S. No. 5: S. No. 6: We	W. Corner E. Corner st Side Center E. Corner W. Corner st Side Center	N.W. Corner DW# / N.E. Corner DW# / Fast Side Center DW# S.F. Corner DW# / S.W. Corner DW# / West Side Center DW#	3" P.V.C. Pipe 4' high  3" P.V.C. Pipe 4' high  1" P.V.C. Pipe 4' high  1" P.V.C. Pipe 4' high  3" P.V.C. Pipe 4' high  3" P.V.C. Pipe 4' high
No. 1: N. No. 2: N. No. 3: Ea No. 4: S. No. 5: S. No. 6: We	W. Corner  E. Corner  St Side Center  E. Corner  W. Corner  st Side Center	N.W. Corner DW# /  N.E. Corner DW# /  Fast Side Center DW# /  S.E. Corner DW# /  S.W. Corner DW# /  West Side Center DW#	3" P.V.C. Pipe 4' high  corner monument is marked
No. 1: N. No. 2: N. No. 3: Ea No. 4: S. No. 5: S. No. 6: We	W. Corner  E. Corner  St Side Center  E. Corner  W. Corner  st Side Center  on the ground above by	N.W. Corner DW# /  N.E. Corner DW# /  Fast Side Center DW# /  S.E. Corner DW# /  S.W. Corner DW# /  West Side Center DW#  ad each boundary or writing on the	3" P.V.C. Pipe 4' high  corner monument is marked
No. 1: N. No. 2: N. No. 3: Ea No. 4: S. No. 5: S. No. 6: We As erected as describ	W. Corner  E. Corner  St Side Center  E. Corner  W. Corner  st Side Center  on the ground above by  The location	N.W. Corner DW# /  N.E. Corner DW# /  Fast Side Center DW# /  S.E. Corner DW# /  S.W. Corner DW# /  West Side Center DW#  and each boundary or writing on the consisted of	3" P.V.C. Pipe 4' high  corner monument is marked
No. 1: N.  No. 2: N.  No. 3: Ea  No. 4: S.  No. 5: S.  No. 6: We  As erected as describ	W. Corner  E. Corner  St Side Center  E. Corner  W. Corner  St Side Center  on the grounded above by  The location  n N.R.S. 517	N.W. Corner DW# /  N.E. Corner DW# /  Fast Side Center DW# /  S.E. Corner DW# /  S.W. Corner DW# /  West Side Center DW#  and each boundary or  writing on the  work consisted of	3" P.V.C. Pipe 4' high  corner monument is marked post.
No. 1: N.  No. 2: N.  No. 3: Ea  No. 4: S.  No. 5: S.  No. 6: We  As erected as describ	W. Corner  E. Corner  St Side Center  E. Corner  W. Corner  St Side Center  on the grounded above by  The location  n N.R.S. 517	N.W. Corner DW# /  N.E. Corner DW# /  Fast Side Center DW# /  S.E. Corner DW# /  S.W. Corner DW# /  West Side Center DW#  and each boundary or  writing on the  work consisted of	3" P.V.C. Pipe 4' high  corner monument is marked post.
No. 1: N.  No. 2: N.  No. 3: Ea  No. 4: S.  No. 5: S.  No. 6: We  As erected as describ	W. Corner  E. Corner  St Side Center  E. Corner  W. Corner  St Side Center  on the grounded above by  The location  n N.R.S. 517	N.W. Corner DW# /  N.E. Corner DW# /  Fast Side Center DW# /  S.E. Corner DW# /  S.W. Corner DW# /  West Side Center DW#  and each boundary or writing on the consisted of	3" P.V.C. Pipe 4' high  corner monument is marked post.
No. 1: N.  No. 2: N.  No. 3: Ea  No. 4: S.  No. 5: S.  No. 6: We  As erected as describ	W. Corner  E. Corner  St Side Center  E. Corner  W. Corner  st Side Center  on the grounded above by  The location  n N.R.S. 517	N.W. Corner DW# /  N.E. Corner DW# /  Fast Side Center DW# /  S.E. Corner DW# /  S.W. Corner DW# /  West Side Center DW#  and each boundary or  writing on the  work consisted of	3" P.V.C. Pipe 4' high  corner monument is marked post.
No. 1: N.  No. 2: N.  No. 3: Ea  No. 4: S.  No. 5: S.  No. 6: We  As erected as describ	W. Corner  E. Corner  St Side Center  E. Corner  W. Corner  St Side Center  on the grounded above by  The location  n N.R.S. 517	N.W. Corner DW# /  N.E. Corner DW# /  Fast Side Center DW# /  S.E. Corner DW# /  S.W. Corner DW# /  West Side Center DW#  and each boundary or  writing on the  work consisted of	3" P.V.C. Pipe 4' high  corner monument is marked post  making a claim map as  t , 1987
No. 1: N.  No. 2: N.  No. 3: Ea  No. 4: S.  No. 5: S.  No. 6: We  As erected as describ	W. Corner  E. Corner  St Side Center  E. Corner  W. Corner  st Side Center  on the grounded above by  The location  n N.R.S. 517	N.W. Corner DW# /  N.E. Corner DW# /  Fast Side Center DW# /  S.E. Corner DW# /  S.W. Corner DW# /  West Side Center DW#  and each boundary or  writing on the  work consisted of	3" P.V.C. Pipe 4' high  corner monument is marked post  making a claim map as  t , 1987
No. 1: N.  No. 2: N.  No. 3: Ea  No. 4: S.  No. 5: S.  No. 6: We  As erected as describ	W. Corner  E. Corner  St Side Center  E. Corner  W. Corner  st Side Center  on the grounded above by  The location  n N.R.S. 517	N.W. Corner DW# /  N.E. Corner DW# /  Fast Side Center DW# /  S.E. Corner DW# /  S.W. Corner DW# /  West Side Center DW#  and each boundary or  writing on the  work consisted of	3" P.V.C. Pipe 4' high  corner monument is marked post  making a claim map as  t , 1987
No. 1: N.  No. 2: N.  No. 3: Ea  No. 4: S.  No. 5: S.  No. 6: We  As erected as describ	W. Corner  E. Corner  St Side Center  E. Corner  W. Corner  st Side Center  on the grounded above by  The location  n N.R.S. 517	N.W. Corner DW# /  N.E. Corner DW# /  Fast Side Center DW# /  S.E. Corner DW# /  S.W. Corner DW# /  West Side Center DW#  and each boundary or  writing on the  work consisted of	3" P.V.C. Pipe 4' high  corner monument is marked post  making a claim map as  t , 1987
No. 1: N.  No. 2: N.  No. 3: Ea  No. 4: S.  No. 5: S.  No. 6: We  As erected as describ	W. Corner  E. Corner  St Side Center  E. Corner  W. Corner  st Side Center  on the grounded above by  The location  n N.R.S. 517	N.W. Corner DW# /  N.E. Corner DW# /  Fast Side Center DW# /  S.E. Corner DW# /  S.W. Corner DW# /  West Side Center DW#  and each boundary or  writing on the  work consisted of	3" P.V.C. Pipe 4' high  corner monument is marked post  making a claim map as  t , 1987
No. 1: N.  No. 2: N.  No. 3: Ea  No. 4: S.  No. 5: S.  No. 6: We  As erected as describ	W. Corner  E. Corner  St Side Center  E. Corner  W. Corner  st Side Center  on the grounded above by  The location  n N.R.S. 517	N.W. Corner DW# /  N.E. Corner DW# /  Fast Side Center DW# /  S.E. Corner DW# /  S.W. Corner DW# /  West Side Center DW#  and each boundary or  writing on the  work consisted of	3" P.V.C. Pipe 4' high  corner monument is marked post  making a claim map as  t , 1987
No. 1: N.  No. 2: N.  No. 3: Ea  No. 4: S.  No. 5: S.  No. 6: We  As erected as describ	W. Corner  E. Corner  St Side Center  E. Corner  W. Corner  st Side Center  on the grounded above by  The location  n N.R.S. 517	N.W. Corner DW# /  N.E. Corner DW# /  Fast Side Center DW# /  S.E. Corner DW# /  S.W. Corner DW# /  West Side Center DW#  and each boundary or  writing on the  work consisted of	3" P.V.C. Pipe 4' high  corner monument is marked post  making a claim map as  t , 1987
No. 1: N.  No. 2: N.  No. 3: Ea  No. 4: S.  No. 5: S.  No. 6: We  As erected as describ	W. Corner  E. Corner  St Side Center  E. Corner  W. Corner  st Side Center  on the grounded above by  The location  n N.R.S. 517	N.W. Corner DW# /  N.E. Corner DW# /  Fast Side Center DW# /  S.E. Corner DW# /  S.W. Corner DW# /  West Side Center DW#  and each boundary or  writing on the  work consisted of	3" P.V.C. Pipe 4' high  corner monument is marked post  making a claim map as  t , 1987

110003

TO WHOM IT MAY CONCERN: Richard Morton, and
The undersigned, J. D. Welsh and Associates
certifies that it has caused to be located the D.W.# C Lode Mining Claim in the following quarter section(s): Meridian Township Range Section M.D. B. & M. 49E MOB EM. \_ County, Eureka all in the Unorganized Mining District, in the State of Nevada, on the llth day of June The name and address of the locator is: Richard Morton, and J. D. Welsh and Associates 260 Coney Island Dr. Sparks Nevada 89431 feet long and 600 The claim is 1500 wide, such that 25 feet are claimed in a WORTH direction and 1475 feet are claimed in a 1475 direction from the discovery monument at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width of direction feet in width on lengthwise of the claim, together with each side of the discovery monument and centerline of the claim.

The general course of the lode deposit and premises is from the \_direction. direction to the South North of such monuments was completed by the \_\_\_ The number, location and markings on each boundary or corner monuments are as follows: Description Markings Location N.W. Corner DW# Z 3" P.V.C. Pipe 4' high N.W. Corner No. 1: 3" P.V.C. Pipe 4' high N.E. Corner DW# Z No. 2: N.E. Corner 3" P.V.C. Pipe 4' high East Side Center Fast Side Center DW Z 3" P.V.C. Pipe 4' high S.E. Corner DWA Z S.E. Corner 3" P.V.C. Pipe 4' high S.W. Corner DW/ Z S.W. Corner No. 5: West Side Center West Side Center DW# Z 3" P.V.C. Pipe 4' high As erected on the ground each boundary or corner monument is marked as described above by writing on the post The location work consisted of making a claim map as provided in N.R.S. 517.040. DATED this 4th day of August , 19<u>87</u>. SIGNATURE OF LOCATOR: Only Mula RECORDER'S STAMP

BOOK 162 PAGE 115

CERTIFICATE OF LOCATION LODE MINING CLAIM 110906
THE THICK AND MANY CONCERNA
The undersigned, J. D. Welsh and Associates hereby certifies that it has caused to be located the D H # 3  Lode Mining Claim in the following quarter section(s):
1/4 Section Township Range Meridian NE 34 32N 49E MOBEM
all in the Unorganized Mining District, Eureka County, in the State of Nevada, on the 11th day of June , 1987.
The name and address of the locator is: Richard Morton, and
J. D. Welsh and Associates 260 Coney Island Dr. Sparks Nevada 89431
The claim is 1500 feet long and 600 feet wide, such that 25 feet are claimed in a South direction
and 1475 feet are claimed in a North direction from
and 1475 feet are claimed in a North direction from the discovery monument at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width on the claim.
The general course of the lode deposit and premises is from the  North direction to the South direction.
The definition of the boundaries of the claim, together
of such monuments was completed by the
The number, location and markings on each boundary or corner monuments are as follows:
Location Markings Description
No. 1: N.W. Corner N.W. Corner DW# 3 3" P.V.C. Pipe 4' high
No. 2: N.E. Corner N.E. Corner DW# 3 3" P.V.C. Pipe 4' high
No. 3: East Side Center Fast Side Center DW# 3" P.V.C. Pipe 4' high
No. 4: S.E. Corner S.E. Corner DW/ 3 3" P.V.C. Pipe 4' high
No. 5: S.W. Corner S.W. Corner DW# 3 3" P.V.C. Pipe 4' high
No. 6: West Side Center West Side Center DW# 3 3" P.V.C. Pipe 4' high
As erected on the ground each boundary or corner monument is marked as described above by writing on the post
The location work consisted of making a claim map as provided in N.R.S. 517.040.
DATED this 4th day of August , 1987.
SIGNATURE OF LOCATOR: alythica RECORDER'S STAMP

RECORDED AT THE REQUEST OF WORK 16 2-PAGE 116

CERTIFICATE OF LOCATION 11090
LODE MINING CLAIM TO WHOM IT MAY CONCERN: Richard Morton, , hereby The undersigned, The undersigned, 1. D. Welsh and Associates certifies that it has caused to be located the DW f Lode Mining Claim in the following quarter section(s): Township Range Meridian MOBEM 49E MUBLIM all in the Unorganized Mining District, Eureka \_ County, in the State of Nevada, on the 11th day of \_\_June The name and address of the locator is: Richard Morton, and J. D. Welsh and Associates 260 Coney Island Dr. Sparks Nevada 89431 feet long and 600 reet The claim is 1500 wide, such that 25 feet are claimed in a North direction and 1475 feet are claimed in a Sound direction from the discovery monument at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width of wide, such that lengthwise of the claim, together with 300 feet in width each side of the discovery monument and centerline of the claim. The general course of the lode deposit and premises is from the feet in width on direction to the South direction. North The definition of the boundaries of the claim, together with the erection of boundary or corner monuments, and the marking of such monuments was completed by the 7th day of July ,19 The number, location and markings on each boundary or corner monuments are as follows: Description Location Markings 3" P.V.C. Pipe 4' high N.W. Corner N.W. Corner DW# 4 No. 1: 3" P.V.C. Pipe 4' high N.E. Corner DW# No. 2: N.E. Corner No. 3: East Side Center Fast Side Center DW#4 3" P.V.C. Pine 4' high 3" P.V.C. Pipe 4' high S.E. Corner DW# 4 S.E. Corner S.W. Corner DW# 4 3" P.V.C. Pipe 4' high No. 5: S.W. Corner West Side Center West Side Center DW 4 3" P.V.C. Pipe 4' high No. 6: As erected on the ground each boundary or corner monument is marked as described above by writing on the post The location work consisted of making a claim map as provided in N.R.S. 517.040. DATED this 4th day of August 19 87 SIGNATURE OF LOCATOR: Aly Mules RECORDER'S STAMP

By: Ale Mules

87 N.G. 29 AIO 21

87 N.G. 28 AIO 21

87 N.G. 28 AIO 21

87 N.G. 21 AIG 20

87 N.G. 21 AIG 20

88 AIG 21 AIG 20

88 AIG

### CERTIFICATE OF LOCATION

10906

TO WHOM IT MAY CONCERN:
The undersigned, J. D. Welsh and Associates hereby certifies that it has caused to be located the D.W.f.5
Lode Mining Claim in the following quarter section(s):
1/4 Section Township Range Meridian
NE 39 32N 49E MOBEM
all in the Unorganized Mining District, Eureka County,
in the State of Nevada, on the 11th day of June , 1987.
The name and address of the locator is:
Richard Morton, and
J. D. Welsh and Associates 260 Coney Island Dr.
Sparks Nevada 89431
The claim is 1500 feet long and 600 feet
and 1475 feet are claimed in a Notice of Location is posted.
together with 300 leet in with 300
each side of the discovery monument and centerline of the Claim.  The general course of the lode deposit and premises is from the
North direction to the South direction.
The definition of the boundaries of the claim, together
Att the emertion of boundary or corner monuments, and the marking
of such monuments was completed by the7th day of
The number, location and markings on each boundary or
corner monuments are as follows:
Location Markings Description
Location
No. 1: N.W. Corner N.W. Corner DW# 5 3" P.V.C. Pipe 4' high
No. 2: N.E. Corner N.E. Corner DW# 5 3" P.V.C. Pipe 4' high
No. 3: East Side Center East Side Center DW# 5 3" P.V.C. Pipe 4' high
No. 4: S.E. Corner S.E. Corner DW# 5 3" P.V.C. Pipe 4' high
No. 5: S.W. Corner S.W. Corner DW# 5 3" P.V.C. Pipe 4' high
No. 6: West Side Center West Side Center DW# 5 3" P.V.C. Pipe 4' high
As erected on the ground each boundary or corner monument is marked as described above by
The location work consisted of making a claim map as
provided in N.R.S. 517.040.
DATED this 4th day of August , 1987.
SIGNATURE OF LOCATOR: All Miles RECORDER'S STAMP
Agent H

BOOK | 62 PAGE | 18

t

CERTIFICATE OF LOCATION 10907 LODE MINING CLAIM TO WHOM IT MAY CONCERN: Richard Morton, and , hereby The undersigned, The undersigned, J. D. Welsh and Associates certifies that it has caused to be located the DW 6 Lode Mining Claim in the following quarter section(8): Range Meridian Township MDBEM MUBEM all in the Unorganized Mining District, in the State of Nevada, on the \_ County, Eureka 11th day of June \_\_, 19<u>87</u>. The name and address of the locator is:
Richard Morton, and J. D. Welsh and Associates 260 Coney Island Dr. Sparks Nevada 89431 feet long and 600 The claim is 1500 feet are claimed in a North direction laimed in a South direction from wide, such that 25 feet are claimed in a South 1475 and the discovery monument at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width lengthwise of the claim, together with 300 feet in width each side of the discovery monument and centerline of the claim.

The general course of the lode deposit and premises is from the south of the claim. feet in width on direction. direction to the South The number, location and markings on each boundary or corner monuments are as follows: Description Markings Location N.W. Corner DW# 6 3" P.V.C. Pipe 4' high N.W. Corner No. 1: 3" P.V.C. Pipe 4' high N.E. Corner DW# No. 2: N.E. Corner 3" P.V.C. Pine 4" high Fast Side Center DW# 6 East Side Center S.E. Corner DW# No. 4: Pine 4' high S.E. Corner S.W. Corner S.W. Corner DW# 6 3" P.V.C. Pipe 4' high West Side Center West Side Center DW# 6 3" P.V.C. Pipe 4" high No. 6:

As erected on the ground each boundary or corner monument is marked as described above by writing on the post The location work consisted of making a claim map as provided in N.R.S. 517.040. , 1987 DATED this 4th day of August

SIGNATURE OF LOCATOR: ally Make

RECORDER'S STAMP

### CERTIFICATE OF LOCATION

908

· · · · · · · · · · · · · · · · · · ·
TO WHOM IT MAY CONCERN:
The undersigned, J. D. Welsh and Associates, hereby
certifies that it has caused to be located the DW 7 Lode Mining Claim in the following quarter section(s):
1/4 Section Township Range Meridian NE 39 324 49E MD864
NE -7 - 3CV - 172
<u> </u>
Anniety .
all in the Unorganized Mining District, Eureka County,
in the State of Nevada, on the 11th day of June , 1987.
The name and address of the locator is:
Richard Morton, and
J. D. Welsh and Associates
260 Coney Island Dr. Sparks Nevada 89431
The claim is 1500 feet long and 600 feet wide, such that 25 feet are claimed in a South direction direction from
and 1475 feet are claimed in a North direction from
the discovery monument at which the world the in width on
lengthwise of the claim, together with centerline of the claim.
MLA MANARAI CONTRO OT THE 1000 UEDUSIU AND PASSAGE
North direction to the South direction.
The definition of the boundaries of the claim, together
A Law of Law on Corner Monuments, and the wathing
of such monuments was completed by the
The number, location and markings on each boundary or
corner monuments are as follows:
Location Markings Description
No. 1: N.W. Corner N.W. Corner DW# 7 3" P.V.C. Pipe 4' high
No. 2: N.E. Corner N.E. Corner DW# 7 3" P.V.C. Pipe 4' high
No. 3: East Side Center Fast Side Center DW6 7 3" P.V.C. Pipe 4' high
NO. J. East Sive with .
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4" high  No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4" high
No. 4: S.E. Corner S.E. Corner DW 7 3" P.V.C. Pipe 4" high
No. 4: S.E. Corner DW# 7 3" P.V.C. Pipe 4' high No. 5: S.W. Corner DW# 7 3" P.V.C. Pipe 4' high No. 6: West Side Center DW# 7 3" P.V.C. Pipe 4' high
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high  At a rested on the ground each boundary or corner monument is marked
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as
No. 4: S.F. Corner S.F. Corner DW# 7 3" P.V.C. Pipe 4' high No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.  SIGNATURE OF LOCATOR: All fulls RECORDER'S STAMP  By: May May Lee
No. 4: S.E. Corner S.E. Corner DW6 7 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW6 7 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW6 7 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.  SIGNATURE OF LOCATOR: All fulls RECORDER'S STAMP  By: May May Lee
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.  SIGNATURE OF LOCATOR: All fulls RECORDER'S STAMP  By: May May Lee
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.  SIGNATURE OF LOCATOR: All fulls RECORDER'S STAMP  By: May May Lee
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.  SIGNATURE OF LOCATOR: All fulls RECORDER'S STAMP  By: May May Lee
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.  SIGNATURE OF LOCATOR: All fulls RECORDER'S STAMP  By: May May Lee
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August . 1987.  SIGNATURE OF LOCATOR: All fulls RECORDER'S STAMP  By: All fulls RECORDER'S STAMP
No. 4: S.E. Corner S.E. Corner DW# 7 3" P.V.C. Pipe 4' high No. 5: S.W. Corner S.W. Corner DW# 7 3" P.V.C. Pipe 4' high No. 6: West Side Center West Side Center DW# 7 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August . 1987.  SIGNATURE OF LOCATOR: All fulls RECORDER'S STAMP  By: All fulls RECORDER'S STAMP

BOOK | 62 PAGE | 20

. (

### CERTIFICATE OF LOCATION

LODE MINING CLAIM
TO WHOM IT MAY CONCERN:
The undersigned, J. D. Welsh and Associates hereby
anytifian that it has caused to be located the UNITO
Lode Mining Claim in the following quarter section(s):
1/4 Section Township Range Meridian NG 34 324 496 Mosey
NG 34 324 496 MOBEM SE 34 3214 496 MOBEM
all in the Unorganized Mining District, Eureka County, in the State of Nevada, on the 11th day of June , 1987.
The name and address of the locator is:
그렇게 살아보았다. 이 사람들은 그는 그는 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그
J. D. Welsh and Associates 260 Coney Island Dr.
Sparks Nevada 89431
The claim is 1500 feet long and 600 feet
wide such that 25 feet are claimed in a Morre direction
and 1475 feet are claimed in a Sputtier to posted
the discovery monument at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width on each side of the discovery monument and centerline of the claim.
each side of the discovery monument and centerline of the claim.
The general course of the lode deposit and premises is from the  North direction to the South direction.
The definition of the boundaries of the claim, together with the erection of boundary or corner monuments, and the marking
with the erection of boundary of coiner mondatery
of such monuments was completed by the
of such monuments was completed by the
The number, location and markings on each boundary or
The number, location and markings on each boundary or corner monuments are as follows:
The number, location and markings on each boundary or corner monuments are as follows:  Location Markings Description
The number, location and markings on each boundary or corner monuments are as follows:  Location Markings Description  No. 1: N.W. Corner N.W. Corner DW# 8 3" P.V.C. Pipe 4' high
The number, location and markings on each boundary or corner monuments are as follows:  Location Markings Description  No. 1: N.W. Corner N.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 2: N.E. Corner DW# 8 3" P.V.C. Pipe 4' high
The number, location and markings on each boundary or corner monuments are as follows:  Location Markings Description  No. 1: N.W. Corner N.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 2: N.E. Corner N.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 3: East Side Center Fast Side Center DW# 8 3" P.V.C. Pipe 4' high
The number, location and markings on each boundary or corner monuments are as follows:  Location Markings Description  No. 1: N.W. Corner N.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 2: N.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 3: East Side Center East Side Center DW# 8 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner DW# 8 3" P.V.C. Pipe 4' high
The number, location and markings on each boundary or corner monuments are as follows:  Location Markings Description  No. 1: N.W. Corner N.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 2: N.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 3: East Side Center East Side Center DW# 8 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 8 3" P.V.C. Pipe 4' high
The number, location and markings on each boundary or corner monuments are as follows:  Location Markings Description  No. 1: N.W. Corner N.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 2: N.E. Corner N.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 3: East Side Center East Side Center DW# 8 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner S.E. Corner DW# 8 3" P.V.C. Pipe 4' high
The number, location and markings on each boundary or corner monuments are as follows:  Location Markings Description  No. 1: N.W. Corner N.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 2: N.E. Corner N.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 3: East Side Center Fast Side Center DW# 8 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 8 3" P.V.C. Pipe 4' high
The number, location and markings on each boundary or corner monuments are as follows:  Location Markings Description  No. 1: N.W. Corner N.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 2: N.E. Corner N.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 3: East Side Center East Side Center DW# 8 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner S.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 8 3" P.V.C. Pipe 4' high  As exected on the ground each boundary or corner monument is marked
The number, location and markings on each boundary or corner monuments are as follows:  Location Markings Description  No. 1: N.W. Corner N.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 2: N.E. Corner N.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 3: East Side Center Fast Side Center DW# 8 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner S.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 8 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post
The number, location and markings on each boundary or corner monuments are as follows:  Location  Markings  Description  No. 1: N.W. Corner  N.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 2: N.E. Corner  N.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 3: East Side Center  Fast Side Center DW# 8 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner  S.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 8 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as
The number, location and markings on each boundary or corner monuments are as follows:  Location Markings Description  No. 1: N.W. Corner N.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 2: N.E. Corner N.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 3: East Side Center Fast Side Center DW# 8 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner S.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 8 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.
The number, location and markings on each boundary or corner monuments are as follows:  Location  Markings  Description  No. 1: N.W. Corner  N.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 2: N.E. Corner  N.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 3: East Side Center  Fast Side Center DW# 8 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner  S.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 8 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as
The number, location and markings on each boundary or corner monuments are as follows:  Location  Markings  Description  No. 1: N.W. Corner  N.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 2: N.E. Corner  N.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 3: East Side Center Fast Side Center DW# 8 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner  S.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 8 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August , 1987.
The number, location and markings on each boundary or corner monuments are as follows:  Location  Markings  Description  No. 1: N.W. Corner  N.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 2: N.E. Corner  N.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 3: East Side Center Fast Side Center DW# 8 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner  S.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 8 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August , 1987.
The number, location and markings on each boundary or corner monuments are as follows:  Location Markings Description  No. 1: N.W. Corner N.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 2: N.E. Corner N.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 3: East Side Center Fast Side Center DW# 8 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner S.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 8 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August , 1987.
The number, location and markings on each boundary or corner monuments are as follows:  Location  Markings  Description  No. 1: N.W. Corner  N.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 2: N.E. Corner  N.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 3: East Side Center Fast Side Center DW# 8 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner  S.E. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 8 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 8 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August , 1987.

RECORDED AT THE REQUEST OF 10 WALLEY & PASSES STORE 162 PAGE 121 187 AUG 28 AIO 21

CERTIFICATE OF LOCATION LODE MINING CLAIM
TO WHOM IT MAY CONCERN:
The undersigned, J. D. Welsh and Associates hereby certifies that it has caused to be located the DW # 7  Lode Mining Claim in the following quarter section(8):
1/4 Section Township Range Meridian  NE 39 32N 49E MOBIM  NO 39 32N FE MOBIM  all in the Unorganized Mining District, Eureka County,
in the State of Nevada, on the 11th day of June , 1987.
The name and address of the locator is: Richard Morton, and
J. D. Welsh and Associates 260 Coney Island Dr. Sparks Nevada 89431
The claim is 1500 feet long and 600 feet wide, such that 25 feet are claimed in a South direction and 1475 feet are claimed in a North direction from the discovery monument at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width on each side of the discovery monument and centerline of the claim. The general course of the lode deposit and premises is from the North direction to the South direction.
The definition of the boundaries of the claim, together with the erection of boundary or corner monuments, and the marking of such monuments was completed by the
The number, location and markings on each boundary or corner monuments are as follows:
Location Markings Description
No. 1: N.W. Corner DW# 9 3" P.V.C. Pipe 4" high
No. 2: N.E. Corner N.E. Corner DW# 9 3" P.V.C. Pipe 4" high
No. 3: Fast Side Center Fast Side Center DW6 7 3" P.V.C. Pipe 4" high
No. 4: S.E. Corner S.E. Corner DWA 9 3" P.V.C. Pipe 4" high
No. 5: S.W. Corner S.W. Corner DW# 9 3" P.V.C. Pipe 4' high
No. 6: West Side Center West Side Center DW# 9 3" P.V.C. Pipe 4' high
As erected on the ground each boundary or corner monument is marked as described above by writing on the post
The location work consisted of making a claim map as provided in N.R.S. 517.040.
DATED this 4th day of August , 1987.
SIGNATURE OF LOCATOR: Colymbia RECORDER'S STAMP
00.16
By: Way/Mulla Agent
BOOK 162 PAGE 132  BOOK 162 PAGE 132  BY AUG 28 MG 21  CONTROL IN CURNS FURNISHE RESULTIVE FORDING FURNISHE RESULTIVE FORDING FURNISHE FUNDING FURNISHE FUNDING FURNISHE SALES AND A 14940 FURNISH SALES AND A 14940 FURNISH SALES AND A 1494
hony I C 2 DACE I 2 2

BOOK | 62 PAGE | 22

The undersigned,	Richard Morton, J. D. Welsh and	Associates	, hereby
certifies that it has cause	d to be locate	a the D	
Lode Mining Claim in the fo	llowing quarte	r section(s	) :

1/4	Section	Township	Range	Merid	
NE	34	32N	49€	MBB	in
NW	34	32N	99É	MDB	¿m
SE	34	32N	49€	MDB	14
SIW	34	32N	49E	MAR	m

all in the Unorganized Mining District, \_\_\_\_Eureka\_ County, in the State of Nevada, on the 11th day of June

> The name and address of the locator is: Richard Morton, and

> > J. D. Welsh and Associates 260 Coney Island Dr. Sparks Nevada 89431

feet long and 600 The claim is 1500 feet are claimed in a North direction claimed in a South direction from wide, such that \_\_25 feet are claimed in a 1475 . the discovery monument at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width feet in width on each side of the discovery monument and centerline of the claim.

The general course of the lode deposit and premises is from the

North direction to the South direction

The definition of the boundaries of the claim, together with the erection of boundary or corner monuments, and the marking of such monuments was completed by the 7th day of July 198

The number, location and markings on each boundary or corner monuments are as follows:

	Location	Markings	Description
No. 1:	N.W. Corner	N.W. Corner DW# 10	3" P.V.C. Pipe 4' high
No. 2:	N.E. Corner	N.E. Corner DW# 10	3" P.V.C. Pipe 4' high
No. 3:	East Side Center	Fast Side Center DW#/O	3" P.V.C. Pipe 4' high
No. 4:	S.E. Corner	S.E. Corner DW# 10	_ 7" P.V.C. Pipe 4' high
No. 5:	S.W. Corner	S.W. Corner DW# 10	3" P.V.C. Pipe 4' high
No. 6:	West Side Center	West Side Center DW#/D	3" P.V.C. Pipe 4' high
		\ \	

As erected on the ground each boundary or corner monument is marked as described above by writing on the post

The location work consisted of making a claim map as provided in N.R.S. 517.040.

DATED this 4th day of August

SIGNATURE OF LOCATOR: Adyhulus

RECORDER'S STAMP

BOOK | 62 PAGE | 23

10912

TO WHOM IT MAY CONCER	N: Richard Morton, ar	nd
The undersi	gned, J. D. Welsh and As caused to be located	the DW# //
Lode Mining Claim in	the following quarter	section(s):
1/4 <u>Secti</u>		
<u> 40 34 </u>	32N 48E 1	MOBEM_
-11 de the Unorganize	d Mining District.	Eureka County,
in the State of Nevad	a, on the 11th day of	of <u>June</u> , 19 <u>87</u> .
	nd address of the loca	
	Richard Morton, and	
一般 とこんがちゅう 過少し、私にしまね ニュラー・コーニュー 裏に立て	J. D. Welsh and Associates 260 Coney Island Dr.	
	Sparks Nevada 89431	
The claim	is 1500 feet	long and 600 feet
and 1475 feet o	re claimed in a Nor	in a South direction direction from
the discovery monumen	t at which the Notice	of Location is posted,
anch olds of the disc	im, together with overy monument and cer	terline of the claim.
The general course of	the lode deposit and rection to the South	premises is from the
what also smeatten of	houndary or corner mot	s of the claim, together numents, and the marking
of such monuments was	completed by the	7th day of July 1987
The number	. location and marking	gs on each boundary or
corner monuments are	as follows:	
Location	Markings	<u>Description</u>
No. 1: N.W. Corner	N.W. Corner DW# N	3" P.V.C. Pipe 4' high
No. 2: N.E. Corner	N.E. Corner Dwe !!	3" P.V.C. Pipe 4' high
	Fast Side Center DW# /	3" P.V.C. Pine 4' high
No. 4: S.E. Corner	S.E. Corner DW# 1	3" P.V.C. Pipe 4' high
No. 5: S.W. Corner	S.W. Corner DW# (	3" P.V.C. Pipe 4' high
No. 6: West Side Cente		3" P.V.C. Pipe 4' high
		manufact is marked
As erected on the gro	ound each boundary or of writing on the po	corner monument is marked
	on work consisted of	
provided in N.R.S. 5	17.040.	
그 사람이 그 그래? 하고 말을 하는 것이 없다.		. 1987 .
SIGNATURE OF LOCATOR	Contractor	RECORDER'S STAMP
Signature of Bounton	· magnites	
. 60.11.1		
Agent		
		22 g 6 5 5
		1,000
		28 AG
<ul><li>公益、投資、企業を行う。在提供的、公司、公司、公司、公司、公司、公司、公司、公司、公司、公司、公司、公司、公司、</li></ul>		er de exercica de la companya de la

BOOK | 62 PAGE | 24

**1**10913

TO WHOM IT MAY CONCERN: TO WHOM IT MAY CONCERN:

Richard Morton, and

The undersigned, J. D. Welsh and Associates

certifies that it has caused to be located the DW 1/2

Lode Mining Claim in the following quarter section(s): Range Meridian Township Section 49 E MOBEM 3211 MDBIM 49E 32 N County. all in the Unorganized Mining District, Eureka in the State of Nevada, on the , 1987. lith day of June The name and address of the locator is: Richard Morton, and J. D. Welsh and Associates 260 Coney Island Dr. Sparks Nevada 89431 feet long and 600 The claim is 1500 feet are claimed in a NORTH direction laimed in a South direction from wide, such that and 1475 feet are claimed in a South direction from the discovery monument at which the Notice of Location is posted, feet in width on 300 lengthwise of the claim, together with lengthwise of the claim, together with 300 reet in width each side of the discovery monument and centerline of the claim. The general course of the lode deposit and premises is from the South direction to the North The definition of the boundaries of the claim, together The number, location and markings on each boundary or corner monuments are as follows: Description Markings Location 3" P.V.C. Pipe 4' high N.W. Corner DW# 12 No. 1: N.W. Corner N.E. Corner DW# /Z 3" P.V.C. Pipe 4' high N.E. Corner No. 3: East Side Center Fast Side Center DW 12 3" P.V.C. Pipe 4' high S.E. Corner DW# 12 3" P.V.C. Pine 4' high No. 4: S.E. Corner S.W. Corner DW# 12 3" P.V.C. Pipe 4' high No. 5: S.W. Corner No. 6: West Side Center West Side Center DW# /2 3" P.V.C. Pipe 4' high As erected on the ground each boundary or corner monument is marked writing on the post as described above by \_ The location work consisted of making a claim map as provided in N.R.S. 517.040. , 19<u>87</u> . DATED this 4th day of August SIGNATURE OF LOCATOR: alythule RECORDER'S STAMP

BOOK 1 62 PAGE 1 25

t

110914

TO WHOM IT MAY CONCERN: Richard Morton, and
The undersigned, J. D. Welsh and Associates , hereby certifies that it has caused to be located the DW 13
Lode Mining Claim in the following quarter section(s):
1/4 Section Township Range Meridian
NW 34 32N 49E MDBEM
County
all in the Unorganized Mining District, Eureka County, in the State of Nevada, on the 11th day of June , 1987.
The name and address of the locator is: Richard Morton, and
J. D. Welsh and Associates
260 Coney Island Dr.
Sparks Nevada 89431
The claim is 1500 feet long and 600 feet wide, such that 25 feet are claimed in a Source direction
and 1475 feet are claimed in a North direction from the discovery monument at which the Notice of Location is posted,
the discovery monument at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width on
each side of the discovery monument and centerline of the Claim.
The general course of the lode deposit and premises is from the North direction to the South direction.
The definition of the boundaries of the claim, together with the erection of boundary or corner monuments, and the marking
of such monuments was completed by the 7th day of July 1987
The number, location and markings on each boundary or
corner monuments are as follows:
Location Markings Description
No. 1: N.W. Corner N.W. Corner DW# /3 3" P.V.C. Pipe 4' high
No. 2: N.E. Corner N.E. Corner DW/ /3 3" P.V.C. Pipe 4' high
No. 3: East Side Center Fast Side Center DW# 3" P.V.C. Pipe A' high
No. 4: S.E. Corner S.E. Corner DW/ /3 3".P.V.C. Pipe 4' high
No. 5: S.W. Corner S.W. Corner DW# /3 3" P.V.C. Pipe 4' high
No. 6: West Side Center West Side Center DW#/3 3" P.V.C. Pipe 4' high
As erected on the ground each boundary or corner monument is marked
as described above by writing on the post
The location work consisted of making a claim map as
provided in N.R.S. 517.040.
DATED this 4th day of August , 1987.
SIGNATURE OF LOCATOR: Cly RECORDER'S STAMP
Signature of Louis and American Control of the Cont
11 / Lu
By: WK /////W

BOOK | 62 PAGE | 26

The undersigned, J. D. water that 14 has 14 has 14 has 15 has 15 has 16 TO WHOM IT MAY CONCERN: , hereby The undersigned, J. D. Welsh and Associates certifies that it has caused to be located the DW 1/7 Lode Mining Claim in the following quarter section(5): Meridian Section Township Range 49E MDBEM 32 N 34 MOBEM 49E 32N \_ County, all in the Unorganized Mining District, Eureka in the State of Nevada, on the 11th day of June The name and address of the locator is: Richard Morton, and J. D. Welsh and Associates 260 Coney Island Dr. Sparks Nevada 89431 The claim is 1500 feet long and 600 feet are claimed in a Worth direction direction wide, such that 25 and 1475 feet are claimed in a Sourt direction from the discovery monument at which the Notice of Location is posted, each side of the claim, together with 300 feet in width feet in width on each side of the discovery monument and centerline of the claim.

The general course of the lode deposit and premises is from the

North direction to the South direction The definition of the boundaries of the claim, together with the erection of boundary or corner monuments, and the marking of such monuments was completed by the \_\_\_\_7th day of July The number, location and markings on each boundary or corner monuments are as follows: Description Markings Location 3" P.V.C. Pipe 4' high N.W. Corner DW# /4 N.W. Corner No. 1: 3" P.V.C. Pipe 4' high N.E. Corner DW# /4 No. 2: N.E. Corner East Side Center East Side Center Dus 14 No. 3: 3" P.V'C. Pine 4' high S.E. Corner DWE 19 3" P.V.C. Pipe 4' high No. 4: S.E. Corner S.W. Corner DW# /4 3" P.V.C. Pipe 4' high No. 5: S.W. Corner No. 6: West Side Center West Side Center DW# 14 3" P.V.C. Pipe 4' high As erected on the ground each boundary or corner monument is marked writing on the post as described above by

The location work consisted of making a claim map as provided in N.R.S. 517.040.

, 19<sub>87</sub> . DATED this 4th day of August

SIGNATURE OF LOCATOR: Only Mulia

RECORDER'S STAMP

By: Ody Milia

BOOK | 62 PAGE | 27

110916

TO WHOM IT MAY CONCERN:
The undersigned, J. D. Welsh and Associates, hereby
certifies that it has caused to be located the DW #15  Lode Mining Claim in the following quarter section(s):
1/4 Section Township Range Meridian
YW 34 32 W 49 E MOBEM
불명하는 1일 <u>후 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 </u>
all in the Unorganized Mining District, Eureka County,
in the State of Nevada, on the 11th day of June , 1987.
The name and address of the locator is:
Richard Morton, and
J. D. Welsh and Associates 260 Coney Island Dr.
Sparks Nevada 89431
The claim is 1500 feet long and 600 feet
wide, such that 25 feet are claimed in a South direction
the discovery monument at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width on
each cide of the discovery monument and centerline of the claim.
The general course of the lode deposit and premises is from the North direction to the South direction.
NOTES.
The definition of the boundaries of the claim, together with the erection of boundary or corner monuments, and the marking
of such monuments was completed by the 7th day of July ,1987
The number, location and markings on each boundary or
corner monuments are as follows:
Location Markings Description
No. 1: N.W. Corner N.W. Corner DW# /5 3" P.V.C. Pipe 4' high
No. 1: N.W. Corner N.W. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 2: N.E. Corner N.E. Corner DW# /5 3" P.V.C. Pipe 4' high
No. 2: N.E. Corner N.E. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center Fast Side Center DW# /5 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner S.E. Corner DW# /5 3" P.V.C. Pipe 4' high
No. 2: N.E. Corner N.E. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center Fast Side Center DW# /5 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner S.E. Corner DW# /5 3" P.V.C. Pipe 4' high
No. 2: N.E. Corner N.E. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center
No. 2: N.E. Corner N.E. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center Fast Side Center DW# /5 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner S.E. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# /5 3" P.V.C. Pipe 4' high
No. 2: N.E. Corner N.E. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center Fast Side Center DW# /5 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner S.E. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# /5 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked
No. 2: N.E. Corner N.E. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 3: East Side Center Fast Side Center DW# /5 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner S.E. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# /5 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post
No. 2: N.E. Corner N.E. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 3: East Side Center Fast Side Center DW# /5 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner S.E. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# /5 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as
No. 2: N.E. Corner  N.E. Corner DW# /5  No. 3: East Side Center  Fast Side Center DW# /5  No. 4: S.E. Corner  S.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# /5  3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by  writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.
No. 2: N.E. Corner N.E. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 3: East Side Center Fast Side Center DW# /5 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner S.E. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner S.W. Corner DW# /5 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# /5 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as
No. 2: N.E. Corner  N.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 3: East Side Center East Side Center DW# /5  No. 4: S.E. Corner  S.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# /5  3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August , 1987.
No. 2: N.E. Corner  N.E. Corner DW# /5  No. 3: East Side Center  Fast Side Center DW# /5  No. 4: S.E. Corner  S.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# /5  3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by  writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.
No. 2: N.E. Corner  N.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 3: East Side Center East Side Center DW# /5  No. 4: S.E. Corner  S.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# /5  3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August , 1987.
No. 2: N.E. Corner  N.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 3: East Side Center East Side Center DW# /5  No. 4: S.E. Corner  S.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# /5  3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August , 1987.
No. 2: N.E. Corner  N.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 3: East Side Center East Side Center DW# /5  No. 4: S.E. Corner  S.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# /5  3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August , 1987.
No. 2: N.E. Corner  N.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 3: East Side Center East Side Center DW# /5  No. 4: S.E. Corner  S.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# /5  3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August , 1987.
No. 2: N.E. Corner  N.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 3: East Side Center East Side Center DW# /5  No. 4: S.E. Corner  S.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# /5  3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August , 1987.
No. 2: N.E. Corner  N.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 3: East Side Center East Side Center DW# /5  No. 4: S.E. Corner  S.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# /5  3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August , 1987.
No. 2: N.E. Corner  N.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 3: East Side Center East Side Center DW# /5  No. 4: S.E. Corner  S.E. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# /5  3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# /5  3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August , 1987.

BOOK | 62 PAGE | 28

RECORDED AT THE REQUEST OF TO MARKEY A PRICE 128.

BOOK 162 PAGE 128.

87 AUG 28 MO-22

10917

LODE MINING CLAIM
TO WHOM IT MAY CONCERN:
The undersigned, J. D. Welsh and Associates hereby
certifies that it has caused to be located the DVICE
Lode Mining Claim in the following quarter section(s):
1/4 Section Township Range Meridian
NO 34 32N 49E MOSEM
SW 34 32N 496 MD8&M
[발경임] (1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
all in the Unorganized Mining District, Eureka County,
The name and address of the locator is:
Richard Morton, and
J. D. Welsh and Associates
260 Coney Island Dr. Sparks Nevada 89431
發表的 熱感性 경우 그는 사람들은 사람들이 가장 그 사람들이 되었다.
The Claim is 1500
wide, such that 25 feet are claimed in a Work direction and 1475 feet are claimed in a South direction from
At 31 monument of which the NOTICE OI LOUBLION IS DUDIEN
lengthwise of the claim, together with 300 feet in width on each side of the discovery monument and centerline of the claim.
each side of the discovery monument and centerline of the claim.
The general course of the lode deposit and premises is from the  North direction to the South direction.
The definition of the boundaries of the claim, together
with the erection of boundary or corner monuments, and the marking of such monuments was completed by the 7th day of July ,1937.
The number, location and markings on each boundary or
corner monuments are as follows:
Location Markings Description
N. C. DUE // 21' P. V. C. Pine 4' high
NO. 1:
10. 20 Kills out 10. 10. 10. 10. 10. 10. 10. 10. 10. 10.
No. 3: East Side Center Fast Side Center DW#/6 3" P.V.C. Pipe 4' high
No. 4: S.E. Corner S.E. Corner DW# 16 3" P.V.C. Pipe 4' high
No. 5: S.W. Corner S.W. Corner DW# 6 3" P.V.C. Pipe 4' high
No. 6: West Side Center West Side Center DW#/6 3" P.V.C. Pipe 4' high
As erected on the ground each boundary or corner monument is marked
as described above by writing on the post
The location work consisted of making a claim map as
provided in N.R.S. 517.040.
지구나 사람이 하는 사람들이 가는 사람들이 되었다. 그는 그는 사람들은 사람들은 사람들이 되었다. 하다면 화를 취약했다. 나는 사람들은 사람들이 되었다.
DATED this 4th day of August , 1987.
SIGNATURE OF LOCATOR: Why have RECORDER'S STAMP
and the same of th
By: Welle Mules

BOOK | 62 PAGE | 29

t

11018

LOI	DE MINING CLAIM	11018	
TO WHOM IT MAY CONCERN:			
The undersigned, certifies that it has cause	Richard Morton, and J. D. Welsh and Assoc	lates, hereby	
certifies that it has caused Lode Mining Claim in the fo	l to be located th Llowing quarter se	e DW1/7 ction(s):	
	vnship Range Mer		
Nw 39 3	2N 49E MD	BEM.	٠. 
NE 33 3	ZN 99E MD	Bem_	
기가 150 Harrier - Har			 
all in the Unorganized Mini	ng District, Eu	county,	
in the State of Nevada, on	the 11th day of		
The name and add	ress of the locato Morton, and	r isı	
	lsh and Associates		
260 Cone	y Island Dr.	1 - 45:41 전투하고 있을까	
Sparks N	evada 89431	그 경하는 이 학문학은 의혹회	34. 21.
The claim is 150	ofeet lon	g and 600 feet	
wide, such that 25 f and 1475 feet are cla	imed in a NOPTH	direction from	
the discovery monument at w	hich the Notice of	Location is posted,	.,*
lengthwise of the claim, to each side of the discovery	cether with 300	leet in width on	
The general course of the l	ode deposit and pr	emises is from the	e i
North directio	n to the South	direction.	
The definition o	f the boundaries o	of the claim, together	
with the erection of bounda of such monuments was compl	rv or corner monum	ents, and the marking	
			7
The number, loca	tion and markings	on each boundary or	
corner monuments are as fol	lows:	- / 발/	
Location	Markings	Description	4.
No. 1: N.W. Corner N.W.	Corner DW# /7	3" P.V.C. Pipe 4' high	
No. 2: N.E. Corner N.E.	Corner DW# /7	3" P.V.C. Pipe 4' high	·
No. 3: East Side Center East	Side Center DW#17	3" P.V.C. Pipe A' high	
No. 4: S.E. Corner S.E.	Corner DW# /7	3" P.V.C. Pipe 4' high	
No. 5: S.W. Corner S.W.	Corner DW# /7	3" P.V.C. Pipe 4' high	
No. 6: West Side Center West	Side Center DW# /7	3" P.V.C. Pipe 4' high	
		T TATOMA AND THE MARKET	
As a second on the ground on	\ \		
As erected on the ground ea	\ \	rner monument is marked	
as described above by	ch boundary or con writing on the post	rner monument is marked	
as described above by	ch boundary or con writing on the post k consisted of mal	rner monument is marked	
The location wor provided in N.R.S. 517.040.	ch boundary or con writing on the post k consisted of mal	rner monument is marked	
as described above by	ch boundary or con writing on the post k consisted of mal	rner monument is marked	
The location wor provided in N.R.S. 517.040.  DATED this 4th	ch boundary or columniting on the post k consisted of mal	rner monument is marked	
The location wor provided in N.R.S. 517.040.	ch boundary or columniting on the post k consisted of mal	rner monument is marked king a claim map as	
The location wor provided in N.R.S. 517.040.  DATED this 4th	ch boundary or columniting on the post k consisted of mal	rner monument is marked king a claim map as	
The location wor provided in N.R.S. 517.040.  DATED this 4th	ch boundary or columniting on the post k consisted of mal	rner monument is marked king a claim map as	
The location wor provided in N.R.S. 517.040.  DATED this 4th	ch boundary or columniting on the post k consisted of mal	rner monument is marked king a claim map as	
The location wor provided in N.R.S. 517.040.  DATED this 4th	ch boundary or columniting on the post k consisted of mal	rner monument is marked king a claim map as	
The location wor provided in N.R.S. 517.040.  DATED this 4th	ch boundary or columniting on the post k consisted of mal	rner monument is marked king a claim map as	のからいとは、1、1、100mmのでは

BOOK 1 62 PAGE 1 30

n É
•
,
on.
\
r 8 987
_

The location work consisted of making a claim map as provided in N.R.S. 517.040.

DATED this 4th day of August

SIGNATURE OF LOCATOR: Only Muchus

BOOK 62 PAGE /2/
BOOK 62 PAGE /2/
BOOK 62 PAGE /2/
BOOK 62 PAGE /2/
BOOK 162 PAGE /2

0920

TO WHOM IT MAY CONCERN:

The undersigned, J. D. Welsh and Associates, hereby certifies that it has caused to be located the DW# 19
Lode Mining Claim in the following quarter section(s):

1/4Section<br/>SWTownship<br/>32NRange<br/>49EMeridian<br/>MDB&M5£3332N49EMDB&M

all in the Unorganized Mining District, Eureka County, in the State of Nevada, on the llth day of June , 1987.

The name and address of the locator is:
Richard Morton, and

J. D. Welsh and Associates 260 Coney Island Dr. Sparks Nevada 89431

The claim is 1500 feet long and 600 feet wide, such that 25 feet are claimed in a North direction and 1475 feet are claimed in a South direction from the discovery monument at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width on each side of the discovery monument and centerline of the claim. The general course of the lode deposit and premises is from the North direction to the South direction.

The number, location and markings on each boundary or corner monuments are as follows:

		Location	Markings	Description
No.	1:	N.W. Corner	N.W. Corner DW# /9	3" P.V.C. Pipe 4' high
No.	2:	N.E. Corner	N.E. Corner DW# /9	3" P.V.C. Pipe 4' high
No.	3:	East Side Center	East Side Center DW# /9	3" P.V.C. Pipe 4' high
No.	4:	S.E. Corner	S.E. Corner DW# 19	3" P.V.C. Pipe A' high
No.	5:	S.W. Corner	S.W. Corner DW/ 19	3" P.V.C. Pipe 4' high
No.	6:	West Side Center	West Side Center DW#19	3" P.V.C. Pipe 4' high
			nd each boundary or c writing on the pos	orner monument is marked
		The location	n work consisted of m	aking a claim map as

The location work consisted of making a claim map as provided in N.R.S. 517.040.

DATED this 4th day of August , 1987

SIGNATURE OF LOCATOR: Relything

RECORDER'S STAMP

By: Only Ambre

BOOK LE PAGE L32

BOOK LA PAGE

BOOK | 62 PAGE | 32

Ţ

LODE MINING CLAIM 921
TO WHOM IT MAY CONCERN:
The undersigned, J. D. Welsh and Associates hereby
certifies that it has caused to be located the DW & Co.  Lode Mining Claim in the following quarter section(s):
1/4 Section Township Range Meridian
5w 34 32N 49E MOBERS
Furaba County.
all in the Unorganized Mining District, Eureka County, in the State of Nevada, on the 11th day of June , 1987.
The name and address of the locator is:
Richard Morton, and J. D. Welsh and Associates
Fig. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Sparks Nevada 89431
The claim is 1500 feet long and 600 feet
wide, such that 25 feet are claimed in a Morn direction and 1475 feet are claimed in a South direction from the direction to which the Notice of Location is posted,
the discovery modulated with 300 feet in width on
each side of the discovery mondanest and premises is from the  The general course of the lode deposit and premises is from the  North direction to the South
my definition of the boundaries of the claim, together
of such monuments was completed by the
The number, location and markings on each boundary or
corner monuments are as follows:
Location Markings Description
No. 1: N.W. Corner N.W. Corner DW# Zo 3" P.V.C. Pipe 4' high
No. 2: N.E. Corner N.E. Corner DW# 20 3" P.V.C. Pipe 4' high
No. 3: East Side Center Fast Side Center DW# 20 3" P.V.C. Pipe 4' high
No. 4: S.E. Corner DW# 20 3" P.V.C. Pipe 4" high
No. 5: S.W. Corner S.W. Corner DW# ZO 3" P.V.C. Pipe 4" high
No. 6: West Side Center West Side Center DW#20 3" P.V.C. Pipe 4" high
As erected on the ground each boundary or corner monument is marked
as described above by writing on the post
The location work consisted of making a claim map as
provided in N.R.S. 517.040.
DATED this 4th day of August , 1987.
RECORDER'S STAMP
SIGNATURE OF LOCATOR: (Lely Much
By: Unity/line()
: '로그램 2014의 1922년 (1922년 1일 - 1922년 1922년 - 1922년 1922
호텔 경통을 하는 사람 중요를 위한 상태를 가는 것이다. 아이들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람

0	92	2
,		

The undersigned, J. D. Welsh and Associates hereby certifies that it has caused to be located the DW # 21
Lode Mining Claim in the following quarter section(s):
그는 사람들은 사람들은 그들은 사람들은 사람들이 가장 아니는 사람들이 가장 되었다. 그는 사람들이 되었다는 사람들이 가장 바람들이 되었다. 사람들이 가장 바라 사람들이 다른 사람들이 되었다.
1/4 Section Township Range Meridian Su 34 32 496 Modeus
(2 명화일 : ( <u></u>
County.
all in the Unorganized Mining District, Eureka County, in the State of Nevada, on the lith day of June , 1987.
The name and address of the locator is: Richard Morton, and
J. D. Welsh and Associates
260 Coney Island Dr.
Sparks Nevada 89431
The claim is 1500 feet long and 600 feet
wide such that 25 feet are claimed in a 1/2-14 direction
and 1475 feet are claimed in a Sourt direction from the discovery monument at which the Notice of Location is posted,
The manufactor of the claim terrather with 300 1881 IN WIGHT ON
each side of the discovery monument and centerline of the claim.  The general course of the lode deposit and premises is from the
North direction to the South direction.
The definition of the boundaries of the claim, together with the erection of boundary or corner monuments, and the marking
of such monuments was completed by the 7th day of July 1987.
The number, location and markings on each boundary or corner monuments are as follows:
Location Markings Description
No. 1: N.W. Corner N.W. Corner DW# Z/ 3" P.V.C. Pipe 4' high
NO. 2. KILL GOLDEN
East still telling
NO. O. DIR. COLLECT
No. 6: West Side Center West Side Center DW# 21 3" P.V.C. Pipe 4' high
As erected on the ground each boundary or corner monument is marked
as described above by writing on the post
사 하고 있는 하일 하는 모든 사람이 있는 것이다. 그런 사람들은 사람들은 사람들은 사람들은 사람들은 사람들이 되었다. 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은 사람들은
my leastles werk consisted of making a claim map as
The location work consisted of making a claim map as
provided in N.R.S. 517.040.
The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August , 1987.
provided in N.R.S. 517.040.
provided in N.R.S. 517.040.
provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
provided in N.R.S. 517.040.  DATED this 4th day of August , 1987.
provided in N.R.S. 517.040.  DATED this 4th day of August , 1987.

BOOK 1 6 2 PAGE 1 34

t

TO WHOM IT MAY CONCERN:
The undersigned, J. D. Welsh and Associates, hereby certifies that it has caused to be located the Dyfze
Lode Mining Claim in the following quarter section(8):
1/4 Section Township Range Meridian
Sw 34 32N 48E MOBILIM
[1] [1] [1] [1] [1] [1] [1] [1] [1] [1]
: [18] [18]
all in the Unorganized Mining District, Eureka County,
in the State of Nevada, on the lith day of June , 1987.
The name and address of the locator is:
Richard Morton, and
J. D. Welsh and Associates
260 Coney Island Dr. Sparks Nevada 89431
wide, such that 25 feet are claimed in a Nozna direction and 1475 feet are claimed in a Sought direction from
At 31 warm monument of which the NOTICE OF LOCALION IS DUSTON
lengthwise of the claim, together with 300 feet in width on each side of the discovery monument and centerline of the claim.
The general course of the lode deposit and premises is from the
North direction to the South
The definition of the boundaries of the claim, together
of such monuments was completed by the 7th day of July ,1987
The number, location and markings on each boundary or
corner monuments are as follows:
Location Markings Description
No. 2: N.E. Corner DW# 22 3" P.V.C. Pipe 4' high
No. 3: East Side Center East Side Center DW ZZ 3" P.V.C. Pipe A' high
No. 4: S.E. Corner S.E. Corner DW# 22 3" P.V.C. Pipe 4' high
No. 5: S.W. Corner S.W. Corner DW# 77 3" P.V.C. Pipe 4' high
No. 6: West Side Center West Side Center DW# 22 3" P.V.C. Pipe 4' high
monument is marked
As erected on the ground each boundary or corner monument is marked as described above by
The location work consisted of making a claim map as
provided in N.R.S. 517.040.
DATED this 4th day of August , 1987.
SIGNATURE OF LOCATOR: Colympic RECORDER'S STAMP
By:
New York of the State of the S
ALG 28 A
됐는 중인 중실 등록이 보는 사이트를 보고 있다면 하는 <b>(프랑스 늘</b> 은 <b>라이</b>
80.300 x 2.885 ( ) 15 15 14 15 15 15 15 15 15 15 15 15 15 15 15 15



TO WHOM IT MAY CONCERN: Richard Morton, and , hereby The undersigned, J. D. Welsh and Associates certifies that it has caused to be located the DW Lode Mining Claim in the following quarter section(s): Section Township Range Meridian

34 32N 496 MD81M

39 32N 496 MD81M Sw SE \_\_\_ County, all in the Unorganized Mining District, Eureka in the State of Nevada, on the lith day of June , 1987. The name and address of the locator is: Richard Morton, and J. D. Welsh and Associates 260 Coney Island Dr. Sparks Nevada 89431 feet long and 600 feet are claimed in a North direction from The claim is 1500 direction wide, such that and 1475 feet are claimed in a South direction from the discovery monument at which the Notice of Location is posted, the discovery monument at which the Notice of Location is posted, the claim together with 300 feet in width feet in width on lengthwise of the claim, together with 300 reet in width each side of the discovery monument and centerline of the claim. The general course of the lode deposit and premises is from the North direction to the South direction lengthwise of the claim, together with The definition of the boundaries of the claim, together The number, location and markings on each boundary or corner monuments are as follows: Description Markings Location N.W. Corner DW# 23 3" P.V.C. Pipe 4' high N.W. Corner No. 1: 3" P.V.C. Pipe 4' high N.E. Corner DW# 23 N.E. Corner No. 2: No. 3: East Side Center Fast Side Center DW6 3 3" P.V.C. Pipe 4' high S.E. Corner DW# 23 3" P.V.C. Pine 4° high S.E. Corner 3" P.V.C. Pipe 4' high S.W. Corner S.W. Corner DW# 23 No. 5: West Side Center West Side Center DW# 23 3" P.V.C. Pipe 4' high No. 6: As erected on the ground each boundary or corner monument is marked as described above by writing on the post The location work consisted of making a claim map as provided in N.R.S. 517.040. , 19<u>8</u>7 DATED this 4th day of August SIGNATURE OF LOCATOR: Colymulus RECORDER'S STAMP

BOOK | 62 PAGE | 36

CERTIFICATE OF LOCATION LODE MINING CLAIM  11225
TO WHOM IT MAY CONCERN:
The undersigned, J. D. Welsh and Associates , hereby certifies that it has caused to be located the D W 1 24 Lode Mining Claim in the following quarter section(8):
1/4 Section Township Range Meridian SE 34 32N 48E MOSEM
[2] (12 12 12 12 12 12 12 12 12 12 12 12 12 1
all in the Unorganized Mining District, Eureka County, in the State of Nevada, on the 11th day of June , 1987.
The name and address of the locator is: Richard Morton, and
J. D. Welsh and Associates 260 Coney Island Dr. Sparks Nevada 89431
wide, such that 25 feet are claimed in a North direction
the discovery monument at which the Notice of Location is posted,
each side of the discovery monument and centerline OI the Claim.
The general course of the lode deposit and premises is from the North direction to the South direction.
The definition of the boundaries of the claim, together
with the erection of boundary or corner monuments, and the marking of such monuments was completed by the
The number, location and markings on each boundary or corner monuments are as follows:
Location Markings Description
No. 1: N.W. Corner N.W. Corner DW# Z3 3" P.V.C. Pipe 4' high
No. 2: N.E. Corner N.E. Corner DW# 24 3" P.V.C. Pipe 4' high
No. 3: Fast Side Center East Side Center DW 24 3" P.V.C. Pipe 4' high
No. 4: S.E. Corner S.E. Corner DW# Z4 3" P.V.C. Pipe 4' high
No. 5: S.W. Corner S.W. Corner DW# 24 3" P.V.C. Pipe 4' high
No. 6: West Side Center West Side Center DW# Zy 3" P.V.C. Pipe 4' high
As erected on the ground each boundary or corner monument is marked as described above by
The location work consisted of making a claim map as provided in N.R.S. 517.040.
DATED this 4th day of August , 1987.
SIGNATURE OF LOCATOR: Why halice RECORDER'S STAMP
Du Oule Augusties
Agent
TO SEE AND
발생님이 가는 사람이 있었다. 그 나는 아이들은 이 가지를 통하고 있다면 했다.
- #트롱바닷터널(1) 현존 기업 : 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10

BOOK | 62 PAGE | 37

### CERTIFICATE OF LOCATION

926

		CONCERN.	<u> </u>
TO WH	OM :	IT MAY CONCERN:	Richard Morton, and ed, J. D. Welsh and Associates , hereby
	fia	and the base of	auged to be located the UKVC-
Lode	Min	ing Claim in th	e following quarter section.
4		1/4 Section	Township Range Meridian  32.7 49.E MDB cm.
		<u>56 34</u>	324 49E MDBEM
. 1 1		he Unorganized	Mining District, Eureka County,
in th	he S	tate of Nevada,	on the 11th day of June 1987.
,		who name and	l address of the locator is:
war lan			
. 22		J. 260	D. Welsh and Associates Coney Island Dr.
		Spa	arks Nevada 89431
	46 - 5	The claim is	feet long and 600 feet
wide			-1-4-od 4n n N/Or4   direction
and		1475 feet are	e claimed in a South direction iron
the	disc	overy monument	e claimed in a South direction from at which the Notice of Location is posted, m, together with 300 feet in width on the claim.
leng	thw	se of the Clark	n, together and centerline of the claim.
The			
	Nor	th dire	ection to the
- T		The definit	ion of the boundaries of the claim, together
with	th		
of s	uch	monuments was	completed by the
		The number	location and markings on each boundary or
COTE	or i	monuments are a	s follows:
			Description
되는 - 전		Location .	
No.	1:	N.W. Corner	N.W. Corner DW# 25 3" P.V.C. Pipe 4° high
No.	2:	N.E. Corner	N.E. Corner DW# Z5 3" P.V.C. Pipe 4° high
			Fast Side Center DW#Z5 3" P.V.C. Pipe A' high
No.		S. F. Corner	S.F. Corner DW# 25 3" P.V.C. Pine & high
100	£.5	S.E. Corner	S.W. Corner DW# 25 3" P.V.C. Pipe 4° high
No.		S.W. Corner	West Side Center DW# 75 3" P.V.C. Pipe 4" high
No.			
			and each boundary or corner monument is marked
As	erec	ted on the grou	writing on the post
8.8	desc	FIDEG ADOVE D	
		The location	on work consisted of making a claim map as
pro	vide	d in N.R.S. 517	그 그 그는 그는 그는 그를 가는 그는 그를 가는 그를 가는 그를 가는 그를 가는 그를 가는 것이 되었다.
		DATED this	4th day of August , 1987.
			RECORDER'S STAMP
SIG	TAN	JRE OF LUCATURE	my vin
			그는 듯한 이 그 시장 사람들이 눈을 가셨다. 불렀다 그릇,
		$\alpha A A$	
Der a		. ( holy/hal	
_ by :		Agent	
74			
گذاه الدو الذه ا أن الدوالي			
r sing i ja Prografia			
	, 12 T		
	¥.		

BOOK | 62 PAGE | 38

Ţ

### CERTIFICATE OF LOCATIO

TO WHOM IT MAY CONCERN: Richard Morton, and
The undersigned, J. D. Welsh and Associates , hereby certifies that it has caused to be located the DW # ZC
certifies that it has caused to be located the United Lode Mining Claim in the following quarter section(s):
1/4 Section Township Range Meridian
SE BY BEN 49E MOBELL
all in the Unorganized Mining District, Eureka County,
in the State of Nevada, on the 11th day of June , 1982.
The name and address of the locator is:
Richard Morton, and
J. D. Welsh and Associates
260 Coney Island Dr. Sparks Nevada 89431
물과장 중에 교통하다. 이번 경기 시간 사람들이 되는 것이다.
The claim is 1500 feet long and 600 feet wide, such that 25 feet are claimed in a No end direction
wide, such that 25 feet are claimed in a Novy direction and 1475 feet are claimed in a Source direction from
the discovery monument at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width on the discovery monument and centerline of the claim.
each side of the discovery monument and centerline of the claim.
The general course of the lode deposit and premises is direction.
The definition of the boundaries of the claim, together
with the erection of boundary or corner monuments, and the marking of such monuments was completed by the 7th day of July ,1987
The number, location and markings on each boundary or corner monuments are as follows:
그리고 그렇게 있는데 그는 그 있는데 얼마를 보면 그 그는 그는 그는 그는 그를 가는데 그를 하는데 그는 그를 가는데 그렇게 되었다. 나를 다 나를 다 살아 먹는데 그렇게 되었다.
Location Markings Description
No. 1: N.W. Corner N.W. Corner DW# Z6 3" P.V.C. Pipe 4' high
No. 2: N.E. Corner N.E. Corner DW# 26 3" P.V.C. Pipe 4' high
No. 3: East Side Center East Side Center DW 26 3" P.V.C. Pipe 4' high
No. 4: S.E. Corner S.E. Corner Dwll Z6 3" P.V.C. Pipe 4' high
No. 5: S.W. Corner S.W. Corner DW# 26 3" P.V.C. Pipe 4' high
No. 6: West Side Center West Side Center DW#26 3" P.V.C. Pipe 4' high
As erected on the ground each boundary or corner monument is marked
as described above by writing on the post
The location work consisted of making a claim map as
provided in N.R.S. 517.040.
DATED this 4th day of August , 1987.
SIGNATURE OF LOCATOR: RECORDER'S STAMP
Cily Mire
By: Www harm
/ <b>^&amp;</b> Cut
azza <b>e</b>

TO WHOM IT MAY CONCERN: Richard Morton, and hereby
mb undersigned. I D Welch and Associates
certifies that it has caused to be located the Dw # 27  Lode Mining Claim in the following quarter section(s):
1/4 Section Township Range Meridian
SE 34 32N HIE MOBEM
all in the Unorganized Mining District, Eureka County,
in the State of Nevada, on the 11th day of June , 1987.
The name and address of the locator is:
Richard Morton, and
J. D. Welsh and Associates
260 Coney Island Dr.
Sparks Nevada 89431
The claim is 1500 feet long and 600 feet
wide, such that feet are claimed in direction from
and 1475 feet are claimed in a Social the discovery monument at which the Notice of Location is posted, the discovery monument at which the Notice of Location is posted,
the discovery monument at which the Rottee of the claim, together with 300 feet in width on lengthwise of the claim, together with and centerline of the claim.
each side of the discovery had denosit and premises is from the
The general course of the four deposits and direction.  North direction to the South direction.
The definition of the boundaries of the claim, together
with the erection of boundary or corner monuments, of July ,1987.  of such monuments was completed by the 7th day of July ,1987.
The number, location and markings on each boundary or
corner monuments are as follows:
Description
Location Balance
No. 1: N.W. Corner N.W. Corner DW# 27 3" P.V.C. Pipe 4' high
No. 1: N.W. Corner
No. 2: N.E. Corner N.E. Corner DW# 27 3" P.V.C. Pipe 4' high
No. 2: N.E. Corner N.E. Corner DW# 27 3" P.V.C. Pipe 4" high  No. 3: Fast Side Center Fast Side Center DW# 27 3" P.V.C. Pipe 4" high
No. 1: N.E. Corner N.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 3: East Side Center Fast Side Center DW# 27 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner DW# 27 3" P.V.C. Pipe 4' high
No. 1: N.E. Corner N.E. Corner DWS 27 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center Fast Side Center DWS 27 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner DWS 27 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner DWS 27 3" P.V.C. Pipe 4' high
No. 1: N.W. Corner  N.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center Fast Side Center DW# 27 3" P.V.C. Pipe 4' high  No. 4: S.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 6: West Side Center West Side Center DW# 27 3" P.V.C. Pipe 4' high
No. 1: N.W. Corner  N.E. Corner DW# 27  3" P.V.C. Pipe 4' high  No. 3: Fast Side Center Fast Side Center DW# 27  No. 4: S.E. Corner  S.E. Corner DW# 27  3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27  3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27  3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27  3" P.V.C. Pipe 4' high  No. 6: West Side Center DW# 27  3" P.V.C. Pipe 4' high
No. 1: N.W. Corner  N.E. Corner DW# 27  3" P.V.C. Pipe 4' high  No. 3: Fast Side Center Fast Side Center DW# 27  No. 4: S.E. Corner  S.E. Corner DW# 27  3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27  3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27  3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27  3" P.V.C. Pipe 4' high  No. 6: West Side Center DW# 27  3" P.V.C. Pipe 4' high
No. 1: N.W. Corner  No. 2: N.E. Corner  N.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 3: East Side Center  S.E. Corner  S.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27 3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by writing on the post
No. 1: N.W. Corner  No. 2: N.E. Corner  N.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center  S.E. Corner  S.E. Corner  S.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by  The location work consisted of making a claim map as
No. 1: N.W. Corner  N.E. Corner DW# 27  3" P.V.C. Pipe 4' high  No. 3: East Side Center  S.E. Corner DW# 27  3" P.V.C. Pipe 4' high  No. 4: S.E. Corner  S.E. Corner DW# 27  3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27  3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27  3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by  writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.
No. 1: N.W. Corner  No. 2: N.E. Corner  N.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center  S.E. Corner  S.E. Corner  S.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by  The location work consisted of making a claim map as
No. 1: N.W. Corner  No. 2: N.E. Corner  N.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center  S.E. Corner  S.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
No. 1: N.W. Corner  N.E. Corner DW# 27  3" P.V.C. Pipe 4' high  No. 3: East Side Center  S.E. Corner DW# 27  3" P.V.C. Pipe 4' high  No. 4: S.E. Corner  S.E. Corner DW# 27  3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27  3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27  3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked as described above by  writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.
No. 1: N.W. Corner  No. 2: N.E. Corner  N.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center  S.E. Corner  S.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
No. 1: N.W. Corner  No. 2: N.E. Corner  N.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center  S.E. Corner  S.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
No. 1: N.W. Corner  No. 2: N.E. Corner  N.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center  S.E. Corner  S.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
No. 1: N.W. Corner  No. 2: N.E. Corner  N.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center  S.E. Corner  S.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
No. 1: N.W. Corner  No. 2: N.E. Corner  N.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center  S.E. Corner  S.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
No. 1: N.W. Corner  No. 2: N.E. Corner  N.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center  S.E. Corner  S.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
No. 1: N.W. Corner  No. 2: N.E. Corner  N.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center  S.E. Corner  S.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
No. 1: N.W. Corner  No. 2: N.E. Corner  N.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center  S.E. Corner  S.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.
No. 1: N.W. Corner  No. 2: N.E. Corner  N.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 3: Fast Side Center  S.E. Corner  S.E. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 5: S.W. Corner  S.W. Corner DW# 27 3" P.V.C. Pipe 4' high  No. 6: West Side Center  West Side Center DW# 27 3" P.V.C. Pipe 4' high  As erected on the ground each boundary or corner monument is marked writing on the post  The location work consisted of making a claim map as provided in N.R.S. 517.040.  DATED this 4th day of August 1987.

TO WHOM IT MAY CONCERN: Richard Morton, and horsely
The undersigned, J. D. Welsh and Associates hereby certifies that it has caused to be located the D. W. 128
Lode Mining Claim in the following quarter section(s):
1/4 Section Township Range Meridian
5E 34 32N 49E MDB&M
County,
in the State of Nevada, on the 11th day of June, 1987.
The name and address of the locator is: Richard Morton, and
J. D. Welsh and Associates 260 Coney Island Dr. Sparks Nevada 89431
The claim is 1500 feet long and 600 feet
wide, such that 25 feet are claimed in a EAST direction direction from
and 1475 feet are claimed in a Notice of location is posted,
the discovery monument at which the 300 feet in width on
each side of the discovery monument and centerline of the claim.  each side of the discovery monument and centerline of the claim.  The general course of the lode deposit and premises is from the direction.
The general course of the lode deposit and plant direction.  **DEST** direction to the **EAST** direction.
The definition of the boundaries of the claim, together
with the erection of boundary or corner monuments, and the marking of such monuments was completed by the 7th day of July ,1987.
of such monuments was compressed in such boundary or
The number, location and markings on each boundary or corner monuments are as follows:
Location Markings Description
No. 1: N.W. Corner N.W. Corner DW# 28 3" P.V.C. Pipe 4' high
No. 2: N.E. Corner N.E. Corner DW# 28 3" P.V.C. Pipe 4" high
No. 3: North Side Center Welth Side Center DW#28 3" P.V.C. Pipe 4' high
No. 4: S.E. Corner S.E. Corner DW 28 3" P.V.C. Pipe 4" high
No. 5: S.W. Corner S.W. Corner DW# 28 3" P.V.C. Pipe 4' high
No. 6: Sour Side Center South Side Center DW/ 28 3" P.V.C. Pine 4' high
As erected on the ground each boundary or corner monument is marked as described above by writing on the post
The location work consisted of making a claim map as
provided in N.R.S. 517.040.
DATED this 4th day of August , 1987.
SIGNATURE OF LOCATOR: Why hules RECORDER'S STAMP
00 // lie
By: & 8 8
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
가면 하는 돌아전 1200대로 100대로 인터트로 보고 있다. 100대로
多数对对性,但是否是连续多数的,但因为是以其他也是是他的必要的最多的是一种的。这个是 <b>是325</b> 年的第二人, <b>从下</b> 上