

117516

**AFFIDAVIT OR STATEMENT OF ANNUAL ASSESSMENT WORK
(PROOF OF LABOR)
ON UNPATENTED MINING CLAIMS (AMMENDED)**

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies (certify) that he (she, they) has (have) expended more than \$ 5,400.00 dollars for labor and improvements, as the annual assessment work for the year ending September 1, 1987, on the (list claim names here)

Billy 1-40 claims NMC 331956-331995
Fleet 1-13 claims NMC 338457-338469
Opportunity claim NMC 338470

lode mining claims in Section 23,24,25,26,27,,34,35, Township 21N, Range 54 E, in the Diamond Mining District, in Eureka County, Nevada, owned by Robert W. Gergen And William Fleet, for the purpose of holding said claims.

The claim map showing said claims is filed as Document No. 98361 in the _____ County records.

98596
Said labor was performed or improvements made by (name and address) Marvin A. Mitchell, 611- 850 W. Hastings St., Vancouver, B.C., Canada, V6C 1E1, -----Agent For----- ST. George Minerals Inc., Suite 615-625 Howe St., Vancouver, B.C., V6C 2T6 between the dates of June 15, 1987 and June 24, 1987, and consisted of

The establishment of a survey grid, geochemical soil surveys, and limited geological mapping.

Dated this 1st day of April, 1988.

Marvin Mitchell

RECORDER'S STAMP

Subscribed and sworn to before me this
1 day of April, 1988.

Gay Guerciochea
GAY GUERCIOCHEA
Notary Public, State of Nevada
Eureka County Nevada
My appointment expires Oct 28 1990

BOOK 175 PAGE 136

ASSESSMENT REPORT
For The Year Ending September 1, 1987
on the

Billy 1- 40 claims NMC 331956-331995
Sec 23,24,25,26,27,34,35, T21N, R54E, MDB&M.

Fleet 1- 13 claims NMC 338457-338469
Sec 35, T21N, R54E, MDB&M.

Opportunity claim NMC 338470
Sec 34&35, T21N, R54E, MDB&M.

The owner of the Billy claims is Robert W. Gergen, Eureka, Nevada and the owner of the Fleet and Opportunity claims is William Fleet.

Assessment work exceeding \$5,400.00 for the year ending September 1, 1987, was performed between June 15th and June 24th, 1987. The work consisted of the establishment of a survey grid a geochemical soil survey and limited geological mapping due to poor rock exposure.

The work was performed under the supervision of Marvin A. Mitchell, 611- 850 W., Hastings St., Vancouver B.C., Canada, V6C 1E1 for the operator of the claims, St. George Minerals Inc., Suite 615- 625 Howe St., Vancouver, B.C., Canada, V6C 2T6.

Sample spacing was 100 ft on lines 100 ft apart.

A total of 225 samples were taken and analyzed for 32 elements plus gold, thallium, and total fusion barium. (see enclosed assay certificates).

The assay cost was \$17.00 sample for a total of \$3,825.00. Labor charges were approximately \$200.00/ day for a total of \$2,000.00. Total costs of \$5,825.00 were incurred for the benefit of all claims.

RESULTS



Geological mapping was limited because of poor rock exposure.

The only element found in anomalous amounts in the geochemical soil survey was barium. This is probably due to a high barium background in the underlying Diamond Peak sandstone.

Respectfully submitted,

Marvin A. Mitchell

Sept. 20, 1987



BOOK 175 PAGE 139

ST GEORGE MINERALS INC
 BILLY, FLEET & OPPORTUNITY
 CLAIMS
 GEOCHEMICAL SURVEY
 PLAN
 SEC 23, 26, 24, 25, 26, 27
 34 & 35 T2N, R54E
 MDBM
 EUREKA CO., NV.
 M.A.M. 09/20/88



Chemex Labs Ltd.
 Analytical Chemistry & Consulting & Registered Analysts
 317 BRIDGEWAY AV2., NORTH WANDERVIEW,
 UNIT 108, SCARBOROUGH, CANADA M1V 3E1
 PHONE (416) 614-8111

To: ST. GEORGE MINERALS INC.
 311 - 471 BROS ST.
 VANCOUVER, BC
 V6C 1S1
 Project: GEI; MARVIN A. MITCHELL
 Comments: GEI

CERTIFICATE OF ANALYSIS A8718449

SAMPLE DESCRIPTION	PREP CODE	Mg %	Mn ppm	Mo ppm	Ni %	Pi ppm	P ppm	Fe ppm	Co ppm	Ni ppm	Cr ppm	Ti ppm	V ppm	Cr ppm	Zn ppm
132K: 348	201:218	0.21	421	<	0.02	14	670	16	<	<	10	10	<	<	<
132K: 349	201:218	0.22	346	<	0.02	11	330	16	<	<	10	<	<	<	<
132K: 350	201:218	0.22	346	<	0.02	13	400	16	<	<	10	<	<	<	<
132K: 351	201:218	0.24	373	<	0.02	17	220	22	<	<	10	<	<	<	<
132K: 378	201:218	0.24	441	<	0.02	17	330	22	<	<	10	<	<	<	<
132K: 318	201:218	0.33	370	<	0.02	15	690	18	<	<	10	<	<	<	<
132K: 370	201:218	0.24	370	<	0.02	13	370	15	<	<	10	<	<	<	<
132K: 408	201:218	0.41	370	<	0.02	15	420	14	<	<	10	<	<	<	<
132K: 418	201:218	0.44	312	<	0.02	19	370	26	<	<	10	<	<	<	<
132K: 418	201:218	0.47	315	<	0.02	17	490	20	<	<	10	<	<	<	<
132K: 418	201:218	0.42	619	<	0.02	14	420	20	<	<	10	<	<	<	<
132K: 449	201:218	0.44	542	<	0.02	18	430	20	<	<	10	<	<	<	<
132K: 458	201:218	0.40	417	<	0.02	20	440	16	<	<	10	<	<	<	<
132K: 468	201:218	0.39	430	<	0.02	19	490	14	<	<	10	<	<	<	<
132K: 478	201:218	0.34	431	<	0.02	16	560	20	<	<	10	<	<	<	<
132K: 488	201:218	0.24	414	<	0.02	21	430	10	<	<	10	<	<	<	<
132K: 488	201:218	0.24	370	<	0.01	23	370	20	<	<	10	<	<	<	<
132K: 508	201:218	0.21	440	<	0.01	21	510	8	<	<	10	<	<	<	<
132K: 508	201:218	0.21	440	<	0.02	17	510	11	<	<	10	<	<	<	<
132K: 508	201:218	0.21	336	<	0.02	9	330	11	<	<	10	<	<	<	<
132K: 378	201:218	0.27	463	<	0.02	13	420	8	<	<	10	<	<	<	<
132K: 318	201:218	0.20	379	<	0.02	14	340	10	<	<	10	<	<	<	<
132K: 392	201:218	0.28	410	<	0.02	16	670	2	<	<	10	<	<	<	<
132K: 318	201:218	0.28	480	<	0.02	15	330	8	<	<	10	<	<	<	<
132K: 328	201:218	0.30	435	<	0.02	16	330	6	<	<	10	<	<	<	<
132K: 328	201:218	0.21	383	<	0.02	17	330	13	<	<	10	<	<	<	<
132K: 348	201:218	0.22	423	<	0.02	16	500	13	<	<	10	<	<	<	<
132K: 328	201:218	0.24	428	<	0.02	15	430	18	<	<	10	<	<	<	<
132K: 382(A)	201:218	0.28	468	<	0.02	15	410	16	<	<	10	<	<	<	<
132K: 348	201:218	0.24	440	<	0.02	16	490	10	<	<	10	<	<	<	<
132K: 382(A)	201:218	0.27	483	<	0.02	16	340	18	<	<	10	<	<	<	<
132K: 378	201:218	0.28	370	<	0.02	13	330	10	<	<	10	<	<	<	<
132K: 378(A)	201:218	0.40	404	<	0.02	15	330	3	<	<	10	<	<	<	<
132K: 382(A)	201:218	0.46	403	<	0.02	2	30	<	<	<	10	<	<	<	<
132K: 382(A)	201:218	0.44	382	<	0.02	13	490	22	<	<	10	<	<	<	<
132K: 378	201:218	0.24	318	<	0.02	19	440	14	<	<	10	<	<	<	<
132K: 378(A)	201:218	0.27	315	<	0.02	18	410	24	<	<	10	<	<	<	<
132K: 408	201:218	0.24	315	<	0.02	14	400	10	<	<	10	<	<	<	<
132K: 428(A)	201:218	0.21	409	<	0.02	11	420	14	<	<	10	<	<	<	<
132K: 418	201:218	0.28	441	<	0.02	18	420	14	<	<	10	<	<	<	<

Handwritten signature
 ANALYST



Chemex Labs Ltd.
 Analytical Chemistry & Environmental Engineering Laboratory
 711 BRIDGEWAY AVE., NEARTE VANCOUVER,
 BRITISH COLUMBIA, CANADA V7S-2C1
 PHONE (604) 944-9331

To: ST. GEORGE MINERALS LTD.
 711 - 475 BOW ST.
 VANCOUVER, BC
 V6C 1B1
 Project: GC: MARVIN A. MITCHELL
 Certificate of Analysis: **A8718449**

Date: 6-AUG-77
 Invoice #: 5-571846
 P.O. #

CERTIFICATE OF ANALYSIS A8718449

SAMPLE DESCRIPTION	PREP CODE	Mg %	Mn ppm	Ni %	Al ppm	Si ppm	P ppm	Fe ppm	Sb ppm	As ppm	Se ppm	Br ppm	K ppm	Ca ppm	Ti ppm	V ppm	Cr ppm	Zn ppm
130K: 125	201 235	0.42	477	< 1	< 1	330	26	3	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	91
130K: 125	201 235	0.38	310	0.01	19	430	16	10	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	85
130K: 125	201 235	0.40	433	0.01	20	450	22	10	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	92
130K: 125	201 235	0.45	525	0.01	22	500	18	10	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	103
130K: 125	201 235	0.32	234	0.01	18	440	18	10	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	77
130K: 425	201 235	0.33	425	0.01	14	310	14	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	82
130K: 475	201 235	0.34	411	0.01	12	340	14	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	81
130K: 425	201 235	0.35	417	0.01	17	430	6	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	86
130K: 425	201 235	0.30	341	0.01	20	480	20	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	90
130K: 125	201 235	0.35	452	0.01	11	500	14	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	85
130K: 125	201 235	0.38	445	0.01	15	540	14	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	83
130K: 125	201 235	0.42	493	0.01	11	400	14	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	82
130K: 125	201 235	0.37	540	0.01	17	400	14	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	78
130K: 125	201 235	0.39	579	0.01	16	410	12	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	80
130K: 425	201 235	0.37	504	0.01	18	410	12	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	83
130K: 425	201 235	0.40	471	0.01	13	490	28	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	83
130K: 415	201 235	0.41	528	0.01	22	480	10	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	88
130K: 415	201 235	0.40	521	0.01	18	490	10	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	103
130K: 425	201 235	0.34	345	0.01	18	530	12	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	83
130K: 425	201 235	0.38	448	0.01	14	500	24	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	83
130K: 475	201 235	0.35	483	0.01	22	540	4	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	91
130K: 425	201 235	0.37	424	0.01	20	460	4	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	89
130K: 425	201 235	0.34	300	0.01	20	510	18	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	84
130K: 125	201 235	0.34	489	0.01	16	530	12	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	84
130K: 125	201 235	0.37	488	0.01	13	530	14	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	91
130K: 125	201 235	0.37	487	0.01	14	510	16	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	89
130K: 125	201 235	0.35	251	0.01	17	450	16	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	85
130K: 125	201 235	0.36	252	0.01	16	490	24	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	85
130K: 425	201 235	0.38	364	0.01	19	490	10	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	85
130K: 415	201 235	0.41	404	0.01	21	560	16	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	94
130K: 415	201 235	0.42	312	0.01	24	480	12	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	91
130K: 425	201 235	0.41	340	0.01	27	520	10	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	91
130K: 425	201 235	0.39	404	0.01	20	520	10	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	85
130K: 425	201 235	0.33	241	0.01	11	510	22	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	77
130K: 425	201 235	0.32	298	0.01	21	410	16	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	84
130K: 425	201 235	0.37	247	0.01	23	540	20	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	88
130K: 425	201 235	0.36	240	0.01	21	540	20	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	85
130K: 425	201 235	0.35	286	0.01	20	640	18	5	< 5	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	81

CERTIFICATION: *[Signature]*



Chemex Labs Ltd.
 Analytical Chemists & Geochemists - Registered Analysts
 313 BRIDGEWAY AVE., NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-3C1
 PHONE (604) 944-9131

TO: ST. GEORGE'S MINERALS INC.
 711 - 475 BOWE ST.
 VANCOUVER, BC
 V6C 1B3
 Project: OCT. MARVIN A. MITCHELL
 Commission: A8718449

CERTIFICATE OF ANALYSIS A8718449

SAMPLE DESCRIPTION	PREP CODE	Ba ppm	Ti ppm	Al 1000 PHMA %	Al ppm	As ppm	Zn ppm	Bi ppm	Cr %	Cl ppm	Co ppm	Ca ppm	Pb ppm	Fe %	Cl ppm	Bg ppm	Z %	Lt ppm
1345: 508	201 218	940	0.7	< 5	1.63	0.2	240	1.5	< 2	0.41	9	22	24	2.02	10	< 1	0.41	20
1378: 318	201 218	1040	0.6	< 5	1.30	0.2	410	1.5	< 2	0.38	9	18	20	1.94	< 10	< 1	0.38	20
1378: 343	201 218	1040	0.5	< 5	1.43	0.2	340	1.5	< 2	0.37	9	18	20	1.94	< 10	< 1	0.40	20
1378: 378	201 218	1000	0.7	< 5	1.43	0.2	340	1.5	< 2	0.34	9	21	28	2.00	< 10	< 1	0.40	20
1378: 343	201 218	1000	0.6	< 5	1.51	0.2	370	1.5	< 2	0.34	9	21	28	2.00	< 10	< 1	0.40	20
1378: 318	201 218	1040	0.6	< 5	1.70	0.2	360	1.5	< 2	0.34	11	24	31	2.22	10	< 1	0.45	20
1378: 408	201 218	1000	0.5	< 5	1.93	0.2	340	1.5	< 2	0.31	10	21	24	2.11	10	< 1	0.45	20
1378: 418	201 218	1000	0.6	< 5	1.81	0.2	340	1.5	< 2	0.30	8	21	24	2.15	10	< 1	0.41	20
1378: 428	201 218	1040	0.3	< 5	1.77	0.2	300	1.5	< 2	0.31	9	21	24	2.31	10	< 1	0.43	20
1378: 418	201 218	1040	0.3	< 5	1.77	0.2	340	1.5	< 2	0.31	9	21	24	2.14	10	< 1	0.45	20
1378: 418	201 218	1000	0.5	< 5	1.47	0.2	340	1.5	< 2	0.34	8	16	19	1.70	10	< 1	0.36	20
1378: 438	201 218	940	0.5	< 5	1.57	0.2	270	1.5	< 2	0.42	8	16	21	1.86	10	< 1	0.42	20
1378: 458	201 218	910	0.3	< 5	1.50	0.2	200	1.5	< 2	0.39	9	18	21	2.02	10	< 1	0.31	20
1378: 478	201 218	1000	0.6	< 5	1.17	0.2	300	1.5	< 2	0.34	9	22	24	2.05	< 10	< 1	0.31	20
1378: 418	201 218	1100	0.5	< 5	1.03	0.2	470	1.5	< 2	0.30	8	22	21	1.90	< 10	< 1	0.31	20
1378: 438	201 218	1000	0.3	< 5	1.21	0.2	340	1.5	< 2	0.23	7	29	31	2.30	< 10	< 1	0.37	20
1378: 408	201 218	1000	0.3	< 5	1.29	0.2	360	1.5	< 2	0.25	8	20	27	2.37	< 10	< 1	0.39	20
1388: 318	201 218	1120	0.4	< 5	1.44	0.2	430	1.5	< 2	0.34	9	18	21	1.89	< 10	< 1	0.39	20
1388: 348	201 218	1200	0.6	< 5	1.44	0.2	500	1.5	< 2	0.31	10	20	26	1.91	< 10	< 1	0.40	20
1388: 378	201 218	1000	0.5	< 5	1.36	0.2	510	1.5	< 2	0.35	10	20	26	1.82	< 10	< 1	0.38	20
1388: 318	201 218	1160	0.5	< 5	1.47	0.2	340	1.5	< 2	0.23	9	19	24	1.88	10	< 1	0.33	20
1388: 348	201 218	1040	0.5	< 5	1.74	0.2	260	1.5	< 2	0.20	9	19	24	1.88	10	< 1	0.33	20
1388: 408	201 218	1120	0.5	< 5	1.26	0.2	340	1.5	< 2	0.20	9	17	23	1.90	10	< 1	0.33	20
1388: 418	201 218	1120	0.5	< 5	1.41	0.2	370	1.5	< 2	0.26	11	21	26	1.98	10	< 1	0.35	20
1388: 438	201 218	1030	0.5	< 5	1.40	0.2	340	1.5	< 2	0.44	11	31	34	2.41	10	< 1	0.36	20
1388: 428	201 218	1020	0.5	< 5	1.28	0.2	270	1.5	< 2	0.37	8	35	33	2.19	10	< 1	0.39	20
1388: 418	201 218	910	0.5	< 5	1.74	0.2	290	1.5	< 2	0.40	8	21	22	2.01	10	< 1	0.41	20
1388: 448	201 218	940	0.5	< 5	1.58	0.2	270	1.5	< 2	0.34	9	21	22	1.99	10	< 1	0.41	20
1388: 458	201 218	1000	0.4	< 5	1.37	0.2	260	1.0	< 2	0.38	8	20	21	1.89	< 10	< 1	0.33	20
1388: 468	201 218	1000	0.4	< 5	1.49	0.2	270	1.0	< 2	0.35	9	20	21	1.85	< 10	< 1	0.41	20
1388: 478	201 218	940	0.4	< 5	1.34	0.2	250	1.0	< 2	0.31	8	11	18	1.63	< 10	< 1	0.35	20
1388: 418	201 218	940	0.3	< 5	1.26	0.2	210	1.0	< 2	0.37	8	15	19	1.74	< 10	< 1	0.36	20
1388: 408	201 218	940	0.3	< 5	1.27	0.2	210	1.0	< 2	0.36	8	15	19	1.61	< 10	< 1	0.33	20
1388: 428	201 218	1140	0.3	< 5	1.43	0.2	490	1.5	< 2	0.34	10	20	21	1.90	< 10	< 1	0.39	20
1388: 318	201 218	1140	0.3	< 5	1.48	0.2	430	1.5	< 2	0.36	10	19	26	1.97	< 10	< 1	0.38	20
1388: 318	201 218	1020	0.3	< 5	1.53	0.2	390	1.5	< 2	0.35	10	18	27	1.94	10	< 1	0.37	20
1388: 348	201 218	940	0.6	< 5	1.49	0.2	340	1.0	< 2	0.34	11	22	37	2.18	10	< 1	0.41	20
1388: 388	201 218	910	0.5	< 5	1.49	0.2	310	1.0	< 2	0.34	10	18	23	1.91	< 10	< 1	0.34	20
1388: 408	201 218	1040	0.4	< 5	1.34	0.2	290	1.0	< 2	0.33	9	19	22	1.81	< 10	< 1	0.34	20
1388: 418	201 218	920	0.4	< 5	1.36	0.2	240	1.0	< 2	0.33	9	20	25	1.85	< 10	< 1	0.30	20

Signature: *[Handwritten Signature]*
 Certification: *[Handwritten Signature]*

To: ST. GEORGE MINERALS INC.
 711 - 475 BROS ST.
 VANCOUVER, BC
 V6C 1B3
 PROJECT: 1
 CHEMISTS: CCI, MARVIN A. MITCHELL

Chemex Labs Ltd.
 Analytical Chemistry & Geochemistry - Registered Analyser
 312 MADISON AVE., SUITE 1000, VANCOUVER, B.C.
 TEL: 681-1111, FAX: 681-1111
 PHONE (604) 681-1111

CERTIFICATE OF ANALYSIS A8718449

SAMPLE DESCRIPTION	PREP CODES	Mg %	Mg ppm	Mn %	Mn ppm	P %	P ppm	Sr %	Sr ppm	Ti %	Ti ppm	V %	V ppm	Zn %	Zn ppm
136N: 5E2	201 314	0.17	397	0.01	20	660	15	< 10	34	0.01	10	< 10	24	< 1	94
137N: 3E8	201 314	0.14	306	0.03	21	350	10	< 10	44	0.07	< 10	< 10	41	< 1	91
137N: 3E5	201 314	0.15	447	0.03	18	310	10	< 10	43	0.04	< 10	< 10	40	< 1	24
137N: 3E8	201 314	0.15	404	0.03	20	460	10	< 10	38	0.04	< 10	< 10	41	< 1	87
137N: 3E8	201 314	0.15	404	0.03	20	460	10	< 10	39	0.07	< 10	< 10	44	< 1	86
137N: 3E5	201 314	0.19	417	0.02	21	480	16	< 10	38	0.07	< 10	< 10	47	< 1	93
137N: 3E8	201 314	0.19	423	0.02	22	560	22	< 10	31	0.04	< 10	< 10	43	< 1	33
137N: 4E8	201 314	0.18	383	0.02	23	420	14	< 10	30	0.03	< 10	< 10	40	< 1	90
137N: 4E8	201 314	0.19	376	0.02	24	480	14	< 10	29	0.03	< 10	< 10	40	< 1	85
137N: 4E8	201 314	0.17	317	0.01	20	550	10	< 10	20	0.01	< 10	< 10	24	< 1	85
137N: 4E8	201 314	0.30	406	0.01	16	540	20	< 10	31	0.06	< 10	< 10	31	< 1	77
137N: 4E8	201 314	0.15	409	0.01	15	610	15	< 10	40	0.06	< 10	< 10	34	< 1	83
137N: 4E8	201 314	0.14	385	0.01	16	610	12	< 10	39	0.07	< 10	< 10	34	< 1	87
137N: 4E8	201 314	0.24	213	0.01	24	480	18	< 10	26	0.04	< 10	< 10	29	< 1	84
137N: 4E8	201 314	0.24	225	0.01	36	390	10	< 10	20	0.03	< 10	< 10	29	< 1	84
137N: 4E8	201 314	0.28	167	0.01	29	360	14	< 10	20	0.01	< 10	< 10	37	< 1	94
137N: 4E8	201 314	0.30	182	0.01	29	370	14	< 10	24	0.02	< 10	< 10	41	< 1	94
137N: 4E8	201 314	0.33	470	0.03	20	440	18	< 10	34	0.04	< 10	< 10	44	< 1	81
137N: 4E8	201 314	0.33	511	0.03	17	440	24	< 10	42	0.07	< 10	< 10	42	< 1	81
137N: 4E8	201 314	0.35	516	0.02	16	400	18	< 10	30	0.01	< 10	< 10	42	< 1	71
137N: 4E8	201 314	0.35	516	0.02	16	400	18	< 10	30	0.01	< 10	< 10	42	< 1	84
137N: 4E8	201 314	0.39	433	0.02	19	600	18	< 10	34	0.07	< 10	< 10	44	< 1	79
137N: 4E8	201 314	0.29	409	0.02	19	360	18	< 10	37	0.03	< 10	< 10	44	< 1	83
137N: 4E8	201 314	0.34	498	0.02	23	330	18	< 10	42	0.03	< 10	< 10	41	< 1	82
137N: 4E8	201 314	0.44	413	0.02	23	330	10	< 10	28	0.06	< 10	< 10	31	< 1	98
137N: 4E8	201 314	0.37	307	0.01	23	460	6	< 10	35	0.06	< 10	< 10	35	< 1	90
137N: 4E8	201 314	0.37	326	0.01	19	590	12	< 10	37	0.06	< 10	< 10	34	< 1	40
137N: 4E8	201 314	0.37	449	0.02	19	630	12	< 10	34	0.04	< 10	< 10	34	< 1	35
137N: 4E8	201 314	0.41	415	0.01	15	390	16	< 10	34	0.05	< 10	< 10	35	< 1	77
137N: 4E8	201 314	0.41	473	0.02	17	600	23	< 10	36	0.07	< 10	< 10	29	< 1	79
137N: 4E8	201 314	0.29	446	0.01	13	540	10	< 10	34	0.06	< 10	< 10	29	< 1	82
137N: 4E8	201 314	0.32	393	0.02	15	450	21	< 10	39	0.07	< 10	< 10	31	< 1	82
137N: 4E8	201 314	0.27	397	0.02	15	400	14	< 10	30	0.07	< 10	< 10	29	< 1	83
137N: 4E8	201 314	0.29	344	0.01	16	490	16	< 10	30	0.04	< 10	< 10	29	< 1	84
137N: 4E8	201 314	0.32	487	0.02	26	490	20	< 10	42	0.04	< 10	< 10	43	< 1	84
137N: 4E8	201 314	0.34	463	0.02	19	490	20	< 10	42	0.07	< 10	< 10	43	< 1	84
137N: 4E8	201 314	0.32	463	0.02	19	490	20	< 10	42	0.07	< 10	< 10	44	< 1	87
137N: 4E8	201 314	0.33	493	0.02	18	420	12	< 10	40	0.07	< 10	< 10	44	< 1	87
137N: 4E8	201 314	0.37	522	0.03	20	340	14	< 10	40	0.07	< 10	< 10	41	< 1	73
137N: 4E8	201 314	0.33	501	0.02	18	390	20	< 10	34	0.06	< 10	< 10	40	< 1	80
137N: 4E8	201 314	0.30	314	0.02	18	410	24	< 10	34	0.04	< 10	< 10	40	< 1	84
137N: 4E8	201 314	0.30	314	0.01	18	350	20	< 10	34	0.03	< 10	< 10	40	< 1	84
137N: 4E8	201 314	0.32	644	0.01	18	350	20	< 10	34	0.03	< 10	< 10	40	< 1	84

CERTIFICATION: *Caugh*



Chemex Labs Ltd.
 Analytical Services & Laboratories
 115 INDUSTRIAL AVENUE, S.W. VANCOUVER, B.C.
 V6C 1B3 CANADA V7V-1C1
 PHONE (604) 914-1111

To: ST. GEORGE MINERALS INC.

711 - 475 BONE ST.
 VANCOUVER, BC

Project: MINTON
 Comments: CC: MARVIN A. MITCHELL

Page No. 14-B
 Tot. Pages: 6
 Date: 6-AUG-87
 Invoice # 1-511144
 P.O. #

CERTIFICATE OF ANALYSIS A8718449

SAMPLE DESCRIPTION	PREP CODE	M %	M ppm	Mb ppm	Mg %	Mg ppm	Mi ppm	P ppm	Fe ppm	S ppm	So ppm	Si ppm	Ti %	Ti ppm	V ppm	V ppm	Zn ppm
139K: 42E	201 318	0.46	363	<1	0.01	37	610	10	10	<10	<10	<10	0.04	<10	<10	<10	102
139K: 42E	201 318	0.38	393	<1	0.01	37	340	10	10	<10	<10	<10	0.04	<10	<10	<10	96
139K: 42E(A)	201 318	0.38	337	<1	0.01	21	360	16	16	<10	<10	<10	0.04	<10	<10	<10	93
139K: 42E	201 318	0.37	328	<1	0.01	21	380	30	30	<10	<10	<10	0.04	<10	<10	<10	100
139K: 42E	201 318	0.41	287	<1	0.02	27	680	30	30	<10	<10	<10	0.04	<10	<10	<10	90
139K: 42E	201 318	0.35	246	<1	0.02	15	670	24	24	<10	<10	<10	0.08	<10	<10	<10	84
139K: 42E	201 318	0.32	498	<1	0.02	16	480	20	20	<10	<10	<10	0.08	<10	<10	<10	94
139K: 42E	201 318	0.31	503	<1	0.02	16	390	24	24	<10	<10	<10	0.08	<10	<10	<10	92
139K: 42E	201 318	0.29	441	<1	0.02	15	500	20	20	<10	<10	<10	0.07	<10	<10	<10	91
139K: 42E	201 318	0.29	419	<1	0.02	15	500	23	23	<10	<10	<10	0.07	<10	<10	<10	84
140K: 31E	201 318	0.32	440	<1	0.02	20	500	24	24	<10	<10	<10	0.07	<10	<10	<10	94
140K: 36E	201 318	0.33	473	<1	0.03	20	460	16	16	<10	<10	<10	0.08	<10	<10	<10	93
140K: 37E	201 318	0.33	533	<1	0.03	19	490	16	16	<10	<10	<10	0.08	<10	<10	<10	97
140K: 38E	201 318	0.33	569	<1	0.02	19	480	20	20	<10	<10	<10	0.08	<10	<10	<10	90
140K: 39E	201 318	0.33	590	<1	0.02	17	370	14	14	<10	<10	<10	0.08	<10	<10	<10	80
140K: 42E	201 318	0.31	664	<1	0.02	32	200	14	14	<10	<10	<10	0.04	<10	<10	<10	90
140K: 41E	201 318	0.26	468	<1	0.01	17	400	16	16	<10	<10	<10	0.07	<10	<10	<10	75
140K: 42E	201 318	0.26	460	<1	0.01	21	870	20	20	<10	<10	<10	0.05	<10	<10	<10	71
140K: 42E	201 318	0.26	433	<1	0.02	20	370	17	17	<10	<10	<10	0.05	<10	<10	<10	73
140K: 42E	201 318	0.17	253	<1	0.01	24	410	14	14	<10	<10	<10	0.04	<10	<10	<10	81
140K: 43E	201 318	0.37	375	<1	0.01	31	380	10	10	<10	<10	<10	0.06	<10	<10	<10	93
140K: 43E	201 318	0.26	449	<1	0.02	16	510	14	14	<10	<10	<10	0.08	<10	<10	<10	76
140K: 47E	201 318	0.28	489	<1	0.02	16	340	10	10	<10	<10	<10	0.08	<10	<10	<10	80
140K: 48E	201 318	0.41	546	<1	0.02	16	680	21	21	<10	<10	<10	0.09	<10	<10	<10	99
140K: 49E	201 318	0.34	460	<1	0.02	14	630	24	24	<10	<10	<10	0.07	<10	<10	<10	95
140K: 50E	201 318	0.28	296	<1	0.01	19	620	18	18	<10	<10	<10	0.05	<10	<10	<10	97
141N: 35E	201 318	0.34	460	<1	0.02	21	470	22	22	<10	<10	<10	0.06	<10	<10	<10	103
141N: 36E	201 318	0.40	431	<1	0.02	18	510	12	12	<10	<10	<10	0.05	<10	<10	<10	108
141N: 37E	201 318	0.37	463	<1	0.02	18	430	18	18	<10	<10	<10	0.07	<10	<10	<10	98
141N: 38E	201 318	0.34	509	<1	0.02	18	430	23	23	<10	<10	<10	0.08	<10	<10	<10	90
141N: 39E	201 318	0.34	510	<1	0.02	18	370	23	23	<10	<10	<10	0.07	<10	<10	<10	87
141N: 40E	201 318	0.31	486	<1	0.02	15	410	14	14	<10	<10	<10	0.07	<10	<10	<10	88
141N: 41E	201 318	0.29	515	<1	0.02	16	390	22	22	<10	<10	<10	0.07	<10	<10	<10	71
141N: 42E	201 318	0.33	523	<1	0.02	18	420	18	18	<10	<10	<10	0.06	<10	<10	<10	91
141N: 43E	201 318	0.34	413	<1	0.02	17	620	16	16	<10	<10	<10	0.06	<10	<10	<10	91
141N: 43E	201 318	0.35	261	<1	0.01	14	300	6	6	<10	<10	<10	0.06	<10	<10	<10	84
141N: 43E	201 318	0.33	433	<1	0.02	13	300	4	4	<10	<10	<10	0.07	<10	<10	<10	86
141N: 43E	201 318	0.34	470	<1	0.02	10	380	14	14	<10	<10	<10	0.08	<10	<10	<10	80
141N: 47E	201 318	0.40	445	<1	0.02	11	400	8	8	<10	<10	<10	0.08	<10	<10	<10	80
141N: 47E	201 318	0.40	445	<1	0.02	11	400	8	8	<10	<10	<10	0.08	<10	<10	<10	80
141N: 47E	201 318	0.39	445	<1	0.02	11	398	20	20	<10	<10	<10	0.08	<10	<10	<10	81

Caugh
 Certified by:



Chemex Labs Ltd.
 Analytical Services • Geochemical • Environmental Analytical
 113 BROOKDALE AVE • NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-1C1
 PHONE (604) 944-9311

TO: ST. GEORGE'S MINERALS INC.
 711 - 475 BOW ST.
 VANCOUVER, BC
 V6C 1B3
 Project: CC: MARVIN A. MITCHELL
 Channel: A8718449

CERTIFICATE OF ANALYSIS A8718449

SAMPLE DESCRIPTION	FLUX CODES	Mg %	Si ppm	Al ppm	Fe %	P ppm	Ca ppm	Na ppm	K ppm	Ti %	U ppm	V ppm	W ppm	Zn ppm
14.1N: 408	201 238	0.34	416	< 1	0.03	13	510	10	10	0.08	< 10	< 10	< 10	81
14.1N: 408	201 238	0.32	283	< 1	0.03	12	430	10	10	0.07	< 10	< 10	< 10	74
14.1N: 358	201 238	0.37	416	< 1	0.03	24	630	10	10	0.07	< 10	< 10	< 10	115
14.2N: 308	201 238	0.37	416	< 1	0.03	19	500	15	< 5	0.06	< 10	< 10	< 10	100
14.2N: 378	201 238	0.39	416	< 1	0.03	19	530	6	< 5	0.07	< 10	< 10	< 10	100
14.2N: 188	201 238	0.35	440	< 1	0.03	18	490	12	< 5	0.06	< 10	< 10	< 10	97
14.2N: 188	201 238	0.35	390	< 1	0.03	19	490	6	< 5	0.07	< 10	< 10	< 10	94
14.2N: 408	201 238	0.31	441	< 1	0.03	14	340	20	< 5	0.05	< 10	< 10	< 10	84
14.2N: 418	201 238	0.35	308	< 1	0.03	19	410	14	< 5	0.05	< 10	< 10	< 10	87
14.2N: 418	201 238	0.35	291	< 1	0.03	20	340	2	< 5	0.07	< 10	< 10	< 10	73
14.2N: 418	201 238	0.35	240	< 1	0.03	17	370	10	< 5	0.07	< 10	< 10	< 10	83
14.2N: 408	201 238	0.37	247	< 1	0.03	15	340	12	< 5	0.08	< 10	< 10	< 10	93
14.2N: 428	201 238	0.34	371	< 1	0.03	12	310	12	< 5	0.08	< 10	< 10	< 10	71
14.2N: 468	201 238	0.33	496	< 1	0.03	14	440	20	< 5	0.09	< 10	< 10	< 10	87
14.2N: 478	201 238	0.38	530	< 1	0.03	14	440	20	< 5	0.09	< 10	< 10	< 10	87
14.2N: 488	201 238	0.38	520	< 1	0.03	13	440	26	< 5	0.08	< 10	< 10	< 10	72
14.2N: 498	201 238	0.38	541	< 1	0.03	13	440	30	< 5	0.08	< 10	< 10	< 10	72
14.2N: 508	201 238	0.37	597	< 1	0.03	15	470	16	< 5	0.07	< 10	< 10	< 10	77
14.2N: 588	201 238	0.40	496	< 1	0.03	24	600	22	< 5	0.04	< 10	< 10	< 10	114
14.2N: 588	201 238	0.35	421	< 1	0.03	32	430	23	15	0.04	< 10	< 10	< 10	120
14.2N: 378	201 238	0.41	318	< 1	0.03	24	390	22	< 5	0.07	< 10	< 10	< 10	110
14.2N: 388	201 238	0.37	416	< 1	0.03	19	510	16	< 5	0.04	< 10	< 10	< 10	99
14.2N: 388	201 238	0.37	338	< 1	0.03	22	460	10	< 5	0.03	< 10	< 10	< 10	101
14.2N: 408	201 238	0.34	393	< 1	0.03	18	400	16	< 5	0.07	< 10	< 10	< 10	94
14.2N: 418	201 238	0.36	261	< 1	0.03	23	430	12	< 5	0.05	< 10	< 10	< 10	92
14.2N: 428	201 238	0.36	397	< 1	0.03	17	450	18	< 5	0.05	< 10	< 10	< 10	79
14.2N: 438	201 238	0.35	393	< 1	0.03	17	440	18	< 5	0.07	< 10	< 10	< 10	84
14.2N: 448	201 238	0.41	295	< 1	0.01	24	470	6	< 5	0.05	< 10	< 10	< 10	101
14.2N: 458	201 238	0.40	212	< 1	0.01	33	430	2	< 5	0.03	< 10	< 10	< 10	102
14.2N: 468	201 238	0.39	278	< 1	0.03	23	460	20	< 5	0.05	< 10	< 10	< 10	87
14.2N: 478	201 238	0.34	411	< 1	0.03	13	540	22	< 5	0.07	< 10	< 10	< 10	81
14.2N: 478	201 238	0.34	466	< 1	0.03	18	520	30	< 5	0.07	< 10	< 10	< 10	97
14.2N: 488	201 238	0.38	357	< 1	0.03	15	440	20	< 5	0.08	< 10	< 10	< 10	89
14.2N: 498	201 238	0.40	371	< 1	0.03	15	440	24	< 5	0.05	< 10	< 10	< 10	97
14.2N: 508	201 238	0.40	319	< 1	0.03	18	330	12	< 5	0.08	< 10	< 10	< 10	103
14.2N: 518	201 238	0.37	404	< 1	0.03	19	390	8	< 5	0.05	< 10	< 10	< 10	108
14.2N: 518	201 238	0.34	537	< 1	0.03	24	430	14	< 5	0.04	< 10	< 10	< 10	94
14.2N: 528	201 238	0.36	541	< 1	0.03	21	400	24	< 5	0.06	< 10	< 10	< 10	97
14.2N: 538	201 238	0.33	383	< 1	0.03	20	480	18	< 5	0.07	< 10	< 10	< 10	111
14.2N: 548	201 238	0.38	556	< 1	0.03	25	470	6	< 5	0.03	< 10	< 10	< 10	115

Prepared by: *avg*



Chemex Labs Ltd.
 Analytical Chemistry & Environmental & Remediation Analysis

312 BRIDGEWAY AVE., NORTH VANCOUVER, B.C.
 VANCOUVER, CANADA V7J-3C1

PHONE (604) 934-9211

711 - 473 BONE ST.
 VANCOUVER, BC
 V6C 1B3

Project: CHEMTRASTI CCI MARVIN A. MITCHELL

TEL: 604-685-2345
 F.O. # 101-0718449

CERTIFICATE OF ANALYSIS A8718449

SAMPLE DESCRIPTION	PREP CODE	Sb ppm	Tl ppm	As ppm	Ba ppm	Bi ppm	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe ppm	Pb ppm	Hg ppm	K %	La ppm
14.0N: 41E	201 228	880	0.4	1.24	5	370	1.0	2	0.46	0.5	10	18	28	2.08	10
14.0N: 42E	201 228	880	0.4	1.49	10	370	0.5	3	0.39	<0.5	7	18	19	1.95	<10
14.0N: 43E	201 228	840	0.4	1.41	10	330	0.5	3	0.31	<0.5	7	17	16	1.44	<10
14.0N: 44E	201 228	1000	0.4	1.78	<10	470	0.5	3	0.39	<0.5	9	34	31	2.34	<10
14.0N: 45E	201 228	1000	0.4	1.50	<10	440	0.5	3	0.40	<0.5	8	34	31	2.33	<10
14.0N: 46E	201 228	1100	0.4	1.61	5	430	0.5	3	0.41	<0.5	9	31	29	2.29	<10
14.0N: 47E	201 228	840	0.4	1.80	5	320	0.5	3	0.44	<0.5	9	39	24	1.97	<10
14.0N: 48E	201 228	800	0.4	1.81	<5	350	0.5	3	0.53	<0.5	7	33	33	1.33	<10
14.0N: 49E	201 228	1000	0.4	1.69	15	430	0.5	3	0.44	<0.5	6	31	35	1.98	<10
14.0N: 50E	201 228	1100	0.4	1.46	<5	480	<0.5	<2	0.36	<0.5	8	30	37	2.03	<10
14.0N: 51E	201 228	1100	0.4	1.92	2	480	0.5	<2	0.39	<0.5	9	18	20	2.03	<10
14.0N: 52E	201 228	1100	0.4	1.68	10	360	0.5	<2	0.34	<0.5	10	15	14	2.04	<10
14.0N: 53E	201 228	1100	0.4	1.98	20	520	1.0	<2	0.43	<0.5	31	22	10	2.34	<10
14.0N: 54E	201 228	1000	0.6	1.71	21	360	0.5	<2	0.38	<0.5	9	18	37	2.62	<10
14.0N: 55E	201 228	900	0.5	1.67	1	310	0.5	<2	0.31	<0.5	8	18	37	2.08	<10
14.0N: 40E	201 228	1000	0.4	1.14	21	330	0.5	<2	0.23	<0.5	10	29	21.6	2.16	<10
14.0N: 41E	201 228	1000	0.4	1.47	<5	370	0.5	<2	0.22	<0.5	13	34	35	2.03	<10
14.0N: 42E	201 228	1100	0.5	1.32	15	400	0.5	<2	0.28	<0.5	13	24	32	2.49	<10
14.0N: 43E	201 228	1340	0.4	1.31	15	430	0.5	<2	0.28	<0.5	13	24	32	2.49	<10
14.0N: 44E	201 228	1100	0.5	1.49	10	430	0.5	<2	0.23	<0.5	4	29	37	2.67	<10
14.0N: 45E	201 228	940	0.4	1.33	<5	410	<0.5	<2	0.14	<0.5	11	34	31	2.84	<10
14.0N: 46E	201 228	900	0.4	1.43	5	300	<0.5	<2	0.19	<0.5	9	31	39	2.46	<10
14.0N: 47E	201 228	940	0.5	1.37	10	300	<0.5	<2	0.14	<0.5	9	17	33	1.83	<10
14.0N: 48E	201 228	970	0.4	1.17	21	270	0.5	<2	0.19	<0.5	8	19	31	2.00	<10
14.0N: 49E	201 228	840	0.4	1.22	21	260	<0.5	<2	0.14	<0.5	9	18	21	1.89	<10
14.0N: 50E	201 228	840	0.4	1.22	21	260	<0.5	<2	0.14	<0.5	9	18	21	1.89	<10

Marvin A. Mitchell
 MARVIN A. MITCHELL



Chemex Labs Ltd.
 Analytical Chemistry & Environmental & Occupational Hygiene
 313 BUCKINGHAM AVE. NORTH VANCOUVER,
 BRITISH COLUMBIA, CANADA V7J-3C1
 PHONE (604) 944-3331

101. 83898.0
 Date Report: 6-AUG-87
 Invoice #: 87-0718449
 P.O. #

TO: ST. VINCENT REFUGERY
 711 - 475 BOW ST.
 VANCOUVER, BC
 V6C 1B3
 Project: MANSION
 Chemex Lab #: MANSION A. MITCHELL

CERTIFICATE OF ANALYSIS A8718449

TOTAL P.16

SAMPLE DESCRIPTION	PREP CODE	Mg %	Mn ppm	Mo ppm	Fe %	Co ppm	Ni ppm	Cu ppm	Zn ppm	As ppm	Sb ppm	Se ppm	Te ppm	U ppm	V ppm	W ppm	Zr ppm
14.0K: 41E	201 218	0.40	480	< 1	0.02	13	150	13	12	5	< 10	< 10	< 10	< 10	48	< 5	114
14.0K: 42E	201 218	0.42	446	< 1	0.02	15	250	12	13	5	< 10	< 10	< 10	< 10	38	< 5	91
14.0K: 43E	201 218	0.32	393	< 1	0.02	14	490	12	11	5	< 10	< 10	< 10	< 10	31	< 5	50
14.0K: 44E	201 218	0.42	271	< 1	0.02	24	730	11	11	5	< 10	< 10	< 10	< 10	47	< 5	117
14.0K: 45E	201 218	0.44	334	< 1	0.01	24	900	23	15	5	< 10	< 10	< 10	< 10	52	< 5	124
14.0K: 46E	201 218	0.40	248	< 1	0.01	31	320	13	13	5	< 10	< 10	< 10	< 10	45	< 5	115
14.0K: 47E	201 218	0.37	423	< 1	0.02	18	520	13	13	5	< 10	< 10	< 10	< 10	37	< 5	103
14.0K: 48E	201 218	0.48	351	< 1	0.02	15	630	24	16	5	< 10	< 10	< 10	< 10	34	< 5	104
14.0K: 49E	201 218	0.31	335	< 1	0.01	24	490	24	16	5	< 10	< 10	< 10	< 10	49	< 5	117
14.0K: 50E	201 218	0.31	355	< 1	0.01	29	430	20	16	5	< 10	< 10	< 10	< 10	41	< 5	121
14.0K: 51E	201 218	0.40	497	< 1	0.02	19	330	12	11	5	< 10	< 10	< 10	< 10	41	< 5	103
14.0K: 52E	201 218	0.33	426	< 1	0.02	21	490	16	16	5	< 10	< 10	< 10	< 10	46	< 5	100
14.0K: 53E	201 218	0.45	550	< 1	0.02	18	280	18	16	5	< 10	< 10	< 10	< 10	44	< 5	92
14.0K: 54E	201 218	0.37	487	< 1	0.02	17	250	18	16	5	< 10	< 10	< 10	< 10	40	< 5	84
14.0K: 55E	201 218	0.33	467	< 1	0.02	18	380	6	16	5	< 10	< 10	< 10	< 10	40	< 5	84
14.0K: 60E	201 218	0.34	382	< 1	0.02	20	410	4	16	5	< 10	< 10	< 10	< 10	44	< 5	92
14.0K: 61E	201 218	0.36	340	< 1	0.02	24	610	8	16	5	< 10	< 10	< 10	< 10	44	< 5	94
14.0K: 62E	201 218	0.43	312	< 1	0.02	33	750	10	16	5	< 10	< 10	< 10	< 10	52	< 5	135
14.0K: 63E	201 218	0.41	339	< 1	0.02	34	770	22	16	5	< 10	< 10	< 10	< 10	52	< 5	135
14.0K: 64E	201 218	0.40	232	< 1	0.01	29	690	22	16	5	< 10	< 10	< 10	< 10	38	< 5	107
14.0K: 65E	201 218	0.35	214	< 1	0.01	24	790	22	16	5	< 10	< 10	< 10	< 10	45	< 5	127
14.0K: 66E	201 218	0.43	335	< 1	0.01	37	810	2	16	5	< 10	< 10	< 10	< 10	45	< 5	115
14.0K: 67E	201 218	0.38	246	< 1	0.01	30	640	2	16	5	< 10	< 10	< 10	< 10	46	< 5	106
14.0K: 68E	201 218	0.33	438	< 1	0.02	19	510	0	16	5	< 10	< 10	< 10	< 10	36	< 5	82
14.0K: 69E	201 218	0.31	290	< 1	0.01	21	520	0	16	5	< 10	< 10	< 10	< 10	36	< 5	82
14.0K: 50E	201 218	0.30	435	< 1	0.02	17	490	4	16	5	< 10	< 10	< 10	< 10	37	< 5	87

604 685 2345 P.16

BOOK 175 PAGE 151

03/25/1988 17:06

Signature: *B. Caugh*
 ANALYST: B. Caugh

RECORDED AT THE REQUEST OF
Marvin A Mitchell
BOOK 175 PAGE 36

'88 APR -1 P2:19

OFFICIAL RECORDS
EURORA COUNTY, NEBRASKA
PLA. REBALCAD. RECORDER
FILE NO. 5275
FEE \$

117516

BOOK 175 PAGE 52

COPY