## LODE MINING CLAIM

113982

#### TO ALL WHOM IT MAY CONCERN:

NW   1   16N   48E   M.D.B.M.     NE   2   16N   48E   M.D.B.M.     NE   2   16N   48E   M.D.B.M.     16N	
NE 2 16N 48E M.D.B.M.  NE 2 16N M.D.B.M.  16N M.D.B.  16N M.D.B.  16N M.B.  16N M.	
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 20 direction and 1480 feet in a West from the point of discovery (monument of location), at which the Notice of Location was ogether with 30 feet on each sile of the monument of location and center line of the long or vein is from the East to the West  The number, location and markings on each side center or corner monument are as Location  No. 1: N.W. Corner N.W. Cor. BRE 1 3" x 5" white PVC pi No. 3: N.E. Corner N.E. Cor. BRE 1 3" x 5" white PVC pi No. 3: N.E. Corner S.E. Cor. BRE 1 3" x 5" white PVC pi No. 4: S.E. Corner S.E. Cor. BRE 1 3" x 5" white PVC pi No. 5: S. Side Center S. Side Ctr. BRE 1 3" x 5" white PVC pi No. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi As erected on the ground, each side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument s	
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 20 direction and 1480 feet in a West rom the point of discovery (monument of location), at which the Notice of Location was ogether with 30 feet on each sile of the monument of location and center line of the number, location and markings on each side center or corner monument are as Location  No. 1: N.W. Corner N.W. Cor. BRE 1 3" x 5" white PVC pi No. 2: N. Side Center N. Side Ctr. BRE 1 3" x 5" white PVC pi No. 4: S.E. Corner S.E. Cor. BRE 1 3" x 5" white PVC pi No. 5: S. Side Center S.E. Cor. BRE 1 3" x 5" white PVC pi No. 5: S. Side Center S.E. Cor. BRE 1 3" x 5" white PVC pi No. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi No. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi No. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi As erected on the ground, each side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument is marked as descented that side center or corner monument side side center or corner monument side side side center or corner monument side side side center or corner	-
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 20 direction and 1480 feet in a West rom the point of discovery (monument of location), at which the Notice of Location was ogether with 30 feet on each sile of the monument of location and center line of the number, location and markings on each side center or corner monument are as Location  Markings  Description  No. 1: N.W. Corner N.W. Cor. BRE 1 3" x 5' white PVC pi No. 2: N. Side Center N.Side Ctr. BRE 1 3" x 5' white PVC pi No. 3: N.E. Corner No. 4: S.E. Corner S.E. Cor. BRE 1 3" x 5' white PVC pi No. 5: S. Side Center S. Side Ctr. BRE 1 3" x 5' white PVC pi No. 5: S. Side Center S. Side Ctr. BRE 1 3" x 5' white PVC pi No. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi As erected on the ground, each side center or corner monument is marked as descreted that side center or corner monument is marked as descreted that side center or corner monument is marked as descreted that side center or corner monument is marked as descreted that side center or corner monument is marked as descreted that side center or corner monument is marked as descreted that side center or corner monument is marked as descreted that side center or corner monument is marked as descreted that side center or corner monument is marked as descreted that side center or corner monument is marked as descreted that side center or corner monument is marked as descreted that side center or corner monument is marked as descreted that side center or corner monument is marked as descreted that side center or corner monument is marked as descreted that side center or corner monument is marked as descreted that side center or corner monument is marked as descreted that side center or corner monument is marked as descreted that side center or corner monument side side center or corner monument side side center or corner monument side side side center or corner monument s	
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 20 direction and 1480 feet in a west when the point of discovery (monument of location), at which the Notice of Location was ogether with 30 feet on each side of the monument of location and center line of the lode or vein is from the East to the West  The number, location and markings on each side center or corner monument are as Location  Markings  Description  Location  Markings  Description  Markings  Description  Markings  Description  Markings  Description  Location  N.W. Corner N.W. Cor. BRE 1 3" x 5" white PVC pi 10.3: N.E. Corner N.E. Cor. BRE 1 3" x 5" white PVC pi 10.4: S.E. Corner S.E. Cor. BRE 1 3" x 5" white PVC pi 10.5: S. Side Center S.E. Cor. BRE 1 3" x 5" white PVC pi 10.5: S. Side Center S.E. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi 10.6: S.W. Corner S.	
The Claim is approximately 1500 feet long and 600 feet wide, such that 20 direction and 1480 feet in a West come the point of discovery (monument of location), at which the Notice of Location was ogether with 30 feet on each site of the monument of location and center line of the number, location and markings on each side center or corner monument are as Location    Location   Markings   Description	, 19 _88
The Claim is approximately 1500 feet long and 600 feet wide, such that 20 direction and 1480 feet in a West come the point of discovery (monument of location), at which the Notice of Location was ogether with 30 feet on each site of the monument of location and center line of the number, location and markings on each side center or corner monument are as Location    Location   Markings   Description	
The Claim is approximately 1500 feet long and 600 feet wide, such that 200 claimed in a East direction and 1480 feet in a West come the point of discovery (monument of location), at which the Notice of Location was segether with 30 feet on each side of the monument of location and center line of the number, location and markings on each side center or corner monument are as Location    Location   Markings   Description	•
The Claim is approximately 1500 feet long and 600 feet wide, such that 20 direction and 1480 feet in a West om the point of discovery (monument of location), at which the Notice of Location was gether with 30 feet on each side of the monument of location and center line of the lode or vein is from the East to the West.  The number, location and markings on each side center or corner monument are as Location  Markings  Description  O. 1: N.W. Corner N.W. Cor. BRE 1 3" x 5" white PVC pi o. 3: N.E. Corner N.E. Cor. BRE 1 3" x 5" white PVC pi o. 4: S.E. Corner S.E. Cor. BRE 1 3" x 5" white PVC pi o. 5: S. Side Center S. Side Ctr. BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Corner S.W. Corner BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Corner BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Corner BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Corner BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner S.W. Corner BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner BRE 1 3" x 5" white PVC pi o. 6: S.W. Corner BRE 1 3" x 5" white PVC pi o.	•
The Claim is approximately 1500 feet long and 600 feet wide, such that 20 direction and 1480 feet in a West om the point of discovery (monument of location), at which the Notice of Location was igether with 30 feet on each side of the monument of location and center line of the lode or vein is from the East to the West.  The number, location and markings on each side center or corner monument are as Location  Markings  Description  Markings  Description  N.W. Corner N.Side Cert. BRE 1 3" x 5" white PVC pi in 3" x 5" white PVC pi	
claimed in a East direction and 1400 feet in a Rest of discovery (monument of location), at which the Notice of Location was gether with 30 feet on each sie of the monument of location and center line of the number, location and markings on each side center or corner monument are as Location    Location	
claimed in a East direction and 1400 feet in a Rest of discovery (monument of location), at which the Notice of Location was gether with 30 feet on each sie of the monument of location and center line of the number, location and markings on each side center or corner monument are as Location    Location	feet
om the point of discovery (monument of location, at which the Notice of Eact of the Mesh side of the monument of location and center line of the ineral course of the lode or vein is from the East to the West  The number, location and markings on each side center or corner monument are as Location  Markings  Location  Markings  Description  N.W. Corner N.W. Corner N.Side Ctr. BRE 1 3" x 5" white PVC pi 4" x 5" corner S.W. Corner S.W. Corner BRE 1 3" x 5" white PVC pi 4" x 5" x 5" white PVC pi 4" x 5" x	
The number, location and markings on each side center or corner monument are as  Location  Markings  Description  N.W. Corner N.W. Cor. BRE 1 3" x 5' white PVC pi 10. 2: N. Side Center N. Side Ctr. BRE 1 3" x 5' white PVC pi 10. 4: S.E. Corner N.E. Cor. BRE 1 3" x 5' white PVC pi 10. 5: S. Side Center S. Side Ctr. BRE 1 3" x 5' white PVC pi 10. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi 10. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi 10. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi 10. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi 10. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi 10. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi 10. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi 10. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi 10. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi 10. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi 10. 6: S.W. Corner S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi 10. 6: S.W. Corner S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi 10. 6: S.W. Corner S.W. Corner S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi 10. 6: S.W. Corner S.W. S.W. S.W. S.W. S.W. S.W. S.W. S.W.	ie Claim. T
Location  Markings  Description  N.W. Corner N.W. Cor. BRE 1 3" x 5' white PVC pi N.Side Center N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Cor. BRE 1 3" x 5' white PVC pi	direction
Location  Markings  Description  N.W. Corner N.W. Cor. BRE 1 3" x 5' white PVC pi  N.Side Cert. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi  N.E. Cor. BRE 1 3" x 5' white PVC pi	follows:
io. 1: N.W. Corner  N.W. Corner  N.Side Cert. BRE 1 3" x 5' white PVC pi N.Side Cert. BRE 1 3" x 5' white PVC pi N.E. Corner  N.E. Cor. BRE 1 3" x 5' white PVC pi N.E. Corner  S.E. Corn. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x 5' white PVC pi N.S. Side Cert. BRE 1 3" x	
o. 2: N. Side Center N.E. Cor. BRE 1 3" x 5" white PVC pi o. 3: N.E. Corner O. 4: S.E. Corner O. 5: S.E. Cor. BRE 1 3" x 5" white PVC pi o. 5: S. Side Center O. 6: S.W. Corner  As erected on the ground, each side center or corner monument is marked as descreted this lags (e.g. metal tags, paint on posts).  The work of location consisted of making a claim map as provided in NRS 517.040  Dated this 14th day of July 1988.  RECORDER'S STAM	
N. Side Center N. Side Ctr. BRE 1 3 x 5 white PVC pi N. E. Corner S. E. Cor. BRE 1 3" x 5' white PVC pi S. E. Corner S. E. Cor. BRE 1 3" x 5' white PVC pi S. Side Center S. Side Ctr. BRE 1 3" x 5' white PVC pi S. W. Corner S. W. Cor. BRE 1 3" x 5' white PVC pi S. W. Corner S. W. Cor. BRE 1 3" x 5' white PVC pi As erected on the ground, each side center or corner monument is marked as descreted transported in the ground, each side center or corner monument is marked as descreted transported in the ground, each side center or corner monument is marked as descreted transported in the ground, each side center or corner monument is marked as descreted transported in the ground, each side center or corner monument is marked as descreted transported in the ground, each side center or corner monument is marked as descreted transported in the ground, each side center or corner monument is marked as descreted transported in the ground, each side center or corner monument is marked as descreted transported in the ground, each side center or corner monument is marked as descreted transported in the ground, each side center or corner monument is marked as descreted transported in the ground, each side center or corner monument is marked as descreted transported in the ground, each side center or corner monument is marked as descreted in the ground, each side center or corner monument is marked as descreted in the ground, each side center or corner monument is marked as descreted in the ground, each side center or corner monument is marked as descreted in the ground, each side center or corner monument is marked as descreted in the ground, each side center or corner monument is marked as descreted in the ground, each side center or corner monument is marked as descreted in the ground, each side center or corner monument is marked as descreted in the ground, each side center or corner monument is marked as descreted in the ground, each side center or corner monument is marked as descreted in the ground, each side center or co	pe
O. 4: S.E. Corner O. 5: S. Side Center O. 6: S. Side Center O. 6: S.W. Corner  S.W. Cor. BRE As erected on the ground, each side center or corner monument is marked as described that tags (e.g. metal tags, paint on posts).  The work of location consisted of making a claim map as provided in NRS 517.040  Dated this 14th day of July 19 88 .  IGNATURE OF LOCATOR:  RECORDER'S STAM	
o. 5: S. Side Center S. Side Ctr. BRE 1 3" x 5' white PVC pi io. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi io. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi io. 6: S.W. Corner S.W. Cor. BRE 1 3" x 5' white PVC pi io. 6: S.W. Corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground, each side center or corner monument is marked as described in the ground in the ground in the ground in the ground in the g	
o. 6: S.W.: Corner S.W. Cor. BRE 1 3" × 5' white PVC pi  As erected on the ground, each side center or corner monument is marked as desc  metal tags (e.g. metal tags, paint on posts).  The work of location consisted of making a claim map as provided in NRS 517.040  Dated this 14th day of July 19 88 • • • • • • • • • • • • • • • • • •	
As erected on the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or corner monument is marked as described to the ground, each side center or co	
metal tags (e.g. metal tags, paint on posts).  The work of location consisted of making a claim map as provided in NRS 517.040  Dated this 14th day of July 19 88  GRATURE OF LOCATOR: RECORDER'S STAM	
The work of location consisted of making a claim map as provided in NRS 517.040  Dated this 14th day of July 19 88	LIDEG BOOVE
Dated this 14th day of July 19 88.  SIGNATURE OF LOCATOR: RECORDER'S STAM	
SIGNATURE OF LOCATOR:  RECORDER'S STAM	* 1. A
RECORDER'S STAM	
RECORDERS	
23m	) F q
BY: (Agent)	<u> </u>
(Agent)	<b>88</b> 1 _ 2
<b>→</b> • • • • • • • • • • • • • • • • • • •	۾ ڇيء
<u> </u>	F 37 x 23
	[ F 2 5
and the second of the second o	S 6.3 ₹
13982 13982 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082 13082	يت ئے ح
Ruggested Form - Neveda Department of Ninerals	= 6 5 8
vi Tata Lada Contificate of Location = NRS 517.050	<b>છ</b> તે હૈં જે
BOOK 1 80 PAGE 5 2 4	21 7 8
	10 %
	-

## LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

	The Undersig	gned hereby ce	rtifies that he has	caused to be loca	ted the BRE 2	
	L	ode Mining Cla	im in the following	quarter section		
	1/4	Section	Township	Range	Meridian	
	NW	1	16N	48E	M.D.B.M.	
			16N		M.D.B.M.	
			16N	<del></del>	M.D.B.M.	
	· <del> </del>		16N		M.D.B.M.	
in <u> </u>	Eureka	County,	Nevada, on the 2	day of	April	, 19 <u>_88</u> _
		The name a	nd mailing address	of the locator is	, \	
		H. WA	LTER SCHULL	· · · · · · · · · · · · · · · · · · ·	\ \	•
			lker Avenue	<u> </u>		•
1		Reno,	Nevada 89509		$\overline{}$	
				600	1	
T	re Claim is ap	proximately _	1500 feet long at direction and	nd 600 feet w	vide, such that West	1480 feet direction
is claimed	d in a Eas	very (monume	t of location), at v	which the Notice	of Location was	
together	with 30	feet on each s	· le of the monume	nt of location an	d center line of t	he Claim. Th
general c	ourse of the l	ode or vein is f	rom the <u>East</u>	to the	West	direction
TI	ne number, lo	cation and mar	kings on each side	center or corner	monument are as	follows:
	Location	M	arkings	) )	Description	
		N.W.	Cor. BRE 2	3" x 5"	white PVC pi	00
	.W. Corner				white PVC pi	
	.E. Corner		Cor. BRE 2	3" x 5'	white PVC pi	
	.E. Corner		Cor. BRE 2	3" x 5"	white PVC pi	
No. 5: 5	. Side Cen	ter S. Sic	de Ctr. BRE 2	3" x 5'	white PVC pi	
No. 6: 5	.W. Corner	S.W. 0	Cor. BRE 2	3"_x_5'	white PVC pi	pe
<b>A</b>	s erected on t	he ground, eac	h side center or co	rner monument i	s marked as desc	ribed above b
	metal tag		. metal tags, paint	on posts).		
T	he work of lo	cation consiste	d of making a clair	n map as provide	d in NRS 517.040	•
_		34.3 400.0		10 00	7	
U	ated this	14th day o	of July	, 13	•	
SIGNATU	JRE OF LOCA	ATOR:	\ \			
	\ \		2.4	- REG	CORDERSTAM	ECORDED FOCK
BY:	-/-/-			1	8 6 5 5 ·	<b>~ £</b> § §
	(Agent)	7	/_/	•	7.32 1.32	, % A
	The second			•	<b>→</b> > 2 =	36° 3° 3
				•	<b>3</b> = 1.5	# * #
				•	7 131 1 131	
				.•		PREDUEST OF PACE 52 # Cold
		ada Departme		•	100	633
MEABGE-	Loge Certific	HIS OF POCHTION	R - WKS 317.030	DOK 180 PAGES	25 15	
19.00			ט.			34
		/ /				Λ.
,		/ /				
		′ /			•	
			•			
				4		

## LODE MINING CLAIM

TO ALL WIIOM IT MAY CONCERN:

The Under		rtifies that he has		ited the BRE 3	
		im in the following			
1/4	Section	Township	Range	Meridian	
NW	1	16N	48E	M.D.B.M.	
NE		16N 16N	48E	M.D.B.M.	
<u></u>		16N		M.D.B.M.	
in Eureka	County	Nevada, on the	25 day of	April	, 19 88
- Luxero			au, o	APILI	
		nd mailing address	of the locator is	• , \ \	
	H. WA	LTER SCHULL			
		lker Avenue			
	Reno,	Nevada 89509	_/	<del>-    </del>	
The Claim is a	pproximately _1	500 feet long an	d 600 feet w	ide, such that 2	0 feet
s claimed in aEa	st	direction and	1480feet in a	West	direction
from the point of disc					
ogether with 30 general course of the			to the	West	direction
The number, le	ocation and mari	kings on each side o	center or corner	monument are as f	ollows:
Location	<u>M</u>	erkings	1)	Description	
No. 1: N.W. Corne			3" x 5"	white PVC pipe	
No. 2: N. Side Ce				white PVC pipe	
No. 3: N.E. Corne				white PVC pipe	
No. 5: S. Side Ce		e Ctr. BRE 3		white PVC pipe white PVC pipe	
No. 6: S.W. Corne				white PVC pipe	
As erected on	the ground, eacl	n side cente <b>r or co</b> r	ner monument is	marked as descrit	ed above b
metal ta	gs(e.g.	metal tags, paint o	on posts).		
The work of ic	cation consisted	of making a claim	map as provided	in NRS 517.040.	
Dated this	14th_day o	f July	, 19 <u>88</u> .		
SIGNATURE OF LOC	ATOR:	\ \		• • • • •	• • •
	\	\	REC	ORDER'S STAMP	
BY: ~/~/	1	)		7 7	. Tr 75.
Agent	The state of the s	/	•	£ £ 8	
			/•	A STORY	CORDED AT
			• •		4 / 4
				L 20	3663
			•	20 = 7.5	ુ ≉ુ ૠુ
Suggested Form - Ne Nevada-Lode Certific			•	6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PAGE -
wode cettilit	cate of bocation		80 PAGE 526		2 6 2 E
		, pour j	OO INVESTO	13	60
-	/ /				•
	/ /				

## LODE MINING CLAIM

TO ALL WHOM IT MA	AY CONCERN:
-------------------	-------------

	Section	Township	Range	Meridian	• •
NW	1	16N	48E	M.D.B.M.	
		16N		M.D.B.M.	
		16N		M.D.B.M.	
· · · · · · · · · · · · · · · · · · ·	:	16N		M.D.B.M.	
<u>Eureka</u>	County,	Nevada, on the	25day of	April	, 19 <u>_88</u> _
	The name a	nd mailing address	of the locator is	\ \	
	H. WA	LTER SCHULL			
	901 Wa	lker Avenue			
<del></del>	Reno,	Nevada 89509			
The Claim is a	poroximately 1	500 feet long an	d 600 feet w	ide such that 1.4	on feet
<b>s cla</b> imed in a Ea	st	direction and	o feet in a	West	direction
rom the point of disc	overy (monumen	t of location), at w	hich the Notice	of Location was po	sted.
ogether with 30	feet on each s	le of the monumer			
eneral course of the		ings on each side of	to the	West	direction
	*		enter or corner	monument are as i	OHOM21
Location	<u>Ma</u>	<u>irkings</u>		Description	
lo. 1: N.W. Corne			3" x 5' i	white PVC pipe	•
o. 2: N. Side Ce				white PVC pipe	
o. 3: N.E. Corne				white PVC pipe	
o. 4: S.E. Corne o. 5: S. Side Ce				white PVC pipe	
o. 6: S.W. Corne				white PVC pipe white PVC pipe	
As erected on metal ta	the ground, each	side center or cor metal tags, paint o	ner monument is	marked as describ	ed above b
		of making a claim		in NRS 517.040.	
The work of lo	/			7	
The work of lo	14th_day of	July	, 19 <u>88</u> .		•
Dated this		July	, 19 <u>88</u> .	• • • • •	• • • •
		July	$\cdot \cdot $	ORDER'S STAMP	• • • •
Dated this		July	$\cdot \cdot $	ORDER'S STAMP	्रा हू
Dated this	ATOR:	July	$\cdot \cdot $	ORDER'S STAMP	Fische.
Dated this	ATOR:	July	$\cdot \cdot $	ORDER'S STAMP	RECORDE BOC
Dated this IGNATURE OF LOC	ATOR:	July	$\cdot \cdot $	ORDER'S STAMP  ORDER'S STAMP  OF FICE NO.	• RECORDED A BOCK /
Dated this	ATOR:	July	$\cdot \cdot $	ORDER'S STAMP  ORDER'S STAMP  OF SICIAL EUREKA COM FILE NO.  1 1 2	RECORDED AT TO
Dated this	ATOR:	July	$\cdot \cdot $	ORDER'S STAMP  ORDER'S STAMP  OF FICE NO.  FILE NO.  1 1 200	RECORDED AT THE BOCK /80  Fischer - Wa #
Dated this	ATOR:		$\cdot \cdot $	ORDER'S STAMP  OFFICE NO.  ORDER'S STAMP  OFFICE NO.  ORDER'S STAMP  OFFICE NO.  ORDER'S STAMP  ORDER'S STAMP	RECORDED AT THE RED BOCK /80 PA BOCK /80 PA BOCK /80 PA
Dated this	ATOR:	of Minerals	REC	OFFICIAL REGISTS EUREKA CONTYSTYA M.N. REBALEATI-SEYA FILE NO. 752 S FILE NO. 753 S	RECORDED AT THE REQUES  BOCK /80 PACE.  FISCHED - WA # Cold
Dated this	ATOR:	of Minerals	REC	OFFICIAL REGISTS EUREKA CONTYSTYA M.N. REBALEATI-SEYA FILE NO. 752 S FILE NO. 753 S	RECORDED AT THE REQUEST OF SOCIETY CON THE PROPERTY OF SOCIETY CON THE PROPERTY OF THE PROPERT
Dated this	ATOR:	of Minerals	$\cdot \cdot $	OFFICIAL REGISTS EUREKA CONTYSTYA M.N. REBALEATI-SEYA FILE NO. 752 S FILE NO. 753 S	RECORDED AT THE REQUEST OF BOCK 180 PACE 527  FISCHE- UB # Cold Co-
Dated this	ATOR:	of Minerals	REC	OFFICIAL REGISTS EUREKA CONTYSTYA M.N. REBALEATI-SEYA FILE NO. 752 S FILE NO. 753 S	RECORDED AT THE REQUEST OF BOCK 180 PACE 527  FISCHED - WA # Cold Com-
Dated this	ATOR:	of Minerals	REC	OFFICIAL REGISTS EUREKA CONTYSTYA M.N. REBALEATI-SEYA FILE NO. 752 S FILE NO. 753 S	RECORDED AT THE REQUEST OF BOCK 180 PACE 527  FISCHED - WA # Cold Com
Dated this	ATOR:	of Minerals	REC	OFFICIAL REGISTS EUREKA CONTYSTYA M.N. REBALEATI-SEYA FILE NO. 752 S FILE NO. 753 S	RECORDED AT THE PEOUEST OF BOCK 1800 PACE 527 FISCHIEF - WAS ## Cold Co-

## LODE MINING CLAIM

TO	ALL	MHOM	IT	MAY	CON	CERN:
----	-----	------	----	-----	-----	-------

	1/4	Section	Township	Range	Meridian	• • •
	NW	1	16N	48E	M.D.B.M	
	NE_		16N	48E	H.D.B.M	
100			16N		M.D.B.M	<u>.</u>
			16N	<del></del>	M.D.B.M	•
	Eureka	County,	Nevada, on the	25day of	April	, 19 <u>88</u>
. •		The name a	nd mailing address	of the locator is	. \	
		H. WA	LTER SCHULL		\ \	
		901 Wa	lker Avenue		\.\.	_
		Reno,	Nevada 89509			7
				600		\
		pproximately _	500 feet long at	nd 600 feet v	ride, such that West	20 feet directio
claime	point of disc	overy (monume	direction and 1 nt of location), at t	which the Notice	of Location we	s posted,
gether	with 30	feet on each s	ie of the monume	nt of location ar	id center line of	the Claim. 11
eneral c	ourse of the	lode or vein is f	rom the <u>East</u>	to the	West	airectio
T	he number, l	ocation and mar	kings on each side	center or corner	monument are	as follows:
: . · .	Location	M	arkings		Description	
n. 1: N	.W. Corne	r N.W.	Cor. BRE 5	3" x 5"	white PVC	oipe
o. 2: N	. Side Ce	nter N.Sid	e Ctr. BRE 5	3" x 5	white PVC p	oipe
	.E. Corne	r N.E.			white PVC r	
. 4: <u>S</u>	.E. Corne	r S.E.	Cor. BRE 5	3" x 5°	white PVC r	
	. Side Ce		de Ctr. BRE 5	3" x 5'	white PVC	
). <b>6</b> : <u>S</u>	.W. Corne	<u>s.w.</u>	Cor. BRE 5	3" x 5'	white PVC	olpe
A	s erected on	the ground, eac	h side center or co	rner monument	is marked as de	scribed above
	metal ta	igs(e.g	. metal tags, paint	on posts).	and the second	
T	he work of l	ocation consiste	d of making a clair	n map as provide	d in NRS 517.0	40.
	ated this	14th day	of July	, 19 88		•
n		Tach on .	, <u>July</u>		•	
D						
	URE OF LOC	CATOR:			~~BDEDIG 6#4	up ·
	1 .	CATOR:		• RE	CORDER'S STA	MP
IGNAT	1 \	CATOR:		• RE	CORDER'S STA	MP T B
IGNAT	URE OF LOC	Tunk	_ ) )	RE	CORDER'S STA	MP T RES
GNAT	1 \	Tunk			FILE	RECORDE
GNAT	URE OF LOC	Tunk			FILE	RECORDED A. BOOK,
GNAT	URE OF LOC	Tunk			FILE	RECORDED AT THE BOOK 182 Frs cherical a
IGNAT	URE OF LOC	Tunk			CORDER'S STA	RECORDED AT THE I BOOK 180 F15cher, West A 788 ML 20
IGNATI	URE OF LOC	(male	nt of Minerals		FILE	RECORDED AT THE RED  BOOK /80 PA  FIS charillet Co
IGNATI	Agent	evada Departme	n - NRS 517.050		OFFICIAL RECORDS EUREKA CONTY, HEVA M.N. REBALEATI. RECOR	RECORDED AT THE REQUES  BOOK /80 PAGE  FISCHA-Wort Cold  BB 11 20 All 50
Y:	Agent	evada Departme	n - NRS 517.050		OFFICIAL RECORDS EUREKA CONTY, HEVA M.N. REBALEATI. RECOR	RECORDED AT THE REQUEST O  BOOK /80 PAGE 52  FISCHA-Wort Cold 6.  BB JLL 20 All 55
Y:	Agent	evada Departme	n - NRS 517.050		OFFICIAL RECORDS EUREKA CONTY, HEVA M.N. REBALEATI. RECOR	RECORDED AT THE REQUEST OF  BOOK 180 PACE 575  F15 char Wort Cold G. 7  BB JLL 20 All 55
Y:	Agent	evada Departme	n - NRS 517.050		OFFICIAL RECORDS EUREKA CONTY, HEVA M.N. REBALEATI. RECOR	RECORDED AT THE REDUEST OF  BOOK 180 PACE 575  FISCHE, Wat C.146, F.  188 JL 20 All 55
GNAT	Agent	evada Departme	n - NRS 517.050		OFFICIAL RECORDS EUREKA CONTY, HEVA M.N. REBALEATI. RECOR	RECORDED AT THE REDUEST OF  BOOK 180 PACE 575  FISCHE, Wat C.146, F.  188 JL 20 All 55
Y:	Agent	evada Departme	n - NRS 517.050		OFFICIAL RECORDS EUREKA CONTY, HEVA M.N. REBALEATI. RECOR	RECORDED AT THE REQUEST OF BOOK 180 PACE 525 FISCHELL US & Cold 6, F. 88 JLL 20 All 55
Y:	Agent	evada Departme	n - NRS 517.050		OFFICIAL RECORDS EUREKA CONTY, HEVA M.N. REBALEATI. RECOR	RECORDED AT THE REQUEST OF  BOOK 180 PACE 525  Fischerids Cold G. F.  88 JL 20 All 55
BY:	Agent	evada Departme	n - NRS 517.050		OFFICIAL RECORDS EUREKA CONTY, HEVA M.N. REBALEATI. RECOR	RECORDED AT THE REQUEST OF  BOOK /BO PACE 525  Fischeridist Cold B. F.  BB JL 20 All 55

## LODE MINING CLAIM

TO	AI.L	WHOM	IT	MAY	CONCERN

	NW	11	161	405		
			16N	48E	M.D.B.M.	
			16N		M.D.B.M.	*.
			16N		M.D.B.M.	
		· <del></del>	16N		M.D.B.M.	
۱ <u> </u>	ureka	County	, Nevada, on the2	5 day of	April	, 19 _88
			and mailing address	of the locator i	s: \ \	
		H. W	ALTER SCHULL		\ \	1
• • •			alker Avenue			_
		Reno,	Nevada 89509			_\
			1500	4 600 5	wide auch that	1480 feet
The s claimed			1500 feet long and	0 feet in a	West	direction
rom the r	oint of disco	overy (monume	ent of location), at w	hich the Notice	of Location was	posted,
ogether v	vith 30	feet on each s	side of the monumen	nt of location as	nd center line of t	the Claim. The direction.
			from the <u>East</u>	to the	West	
Th	e number, lo	cation and mar	rkings on each side c	enter or corner	monument are a	s follows:
	Location	- M	larkings	)	Description	
*		· ·	_	28 / 51	white PVC pi	ine
io. 1: N.	W. Corner	r N.W.	e Ctr. BRE 6		white PVC p	
	E. Corne				.white PVC pi	
	E. Corne				white PVC p	
	Side Cer		de Ctr. BRE 6	3" x 5'	white PVC p	ipe
o. 6: S	W. Corne	r S.W.	Cor. BRE 6	3" x 5'	white PVC p	pe
A:	erected on	the ground, eac	ch side center or cor	ner monument	is marked as dese	cribed above by
	metal ta	gs(e.g	g. metal tags, paint (	on posts).		
Tr	e work of lo	cation consiste	ed of making a claim	map as provid	ed in NRS 517.040	D.
		. :	\ \	\		•
De	ited this	14th day	of July	, 19 <u>88</u>	<b>-</b> *	
IGNATU	RE OF LOC	ATOR:	\	• • • •		• * • •
_	\	\		RE	CORDER'S STAN	AP GI B
	\ /\/			1	<u> </u>	88 <b>t</b>
3Y:	(Agent)	- hand	- /	/	8 227	2 × × × ×
_	Agent				<b>→</b> >25	E 2 % ≥
						200 3
						- 62 - 8
				•	AL RECORD OUNTY, NEW FEE	THE RECUEST O PAGE OF A COLOR OF
Suggested	1 Form - Ne	vada Departme	ent of Minerals	•	FEE SZ J	3, 6 g g
			on - NRS 517.050	•	K = -	1 1 2 S
			RANK 1 A	0 PAGE 529		3/2
		/ /	Book I. O	J		•
		/ /				• •
		/ /				

## LODE MINING CLAIM

TO A	MI.L	MHOM	11.	MAI	CONC	EKN

1/4	Section	Township	Range	Meridian	
SW	1	16N	48E	M.D.B.M.	•
SE	2	16N	48E	M.D.B.M.	
		16N		M.D.B.M.	
		16N		M.D.B.M.	
Eureka	County,	Nevada, on the 25	day of	April_	, 19 _81
				\ \	
		d mailing address of TER SCHULL	the locator is	\ \	
	901 Wal	ker Avenue			\
	Reno, N	levada 89509			\
The Claim is a	pproximately 15	00 feet long and	600 feet w	ride, such that	20 fee
claimed in a Eas	st	direction and 148	lo feet in a	West	direct
	overy (monument	of location), at whi ie of the monument	of location on	or Location was (	osted, be Claim
gether with 30 meral course of the	leet on each so	on the Bast	to the	West	direct
•			_ \		_
The number, io	cation and mark	ings on each side ce	nter or corner	monument are as	TOHOME
Location	Ma	rkings	)	Description	
. 1: N.W. Corner	r N.W. Co	or. BRE 7	3"/x 51	white PVC pir	<b>-</b>
N. Side Cei				white PVC pi	
				white PVC pir	
. 3: N.E. Corne:				white PVC pi	
				white PVC pi	
. 5: S. Side Ce					
5. Side Cer 6. S.W. Corne	r S.W. Co	or. BRE 7	3" x 5'	white PVC pi	
S. Side Cer S.W. Corne As erected on	r S.W. Co	side center or corn	3" x 5' er monument i	white PVC pi	
S. Side Cero. S. W. Corne  As erected on metal tag	the ground, each	side center or corn metal tags, paint on	3" x 5' er monument i posts).	white PVC pi	ibed above
S. Side Cero. S. W. Corne  As erected on metal tag	the ground, each	side center or corn	3" x 5' er monument i posts).	white PVC pi	ibed abov
. 5: S. Side Ce 6: S.W. Corne.  As erected on metal tal The work of lo	the ground, each gs (e.g. cation consisted	side center or corn metal tags, paint on of making a claim r	3" x 5 ' er monument i i posts). nap as provide	white PVC pi	ibed abov
As erected on metal tar The work of lo	the ground, each gs (e.g. cation consisted  14th day of	side center or corn metal tags, paint on of making a claim r	3" x 5' er monument i posts).	white PVC pi	ibed abov
As erected on metal ta	the ground, each gs (e.g. cation consisted  14th day of	side center or corn metal tags, paint on of making a claim r	3" x 5' er monument i posts). nap as provide, 19	white PVC pils marked as described in NRS 517.040.	ibed above
As erected on metal tar The work of lo	the ground, each gs (e.g. cation consisted  14th day of	side center or corn metal tags, paint on of making a claim r	3" x 5' er monument i posts). nap as provide, 19	white PVC pi	ibed above
As erected on metal tar The work of lo	the ground, each gs (e.g. cation consisted  14th day of	side center or corn metal tags, paint on of making a claim r	3" x 5' er monument i posts). nap as provide, 19	white PVC pils marked as described in NRS 517.040.	ibed above
As erected on metal tar The work of lo Dated this  GNATURE OF LOC	the ground, each gs (e.g. cation consisted  14th day of	side center or corn metal tags, paint on of making a claim r	3" x 5' er monument i posts). nap as provide, 19	white PVC pils marked as described in NRS 517.040.	ibed above
As erected on metal tar The work of lo Dated this  GNATURE OF LOC	the ground, each gs (e.g. cation consisted  14th day of	side center or corn metal tags, paint on of making a claim r	3" x 5' er monument i posts). nap as provide, 19	white PVC piles marked as described in NRS 517.040.	ibed above
As erected on metal tar The work of lo Dated this  GNATURE OF LOC	the ground, each gs (e.g. cation consisted  14th day of	side center or corn metal tags, paint on of making a claim r	3" x 5' er monument i posts). nap as provide, 19	white PVC piles marked as described in NRS 517.040.	ibed above
As erected on metal tar The work of lo Dated this  GNATURE OF LOC	the ground, each gs (e.g. cation consisted  14th day of	side center or corn metal tags, paint on of making a claim r	3" x 5' er monument i posts). nap as provide, 19	white PVC piles marked as described in NRS 517.040.	ibed above
As erected on metal tar The work of lo Dated this  GNATURE OF LOC	the ground, each gs (e.g. cation consisted  14th day of	side center or corn metal tags, paint on of making a claim r	3" x 5' er monument i posts). nap as provide, 19	white PVC pils marked as described in NRS 517.040.	ibed above
As erected on metal tar The work of lo Dated this GNATURE OF LOC	the ground, each gs (e.g. cation consisted  14th day of	or. BRE 7 side center or corn metal tags, paint on of making a claim r July	3" x 5' er monument i posts). nap as provide, 19	white PVC piles marked as described in NRS 517.040.  CORDER'S STAM	ibed above
As erected on metal tal  The work of lo  Dated this  GNATURE OF LOC	the ground, each gs (e.g. ccation consisted	or. BRE 7  side center or corn metal tags, paint on of making a claim r  July	a" × 5 ' er monument i posts). nap as provide, 19	white PVC piles is marked as described in NRS 517.040.  OFFICIAL RECORD FILE NO. FILE NO. FEE 4  113988	ibed above
As erected on metal tar The work of lo Dated this GNATURE OF LOC	the ground, each gs (e.g. ccation consisted	or. BRE 7  side center or corn metal tags, paint on of making a claim r  July	a" × 5 ' er monument i posts). nap as provide, 19	white PVC piles is marked as described in NRS 517.040.  OFFICIAL RECORD FILE NO. FILE NO. FEE 4  113988	ibed above
As erected on metal tal  The work of lo  Dated this  GNATURE OF LOC	the ground, each gs (e.g. ccation consisted	or. BRE 7  side center or corn metal tags, paint on of making a claim r  July	a" × 5 ' er monument i posts). nap as provide, 19	white PVC piles is marked as described in NRS 517.040.  OFFICIAL RECORD FILE NO. FILE NO. FEE 4  113988	ibed above
As erected on metal tal  The work of lo  Dated this  GNATURE OF LOC	the ground, each gs (e.g. cation consisted  14th day of ATOR:	or. BRE 7  side center or corn metal tags, paint on of making a claim r  July	3" x 5' er monument i posts). nap as provide, 19	white PVC piles is marked as described in NRS 517.040.  OFFICIAL RECORD FILE NO. FILE NO. FEE 4  113988	ACCORDED AT THE REQUEST OF BOOM /ATO PAGE 530
As erected on metal tal  The work of lo  Dated this  GNATURE OF LOC	the ground, each gs (e.g. cation consisted  14th day of ATOR:	or. BRE 7  side center or corn metal tags, paint on of making a claim r  July	a" × 5 ' er monument i posts). nap as provide, 19	white PVC piles is marked as described in NRS 517.040.  OFFICIAL RECORD FILE NO. FILE NO. FEE 4  113988	ibed above

TO ALL WHOM IT MA	AY CONCERN:	11998	9		
The Under	signed hereby ce Lode Mining Cla	rtifies that he has im in the following	caused to be loca g quarter section	ited the BRE 8	
1/4	<u>Section</u>	Township	Range	Meridian	
SW	1	16N 16N 16N	48E	M.D.B.M. M.D.B.M.	
		16N	25 day of	N.D.B.M. April	. 19 88 .
in <u>Eureka</u>	The name a	Nevada, on the and mailing address LTER SCHULL		/ /	, 13 _60
· · · · · · · · · · · · · · · · · · ·	901 Wa	lker Avenue		1.1	4
		Nevada 89509			
from the point of disc together with 30 general course of the	covery (monumer feet on each s lode or vein is f	nt of location), at	20 feet in awhich the Notice ent of location anto the	West of Location was p d center line of th West	direction osted, e Claim. The direction
Location	÷	arkings		Description	
No. 1: N.W. Corne	er N.W. (			white PVC pip	
No. 2: N. Side Ce		e Ctr. BRE 8	3" x 5"	white PVC pip	
No. 3: N.E. Corne No. 4: S.E. Corne			3" x 5'	white PVC pir	
No. 5: S. Side Ce		de Ctr. BRE 8.	3" x 5"	white PVC pir	
No. 6: S.W. Corne		Cor. BRE 8	3" x 5'	white PVC pir	)e
metal ta	igs(e.g	h side center or co . metal tags, paint d of making a clair of	on posts).		ibed above b
SIGNATURE OF LO	CATOR		REG	CORDER'S STANI	
Suggested Form - None Nevada-Lode Certification	evada Departmeticate of Location	n - NRS 517.050		OFFICIAL RECYADENCE AND ALBALLATIC RECYADENCE NO. FEE FILE NO. FEE 119989	RECORDED AT THE RECUIPMENT OF PAGE PAGE PAGE PAGE PAGE PAGE PAGE PAGE
		800	K 1 8 0 PAGE 5 3		55, 4 5, 4 5, 183

TO ALL WHOM IT M	AY CONCERN:	. 11:	9990		,
The Under	rsigned hereby ce Lode Mining Cla	rtifies that he has	caused to be loc	ated the BRE	9
1/4	Section	Township	Range	Meridian	
SW	1	16N	48E	M.D.B.M	ı <b>.</b>
SE	2	16N	48E	M.D.B.M	
	· .	16N 16N		M.D.B.M M.D.B.M	
				F1.D.B.F.	<del>!•</del>
in <u>Eureka</u>	County,	Nevada, on the	25 day of	April	, 19 <u>88</u>
	The name a	nd mailing addres	s of the locator is	\ \	\
		LTER SCHULL		\	\
	901 Wa	lker Avenue		1	7
V-	Reno,	Nevada 89509			
					_(
	approximately _]		nd 600 feet w	vide, such that West	20 feet direction
from the point of dis		direction and			
together with 30	feet on each s	is de of the monume	ent of location an	d center line of	f the Claim. Th
general course of the	lode or vein is f	rom the <u>East</u>	to the	West	direction
The number,	location and mar	kings on each side	center or corner	monument are	as follows:
Location	M	arkings		Description	
<del></del> -	<del></del>		//		
No. 1: N.W. Corne			3" x 5"	white PVC p	
No. 2: N. Side Conne			3" x 5"	white PVC r	
No. 4: S.E. Corn		or. BRE 9	3" x 5'	white PVC r	
No. 5: S. Side Co		le Ctr. BRE 9		white PVC	
No. 6: S.W. Corn	er S.W. C	Cor. BRE 9	3" x 5"	white PVC	pipe
As erected or		h side center or co		s marked as de	scribed above t
metal t	ags (e.g.	metal tags, paint	on posts).		# * · · · · · ·
The work of	ocation consisted	l of making a clai	m map as provide	d in NRS 517.0	40.
Dated this	14th day o	f July	. 19 88		
\	T				
SIGNATURE OF LO	CATOR:	1	REG	CORDER'S STA	MP
	\		1		
BY:	Tink			•	8,
Agen	U		/		( ) B
					86 2 28
			• :		
			•	<b>9</b>	= 7° × ×
Suggested Form - N	evada Departmen	t of Minerals	•		5°6 0, ₹
Nevada-Lode Certif		- NRS 517.050	•	33.4 33.4 33.4	BOOK /80 PAGES CLO # C. Id Co.,  88 JL 20 All 5
		BOOK	180 PAGE 532		= 6 × 5
	/ /			67. SE	SS (5)
	/ /	*	100	12 =	- अ १६ ड
	/ /	•		:	· <del>-</del>
		•	.*		•

The Undersigned hereby certifies that he has caused to be location	ALL WHOM IT MAY	CONCERN:	119991		ed the BRE 10	
1/4   Section   Township   Range   Meridian	The Undersig	ned hereby certif	ies that he has ca in the following q	used to be locat parter section(s	EG 111C	
SW   1   16N   48E   M.D.B.M.     16N   M.D.B.M.   M.D.B.M.     16N   M.D.B.M.   M.D.B.M.     16N   M.D.B.M.     18D   M.D.B.M.     18D   M.D.B.M.     19D   M.D.B.			-	•		
The name and mailing address of the locator is:    No.   16N		1	168	48E		
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately   1500   feet long and   600   feet wide, such that   1480   direction and   20   feet in a   west   direction and   20   feet in a   west   direction on the point of discovery (monument of location), at which the Notice of Location was posted, ogether with   30   feet on each site of the monument of location and center line of the Claim general course of the lode or vein is from the   East   10 the   west   direction and markings on each side center or corner monument are as follows    Location   Markings   Description	SW					
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 direction and 20 feet in a West directio			16N		M.D.B.M.	
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 direction and 20 feet in a West direction and 20 feet in a West direction and 20 feet in a West of location was posted, round the point of discovery (monument of location), at which the Notice of Location was posted, rounded in 30 feet on each side of the monument of location and center line of the Claim of the lode or vein is from the East to the West direction and markings on each side center or corner monument are as follows  Location Markings  Location Markings  No. 1: N.W. Corner N.W. Corn. BRE 10 3" x 5" white PVC pipe No. 3: N.E. Corner N.E. Corn. BRE 10 3" x 5" white PVC pipe No. 4: S.E. Corner N.E. Corn. BRE 10 3" x 5" white PVC pipe No. 4: S.E. Corner S.E. Corn. BRE 10 3" x 5" white PVC pipe No. 5: S. Side Center S.W. Corn. BRE 10 3" x 5" white PVC pipe No. 5: S. Side Center S.W. Corn. BRE 10 3" x 5" white PVC pipe No. 5: S. Side Center S.W. Corn. BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corn. BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corn. BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corn. BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corn. BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corn. BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corner S.W. Corn. BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corner S.W. Corn. BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corner S.W. Corn. BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corner S.W. Corn. BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corner S.W. Corn. BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corner S.W. Corn. BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corner S.W. Corn. BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corner S.W. Corner BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corner BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corner BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corner BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corner BRE 10 3" x 5" white PVC pipe No. 5: S.W. Corner BRE 10 3" x 5" white PVC pip			16N		M.D.B.M.	
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 20 feet in a West west with 30 feet on each size of the monument of location and carter line of the Claim of discovery (monument of location), at which the Notice of Location was posted, roughther with 30 feet on each size of the monument of location and center line of the Claim of the lode or vein is from the East to the West directly west white PVC pipe with 30 feet on each side center or corner monument are as follows.  The number, location and markings on each side center or corner monument are as follows.  Location Markings Description  No. 1: N. W. Corner N. W. Cor. BRE 10 3° x 5° white PVC pipe No. 2: N. Side Center N. Side Ctr. BRE 10 3° x 5° white PVC pipe No. 3: N. E. Corner S. E. Cor. BRE 10 3° x 5° white PVC pipe No. 4: S. E. Corner S. E. Cor. BRE 10 3° x 5° white PVC pipe No. 5: S. Side Center S. Side Ctr. BRE 10 3° x 5° white PVC pipe No. 6: S. W. Corner S. W. Cor. BRE 10 3° x 5° white PVC pipe No. 6: S. W. Corner S. W. Cor. BRE 10 3° x 5° white PVC pipe No. 6: S. W. Corner S. W. Cor. BRE 10 3° x 5° white PVC pipe No. 6: S. W. Corner S. W. Cor. BRE 10 3° x 5° white PVC pipe No. 6: S. W. Corner S. W. Cor. BRE 10 3° x 5° white PVC pipe No. 6: S. W. Corner S. W. Cor. BRE 10 3° x 5° white PVC pipe No. 6: S. W. Corner S. W. Cor. BRE 10 3° x 5° white PVC pipe No. 6: S. W. Corner S. W. Cor. BRE 10 3° x 5° white PVC pipe No. 6: S. W. Corner S. W. Cor. BRE 10 3° x 5° white PVC pipe No. 6: S. W. Corner S. W. Cor. BRE 10 3° x 5° white PVC pipe No. 6: S. W. Corner S. W. Cor. BRE 10 3° x 5° white PVC pipe No. 6: S. W. Corner S. W	Eureka	County, N	evada, on the	day of	April	, 19 <u>88</u> -
H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 direction and 20 feet in a west direction and 20 feet in a west direction and 30 feet on each side of the monument of location and center line of the Claim ogether with 30 feet on each side of the monument of location and center line of the Claim of the lode or vein is from the East to the west directions and markings on each side center or corner monument are as follows    Location		The name and	mailing address	of the locator is:	\ \	•
The Claim is approximately 1500 feet long and 20 feet wide, such that 1480 direction and 20 feet in a West direction and 20 feet in a West direction was posted, rom the point of discovery (monument of location), at which the Notice of Location was posted, ogether with 30 feet on each size of the monument of location and center line of the Claim general course of the lode or vein is from the East to the West direction and markings on each side center or corner monument are as follows.  Location Markings Description  No. 1: N.W. Corner N.W. Corn. BRE 10 3" x 5" white PVC pipe No. 3: N. 5: de Center N. 5: de Cert. BRE 10 3" x 5" white PVC pipe No. 4: S.E. Corner N.E. Cor. BRE 10 3" x 5" white PVC pipe No. 5: S. Side Center S. Side Ctr. BRE 10 3" x 5" white PVC pipe No. 5: S. Side Center S. Side Ctr. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe No. 6: S.W. Corner S.W. C		H. WAL	TER SCHULL			
The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 direction and 20 feet in a West direction and 20 feet in a West direction was posted, so the point of discovery (monument of location), at which the Notice of Location was posted, so gether with 30 feet on each side of the monument of location and center line of the Claim general course of the lode or vein is from the East to the West direction and markings on each side center or corner monument are as follows    Location   Markings   Description		901 Wall	ker Avenue		<del></del>	• •
The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 direction and 20 feet in a West direction and 20 feet in a West direction was posted, so the point of discovery (monument of location), at which the Notice of Location was posted, so gether with 30 feet on each side of the monument of location and center line of the Claim general course of the lode or vein is from the East to the West direction and markings on each side center or corner monument are as follows    Location		Reno. N	evada 89509			\
The Claim is approximately also feet long and direction and 20 feet in a West direction the point of discovery (monument of location), at which the Notice of Location was posted, to the 30 feet on each side of the monument of location and center line of the Claim general course of the lode or vein is from the East to the West direction and markings on each side center or corner monument are as follows    Location		1,0,10,				\. i
The Claim is approximately direction and claimed in a East direction and claimed in a East direction and claimed in a claimed in a feet on each size of the monument of location, at which the Notice of Location was posted, to the point of discovery (monument of location), at which the Notice of Location was posted, and the point of discovery (monument of location), at which the Notice of Location was posted, and the point of discovery (monument of location and center line of the Claim operation and center line of the Claim operation and center line of the Claim operation.  The number, location and markings on each side center or corner monument are as follows    Location		115	00 feet long an	d 600 feet w	ide, such that <u>14</u>	80 feet direction
rom the point of discovery (monument of location), at which the Notice of Location and center line of the Claim or ogether with 30 feet on each size of the monument of location and center line of the Claim or ogether with 30 feet on each size of the monument of location and center line of the Claim or ogether with 30 feet on each size of the monument of the Claim or ogether with 30 feet on each size of the monument of the Claim or ogether with 30 feet on each size center or corner monument are as follows    Location	The Claim is at	proximately	direction and	o feet in a	West	orection
The number, location and markings on each side center or corner monument are as follows    Location	claimed in a	overy (monument			of Location was	posteo, be Claim, Th
The number, location and markings on each side center or corner monument are as follows  Location  Markings  Description  N.W. Corner N.W. Cor. BRE 10 3" x 5" white PVC pipe No. 2: N. Side Center N. Side Ctr. BRE 10 3" x 5" white PVC pipe No. 3: N.E. Corner No. 4: S.E. Corner No. 5: S. Side Center No. 5: S. Side Center No. 6: S.W. Corner As erected on the ground, each side center or corner monument is marked as described at metal tags  The work of location consisted of making a claim map as provided in NRS 517.040.  BY:  Algent)  Suggested Form - Nevada Department of Minerals				it of location and	G Center line of t	direction
Location  Location  No. 1: N.W. Corner No. 2: N. Side Center No. 3: N.E. Corner No. 4: S.E. Corner No. 5: S. Side Center No. 5: S. Side Center No. 6: S.W. Corner No. 6: S.W. Corner No. 6: S.W. Corner As erected on the ground, each side center or corner monument is marked as described at metal tags The work of location consisted of making a claim map as provided in NRS 517.040.  BY:  Agent)  Description  Description  Description  Day x 5' white PVC pipe 3" x 5' white PVC pipe 4. Side Center or corner monument is marked as described at metal tags (e.g. metal tags, paint on posts).  The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July 19 88  SIGNATURE OF LOCATOR:  RECORDER'S STAMP  RECORDER'S STAMP  Suggested Form - Nevada Department of Minerals  Suggested Form - Nevada Department of Minerals	DESCRIPTION WITH					
Location  Markings  Description  N.W. Corner N.W. Cor. BRE 10 3" x 5" white PVC pipe  N.Side Center N.Side Cert. BRE 10 3" x 5" white PVC pipe  N.E. Corner N.E. Corn. BRE 10 3" x 5" white PVC pipe  N.E. Corner N.S.E. Cor. BRE 10 3" x 5" white PVC pipe  S.E. Cor. BRE 10 3" x 5" white PVC pipe  N.S. Side Center S. Side Ctr. BRE 10 3" x 5" white PVC pipe  N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe  As erected on the ground, each side center or corner monument is marked as described at metal tags (e.g. metal tags, paint on posts).  The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July 19 88  SIGNATURE OF LOCATOR:  RECORDER'S STAMP  Suggested Form - Nevada Department of Minerals  Suggested Form - Nevada Department of Minerals	eneral course of the	ion and marki	ngs on each side o	enter or corner	monument are as	10110M2:
Location  Markings  No. 1: N.W. Corner N.W. Cor. BRE 10 3" x 5" white PVC pipe  No. 2: N. Side Center N.Side Ctr. BRE 10 3" x 5" white PVC pipe  No. 3: N.E. Corner No. 4: S.E. Corner No. 5: S. Side Center No. 5: S. Side Center S. Side Ctr. BRE 10 3" x 5" white PVC pipe  No. 6: S. W. Corner S.W. Cor. BRE 10 3" x 5" white PVC pipe  As erected on the ground, each side center or corner monument is marked as described at metal tags (e.g. metal tags, paint on posts).  The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July 19 88  SIGNATURE OF LOCATOR:  RECORDER'S STAMP  Suggested Form - Nevada Department of Minerals  Suggested Form - Nevada Department of Minerals  Suggested Form - Nevada Department of Minerals	The number, lo	Cation and mark	Jugo ou coop	아이 가수	m	
N.W. Corner N.W. Corner N.Side Cert. BRE 10 3" x 5" white PVC pipe N.Side Cert. BRE 10 3" x 5" white PVC pipe N.E. Corner N.E. Corn. BRE 10 3" x 5" white PVC pipe N.E. Corner N.E. Corn. BRE 10 3" x 5" white PVC pipe N.S. Side Center N.Side Cert. BRE 10 3" x 5" white PVC pipe N.S. Side Center N.E. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center N.E. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center N.E. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe N.E. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S.W. Cor. BRE 10 3" x 5" white PVC pipe N.S. Side Center S. Side Center or corner monument is marked as described at Market S. Side Center or corner monument is marked as described at Market S. Side Center or corner monument is marked as described at Market S. Side Center or corner monument is marked as described at Market S. Side Center or corner monument is marked as described at Market S. Side Center or corner monument is marked as described at Market S. Side Center or corner monument is marked as described at Market S. Side Center or corner monument is marked as described at Market S. Side Center or corner monument is marked as described at Market S. Side Center or corner mo		Ma	rkings	1 1	Description	
N. Side Center N. Side Cert. BRE 10 3" x 5" white PVC pipe N. Side Center N. Side Cert. BRE 10 3" x 5" white PVC pipe N. Side Center S. E. Corn. BRE 10 3" x 5" white PVC pipe N. Side Center S. E. Cor. BRE 10 3" x 5" white PVC pipe S. Side Center S. Side Cert. BRE 10 3" x 5" white PVC pipe N. Side Center S. Side Cert. BRE 10 3" x 5" white PVC pipe N. Side Center S. Side Cert. BRE 10 3" x 5" white PVC pipe N. Side Center S. Side Cert. BRE 10 3" x 5" white PVC pipe N. Side Center S. Side Cert. BRE 10 3" x 5" white PVC pipe N. Side Center S. Side Cert. BRE 10 3" x 5" white PVC pipe N. Side Center S. Side Center S. W. Cor. BRE 10 3" x 5" white PVC pipe N. Side Center S. Side Center S. Side Center S. Side Cert. BRE 10 3" x 5" white PVC pipe N. Side Center S. W. Cor. BRE 10 3" x 5" white PVC pipe N. Side Center S. Side Center	Location			] ]	white DVC ni	ре
10. 2: N. Side Center 10. 3: N.E. Corner 10. 3: N.E. Corner 10. 4: S.E. Corner 10. 5: S.E. Corner 10. 5: S. Side Center 10. 6: S. W. Corner 10. 6: S. Side Center 10. 6: S. Side Cente	. N W. Corne	r N.W. Co	J		white PVC Di	pe
Suggested Form - Nevada Department of Minerals  N.E. Cor. BRE 10  3" x 5" white PVC pipe  3" x 5" whit	N. Side Ce	nter N.Side			white DVC pi	pe
S.E. Cor. BRE 10 3" X 5" White PVC DIDE  10. 4: S.E. Corner  10. 5: S. Side Center  10. 6: S.W. Corner  10. 3" X 5" White PVC DIDE  4" X 5" White PVC DIDE  5" White PVC DIDE  4" X 5" White PVC DIDE	o. Z: N. E. Corne		or. BRE 10		white PVC pr	pe
S. Side Center  S. Side Ctr. BRE 10  S.W. Cor. BRE 10  S.W. Corner  S.W. Cor. BRE 10  S.W. Side Ctr. BRE 10  S.W.	o. J. N.E. COTTLE	S.E. C	or. BRE 10		white PVC pi	pe
As erected on the ground, each side center or corner monument is marked as described at metal tags (e.g. metal tags, paint on posts).  The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July 1988.  SIGNATURE OF LOCATOR:  RECORDER'S STAMP  RECORDE	o. 4: 5.E. COLINE		e Ctr. BRE 10		WHITE PVC D	ne
As erected on the ground, each side center or corner monument is marked as described at metal tags (e.g. metal tags, paint on posts).  The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July 1988.  SIGNATURE OF LOCATOR:  RECORDER'S STAMP  RECORDE		S W. C	Or. BRE IU			
The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July 19 88  SIGNATURE OF LOCATOR:  RECORDER'S STAMP  RECORDER'S STAMP	10. 6. 5.W. COLING			monument	is marked as des	cribed above
The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July 19 88  SIGNATURE OF LOCATOR: RECORDER'S STAMP	As erected on	the ground, each	side center or co	rner monument	13 ingrade as	
The work of location consisted of making a claim map as provided in this of the state of the sta						
Dated this 14th day of July 19 88  SIGNATURE OF LOCATOR:  RECORDER'S STAMP  RECORDER	- 1 - 1	ection consisted	of making a clair	n map as provide	ed in NRS 517.04	u.
Dated this 14th day of July  SIGNATURE OF LOCATOR:  RECORDER'S STAMP  FILE NO PRICIAL PICCORD  AND LEAST PICCORD  Suggested Form - Nevada Department of Minerals  Suggested Form - Nevada Department of Minerals	The work of it	OCHION CONSISTOR				•
BY:  Agent)  RECORDER'S STAMP	· Detail this	14th day of	f July	, 19	<b>-•</b>	
BY:  Agent)  Agent)  Agent  Ag	Dated tims			١		
BY:  Agent)  Agent  Agent  Agent  Agent  Agent  BY:  Agent  Agent	SIGNATURE OF LO	CATOR:	\		CORDER'S STA	MP
Agent)  11399  Agent)	BIGINATORIA DE LA			• ***	,COMBINE - III	
Agent)  11399  Agent)				]•		&
(Agent)  1999  100  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  11999  119	RY:	//		<i>I</i> •	m 130	BOOK /80 PAGE 5
Suggested Form - Nevada Department of Minerals  Suggested Form - Nevada Department of Minerals	Agen	1)	/ /	/ <u> </u>		ہ ≍ع ہے
Suggested Form - Nevada Department of Minerals  Suggested Form - Nevada Department of Minerals				•	325 G	- 20° =
Suggested Form - Nevada Department of Minerals  Suggested Form - Nevada Department of Minerals				•	9 55	2,76
Suggested Form - Nevada Department of Minerals  Suggested Form - Nevada Department of Minerals				•	9 <u>- 7</u>	_ 8, 3
Suggested to the superstance appears non the superstance appears and the superstance appears are superstance appears and the superstance appears and the superstance appears and the superstance appears are superstance appears and the s					- F F F F F F F F F F F F F F F F F F F	AND COME
Suggested to the superstance appears non the superstance appears and the superstance appears are superstance appears and the superstance appears and the superstance appears and the superstance appears are superstance appears and the s	- ·	da Danastera	nt of Niperals	•	% 55 %	
BODK   80 PAGE533	Suggested Form - N	evada Departmen	n - NRS 517.050	•		ማ ላ ሽር
אטעש אוועש	Nevada-Lode Certi	IICBIG OF POCESION	I YARD	an PAGE533	\ % 3	7/10
			ז אטעע	00		₹ '
		/ /				
		/ /				•
		/ /				
		/ /	• •		*	
				-	•	

#### LODE MINING CLAIM

TO A	LL WI	IOM IT	MAY	CONC	ERN:
------	-------	--------	-----	------	------

#### 113992

The Undersigned hereby certifies that he has caused to be located the BRE 11 Lode Mining Claim in the following quarter section(s): Meridian Township 1/4 Section Range 48E SW M.D.B.M. 16N M.D.B.M. 482 SE 16N M.D.B.M. 16N M.D.B.M. 16N 25 day of April County, Nevada, on the in Eureka 19 88 -The name and mailing address of the locator is: WALTER SCHULL 901 Walker Avenue Reno, Nevada 89509 The Claim is approximately 1500 feet long and 600 feet wide, such that 50 feet is claimed in a East direction and 1450 feet in a West direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 30 feet on each size of the monument of location and center line of the Claim. The general course of the lode or vein is from the \_\_East\_\_ \_to the West The number, location and markings on each side center or corner monument are as follows: Markings Description Location white PVC pipe No. 1: N.W. Corner N.W. Cor. BRE 5 1 No. 2: N. Side Center 11 white PVC pipe N.Side Ctr. BRE 11 5/1 BRE No. 3: N.E. Corner N.E. Cor. white PVC pipe 11 No. 4: S.E. BRE 5' white PVC pipe Corner Cor 'n No. 5: BRE 5' white PVC pipe Side Center Side 11 5' white PVC pipe No. 6: S.W. Corner BRE As erected on the ground, each side center or corner monument is marked as described above by (e.g. metal tags, paint on posts). metal tags The work of location consisted of making a claim map as provided in NRS 517.040. 14th day of Dated this 88 SIGNATURE OF LOCATOR: RECORDER'S STAMP EURFKA CI M.N. REBAL FILE NO. (Agent)

Suggested Form - Nevada Department of Minerals Nevada-Lode Certificate of Location - NRS 517.050

BOBK 1 8 0 PAGE 5 3 4

## LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

	Section	Township	Range	Meridian	
SW	1	16N	48E	M.D.B.M.	
SE		16N	48E	M.D.B.M.	
		16N		M.D.B.M.	
·	<del></del>	16N		M.D.B.M.	
<u>Eureka</u>	County,	Nevada, on the 2	5day of	April 1	88.
		nd mailing address	of the locator is	\ \	
		ALTER SCHULL			
:		lker Avenue			
	Reno,	Nevada 89509			• 1
She Claim is a	oprovimately 1	1500 feet long er	d 600 feet w	ide, such that _50	feet
claimed in a Eas	st	direction and	450 feet in a	west di	rection
rom the point of disc	overy (monume	nt of location), at v	which the Notice	of Location was posted	m. The
eneral course of the	leet on each s	rom the East	to the	d center line of the Cla West di	rection
				monument are as follow	rs:
the number, a					
Location	<u>M</u>	larkings	) ]	Description	
o. 1: N.W. Corne	r N.W.			white PVC pipe	
io. 2: N. Side Ce	nter N.Side			white PVC pipe	
o. 3: N.E. Corne				white PVC pipe white PVC pipe	
o. 4: <u>S.E. Corne</u> o. 5: <u>S. Side Ce</u>		de Ctr. BRE 12			
o. 6: 5.W. Corne			3" x 5'	white PVC pipe	
As erected on	the ground, eac	h side center or co	rner monument i	s marked as described a	bove b
metal ta	gs(e.g	. metal tags, paint	on posts).		
The work of lo	ocation consiste	d of making a clain	n map as provide	d in NRS 517.040.	
		\ \	, 19 88	•	
Dated this	14th day	of July	, 10 _88_		
SIGNATURE OF LOC	ATOR:	. \	D	CORDER'S STAMP	• • •
		).	RE	ORDERS STAMP	. <u>B</u>
	-/-/		/		္ကင္အ
3Y:			/•	z zmc	8 8
BY:	3			0 254	
			•	EBALCO FICUS	\$ \$
		//	•	JL 20 JL 20 FICIAL R KA COUNT EBALE AT 0 1199	A 11E
			•	JL 20 A JL 20 A FICIAL RECO REACEDINTY FE  11999:	AT THE REC
Mgent		nt of Minerals	•	L 20 A1 :  L 20 A1 :  FICIAL RECORDS RA COUNTY, NEW EBALEATI, RECOR O FEE 3.  119993	AT THE REQUES
Agent Suggested Form - Ne	evada Departme	n - NRS 517.050	•	SS 125	AT THE REQUEST O
BY:  Agent  Suggested Form - Ne Nevada-Lode Certifi	evada Departme	n - NRS 517.050	DOK I 80 PAGES	SS 125	AT THE REQUEST OF PAGE 5-35
Mgent Suggested Form - Ne	evada Departme	n - NRS 517.050	DOK I 80 PAGES	SS 125	AT THE REQUEST OF PAGE 535
Mgent Suggested Form - Ne	evada Departme	n - NRS 517.050	DOK I 80 PAGES	SS 125	AT THE REQUEST OF PAGE 5-35

## LODE MINING CLAIM

#### TO ALL WHOM IT MAY CONCERN:

			rtifies that he has co im in the following o			13
	1/4	Section	Township	Range	Meridian	
	SW	1	16N	48E	M.D.B.M.	
	SE	2	16N	48E	M.D.B.M.	
	NW	12	16N	48E	M.D.B.M.	
	NE	ĪĪ	16N	48E	M.D.B.M.	
In	Eureka	County,	Nevada, on the 25	day of	April	, 19 <u>88</u> .
		<b>T</b> he same of		.C. 4.h.a. 1.a 4.		<del></del>
			nd mailing address o LTER SCHULL	tile locator n	\ \	
		901 Wa	lker Avenue			Ī
		Reno,	Nevada 89509			\
. 4	ha Claim le ar	proximately 1	500 feet long and	600 fact w	vide, such that	50 feet
is claime	edina Eas	t	direction and 14		West	direction
		very (monumen	t of location), at wh			
together	with30	feet on each s	te of the monument	of location an	d center line of t	he Claim. The
general (	course of the I	ode or vein is f	rom the <u>East</u>	to the	West	direction
1	The number, lo	cation and mark	ings on each side ce	enter or corner	monument are as	follows:
	Location	<u>M</u> .	arkings	)	Description	
	N.W. Corner			3" x 5'		
	N. Side Cer			3" x 5"	white PVC pi	
	N.E. Corner			3" x 5'	white PVC pi	
	S.E. Corner			3" x 5'	white PVC pi	
	S. Side Cer		e Ctr. BRE 13 Cor. BRE 13	3" x 5' 3" x 5'	white PVC pi	
10. 0.	S.W. Corner	<u>s.w. c</u>	OI. BRE IS		white PVC pi	pe
	serected on one		n side center or corn metal tags, paint or		s marked as desc	ribed above by
· 1	The work of lo	cation consisted	of making a claim	map as provide	d in NRS 517.040	•
I	Dated this	14th day o	f July	, 19 88		•
SIGNAT	URE OF LOCA	ATOR:	\		• • • • •	• • • • •
	\	\	)	REG	Corder's Stam	P gr 32
BY:	\_/\_	ر ر نسک		/	골ェ	86 5 8
P** —	(Argent)	1 de la company	/ /	/	E *50	20, 20, 30
	O.Sc.		//		5 23 5	ڪ څ څ ⊑
					ASS ASS	- 4/2 =
						<b>まらずる</b>
				., .	AL RECORDUNITY. NO LEATH. PER FE	- à - A
Suggeste	d Form - Nev	ada Departmen	t of Minerals	•		RECORDED AT THE REQUESS  BOOK /OU PAGE-  Co. H. Co. H. Co. H. Co.  B. J.L. 20 All 5
			- NRS 517.050	,	€ 85°	55 %
			BAGN	( 1 8 0 PABE 5	36 🔭	- H 72 8
:		/ )		. , , , , , , , , , , , , , , , , , , ,	- 12	,
		/ /		•		-
	•	/ /				
		/ /			· · · · · · · · · · · · · · · · · · ·	
			•			

## LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 50 feet in a East direction and 1450 feet in a West direction the point of discovery (monument of location), at which the Notice of Location was posted, constitute with 30 feet on each safe of the monument of location and center line of the Claim	1/4	Section	Township	Range	Meridian	
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that direction and 1450 feet in a west direction and 1450 feet in a west direction the point of discovery (monument of location), at which the Notice of Location was posted, ogether with 30 feet on each size of the monument of location and center line of the Claim is from the East to the West directions of the lode or vein is from the East to the West directions on the point of discovery (monument of location), at which the Notice of Location was posted, ogether with 30 feet on each size of the monument of location and center line of the Claim is from the East to the West directions. In the International Control of the Claim is from the East to the West directions. In the International Control of the Claim is from the East to the West directions. In the International Control of the Claim is from the East to the West directions. In the International Control of the Claim is from the East to the West direction in the Claim is from the East to the West direction in the Claim is from the East to the West direction in the Claim is from the East to the West direction in the Claim is from the East to the West direction in the Claim is from the East to the West direction in the Claim is from the East to the West direction in the Claim is from the East to the West direction in the Claim is from the East to the West direction in the Claim is from the East to the West direction in the Claim is from the East to the West direction in the Claim is from the East to the West direction in the Claim is from the East to the West direction in the Claim is from the Claim in the Claim in the Claim is from the Claim in the Claim	NW	12	16N	48E	M.D.B.M.	
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 50 feet long the point of discovery (monument of location), at which the Notice of Location was posted, ogether with 30 feet on each side of the monument of location and center line of the Claim eneral course of the lode or vein is from the East to the West directly of the monument of location and center line of the Claim was posted. The number, location and markings on each side center or corner monument are as follows:  Location Markings Description  10. 1: N.W. Corner N.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 2: N. Side Center N.Side Ctr. BRE 14 3" x 5' white PVC pipe 10. 4: S.E. Corner S.E. Cor. BRE 14 3" x 5' white PVC pipe 10. 5: S. Side Center S.E. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Corner BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Corner BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Corner BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner BRE 14 3" x 5' white P				48E		-
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 1450 feet in a West direction and in a East direction and 1450 feet in a West direction and in a feet on each side of the monument of location and center line of the Claim is from the East to the West to the West direction.  The number, location and markings on each side center or corner monument are as follows:  Location Markings  Location Markings  Description  Markings  Location N.W. Corner N.W. Corn. BRE 14 3" x 5' white PVC pipe 10. 3: N.E. Corner N.E. Corn. BRE 14 3" x 5' white PVC pipe 10. 4: S.E. Corner S.E. Corn. BRE 14 3" x 5' white PVC pipe 10. 5: S. Side Center S. Side Ctr. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Corn. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Corn. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner S.W. Corn. BRE 14 3" x 5' white PVC pipe 10. 6: S.W. Corner					M.D.B.M.	
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 50 feet in a mount of incidence of Location and 1450 feet in a mess of the monument of location, at which the Notice of Location was posted, gether with 30 feet on each size of the monument of location and center line of the Claim in a location and markings on each side center or corner monument are as follows:  The number, location and markings on each side center or corner monument are as follows:  Location  Markings  Description  O. 1: N.W. Corner  N.W. Corner  N.W. Corner  N.B. Cor.  BRE 14  3" x 5' white PVC pipe 0.4: S.E. Corner  N.E. Cor.  BRE 14  3" x 5' white PVC pipe 0.5: S. Side Center  S. W. Corn.  As erected on the ground, each side center or corner monument is marked as described about the side of the			16N		M.D.B.M.	
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 50 feet in a 600 feet wide, such that 600 feet in a 600 feet wide, such that 600 feet wide, su		County	Nevada, on the	25 day of	April	. 19 88
H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that direction and 1450 feet in a West direction on the point of discovery (monument of location), at which the Notice of Location was posted, gether with 30 feet on each sie of the monument of location and center line of the Claim gether with 30 feet on each sie of the monument of location and center line of the Claim the number, location and markings on each side center or corner monument are as follows:  Location Markings  Description  o. 1: N.W. Corner N.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 3: N.E. Corner N.E. Cor. BRE 14 3" x 5' white PVC pipe 0. 4: S.E. Corner S.E. Cor. BRE 14 3" x 5' white PVC pipe 0. 5: S. Side Center S. Side Ctr. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.E. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Corner BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Corner BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Corner BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Corner BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Corner BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner BRE 14 3	Eureka		,		1 1	
H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that direction and 1450 feet in a West direction on the point of discovery (monument of location), at which the Notice of Location was posted, sugether with 30 feet on each size of the monument of location and center line of the Claim gether, location and markings on each side center or corner monument are as follows:    Location   Markings   Description		The name a	and mailing addre	ess of the locator is	. \ \	: 1
The Claim is approximately  The Claim is approximately  The Claim is approximately  To direction and 1450 feet in a West direction to make point of discovery (monument of location), at which the Notice of Location was posted, or the point of discovery (monument of location), at which the Notice of Location was posted, or the wind of the Claim and center line of					\	7
The Claim is approximately 1500 feet long and 600 feet wide, such that direction and 1450 feet in a West direction and the point of discovery (monument of location), at which the Notice of Location was posted, gether with 30 feet on each side of the monument of location and center line of the Claim ineral course of the lode or vein is from the East to the West direction.  Location Markings Description  1. N.W. Corner N.W. Cor. BRE 14 3" x 5' white PVC pipe N.S. Ide Center N.S. Ide Ctr. BRE 14 3" x 5' white PVC pipe N.E. Corner N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14 3" x 5' white PVC pipe N.E. Cor. BRE 14		901 Wa	alker Avenue		\ .	1
claimed in a		Reno,	Nevada 8950	9		_\
claimed in a om the point of discovery (monument of location), at which the Notice of Location was posted, gether with 30 feet on each side of the monument of location and center line of the Claim gether with 30 feet on each side of the monument of location and center line of the Claim gether with 30 feet on each side of the monument of location and center line of the Claim gether with 30 feet on each side of the monument of location and center line of the Claim gether with 30 feet on each side center or corner monument are as follows:  Location Markings Description  Description  O. 1: N.W. Corner N.W. Cor. BRE 14 3" x 5" white PVC pipe N.S. Ide Center N.S. Ide Ctr. BRE 14 3" x 5" white PVC pipe N.E. Corner S.E. Corn. BRE 14 3" x 5" white PVC pipe N.E. S. Side Ctr. BRE 14 3" x 5" white PVC pipe N.E. S. Side Ctr. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Cor. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Corner S.W. Corner S.W. Corner						\
The number, location and markings on each side center or corner monument are as follows:    Location			1500 feet long	and 600 feet w	ride, such that _	50 feet directio
The number, location and markings on each side center or corner monument are as follows:    Location	claimed in a E	ast	direction and	1450 leet in a	of Location was	
The number, location and markings on each side center or corner monument are as follows:    Location	om the point of di	scovery (monume	nt of locations, a	ment of location an	d center line of	flie Ciaims 11
Location  Markings  Description  N.W. Corner N.W. Cor. BRE 14 3" x 5" white PVC pipe N.Side Center N.Side Ctr. BRE 14 3" x 5" white PVC pipe N.E. Corner N.E. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corn. BRE 14 3" x 5" white PVC pipe N.E. Side Ctr. BRE 14 3" x 5" white PVC pipe N.E. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Corner S.W. Corn. BRE 14 3" x 5" white PVC pipe N.E. Corner S.W. Corner S.W. Corner S.W. S.W. S.W. Corner S.W. S.W. Corner S.W. S.W. S.W. S.W. S.W. S.W. S.W. S.W	eneral course of th	e lode or vein is	from the Eas	t to the	West	direction
Location  Markings  Description  N.W. Corner N.W. Cor. BRE 14  N.Side Center N.Side Ctr. BRE 14  N.E. Cor. BRE 14  N.E.	The number.	location and mar	kings on each sid	de center or corner	monument are s	s follows:
O. 1: N.W. Corner O. 2: N. Side Center O. 3: N.E. Corner O. 4: S.E. Corner O. 5: S.E. Corner O. 5: S. Side Center O. 5: S. Side Center O. 6: S.W. Corner O.	The number,			)		
0. 2: N. SIGE CENTER N.SIGE CTR. BRE 14 3" x 5' white PVC pipe 0. 3: N.E. Corner N.E. Cor. BRE 14 3" x 5' white PVC pipe 0. 4: S.E. Corner S.E. Cor. BRE 14 3" x 5' white PVC pipe 0. 5: S. Side Center S. Side Ctr. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W. Corner S.W. Cor. BRE 14 3" x 5' white PVC pipe 0. 6: S.W. Corner S.W.	Location	. <u>N</u>	iarkings		Description	~
N. Side Center N. Side Ctr. BRE 14  3" x 5" white PVC pipe N. E. Corner N. E. Cor. BRE 14  3" x 5" white PVC pipe N. S. E. Corner S. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. BRE 14 3" x 5" white PVC pipe N. Side Ctr. Bread Not pipe N. S	. 1. N.W. Corn	er N.W.				
N.E. Corner  N.E. Corner  N.E. Corn.  N.E.	N. Side C	enter N.Sid				
S.E. Corner  S.W. Side Ctr. BRE 14  3" x 5' white PVC pipe  3" x 5' white PVC pipe  3" x 5' white PVC pipe  As erected on the ground, each side center or corner monument is marked as described about the provided in NRS 517.040.  Dated this 14th day of July 19 88  S.E. Corner  S.W. Corner  S			Cor. BRE	14 3" x 5'		
As erected on the ground, each side center or corner monument is marked as described about the metal tags (e.g. metal tags, paint on posts).  The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July 19 88.  GNATURE OF LOCATOR:  RECORDER'S STAMP  THE WEST COUNTY OF THE WORK OF			Cor. BRE	14 3" x 5"		
As erected on the ground, each side center or corner monument is marked as described about the metal tags (e.g. metal tags, paint on posts).  The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July 19 88.  GNATURE OF LOCATOR:  RECORDER'S STAMP  THE WARRING COUNTY AND			de Ctr. BRE	14 3" x 5'		
The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July 19 88  GNATURE OF LOCATOR:  RECORDER'S STAMP  THE WEEK COUNTY COUNT			Cor. BRE	14 3" x 5'	white PVC p	ipe
The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July 19 88  GNATURE OF LOCATOR:  RECORDER'S STAMP  THE WEEK COUNTY COUNT	As erected o	on the ground, eac	ch side center or	corner monument	is marked as des	cribed above
Dated this 14th day of July 19 88  GNATURE OF LOCATOR:  RECORDER'S STAMP  FILE NO HANGE COUNTY AND ALL 20 MI SO THE NO FILE NO HANGE COUNTY AND ALL 20 MI SO THE NO FILE NO FI	metal t	tags le.g	g. metal tags, pai	int on posts).		
Dated this 14th day of July 19 88  IGNATURE OF LOCATOR:  RECORDER'S STAMP  FILE NO FIL	The work of	location consiste	d of making a cl	aim map as provide	ed in NRS 517.04	0.
IGNATURE OF LOCATOR:  RECORDER'S STAMP  FILE NO.  FILE NO.  FILE NO.  RECORDER'S STAMP  FILE NO.  FI						•
RECORDERS STAMP  11: RESPECTANT FOR THE NO. COUNTRY OF THE NO. COUNTRY	Dated this _	14th day	or <u>2017</u>		•	
FILE NO. Agent)  Agent)  Agent)  Agent)  All 20 All 20 All 55  All	IGNATURE OF LO	CATOR:	\			T an
Magent)  11999: 120 Mil 55  Magested Form - Nevada Department of Minerals  Levada-Lode Certificate of Location - NRS 517.050				• RE	CURDER'S SINI	
All 20 MI 55 PAGE AND			/	1	<u> </u>	8 7 8
Suggested Form - Nevada Department of Minerals			/	<i>[</i>	Z 279	2 8 8
uggested Form - Nevada Department of Minerals	Y:	ot)	/			_ C = 6
uggested Form - Nevada Department of Minerals	Y: XAge	nt)		/_	<b>₩</b>	
uggested Form - Nevada Department of Minerals	Y: XAge	nt)		/	11.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00 10.00	E # 8 X
uggested Form - Nevada Department of Minerals	Y: XAge	nt)	<u> </u>		ICIAL R COUNT BALEAL	NI THE
Nevada-Lode Certificate of Location - NRS 517.050	Y:	nt)	$\mathcal{I}_{\mathcal{I}}$	/	ICIAL RECI A COUNT IN BALEAIL A F	ATHER
BOOK   80 PAGE 5 3 7	SY:	nt)		/	ICIAL RECOID A COUNTY, NE BALEYALL ASC FEE 119995	AT THE REQU
BOOK   BO PAGE 5 3 7 %	Age	nt)	nt of Minerals	/	HEIAL RECORDS BALEATH, BECORD FEE 8 (	AT THE REQUES
	Age	Nevada Departme	on - NRS 517.050	<b>/</b> •		RECORDED AT THE REQUEST OF BOOK / For PAGE 53 Co., CLDH G., O., OLD TO BOOK STORE ST
	Age Suggested Form - 1	Nevada Departme	on - NRS 517.050	00K   80 PAGE53		AT THE REQUEST OF PAGE CERT PAGE CER
	Age Suggested Form - 1	Nevada Departme	on - NRS 517.050	00K   80 PAGE 53		AT THE REQUEST OF PAGE 537 PAGE 537 PAGE 537 PAGE 537 PAGE 537 PAGE 55
	Age	Nevada Departme	on - NRS 517.050	00K   80 PAGE5 3		AT THE REQUEST OF PAGE COST PAGE COS
	Age	Nevada Departme	on - NRS 517.050	100K   80 PAGE5 3		AT THE REQUEST OF PAGE 537 THE PAGE 637 THE LACE TO THE STATE OF THE S
	Age	Nevada Departme	on - NRS 517.050	00K   80 PAGE5 3		AT THE REQUEST OF PAGE 537 THE PAGE 637 THE LACE TO ALL 20 ALL 55
	Age Suggested Form - 1	Nevada Departme lificate of Locatio	on - NRS 517.050	00K   80 PAGE5 3		AT THE REQUEST OF PAGE 537 by Gold Co. The

## LODE MINING CLAIM

113996

#### TO ALL WHOM IT MAY CONCERN

The Undersigned hereby certifies that he has caused to be located the	BRE 15
Lode Mining Claim in the following quarter section(s):	

	1/4	Section	Township	Range	Meridian	• :
	NW	12	16N	48E	M.D.B.M.	
	NE	11	16N	48E	M.D.B.M.	- 1
_	<del></del>		16N	<del></del>	M.D.B.M.	
_			16N		M.D.B.M.	1 ts
Eur	eka	County, 1	levada, on the _25	day of	April	, 19_88
			***************************************			
			d mailing address of	f the locator i	St \ \	
	<u> </u>	H. WAL	TER SCHULL			
		901 Wal	ker Avenue			
v 4 4 <u>.                                 </u>	4 6 6	Reno, N	evada 89509			
						\
			00 feet long and			50 feet
claimed in			direction and $145$ of location), at whi		West	direction
			of locations, at whi			
		or vein is fro		to the	West	directio
			ngs on each side ce	_ \		
ine n	umber, locati	on and marki	ngs on each side ce	nter or corner	monument are as	10110483
<u>L</u> c	ocation	Mar	kings	) )	Description	
		Mar N.W. Co		3" x 5'		pe .
 lo. 1: N.W.	Corner	N.W. Co	r. BRE 15		white PVC pi	
o. 1: N.W.	Corner ide Cente	N.W. Co	r. BRE 15 Ctr. BRE 15	3" x 5"	white PVC pi	pe
 lo. 1: N.W.	Corner ide Cente Corner	N.W. Co	r. BRE 15 Ctr. BRE 15 r. BRE 15	3" x 5' 3" x 5'	white PVC pi white PVC pi	pe pe
lo. 1: N.W. lo. 2: N. S lo. 3: N.E. lo. 4: S.E.	Corner Corner Corner	N.W. Co N.Side N.E. Co S.E. Co	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15	3" x 5' 3" x 5'	white PVC pi white PVC pi white PVC pi white PVC pi	pe pe pe
lo. 1: N.W. lo. 2: N. S lo. 3: N.E. lo. 4: S.E. lo. 5: S. S	Corner Ide Cente Corner Corner	N.W. Co N.Side N.E. Co S.E. Co	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 Ctr. BRE 15	3" x 5' 3" x 5' 3" x 5' 3" x 5'	white PVC pi white PVC pi white PVC pi white PVC pi	pe pe pe pe
lo. 1: N.W. lo. 2: N. S lo. 3: N.E. lo. 4: S.E. lo. 5: S. S lo. 6: S.W.	Corner Corner Corner Corner Corner Corner	N.W. Co N.Side N.E. Co S.E. Co S. Side S.W. Co	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 Ctr. BRE 15 r. BRE 15	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5'	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi	pe pe pe pe pe
lo. 1: N.W. lo. 2: N. S lo. 3: N.E. lo. 4: S.E. lo. 5: S. S. lo. 6: S.W.	Corner Corner Corner Corner Corner Corner corner	N.W. Co N.Side N.E. Co S.E. Co S. Side S.W. Co ground, each	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5' er monument	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi	pe pe pe pe pe
No. 1: N.W. 10. 2: N. S. 10. 3: N.E. 10. 4: S.E. 10. 5: S. S. 10. 6: S.W.  As er	Corner Corner Corner ide Cente Corner ected on the	N.W. Co  N.Side  N.E. Co  S.E. Co  S. Side  S.W. Co  ground, each (e.g. r	r. BRE 15 Ctr. BRE 15 r. BRE 15 Ctr. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 r. BRE 15	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5' er monument	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi is marked as descri	pe pe pe pe pe
No. 1: N.W. 10. 2: N. S. 10. 3: N.E. 10. 4: S.E. 10. 5: S. S. 10. 6: S.W.  As er	Corner Corner Corner ide Cente Corner ected on the	N.W. Co  N.Side  N.E. Co  S.E. Co  S. Side  S.W. Co  ground, each (e.g. r	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5' er monument	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi is marked as descri	pe pe pe pe pe
lo. 1: N.W. lo. 2: N. S. lo. 3: N. E. lo. 4: S. E. lo. 5: S. S. lo. 6: S.W.  As er me	Corner Corner Corner Corner Corner Corner Lide Cente Corner ected on the	N.W. Co  N.Side  N.E. Co  S.E. Co  S. Side  S.W. Co  ground, each (e.g. r	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 Ctr. BRE 15 ctr. BRE 15 r. BRE 15 r. BRE 15 r. BRE 15 mide center or cornectal tags, paint on of making a claim ma	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5' er monument	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi is marked as descri	pe pe pe pe pe
io. 1: N.W. io. 2: N. S. io. 3: N. E. io. 4: S. E. io. 5: S. S. io. 6: S.W.  As erme	Corner Corner Corner Corner Corner Corner Corner Corner ected on the tal tags rock of locati	N.W. Cor N.Side  N.E. Cor S.E. Cor S. Side S.W. Cor  ground, each (e.g. r on consisted of	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 Ctr. BRE 15 ctr. BRE 15 r. BRE 15 r. BRE 15 r. BRE 15 mide center or cornectal tags, paint on of making a claim ma	3" x 5' ar monument i posts).	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi is marked as descri	pe pe pe pe pe
io. 1: N.W. io. 2: N. S. io. 3: N. E. io. 4: S. E. io. 5: S. S. io. 6: S.W.  As erme	Corner Corner Corner Corner Corner Corner Lide Cente Corner ected on the	N.W. Cor N.Side  N.E. Cor S.E. Cor S. Side S.W. Cor  ground, each (e.g. r on consisted of	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 Ctr. BRE 15 ctr. BRE 15 r. BRE 15 r. BRE 15 r. BRE 15 mide center or cornectal tags, paint on of making a claim ma	3" x 5' er monument i posts). nap as provide , 19 88	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi is marked as described in NRS 517.040	pe pe pe pe pe ribed above
io. 1: N.W. io. 2: N. S. io. 3: N. E. io. 4: S. E. io. 5: S. S. io. 6: S.W.  As erme	Corner Corner Corner Corner Corner Corner Corner Corner ected on the tal tags rock of locati	N.W. Cor N.Side  N.E. Cor S.E. Cor S. Side S.W. Cor  ground, each (e.g. r on consisted of	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 Ctr. BRE 15 ctr. BRE 15 r. BRE 15 r. BRE 15 r. BRE 15 mide center or cornectal tags, paint on of making a claim ma	3" x 5' er monument i posts). nap as provide , 19 88	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi is marked as descri	pe pe pe pe pe ribed above
io. 1: N.W. io. 2: N. S. io. 3: N. E. io. 4: S. E. io. 5: S. S. io. 6: S.W.  As erme	Corner Corner Corner Corner Corner Corner Corner Corner ected on the tal tags rock of locati	N.W. Cor N.Side  N.E. Cor S.E. Cor S. Side S.W. Cor  ground, each (e.g. r on consisted of	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 Ctr. BRE 15 ctr. BRE 15 r. BRE 15 r. BRE 15 r. BRE 15 mide center or cornectal tags, paint on of making a claim ma	3" x 5' er monument i posts). nap as provide , 19 88	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi is marked as described in NRS 517.040	pe pe pe pe pe pe pe pe pe
io. 1: N.W. io. 2: N. S io. 3: N. E. io. 4: S. E. io. 5: S. S io. 6: S.W.  As er me The w Dated	Corner Corner Corner Corner Corner Corner Corner Corner ected on the tal tags rock of locati	N.W. Cor N.Side  N.E. Cor S.E. Cor S. Side S.W. Cor  ground, each (e.g. r on consisted of	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 Ctr. BRE 15 ctr. BRE 15 r. BRE 15 r. BRE 15 r. BRE 15 mide center or cornectal tags, paint on of making a claim ma	3" x 5' er monument i posts). nap as provide , 19 88	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi is marked as described in NRS 517.040	pe pe pe pe pe ribed above
io. 1: N.W. io. 2: N. S io. 3: N. E. io. 4: S. E. io. 5: S. S io. 6: S.W.  As er me The w Dated	Corner Co	N.W. Cor N.Side  N.E. Cor S.E. Cor S. Side S.W. Cor  ground, each (e.g. r on consisted of	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 Ctr. BRE 15 ctr. BRE 15 r. BRE 15 r. BRE 15 r. BRE 15 mide center or cornectal tags, paint on of making a claim ma	3" x 5' er monument i posts). nap as provide , 19 88	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi is marked as described in NRS 517.040	pe pe pe pe pe ribed above
io. 1: N.W. io. 2: N. S io. 3: N. E. io. 4: S. E. io. 5: S. S io. 6: S.W.  As er me The w Dated	Corner Co	N.W. Cor N.Side  N.E. Cor S.E. Cor S. Side S.W. Cor  ground, each (e.g. r on consisted of	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 Ctr. BRE 15 ctr. BRE 15 r. BRE 15 r. BRE 15 mide center or connectal tags, paint on	3" x 5' er monument i posts). nap as provide , 19 88	white PVC pi construction const	pe pe pe pe pe ribed above
io. 1: N.W. io. 2: N. S io. 3: N. E. io. 4: S. E. io. 5: S. S io. 6: S.W.  As er me The w Dated	Corner Co	N.W. Cor N.Side  N.E. Cor S.E. Cor S. Side S.W. Cor  ground, each (e.g. r on consisted of	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 Ctr. BRE 15 ctr. BRE 15 r. BRE 15 r. BRE 15 mide center or connectal tags, paint on	3" x 5' er monument i posts). nap as provide , 19 88	white PVC pi construction const	pe pe pe pe pe pe pe pe pe
io. 1: N.W. io. 2: N. S io. 3: N. E. io. 4: S. E. io. 5: S. S io. 6: S.W.  As er me The w Dated	Corner Co	N.W. Cor N.Side  N.E. Cor S.E. Cor S. Side S.W. Cor  ground, each (e.g. r on consisted of	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 Ctr. BRE 15 ctr. BRE 15 r. BRE 15 r. BRE 15 mide center or connectal tags, paint on	3" x 5' er monument i posts). nap as provide , 19 88	white PVC pi construction const	pe pe pe pe pe pe pe pe pe
No. 1: N.W.  No. 2: N. S.  No. 3: N.E.  No. 4: S.E.  No. 5: S. S.  No. 6: S.W.  As erme  The w  Dated  SIGNATURE	Corner Corner Corner Corner ide Cente Corner ected on the etal tags rork of locati i this	N.W. Cor N.Side  N.E. Co S.E. Cor S. Side S.W. Co  ground, each (e.g. r on consisted of	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 Ctr. BRE 15 r. BRE 15	3" x 5' er monument i posts). nap as provide , 19 88	white PVC pi construction const	pe p
Io. 1: N.W. Io. 2: N. S Io. 3: N. E. Io. 4: S.E. Io. 5: S. S Io. 6: S.W.  As erme  The w  Dated  IGNATURE	Corner Co	N.W. Cor N.Side  N.E. Cor S.E. Cor S. Side  S.W. Cor Ground, each (e.g. r on consisted of the day o	r. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 Ctr. BRE 15 Ctr. BRE 15 r. BRE 15 r. BRE 15 r. BRE 15 r. BRE 15 July	3" x 5' er monument i posts). nap as provide , 19 88	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi is marked as described in NRS 517.040	RECORDED AT THE REDU  BOOK /80 PAC  BOOK /80 PAC
No. 1: N.W.  No. 2: N. S  No. 3: N. E.  No. 4: S.E.  No. 5: S. S  No. 6: S.W.  As erme  The w  Dated  SIGNATURE	Corner Co	N.W. Cor N.Side  N.E. Cor S.E. Cor S. Side  S.W. Cor Ground, each (e.g. r on consisted of the day o	r. BRE 15 Ctr. BRE 15 r. B	3" x 5' er monument i posts). nap as provide , 19 88	white PVC pi white PVC pi	pe pe pe pe pe pe pe pe pe

## LODE MINING CLAIM

#### TO ALL WIIOM IT MAY CONCERN

	1/4	Section	Township	Range	Meridian	
	NE	1	16N	49E	M.D.B.M	
	NW	18	16N	49E	M.D.B.M	
			16N		M.D.B.M	
			16N		M.D.B.M	<b>-</b>
n	Eureka	County,	Nevada, on the	26day of	April	, 19 <u>_88</u> .
			nd mailing address	of the locator is	B#	
		901 Wa	lker Avenue		- 1 a 1	_
			Nevada 89509			
					1	
	The Claim is	approximately 1	500 feet long a	nd 600 feet v	vide, such that	1480 feet
	nedina Ea	st	direction and	20 feet in a	West	direction
rom t	he point of disc	covery (monumer	nt of location), at the	which the Notice	of Location wa	s posted,
euera ngern	l course of the	lode or vein is f	ie of the monume	to the	West	direction
	The second second	*	kings on each side		monument are	as follows:
	The number, i	ocation and man	kings on cach side		1	
	Location	<u>M</u>	arkings	)	Description	_
0.1.	N.W. Corne	er N.W. C	or. BRE 1	6 3" x 5'	white PVC p	ipe
	N. Side Ce				white PVC p	
o. 3:	N.E. Corne	er N.E. C		6 3" x 5"	white PVC p	
	S.E. Corne			6 3" x 5"	white PVC p	
	S. Side Ce S.W. Corne			6 3" x 5' 6 3" x 5'	white PVC p	
<i>J</i> . U.	S.W. COINE	3.W. C	OI. DEL I	° × 3	WILLE PAC D	1100
			h side center or co		is marked as des	cribed above b
<del></del>	metal ta	7	. metal tags, paint			
	The work of I	ocation consisted	t of making a claim	n map as provide	d in NRS 517.04	10.
100	Dated this	14th day o	f July:	. 19 88		•
	Dated tills	14th day o	- July	——, <u></u>		
IGNA	TURE OF LO	CATOR:	1	• • • •		· · · ·
	\ \			• KE	CORDER'S STA	mr g
BY:	1/2/-	-///				84 7 8
	Agen	0		/	K RRS	R R R R R R
				/	3 B A	
				•		2 # 6 =
				•	EATI, RECOR	200 E
						2 2 2
		evada Departmen		•	\$ 985 S	2 0 E 2
Nevad	a-Lode Certili	icate of Location	- NRS 517.050	O O BIG	EE 3 01 1000	
				BOOK   80 PAS	1333,4	340
		/ /				
:	1.0	/ /		4	•	
10		/ /				,
			en en en			

## LODE MINING CLAIM

TO AL	L WI	TI'MOI	MAY	CONC	ERN
-------	------	--------	-----	------	-----

	1/4	Section	Township	Range	Meridian	1 m
	NW	12	16N	48E	M.D.B.M	
	NE NE	11	16N	48E	M.D.B.M	
			16N		M.D.B.M	
			16N		M.D.B.M	<b>-</b>
	Eureka	County	, Nevada, on the _		April	, 19_88
. :			•		\ \	er e
			and mailing addres ALTER SCHULL	s of the locator is	'\\	
			lker Avenue			
			Nevada 89509			7
					1	7
7	he Claim is a	pproximately _	1500 feet long	and 600 feet w	ide, such that	20 feet direction
	.a:_a Fa	ct .	direction and	1480 feet in a which the Notice	West	
		overy (monume)	nt of location,, at is te of the monum	ent of location an	d center line of	the Claim. T
ogether eneral (	course of the	lode or vein is	from the <u>East</u>	to the	West	directio
1	The number, l	ocation and mat	kings on each side	center or corner	monument are	as follows:
				\ \	Description	
	Location	<u>w</u>	larkings	_ ) /		~
o. 1: 1	N.W. Corne	r N.W.			white PVC	
o. 2: ]	N. Side Ce	nter N.Sid	e Ctr. BRE 1		white PVC	
0. 3: 1	N.E. Corne	r N.E.	,	7 3" x 5'	white PVC	
). 4: 3	S.E. Corne S. Side Ce		de Ctr. BRE 1		white PVC	
o. 6:	S.W. Corne	r S.W.		7 <u>3" x 5"</u>	white PVC	oipe
		the ground age	h side center of C	orner monument	s marked <b>as d</b> e	scribed above
	metal ta	igs (e.g	g. metal tags, pain	t on posts).		
•				im map as provide	d in NRS 517.0	49.
	1 1			19 88		•
	1 .		or	\		
IGNAT	TURE OF LO	CATOR:	1	RE	CORDER'S STA	MP
		\				द्व
BY:	\ m/	1	_ /			F -
	Agent	0		/	<u>2</u>	2 2 20
				•	M TE	- 60 to 50 50
				•	<b>₩</b> ° @\$5	_ <del>}</del> ≯ ♀ ♡
- :	•			•		
			A - 6 3611a	•	HAL RECEING LAND FER	850 %
Suggest	ed Form:- No	evada Departme	on - NRS 517.050	•	<b>8</b> 7 7 8 8	5 6 5 g
u sarage	- Loue Certif	icate of pocatio		BOOK I BO PAGE!		PAGE SI PAGE S
	- 1			BOOK ! O'O INCE.	AEA	23 2 25
		/ /			12	~ 4.
		/ /	•			
	14	/ /		•		
		/ /	•			

			LODE MINING C	CLAIM		
TO ALL V	YAM TI MOHY	CONCERN:	11399	99	<u> </u>	· •
	The Undersign	ed hereby ce	ertifies that he has nim in the followin	s caused to be lo	cated the BRE 1	
- 1.	1/4	Section	Township	Range	Meridian	
	NW	12	16N 16N	48E	M.D.B.M. H.D.B.M.	
			16N 16N		M.D.B.M. M.D.B.M.	
in1	Eureka	County	, Nevada, on the	25 day of	April	, 19 _ <u>88</u> .
			and mailing addres	ss of the locator	iss	
			alker Avenue	$\leftarrow$		•
			Nevada 89509			
	-//					
11	ne Claim is app	roximately _			wide, such that148	0 feet
is claime	dina East		direction and	20 feet in a	West ce of Location was p	direction
together	with 30 f	eet on each s	s le of the monum	ent of location	and center line of th	e Claim. The
			from the <u>East</u>			direction.
T	he number, loca	tion and mar	kings on each side	e center <b>or corn</b> e	er monument are as	follows:
	Location		larkings /		Description	
				6		
	.W. Corner . Side Cent	N.W. er N.Sid	Cor. BRE 1		white PVC pit white PVC pit	
	.E. Corner	N.E.				
	.E. Corner	S.E.	Cor. BRE 1	.8 <u>3" x 5</u>	white PVC pir	р <u>е</u>
	. Side Cent		de Ctr. BRE			
No. 6: <u>S</u>	.W. Corner	S.W.	Cor. BRE 1	8 <u>3- x 5</u>	white PVC pir	De
A	serected on the	e ground, ead (e.g	ch side center or o	corner m <b>onumen</b> it on posts <b>).</b>	t is marked as descr	ibed above by
Т					ded in NRS 517. <b>040</b> .	
D	ated this	14th_day	of July	, 1988	<b>-</b> •	
SIGNATI	URE OF LOCAT	ror:		• • • • R	ECORDER'S STAM	 P _
					<b>7</b> 17	्री ह
BY:	(Agent)	Tending .	<del></del>			8 7 m 8
/	/ (Agent)					_ 1 & <b>B</b>
•				•	FFICIAL FI KA COUN EBALLAN 10.	= 6 =
			•	•		2
	April 1995	1		•	<b>~</b>	2 0 2 M
Suggeste	d Form - Neva	da Donartmo	nt of Minerals	•		
			n - NRS 517.050	•	£ 55.	
		,		800%   80 PAG		1. 1. 5
				Doon ! GO		. 31

			LODE MINING	CLAIM		\ \	
TO ALL	. WHOM IT MA	Y CONCERN:	120	0000		1	
* 1	The Undersi	gned hereby cer ode Mining Clai	tifies that he he m in the follow	s caused to being quarter se	e located the ction(s):	BRE 19	
•	1/4	Section	Township	Range	Meri	dian	
	NW	. 12	16N	48E		D.B.M.	
•	SW	12	16N	48E		D.B.M.	
•	NE	11	16N	48E		D.B.M.	
	SE	11	16N	48E	<del> </del>	D.B.M.	
in	Eureka	County,	Nevada, on the	25 day	of Apr	<u>i1</u>	, 19 <u>88</u> .
		The name ar	nd mailing addre	ss of the loca	tor is:		
			LTER SCHULL	\			
		901 Wa	lker Avenue				
						<del></del> .	
		keno, l	Nevada 8950	,			•
	//	/	500 6	600		that 20	feet
ie claim	The Claim is ap ied in a Eas	proximately 1	direction and	1480 feet in	eet wide, such	t	direction
from th		very (monumen					
togethe	r with 30	feet on each s	le of the monur	nent of locati	on and center	line of the	Claim. The
general	course of the l	ode or vein is fr	om the <u>Eas</u>	tto the	West		_direction.
	The number, lo	cation and mark	ings on each sid	e center or co	orner monume	nt are as fo	llows:
				/ /		A.	
	Location	Ma Ma	rkings	/	Descrip	tion	
No. 1:	N.W. Corner	N.W. C	or. BRE	19/3° x	5' white	PVC pipe	
No. 2:	N. Side Cen	ter N.Side	CEr. BRE	19 3" x	5 white	PVC pipe	
	N.E. Corner					PVC pipe	
	S.E. Corner					PVC pipe	
	S. Side Cen			19 <u>3" x</u> 19 3" x		PVC pipe	
NO. 6:	S.W. Corner	S.W. C	OI. BRE	19 <u>x</u>	2. White	PVC pipe	<del></del>
		he ground, each			ent is marked	as describe	d above by
<i>.</i>	metal tag	s (e.g.	metal tags, pair	nt on posts).			
	The work of loc	cation consisted	of making a cla	im map as pro	ovided in NRS	517.040.	
	Dated this	14th day of	July	, 19	88	•	
SIGNA	TURE OF LOCA	ATOR:					
				•	RECORDER	'S STAMP	
BY:	1/-			•	V	~ ~	. દૂર ક
	(Agent)			•			88. 78. 78. 78. 78. 78. 78. 78. 78. 78.
			•	•		중 종중목	2 6 × 9 × 9 × 9
				•		- 85C	
					स्र	( ) V	20
			•		5	計算器	
Suggest	ed Form - Nev	ada Department	of Minerals	•	122200	골공분	PAGE PAGE PAGE PAGE
		ate of Location		•	_	~ 3:3	65.0 6.70 61.53
1				BBOK 1 8 0 F	AGE542	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	20 9 2
						· · · ·	A1

•			LODE MINING C	LAIM		\ \	
O ALL W	YAM TI MOH	CONCERN:	1200	01		_ \ \	
	The Undersion	ned hereby ce	rtifies that he he	s caused to be	located th	e BRE 20	
	Lo	de Mining Cla	im in the following	ng quarter sec	tion(s):		
<b>1.</b>	1/4	Section	Township	Range	<u>Me</u>	eridian	
	NW	. 12	16N	48E	) . м	.D.B.M.	
	SW	12	16N	48E		.D.B.M.	
			16N			.D.B.M.	
			16N		/ <del></del>	.D.B.M.	
in <u>E</u>	Eureka	County,	, Nevada, on the	25day	of <u>Ap</u>	ril	_, 19 <u>88</u>
	<b>4</b>					* .	1 1
			ind mailing addres	s of the loca	or is:		•
		H. WA	LTER SCHULL				
		901 Wa	lker Avenue				
		Pono	Nevada 89509				
	/	Reno,	Nevada 03303			<del></del>	•
_			1500 feet long	-nd 600 c	ant with en	ch that 1480	) feet
Th	ne Claim is app Jin a East	roximately	direction and	20 feet in	a We	st 140	direction
from the	point of discov	ery (monume	nt of location), at	which the No	tice of Loc		
- "	Location		kings on each side arkings		1.0	iption	
		_					
	.W. Corner	N.W. C				PVC pipe	
	. Side Cent	N.E. (		~ <del>~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ </del>		PVC pipe	
	.E. Corner	S.E.	COI. DIG			PVC pipe	
	. Side Cent		de Ctr. BRE	20 3" x		PVC pipe	
	.W. Corner	S.W.	Cor. BRE	20 <u>3"x</u>		PVC pipe	
			A -! 44				ad abana b
۸:	metal tags		h side center or c . metal tags, pain		ent is mark	ed as describ	ed spoke p
		7 7		•		0 6 6 1 7 0 4 0	
11	ne work of loca	ition consiste	d of making a cla	ını map as pro	ovided in M	72 217.040.	
De	ated this	14th day o	July	, 19	88. •	•	
SIGNATU	ire of loca	TOR:					• • • •
				•	RECORDI	er's Stamp	75
RV.		-		•			
011	_//_			•			<i>2</i> , 20
	(Agent)	Tunking	-	•		7 m	RECI
	(Agent)	Tunk	<b>-</b>	•	u	FINE S	RECORD.
	(Agent)	Tooking	• •	•	12	OFFIC EUREKA M.N. HLB.	39 29
	(Agent)	Timber	• 	•	1200	OFFICIAL EUREKA COL	4 4
	(Argent)	Tooking		•	12000	OFFICIAL FE EUREKA CGUNI M.N. KLBACE ATI FILE NO	
Suggester				•	120001	NO SE SON SE	# 88 # E
	d Form – Neva	da Departmer			120001	FILE NO. TILL SO. WILL ST. CO. WILL ST. CO. WILL BE CO. WILL WILL ST. CO. WILL ST.	が 第 2 2 3 4 4 5 8 4
	d Form - Neva	da Departmer	nt of Minerals		120001	JL 20 All S	\$ 60 A HE R

			ODE MINING CL	MIA		
TO ALL	am ti mohw	Y CONCERN:	120002			\
	The Unders	igned hereby cert	ifies that he has on in the following	caused to be loc quarter section	ated the BRE 2	1
	1/4	Section	Township	Range	Meridian	
	SW	12	16N	48E	M.D.B.M.	
	SE	11	16N	48E	M.D.B.M. M.D.B.M.	
			16N 16N		M.D.B.M.	
in	Eureka	County,	Nevada, on the	25day of	April	, 19 <u>88</u> .
•	: 1	The name an	d mailing address	of the locator is	S <b>8</b>	•
			TER SCHULL			
• • • •			ker Avenue			•
		Reno, N	levada 89509			
is claime from the	ed in a Ease e point of disc with 30	overy (monument feet on each sy	direction and 1 of location), at vide of the monume om the East	480 feet in a which the Notice nt of location ar	West of Location was placenter line of the west	direction oosted, he Claim. The
					monument are as	follows:
	Location	<u>Ma</u>	rkings ·		Description	
No. 1:	N.W. Corne	r N.W. Co			white PVC pip	
	N. Side Ce					
	N.E. Corne S.E. Corne				white PVC pi	
	S. Side Ce					
	S.W. Corne				white PVC pi	
	As erected on metal ta	the ground, each gs(e.g.	side center or co metal tags, paint	rner monument on posts).	is marked as desci	ibed above by
	The work of lo	cation consisted	of making a clain	n map as provide	d in NRS 517.040.	
	Dated this	<u>14th</u> day of	July	, 19 <u>88</u>	•	
SIGNAT	URE OF LOC	ATOR:		• • • • • RF	CORDERSTAN	ָהָ הָּי <sup>ָ</sup> אָ
		<b>—</b> .		•	- XE	2
BY:	11	1		_	<b>5</b> 833	<u>.</u> (98
	KAgent			•	<u>*</u>	
				•		360 %
				• .	<b>₹</b> = ₹58	<b>2 2 2 3 3 3 3 3 3 3 3 3 3</b>
-				• .	<b>3</b>	13 / A 10
				•	CHE.	25 % % SI (
		vada Department cate of Location		•	. 62	S 1 3 3
115 4808	- Pone Cettill	.e.e or Lucation	- 14179 311.030	BOOK I 8 O PAG	F5 1. 1. 14	, ba
		•		DOAV I O O LNO	- J 4 4	37)
	.=					י א

		Y CONCERN:	120003		ated the BRE 23	
			ertifies that he has d aim in the following			_
	1/4	Section	Township	Range	Meridian	/ /
٠.	SW	12	16N	48E	M.D.B.M.	
• •		· <del></del>	16N		M.D.B.M.	
			16N 16N		M.D.B.M.	
	· . <del></del>	<del></del>	1014	<del></del>	M.D.B.H.	
a	Eureka	County	, Nevada, on the	25day of	April	, 19 <u>_88</u>
		•		\ / /		
			and mailing address	of the locator is	12	4,1
		H. W	ALTER SCHULL			
		901 Wa	alker Avenue			
- 95		Reno,	Nevada 89509			•
	/					
*	The Claim is a	pproximately _	1500 feet long an	d 600 feet w	vide, such that1	480 fee
	med in a Eas	st	direction and _20	feet in a	West	directi
			nt of location), at w			
	er with 30		ie of the monumen			
genera	_		rom the <u>East</u>		West	directi
_	The number, lo	ocation and mar	kings on each side c	onfor or corner	monument ere se f	ollows
				enter or corner	monument are as I	
	Incation	N.		enter or corner		
	Location	\ \ _	arkings	enter or corner	<u>Description</u>	
	N.W. Corner	r N.W. (	erkings Cor. BRE 22	3" x 5'	Description white PVC pipe	•
No. 2:	N.W. Corner	r N.W. C	BRE 22 Cer. BRE 22	3" x 5'	Description white PVC pipe white PVC pipe	e
No. 2: No. 3:	N.W. Corner N. Side Cer N.E. Corner	r N.W. (	Cor. BRE 22 Cor. BRE 22 Cor. BRE 22	3" x 5' 3" x 5' 3" x 5'	Description white PVC pipe white PVC pipe white PVC pipe	) )
No. 2: No. 3: No. 4:	N.W. Corner N. Side Cer N.E. Corner S.E. Corner	r N.W. 0 nter N.Side r N.E. 0 r S.E. 0	Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 Cor. BRE 22	3" x 5' 3" x 5' 3" x 5' 3" x 5'	Description white PVC pipe white PVC pipe white PVC pipe white PVC pipe	
No. 2: No. 3: No. 4: No. 5:	N.W. Corner N. Side Cer N.E. Corner S.E. Corner S. Side Cer	r N.W. ( nter N.Side r N.E. ( r S.E. ( nter S. Side	Cor. BRE 22 de Ctr. BRE 22	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5'	Description white PVC pipe white PVC p	
No. 2: No. 3: No. 4: No. 5:	N.W. Cornel N. Side Cei N.E. Cornel S.E. Cornel S. Side Cei S.W. Cornel	r N.W. ( nter N.Side r N.E. ( r S.E. ( nter S.Side r S.W. (	Cor. BRE 22	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5'	Description white PVC pipe white PVC p	
No. 2: No. 3: No. 4: No. 5:	N.W. Corner N. Side Cer N.E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on	r N.W. ( nter N.Side r N.E. ( r S.E. ( nter S. Side r S.W. ( the ground, eac	Cor. BRE 22 de Ctr. BRE 22 cor. BRE 22	3" x 5'	Description white PVC pipe white PVC p	
No. 2: No. 3: No. 4: No. 5:	N.W. Corner N. Side Cer N.E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on metal tack	r N.W. ( nter N.Side r N.E. ( r S.E. ( nter S. Side r S.W. ( the ground, eac gs (e.g.	Cor. BRE 22 cor. BRE 32 cor. BRE 32	3" x 5' ner monument in posts).	Description white PVC pipe s marked as described.	
No. 2: No. 3: No. 4: No. 5:	N.W. Corner N. Side Cer N.E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on metal tack	r N.W. ( nter N.Side r N.E. ( r S.E. ( nter S. Side r S.W. ( the ground, eac gs (e.g.	Cor. BRE 22 de Ctr. BRE 22 cor. BRE 22	3" x 5' ner monument in posts).	Description white PVC pipe s marked as described.	
No. 2: No. 3: No. 4: No. 5:	N.W. Corner N. Side Cer N.E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on metal tac	r N.W. ( nter N.Side r N.E. ( r S.E. ( nter S.W. ( the ground, eac qs (e.g cation consisted	Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 de Ctr. BRE 22 de Ctr. BRE 22 cor. BRE 22 cor. BRE 22 cor. BRE 22 de center or cor. metal tags, paint of	3" x 5' ner monument in posts).	Description white PVC pipe s marked as described.	
No. 2: No. 3: No. 4: No. 5:	N.W. Corner N. Side Cer N.E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on metal tack	r N.W. ( nter N.Side r N.E. ( r S.E. ( nter S. Side r S.W. ( the ground, eac gs (e.g.	Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 de Ctr. BRE 22 de Ctr. BRE 22 cor. BRE 22 cor. BRE 22 cor. BRE 22 de center or cor. metal tags, paint of	3" x 5' ner monument in posts).	Description white PVC pipe s marked as described.	
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cer N.E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on metal tac	r N.W. ( nter N.Side r N.E. ( r S.E. ( nter S.W. ( the ground, eac qs (e.g cation consisted	Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 de Ctr. BRE 22 de Ctr. BRE 22 cor. BRE 22 cor. BRE 22 cor. BRE 22 de center or cor. metal tags, paint of	3" x 5' ner monument in posts).	Description white PVC pipe s marked as described.	
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cer N.E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on metal tac The work of lo	r N.W. ( nter N.Side r N.E. ( r S.E. ( nter S.W. ( the ground, eac qs (e.g cation consisted	Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 de Ctr. BRE 22 de Ctr. BRE 22 cor. BRE 22 cor. BRE 22 cor. BRE 22 de center or cor. metal tags, paint of	3" x 5' ner monument in posts). map as provided.	Description white PVC pipe s marked as described.	
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cer N.E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on metal tac The work of lo	r N.W. ( nter N.Side r N.E. ( r S.E. ( nter S.W. ( the ground, eac qs (e.g cation consisted	Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 de Ctr. BRE 22 de Ctr. BRE 22 cor. BRE 22 cor. BRE 22 cor. BRE 22 de center or cor. metal tags, paint of	3" x 5' ner monument in posts). map as provided.	Description  white PVC pipe s marked as descrit d in NRS 517.040.	
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cer N. E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on metal tac The work of lo Dated this TURE OF LOC	nter N.W. (nter N.Sider N.E. (nter S.E. (nter S.W. (nte	Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 de Ctr. BRE 22 de Ctr. BRE 22 cor. BRE 22 cor. BRE 22 cor. BRE 22 de center or cor. metal tags, paint of	3" x 5' ner monument in posts). map as provided.	Description  white PVC pipe s marked as descrit d in NRS 517.040.	
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cer N.E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on metal tac The work of lo	nter N.W. (nter N.Sider N.E. (nter S.E. (nter S.W. (nte	Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 de Ctr. BRE 22 de Ctr. BRE 22 cor. BRE 22 cor. BRE 22 cor. BRE 22 de center or cor. metal tags, paint of	3" x 5' ner monument in posts). map as provided.	Description  white PVC pipe s marked as descrit d in NRS 517.040.	
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cer N. E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on metal tac The work of lo Dated this TURE OF LOC	nter N.W. (nter N.Sider N.E. (nter S.E. (nter S.W. (nte	Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 de Ctr. BRE 22 de Ctr. BRE 22 cor. BRE 22 cor. BRE 22 cor. BRE 22 de center or cor. metal tags, paint of	3" x 5' ner monument in posts). map as provided.	Description  white PVC pipe s marked as descrit d in NRS 517.040.	
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cer N. E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on metal tac The work of lo Dated this TURE OF LOC	nter N.W. (nter N.Sider N.E. (nter S.E. (nter S.W. (nte	Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 de Ctr. BRE 22 de Ctr. BRE 22 cor. BRE 22 cor. BRE 22 cor. BRE 22 de center or cor. metal tags, paint of	3" x 5' ner monument in posts). map as provided.	Description  white PVC pipe s marked as descrit d in NRS 517.040.	
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cer N. E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on metal tac The work of lo Dated this TURE OF LOC	nter N.W. (nter N.Sider N.E. (nter S.E. (nter S.W. (nte	Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 Cor. BRE 22 de Ctr. BRE 22 de Ctr. BRE 22 cor. BRE 22 cor. BRE 22 cor. BRE 22 de center or cor. metal tags, paint of	3" x 5' ner monument in posts). map as provided.	Description  white PVC pipe s marked as descrit d in NRS 517.040.	
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cer N.E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on metal tax The work of lo Dated this TURE OF LOC	r N.W. (nter N.Sider N.E. (r S.E. (nter S.Sider S.W. (the ground, eac qs (e.g. (a.g.	Cor. BRE 22 cor. BRE 21 cor. BRE 22 cor. BRE 22 cor. BRE 24 dof making a claim of July	3" x 5' ner monument in posts). map as provided.	Description  white PVC pipe White PV	
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cer N.E. Corner S.E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on metal tac The work of lo Dated this TURE OF LOC.  Agent)	r N.W. (nter N.Side r N.E. (s.E. (s.	Cor. BRE 22 Cor. BRE 24 Cor. B	3" x 5' ner monument in posts). map as provided.	Description  white PVC pipe White PV	
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cer N.E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on metal tax The work of lo Dated this TURE OF LOC	r N.W. (nter N.Side r N.E. (s.E. (s.	Cor. BRE 22 cor. BRE 32 cor. BRE 32 The side center or cor. metal tags, paint of dof making a claim of July  The side of Minerals The s	3" x 5' ner monument in posts). map as provided.	Description  white PVC pipe white PV	
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cer N.E. Corner S.E. Corner S.E. Corner S. Side Cer S.W. Corner As erected on metal tac The work of lo Dated this TURE OF LOC.  Agent)	r N.W. (nter N.Side r N.E. (s.E. (s.	Cor. BRE 22 cor. BRE 32 cor. BRE 32 The side center or cor. metal tags, paint of dof making a claim of July  The side of Minerals The s	3" x 5' ner monument in posts). map as provided.	Description  white PVC pipe white PV	

#### LODE MINING CLAIM

The Undersigned hereby certifies that he has caused to be located the

120004

	1/4	Section	Township	Range	Meridian	
	SW	12	16N	48E	M.D.B.M.	
	SE	11	16N 16N	48E	M.D.B.M.	
•			16N		M.D.B.M.	
in	Eureka	County,	Nevada, on the25	day of	April	, 19 <u>88</u>
· ·		H- WA	nd mailing address of LTER SCHULL	of the locator is	<u> </u>	
Ť, .			Nevada 89509	/ /		• .
is clair	nedina Eas	s t	500 feet long and	480 feet in a	West	20 feet direction
from t	he point of disc	feet on each s	nt of location), at wind it of the monumen	t of location and	of Location was denter line of t West	posted, he Claim. Th direction
togeth	I course of the	loge or vein is i	tom the Base			
togeth	I course of the	\	kings on each side co			

Location	Markings		<u>Description</u>
No. 1: N.W. Corner	N.W. Cor.	BRE 23	3" x 5' white PVC pipe
No. 2: N. Side Center	N.Side Ctr.	BRE 23	3" x 5' white PVC pipe
No. 3: N.E. Corner	N.E. Cor.	BRE 23	3" x 5' white PVC pipe
No. 4: S.E. Corner	S.E. Cor.	BRE 23	3" x 5' white PVC pipe
No. 5: S. Side Center	S. Side Ctr.		3" x 5' white PVC pipe
No. 6: S.W. Corner	S.W. Cor.	BRE 23	3" x 5' white PVC pipe
4 4 4b	und sob aldo por		s manument is marked as described shove by

d, each side center or corner monun \_\_(e.g. metal tags, paint on posts). metal tags

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this _	14th day of	July	, 19 <u>88</u>
ATURE OF LO	NATOR.		

TO ALL WHOM IT MAY CONCERN:

Suggested Form - Nevada Department of Minerals Nevada-Lode Certificate of Location - NRS 517.050 RECORDER'S STAMP

**BRE 23** 

BOOK | 80 PAGE 54

## LODE MINING CLAIM

TO AL	L WHOM IT MAY CO	NCERN:	1200	005		
+ 1. 	The Undersigned	hereby certific Mining Claim in	es that he has n the following	caused to be loc quarter section	ated the BRE	24
	<u>1/4</u> <u>S</u>	ection	Township	Range	Meridian	
	SW	12	16N	48E	M.D.B.M.	
			16N		H.D.B.M.	
	· — —		16N		M.D.B.M.	
	· ; <del></del> ; <del></del>		16N		M.D.B.M.	
in	Eureka	County, Nev	ada, on the	25 day of	April	, 19 88
	. 4	<del></del>				· <del></del>
	τ	he name and m	ailing address	of the locator i	S1 .	
		H. WALTE	R SCHULL			
		901 Walke	r Avenue			<b>:</b>
			ada 89509		<del></del>	-
	<del>-/-/-</del>	Reno, Nev	aua 89309			÷ ,
from togeth	The Claim is approx med in a East he point of discovery er with 30 feet I course of the lode of	(monument of on each syle of or vein is from	ection and location), at v I the monume the <u>East</u>	20 feet in a which the Notice nt of location ar to the	West of Location was ad center line of t West	direction posted, he Claim. The direction
	The number, locatio	n and markings	on each side	center or corner	monument are as	follows:
	Location	Markin	igs /	/	Description	
	N.W. Corner	N.W. Cor.	BRE 24	3" x 5'	white PVC pi	pe
	N. Side Center	N.Side Ct			white PVC pi	
	N.E. Corner	N.E. Cor.		3" x 51	white PVC pi	pe
	S.E. Corner S. Side Center	S.E. Cor.			white PVC pi	
No. 6:	S.W. Corner	S. Side C S.W. Cor.		3" x 5'	white PVC pi	
. 1 - 1 . <u>1 - 1 -</u>	As erected on the grant metal tags	ound, each side		rner monument i		
	The work of location				d in NRS 517.040	
		th_day of	•	4	•	· · · · · · · · · · · · · · · · · · ·
SIGNA	TURE OF LOCATOR	ta .				
		: 		• REC	CORDER'S STAM	BOO PECCORDE
BY:	(Atrent)	aleng.		•		BOO

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

BOOK | 80 PAGE 5 4 7

		<u></u>	territories de Bo	<u> </u>		\
			LODE MINING CI	AIM	1.	
TO AL	L WHOM IT MA	Y CONCERN:	12000		\	
			12000			\
	The Undersi L	gned hereby ce ode Mining Cla	rtifies that he has im in the following	caused to be	located the BRI	E 25
	1/4	Section	Township	Range	Meridian	
	NE	1	16N	48E	M.D.B.	
	NW		16N 16N	48E	M.D.B.	
;			16N		M.D.B.	
in	Eureka	County.	Nevada, on the	26 day of	April	19.00
	Durcku			<u> </u>	April	, 19 <u>88</u>
-57	1 1 1 2	.The name a	nd mailing address	of the locato	r is:	
		H. WA	LTER SCHULL			
		901 Wa	lker Avenue			
		Reno,	Nevada 89509			
. 1						
	The Claim is ap	proximately $\underline{}$	500 feet long an	d 600 fee	t wide, such that	
	med in a Eas		direction and $\frac{1}{1}$ of location), at w	180 feet in a	West	direction
togeth	er with 30	foot on each s	le of the monumer	mich the Noti	ce of Location w	as posted,
	The number, loc	ation and mark	cings on each side o	enter or corn	er monument are	as follows:
	Location		/	/		
			arkings	/	Description	
	N.W. Corner N. Side Cen			3" x 5	' white PVC	pipe
	N.E. Corner			3" x 5		
No. 4:	S.E. Corner	S.E. C	or. BRE 25	3 X 5		
No. 5:	S. Side Cen	ter S. Sid	e Ctr. BRE 25	3" x 5	white PVC	pipe
110. 0.	S.W. Corner				white PVC	
	As erected on the	he ground, each	side center or cor	ner monumen	t is marked as de	scribed above b
	metal tag		metal tags, paint o		* ** ** ** ** ** ** ** ** ** ** ** ** *	
	THE WORK OF TOC	ation consisted	of making a claim	map as provi	ded in NRS 517.0	40.
	Dated this	14th_day of	July	, 1988	_•	
SIGNA	TURE OF LOCA	TOR:				
			•	• R	ECORDER'S STA	MP
RY.	-//			•	•	\ \ \ =
	(Rgent)	to key		•		8 2 S
+ I				•	E 2000	
. •	•		,	•	EAR EAR	£ ', ₹ \$
		* *			COOKE FEE	200
C	and Parmer St			•	8 33	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
ougges! Nevada	ted Form - Neva -Lode Certifica	da Department	of Minerals	-	で、ショニ語	3 2 5 E
		. Of Location	- 1110 317.030	<del>-</del> 	A DICEL O	33 33
				ROOK	80 PAGE 548	, , , , , , e
	•					

-			LODE MINING CL	MIA		
TO ALL	WHOM IT MAY	CONCERN:	120007			
	The Undersi	gned hereby cer ode Mining Cla	rtifies that he has dim in the following	aused to be loca	ated the BRE (s):	26
	1/4	Section	Township	Range	Meridian	
•	NE	1	16N	48E	M.D.B.M	
	NW		16N 16N		M.D.B.M M.D.B.M	
			16N			
in	Eureka	County,	Nevada, on the 2	6day of	April	, 19 <u>88</u> .
;			nd mailing address	of the locator is	<b>38</b>	
			lker Avenue	$\overline{}$		<del>-</del>
			Nevada 89509			
	/					
ia alaim	adin a tas	proximately	direction and 14	d 600 feet v 80 feet in a	West	direction
- C + h	a maint of disce	waru (monumo	at of location), at v	hich the Notice	of Location wa	as posted.
togethe	r with 30 course of the l	_feet on each s ode or vein is f	ie of the monume	to the	West	direction.
	The number, lo	cation and mar	kings on each side	center or corner	monument are	as follows:
	Location	M	arkings	/ 2	Description	
No. 1:	N.W. Corner	N.W.			white PVC	
No. 2:	N. Side Cer	Ter N.Side	Cor. BRE 26		white PVC	
	N.E. Corner		Cor. BRE 26	3" x 5'	white PVC	
No. 5:	S. Side Cer	nter <u>5. Si</u>	de Ctr. BRE 26		white PVC	
	S.W. Corner		<u> </u>			
	As erected on metal tag		h side center or co . metal tags, paint	rner monument on posts).	is marked as de	scribed above by
\		7	d of making a clain	· · · · · · · · · · · · · · · · · · ·	ed in NRS 517.0	40.
	Dated this	14th day o	of July	, 19 <u>88</u>		•
SIGNA	TURE OF LOC	ATOR:		• • • •		
				• RE	CORDER'S STA	MP
BY:	11	1-6	· · · · · · · · · · · · · · · · · · ·	·		F.
	// (Agent)				# # Ep	~ F
			**	•		
4 11				•	9	FAZO
Sugge	ted Form - No.	vada Departme	nt of Minerals	•	- 100A	868
		ate of Location		•	<b>_</b>	_ 6 2
	4		1 - 1/12 211.030			B / 20 17
			KK3 311.030	BOOK   80 PA	8E5,49	10 0 E

TO ALL	WHOM IT MA	Y CONCERN:	120	008		\
•	The linders	ioned hereby ce	rtifies that he has aim in the followin	caused to be loc g quarter section	sted the BRE	27
	1/4	Section	Township	Range	Meridian	
	NE NW	1	16N 16N	48E	M.D.B.M. M.D.B.M. M.D.B.M.	
			16N 16N		M.D.B.M.	
in	Eureka	County	, Nevada, on the	26day of _	April	, 19 <u>88</u> .
			and mailing address	s of the locator i	iss	. ·
	·	901 W	alker Avenue			<u>.</u>
	/	Reno,	Nevada 89509			<b>-</b> • . , , '
is claim		pproximately _	1500 feet long a	nd 600 feet 480 feet in a	wide, such that _ West	20 feet
from th	e point of disc	overy (monume	nt of location), at	which the Notice	e of Location was	posted,
general	course of the	lode or vein is	from the East	to the	West	direction.
			kings on each side		r monument are a	s follows:
	Location	<u> </u>	1arkings		Description	
	N.W. Corne				white PVC pi	
	N. Side Ce N.E. Corne		Cor. BRE	27 3" x 5°		
No. 4:	S.E. Corne	r S.E.	Cor. BRE	27 3" x 5"	white PVC p	
	S. Side Ce		<u> </u>	27 3" x 5"		
	S.W. Corne		2011			
: 	As erected on metal ta		ch side center or co g. metal tags, paint	orner monument l on posts).	is marked as desc	cribed above by
	The work of le	ocation consiste	d of making a clai	m map as provid	ed in NRS 517.04	) <b>.</b>
	Dated this	14th_day	of July	, 19	<b>_•</b>	•
SIGNA	TURE OF LOC	CATOR:			CORDER'S STAN	
				- AI	CURDER 3 31A	72
BY:	1/1/-	Til		•		88
	/-/(Agent		•••	•	2 × 2 × 2 × 2 × 2 × 2 × 2 × 2 × 2 × 2 ×	88 % 89 ORG
				•	₩ 8 RES	2
				•	N ESE	
		•		•	120008	¥ 6.9 8
Suggest	ted Form - Ne	vada Departme	nt of Minerals	•	88	REDUEST FACE -
			n - NRS 517.050	. •	2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	P & E
			80	OK 180 PAGES	50 S	22 34 25

		CER	TIFICATE OF LO	CATION		1
			ODE MINING CL	AIM		\
	TO ALL WHOM IT M	AY CONCERN:	1200	09		
•	The Under	signed hereby cert Lode Mining Clair	ifies that he has c	aused to be loca	ted the BRE	28
	1/4	Section	Township	Range	Meridian	\ \
	<del></del> ,	1	16N	48E	M.D.B.M.	
	SE SW	<u>r</u>	16N	48E	M.D.B.M.	
			16N		M.D.B.M.	
			16N	· <del></del>	M.D.B.M.	•
· ·	in <u>Eureka</u>	County, I	Nevada, on the	26day of	April	, 19 _88
		The name an	d mailing address	of the locator is	<b>3</b>	
	<u>-</u>		TER SCHULL			
		901 Wal	ker Avenue			_
	7	Reno, N	levada 89509			_
		/				
	The Claim is	approximately 15	00 feet long an	d 600 feet w	ide, such that _	20fee
	is claimed in a E	ast	direction and 1	480 leet in a	west	direct
	from the point of dis	covery (monument	of location), at w	which the Notice	of Location was	s posted,
	together with 30	feet on each s	le of the monume	nt of location an	West	directi
	general course of the					
	The number,	location and mark	ings on each side (	center or corner	monument are a	as follows:
		\ \				
	Location	Ma Ma	rkings		Description	
/-	No. 1: N.W. Corn	er N.W. Co	or. BRE 28	/ 3" x 5"	white PVC p	ipe
_/	No. 2: N. Side C		CET. BRE 28	3" x 5"		
_/ /	No. 3: N.E. Corn		or. BRE 28	3" x 5'	white PVC p	ipe
	No. 4: S.E. Corn		or. BRE 28	3" x 5'	white PVC p	ipe
	No. 5: S. Side C	enter S. Side		3" x 5'	white PVC p	ipe
1 1	No. 6: S.W. Corn	er S.W. Co	or. BRE 28	3" x 5'	white PVC p	102
\ \	As erected o	n the ground, each	side center or co	rner monument	s marked as des	cribed above
	metal t		metal tags, paint	on posts).		•
\ -	The work of	location consisted	of making a claim	map as provide	d in NRS 517.04	0.
	The work of	location consistes				•
	Dated this	14th day of	July	, 19 <u>88</u>	•	
	SIGNATURE OF LO	CATOR:		a RF	CORDER'S STAI	MP :
						A
	BY:			•	3_m	_ 61 8
•	Ager	11)		•	TE NE	
				•		BOOK BOOK
				•		
				_		× 3 € ₹
	•			_	SIAL RECOR	
	Suggested Form - N	evada Department	of Minerals	•		REQUEST PLGE S PLGE S
	Nevada-Lode Certif			•	# 555 255	N 2 2 2
				809K 1 8 0 F	ABESSIF	ω′ <i>8</i> • (ỷ 🖁
					0	31 /1 2

TO ALL	WHOM IT MAY	CONCERN:	120	010		
	The Undersign	ned hereby ce	rtifies that he has dim in the following	aused to be le	ocated the BRI	29
		Section	Township	Range	Meridian	_ \
	1/4	Section	TOWISHIP	Mange	MELIGIBIL	
1	SE	1	16N	48E	M.D.B.1	
4	SW	1	16N	48E	M.D.B.	
			16N		M.D.B.I	
<i>-</i>	<del></del> -		16N	<del></del>	M.D.B.I	11
in	Eureka	County,	Nevada, on the 26	day of	April	, 19 <u>88</u>
		The name o	nd mailing address	of the locates	/	
			LTER SCHULL	or the locator	131	
	<del></del>				<del></del> -	<del></del>
			lker Avenue		·	<del></del> . '
		Reno,	Nevada 89509			
	The Claim is app		500 feet long an	d 600. feet	wide, such that	20 feet
	ed in a <u>East</u>		direction and 1			direction
			it of location), at w			
			· le of the monumer		and center line o West	the state of the s
•	\ \		rom the <u>East</u>	to the		
*	\ \		rom the <u>East</u> kings on each side o			
	The number, loca	ation and mark	kings on each side o		er monument are	direction as follows:
	The number, location	ntion and mark	kings on each side o	enter or corn	Description	as follows:
No. 1:	Location  N.W. Corner	ation and mark <u>M</u> r N.W. C	kings on each side of arkings Cor. BRE 29	enter or corne	Description white PVC	as follows:
No. 1: 1	Location  N.W. Corner N. Side Cent	ntion and mark M.W. C	arkings  or. BRE 29  octr. BRE 29	3" x 5	Description white PVC	pipe
No. 1: 1 No. 2: 1 No. 3: 1	Location  N.W. Corner  N. Side Cent  N.E. Corner	N.W. Constitution and mark	kings on each side coarkings Cor. BRE 29 Cor. BRE 29 Cor. BRE 29	3" x 5 3" x 5 3" x 5	Description white PVC white PVC	pipe pipe pipe
No. 1:   No. 2:   No. 3:   No. 4:	Location  N.W. Corner  N. Side Cent  N.E. Corner  S.E. Corner	N.W. Cer N.Side	kings on each side coarkings  Cor. BRE 29  Cor. BRE 29  Cor. BRE 29  Cor. BRE 29	3" x 5 3" x 5 3" x 5 3" x 5	Description  white PVC white PVC white PVC white PVC	pipe pipe pipe pipe
No. 1: 1 No. 2: 1 No. 3: 1 No. 4: 1 No. 5: 1	Location  N. W. Corner  N. Side Cent  N. E. Corner  S. E. Corner  S. Side Cent	N.W. Cer N.Side	kings on each side coarkings  Cor. BRE 29 Cor. BRE 29 Cor. BRE 29 Cor. BRE 29 Le Ctr. BRE 29 Le Ctr. BRE 29	3" x 5 3" x 5 3" x 5 3" x 5 3" x 5	Description white PVC white PVC white PVC white PVC white PVC	pipe pipe pipe pipe pipe pipe
No. 1:   No. 2:   No. 3:   No. 4:   No. 6:	Location  N.W. Corner  N. Side Cent  N.E. Corner  S.E. Corner  S. Side Cent  S.W. Corner	N.W. Cer N.Side N.E. C	cor. BRE 29	3" x 5	Description white PVC white PVC white PVC white PVC white PVC white PVC	pipe pipe pipe pipe pipe pipe pipe
No. 1:   No. 2:   No. 3:   No. 4:   No. 5:   No. 6:	Location  N.W. Corner  N.E. Corner  S.E. Corner  S. Side Cent  S.W. Corner  As erected on the	N.W. C er N.Side N.E. C S.E. C er S. Sid S.W. C e ground, eacl	cor. BRE 29	3" x 5	Description white PVC white PVC white PVC white PVC white PVC white PVC	pipe pipe pipe pipe pipe pipe pipe
No. 1: No. 2: No. 3: No. 4: No. 5: No. 6:	Location  N.W. Corner  N.E. Corner  S.E. Corner  S.E. Corner  S.W. Corner  As erected on the metal tags	N.W. Constitution and mark	cor. BRE 29 cor. BRE 39 cor. BRE 39	3" x 5	Description white PVC	pipe pipe pipe pipe pipe pipe pipe pipe
No. 1: No. 2: No. 3: No. 4: No. 5: No. 6:	Location  N.W. Corner  N.E. Corner  S.E. Corner  S.E. Corner  S.W. Corner  As erected on the metal tags	N.W. Constitution and mark	cor. BRE 29	3" x 5	Description white PVC	pipe pipe pipe pipe pipe pipe pipe pipe
No. 1:   No. 2:   No. 3:   No. 4:   No. 5:   No. 6:	Location  N. W. Corner  N. Side Cent  N. E. Corner  S. E. Corner  S. Side Cent  S. W. Corner  As erected on the metal tags  The work of loca	N.W. Constitution and mark	kings on each side coarkings  Cor. BRE 29 Cor. BRE 39 Cor. BRE 30	3" x 5	Description white PVC	pipe pipe pipe pipe pipe pipe pipe pipe
No. 1:   No. 2:   No. 3:   No. 4:   No. 5:   No. 6:	Location  N.W. Corner  N.E. Corner  S.E. Corner  S. Side Cent  S.W. Corner  As erected on the metal tags  The work of loca  Dated this	N.W. Con N.Side N.E. Con N.E. Con S.E. Con S.W. Con the consisted of the control	kings on each side coarkings  Cor. BRE 29 Cor. BRE 39 Cor. BRE 30	3" x 5 mer monument on posts).	Description white PVC	pipe pipe pipe pipe pipe pipe pipe pipe
No. 1:   No. 2:   No. 3:   No. 4:   No. 5:   No. 6:	Location  N. W. Corner  N. Side Cent  N. E. Corner  S. E. Corner  S. Side Cent  S. W. Corner  As erected on the metal tags  The work of loca	N.W. Con N.Side N.E. Con N.E. Con S.E. Con S.W. Con the consisted of the control	kings on each side coarkings  Cor. BRE 29 Cor. BRE 39 Cor. BRE 30	3" x 5 mer monument posts). map as provid	Description  white PVC to white PVC to white PVC	pipe pipe pipe pipe pipe pipe pipe pipe
No. 1:   No. 2:   No. 3:   No. 4:   No. 5:   No. 6:	Location  N.W. Corner  N.E. Corner  S.E. Corner  S. Side Cent  S.W. Corner  As erected on the metal tags  The work of loca  Dated this	N.W. Con N.Side N.E. Con N.E. Con S.E. Con S.W. Con the consisted of the control	kings on each side coarkings  Cor. BRE 29 Cor. BRE 39 Cor. BRE 30	3" x 5 mer monument posts). map as provid	Description  white PVC	pipe pipe pipe pipe pipe pipe pipe pipe
No. 1:   No. 2:   No. 3:   No. 4:   No. 5:   No. 6:	Location  N.W. Corner  N. Side Cent  N.E. Corner  S.E. Corner  S.W. Corner  As erected on the metal tags  The work of located this	N.W. Con N.Side N.E. Con N.E. Con S.E. Con S.W. Con the consisted of the control	kings on each side coarkings  Cor. BRE 29 Cor. BRE 39 Cor. BRE 30	3" x 5 mer monument posts). map as provid	Description  white PVC to white PVC to white PVC	pipe pipe pipe pipe pipe pipe pipe pipe
No. 1:   No. 2:   No. 3:   No. 4:   No. 5:   No. 6:	Location  N.W. Corner  N.E. Corner  S.E. Corner  S. Side Cent  S.W. Corner  As erected on the metal tags  The work of loca  Dated this	N.W. Con N.Side N.E. Con N.E. Con S.E. Con S.W. Con the consisted of the control	kings on each side coarkings  Cor. BRE 29 Cor. BRE 39 Cor. BRE 30	3" x 5 mer monument posts). map as provid	Description  white PVC	pipe pipe pipe pipe pipe pipe pipe pipe
No. 1:   No. 2:   No. 3:   No. 4:   No. 5:   No. 6:	Location  N.W. Corner  N. Side Cent  N.E. Corner  S.E. Corner  S.W. Corner  As erected on the metal tags  The work of located this	N.W. Con N.Side N.E. Con N.E. Con S.E. Con S.W. Con the consisted of the control	kings on each side coarkings  Cor. BRE 29 Cor. BRE 39 Cor. BRE 30	3" x 5 mer monument posts). map as provid	Description  white PVC	pipe pipe pipe pipe pipe pipe pipe pipe
No. 1:   No. 2:   No. 3:   No. 4:   No. 5:   No. 6:	Location  N.W. Corner  N. Side Cent  N.E. Corner  S.E. Corner  S.W. Corner  As erected on the metal tags  The work of located this	N.W. Con N.Side N.E. Con N.E. Con S.E. Con S.W. Con the consisted of the control	kings on each side coarkings  Cor. BRE 29 Cor. BRE 39 Cor. BRE 30	3" x 5 mer monument posts). map as provid	Description  white PVC	pipe pipe pipe pipe pipe pipe pipe pipe
No. 1:   No. 2:   No. 3:   No. 4:   No. 5:   No. 6:	Location  N.W. Corner  N. Side Cent  N.E. Corner  S.E. Corner  S.W. Corner  As erected on the metal tags  The work of located this	N.W. Con N.Side N.E. Con N.E. Con S.E. Con S.W. Con the consisted of the control	kings on each side coarkings  Cor. BRE 29 Cor. BRE 39 Cor. BRE 30	3" x 5 mer monument posts). map as provid	Description  white PVC	pipe pipe pipe pipe pipe pipe pipe pipe
No. 1:   No. 2:   No. 3:   No. 4:   No. 5:   No. 6:	Location  N.W. Corner  N. Side Cent  N.E. Corner  S.E. Corner  S.W. Corner  As erected on the metal tags  The work of located this	N.W. Con N.Side N.E. Con N.E. Con S.E. Con S.W. Con the consisted of the control	kings on each side coarkings  Cor. BRE 29 Cor. BRE 39 Cor. BRE 30	3" x 5 mer monument posts). map as provid	Description  white PVC	pipe pipe pipe pipe pipe pipe pipe pipe
No. 1:   No. 2:   No. 3:   No. 4:   No. 5:   No. 6:	Location  N.W. Corner  N. Side Cent  N.E. Corner  S.E. Corner  S. Side Cent  S.W. Corner  As erected on the metal tags  The work of loca  Dated this  URE OF LOCAT	N.W. Comments of the second of	kings on each side of arkings  Cor. BRE 29 Cor. BRE 39 Cor. BRE 30 Cor. BRE 40	3" x 5 mer monument posts). map as provid	Description  white PVC	pipe pipe pipe pipe pipe pipe pipe pipe
No. 1:   No. 2:   No. 3:   No. 4:   No. 5:   No. 6:   SIGNAT BY:	Location  N.W. Corner  N. Side Cent  N.E. Corner  S.E. Corner  S.W. Corner  As erected on the metal tags  The work of located this	N.W. Con N.Side N.E. Con N.Sid	kings on each side of arkings  Cor. BRE 29 In side center or cor metal tags, paint of a July  I of making a claim	3" x 5 mer monument posts). map as provid	Description  white PVC	pipe pipe pipe pipe pipe pipe pipe pipe
No. 1:   No. 2:   No. 3:   No. 4:   No. 5:   No. 6:   No.	Location  N.W. Corner  N. Side Cent  N.E. Corner  S.E. Corner  S. Side Cent  S.W. Corner  As erected on the metal tags  The work of loca  Dated this  URE OF LOCAT	N.W. Con N.Side N.E. Con N.Sid	kings on each side of arkings  Cor. BRE 29 The cor. BRE 29 The side center or core metal tags, paint of making a claim  I July  t of Minerals - NRS 517.050	3" x 5 mer monument posts). map as provid	Description  white PVC The Reservable tis marked as de	pipe pipe pipe pipe pipe pipe pipe pipe

	77		LODE MINING	CLAIM		\	1
TO ALL W	ном ті мач	CONCERN:	120	011 /		_ \	\
			rtifies that he ha im in the followi				30
<del></del>	1/4	Section	Township	Ran		': Meridian	\ \
						<u> </u>	
	SE	1	16N	48	E. \	M.D.B.M.	
	SW	1.	16N	48	E	M.D.B.M.	
			16N 16N		-	M.D.B.M.	
			1014		<del></del>		• • • • •
in <u>E</u> 1	ureka	County,	Nevada, on the	26 d	ay of	April	, 19 <u>88</u>
-	· · · · · · · · · · · · · · · · · · ·	The name o	nd mailing addre	ss of the lo	catonia		
			LTER SCHULL	ss of the to	Cator is:		
_		901 Wa	lker Avenue			·	<del>_</del>
		Reno,	Nevada 89509				<u>-</u>
* 1						141	
		roximately $\frac{1}{2}$	500 feet long	and 600	_feet wid		20 feet
is claimed			direction and it of location), at	1480 feet	in a	West	direction
together w	ith 30 f	ery (monumer eet on each s	it of locations, at	which the	notice o	r Location was	s posted,
	urse of the loc	le or vein is f	rom the East	to th		West	direction
		\	cings on each side				
THE	i number, roca	Clon Bild mail	rings on each side	center or	corner n	ionument are a	is tollows:
	Location	M	arkings			Description	• •
		_ / _	/	/	_		4.0
	W. Corner	N.W. C		30 3"	x 5' w	hite PVC p	ipe
	Side Cent			30 <u>3"</u>		hite PVC p	i pe
	E. Corner	11.E. C	OL TOTAL	30 3" 30 3"		hite PVC p	
	E. Corner Side Cent	S.E. C		30 <u>3"</u> 30 <u>3"</u>		hite PVC p	
No. 6: 5.1	W. Corner	S.W. C	C. CLL DIL	30 3"		hite PVC p hite PVC p	
						_	•
As	erected on the	e ground, each	side center or c	orner moni	ment is	marked as des	cribed above b
	metal tags		metal tags, pain	•			
The	work of local	tion consisted	of making a clai	m map as į	provided	in NRS 517.04	0.
D-1	ted this	/ /				4	•
Dat	rea tms	14th oay o	July	, 19	<u>88</u> .		•
SIGNATUR	RE OF LOCAT	OR:					
				•	RECO	RDER'S STAN	1P
				_			·-
BY:	dd	1-1-		•			7
/	/ (Argent)			•			· & (
		. /					<b>,</b> ,
•				• •			\ <u>@</u>
			*	•		HAT HE	28 CO
				•		FILE NO	88. 803 3080334
4				•		OFFIC EURLKA H.N. REBA FILE NO 12001	RECORDED A
Suggested 1	Form - Nevad	a Department	t of Minerals	•		OFFICIAL EUREKA CO: M.N. REBALI FILE NO. 120011	RECORDED AT I
Suggested I Nevada-Lo	Form - Nevad de Certificate	a Department	of Minerals - NRS 517.050	•		OFFICIAL SU EUREKA COUNT M.N. REBACT ATO FILE NO. 120011	10EO AT THE 10DX /80 /4 Co./6 /4 20 /4 20
Suggested I Nevada-Lo	Form - Nevad de Certificate	a Department	- NRS 517.050	•	PACES	EUREKA COUNTY DE FILE NO. FILE	
Suggested I Nevada-Lo	Form - Nevad de Certificato	a Departmente of Location	- NRS 517.050	00K   80	PAGES 5		
Suggested I Nevada-Lo	Form – Nevad de Certificato	a Department e of Location	- NRS 517.050	000K   80	PAGES 5	OFFICIAL SECONDS AND	RECORDED AT THE PEOUEST BOOK /80 PAGE & PAGE

## LODE MINING CLAIM

	CONCERN

	1/4	Section	Township	Range	Meridian	
	SE	1	16N	48E	M.D.B.M.	
	SW	T I	16N	48E	M.D.B.M.	
	NE	12	16N	48E	M.D.B.M.	
	NW	12	16N	48E	M.D.B.M.	
n n	Eureka	County,	Nevada, on the	26day of _	April ,	19 88
,		The name o				
			nd mailing address LTER SCHULL	of the locator i	\ \	
		901 Wa	lker Avenue			
		Reno,	Nevada 89509			
						:
T s claime		ipproximately <u> </u>		nd 600 feet v	vide, such that20	feet
				1480 feet in a	West of Location was poste	direction
ogether		feet on each s	de of the monume	nt of location an	d center line of the C	io, laim. The
	***************************************	lode or vein is f	rom theEast	to the		direction
т	he number, l	ocation and mari	dings on each side	center or corner	monument are as follo	ows:
				\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
• •	Location	<u>M</u>	erkings		Description	
o. 1: N	.W. Corne	r N.W. C	or. BRE 31	3" x 5'	white PVC pipe	
	. Side Ce			3" x 5'	white PVC pipe	
o. 3: <u>N</u>	.E. Corne	r N.E. C	or. BRE 31	3" x 5'	white PVC pipe	
	.E. Corne		or. BRE 31	3" x 5'	white PVC pipe	
o. 5: S			e Ctr. BRE 31	3" x 5'	white PVC pipe	
o. 6: <u>s</u>	.W. Corne	r <u>S.W. C</u>	or. BRE 31	3" x 51	white PVC pipe	
	serected on metal ta	the ground, each	side center or co metal tags, paint	rner monument i	s marked as described	above by
4			of making a clain		41- VD0 610 040	
	ne work of ic	cation consisted	or making a clain	i map as provide	a in NKS 517.040.	•
D	ated this	14th day o	July	, 19 88		
ON A TI	105 05 100			T		
UNALI	JRE OF LOC	ATOR:	\	P.F.	CORDER'S STAMP	
	\ \	\		- NG	OKDER S STAMP	, <u>R</u>
Y:	1/1/	126		7		RECORDED AT THE REQUEST
	Kgent			/	Z 200	8 8
				/		× •
	•					9 -
				•	L 20 A  CONTY, COUNTY,	. の . 禹
				•	# # # # # # # # # # # # # # # # # # #	ه. چ. ایس کی
				•		. Š 🖁
		vada Departmen			% 85€ <sub>22</sub>	ST
£4809~	rone Cettili	cate of Location		•		, K =
				BOOK   BO PAGE	5544	•
		/ /			3	1
		/ /				
	•	/ /	•			
						1.1
						1.

## LODE MINING CLAIM

TO ALL	WIIOM	IT	MAY	CON	CER	N

1/4	Section	Township	Range	Meridian	
NĖ.	12	16N	48E	M.D.B.M.	
NW	12	16N	48E	M.D.B.M.	
		16N		M.D.B.M.	
		16N		M.D.B.M.	
n Eureka	County,	Nevada, on the	26 day of _	April	, 19 <u>_88</u>
	<u> </u>				
		nd mailing address LTER SCHULL	OI the locator I	5:	*
<u> </u>	901 Wa	lker Avenue			
-	Reno,	Nevada 89509			
			600		
The Claim is a sclaimed in a Eas	pproximately _1	500 feet long at direction and	nd boo feet in a	wide, such that20	feet
rom the point of disc	overy (monumer	t of location), at i	which the Notice	of Location was po	
logether with 30	feet on each s	ie of the monume	ent of location a	nd center line of the	Claim. The
general course of the	lode or vein is f	rom the <u>East</u>	to the	West	direction.
The number, lo	ocation and marl	kings on each side	center or corner	monument are as f	ollows:
Location	<u>M</u>	arkings		Description	
No. 1: N.W. Corne	r N.W. C				
lo. 2: N. Side Ce					
o. 3: N.E. Corne			3" x 5'		
o. 4: <u>S.E. Corne</u> lo. 5: <u>S. Side Ce</u>		le Ctr. BRE 32			
io. 6: S.W. Corne			3" x 5"		
			rner monument	is marked as descri	had shave hi
metal ta	qs (e.g.	metal tags, paint	on posts).	is marked as descri	bed above by
				ed in NRS 517.040.	
			\		:
Dated this	14th day o	f July	, 19 <u>88</u>	•	
SIGNATURE OF LOC	ATOR:				• • • •
		)	• RE	CORDER'S STAMP	37
		/	7		ğι
37:		_		79 TZ	£. ¥
BY:	1		//	~ ~ ~ ~	
	1		/	E 250 88	0 OR
	100		/	EUREKA I.N. REB ILE NO.	BOOK
		//		OFFICIAL CONTROL OFFICI	BOOK /
			•	BB JL ZO OFFICIAL OF EURENA COUN ILE NO 12001	BOOK /20
Agent	vada Departmer	nt of Minerals	•	OFFICIAL ACCIDITY. EMERACIONITY. ILE NO. FILE NO	BOOK /PO
Suggested Form - Ne		- NRS 517 050	•	F FEE	ORDED AT THE REOU BOOK /PO PAG BOOK /PO PAG
Suggested Form - Ne Nevada - Lode Certifi		- NRS 517 050	OOK   80 PAGES	F FEE	BOOK / PO PAGE S
Suggested Form - Ne		- NRS 517 050	OOK I 8 O PAGES	F FEE	ECORDED AT THE REDUEST OF BOOK / PO PAGE 55

TO AL	L WIIOM IT MAY	CONCERN:	120011			
	The Undersigned	ed hereby cer	tifies that he has	caused to be loca	ted the BRE33	
				g quarter section(	**:	
Aller Miller	1/4	Section	Township	Range	<u>Meridian</u>	
	NE	12	16N	48E	M.D.B.M.	
	NW	12	16N	48E	M.D.B.M.	
	· ——— —	<del> </del>	16N		M.D.B.M.	
4.1			16N	<del></del>	M.D.B.M.	
in	Eureka	County,	Nevada, on the	26 day of	April	<b>, 19</b> <u>88</u> .
		The name of				
			id mailing addres: LTER SCHULL	of the locator is:	\ \	
÷	·		·····		<del></del>	
			lker Avenue		$\longrightarrow \longleftarrow \longleftarrow$	٠
		keno,	Nevada 89509		<del></del>	•
	The Claim is appro	oximately 1	500 feet long e	nd 600 feet w	de. such that 20	feet
	medina East		direction and	480 feet in a	West	direction
from t	he point of discover	ry (monumen	t of location), at	which the Notice	of Location was po	sted.
Togeth	er with 30 fe il course of the lode	et on each s	Je of the monume		l center line of the West	
P	The number, locat			to the		direction
				center or corner ;		DIIOMBI
	Location	Ma	rkings	) ]	Description	~
	N.W. Corner	N.W. C		3" x 5' v	white PVC pipe	· •
	N. Side Cente			3" x 5 " v	white PVC pipe	
	N.E. Corner	N.E. C			white PVC pipe	
	S.E. Corner S. Side Cente	S.E. Co			white PVC pipe	
No. 6:	S.W. Corner	S.W. C			white PVC pipe	
	As erected on the	ground each	side center or co			
	metal tags	(e.g.	metal tags, paint	on posts).	marked as describ	ed above b
•	The work of locati	on consisted	of making a clain	n map as provided	in NRS 517.040.	
				\	•	
			July	, 19 <u>88</u> .		
SIGNA	TURE OF LOCATO	DR:		<b>• • • • • •</b>		• • •
	\ \ \			REC	ORDER'S STAMP	8/
BY:	al as and		/	1	**	£ _
	(Agent)			/	. ⊒ <u>=</u> m	
				•	_ <u>~</u> ≈ ≈ ∞	£ 8 8
1 . T				• 5	5 857 <b>.</b>	# 5 B
				_	ACS =	<i>57</i> ₹
_4				7	를 25 B	5 9, ¥
Sugges	ted Form - Nevada	Department	of Minerals		# # ₹2 ≥3	S Z
MEAROS	a-Lode Certificate	of Location	- NKS 517.050		2 C C C C C C C C C C C C C C C C C C C	<b>8</b> 8 8
				BOBK   80 PA	8522 FE ~ C	3 65
-		/ /			~ \ <b>%</b>	40.4
	/				•	1274
				400		
		·		4.4.2.3.35		45

## LODE MINING CLAIM

TO ALL WIIOM IT MAY CONCERN

	1/4	Section	Township	Range	Meridian	
	NE	12	16N	48E	M.D.B.M.	•, •
	NW	12	16N	48E	M.D.B.M.	*
			16N 16N		M.D.B.M.	•
			-	1	· ·	
u	Eureka	County,	Nevada, on the	25day of	April	, 19 <u>_88</u>
			nd mailing address LTER SCHULL	of the locator is	Biggras → m	
		901 Wa	lker Avenue	^		
		<del></del>	Nevada 89509			` · · · · ·
4						
is claim	The Claim is ag ed in a Eas	proximately 1	500 feet long ar direction and 1	d 600 feet w	ide, such that	20 feet direction
			t of location), at v	hich the Notice	of Location was p	airection osted,
togethe	with30	_feet on each s	le of the monume	nt of location an	d center line of th	e Claim. The
-			rom the East		West	direction.
	ine number, 10	Cation and mark	ings on each side (	center or corner	monument are as	(0110M23
	Location	Ma	arkings	)	Description	_
	N.W. Corner			3" x 5'	white PVC pip	e
	N. Side Cer			3" x 5'	white PVC pip	e
	N.E. Corner				white PVC pip	
	S.E. Corner S. Side Cer				white PVC pip white PVC pip	
lo. 6:	S.W. Corner	S.W. C			white PVC pip	
	As erected on I	he ground each	side center or co	rner monument i	s marked as descri	had shave by
	metal tag		metal tags, paint		s marked as descri	oeu aoove oj
	The work of lo	ation consisted	of making a claim	map as provide	d in NRS 517.040.	
·	Dated this	14th day of	f July	. 19 88		
	\	\				
SIGNAT	URE OF LOCA	ATOR:	1	RFC	ORDER'S STAMP	* -
					2 Im	ξ' <del>R</del>
	11/1	Tool	/	7	E 25 8	1 g g
BY:	(Agent)			/	0 657	<b>5 8 5</b>
BYI	/					
BY:			_//	•		5 % =
BYI			//	•	L 20	18 E
BY				•	L 20 A	N THE RE
	nd Form - Nov	ada Danastana		· · · ·	L 20 All a	IT THE REQUE!
Suggest		ada Department		· · · · ·	L 20 AI 55  JAL RECORCS COUNTY, NEVADA LEATI, RECORDER FIT % 27	N THE REQUEST OF PAGE 53
Suggest		ada Departmen ate of Location		BUBK I BU	L 20 AI S5 LEAIL RECORDS LEAIL RECORDS FIE Y 27 PAGE 5 5 7	N THE REQUEST OF 180 PAGE 557
Suggest				B08K 1 8 O	L 20 AI S5 DUN'I NECONDER FEE Y ST PAGE 5 PAGE 5	NTHE REQUEST OF PAGE 557
Suggest				B08K 1 8 O	LEATH RECORDS  FILE AND AT STATEMENT AND	NT THE REQUEST OF PAGE 557
Suggest				BOOK 1 8 O	LEATING PAGE 5 7	NT THE REQUEST OF  PROCE 557  ST Cold Co., Fine
Suggest				BOOK 1 8 O	L 20 AI 55 DUNTY RECORDS LEATI, RECORDER FIF Y 27 PAGE 5	NT THE REQUEST OF  PAGE 557  ST Cold Co., FACE
Suggest				BOSK 1 8 O	L 20 AI 55 DUNTY RECORDS LEATI, RECORDER FILE Y 27 PAGE 5	NT THE REQUEST OF PAGE 557

#### LODE MINING CLAIM

	1/4	Section	Township	Range	Meridian	
	NE SW	12	16N 16N	48E	M.D.B.M. H.D.B.M.	·
			16N		M.D.B.M.	
• • • •			16N		M.D.B.M.	
in	Eureka	County,	Nevada, on the 25	day of	April	, 19 <u>_88</u>
		H. WA	nd mailing address of LTER SCHULL lker Avenue	the locator is	-	- -
			Nevada 89509			
is claime	dina Eas	Reno, proximately 1	<del></del>	feet in a	West	1480 feet directio

	233311311			. /			
	N.W. Corner	N.W. Cor.	BRE 41			white PVC pipe	
No. 2:	N. Side Center	N.Side Ctr.	BRE 41	/3"	x 5	white PVC pipe	
No. 3:	N.E. Corner	N.E. Cor.	BRE 41	3"	x 5	white PVC pipe	
	S.E. Corner	S.E. Cor.	BRE 41			white PVC pipe	
	S. Side Center	S. Side Ctr.	BRE 41	3"	x 5'	white PVC pipe	
No. 6:	S.W. Corner	S.W. Cor.	BRE 41	3"	x 5'	white PVC pipe	

As erected on the ground, each side center or corner monument is marked as described above by metal tags (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 14th day of July 19 88

SIGNATURE OF LOCATOR:

BY: (Agent)

Suggested Form - Nevada Department of Minerals Nevada-Lode Certificate of Location - NRS 517.050

BOBK | 80 PAGE 558

OFFICIAL REPRESENT THE NO.

RECORDER'S STAMP

HOLD AT THE REQUEST OF MACE SESS AND THE PROCESS OF THE PROCESS OF

## LODE MINING CLAIM

TO ALL	WIIOM IT	MAY	CON	CERN

#### 120017

The Undersigned hereby certifies that he has caused to be located the

	1/4	Section	Township	Range	<u> </u>	ridian	
1	NE	12	16N	48E	м	.D.B.M.	
	NW	19	16N	. 49E	M	.D.B.M.	
	SW	19	16N	49E		D.B.M.	
· .			16N		<u>M</u>	.D.B.M.	
	Eureka	County	, Nevada, on the	26 da	y of <u>Ap</u>	ril \	, 19 <u>_88</u>
-			and mailing addre	ess of the loc	ator is:		· · · · · · · · · · · · · · · · · · ·
		901 Wa	alker Avenue			\ \	
		Reno,	Nevada 89509	) /			\
			1500	600			
alai-			1500 feet long direction and			ch that	1480 feet direction
			airection and _ nt of location), a				
			le of the monur				e Claim. Ti direct <b>i</b> o
тега	I course of the le	ode or vein is i	rom theEast	to the	west	·	агестю
	The number, loc	ation and mar	kings on each sid	e center or c	orner monun	ent are as	follows
	1	M	lerkings	•	Descr	iption	
	Location	<del>-</del>		in	/ /		
	N.W. Corner	N.W. (	Cor. BRE		x 5° white		
. 2:	N.W. Corner N. Side Cen	N.W. (	Cor. BRE 4	12 3"	x 5' white	PVC pip	e
. 2:	N.W. Corner N. Side Cen N.E. Corner	N.W. (	Cor. BRE 4	12 3"	x 5' white x 5' white	PVC pir	e e
). 2: ). 3: ). 4:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner	N.W. 6 N.E. 6 S.E. 6	Cor. BRE 4 Cor. BRE 4 Cor. BRE 4	12 3" 12 3" 12 3"	x 5' white x 5' white x 5' white	PVC pir PVC pir PVC pir	e e e
). 2: ). 3: ). 4: ). 5:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen	N.W. ( N.E. ( N.E. ( S.E. ( ter S. Sic	Cor. BRE 4	12 3" 12 3" 12 3"	x 5' white x 5' white x 5' white x 5' white	PVC pir PVC pir PVC pir PVC pir	e e e
. 2: . 3: . 4: . 5:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner	N.W. ( N.E. ( N.E. ( S.E. ( ter S. Sic	Cor. BRE 4 cor. BRE 4 cor. BRE 4 cor. BRE 4 de Ctr. BRE 4	12 3" 12 3" 12 3"	x 5' white x 5' white x 5' white x 5' white	PVC pir PVC pir PVC pir	e e e
2: 3: 4: 5. 5:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner	N.W. ( N.Side N.E. ( S.E. ( S. Side S.W. (	Cor. BRE 4	12 3" 12 3" 12 3" 12 3" 12 3"	x 5' white	PVC pir PVC pir PVC pir PVC pir	oe oe oe
2: 3: 4: 5. 5:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t	N.W. (	Cor. BRE 4	12 3" 12 3" 12 3" 12 3" 12 3" 12 3"	x 5' white	PVC pir PVC pir PVC pir PVC pir	oe oe oe
2: 3: 4: 5. 5:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag	N.W. (N.S.1d)  N.E. (S.E. (S.S.)  ter S. Sid  S.W. (he ground, eac (e.g.)	Cor. BRE 4 Cor. BRE 6 Cor. BRE 6 de Ctr. BRE 6 Cor. BRE 6 de Ctr. BRE 6 cor. BRE 6 ch side center or 6 metal tags, pair	12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 0 3"	x 5' white ment is mark	PVC pir PVC pir PVC pir PVC pir PVC pir PVC pir	oe oe oe
). 2: ). 3: ). 4: ). 5:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag	N.W. (N.S.1d)  N.E. (S.E. (S.S.)  ter S. Sid  S.W. (he ground, eac (e.g.)	Cor. BRE 4	12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 0 3"	x 5' white ment is mark	PVC pir PVC pir PVC pir PVC pir PVC pir PVC pir	oe oe oe
2: 3: 4: 5. 5:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc	N.W. (	Cor. BRE 4 Cor. BRE 6 Cor. BRE 6 ch side center or 6 metal tags, pain	12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 more monument on posts).	x 5' white ment is mark rovided in NE	PVC pir PVC pir PVC pir PVC pir PVC pir PVC pir	oe oe oe
). 2: ). 3: ). 4: ). 5:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc	N.W. (N.S.1d)  N.E. (S.E. (S.S.)  ter S. Sid  S.W. (he ground, eac (e.g.)	Cor. BRE 4 ch side center or 6 metal tags, pain	12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 more monument on posts).	x 5' white ment is mark	PVC pir PVC pir PVC pir PVC pir PVC pir PVC pir	oe oe oe
). 2: ). 3: ). 4: ). 5: ). 6:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc Dated this	N.W. (N.S.1d) N.E. (S.E. (S.E. (S.W. (e.g. (e.g. ation consisted)	Cor. BRE 4 Cor. BRE 6 Cor. BRE 6 ch side center or 6 metal tags, pain	12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 more monument on posts).	x 5' white ment is mark rovided in NE	PVC pir PVC pir PVC pir PVC pir PVC pir PVC pir	oe oe oe
). 2: ). 3: ). 4: ). 5: ). 6:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc	N.W. (N.S.1d) N.E. (S.E. (S.E. (S.W. (e.g. (e.g. ation consisted)	Cor. BRE 4 Cor. BRE 6 Cor. BRE 6 ch side center or 6 metal tags, pain	12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 more monument on posts).	x 5' white x 5' white x 5' white x 5' white x 5' white ment is mark rovided in NE	PVC pir PVC pir PVC pir PVC pir PVC pir PVC pir	ee ee ee ee ee iibed above (
). 2: ). 3: ). 4: ). 5: ). 6:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc Dated this	N.W. (N.S.1d) N.E. (S.E. (S.E. (S.W. (e.g. (e.g. ation consisted)	Cor. BRE 4 Cor. BRE 6 Cor. BRE 6 ch side center or 6 metal tags, pain	12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 more monument on posts).	x 5' white x 5' white x 5' white x 5' white x 5' white ment is mark rovided in NE	PVC PIE PVC PIE PVC PIE PVC PIE PVC PIE PVC PIE ed as descriss S 517.048.	ee ee ee ee ibed above (
0. 2: 0. 3: 0. 4: 0. 5: 0. 6:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc Dated this	N.W. (N.S.1d) N.E. (S.E. (S.E. (S.W. (e.g. (e.g. ation consisted)	Cor. BRE 4 Cor. BRE 6 Cor. BRE 6 ch side center or 6 metal tags, pain	12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 more monument on posts).	x 5' white x 5' white x 5' white x 5' white x 5' white ment is mark rovided in NE	PVC PIE PVC PIE PVC PIE PVC PIE PVC PIE PVC PIE ed as descriss S 517.048.	ee ee ee ee ibed above (
0. 2: 0. 3: 0. 4: 0. 5: 0. 6:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc Dated this	N.W. (N.S.1d) N.E. (S.E. (S.E. (S.W. (e.g. (e.g. ation consisted)	Cor. BRE 4 Cor. BRE 6 Cor. BRE 6 ch side center or 6 metal tags, pain	12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 more monument on posts).	x 5' white x 5' white x 5' white x 5' white x 5' white ment is mark rovided in NE	PVC PIE PVC PIE PVC PIE PVC PIE PVC PIE PVC PIE ed as descriss S 517.048.	ee ee ee ee ibed above (
o. 2: o. 3: o. 4: o. 5: o. 6:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc Dated this TURE OF LOCA	N.W. (N.S.1d) N.E. (S.E. (S.E. (S.W. (e.g. (e.g. ation consisted)	Cor. BRE 4 Cor. BRE 6 Cor. BRE 6 ch side center or 6 metal tags, pain	12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 3" 12 more monument on posts).	x 5' white x 5' white x 5' white x 5' white x 5' white ment is mark rovided in NE	PVC PIE PVC PIE PVC PIE PVC PIE PVC PIE PVC PIE ed as descriss S 517.048.	ee ee ee ee ee iibed above (

Suggested Form - Nevada Department of Minerals Nevada-Lode Certificate of Location - NRS 517.050

BOOK | 80 PAGE 559

		1200	18	ated the BRE	43
The Under	Lode Mining Cl	ertifies that he has aim in the followin	g quarter section		
1/4	Section	Township	Range	Meridian	
NE	12	16N	48E	M.D.B.M.	
NW	19	16N	49E	M.D.B.M.	
		16N		M.D.B.M.	
		16N		M.D.B.M.	
Eureka	County	y, Nevada, on the	26day of	April	, 19 <u>_88</u>
				\ \	
		and mailing address	s of the locator i	· \ \	
		alker Avenue		11	
		Nevada 89509			Γ
	· ·				<u>†</u>
The Claim is	approximately _	1500 feet long a	nd 600 feet t	wide, such that _	1480 fee
claimed in aE	ast	direction and	to reet in a	West	directi
	covery (monume	ent of location), at side of the monume	which the Notice	of Location was	s posted, the Claim. T
gether with 30	Ieet on each	from the East	to the	West	directi
		rkings on each side			
ine number,	location and ma	Kiligs off each side	center or corner	* * *	
Location		Markings	) ]	Description	
o. 1: N.W. Corn	er N.W.			white PVC p	
o. 2: N. Side C	enter N.Sic	e Ctr. BRE 4.			
o. 3: N.E. Corn		Cor. BRE 4.		WH	
o. 4: S.E. Corn		Cor. BRE 4.	3" x 5' 3" x 5'		
o. 5: S. Side C		Cor. BRE 4	3" x 5'		
		ch side center or co	orner monument	is marked as des	cribed above
metal t		g. metal tags, paint			_
The work of	location consist	ed of making a claim	m map as provide	ed in NRS 517.04	0.
Dated this _	14th_day	of July	, 19 <u>88</u>	•	•
IGNATURE OF LO	CATOR:	\	\• • • • •		
			• RE	CORDER' <u>Ş</u> STAI	MP. A B
	$\lambda$		<b>/</b> •	E 25	88 %, " §
Y: 3/2/		_ / /		8 20 E	1.8
/ (Agen	(f) /		•	<b>™</b> × × × × × × × × × × × × × × × × × × ×	
			•	N 52≥	266
			•		0 1
			•	IAL RECORDS	28 C 2 S
			_	<b>20 ₩ 2</b> ₩ <b>3</b>	BOOK /30 PAGE 5
Suggested Form - N	evada Departme	ent of Minerals	•	€ ÃĎ	S 4.0
levada-Lode Certi	licate of Location	on - NRS 517.050	•	مريا و و	
1	-/ >	The state of the s	BOOK 1 8 O PAGE	560	ve,
	/ /		J	-	/م
	/ /			.* *	•
	/ /				

#### LODE MINING CLAIM

TO	ALL	WIIOM	IT	MAY	CONCERN

120019

The Undersigned hereby certifies that he has caused to be located the BRE 44

Lode Mining Claim in the following quarter section(s):

	1/4	Section	Township	Range	Meridian	
	NE	12	16N	48E	M.D.B.M.	
	SE	<u> </u>	16N	- 48E	M.D.B.M.	
	NW	19	16N	49E	M.D.B.M.	÷
			16N		M.D.B.M.	
in	Eureka	County,	Nevada, on the	26 day of	April	, 19_88
		•		54 ( Sa 4 )		
		The name a	nd mailing addre	ess of the locator	is: \	*

The name and mailing address of the locator is:

H. WALTER SCHULL

901 Walker Avenue

Reno, Nevada 89509

The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet is claimed in a East direction and 20 feet in a West direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 30 feet on each sile of the monument of location and center line of the Claim. The general course of the lode or vein is from the East to the West direction.

The number, location and markings on each side center or corner monument are as follows:

	Location	Markings		<u>Description</u>	_
No. 1:	N.W. Corner	N.W. Cor.	BRE 44	3" x 5' white PVC pipe	
No. 2:	N. Side Center	N.Side Ctr.	BRE 44	3" x 5" white PVC pipe	
No. 3:	N.E. Corner	N.E. Cor.	BRE 44	3" x 5' white PVC pipe	
No. 4:	S.E. Corner	S.E. Cor.	BRE 44	3" x 5' white PVC pipe	
No. 5:	S. Side Center	S. Side Ctr.		3" x 5' white PVC pipe	
No. 6:	S.W. Corner	S.W. Cor.	BRE 44	3" x 5' white PVC pipe	

As erected on the ground, each side center or corner monument is marked as described above by metal tags (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 14th day of July , 19 88

SIGNATURE OF LOCATOR:

BY: (Argent)

Suggested Form - Nevada Department of Minerals Nevada-Lode Certificate of Location - NRS 517.050 RECORDER'S STAMP

OFFICIAL RECORDS
EURENA COUNTY, NEVAD
MIN. REBALEATI, RECOFD
FILE NO. FEE &

BOOM 180 PAGE 56/ BOOM 180 PAGE 56/ Sour Liberth Cold Co. Boom BB JLL 20 All 56

## LODE MINING CLAIM

TO AL	L WHOM	IT MAY	CONCERN
-------	--------	--------	---------

		Section	Township	Range	Meridian	and the second
	1/4	Section	· · · · · · · · · · · · · · · · · · ·		-	
	SE	1	16N	48E	M.D.B.M	
	NW	19	16N	49E	H.D.B.M	
			16N 16N		M.D.B.M	
		<del></del>				
E	ureka	County,	Nevada, on the	day of	April	, 19 <u>_88</u>
•		The name a	and mailing address	of the locator is	\ \	
		H. WA	LTER SCHULL			7
_			lker Avenue	<del> </del>		<del>/-</del>
_	· ·	Reno,	Nevada 89509	/	<b>—</b>	_
* .				600	and a such that	1480 feet
		roximately	1500 feet long a	20 feet in a	West	direction
s claimed rom the p	oint of discou	ACU (MANUME	nt of location), at	which the Notice	of Location w	as posted,
ngether w	vith 30	feet on each s	is te of the monume	ent of location and	d center line o	I the Claim. Im
eneral co	urse of the lo	de or vein is f	rom the <u>East</u>	to the	west	direction
The	e number, loc	ation and mar	kings on each side	center or corner	monument are	as follows:
	Location	<u>M</u>	larkings		Description	
- 1. N	W. Corner	N.W.	Cor. BRE 45	3" x 51	white PVC	pipe
2: N.	Side Cent		e Ctr. BRE 45		white PVC	
	E. Corner	N.E.	Cor. BRE 45	3" x 5'	white PVC	pipe
	E. Corner	S.E.	Cor. BRE 45	3" x 5'	white PVC	pipe
	Side Cent		de Ctr. BRE 45		white PVC	
_	W. Corner		Cor. BRE 45		white PVC	
As	erected on th	ie ground, eac	h side center or co	orner monument i	s marked <b>as</b> de	scribed above b
	metal tag		. metal tags, paint			
Th	e work of loca	ation consiste	d of making a claim	m map as provide	d in NRS 517.0	140.
Da	ted this	14th_day	of July	, 19 <u>88</u>	•	
NON ATE	DE CE LOCA					
MGNAIU	RE OF LOCA	IOR	1	REC	CORDER'S ST	AMP _
	$\lambda$ .	\				$\mathcal{E}_I$
BY:	22/	Taken	_ /	/		•
	/ (Agent)			/	·	· 4 -
				<u>"</u>	<u> </u>	84 g 8
	•			•	H 2 200	
				•	25.88	
	· F W	ida Damastera	nt of Minocole	•	<b>₹</b>	2882
Suggested Nevada-1	.ode Certifica	ica Departme ite of Locatio	nt of Minerals n - NRS 517.050	•	8 <b>5</b> 8	5.64 WH
110 7808 - L			RA	BK   80 PAGE 56	2	S & KE
	•		J.G.	, 00	SS SS CS	14 Me E
		/ /		44.4	7 88	2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2
5 <del>.</del>		/ /	1 · · · · · · · · · · · · · · · · · · ·			×
					. 6	
		/•		· ·	_	
-						

TO ALL	WHOM	IT MA	Y CONCERN	

		de Mining Cla Section	im in the followin  Township	g quarter section Range	(s): Meridian	
	1/4	Section	TOWNSHIP	Mange	meridian	
	SE	1	16N	48E	M.D.B.M.	
	SW	18	16N	49E	M.D.B.M.	
	NW	19	16N	49E	M.D.B.M.	
•			16N		M.D.B.M.	
in	Eureka	County	Nevada, on the	26_day of	April	, 19_88
			and mailing address	of the locator is	. \ \	
		H. W	LTER SCHULL	·	1	· · · · · · · · · · · · · · · · · · ·
-		901 Wa	lker Avenue			
		Reno,	Nevada 89509	$\overline{}$		
• •			500	600	11	1400
	<b>The Claim is appr</b> ed in a East		direction and		vide, such that	direction
from the	e point of discove	ery (monume	nt of location), at			
togethe	r with 30 fe	eet on each s	ide of the monume	ent of location an	d center line of th	e Claim. The
general	course of the loc	le or vein is f	rom the <u>East</u>	to the	West	direction.
•	The number, loca	tion and mar	kings on each side	center or corner	monument are as	follows:
	Location	<u>M</u>	arkings		Description	
No. 1:	N.W. Corner	N.W.			white PVC pip	oe
No. 2:	N. Side Cent				white PVC pir	oe .
	N.E. Corner	N.E.			white PVC pir	
	S.E. Corner	S.E. (			white PVC pir	
	S. Side Cent		de Ctr. BRE 46		white PVC pir	
NO. 0:	S.W. Corner	S.W. 0	Cor. BRE 46	<u>x_</u>	white PVC pir	<u> </u>
	As erected on the metal tags		h side center or co . metal tags, paint		s marked as descr	ibed above by
	- / /		d of making a clair		d in NRS 517.040.	
	Dated this	14th_day o	f July	, 1988	7	-
SIGNAT	URE OF LOCAT	·ΩP.	\ '			
BIGHA	ORE OF LOCAL	OK.	1	• REC	CORDER'S STAMI	न हैं।
	\ \ \			•	2 <u>32</u>	88 7 2 8
BY:		Toly	_ /	/_		) 6 E
	(Agent)			/	2 8 A C	<b>≥</b> 6 € ≥
				•		7 3 3 3
					N ≅ €	
				•	H REED .	₩ 625 E
				• • •	SOS S	PAGE 50
	ed Form - Nevad				0 85 P	26 1.67 1.81 01
nevada	-Lode Certificat	e of Focation	1 - MK5 511.USU		CEE C 3/2	, w "
	er en en en en en	1		BOOK   80 PA	00 D D D D D D D D D D D D D D D D D D	34)
		/ )	• •		•	r
		/ /		•		
	` •	/ / .	•			

•	 ## 45 A \$4	IT ME A W	CONCERN.		

				120022		•
		gned hereby ceri ode Mining Clair			located the BRE 4	
<del></del>		ode mining Clari	in the tonown	ng quarter sect	1011(3)1	to the second
	1/4	Section	Township	Range	Meridian	
	SE	1	16N	48E	M.D.B.M.	
A	SW	18	16N	49E	M.D.B.M.	
			16N		M.D.B.M.	
	. —		16N		M.D.B.M.	*
in	Eureka	County, 1	Nevada, on the	26 day of	April	, 19_88
7						
		The name an	d mailing addre	ss of the locato	r is:	
			TER SCHULL		\ \	
		901 Wal	ker Avenue			
			levada 89509			\
	<del></del>	Kello, K	ievada 83303			\
	The Claim is an	provimetaly 15	OO feet long	and 600 for	t wide, such that 1	480 feet
is clair	med in a Eas		direction and	20 feet in a		direction
	he point of disco		of location), at	which the Not	ice of Location was	posted,
					and center line of t	
genera	I course of the lo				West	direction.
	The number, loc	ation and marki	ngs on each side	e center or corr	ner monument are as	follows:
	• • •				D	
	Location	Mai	rkings		Description	
No. 1:	N.W. Corner	N.W. Co	or. BRE	47 3" x 5	' white PVC pi	pe
No. 2:	N. Side Cen	ter N.Side			white PVC pi	pe
	N.E. Corner				white PVC pi	
	S.E. Corner				white PVC pi	
	5. Side Cen S.W. Corner				i' white PVC pi	
	DINI COINCE	<u> Pini s</u>	21.10	-	WILLE PAC DI	, <u>re</u>
-					nt is marked as descr	ibed above by
	metal tag	sle.g. ı	metal tags, pain	t on posts).		
	The work of loc	ation consisted	of making a clai	m map as prov	ided in NRS 517.040.	
	Dated this	1 443 dou of	July	10 0		
-	Dated this	14th day of	JUIV_	, 1988		
SIGNA	TURE OF LOCA	TOR:	\	• • • •		
	\ - \	\	1	• ]	RECORDER'S STAM	R K 9
WW.				•	72 750	æ % _ §
P11 —	(Agent)	Lockeny	/		E NO	
	(Higelity)			/	D 687 E	<b>E</b> 1. 2 E
	<b>.</b> .				2 £85	~ 6 00 ₹
•						0 \$ 6 5
				•	IAL RECORD	B 6 ≥ 8
Sugges	ited Form - Neve	da Department	of Minerals	•	N ₩ 555 %	BOOK 180 PAGE 524
	a-Lode Certifice		NRS 517.050	•	0/ HP	2 6 6 2
	A STATE OF THE STA		B09	KIBO PABES	64 m	, 7 1B.
				• = • •	100	<b>M</b>

		Y CONCERN:	120023		ited the BRE 4	10
٠.,			im in the following			
				4-0.10.000.00.00		
	1/4	Section	Township	Range	Meridian	
	SE	1	16N	48E	M.D.B.M.	-
	SW	18	16N	49E	M.D.B.M.	
			16N		M.D.B.M.	
-			16N		M.D.B.M.	
n	Eureka	County	, Nevada, on the 2	day of	April	, 19 <u>88</u>
		<b></b>		-6.45- 14 1-	\ \	
			and mailing address	of the locator is	\ \	
						•
		901 Wa	alker Avenue		<u>\\</u>	-
		Reno,	Nevada 89509			
	•					\
	The Claim is ap		1500 feet long an	d 600 feet w	ide, such that $\frac{14}{2}$	180 feet
	ned in a Eas		direction and2		West	direction
			nt of location), at we is de of the monumer			
			rom the East		West	direction
60						_ /
	ine number, io	cation and mar	kings on each side o	enter or corner	monument are as	10110.831
	Location	M	larkings	1 1	Description	
	Docation		BUKINGS.			
	N.W. Corner	N.W. (	Cor. BRE 48		white PVC pi	
No. 2:	N.W. Corner N. Side Cen	N.W. (	Cor. BRE 48	3" x 5"	white PVC pi	pe
No. 2: No. 3:	N.W. Corner	N.W. O	Cor. BRE 48 Cor. BRE 48	3" x 5"	white PVC pi white PVC pi white PVC pi	pe pe
No. 2: No. 3: No. 4:	N.W. Corner N. Side Cen N.E. Corner	N.W. (N.Side N.E. (S.E. (	Cor. BRE 48 Cor. BRE 48	3" x 5' 3" x 5' 3" x 5'	white PVC pi	pe pe pe
No. 2: No. 3: No. 4: No. 5:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner	N.W. ( N.E. ( S.E. ( ater S. Signature)	Cor. BRE 48 e Ctr. BRE 48 Cor. BRE 48 Cor. BRE 48 de Ctr. BRE 48	3" x 5' 3" x 5' 3" x 5' 3" x 5'	white PVC pi white PVC pi white PVC pi white PVC pi	pe pe pe pe
No. 2: No. 3: No. 4: No. 5:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner	N.W. (N.Side N.E. (S.E. (S.W.)	Cor. BRE 48 e Ctr. BRE 48 Cor. BRE 48 de Ctr. BRE 48 Cor. BRE 48	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5'	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi	pe pe pe pe pe
No. 2: No. 3: No. 4: No. 5:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t	N.W. (N.Side N.E. (S.E. (S.W.	Cor. BRE 48 e Ctr. BRE 48 Cor. BRE 48 Cor. BRE 48 de Ctr. BRE 48 Cor. BRE 48 cor. BRE 68	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5'	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi	pe pe pe pe pe
No. 2: No. 3: No. 4: No. 5:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag	N.W. (	Cor. BRE 48	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5' ner monument ison posts).	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc	pe pe pe pe pe
No. 2: No. 3: No. 4: No. 5:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag	N.W. (	Cor. BRE 48 e Ctr. BRE 48 Cor. BRE 48 Cor. BRE 48 de Ctr. BRE 48 Cor. BRE 48 cor. BRE 68	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5' ner monument ison posts).	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc	pe pe pe pe pe
No. 2: No. 3: No. 4: No. 5:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag	N.W. (	Cor. BRE 48	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5' ner monument ison posts).	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc	pe pe pe pe pe
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cen N. E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc	N.W. (N.S.)  N.E. (S.E. (S.S.)  S.W. (S.W. (e.g.)  cation consistent  14th day (	Cor. BRE 48	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5' ener monument ison posts).	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc	pe pe pe pe pe
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag	N.W. (N.S.)  N.E. (S.E. (S.S.)  S.W. (S.W. (e.g.)  cation consistent  14th day (	Cor. BRE 48	3" x 5' ner monument ion posts). map as provided	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc d in NRS 517.040	pe pe pe pe pe ribed above t
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cen N. E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc	N.W. (N.S.)  N.E. (S.E. (S.S.)  S.W. (S.W. (e.g.)  cation consistent  14th day (	Cor. BRE 48	3" x 5' ner monument ion posts). map as provided	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc	pe pe pe pe pe ribed above t
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cen N. E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc	N.W. (N.S.)  N.E. (S.E. (S.S.)  S.W. (S.W. (e.g.)  cation consistent  14th day (	Cor. BRE 48	3" x 5' ner monument ion posts). map as provided	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc d in NRS 517.040	pe pe pe pe pe ribed above t
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cen N. E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc	N.W. (N.S.)  N.E. (S.E. (S.S.)  S.W. (S.W. (e.g.)  cation consistent  14th day (	Cor. BRE 48	3" x 5' ner monument ion posts). map as provided	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc d in NRS 517.040	pe pe pe pe pe ribed above t
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc Dated this TURE OF LOCA	N.W. (N.S.)  N.E. (S.E. (S.S.)  S.W. (S.W. (e.g.)  cation consistent  14th day (	Cor. BRE 48	3" x 5' ner monument ion posts). map as provided	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc d in NRS 517.040	pe pe pe pe pe ribed above t
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc Dated this TURE OF LOCA	N.W. (N.S.)  N.E. (S.E. (S.S.)  S.W. (S.W. (e.g.)  cation consistent  14th day (	Cor. BRE 48	3" x 5' ner monument ion posts). map as provided	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc d in NRS 517.040	pe pe pe pe pe ribed above t
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc Dated this TURE OF LOCA	N.W. (N.S.)  N.E. (S.E. (S.S.)  S.W. (S.W. (e.g.)  cation consistent  14th day (	Cor. BRE 48	3" x 5' ner monument ion posts). map as provided	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc d in NRS 517.040	pe pe pe pe pe ribed above t
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc Dated this TURE OF LOCA	N.W. (N.S.)  N.E. (S.E. (S.S.)  S.W. (S.W. (e.g.)  cation consistent  14th day (	Cor. BRE 48	3" x 5' ner monument ion posts). map as provided	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc d in NRS 517.040	pe pe pe pe pe ribed above t
No. 2: No. 3: No. 4: No. 5: No. 6:	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc Dated this TURE OF LOCA	N.W. (N.S.) (N.S	Cor. BRE 48 e Ctr. BRE 48 Cor. BRE 48 ch side center or cor. metal tags, paint of July	3" x 5' ner monument ion posts). map as provided	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc d in NRS 517.040	RECORDED AT THE RECUES  BOOK 180 PAGE  FISH- WAT CAN  1. 18 THE RECUES  BOOK 180 PAGE  TO PAG
No. 2: No. 3: No. 4: No. 5: No. 6: SIGNA	N.W. Corner N. Side Cen N.E. Corner S.E. Corner S. Side Cen S.W. Corner As erected on t metal tag The work of loc Dated this TURE OF LOCA  (Agent)	N.W. (N.S.1dd N.E. (S.E. (S.E. (S.W.))  the ground, each (e.g. (e.	Cor. BRE 48 e Ctr. BRE 48 Cor. BRE 48 ch side center or cor. metal tags, paint of July	3" x 5' ner monument ion posts). map as provided	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc d in NRS 517.040	pe p

#### LODE MINING CLAIM

The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509	The				caused to be loca		49
NE 1 16N 48E M.D.B.M.  SW 18 16N 49E H.D.B.M.  16N M.D.B.M.  18 16N M.D.B.M.  19 16			•				
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feetland in a East direction and 20 feet in a West direction the point of discovery (monument of location), at which the Notice of Location was posted, gether with 30 feet on each side of the monument of location and center line of the Claim neral course of the lode or vein is from the East to the West direction and course of the lode or vein is from the East to the West direction and markings on each side center or corner monument are as follows:  Location Markings  Description  Description  N.W. Corner N.W. Cor. BRE 49 3" x 5" white PVC pipe 0.3: N.E. Corner N.Side Ctr. BRE 49 3" x 5" white PVC pipe 0.4: S.E. Corner S.E. Cor. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" whit	<u>1/</u>	<u>4</u> <u>Se</u>	ction	Township	Range	Meridian	
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feetland in a East direction and 20 feet in a West direction the point of discovery (monument of location), at which the Notice of Location was posted, gether with 30 feet on each side of the monument of location and center line of the Claim neral course of the lode or vein is from the East to the West direction and course of the lode or vein is from the East to the West direction and markings on each side center or corner monument are as follows:  Location Markings  Description  Description  N.W. Corner N.W. Cor. BRE 49 3" x 5" white PVC pipe 0.3: N.E. Corner N.Side Ctr. BRE 49 3" x 5" white PVC pipe 0.4: S.E. Corner S.E. Cor. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" whit	M	P		16N	48E	M.D.B.M.	
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet long and 600 feet in a West direction to feet in a West direction was posted, gether with 30 feet on each side of the monument of location and center line of the Claim. Ineral course of the lode or vein is from the East to the West directions.  Location Markings  Description  N.W. Corner N.W. Corn. BRE 49 3" x 5" white PVC pipe 0.3: N.E. Corner N.E. Corn. BRE 49 3" x 5" white PVC pipe 0.4: S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x			10				
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet long to discovery (monument of location), at which the Notice of Location was posted, gether with 30 feet on each side of the monument of location and center line of the Claim. Ineral course of the lode or vein is from the East to the West direct lone and markings on each side center or corner monument are as follows:  Location Markings  Description  N.W. Corner N.W. Corn. BRE 49 3" x 5" white PVC pipe N.Side Center N.E. Corn. BRE 49 3" x 5" white PVC pipe N.S. S.		<del></del>	<u> </u>		<del>:-</del>		
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet long and 1600 feet in a 1600 feet wide, such that 1480 feet long the point of discovery (monument of location), at which the Notice of Location was posted, gether with 30 feet on each side of the monument of location and center line of the Claim. Interaction and markings on each side center or corner monument are as follows:  Location Markings Description  Description  N.W. Corner N.W. Corn. BRE 49 3" x 5" white PVC pipe 1.5: N. Side Center N. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 1.5: S. Side Ctr.				16N		M.D.B.M.	
The name and mailing address of the locator is:  H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet claimed in a East direction and 20 feet in a West direction the point of discovery (monument of location), at which the Notice of Location was posted, gether with 30 feet on each side of the monument of location and center line of the Claim. Ineral course of the lode or vein is from the East to the West direction and markings on each side center or corner monument are as follows:  Location Markings  Description  Description  N.W. Corner N.W. Cor. BRE 49 3" x 5" white PVC pipe 2.3: N. Side Center N. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.4: S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white	Eurek	a	County, N	evada. on the	26 day of	April	, 19 8:
H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet claimed in a East direction and 20 feet in a West direction the point of discovery (monument of location), at which the Notice of Location was posted, gether with 30 feet on each side of the monument of location and center line of the Claim. Ineral course of the lode or vein is from the East to the West direction to the number, location and markings on each side center or corner monument are as follows:  Location Markings  Description  Description  Description  N.W. Corner N.W. Cor. BRE 49 3" x 5" white PVC pipe 2.3: N. Side Center N. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.4: S. E. Corner S. E. Corn. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pip							
H. WALTER SCHULL  901 Walker Avenue  Reno, Nevada 89509  The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet claimed in a East direction and 20 feet in a West direction the point of discovery (monument of location), at which the Notice of Location was posted, gether with 30 feet on each side of the monument of location and center line of the Claim. Ineral course of the lode or vein is from the East to the West direction to the number, location and markings on each side center or corner monument are as follows:  Location Markings  Description  Description  Description  N.W. Corner N.W. Cor. BRE 49 3" x 5" white PVC pipe 2.3: N. Side Center N. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.4: S. E. Corner S. E. Corn. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pipe 3.5: S. Side Ctr. BRE 49 3" x 5" white PVC pip		· Ti	he name and	mailing address	of the locator is	\ \	
The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet long and 600 feet in a long direction and 20 feet in a long direction was posted, gether with 30 feet on each side of the monument of location and center line of the Claim. In the long feet on each side of the monument of location and center line of the Claim. In the long feet on each side of the monument of location and center line of the Claim. In the long feet on each side of the monument of location and center line of the Claim. In the location and markings on each side center or corner monument are as follows:    Location	• .				of the locator is	\ \	
The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet claimed in a East direction and 20 feet in a West direction the point of discovery (monument of location), at which the Notice of Location was posted, gether with 30 feet on each side of the monument of location and center line of the Claim. Increase of the lode or vein is from the East to the West direction to the number, location and markings on each side center or corner monument are as follows:    Location		<del></del>	n. WALL	ER SCHOLL	,		<b>-</b> 1
The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet claimed in a East direction and 20 feet in a West direction the point of discovery (monument of location), at which the Notice of Location was posted, gether with 30 feet on each side of the monument of location and center line of the Claim in meral course of the lode or vein is from the East to the West direction to the number, location and markings on each side center or corner monument are as follows:  Location Markings Description  Description  Description  N.W. Corner N.W. Corn. BRE 49 3" x 5" white PVC pipe N.Side Center N.Side Ctr. BRE 49 3" x 5" white PVC pipe N.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corner S.E. Corner BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner S.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner S.E. Corner S.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner S.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner S.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner S.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe	- 1 - 1 - <u>1 - 1 - 1</u>		901 Walk	er Avenue			\
The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet claimed in a East direction and 20 feet in a West direction the point of discovery (monument of location), at which the Notice of Location was posted, gether with 30 feet on each side of the monument of location and center line of the Claim in meral course of the lode or vein is from the East to the West direction to the number, location and markings on each side center or corner monument are as follows:  Location Markings Description  Description  Description  N.W. Corner N.W. Corn. BRE 49 3" x 5" white PVC pipe N.Side Center N.Side Ctr. BRE 49 3" x 5" white PVC pipe N.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corner S.E. Corner BRE 49 3" x 5" white PVC pipe N.E. S.E. Corner S.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner S.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner S.E. Corner S.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner S.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner S.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner S.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe N.E. Corner BRE 49 3" x 5" white PVC pipe			Reno Ne	vada 89509			1
claimed in a East direction and 20 feet in a West direction the point of discovery (monument of location), at which the Notice of Location was posted, gether with 30 feet on each side of the monument of location and center line of the Claim.  The number, location and markings on each side center or corner monument are as follows:  Location Markings Description  Description  N.W. Corn. BRE 49 3" x 5" white PVC pipe  N.Side Center N.E. Corn. BRE 49 3" x 5" white PVC pipe  N.E. Corn. BRE 49 3" x 5" white PVC pipe  S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe  S.E. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe  S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe  S.E. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe	· ·		neno, ne				-\
claimed in a East direction and 20 feet in a West direction the point of discovery (monument of location), at which the Notice of Location was posted, gether with 30 feet on each side of the monument of location and center line of the Claim.  The number, location and markings on each side center or corner monument are as follows:  Location Markings Description  Description  N.W. Corn. BRE 49 3" x 5" white PVC pipe  N.Side Center N.E. Corn. BRE 49 3" x 5" white PVC pipe  N.E. Corn. BRE 49 3" x 5" white PVC pipe  S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe  S.E. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe  S.E. Corner S.E. Corn. BRE 49 3" x 5" white PVC pipe  S.E. Side Center S. Side Ctr. BRE 49 3" x 5" white PVC pipe					600		
om the point of discovery (monument of location), at which the Notice of Location was posted, gether with 30 feet on each sole of the monument of location and center line of the Claim. Heart to the West direct to the number, location and markings on each side center or corner monument are as follows:    Location   Markings   Description		im is approxi	mately 150	reet long an	d buu feet w		
gether with 30 feet on each side of the monument of location and center line of the Claim. neral course of the lode or vein is from the East to the West direct to th							
The number, location and markings on each side center or corner monument are as follows:  Location  Markings  Description  Description  N.W. Corner N.Side Center N.Side Center N.Side Center N.E. Corner N.E. Corner S.E. Corner							
The number, location and markings on each side center or corner monument are as follows:  Location  Markings  Description  Description  N.W. Corner N.Side Center N.Side Cert.  N.Side Cert.  N.E. Corner N.E. Corn.  N.E. Cor							
Location Markings Description  1. 1: N.W. Corner N.W. Cor. BRE 49 3" x 5' white PVC pipe 1. 2: N. Side Center N.Side Ctr. BRE 49 3" x 5' white PVC pipe 1. 3: N.E. Corner N.E. Cor. BRE 49 3" x 5' white PVC pipe 1. 4: S.E. Corner S.E. Cor. BRE 49 3" x 5' white PVC pipe 1. 5: Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 1. 5: Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 1. 5: Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 1. 5: Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe	eneral course	of fue lode of	r vein is from	n the East	to the	west	direct
Location Markings Description  1. 1: N.W. Corner N.W. Cor. BRE 49 3" x 5' white PVC pipe 1. 2: N. Side Center N.Side Ctr. BRE 49 3" x 5' white PVC pipe 1. 3: N.E. Corner N.E. Cor. BRE 49 3" x 5' white PVC pipe 1. 4: S.E. Corner S.E. Cor. BRE 49 3" x 5' white PVC pipe 1. 5: Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 1. 5: Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 1. 5: Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 1. 5: Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe	The num	ber, location	and markin	gs on each side o	enter or corner	monument are a	s follows:
N.W. Corner N.W. Cor. BRE 49 N.Side Center N.Side Ctr. BRE 49 N.E. Corner N.E. Cor. BRE 49 N.E. Corner S.E. Corner S.E. Corner S.E. Corner S.E. Cor. BRE 49 N.E. Cor. BRE 49 N.E				/ /	1 1		
0.2: N. Side Center N.Side Ctr. BRE 49 3" x 5' white PVC pipe 0.3: N.E. Corner N.E. Cor. BRE 49 3" x 5' white PVC pipe 0.4: S.E. Corner S.E. Cor. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3"			24				
0.2: N. Side Center N.Side Ctr. BRE 49 3" x 5' white PVC pipe 0.3: N.E. Corner N.E. Cor. BRE 49 3" x 5' white PVC pipe 0.4: S.E. Corner S.E. Cor. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3" x 5' white PVC pipe 0.5: S. Side Ctr. BRE 49 3"	Loca	tion	MBL	tings	) )	Description	
0. 3: N.E. Corner N.E. Cor. BRE 49 3" x 5' white PVC pipe 3.E. Corner S.E. Cor. BRE 49 3" x 5' white PVC pipe 5.5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe 3.E. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S. Side Ctr. BRE 49 3" x 5' white PVC pipe 5.E. Corner S				/			
o. 4: S.E. Corner S.E. Cor. BRE 49 3" x 5' white PVC pipe co. 5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe	o. 1: N.W. C	corner	N.W. Cor	BRE 49		white PVC pi	
b. 5: S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe	o. 1: N.W. C	Corner le Center	N.W. Con	BRE 49	3" x 5	white PVC pi white PVC pi	pe
5. S. Side Center S. Side Ctr. BRE 49 3" x 5' white PVC pipe S.W. Corner S.W. Cor. BRE 49 3" x 5' white PVC pipe	o. 1: N.W. C o. 2: N. Sic o. 3: N.E. C	Corner Corner	N.W. Cor N.Side C	BRE 49 Ctr. BRE 49 BRE 49	3" x 5 3" x 5'	white PVC pi white PVC pi white PVC pi	pe pe
5.6: S.W. Corner S.W. Cor. BRE 49 3" x 5' white PVC pipe	o. 1: N.W. C o. 2: N. S1C o. 3: N.E. C o. 4: S.E. C	Corner Corner Corner	N.W. Con N.Side C N.E. Con S.E. Con	BRE 49  Ctr. BRE 49  BRE 49  BRE 49	3" x 5' 3" x 5' 3" x 5'	white PVC pi white PVC pi white PVC pi white PVC pi	pe pe pe
	o. 1: N.W. Co. 2: N. Sico. 3: N.E. Co. 4: S.E. Co. 5: S. Sico.	Corner Corner Corner Corner	N.W. Con N.Side C N.E. Con S.E. Con S. Side	BRE 49 Ctr. BRE 49 BRE 49 Ctr. BRE 49 Ctr. BRE 49	3" x 5' 3" x 5' 3" x 5' 3" x 5'	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi	pe pe pe pe
	0. 1: N.W. C 0. 2: N. Sic 0. 3: N.E. C 0. 4: S.E. C 0. 5: S. Sic	Corner Corner Corner Corner	N.W. Con N.Side C N.E. Con S.E. Con S. Side	BRE 49 Ctr. BRE 49 BRE 49 Ctr. BRE 49 Ctr. BRE 49	3" x 5' 3" x 5' 3" x 5' 3" x 5'	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi	pe pe pe pe
	0. 1: N.W. C 0. 2: N. Sic 0. 3: N.E. C 0. 4: S.E. C 0. 5: S. Sic 0. 6: S.W. C	Corner Corner Corner Corner Corner	N.W. Con N.Side C N.E. Con S.E. Con S. Side S.W. Con	BRE 49  Ctr. BRE 49  BRE 49  Ctr. BRE 49  Ctr. BRE 49  Ctr. BRE 49  de center or collider	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5'	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi	pe pe pe be pe
metal tags (e.g. metal tags, paint on posts).	0. 1: N.W. 6 0. 2: N. Sic 0. 3: N.E. 6 0. 5: S. Sic 0. 6: S.W. 6 As erect	corner corner corner corner corner	N.W. Con N.Side C N.E. Con S.E. Con S. Side S.W. Con	BRE 49  Ctr. BRE 49  BRE 49  Ctr. BRE 49  Ctr. BRE 49  Ctr. BRE 49  de center or collider	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5'	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi	pe pe pe be pe
	0. 1: N. W. C 0. 2: N. Sic 0. 3: N. E. C 0. 4: S. E. C 0. 5: S. Sic 5. W. C As erect	corner le Center corner le Center corner le Center corner	N.W. Con N.Side C N.E. Con S.E. Con S. Side S.W. Con ound, each s (e.g. m	BRE 49 LT. BRE 49 BRE 49 Ctr. BRE 49 Ctr. BRE 49 Ctr. BRE 49 Lide center or coletal tags, paint	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5' rner monument is	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc	pe pe pe pe pe
metal tags (e.g. metal tags, paint on posts).  The work of location consisted of making a claim map as provided in NRS 517.040.	0. 1: N. W. C 0. 2: N. Sic 0. 3: N. E. C 0. 4: S. E. C 0. 5: S. Sic 0. 6: S. W. C As erect	corner le Center corner le Center corner le Center corner	N.W. Con N.Side C N.E. Con S.E. Con S. Side S.W. Con ound, each s (e.g. m	BRE 49 LT. BRE 49 BRE 49 Ctr. BRE 49 Ctr. BRE 49 Ctr. BRE 49 Lide center or coletal tags, paint	3" x 5' 3" x 5' 3" x 5' 3" x 5' 3" x 5' rner monument is	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc	pe pe pe pe pe
The work of location consisted of making a claim map as provided in NRS 517.040.	o. 1: N.W. Co. 2: N. Sic. O. 3: N.E. Co. 4: S.E. Co. 5: S. Sic. O. 6: S.W. Co. As erect meta	corner corner corner corner corner de Center corner ted on the great tags	N.W. Con N.Side ( N.E. Con S.E. Con S. Side S.W. Con  connut, each s (e.g. m	BRE 49 BRE 49 BRE 49 Ctr. BRE 49 Ctr. BRE 49 BRE 49 Ctr. BRE 49	3" x 5' confirmation of the confirmation of th	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc	pe pe pe pe pe
	o. 1: N.W. Co. 2: N. Sic. O. 3: N.E. Co. 4: S.E. Co. 5: S. Sic. O. 6: S.W. Co. As erect meta	corner corner corner corner corner de Center corner ted on the great tags	N.W. Con N.Side ( N.E. Con S.E. Con S. Side S.W. Con  connut, each s (e.g. m	BRE 49 BRE 49 BRE 49 Ctr. BRE 49 Ctr. BRE 49 BRE 49 Ctr. BRE 49	3" x 5' confirmation of the confirmation of th	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc	pe pe pe pe pe
The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this	0. 1: N.W. C 0. 2: N. Sic 0. 3: N.E. C 0. 5: S. Sic 0. 6: S.W. C As erect meta The wor	corner le Center corner le Center le Center corner le don the gro l tags k of location	N.W. Con N.Side ( N.E. Con S.E. Con S. Side S.W. Con ound, each s (e.g. m consisted of	BRE 49 BRE 49 BRE 49 Ctr. BRE 49 Ctr. BRE 49 BRE 49 Ctr. BRE 49	3" x 5' confirmation on posts).	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc	pe pe pe pe pe
The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July , 19 88 .  GNATURE OF LOCATOR: • • • • • • • • • • • • • • • • • • •	0. 1: N.W. C 0. 2: N. Sic 0. 3: N.E. C 0. 5: S. Sic 0. 6: S.W. C As erect meta The wor	corner le Center corner le Center le Center corner le don the gro l tags k of location	N.W. Con N.Side ( N.E. Con S.E. Con S. Side S.W. Con ound, each s (e.g. m consisted of	BRE 49 BRE 49 BRE 49 Ctr. BRE 49 Ctr. BRE 49 BRE 49 Ctr. BRE 49	3" x 5' coner monument ison posts).	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc in NRS 517.040	pe pe pe pe pe pe ribed above
The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this	0. 1: N.W. C 0. 2: N. Sic 0. 3: N.E. C 0. 5: S. Sic 0. 6: S.W. C As erect meta  The wor	corner le Center corner le Center le Center corner le don the gro l tags k of location	N.W. Con N.Side ( N.E. Con S.E. Con S. Side S.W. Con ound, each s (e.g. m consisted of	BRE 49 BRE 49 BRE 49 Ctr. BRE 49 Ctr. BRE 49 BRE 49 Ctr. BRE 49	3" x 5' coner monument ison posts).	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc in NRS 517.040	pe pe pe pe pe pe ribed above
The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July , 19 88 .  GNATURE OF LOCATOR: RECORDER'S STAMP	O. 1: N. W. Co O. 2: N. Sic O. 3: N. E. Co O. 4: S. E. Co O. 5: S. Sic O. 6: S. W. Co  As erect meta The wor Dated to	corner le Center corner le Center le Center corner le don the gro l tags k of location	N.W. Con N.Side ( N.E. Con S.E. Con S. Side S.W. Con ound, each s (e.g. m consisted of	BRE 49 BRE 49 BRE 49 Ctr. BRE 49 Ctr. BRE 49 BRE 49 Ctr. BRE 49	3" x 5' coner monument ison posts).	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc in NRS 517.040	pe pe pe pe pe pe ribed above
The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July 19 88 .  GNATURE OF LOCATOR: RECORDER'S STAMP	0. 1: N.W. C 0. 2: N. Sic 0. 3: N.E. C 0. 4: S.E. C 0. 5: S. Sic 0. 6: S.W. C  As erect meta The wor Dated ti	corner le Center corner le Center corner le Center led on the grant tags k of location his 14t F LOCATOR	N.W. Con N.Side ( N.E. Con S.E. Con S. Side S.W. Con ound, each s (e.g. m consisted of	BRE 49 BRE 49 BRE 49 Ctr. BRE 49 Ctr. BRE 49 BRE 49 Ctr. BRE 49	3" x 5' coner monument ison posts).	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc in NRS 517.040	pe pe pe pe pe pe ribed above
The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July , 19 88 .  GNATURE OF LOCATOR: RECORDER'S STAMP	10. 1: N.W. 0 10. 2: N. Sid 10. 3: N.E. 0 10. 4: S.E. 0 10. 5: S. Sid 10. 6: S.W. 0  As erect meta The wor Dated ti	corner le Center corner le Center corner le Center led on the grant tags k of location his 14t F LOCATOR	N.W. Con N.Side ( N.E. Con S.E. Con S. Side S.W. Con ound, each s (e.g. m consisted of	BRE 49 BRE 49 BRE 49 Ctr. BRE 49 Ctr. BRE 49 BRE 49 Ctr. BRE 49	3" x 5' coner monument ison posts).	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc in NRS 517.040	pe pe pe pe pe pe ribed abov
The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July 19 88 .  GNATURE OF LOCATOR: RECORDER'S STAMP	0. 1: N.W. C 0. 2: N. Sic 0. 3: N.E. C 0. 4: S.E. C 0. 5: S. Sic 0. 6: S.W. C  As erect meta The wor Dated ti	corner le Center corner le Center corner le Center led on the grant tags k of location his 14t F LOCATOR	N.W. Con N.Side ( N.E. Con S.E. Con S. Side S.W. Con ound, each s (e.g. m consisted of	BRE 49 BRE 49 BRE 49 Ctr. BRE 49 Ctr. BRE 49 BRE 49 Ctr. BRE 49	3" x 5' coner monument ison posts).	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc in NRS 517.040	pe pe pe pe pe pe ribed abov
The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July 19 88 .  GNATURE OF LOCATOR: RECORDER'S STAMP	0. 1: N.W. C 0. 2: N. Sic 0. 3: N.E. C 0. 4: S.E. C 0. 5: S. Sic 0. 6: S.W. C  As erect meta The wor Dated ti	corner le Center corner le Center corner le Center led on the grant tags k of location his 14t F LOCATOR	N.W. Con N.Side ( N.E. Con S.E. Con S. Side S.W. Con ound, each s (e.g. m consisted of	BRE 49 BRE 49 BRE 49 Ctr. BRE 49 Ctr. BRE 49 BRE 49 Ctr. BRE 49	3" x 5' coner monument ison posts).	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc in NRS 517.040	pe pe pe pe pe pe ribed abov
The work of location consisted of making a claim map as provided in NRS 517.040.  Dated this 14th day of July 19 88 .  GNATURE OF LOCATOR: RECORDER'S STAMP	0. 1: N.W. C 0. 2: N. Sic 0. 3: N.E. C 0. 4: S.E. C 0. 5: S. Sic 0. 6: S.W. C  As erect meta The wor Dated ti GNATURE O	corner le Center corner le Center corner le Center led on the grant tags k of location his 14t F LOCATOR	N.W. Con N.Side ( N.E. Con S.E. Con S. Side S.W. Con ound, each s (e.g. m consisted of	BRE 49 BRE 49 BRE 49 Ctr. BRE 49 Ctr. BRE 49 BRE 49 Ctr. BRE 49	3" x 5' coner monument ison posts).	white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi white PVC pi s marked as desc in NRS 517.040	pe pe pe pe pe pe ribed abov

Suggested Form - Nevada Department of Minerals Nevada-Lode Certificate of Location - NRS 517.050

## LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

1/4	Secti	on T	ownship	Range	<u>Me</u>	ridian	
NE	1		16N	48E	м.	D.B.M.	
NW	18		16N	49E		D.B.M.	
SW	18		16N	49E	<u>м.</u>	D.B.M.	
			16N		M.	D.B.M.	
Eureka	<u> </u>	ounty, Neva	da, on the		f Apr	<u>i1\                                     </u>	_, 19_8
	The i		iling addres	s of the locat	or is:	\ \	
		01 Walker				++	
· . ———		eno, Neva				+++	
	R	eno, neva	ua 69309			4+	•
The Clair	n is approxima	tely 1500	feet long a	nd 600 fe	et wide, suc	h that 14	80 fee
claimed in a _	East	direc	tion and	0 feet in	Wes		direct
	discovery (mo						
	30 feet on f the lode or ve			ent of location to the	n and center West	une of the	Claim.
		/			1		
The numb	per, location an	d markings o	n each side	center or cor	ner monum	ent are as I	ollows
Locat	ion	Marking	<u>s</u> \		Descri	otion	
o. 1: N.W. Co	orner N	.W. Cor.	BRE 5	) 3½ x	5 white	PVC pipe	
o. 2: N. Side		.Side Ctr	BRE 5	3" x		PVC pipe	
o. 3: N.E. Co	orner N	.E. Cor.	BRE 5	3" x	5' white	PVC pipe	
o. 4: S.E. Co		.E. Cor.	BRE 5	) <u> </u>	5' white	PVC pipe	•
o. 5: S. Side		. Side Ct			5' white		
	orner 5	.W. Cor.	BRE 5	3 X		PVC pipe	<u> </u>
					5 white		
o. 6: S.W. Co	ed on the groun	d, each side	center or co		- 1 - 1	d as descrit	ed abov
o. 6: S.W. Co	ed on the groun l tags		center or co I tags, paint	orner monume	- 1 - 1	d as descrit	ed abov
o. 6: S.W. Co As erecte meta		_(e.g. metal	l tags, paint	orner monume on posts).	nt is marke	*	ed above
As erecte meta The work	l tags of location co	(e.g. metal	l tags, paint aking a clair	orner monume on posts). n map as prov	nt is marke	*	oed abov
As erecte meta The work	1 tags c of location co	(e.g. metal	l tags, paint	orner monume on posts).	nt is marke	*	oed abov
o. 6: S.W. Co  As erecte  meta  The work	1 tags c of location co	(e.g. metal	l tags, paint aking a clair	orner monume on posts).  n map as prov.  19 8	nt is marke	5 517.040.	ed above
As erecte meta The work	1 tags c of location co	(e.g. metal	l tags, paint aking a clair	orner monume on posts).  n map as prov.  19 8	nt is marke	5 517.040.	ed above
As erecte meta The work	1 tags c of location co	(e.g. metal	l tags, paint aking a clair	orner monume on posts).  n map as prov.  19 8	nt is marke	5 517.040.	ed abov
o. 6: S.W. Co	1 tags c of location co	(e.g. metal	l tags, paint aking a clair	orner monume on posts).  n map as prov.  19 8	rided in NR:	5 517.040.	med above
o. 6: S.W. Co	1 tags c of location co	(e.g. metal	l tags, paint aking a clair	orner monume on posts).  n map as prov.  19 8	rided in NR:	5 517.040.	RECORDED AT THE
o. 6: S.W. Co	1 tags c of location co	(e.g. metal	l tags, paint aking a clair	orner monume on posts).  n map as prov.  19 8	rided in NR:	5 517.040.	RECORDED AT THE RI BOOK /80
o. 6: S.W. Co	1 tags c of location co	(e.g. metal	l tags, paint aking a clair	orner monume on posts).  n map as prov.  19 8	nt is marke	5 517.040.	ABCORDED AT THE REQUIRED AT TH
o. 6: S.W. Co	1 tags c of location co	(e.g. metal	l tags, paint aking a clair	orner monume on posts).  n map as prov.  19 8	rided in NR:	STANS	ABCORDED AT THE REQUEST  BOOK /BO PAGE  This could be to the total of
As erecte meta. The work  Dated thi  GNATURE OF	t tags of location co is 14th LOCATOR:	_(e.g. metal	I tags, paint aking a clair July	orner monume on posts).  n map as prov.  19 8	rided in NR:	STANS	AECORDED AT THE REQUEST OF BOOK 180 PAGE 56
As erectemeta  The work  Dated this  GNATURE OF	1 tags c of location co	(e.g. metalnsisted of made and of	i tags, paint sking a clair July	orner monume on posts). m map as prov	rided in NR:	STANS	AECORDED AT THE REDUEST OF  BOOK 180 PAGE 567  This figure 1 to both Gold of
As erectemeta  The work  Dated this  GNATURE OF	1 tags of location co is 14th LOCATOR:	(e.g. metalnsisted of made and of	i tags, paint sking a clair July	orner monume on posts). m map as prov	rided in NR:	STANS	AECORDED AT THE REQUEST OF  BOOK 180 PAGE 567  Trafe - Labri Gold Co.
As erectemeta  The work  Dated this  GNATURE OF	1 tags of location co is 14th LOCATOR:	(e.g. metalnsisted of made and of	i tags, paint sking a clair July	orner monume on posts).  n map as prov.  19 8	rided in NR:	STANS	ARCONDED AT THE REQUEST OF BOOK /80 PAGE 567
As erectemeta  The work  Dated this  GNATURE OF	1 tags of location co is 14th LOCATOR:	(e.g. metalnsisted of made and of	i tags, paint sking a clair July	orner monume on posts). m map as prov	rided in NR:	STANS	ARCONDED AT THE REQUEST OF BOOK 1800 PAGE 56 7 FACE
As erectemeta  The work  Dated thi  GNATURE OF	1 tags of location co is 14th LOCATOR:	(e.g. metalnsisted of made and of	i tags, paint sking a clair July	orner monume on posts). m map as prov	rided in NR:	STANS	ABCORDED AT THE REDUEST OF BOOK 1800 PAGE SG 7