CERTIFICATE OF LOCATION LODE MINING CLAIM

cØ

TO ALL WROM IT MAY CONCERN:

GDE-110

The undersigned hereby certifies that it has caused to be located the TREET Lode Mining Claim in the following quarter section(s):

1/4	SECTION	TOWNSHIP	RANGE	<u>MERIDIAN</u>
NE	16	35_	_51	M.D.B. & M.
SE	7	35	51	M.D.B. & M.
5,1	8_	35	_5 /_	M.D.B. & M.
NW	17_	35	51	M.D.B. & M.

all in the purcusor Mining District, Eureka County, in the State of Nevada, on the 24th day of September.

The name and address of the locator is:

Gold Development & Exploration, Inc. 5589 La Jolia Blvd., Suite 430. La Jolia California 92037

The claim is 1.500 feet long and 600 feet wide, such that 50 feet are claimed in a MORTHS L. 7 direction and 1350 feet are claimed in a 500 feet with 300 feet in width on each side of the discovery monument at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width on each side of the discovery monument and centerline of the claim. The general course of the lode deposit and premises is from the 300 feet in the 1300 feet in which on each side of the discovery monument and centerline of the claim. The general course of the lode deposit and premises is from the 300 feet with 1500 feet with 1500 feet are claimed in a MORTHS L. 7

The definition of the boundaries of the claim, together with the erection of boundary or corner monuments and the marking of such monuments, was completed within 60 days of location.

The number, location, and markings on each boundary or corner monument are as follows:

Corner	Location	Markings	<u>Description</u>	
No. 1	NE CORNE		3' Diameter, 4' Tall PVC Pipe	•
No. 2	EUST CEN		O 3' Diameter, 4' Tall PVC Pipe 3' Diameter, 4' Tall PVC Pipe	
No. 3	SE CORNE		3" Diameter, 4' Tall PVC Pipe	SE ADE-III
No. 4 No. 5	DW CORNE	War GDE-1	1 O 21 3' Diameter, 4' Tall PVC Pipe	ただーに かりにょいし
No. 6	NW COR	NW GDE-	1 0 4 3' Diameter, 4' Tall PVC Pipe	SHE GDE-III

As erected on the ground, each boundary or corner monument is marked as described above by a Scribed Aluminum
Tag attached to each post.

The location work consisted of making a claim map as provided in N.R.S. 517,040.

DATED this 25 day of 5EPT 1988

SIGNATURE OF LOCATOR:

GOLD DEVELOPMENT & EXPLORATION, INC.

800K | 84 PAGE5 4 0

RECORDER'S STAMP

TRUE NO. FEE S

TO STORY

THE RECORDS

THE NO. FEE S

FILE NO. FEE S

CERTIFICATE OF LOCATION LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

, c. L. Dans

60E-111 The undersigned hereby certifies that it has caused to be located the figure. Lode Mining Claim in the following quarter section(s):

1/4	SECTION	TOWNSHIP	RANGE	<u> MERIDIAN</u>
5 <i>E</i>	_7	_35_	<u>_51</u> _	M.D.B. & M.
SE NE	18_	_ <u>35</u>	_51	M.D.B. & M, M.D.B. & M.
				M.D.B. & M.

all in the DAKNOUN Mining District, Eureka County, in the State of Nevada, on the 24th day of September. 1988

The name and address of the locator is:

Gold Development & Exploration, Inc. 5580 La Jolia Rivd., Suite 430 La Jolla, California 92037

The claim is 1500 feet long and 600 feet wide, such that 150 feet are claimed in a Northern direction and 1360 feet are claimed in a SUMERCT direction from the discovery monument at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width on each side of the discovery monument and centerline of the claim. The general course of the lode deposit and premises is from the MRTHAR direction to the SCHELLY direction.

The definition of the boundaries of the claim, together with the erection of boundary or corner monuments and the marking of such monuments, was completed within 60 days of location.

The number, location, and markings on each boundary or corner monument are as follows:

Corner	Location	Markings	Description	
No. 1	NE COR	NE GOE - III	3' Diameter, 4' Tall PVC Pipe	NM 406-110
No. 2	E - CENTER	ETC GDE TIL	3' Diameter, 4' Tall PVC Pipe 3' Diameter, 4' Tall PVC Pipe	W.C GDE-114
No. 3	<u> 5€ COR</u> 5W COR	56 6DE - 11	# 3 Diameter, 4 Tall PVC Pipe	56 6 DE-116
No. 4 No. 5	W. CENTER	W-C 656-11	1 4 3 Diameter, 4 Tall PVC Pire	E-C GDE-112
No. 6	NW COR	NW GDE-11	3 Diameter, 4 Tall PVC Pipe	ME UDE-ILE

As exected on the ground, each boundary or corner monument is marked as described above by a Scribed Aluminum Tag attached to each post.

The location work consisted of making a claim map as provided in N.R.S. 517.640.

DATED this 25 day of SEPT 1988

SIGNATURE OF LOCATOR:

GOLD DEVELOPMENT & EXPLORATION, INC.

LAE~

BOOK | 84 PASE54 |

3

RECORDER'S STAMP

셤 ĸ

CERTIFICATE OF LOCATION LODE MINING CLAIM

GDE-112

1/4	SECTION	<u>TOWNSHIP</u>	RANGE	<u>MERIDIAN</u>
58	7	3 <i>5</i>	51	M.D.B. & M.
ਸੱਵ	78	3.5	51	M.D.B. & M.
				M.D.B. & M.
				M.D.B. & M.

all in the UNICAGE AND Mining District, Eurska County, in the State of Nevada, on the 24th day of September. 1988.

The name and address of the locator is:

Gold Development & Exploration, Inc. 5580 La Jolia Bivd., Suite 430 La Jolia, California 92037

The claim is 1500 feet long and 600 feet wide, such that 150 feet are claimed in a MARTWE direction and 1350 feet are claimed in a SOUTH RED direction from the discovery monument at which the Notice of Locations is posted, lengthwise of the claim, together with 300 feet in width on each side of the discovery monument and centerline of the claim. The general course of the lode deposit and premises is from the MARTWE direction to the SOUTH AND direction.

The definition of the boundaries of the claim, together with the erection of boundary or corner monuments and the marking of such monuments, was completed within 60 days of location.

The number, location, and markings on each boundary or corner monument are as follows:

Corner	Location	<u>Markings</u>	Description	
No. 1	NE COR	NE GDE-112	4 3' Diameter, 4' Tall PVC Pipe NW GDE - 111	1
No. 2	E - CENTER	E-C GDE-112	3 Diameter, 4 Tall PVC Pipe W-C GDE-111 3 Diameter, 4 Tall PVC Pipe 5W GDE-111	
No. 3 No. 4	<u>56 633</u> 58 603	20 4DE-115	of Diameter A' Tail PVC Pine 5C 9 PC - 11	•
No. 5	W- CEV-22	W-C (DE-112	of 22 Diameter A' Tall PVC Pine E-C AVC	_
No. 6	NM COS	NW GDE-11	2 4 3 Diameter, 4 Tall PVC Pipe NE GDE - 11	3

As erected on the ground, each boundary or corner monument is marked as described above by a Scribed Aluminum Tag attached to each post.

The location work consisted of making a claim map as provided in N.R.S. 517.040.

DATED this 25 day of 5EPT 1988.

SIGNATURE OF LOCATOR:

RECORDER'S STAMP

By Com Dan 14 ENT

GOLD DEVELOPMENT & EXPLORATION, INC.

BOOK 184 PAGE 542

THE NO FEE S

CERTIFICATE OF LOCATION LODE MINING CLAIM

CU

TO ALL WHOM IT MAY CONCERN:

4DE-113

The undersigned hereby certifies that it has caused to be located the **CEPETS** Lode Mining Claim in the following quarter section(s):

SECTION	TOWNSHIP	RANGE	<u>MERIDIAN</u>
7	35	51	M.D.B. & M.
18	35	51	M.D.B. & M.
			M.D.B. & M.
			M.D.B. & M.
	7 	7 35 18 35	SECTION TOWNSHIP RANGE 7 35 51 18 35 51

all in the winner Mining District, Eureka County, in the State of Nevada, on the 24th day of September.

The name and address of the locator is:

Gold Development & Exploration, Inc. 5580 La Jolla Bivd., Suite 430 La Jolla, California 92037

The claim is 1.500 feet long and 600 feet wide, such that 150 feet are claimed in a 1.500 feet are claimed in a 500 feet wide. So feet are claimed in a 500 feet in a 500 feet in width on each side of the discovery monument and centerline of the claim. The general course of the deposit and premises is from the 1.500 feet in width on each side of the discovery monument and centerline of the claim. The general course of the lode deposit and premises is from the 1.500 feet in the 1.500 feet in width on each side of the discovery monument and centerline of the claim. The general course of the lode deposit and premises is from the 1.500 feet in the 1.500 feet in width on each side of the discovery monument and centerline of the claim.

The definition of the boundaries of the claim, together with the erection of boundary or corner monuments and the marking of such monuments, was completed within 60 days of location.

The number, location, and markings on each boundary or corner monument are as follows:

Corner	Location	Markings	Description	
No. 1	NE LOC	NE GD	6 - 113 \$ 3" Diameter, 4" Tall PVC Pipe NW	4DE-112
No. 2	E - CENTER	E-C 600	$\alpha = 1.13$ At 3' Diameter 4' Tall PVC Pinc W-6	(GDC - II C
No. 3	SE COR		3' Diameter, 4' Tall PVC Pipe 5 W	400-110
No. 4	SW COR		3" Liameter, 4' Tall PVC Pipe 3" Diameter, 4' Tall PVC Pipe	_
No. 5	M- CENTER		SE-113 3" Diameter, 4' Tall PVC Pipe SE-113 3" Diameter, 4' Tall PVC Pipe	•
No. 6	NW CS.Z	<u> </u>	C S Democratic transfer to the state of the state o	_

As erected on the ground, each boundary or corner monument is marked as described above by a Scribed Aluminum Tag attached to each post.

The location work consisted of making a claim map as provided in N.R.S. 517.040.

DATED this 25 day of 5EPT 1988

SIGNATURE OF LOCATOR:

GOLD DEVELOPMENT & EXPLORATION, INC.

By Com Wa

RECORDER'S STAMP

808K | 84 PAGE 543

CERTIFICATE OF LOCATION LODE MINING CLAIM

TO ALL	WHOM	IT MAY	CONCERN
--------	------	--------	---------

CV

600-114

The undersigned hereby certifies that it has caused to be located the **CDSNS** Lode Mining Claim in the following quarter section(s):

	1/4	SECTION	TOWNSHIP	RANGE	<u> MERIDIAN</u>
	5 E	7	35	51	M.D.B, & M,
	3 W	$\frac{7}{18}$	35	<u> 5/ </u>	M.D.B. & M. M.D.B. & M.
CB	NW				M.D.B. & M.

all in the _____ Mining District, Eurska County, in the State of Nevada, on the 24th day of September.

The name and address of the locator is:

Gold Development & Exploration, Inc. 5580 La Jolla Bivd., Suite 430 La Jolla, California 22037

The claim is 1.500 feet long and 600 feet wide, such that 150 feet are claimed in a No.27 w. of direction and 1350 feet are claimed in a South Mean of direction from the discovery monument at which the Notice of Location is posted, lengthwise of the claim, together with 300 feet in width on each side of the discovery monument and centerline of the claim. The general course of the lode deposit and premises is from the Month direction to the source of the lode deposit and premises is from the Month direction to the

The definition of the boundaries of the claim, together with the erection of boundary or corner monuments and the marking of such monuments, was completed within 60 days of location.

The number, location, and markings on each boundary or corner monument are as follows:

Corner	Location	<u>Markings</u>	Description
No. 1	NE COR	NE 40E-114	3' Diameter, 4' Tall PVC Pipe
No. 2	E-CENTER	E-C GDE -114	3' Diameter, 4' Tall PVC Pipe
No. 3	SE COR	5E GDE-114	3' Diameter, 4' Tall PVC Pipe 3' Diameter, 4' Tall PVC Pipe
No. 4 No. 5	SW CENTER	W-6 60E-114	3° Diameter, 4' Tall PVC Pipe
No. 6	NW COR	NW GDE-114	3' Diameter, 4' Tall PVC Pipe

As erected on the ground, each boundary or corner monument is marked as described above by a Scribed Aluminum Tag attached to each post.

The location work consisted of making a claim map as provided in N.R.S. 517.040.

DATED this Z5 day of 55.xx, 1988

SIGNATURE OF LOCATOR:

RECORDER'S STAMP

GOLD DEVELOPMENT & EXPLORATION, INC.

By: Com

800X 1 8 4 PAGE 5 4 4

OFFICIAL RECORDS
REMA COUNTY NEVADA
REBALLAIL RECORDER
CNO. FEE \$