P.O. Box 65079 Salt Lake City, UT 84165-0079

1286.16

CERTIFICATE OF LOCATION LODE HINING CLAIM TSH #1 Lode Mining Clain

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, , 19 89 , locate, and claim, and does hereby locate and claim 24th day of May by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Mevada, and the local customs and rules of the district in which the claim is located, the loce mining claim called the TSH #1

in the Northeast 1 of Section 2 , 7. 18 N ., R. 49 E ., M.D.H., and of Section ____, ?. _____., R.

Unknown Mining District, Bireka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-Hest direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery ponument together with 300 feet un each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

	MAPE INCO OF ALTRE ING
MO: LETTER TON	Position
Post No. 1	Harked Post No. 1 NE Corner TSH 8 1
Post No. 2	Marked Post No. 2 SE Corner TSH 8 1
Post No. 3	Harked Post No. 3 S Side Center TSH 0 1
Post No. 0	Harked Post No. 4 SW Corner TSH # 1
Post Ro. 5	Marked Post No. 5 MM Corner TSH 0 1
Post No. 6	Marked Post No. 6 N Side Center TSH # 1

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3½ inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517 040 and payment of the fees prescribed by NRS 517.040.

> , 19 89 DATED this 24th day of Hay LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: F.O. Box 65479 Salt Lake City, UT 84165-0479 A Merrick

A metal post or a durable plastic pipe is also authorized.

If netal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

Posts may also be scribed or marked giving the claim name, monument number, and position. The claim pap must be at a scale of not less than 500 feet to the inch, which sets forth the position of the nonments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 37 inches. Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Ehere the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily, shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

RECORDED AT THE REDUEST OF BUREKA COUNTY, MENADA See . AL AS 040

MHEN RECORDED RETURN TO: BHP-Utah International Exploration Inc. P.O. Box 65479
Salt Lake City, UT 84165-0479

CERTIFICATE OF LOCATION LODE MINING CLAIM

128647

Lode Mining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, , 19 89 , locate, and claim, and does hereby locate and claim 24th day of Hay by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Merada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the _____TSH #2

in the Northeast & of Section 2 , T. 18 N ., R. 49 E ., H.D.H.

in the Northwest 1 of Section 1 , T. 18 N ., R. 49 E ., M.D.H., in the

Unknown Hining District, Eureka County, State of Nevada. The general course of the lode or wein as near as can be determined is in a East-Mest direction from the discovery conument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

	HAPATHOS ON BETAL THO	
HOMUKENT	POSITION	
Post No. 1	Marked Post No. 1 NW Corner TSH # 2	
Post No. 2	Marked Post No. 2 SW Corner TSH # 2	
Post No. 3	Harked Post No. 3 S Side Center TSH 8 2	
Post No. 4	Marked Post No. 4 SE Corner TSH # 2	
Post No. 5	Harked Post No. 5 NE Corner TSH 4 2	
Fost No. 6	Marked Post No. 6 N Side Center TSH # 2	

MARKING ON METAL TAG

As erected on the ground, each corner and sideline center monument consists of a wooden at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as to the monument. The monumentation and marking of the described above by an aluminum tag attached above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location constitted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of 19 89

LOCATOR:

BHP-Utah International Exploration Inc.

Mailing Address:

P.O. Pox 65479 Salt Lake City, UT 84165-0479

Its Agent

A metal post or a durable plastic pipe is also authorized.

If netal post used, it must he at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.

Where the land has been surveyed by the United States, the description must be commacted by corners and distances to an official corner of the public land survey. Where the land has mot been surveyed by the United States or where official corners cannot be found through the emercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

RECORDED AT THE REDUEST OF 2

WHICH RECORDED RETURN TO: BiF-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

FORM 4/4

1:28648

CERTIFICATE OF LOCATION LODE MINING CLAIM

TSH #3 Lode Mining Claim

This is to certify that BHF-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of May , 19 89 , locate, and claim, and does herely locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the _____TSH #3

in the Northeast 1 of Section 2 , T. 18 N ., R. 49 E ., M.D.M., and

of Section ____, T. ______, N.D.M., in the in the

Unknown Hining District, <u>Dureka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

10 10 10 10 10 10 10 10 10 10 10 10 10 1	MAFRINGS ON	HETAL TAG		١.
HONUMENT	N	POSI	TION	П
Post No. 1	Marked Post	No. 1 NE	Corner TSH 8 3	١.
Post No. 2	Marked Post	No. 2 SE	Corner TSH 0 3	7
Post No. 3	Harked Post	No. 3 S	Side Center TSH # 3	
Post No. 4	Harked Post	No. 4 SH	Corner TSH 8 3	
Post No. 5	Harked Post	No. 5 NH	Corner TSH 8 3	
Post No. 6	Marked Post	No. 6 N	Side Center TSH # 3	

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3} inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of Hay LOCATOR: BiP-Utah International Exploration Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 Merricle

> > Its Agent

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands, the quarter section and section in which the landmark and mining claims are situated must begin.

300K2 O O PAGEO 4 2

WHEN RECORDED RETURN TO: BIP-Utah International Emploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

CERTIFICATE OF LOCATION LODE HINING CLAIM

1::8649

Lode Mining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, , 19 89 , locate, and claim, and does hereby locate and claim 26th day of May by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #4

in the Northwest 1 of Section 1 , T. 18 N ., R. 49 E ., M.D.H., and

in the Northeast 1 of Section 2 , T. 18 N ., R. 49 E ., M.D.H., in the

Unknown Mining District, Eureka County, State of Nevada. The general course of the lode or wein as near as can be determined is in a East-Nest direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Nesterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herceith. The number, position and markings on each corner or side center monument is as follows: MADELINGS ON METAL TAG

		FARRINGS ON TETAD THE
	MONUMENT	POSITION
٠.	Post No. 1	Marked Post No. 1 No Corner TSH 0 4
	Post No. 2	Marked Post No. 2 SW Corner TSH 8 4
	Post No. 3	Marked Post No. 3 S Side Center TSH 0 4
	Post No. 4	Marked Post No. 4 SE Corner TSH 2 4
	Post No. 5	Marked Post No. 5 NE Corner TSH # 4
	Post No. 6	Marked Post No. 6 N Side Center TSH # 4

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 32 inches in diameter by 8 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of May 19 89 LOCATOR: BIP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 Murrelle Its Agent

A netal post or a durable plastic pipe is also authorized.

If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

it must be at least 3 inches in diameter.

Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches. Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the emercise of due diligence, the description must be tied by courses and distances to a natural landmark or readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

ECORDED AT THE Deteror

CERTIFICATE OF LOCATION LODE HINING CLAIM

TSH 45 Lode Hining Claim 1::8650

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, , 19 89, locate, and claim, and does hereby locate and claim did on the 24th day of Ray by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the _____TSH #5

in the Northeast 1 of Section 2 , T. 18 N ., R. 49 E ., H.D.H., and

of Section _____, T. ______, R. ., M.D.M., in the

Unknown Mining District, Eureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-West direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerlydirection and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Hap recorded herewith. The number, position and markings on each corner or side

and the second second second	HAPRINGS ON HEIAL IAG	
KONUMENT	POSITION	
Post No. 1	Marked Post No. 1 NE Corner TSH 9 5	
Post No. 2	Harked Post No. 2 SE Corner TSH 0 5	
Post No. 3	Marked Post No. 3 S Side Center TSH # 5	
Post No. 4	Marked Post No. 4 SW Corner TSH # 5	
Post No. 5	Marked Post No. 5 NW Corner TSH & 5	
Post No. 6	Marked Post No. 6 N Side Center TSH # 5	

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 34 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recurding duplicate and payment of the fees prescribed by NRS 517.040. clain maps

> DATED this 24th day of LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The
- of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches. Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

RECORDED AT THE REQUEST OF \$50 35 C

WHEN RECOFDED RETURN TO: BHF-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

FD29 4/8

CERTIFICATE OF LOCATION LODE MINING CLAIM

128651

Lode Mining Claim TSH #6

This is to certify that BiP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of May , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #6

in the Northwest 1 of Section 1 , T. 18 N ., R. 49 E ., M.D.H.,

in the Northeast 1 of Section 2 , T. 18 N ., R. 49 E ., M.D.H., in the

Unknown Mining District, Eureka County, State of Nevada. The general course of the loce or vein as near as can be determined is in a East-West direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown can the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

	MAPKINGS ON MET	AL TAG	
HONUMENT		POSITION	and the second second
Post No. 1	Marked Post No.	1 No Corner	TSH 0 6
Post No. 2	Marked Post No.	2 SH Corner	TSH 0 6
Post No. 3	Marked Post No.	3 S Side Cer	ter <u>TSH 06</u>
Post No. 4	Marked Post No.	6 SE Corner	TSH 8 G.
Post No. 5	Marked Post No.	5 NE Corner	TSH # 6
Post No. 6	Harked Post No.	6 N Side Cer	ter TSH #6

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 39 inches in diameter by 4 feet in length set one foot in the ground and is parked as post at least 33 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the ponument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040. claim maps

> DATED this 24th day of LOCATOR: BHF-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 Its Agent

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the nonuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches. Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has mot been surveyed by the United States or where official corners cannot be found through the enercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

NO SE

WHEN RECORDED PETURE TO: BHP-Utah International Deploration Inc. P.O. Box 65479
Salt Lake City, UT 86163-0679

FORM 4/4

CERTIFICATE OF LOCATION LODE MINING CLAIM

TSH #7 Lode Mining Claim 128652

This is to certify that BHP-Utah International Exploration Inc., a Delavare corporation, did on the 24th day of Hay , 19 89, locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ____TSH #7

in the Northeast 1 of Section 2 . T. 18 N . R. 49 E ., N.D.H.

of Section

Unknown Hining District, Dureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-Nest direction from the discovery populated which the Next of Asset County. which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

	MAPKINGS ON METAL TAG
MONUMENT	POSITION
Post No. 1	Harked Post No. 1 NE Corner TSH # 7
Post No. 2	Marked Fost No. 2 SE Corner TSH # 7
Post No. 3	Marked Post No. 3 S Side Center TSH 07
Post No. 4	Harked Post No. 8 SW Corner TSH 87
Post No. 5	Marked Post No. 5 NH Corner TSH # 7
Post No. 6	Harked Post No. 6 N Side Center TSH 0 7

As erected on the ground, each corner and sideline center monu ent consists of a wooden post 1/ at least 3 inches in diameter 2 post at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the ponument. The monumentation and marking of the to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.000. and payment of the fees prescribed by NRS 517.040.

> DATED this 28th day of _ Hay 19 89 LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 El Merredo

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter. Posts any also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary conuments. The class of mach chest must be 24 x 30 inches.
- of the monuments in relation to each other and establishes numbers of boundary conuments. The size of each sheet must be 24 x 32 inches. Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the enercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

WHEN RECORDED RETURN TO: BHP-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

FORM 4/4

CERTIFICATE OF LOCATION

128653

Lode Mining Claim TSH #8 This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, , 19 89, locate, and claim, and does hereby locate and claim 24th day of May by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #8

in the Northwest 1 of Section 1 , 7. 18 N ., R. 49 E ., M.D.H.,

in the Northeast 1 of Section 2 , T. 18 N ., R. 49 E ., N.D.M., in the

Unknown Mining District, Eureka County, State of Nevada. The general course of the lode or weim as near as can be determined is in a East-Mest direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows: MADELINGS ON METAL TAG

					1000	****							
MONUMENT			٠.		N			٧.	POS.	ITION			
Post No.	1				Marked	Post	No.	1	NA	Corner	TSH	8.0	
Post No.	2				Marked	Post	No.	2	SH	Corner	TSH	\$ 8	- 7.
Post No.	3	: 1			Marked	Post	No.	3	S	Side Ce	nter	TSH	0 8
Post No.	4				Harked	Post	No.	4	SE	Corner	TSH	48	# c
Post No.	5												
Post No.	6				Harked	Post	No.	6	N	Side C	nter	TSH	08
	Post No. Post No. Post No. Post No. Post No.	Post No. 1 Post No. 2 Post No. 3 Post No. 4 Post No. 5 Post No. 6	Post No. 1 Post No. 2 Post No. 3 Post No. 4 Post No. 5	Post No. 1 Post No. 2 Post No. 3 Post No. 4 Post No. 5	Post No. 1 Post No. 2 Post No. 3 Post No. 4 Post No. 5	MONUMENT Post No. 1 Harked Post No. 2 Marked Post No. 3 Marked Post No. 4 Harked Post No. 5 Marked	MONUMENT Post No. 1 Harked Post Post No. 2 Marked Post Post No. 3 Marked Post Post No. 4 Harked Post Post No. 5 Marked Post	MONUMENT Post No. 1 Harked Post No. Post No. 2 Marked Post No. Post No. 3 Marked Post No. Post No. 4 Harked Post No. Post No. 5 Marked Post No.	MONUMENT Post No. 1	Post No. 1 Marked Post No. 1 NM Post No. 2 Marked Post No. 2 SH Post No. 3 Marked Post No. 3 S Post No. 4 Marked Post No. 4 SE Post No. 5 Marked Post No. 5 NE	MONUMENT POSITION Post No. 1 Harked Post No. 1 NH Corner Post No. 2 Marked Post No. 2 SH Corner Post No. 3 Marked Post No. 3 S Side Corner Post No. 4 Harked Post No. 4 SE Corner Post No. 5 Harked Post No. 5 NE Corner	POSTITION POSTITION POSTITION Post No. 1 Harked Post No. 1 NM Corner TSH	MONUMENT POSTITION Post No. 1 Marked Post No. 1 NM Corner TSH 6 8 Post No. 2 Marked Post No. 2 SM Corner TSH 0 8 Post No. 3 Marked Post No. 3 Side Center TSH Post No. 4 Marked Post No. 4 SE Corner TSH 4 8 Post No. 5 Marked Post No. 5 NE Corner TSH 8 8

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3½ inches in diameter by 4 feet in length set one foot in the ground and is marked as to the monument. The monumentation and marking of the described above by an aluminum tag attached above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040. claim maps

> DATED this 24th Hay 19 89 LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 PISnerul

> > Its Agent

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim mase, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The
- of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 ± 32 inches. Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without ininitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

B 50

WHEN RECORDED RETURN TO: BHP-Utah International Emploration Inc. P.O. Box 65479 Salt lake City, UT 84165-0479

CERTIFICATE OF LOCATION

1:3654

Lode Bining Clain

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of May , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States

in the Southeast 1 of Section 35 , T. 19 N ., R. 49 E ., M.D.H., ___. T. _____., R. ____ ., M.D.M., in the of Section

Unknown Mining District, Direka County, State of Sevada. The general course of the lode or vein as near as can be determined is in a <u>Fast-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

MAPKINGS ON HETAL TAG MONUMENT POSITION Marked Post No. 1 NE Corner TSH # 9 Post No. 1 Marked Post No. 2 SE Corner TSH # 9 Post No. 2 Marked Post No. 3 S Side Center TSH # 9

Marked Post No. 6 SH Corner TSH # 9 Post No. 3 Post No. 4 Harked Post No. 5 No Corner TSH # 9 Post No. 5 Marked Post No. 6 N Side Center TSH # 9 Post No. 6

As erected on the ground, each corner and sideline center monument consists of a wooden at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the ponument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040.

> 19 89 DATED this 20th Rev LOCATOR: BHP-Utah International Exploration Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 of Merricke

Its Agent

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has mot been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be time by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

recorded AT THE REDUEST OF By tem B Š 340

BHEN RECORDED RETURN TO: BHF-Utah International Exploration Inc. FORM 4/4 P.O. Box 65479 Salt Lake City, UT 84165-0479 CERTIFICATE OF LOCATION LODE HINING CLAIR 128655 Lode Hining Claim TSH #10 This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, , 19 89 , locate, and claim, and does hereby locate and claim 24th day of May by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #10

in the Southeast 1 of Section 35 . T. 19 N ., R. 49 E ., H.D.H., in the Southwest 1 of Section 36 , T. 19 N ., R. 49 E ., H.D.M., in the

Mining District, Dureka County, State of Nevada. The general course of the lode Unknown or wein as near as can be determined is in a East-West direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Hap recorded herewith. The number, position and markings on each corner or side center monument is as follows: MARKINGS ON METRI. TAG

and the second s	IDURINGS OF TILING ING
HONUMENT	POSITION
Post No. 1	Marked Post No. 1 NW Corner TSH 8 10
Post No. 2	Marked Post No. 2 SH Corner TSH 0 10
Post No. 3	Marked Post No. 3 S Side Center TSH # 10
Post No. 4	Marked Post No. 4 SE Corner TSH # 10
Post No. 5	Harked Post No. 5 NE Corner TSH 0 10
Fost No. 6	Marked Post No. 6 N Side Center TSH 0

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 31 inches in diameter by 6 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.040.

> DATED this 24th 19.89 LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 Merricle Its Agent

A netal post or a durable plastic pipe is also authorized.

If netal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

Posts may also be scribed or marked giving the claim name, monument number, and position. The claim aap must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches.

Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

B පු

BORK 200 PAGE 049

SHEN RECORDED RETURN TO: BRT-Utah International Exploration Inc. P.O. Box 65479
Salt Lake City, UT 86165-0479

TYPE A/A

CERTIFICATE OF LOCATION LODE MINING CLAIM

128656

Lode Hining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the _ did on the 24th day of Hay , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #11

in the Southeast & of Section 35 , T. 19 N ., R. 49 E ., H.D.H., ___, T. ______ ., M.D.M., in the of Section ., R.

Unknown Mining District, <u>Direka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Fasterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Bining Claim Map recorded herewith. The number, position and markings on each corner or side

		MAFRINGS ON HETAL TAG
	HONOMENT	POSITION
	Post No. 1	Marked Post No. 1 NE Corner TSH # 11
ì	Post No. 2	Marked Post No. 2 SE Corner TSH # 11
	Post No. 3	Marked Post No. 3 S Side Center TSH # 11
	Post No. 4	Marked Post No. 4 SW Corner TSH 8 11
	Post No. 5	Marked Post No. 5 NW Corner TSH # 11
	Post No. 6	Marked Post No. 6 N Side Center TSH # 11

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3 inches in diameter by 4 (set in length set one foot in the ground and is marked as post at least 3} inches in diameter by 4 feet in length set one foot in the ground and is parked as described above by an aluminum tag attached to the monument. The monumentation and parket as above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of 19 89 LICATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.

 There the land has been surveyed by the United States, the description must be commected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the emercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point a which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

RECORDED AT THE REQUEST OF 68 EURENA COMET, NEVADA EURENA COMET, NEVADA M.N. REBALL ATT. FEC & 6 M. 0 Age 050 By the mation All 50

WHEN RECORDED RETURN TO: BMP-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

FORM 8/4

CERTIFICATE OF LOCATION LODE HINING CLAIM

Lode Mining Claim

128657

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, , 19 89 , locate, and claim, and does hereby locate and claim 24th day of May by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ____TSH #12

in the Southeast 1 of Section 35 , T. 19 N ., R. 49 E ., M.D.H.,

in the Southwest 1 of Section 36 , 7. 19 N ., R. 49 E ., H.D.M., in the

Unknown Mining District, Direka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-West direction from the discovery conument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

		HAPKINGS ON HEIRE ING
	HONUMENT	POSITION
	Post No. 1	Marked Post No. 1 NW Corner TSH 0 12
	Post No. 2	Marked Post No. 2 SH Corner TSH # 12
	Post No. 3	Marked Post No. 3 S Side Center TSH 8 12
	Post No. 4	Marked Post No. 4 SE Corner TSH # 12
•	Post No. 5	Marked Post No. 5 NE Corner TSH 0 12
	Post No. 6	Marked Post No. 6 N Side Center TSH 0 12

As erected on the ground, each corner and sideline center monument consists of a wooden at least 31 inches in diameter by 4 feet in length set one foot in the ground and is marked as post at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of 19 89 LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 Of mierufz

Its Agent

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the emercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

1 00 m

WHEN RECORDED RETURN TO: BHF-Utah International Employation Inc. FORM 4/4 Salt Lake City, UT 84165-0079 CERTIFICATE OF LOCATION LODE MINING CLAIM 1::8658 TSH #13 Lode Hining Claim This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of May , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ______TSH #13 in the Southeast 1 of Section 35 , r. 18 N ., R. 49 E ., M.D.H., and ., M.D.M., in the of Section __, T. _ Unknown Mining District, Dureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-West direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface. The position and number of each corner and side line center of this claim is shown on the Hining Claim Hap recorded herewith. The number, position and markings on each corner or side center monument is as follows: MARKINGS ON METAL TAG PONUMENT POSITION Marked Post No. 1 NE Corner TSH 8 13 Post No. 1
 Marked Post No. 2
 SF
 Corner TSH
 0 13

 Marked Fost No. 3
 S
 Side Center TSH
 0 13

 Harked Post No. 4
 SH
 Corner TSH
 0 13

 Harked Post No. 5
 SH
 Corner TSH
 0 13

 Harked Post No. 5
 SH
 Corner TSH
 0 13
 Post No. 2 Post No. 3 Post No. 4 Post No. 5 Post No. 6 Marked Post No. 6 N Side Center TSH # 13 As erected on the ground, each corner and sideline center monument consists of a wooden post at least 31 inches in diameter by 6 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.040. DATED this 24th day of INCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 Of Merrila

A metal post or a durable plastic pipe is also authorized.

If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.

Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

2 652

800K200 PAGE052

WHEN RECORDED METURN TO: BUP-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

FORM A/A

CERTIFICATE OF LOCATION LODE MINING CLAIM

TSH #14 Lode Mining Claim 123659

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, 24th day of May , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ____TSH #14

in the Southeast 1 of Section 35 , T. 19 N ., R. 49 E ., M.D.M.,

in the Southwest 1 of Section 36 , T. 19 N ., R. 49 E ., M.D.H., in the

Mining District, Dureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-Hest direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded berewith. The number, position and markings on each corner or side center monument is as follows:

		HARRIN	GS ON HEL	AL TAG		
MONUMENT	- N.		7%	POS	ITION	
Post No. 1		Harked	Post No.	1 NW	Corner TSH	0 14
Post No. 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Marked	Post No.	2 SW	Corner TSH	s 14
Post No. 3) [Marked	Post No.	3 S	Side Center	TSH 0 14
Post No. 4	1 1	Marked	Post No.	4 SE	Corner TSH	0 14
Post No. 5	5	Harked	Post No.	S NE	Corner TSH	o 14
Post No. 6	5 .1	Harked	Post No.	6 N	Side Center	TSH 0 14

As erected on the ground, each corner and sideline center monument consists of a wooden post" at least 3) inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.060.

> DATED this 24th day of LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.

 There the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two reads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

- on es. Your - one RECORDED AT THE REQUEST OF . 7451 053 77 bernat 811 50

WHEN RECORDED PETURN TO: EMF-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

FORM 4/8

CERTIFICATE OF LOCATION LODE MINING CLAIM

Lode Mining Claim

1::8660

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, 24th day of May , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the _____TSH #15

in the Southeast 1 of Section 35 , T. 19 N ., R. 49 E ., H.D.M.,

of Section _____, T. _____, R. _____, M.D.M., in the

Unknown Hining District, Dureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-West direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows: MADRINGS ON METAL TAG

				100				•••				10.0
MONUMENT		·		5.		- %			POS	ITION		1.
Post No.	1			- %	Harked	Post	No.	1	NE	Corner TSH	g 15	
Post No.	2				Marked	Post	No.	2	SE	Corner TSH	0 15	1
Post No.	3				Marked	Post	No.	3	S	Side Center	TSH	# 15 ·
Post No.	4				Harked	Post	No.	4	SH	Corner TSH	0 15	
Post No.	5				Harked	Post	No.	5	NH	Corner TSH	0 15	_
Post No.	6				Marked	Post	No.	6	N	Side Center	TSH	e 15
	Post No. Post No. Post No. Post No. Post No.	MONUMENT Post No. 1 Post No. 2 Post No. 3 Post No. 4 Post No. 5 Post No. 6	Post No. 2 Post No. 3 Post No. 4 Post No. 5	Post No. 1 Post No. 2 Post No. 3 Post No. 4 Post No. 5	Post No. 1 Post No. 2 Post No. 3 Post No. 4 Post No. 5	Post No. 1 Harked Post No. 2 Marked Post No. 3 Harked Post No. 4 Marked Post No. 5 Harked	Post No. 1 Harked Post Post No. 2 Harked Post Post No. 3 Harked Post Post No. 4 Harked Post Post No. 5 Harked Post No. 5	Post No. 1 Harked Post No. Post No. 2 Harked Post No. Post No. 3 Harked Post No. Post No. 4 Harked Post No. Post No. 5 Harked Post No.	Post No. 1 Harked Post No. 1 Post No. 2 Marked Post No. 2 Post No. 3 Harked Post No. 3 Post No. 4 Harked Post No. 4 Post No. 5 Harked Post No. 5	Post No. 1 Harked Post No. 1 NE Post No. 2 Marked Post No. 2 SE Post No. 3 Harked Post No. 3 S Post No. 4 Harked Post No. 4 SH Post No. 5 Harked Post No. 5 NH	Post No. 1 Harked Post No. 1 NE Corner TSH Post No. 2 Marked Post No. 2 SE Corner TSH Post No. 3 Harked Post No. 3 S Side Center Post No. 4 Marked Post No. 4 SH Corner TSH Post No. 5 Harked Post No. 5 NH Corner TSH	Post No. 1 Harked Post No. 1 NE Corner TSH 0 15 Post No. 2 Marked Post No. 2 SE Corner TSH 0 15 Post No. 3 Harked Post No. 3 S Side Center TSH Post No. 4 Harked Post No. 4 SH Corner TSH 0 15 Post No. 5 Harked Post No. 5 NH Corner TSH 0 15

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3) inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040.

> DATED this 28th day of LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary nonuments. The size of each sheet must be 24 x 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the enercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

250

P.O. Box 65479 Salt Lake City, UT 86165-0679

CEPTIFICATE OF LOCATION LODE HINING CLAIM

123661

TSH #16 Lode Hining Claim

This is to certify that BMP-Utah International Diploration Inc., a Delaware corporation, did on the _ 24th day of Hay . . . 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ____TSH #16

in the Southwest 1 of Section 36 , T. 19 N ., R. 49 E ., M.D.M., and

in the Southeast 1 of Section 35 , R. 19 N ., R. 49 E ., M.D.H., in the

Mining District, Bureka County, State of Nevada. The general course of the lode Unknown or vein as near as can be determined is in a East-Hest direction from the discovery conument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the wein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Hap recorded herewith. The number, position and markings on each corner or side center monument is as follows: MADRINGS ON WITH THE

		INCHINO ON HEATER SING
	HONUMENT	POSITION
	Post No. 1	Marked Post No. 1 Nd Corner TSH # 16
	Post No. 2	Marked Post No. 2 SW Corner TSH # 16
	Post No. 3	Marked Post No. 3 5 Side Center TSH # 16
	Post No. 4	Marked Post No. 4 SE Corner TSH 0 16
٠.	Post No. 5	Marked Post No. 5 NE Corner TSH 8 16
	Post No. 6	Marked Post No. 6 N Side Center TSH # 16

As erected on the ground, each corner and sideline center nonument consists of a wooden post at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps—and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 Marriell

- A metal post or a durable plastic pipe is also authorized. If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter. Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches. Where the land has been surveyed by the Gmited States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the enercise of due diligence, the description must be fited by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the termship and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

RECORDED AT THE REQUEST OF A1 50

1072 00 MMO 55

WHEN RECORDED RETURN TO: BHF-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 80165-0479

FORM 4/4

CERTIFICATE OF LOCATION LODE HINING CLAIM

1286GZ

TSN 017 Lode Hining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the __20th __ day of __May ____, 19 _89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ______ #17

in the Eastern 1 of Section 35 , T. 19 N ., R. 49 E ., M.D.M., and

___, T.______, R.______, H.D.M., in the of Section

Unknown Mining District, <u>Dureka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an <u>Westerly</u> direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

•	minment 12	92 10110e2.							- 10
			MAFK I	NGS O	N ME	TAI	TAG	4.0	
	MUNIMENT	- N			٧.		POS	ITION	
	Post No.	1	Marked	Post	No.	1	NE.	Corner TSH 0 17	
	Post No.	3	Marked	Fost	No.	2	SE	Corner TSH 0 17	J.
	Post No.	3	Marked	Post	No.	3	S	Side Center TSH	8 17
	Post No.	8	Marked	Fost	No.	4	SH	Corner TSH 0 17	
	Fost No.	5	Marked	Post	No.	5	NW	Corner TSH 0 17	<u> </u>
	Post No.	6	Marked	Post	No.	6	N	Side Center TSH	٠.17

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 31 inches in diameter by 4 feet in length set one foot in the ground and is marked as rost at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The communentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of Hav BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479

- 1/ A metal post or a durable plastic pipe is also authorized.
 2/ If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.
 3/ Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches.
 3/ Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

Tikener

NHEN RECORDED RETURN TO: BHP-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

FUPM 4/6

CERTIFICATE OF LOCATION LODE MINING CLAIM

128663

TSH #18 Lode Mining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, _, 19 89 , locate, and claim, and does hereby locate and claim 24th day of May by right of discovery and location, and in compliance with the Mining Laws of the United States the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ____TSH #18

1 of Section 36 , 7. 19 N ., R. 49 E ., N.D.H., and in the West

in the East 1 of Section 35 , T. 19 N ., R. 49 E ., M.D.M., in the

County, State of Nevada. The general course of the lode Mining District, Dureka or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an <u>Easterly</u> direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

	IMACTIOS ON TIETAE TAG
MONUMENT	FOSITION
Post No. 1	Marked Post No. 1 Nd Corner TSH # 18
Post No. 2	Marked Post No. 2 SW Corner TSH # 18
Post No. 3	Marked Post No. 3 S Side Center TSH 0 18
Post No. 4	Marked Post No. 4 SE Corner TSH # 18
Post No. 5	Marked Post No. 5 NE Corner TSH # 18
Post No. 6	Marked Post No. 6 N Side Center TSH # 18

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as post at least 31 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the nonument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.040.

> DATED this 26th day of Hav LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: Р.О. Вол 65479 Salt Lake City, UT 84165-0479 Merries Its Agent

1/ A metal post or a durable plastic pipe is also authorized.
2/ If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.
3/ Posts may also be scribed or marked giving the claim name, Donument number, and position. The claim name must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.
4/ Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the emercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

AN 50

8081200 PAGE 057

WHEN RECORDED RETURN TO: BIP-Utah International Exploration Inc. Salt Lake City, DT 54165-0479

located, the lode mining claim called the TSH #19

CERTIFICATE OF LOCATION LODE HINING CLAIM

128664

TSH #19 Lode Hining Claim This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, 24th day of May _, 19 89 , locate, and clain, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is

in the Northeast 1 of Section 35 , T. 19 N ., R. 49 E ., H.D.M., and

, T. _____, R. ____, M.D.M., in the ___ of Section ____

Unknown Mining District, Dureka County, State of Newada. The general course of the lode or wein as near as can be determined is in a East-Mest direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

• •	HAPKINGS ON HEIAL 123
KONTHENT	POSITION
Post No. 1	Marked Post No. 1 NE Corner TSH # 19
Post No. 2	Marked Post No. 2 SE Corner TSH 0 19
Post No. 3	Harked Post No. 3 S Side Center TSH # 19
Post No. 4	Marked Post No. 4 Sw Corner TSH # 19
Post No. 5	Harked Post No. 5 NB Corner TSH 019
Post No. 6	Marked Post No. 6 N Side Center TSH 019

As erected on the ground, each corner and sideline center monument consists of a wooden at least 33 inches in diameter by 0 feet in length set one foot in the ground and is marked as post at least 33 inches in diameter by 6 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the popument. The monumentation and parking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NDS 517.040. clais Baps

> DATED this 26th day of LOCATOR: PHP-Utah International Exploration Inc. Mailing Address: P.O. Pox 65479 Salt Lake City, UT 84165-0479

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Fosts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where of fictal corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

RECORDED AT THE REQUEST OF 2 Š

EHEN RECORDED RETURN TO: BHP-Utah International Exploration Inc. FORM A/8 Salt Lake City, UT 84165-0479

CERTIFICATE OF LOCATION LODE HINING CLAIM

128665

TSH #20 Lode Mining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 29th day of May ___, 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #20

in the Northeast 1 of Section 35 , T. 19 N ., R. 49 E ., M.D.N.,


in the Northwest 1 of Section 36 , T. 19 N ., R. 49 E ., H.D.M., in the

Unknown Hining District, Eureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-Mest direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows: MADELINGS ON METAL TAG

TOUGHT OF THE TAIL						
KONUMENT	- N		ITION	1 1		
Post No.	1	Marked	Post No.	1 NH	Corner TSH	0 20
Post No.	2	Marked	Post No.	2 SH	Corner TSH	0 20
Post No.	3	Marked	Post No.	3 S	Side Center	TSH # 20
Post No.	9	Marked	Post No.	4 SE	Corner TSH	a 20
Post No.	5	Marked	Post No.	5 NE	Corner TSH	# <u>20</u>
Post No.	6	Harked	Post No.	6 N	Side Center	TSH 8 20

As erected on the ground, each corner and sideline center monument consists of a modern post at least 34 inches in diameter by 4 feet in length set one foot in the ground and is marked as post det least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040. clain sans



- 1/ A metal post or a durable plastic pipe is also authorized.
 2/ If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.
 3/ Posts may also be scribed or marked giving the claim name, monument number, and position. The claim name must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.
 6/ Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the emercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

8 800× 20 - 30 A Internation A11 :50

8083200 PASE 059

WHEN RECORDED RETURN TO: PHIF-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 64165-0479

FORM 4/4

CERTIFICATE OF LOCATION LODE HINING CLAIM

TSH #21 Lode Hining Claim 128666

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of May , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #21

in the Northeast 1 of Section 35 , 7. 19 N ., R. 49 E ., M.D.M.,

___ of Section ___ ___, T. _____., R. ____ ., M.D.H., in the

Unknown Mining District, <u>Dureka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery possess upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a <u>Fasterly</u> direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

	MAPKINGS ON HETAL TAG
MONUMENT	POSITION
Post No. 1	Marked Post No. 1 NE_ Corner TSH # 21
Post No. 2	Marked Post No. 2 SE Corner TSH # 21
Post No. 3	Marked Post No. 3 S Side Center TSH 0 21
Post No. 4	Marked Post No. 4 SH Corner TSH # 21
Post No. 5	Marked Post No. 5 NW Corner TSH 0 21
Post No. 6	Marked Post No. 6 N Side Center TSH # 21

As erected on the ground, each corner and sideline center monument consists of a wooden at least 1; inches in diameter by 4 feet in length set one foot in the ground and is marked as post' at least 3j inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.06G. claim maps

> DATED this 24th day of 19 89

LOCATOR:

BHP-Utah International Exploration Inc.

Mailing Address:

P.C. Box 65479 Salt Lake City, UT 84165-0479

El Merrick Its Agent

A metal post or a durable plastic pipe is also authorized.

If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.

Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Ehere the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without itsitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

809X 2 O O PAGEO 6 O

WHEN RECORDED RETURN TO: EHF-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479 CERTIFICATE OF LOCATION LODE MINING CLAIM 1::8667 Loce Hining Claim This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, 24th day of May , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #22 in the Northwest 1 of Section 36 , T. 19 N ., R. 49 E ., M.D.M., in the Northeast 1 of Section 35 , 7. 19 N ., R. 49 E ., H.D.H., in the

and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface. The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side

or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an <u>Easterly</u> direction

center monument is as follows: MARKINGS ON METAL TAG POSITION Post No. 1 Marked Post No. 1 NH Corner 75H # 22 Post No. 2 Marked Post No. 2 SW Corner TSH 0 22
 Harked Post No. 3
 S
 Side Center
 TSH
 0 22

 Harked Post No. 4
 SE
 Corner
 TSH
 0 22

 Harked Post No. 5
 NE
 Corner
 TSH
 0 22

 Harked Post No. 6
 N
 Side Center
 TSH
 0 22
 Post No. 3 Post No. 4 Post No. 5

Hining District, Dureka

Unknown

Post No. 6

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 31 inches in diameter by 4 feet in length set one foot in the ground and is marked as post at least 3j inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The nonumentation and marking of the to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.040. and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of Hay . 19 89 LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479

County, State of Nevada. The general course of the lode

- A netal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

日本 30

WHEN RECORDED RETURN TO: BHF-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

POPH 4/4

CERTIFICATE OF LOCATION LODE HINING CLAIM

128668

Lode Mining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of Bay , 19 89, locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the filling Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is

in the Northeast 1 of Section 35 , 7. 19 N ., R. 49 E ., M.D.M.,

__ of Section ____ ____, T. ______, R. _____ ., M.D.H., in the

Unknown Mining District, <u>Dureka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Hap recorded herewith. The number, position and markings on each corner or side center monument is as follows:

	MONUMENT	N		PC	SITION	
	Post No. 1	Fla	rked Post	No. 1. NE	Corner TSH	B 23
	Post No. 2	Pla	rked Post	No. 2 SE	Corner TSH	23
	Post No. 3	Ha	rked Post	No. 3 S	Side Center.	TSH 8 23
j	Post No. 4	Ma	rked Post	No. 4 SW	Corner TSH	23
÷	Post No. 5	Ma	rked Post	No. 5 NW	Corner TSH	0 23
'. j	Post No. 6	Na	rked Post	No. 6 N	Side Center	TSH # 23

MAPKINGS ON METAL TAG

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 39 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the sonument. The sonumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040.

> DATED this 28th day of LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation; a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

1- 500 68. 200 投票 3101 062 Š

WHEN RECORDED RETURN TO: BMP-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0679

FORM 4/4

CERTIFICATE OF LOCATION LODE MINING CLAIM

1::8663

Lode Mining Claim TSH #24

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, 24th day of May _, 19 89 , locate, and claim, and does hereby locate and clain by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ___TSH #24

in the Northwest & of Section 36 , T. 19 N ., R. 49 E ., M.D.M., in the Northeast & of Section 35 , 7. 19 N ., R. 49 E ., M.D.M., in the

Unknown Hining District, Bureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-West direction from the discovery ponument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

	MAPKINGS ON PETAL TAG
MONUMENT	POSITION
Post No. 1	Marked Post No. 1 NH Corner TSH #24
Post No. 2	Marked Post No. 2 SW Corner TSH #24
Post No. 3	Marked Post No. 3 S Side Center TSH 024
Post No. 4	Marked Post No. 4 SE Corner TSH #24
Post No. 5	Marked Post No. 5 NE Corner TSH #24
Post No. 6	Marked Post No. 6 N Side Center TSH #24

As erected on the ground, each corner and sideline center monument consists of a wooden at least 31 inches in diameter by 4 feet in length set one foot in the ground and is marked as post at least 3} inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps. and payment of the fees prescribed by NRS 517.040.

> DATED this 26th day of Pay

LOCATOR:

BHP-Utah International Exploration Inc.

Mailing Address:

P.O. Box 65479

Salt Lake City, UT 84165-0879

- 2/

A metal post or a durable plastic pipe is also authorized.

If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.

Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the enercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

_ 2 ななな ğ S.

WHEN RECORDED RETURN TO: BiF-Utah International Exploration Inc. P.O. Box 65479
Salt Lake City, 17 88165-0479

FURM 4/4

CERTIFICATE OF LOCATION LODE MINING CLAIM

128670

TSH #25 Lode Mining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of Hay , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ____TSH #25

in the Southeast 1 of Section 26 , T. 19 N ., R. 49 E ., M.D.M.,

in the Northeast 1 of Section 35 , 7. 19 N ., R. 49 E ., H.D.H., in the

Unknown Mining District, Dureka __ County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the wein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Hap recorded herewith. The number, position and markings on each corner or side center monument is as follows:

1
5
5
25
5
5
ø <u>25</u>

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as post at least 34 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The popularition and marking of the to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of Hay , 19 89

LOCATOR:

BIP-Utah International Exploration Inc. Mailing Address:

P.O. Box 65479

Salt Lake City, UT 84165-0479

If Merrile

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.
- it cust be at least 3 inches in diameter.
 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.
 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identificable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin. 6/

HHEN RECORDED RETURN TO: BHP-Utah International Exploration Inc. FORM 4/4 Salt Lake City, UT 84165-0479 CERTIFICATE OF LOCATION LODE HINING CLAIM 1:28671 TSR 926 Lode Mining Claim This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the ______ day of ______ day of ______ , 19 ____ 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #26

Southwest & 25 19 N 49 E 19 N ., R. 49 E ., N.D.H., Southeast 26 Northwest , T. 19 N ., R. 49 E ., N.D.H., in the Northeast 35 of Section Unknown Hining District, Dureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-best direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterlydirection and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface. The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows: HARKINGS ON METAL TAG MONUMENT POSITION Post No. 1 Marked Post No. 1 NW Corner TSH 926
 Harked Post No. 2
 SN
 Corner TSH
 0.26

 Harked Post No. 3
 S
 Side Center TSH
 0.26

 Harked Post No. 4
 SE
 Corner TSH
 0.26
 Post No. 2 Post No. 3 Post No. 0 Post No. 5 Marked Post No. 5 NE Corner TSH 026 Post No. 6 Harked Post No. 6 N Side Center TSH 026 As erected on the ground, each corner and sideline center monument consists of a woo post at least 33 inches in diameter by 4 feet in length set one foot in the ground and is marked post 1 at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording amplicate and payment of the fees prescribed by NRS 517.040. DATED this __26th day of May , 19 89 LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 A metal post or a durable plastic pipe is also authorized.

If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The of the nonuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches. The size of each sheet must be 24 m 32 inches. The size of each sheet must be connected by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identificial artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin. RECORDED AT THE REQUEST OF De.

9991200 PAGE 065

06 5

O

MHEN RECORDED RETURN TO: BiP-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479 CERTIFICATE OF LOCATION LODE HINING CLAIM 128672 Lode Mining Claim This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of May , 19 89 , locate, and claim, and does bereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the _____TSH #27 in the Northwest 1 of Section 2 , T. 18 N ., R. 49 E ., M.D.M., ___, T. ______, R. ________, M.D.M., in the of Section

> County, State of Nevada. The general course of the lode Mining District, Direka Unknown or vein as near as can be determined is in a East-West direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerlydirection and 50 feet in a Easterly direction from the discovery convocant together with 300 feet on each side of the center of the vein at the surface.

> The position and number of each corner and side line center of this claim is shown on the Hining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

		4.4	MAPK I	NGS O	N ME	IAL	TAG				100
MONUM	ENT	• •	35			74	POS	ITION ·		at the sile	
Post	No.	3	Harked	Post	No.	1	NE	Corner	TSH	9 27	
Post	No.	?	Marked	Post	No.	2	SE	Corper	TSH	e 27	- /
Post	No.	3 .	Harked	Post	No.	3	s	Side Ce	nter	TSH 0	27
Post	No.	\$	 Marked	Post	No.	4	SH	Corner	TSH	# 27	p.
Post	No.	3	Marked	Post	No.	5	NH	Corner	TSH	8 27	
Post	No.	5	 Harked	Post	No.	6	N	Side Ce	nter	TSH #	27

As erected on the ground, each corner and sideline center monument consists of a woods at least 31 inches in diameter by 6 feet in length set one foot in the ground and is marked a post at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040. clain maps

> DATED this 24th day of 19 89 LOCATOR: BHP-Utab International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0679 Its Agent

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim name must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has most been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

 Q_{Ξ} PAGE 8

WHEN RECORDED RETURN TO: BUP-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

FORM 4/6

CERTIFICATE OF LOCATION

128673

Lode Mining Claim TSH #28

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, 24th day of May , 19 69 , locate, and clain, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is TSH # 28 located, the lode mining claim called the

1 of Section 2 , T. 18 N ., R. 49 E ., M.D.M., in the North

_____ of Section _____, T. _____., R. ____ _____., M.D.M., in the

Mining District, Dureka County, State of Nevada. The general course of the lode Unknown or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1650 feet in an <u>East-crly</u> direction and 50 feet in a Westerly direction from the discovery comment together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

	PARATINOS (A CILIAL ING	
PONUMENT		POSITION	
Post No. 1	Marked Post	No. 1 NW Corner	TSH 9 28
Post No. 2	Marked Post	No. 2 SH Corner	TSH # 28
Post No. 3	Marked Post	L No. 3 S Side Co	nter TSH # 28
Post No. 4	Marked Post	No. 4 SE Corner	TSH # 28
Post No. 5	Harked Post	No. 5 NE Corner	TSH # 28
Post No. 6	Marked Post	No. 6 N Side Co	nter TSH 0 28

As erected on the ground, each corner and sideline center materials at least 34 inches in diameter by 4 feet in length set one foot in post 1 at least 31 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps, and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of

LOCATOR:

BHP-Utah International Exploration Inc.

Mailing Address:

P.O. Box 65479

Salt Lake City, UT 84165-0479

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of houndary monuments. The size of each sheet must be 26 x 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Mhere the land has not been surveyed by the United States or where official corners cannot be found through the emercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation; a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

RECORDED AT THE REDUEST OF

BOCK 200 PAGE OG 7

BHD-Utal Briteri 2 Š 630

SHEN RECORDED RETURN TO: BHF-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0679

FORM 4/8

CERTIFICATE OF LOCATION LODE HINING CLAIM

1::3674

TSH #29 Lode Mining Claim

This is to certify that BHP-Utah International Exploration inc., a Delaware corporation, did on the 24th day of Pay , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ______TSH #29

in the Northwest 1 of Section 2 , T. 18 N ., R. 49 E ., M.D.M.,

_ of Section ____ ____, T. ______, R. _____ ., M.D.M., in the

Hining District, Dureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-Hest</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an <u>Westerly</u> direction and 50 feet in a <u>Fisterly</u> direction from the discovery monument together with 300 feet on each side of the center of the well at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

	The state of the s	PAPRINGS ON HETAL TAG	
•	MONUMENT	POSITION	
÷	Post No. 1	Marked Post No. 1 NE Corner TSH	a 29
	Post No. 2	Marked Post No. 2 SE Corner TSH	9 29
	Post No. 3	Harked Post No. 3 S Side Center	TSH # 29
	Post No. 4	Marked Post No. 4 SH Corner TSH	0 29
	Post No. 5	Marked Post No. 5 MM Corner TSH	p 29
	Post No. 6	Marked Post No. 6 N Side Center	TSH # 29

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3½ inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate clain naps and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of , 19 89 Play

LOCATOR: BHP-Utah International Exploration Inc.

Mailing Address: P.O. Box 65479

Salt Lake City, UT 84165-0479

It Mexuell Its Agent

- 1/ A metal post or a durable plastic pipe is also authorized.
 2/ If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.
 3/ Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.
 4/ Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

000 A1 :50 Ø g

CERTIFICATE OF LOCATION LODE HINING CLAIM

128675

Lode Mining Claim 7SH # 30

This is to certify that Biff-Utab International Exploration Inc., a Delaware corporation, 24th day of May _, 19 _89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ____TSH #30_

1 of Section 2 , 7. 18 N ., R. 49 E ., M.D.M., and in the North

of Section _

County, State of Nevada. The general course of the lode Mining District, Dureka or vein as near as can be determined is in a East-West _ direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Hap recorded herewith. The number, position and markings on each corner or side center conument is as follows:

	- 1 × 1	100	LANGE I	MAD CHE !	Trans.	. 440		
	KONUMENT	N.		7%		POS	TION	
	Post No.	1	Harted	Post W	o. 1	NH	Corner TSH # 30	
	Post No.	2	Marked	Post No	0. 2	รพ	Corner TSH \$ 30	
	Post No.	3	Marked	Post N	o. 3	S	Side Center TSH 9 30	
ž	Post No.	4	Marked	Post No	0. 4	SE	Corner TSH 8 30	
	Post No.	5	Marked	Post N	o. 5	NE	Corner TSH 8 30	
	Post No.	6	Harked	Post M	o. 6	N	Side Center TSH 8 30	

As erected on the ground, each corner and sideline center monument consists of a wooden at least 3; inches in diameter by 4 feet in length set one foot in the ground and is marked as post at least 3} inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of May LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0679 Its Agent

- A netal post or a durable plastic pipe is also authorized.

 If petal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches.

 There is an a distances to an official corner of the public land survey. Where the land has not been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without initiation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

RECORDED AT THE REQUEST OF NG -1 SANTERNA SANTERNA 2 50

3690384 0081009

Salt Lake City, UT 84165-0479

CERTIFICATE OF LOCATION LODE MINING CLAIM

128676

TSH #31 Lode Mining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, , 19 89, locate, and claim, and does hereby locate and claim 24th day of May by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Merada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the _____TSH #31

in the Northwest 1 of Section 2 , T. 18 N ., R. 49 E ., M.D.M., and

_ of Section _

Onknown Hining District, Direka County, State of Nevada. The general course of the lode or wein as near as can be determined is in a East-West direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Hap recorded herewith. The number, position and markings on each corner or side center monument is as follows:

		THURSTON ON TIETAB TAG	
	KONUMENT	POSITION	
٠,	Post No. 1	Marked Post No. 1 NE Corner TSH # 31	
	Post No. 2	Harked Post No. 2 SE Corner TSH 8 31	
	Post No. 3	Harked Post No. 3 S Side Center TSH # 31	
	Post No. 4	Harked Post No. 4 SW Corner TSH # 31	
	Post No. 5	Marked Post No. 5 17H Corner TSH # 31	
	Post No. 6	Harked Post No. 6 N Side Center TSH 0 31	

MERKINGS ON METAL TAG

As erected on the ground, each corner and sideline center not at least 31 inches in diameter by 4 feet in length set one foot in post at least 3; inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and a above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate clais saps and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479

Its Agent

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

≅ ا ర్జ 670 8081200 PAGEO 70 É

CERTIFICATE OF LOCATION LODE MINING CLAIM

TSH #32 Lode Mining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, _, 19 _89 , locate, and claim, and does hereby locate and claim 24th day of May did on the by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ____TSH #32

in the North $\frac{1}{2}$ of Section $\frac{2}{2}$, T. $\frac{18}{N}$, R. $\frac{49}{E}$. H.D.M., and

.. H.D.M., in the of Section in the

Unknown Mining District, Dureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims <u>1450</u> feet in an <u>Easterly</u> direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side ment is as follows:

	Indiana de labrita ind	
HONUHENT	POSITION	
Post No. 1	Marked Post No. 1 NW Corner TSH # 32	
Post No. 2	Harked Post No. 2 SW Corner TSH # 32	
Post No. 3	Marked Post No. 3 S Side Center TSH @ 32	
Post No. 4	Harked Post No. 4 SE Corner TSH 0 32	
Post No. 5	Marked Post No. 5 NE Corner TSH # 32	
Post No. 6	Marked Post No. 6 N Side Center TSH 0 32	

MARKINGS ON METAL TAG

As erected on the ground, each corner and sideline center monument consists of a wooden post" at least is inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0679 Mirrist Its Agent

- A metal post or a durable plastic pipe is also authorized. If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter. Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches. Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

2 Š

P.O. Box 65479 Salt Lake City, UT 84165-0479

CERTIFICATE OF LOCATION LODE MINING CLAIM

128678

TSH #33

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the _24th day of May ___ , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #33

in the Northwest 1 of Section 2 , T. 18 N ., R. 49 E ., H.D.H., and

., H.D.H., in the ____ of Section ___

Unknown Mining District, Direka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-West direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

	MAFRINGS ON METAL TAG
HONUMENT	POSITION
Post No. 1	Marked Post No. 1 NE Corner TSH 933
Post No. 2	Marked Fost No. 2 SE Corner TSH # 33
Post No. 3	Marked Post No. 3 S Side Center TSH 0 33
Post No. 4	Marked Post No. 4 SW Corner TSH # 33
Post No. 5	Marked Post No. 5 NW Corner TSH # 33
Post No. 6	Marked Post No. 6 N Side Center TSH # 33

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3) inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate clais Baps and payment of the fees prescribed by NRS 517.040.

DATED this 24th day of _

LOCATOR:

BHP-Utah International Exploration Inc.

Mailing Address:

P.O. Box 65679 Salt Lake City, UT 84165-0079

Its Agent

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts nay also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

. (200 2 16072 1001200 ASE072

CERTIFICATE OF LOCATION LODE HINING CLAIM

128679

TSH # 34 Lode Mining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of Hay , 19 89, locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States , 19 89, locate, and claim, and does hereby locate and claim and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ____TSH #34_

in the of Section

Unknown Hining District, Dureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-West direction from the discovery conument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

1 11	HARKINGS ON METAL TAG	
MONUMENT	POSITION	1.5
Fost No. 1	Marked Post No. 1 NW Corner TSH 934	
Post No. 2	Marked Post No. 2 SH Corner TSH #34	
Post No. 3	Marked Post No. 3 S Side Center TSH #34	<u>. </u>
Fost No. 4	Marked Post No. 4 SE Corner TSH #34	
Post No. 5	Marked Post No. 5 NE Corner TSH #34	
Post No. 6	Marked Post No. 6 N Side Center TSH #34	

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3j inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040. Claim mans

> DATED this 24th day of May . 19 89 .

> > BHP-Utah International Exploration Inc. Mailing Address:

P.O. Box 65479 Salt Lake City, UT 84165-0479

A metal post or a durable plastic pipe is also authorized.

If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

It must be at least 3 inches in diameter.

Posts may also be scribed or marked giving the claim name, monument number, and position. The
claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position
of the monuments in relation to each other and establishes numbers of boundary monuments. The
size of each sheet must be 28 m 32 inches.

Where the land has been surveyed by the United States, the description must be connected by
corners and distances to an official corner of the public land survey. Where the land has not
been surveyed by the United States or where official corners cannot be found through the enercise
of due diligence, the description must be tied by courses and distances to a natural landmark or a
readily identifiable artificial landmark which is customarily shown on a map, including, without
limitation, a bench mark or the point at which two roads intersect. The description must also
state the township and range, and where the lands are surveyed lands the quarter section and
section in which the landmark and mining claims are situated must begin.

200

BHEN RECORDED RETURN TO: BMP-Utah International Exploration Inc. P.O. Boπ 65479 Salt Lake City, UT 84165-0479

FORM 4/4

CERTIFICATE OF LOCATION LODE MINING CLAIM

128630

TSH #35 Lode Mining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of May , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the _____TSH #35

in the Southwest 1 of Section 35 , T. 19 N ., R. 49 E ., H.D.M., and

.. H.D.H., in the in the of Section

County, State of Nevada. The general course of the lode Unknown Mining District, Dureka or vein as near as can be determined is in a East-West direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Hap recorded herewith. The number, position and markings on each corner or side center monument is as follows:

		1 10	MARKINGS ON	MEIAL TAG		
	MONUMENT	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		POS	ITION	
	Post No.	1 .	Marked Post	No. 1 NE	Corner TSH # 35	
	Post No.	2	Marked Post	No. 2 SE	Corner TSH 0 35	
	Post No.	3	Harked Post	No. 3 S	Side Center TSH 0 35	
٠	Post No.	4	Harked Post	No. 4 SH	Corner TSH # 35	
	Post No.	5 ·	Marked Post	No. 5 NW	Corner TSH # 35	۰
	Post No.	6	Marked Post	No. 6 N	Side Center TSH # 35	

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the bonument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040. claim mans

> DATED this 24th day of LOCATOR: BIP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479

- A metal post or a durable plastic pipe is also authorized. If netal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter. Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary nonuments. The size of each sheet must be 24 x 32 inches. Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

_ M1 50 8084200 ASEO74 WHEN RECORDED RETURN TO: BHP-Utah International Exploration Inc.

FORM 4/4

Salt Lake City, UT 84165-0479

CERTIFICATE OF LOCATION LODE HINING CLAIM

123631

TSH # 36 Lode Mining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, , 19 89 , locate, and clain, and does hereby locate and claim did on the 24th day of Hay , 19 89, locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the _____TSH #36

of Section 35 , 7. 19 N ., R. 49 E ., M.D.H., and

., A.D.H., in the of Section in the

Unknown Hining District, <u>Dureka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an <u>East-erly</u> direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

HONUMENT		- N			ъ.		POS	ITION			
Post No.	1		Marked	Post	No.	1	NW	Corner	TSH	₉ 36	
Post No.	2		Marked	Post	No.	2	5H .	Corner	TSH	g 36	
Post No.	3		Marked	Post	No.	3	5	Side Ce	nter	TSH # 3	6
Post No.	4										
Post No.	5										
Post No.	6		Marked	Post	No.	6	N	Side Ce	nter	TSH 8 3	16
	Post No. Post No. Post No. Post No. Post No.	HONUMENT Post No. 1 Post No. 2 Post No. 3 Post No. 4 Post No. 5 Post No. 6	Post No. 1 Post No. 2 Post No. 3 Post No. 4 Post No. 5	Post No. 1 Marked Post No. 2 Marked Post No. 3 Marked Post No. 4 Marked Post No. 5 Marked	Post No. 1 Harked Post No. 2 Marked Post Fost No. 3 Harked Post Post No. 4 Harked Post Post No. 5 Harked Post No. 5 Harked Post No. 5	Post No. 1 Marked Post No. Post No. 2 Marked Post No. Post No. 3 Marked Post No. Post No. 4 Marked Post No. Post No. 5 Marked Post No.	Post No. 1 Marked Post No. 1 Post No. 2 Marked Post No. 2 Post No. 3 Marked Post No. 3 Post No. 4 Harked Post No. 4 Post No. 5 Marked Post No. 5	Post No. 1 Marked Post No. 1 NW Post No. 2 Narked Post No. 2 5H Post No. 3 Marked Post No. 3 5 Post No. 4 Harked Post No. 4 SE Post No. 5 Harked Post No. 5 NE	Post No. 1 Marked Post No. 1 NW Corner Post No. 2 Marked Post No. 2 SH Corner Post No. 3 Marked Post No. 3 S Side Corner Post No. 4 Harked Post No. 4 SE Corner Post No. 5 Harked Post No. 5 NE Corner	Post No. 1 Marked Post No. 1 NW Corner TSW Post No. 2 Marked Post No. 2 5H Corner TSH Post No. 3 Marked Post No. 3 S Side Center Post No. 4 Harked Post No. 4 SE Corner TSH Post No. 5 Harked Post No. 5 NE Corner TSH	Post No. 1 Marked Post No. 1 NW Corner TSW 9 36 Post No. 2 Marked Post No. 2 SH Corner TSH 8 36 Post No. 3 Marked Post No. 3 S Side Center TSH 6 3 Post No. 4 Harked Post No. 4 SE Corner TSH 6 36 Post No. 5 Marked Post No. 5 NE Corner TSH 0 36

MADEINGS ON META! TAG

As erected on the ground, each corner and sideline center nonument consists of a wooden post" at least 34 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the nonument. The commentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040. claim maps

> DATED this 24th day of I OCATOR . BHP-Utah International Exploration Inc. Hailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479

A metal post or a durable plastic pipe is also authorized.

If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

Posts may also be scribed or marked giving the claim name, monument number, and position. The claim nam must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches. Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

11.51 11.51 8004200 PAGEO 750

MHEN RECORDED RETURN TO: Reff-Utah International Diploration Inc. P.O. Box 65879
Salt Lake City, UT 84165-0479

FORM 4/6

CERTIFICATE OF LOCATION

128682

Lode Hining Claim This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation,

did on the 24th day of Nay , 19 89, locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #37

in the Southwest 1 of Section 35 , P. 19 N ., R. 49 E ., H.D.H.,

__., M.D.M., in the in the of Section

Unknown Mining District, Dureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-Nest</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Hap recorded herewith. The number, position and markings on each corner or side ment is as follows:

5		MARKINGS ON HEIAL IAG
HONUMENT		POSITION
Post No. 1	* -,	Harned Post No. 1 NE Corner TSH 637
Post No. 2		Marked Post No. 2 SE Corner TSH #37
Post No. 3		Marked Fost No. 3 S Side Center TSH \$37
Post No. 4		Harked Post No. 4 SW Corner TSH 837
Post No. 5		Harked Post No. 5 NH Corner TSH #37
Post No. 6	· .	Marked Post No. 6 N Side Center TSH #37

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 31 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040. claim maps

> DATED this 26th day of May LOCATOR: BiP-Utah International Exploration Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, wonument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

FAGEO7 151

800K200 PAGE 076

WHEN RECORDED RETURN TO: BHF-Utah International Employation Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479 FORM 4/4 CERTIFICATE OF LOCATION LODE MINING CLAIM 128683 TSH # 38 Lode Mining Claim This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 28th day of Eay , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Revada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #38 in the South 9 of Section 35 , T. 19 N ., R. 49 E ., M.D.H., __ of Section ____ Unknown Hining District, Dureka County, State of Novada. The general course of the lode or vein as near as can be determined is in a East-Nest direction from the discovery nonument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery nonument together with 300 feet on each side of the center of the vein at the surface. The position and number of each corner and side line center of this claim is shown on the Hining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows: MARKINGS ON METAL TAG MONUMENT POSITION Marked Post No. 1 NM Corner TSH 9 38
Marked Post No. 2 SM Corner TSH 9 38 Post No. 1 Post No. 2
 Harked Post No. 3
 S
 Side Center
 TSH
 6
 38

 Parked Post No. 6
 SE
 Corner
 TSH
 6
 38

 Harked Post No. 5
 NE
 Corner
 TSH
 0
 38

 Harked Post No. 6
 N
 Side Center
 TSH
 0
 38
 Post No. 3 Post No. 4 Post No. 5 Post No. 6 As erected on the ground, each corner and sideline center monument consists of a wooden at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as post at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040. elain-mane DATED this 24th day of May LOCATOR: BHF-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 If Merrile A metal post or a durable plastic pipe is also authorized.

If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

Fosts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the nonuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches.

Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the emercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin. RECORDED AT THE REDUEST O

BOWK 200 FAGE O

BHP-Utah II EUREKA COUNTY, NEV M.N. REBALEATT, NEV 88 E 2 Ġ 0 866X200 PAGE07

WHEN RECORDED RETURN TO: BMP-Utah International Exploration Inc.

P.O. Box 65479 Salt Lake City, UT 84165-0479

CERTIFICATE OF LOCATION LODE MINING CLAIM

128681

Lode Hining Claim TSH #39

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of May , 19 89, locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #39

in the Southwest 1 of Section 35 , P. 19 N ., R. 49 E ., M.D.M., and

of Section

Unknown Mining District, <u>Dureka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows: MAPKINGS ON METAL TAG

	and the second second	PAPETINGS OF RETAIL THIS
	MONUMENT	POSITION
**	Post No. 1	Marked Post No. 1 NE Corner TSH # 39
	Post No. 2	Marked Post No. 2 SE Corner TSH # 39
	Post No. 3	Marked Post No. 3 S Side Center TSH # 39
	Post No. 4	Marked Post No. 4 SW Corner TSH # 39
	Post No. 5	Marked Post No. 5 NH Corner TSH 0 39
	Post No. 6	Harked Post No. 6 N Side Center TSH 0 39

As erected on the ground, each corner and sideline center accurant consists of a wooden post at least 31 inches in diameter by 4 feet in length set one foot in the ground and is marked as post at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marked as above-described consent. above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of . 19 89 . May LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 86165-0879 Merrill

- A metal post or a durable plastic pipe is also authorized.

 If cetal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the nonuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches.

 There the land has been surveyed by the United States, the description must be commected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

WHEN RECORDED RETURN TO: BIG-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

TSH #40

CERTIFICATE OF LOCATION LODE HINING CLAIR

Lode Hining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of Bay , 19 89, locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #40

1 of Section 35 , 7. 19 N ., R. 49 E ., M.D.H.,

in the of Section _____, T. _____, R. _____, M.D.M., in the

Unknown Hining District, <u>Dureka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center conument is as follows: MADEINGS ON METAL TAG

and the second s	THE STATE OF THE S						
MONUMENT	POSITION						
Post No. 1	Harked Post No. 1 NW Corner TSH # 40						
Post No. 2	Marked Post No. 2 SW Corner TSH #40						
Post No. 3	Marked Post No. 3 S Side Center TSH #40						
Post No. 8	Marked Post No. 4 SE Corner TSH #40						
Post No. 5	Marked Post No. 5 NE Corner TSH #40						
Post No. 6	Marked Post No. 6 N Side Center TSH # 40						

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3½ inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate clais maps and payment of the fees prescribed by NRS 517.040.

> DATED this 24th May day of 19 89 LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-C479

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 26 m 23 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

To knot 11 51

BC#200 MSE079

WHEN RECORDED RETURN TO: BMP-Utah International Exploration Inc. FORM 4/4 P.O. Box 65479 Salt Lake City, UT 84165-0479 128686 CERTIFICATE OF LOCATION LODE HINING CLAIM TSH #41 Lode Hining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of May __, 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #41

in the Southwest 1 of Section 35 , T. 19 N ., R. 49 E ., M.D.H.,

____, T. ______, R. _ of Section ., M.D.H., in the

Unknown Hining District, Direka County, State of Nevada. The general course of the lode or wein as near as can be determined is in a East-West direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows: MARKINGS ON METAL TAG

	IDENTINGS ON HEINE THE
KONUMENT	POSITION
Post No. 1	Marked Post No. 1 NE Corner TSH #41
Post No. 2	Marked Post No. 2 SE Corner TSH #41
Post No. 3	Marked Post No. 3 S Side Center TSH #41
Post No. 4	Marked Post No. 6 SW Corner TSH #41
Post No. 5	Marked Post No. 5 NW Corner TSH #41
Post No. 6	Marked Post No. 6 N Side Center TSH #41

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3% inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040.

> DATED this 24th Hay

LOCATOR:

BHP-Utah International Exploration Inc.

Mailing Address:

P.O. Box 65479 Salt Lake City, UT 84165-0479

Its Agent

A metal post or a durable plastic pipe is also authorized.

If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The

of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches. Here the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

1867200 ASE080 6

FIRM 8/4

HHEN RECORDED RETURN TO: BUP-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

128687

CERTIFICATE OF LOCATION LODE MINING CLAIR

TSH #42

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, 24th day of May , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #42

of Section 35 , T. 19 N ., R. 49 E ., H.D.M.,

., H.D.M., in the

Unknown Mining District, Eureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-West direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

MARKINGS ON METAL TAG POSITION MONUMENT Post No. 1 Marked Post No. 1 NW Corner TSH 9 42 Marked Post No. 2 SW Corner TSH 942 Post No. 2
 Marked Post No. 3
 S
 Side Center
 TSH
 6.42

 Marked Post No. 4
 SE
 Corner
 TSH
 0.42

 Harked Post No. 5
 NE
 Corner
 TSH
 0.42
 Post No. 3 Post No. 4 Post No. 5 Marked Post No. 6 N Side Center TSH 0 42 Post No. 6

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040.

> Hay DATED this 24th day of LOCATOR: BHP-Utah International Exploration Mailing Address: P.O. Bon 65479 Salt Lake City, UT 84165-0479

- A metal post or a durable plastic pipe is also authorized. If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter. Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches. Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the emercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

000K 200 E **8** 3 胡喜

180344 0 0 SE08

WHEN RECORDED RETURN TO: BMP-Utah International Exploration Inc. P.O. Box 65479
Salt Lake City, UT 84165-0479

FORM 6/4

CERTIFICATE OF LOCATION LODE HINING CLAIM

Lode Mining Claim TSH #43

128688

This is to certify that BHP-Utah International Diploration Inc., a Delaware corporation, 24th day of Hay , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the _____TSH #43

1 of Section 35 , 7. 19 N ., R. 49 E ., N.D.M., in the West

_____ of Section ______, Y. _________, R. _________, H.D.H., in the

Hining District, Direka ... County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East West</u> direction from the discovery nonument upon which the Notice of Location is posted. The undersigned claims <u>1850</u> feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

4.1		DARAINGS (ON HEIAL ING		
MONUMENT			POS	ITION	:
Post No. 1	l .	Marked Post	t No. 1 NE	Corner TSH	043
Post No. 2)	Marked Post	t No. 2 SE	Corner TSH	e 43
Post No. 3	3	Marked Post	t No. 3 S	Side Center	TSH 043
Post No. 4	3	Marked Post	t No. 4 5W	Corner TSH	043
Post No. 5	5	Marked Fost	t No. 5 NH	Corner TSH	043
Post No. 6	5	Marked Post	t No. 6 N	Side Center	TSH #43

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3½ inches in diameter by 8 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of 19 89

LOCATOR:

BHP-Utah International Exploration Inc.

Mailing Address:

P.O. Box 65679

Salt Lake City, UT 84165-0479

Its Agent

A metal post or a durable plastic pipe is also authorized. If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter. Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches. Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the emercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

1 15. LE 8 1001280 MSE082 &

WHEN RECORDED RETURN TO: BUF-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

FORM 4/8

CERTIFICATE OF LOCATION LODE MINING CLAIM

128689

TSH #44 Lode Mining Claim

This is to certify that BHP-Utah International Emploration Inc., a Delaware corporation, did on the 28th day of May , 19 89, locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #44

of Section 35 , T. 19 N ., R. 49 E ., H.D.H., and in the Center

, T. _____, R. _____, M.D.M., in the of Section in the

Unknown Mining District, Eureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-Nest direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center conveent is as follows:

			Industration of			
	MONUMENT		76	POS	ITION	
	Post No.	1	Harked Post	No. 1 NW	Corner TSH	0 44
	Post No.	2	Marked Post	No. 2 SH	Corner TSH	8 44
:	Post No.	3	Marked Post	No. 3 S	Side Center	TSH # 44
,	Post No.	4	Marked Post	No. 4 SE	Corner TSH	8 44
	Post No.	5	Marked Post	No. 5 NE	Corner TSH	6 44
•	Post No.		Marked Post	No. 6 N	Side Center	TSH 8 44

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 33 inches in diameter by 4 feet in length set one foot in the ground and is marked as post at least 3; inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The manufacturation above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of May LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 80165-047

- A metal post or a durable plastic pipe is also authorized. If petal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter. Posts may also be scribed or marked giving the claim name, monument number, and position. The claim mam must be at a scale of not less than 500 feet to the inch, which sets forth the position of the convents in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 28 x 32 inches. Where the land has been surveyed by the United States, the description must be commected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

AUG -1 A 5 WHEN RECOPDED RETURN TO: BHP-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

FORM 4/4

CEPTIFICATE OF LOCATION
LODE HINING CLAIM

123630

TSH #45 Lode Hining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, _, 19 89 , locate, and claim, and does hereby locate and claim did on the 24th day of May by right of discovery and location, and in compliance with the Rining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the _____TSH #45_

in the Northwest 1 of Section 35 , T. 19 N ., R. 49 E ., M.D.H., and

___, T. _____, R. _ ____, H.D.M., in the of Section

Unknown Mining District, <u>Dureka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1850 feet in an <u>Westerly</u> direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Hap recorded herewith. The number, position and markings on each corner or side center monument is as follows:

		MARKINGS ON METAL TAG
PONUMENT	- 3	POSITION
Post No.	1	Marked Post No. 1 NE Corner TSH 845
Post No.	2	Marked Post No. 2 SE Corner TSH 845
Post No.	3	Marked Post No. 3 S Side Center TSH #45
Post No.	4	Marked Post No. 4 SM Corner TSH 045
Post No.	5	Marked Post No. 5 NH Corner TSH 045
Post No.	6	Marked Post No. 6 N Side Center TSH #45

As erected on the ground, each corner and sideline center nonument consists of a wooden post at least 32 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of anking and recording duplicate and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of May . 19 89 LOCATOR: BHP-Utah International Exploration Inc. Mailing Address:

P.O. Bon 65479 Salt Lake City, UT 64165-0479

- A metal post or a durable plastic pipe is also authorized. If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter. Posts may also be scribed or marked giving the claim name, monument number, and position. The claim name must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin. 4/

P. 51 0 WHEN RECORDED RETURN TO: BHF-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 88165-0479

FORM 4/4

CERTIFICATE OF LOCATION LODE MINING CLAIM

#46 Loce Mining Claim 128691

This is to certify that EMP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of Hay , 19 89, locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ____TSH #46

in the North of Section 35 , T. 19 N ., R. 49 E ., H.D.M.,

of Section _____, T. ______, R. ______, M.D.M., in the

Unknown Hining District, <u>Dureka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an <u>East-erly</u> direction and 50 feet in a biesterly direction from the discovery monument together with 300 feet on each side of the center of the wein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Hap recorded berewith. The number, position and markings on each corner or side MARKINGS ON METAL TAG

and the second second second second				764	HARRINGS ON HEIRE ING
•	MONUMENT			- 1	POSITION
	Post No.	1	:		Harked Post No. 1 NW Corner TSH 9 46
	Post No.	2.			Harked Post No. 2 SW Corner TSH # 46
	Post No.	3			Harked Post No. 3 5 Side Center TSH # 46
	Post No.	4			Harked Post No. 4 SE Corner TSH # 46
	Post No.	5			Harked Post No. 5 NE Corner TSH 0 46
	Post No.	6			Marked Post No. 6 N Side Center TSH # 46

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 33 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tog attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of , 19 89 Hay

LOCATOR:

BHP-Utah International Exploration Inc.

Mailing Address:

P.O. Box 65479 Salt Lake City, UT 84165-0479

Merrit

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 28 m 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the enercise of the diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

RECORDED AT THE REQUEST OF BOOK 200 PAGE OF THE BHP - W + Bh The S . 2 Ú

EMEN RECORDED PETURN TO: RHF-Utah International Exploration Inc.
P.O. Box 65479
Salt Lake City, UT 86165-6479

FORM 4/4

CERTIFICATE OF LOCATION LODE MINING CLAIM

TSH \$47 Lode Hining Claim 128692

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the __20th __day of __Nay ____, 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ____TSH #47

in the Northeast 1 of Section 35 , T. 19 N ., R. 49 E ., M.D.H.,

____ of Section ____ ____, T. _____., R. ____

Unknown Mining District, <u>Direka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an <u>Westerly</u> direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center comment is as follows:

		MARKINGS ON HEIAL IAG
	MONUMENT	POSITION
	Post No. 1	Marked Post No. 1 NE Corner TSH #47
•	Post No. 2	Marked Post No. 2 SE Corner TSH #47
	Post No. 3	Marked Post No. 3 S Side Center TSH #47
	Post No. 4	Harked Post No. 4 SH Corner TSH 847
	Post No. 5	Marked Post No. 5 NH Corner TSH 047
	Post No. 6	Marked Post No. 6 N Side Center TSH #47

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3½ inches in diameter by 6 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corpers and sideline centers on the ground was completed within 60 days from the date of posting the Rotice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040. claim maps

> DATED this 24th day of May LOCATOR: BHP-Utah International Exploration Inc. Hailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479

Its Agent

- 1/ A metal post or a durable plastic pipe is also authorized.
 2/ If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.
 3/ Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.
 4/ Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners; cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a beach mark or the point at which is customarily shown on a map, including, without limitation, a beach mark or the point at which two roads intersect. The description must also state the tormship and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

AT THE REQUEST OF 2 Š 280

FORM 4/4

CERTIFICATE OF LOCATION LODE HINING CLAIR

TSH #48 Lode Hining Claim

This is to certify that BiP-Utah International Emploration Inc., a Delaware corporation, did on the 24th day of May _, 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ____TSH #48

in the North | 1 of Section | 35 , 7. 19 N ., R. 49 E ., H.D.N.,

., M.D.M., in the of Section

Mining District, Dureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-West direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Hap recorded hercwith. The number, position and markings on each corner or side center monument is as follows:

	-	- 10	DARK I	1000 U	N PLE	IND IN	<u>40</u>			- 10
	PONUMENT	N.			S	I	POSITION	100		100
	Post No. 1	"	Harked	Post	No.	1 N	Corner	TSH	8 48	-1
	Post No. 2	1.00	Marked	Post	No.	2 S	Corner	TSH	8 48	3/
	Post No. 3		Marked	Post	No.	3 S	Side C	enter	TSH	48
٠,	Post No. 4		Marked	Post	No.	4 SI	.Corner	TSH	a 48	
	Post No. 5	2.4	Marked	Post	No.	5 N	Corner	TSH.	p 48	<u> </u>
	Post No. 6	* * * * * * * * * * * * * * * * * * *	Marked	Post	No.	6 N	Side C	enter	TSH	8 <u>48</u>

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3 inches in diameter by 6 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Pox 65479 Salt Lake City, UT 84165-0479

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.
- Size of each sheet must be 24 x 32 inches. Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

8001200 MBE087

WHEN RECORDED RETURN TO: BMP-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

CERTIFICATE OF LOCATION LODE MINING CLAIM

TSH #49 Lode Mining Claim

#49 Lode Mining Clain
This is to certify that BHP-Utah International Emploration inc., d Delaware corporation, did on the 24th day of May , 19 89, locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ______TSH #49

in the Northwest 1 of Section 35 , T. 19 N ., R. 49 E ., M.D.H., and

___, T. ____ , R. ___ ., M.D.M., in the

Unknown Mining District, <u>Dureka</u> County, State of Newada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

	HAFRINGS ON RETAL TAG
HONUMENT	POSITION
Post No. 1	Marked Post No. 1 NE Corner TSH # 49
Post No. 2	Marked Post No. 2 SE Corner TSH 8 49
Post No. 3	Marked Post No. 3 S Side Center TSH #49
Post No. 4	Marked Post No. 4 SH Corner TSH #49
Post No. 5	Marked Post No. 5 NW Corner TSH #49
Post No. 6	Marked Post No. 6 N Side Center TSH 049

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 31 inches in diameter by 6 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.040.

> DATED this 26th day of Ray LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: Р.О. Вол 65479 Salt Lake City, UT 84165-0479 Merrick Its Agent

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Fosts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 2d x 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the emercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description sunt also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

IS IN S FAGE 088

BOOK 200 PAGE 088

FORM A/A

CERTIFICATE OF LOCATION LODE MINING CLAIM

128695

TSH #50 Lode Mining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ____TSH #50

1 of Section 35 , 7. 19 N ., R. 49 E ., N.D.H., in the North

of Section _____., R. _____., M.D.M., in the

Unknown Mining District, Dureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-West direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Hap recorded herewith. The number, position and markings on each corner or side center monument is as follows:

. Z	PLACE	NGS O	N PLE	AL.	TAG	
MONUMENT	36.			٧,	POS	ITION
Post No. 1	Marked	Post	No.	1	NH	Corner TSH # 50
Post No. 2	Marked	Post	No.	2	SW	Corner TSH 0 50
Post No. 3	Marked	Post	No.	3	S	Side Center TSH # 50
Post No. 4	 Marked	Post	No.	4	SE	Corner TSH # 50
Post No. 5	 Marked	Post	No.	5	NE	Corner TSH # 50
Post No. 6	 Marked	Post	No.	6	N	Side Center TSH # 50

As erected on the ground, each corner and sideline center post at least 3 inches in diameter by 4 feet in length set one foot ent consists of a wooden post at least 3 inches in diameter by 4 feet in length set one foot in the ground and is parked as described above by an aluminum tag attached to the monument. The monumentation and marking of the to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NPS 517.040. claim maps

> DATED this 24th day of Ray LOCATOR. BHP-Utah International Exploration Inc. Hailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 Its Agent

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the emercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

37, 151 MI 51 BOOK 200 MGE089

WHEN RECORDED RETURN TO: BMP-Utah International Exploration Inc. P.O. Box 65479
Salt Lake City, UT 84165-0479 FORH 4/4

CERTIFICATE OF LOCATION LODE MINING CLAIM

128696

TSH #51 Lode Mining Claim This is to certify that BHP-Utah International Emploration Inc., a Delaware corporation, 24th day of May _, 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #51

in the Northwest 1 of Section 35 , T. 19 N ., R. 49 E ., M.D.M., and

in the Southwest 1 of Section 26 , T. 19 N ., R. 49 E ., M.D.H., in the

Unknown Hining District, <u>Direka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows: MAPKINGS ON METAL TAG

	TECHNOLOGY OF THE TAB
MONUMENT	POSITION
Fost No. 1	Marked Post No. 1 NE Corner TSH #51
Post No. 2	Marked Post No. 2 SE Corner TSH 051
Post No. 3	Harked Post No. 3 S Side Center TSH #51
Post No. 4	Marked Post No. 4 SW Corner TSH 051
Post No. 5	Marked Post No. 5 NW Corner TSH 051
Post No. 6	Marked Post No. 6 N Side Center TSH 051

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.000. and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of May LOCATOR: BHP-Utah International Emploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 Its Agent

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a curable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

8 ර 8067200 PASE 090

WHEN RECORDED RETURN TO: BHP-Utah International Exploration Inc. Salt Lake City, UT 84165-0479

FCRM 4/4

CERTIFICATE OF LOCATION LODE HINING CLAIM

128697

Lode Hining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of Hay , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ____TSH #52

1 of Section 26 , T. 19 N ., R. 49 E ., M.D.N.,

of Section 35 , T. 19 N ., R. 49 E ., M.D.H., in the in the North

Unknown Mining District, Dureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-West direction from the discovery consument upon which the Notice of Location is posted. The undersigned claims 1650 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Hap recorded herewith. The number, position and markings on each corner or side center monument is as follows:

	MAPKINGS ON METAL TAG
MONUMENT	POSITION
Post No. 1	Marked Post No. 1 NM Corner TSH 8 52
Post No. 2	Marked Post No. 2 SM Corner TSH 8 52
Post No. 3	Marked Post No. 3 S Side Center TSH # 52
Post No. 4	Marked Post No. 4 SE Corner TSH 8 52
Post No. 5	Marked Post No. 5 NE Corner TSH 8 52
Post No. 6	Marked Post No. 6 N Side Center TSH 8 52

post at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the ponument. The manuscribed corners and the set of the ponument. to the conument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate clain maps and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of LOCATOR: BHP-Utah International Exploration Hailing Address: P.O. Bon 65479 Salt Lake City, UT 84165-047 Its Agent

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the emercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

Superior Of 2 ů

BRON 200 PAGE 09 1

FORM 4/4

CERTIFICATE OF LOCATION

Lode Hining Claim

128638

25H #53 This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, 24th day of May _, 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #53

1 of Section 36 , T. 19 N ., R. 49 E ., M.D.H., in the of Section _

___, %. ______., R. __ ., M.D.M., in the Unknown Mining District, Dureka County, State of Nevada. The general course of the lode or vein as near as can be determined is in a East-West direction from the discovery comment upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Westerly direction

and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface. The position and number of each corner and side line center of this claim is shown on

the Mining Claim Map recorded herewith. The number, position and markings on each corner or side ent is as follows:

MAPKINGS ON HETAL TAG THEFTER POSITION Post No. 1 Marked Post No. 1 NE Corner TSH #53 Harked Post No. 2 SE Corner TSH #53
Harked Post No. 3 S Side Center TSH #53 Post Wa P Post No. 3 Post No. 8 Harked Post No. 4 Sa Corner TSH #53 Post No. 5 Marked Post No. 5 Ni Corner TSH 053 Post No. 6 Marked Post No. 6 N Side Center TSH #53

As exected on the ground, each corner and sideline center monument consists of a wooden post at least 35 inches in diameter by 4 feet in length set one foot in the ground and is marked as post at least 33 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the nonument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.040. and payment of the fees prescribed by NRS 517.040.

> LOCATOR: DATED this 24th day of BHP-Utah International Exploration Inc Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-047

A metal post or a durable plastic pipe is also authorized.

If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 126 m 32 inches.

Shere the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due dilipence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the foundary and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

0 **E** 5 . Š B0012 0 0 PAGE 0 9 2

SHEN PECORDED RETURN TO: BIP-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

FORM A/A

CERTIFICATE OF LOCATION 128639

TSH #54 Lode Mining Claim

This is to certify that EMP-Utah International Exploration Inc., a Delaware corporation, did on the 28th day of May , 19 89, locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the _____TSH #54

in the Southeast 1 of Section 36 , T. 19 N ., R. 49 E ., H.D.M., and

of Section

Unknown Hining District, Dureka County, State of Nevada. The general course of the lode or wein as near as can be determined is in a East-West direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an Easterly direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

	HARKINGS ON METAL TAG
MONUFIENT	POSITION
Post No. 1	Marked Post No. 1 NW Corner TSH # 54
Post No. 2	Marked Post No. 2 SW Corner TSH 8 54
Post No. 3	Marked Post No. 3 S Side Center TSH 0 54
Post No. 4	Marked Post No. 4 SE Corner TSH # 54
Post No. 5	Marked Post No. 5 NE Corner TSH 8 54
Post No. 6	Marked Post No. 6 N Side Center TSH # 54

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.040. and payment of the fees prescribed by NRS 517.040.

> DATED this 26th Hay LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 Its Agent

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a Curable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 x 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the emercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

SHEN RECORDED RETURN TO: BHP-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 86165-0679

FORM 4/4

CERTIFICATE OF LOCATION LODE HINING CLAIM

TSN 055

128700

Lode Mining Claim This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of Hay , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is

1 of Section 36 , T. 19 N ., R. 49 E ., M.D.H., in the South

__ of Section _ ___, T. ____ ., R. ___., H.D.H., in the

Unknown Mining District, <u>Dureka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery comment upon which the Notice of Location is posted. The undersigned claims 1450 feet in an <u>Westerly</u> direction and 50 feet in a North-New Location is posted. Mining District, <u>Dureka</u> and 50 feet in a Northerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

		THAT THES ON HELAL TAG	
	HONUMENT	POSITION	
	Post No. 1	Marked Post No. 1 NE Corner TSH #55	
	Post No. 2	Marked Post No. 2 SE Corner TSH #55	
	Post No. 3	Marked Post No. 3 S Side Center TSH # 55	
	Post No. 4	Marked Post No. 4 SH Corner TSH 055	
٠.	Post No. 5	Marked Post No. 5 NH Corner TSH #55	
	Post No. 6	Marked Post No. 6 N Side Center TSH #55	

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 39 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps, and payment of the fees prescribed by NRS 517.040. and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of 19 89 LOCATOR: BHP-Utah International Exploration Inc. Hailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479

> > 'Its Agent

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim aap must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey, where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

WHEN RECORDED RETURN TO: BHP-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

FURM 8/4

CERTIFICATE OF LOCATION LODE HINING CLAIM

128701

7SH #56 Lode Hining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of May , 19 89, locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #56

in the Southeast 1 of Section 36 , 7. 19 N ., R. 49 E ., H.D.H.,

of Section

Unknown Mining District, <u>Dureka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery comment upon which the Notice of Location is posted. The undersigned claims 1450 feet in an <u>East-rly</u> direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Hap recorded herewith. The number, position and markings on each corner or side center monument is as follows: HARKINGS ON METAL TAG

		TENTINGS OF TETAL ING
	PIONUMENT	POSITION
	Post No. 1	Marked Post No. 1 NH Corner TSH # 56
	Post No. 2	Harked Post No. 2 SM Corner TSH # 56
	Post No. 3	Harked Post No. 3 S Side Center TSH # 56
,	Post No. 4	Marked Post No. 4 SE Corner TSH # 56
	Post No. 5	Harked Post No. 5 NE Corner TSH # 56
	Post No. 6	Marked Post No. 6 N Side Center TSH # 56

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3j inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim paps and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of May LOCATOR: BIP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 86165-0479

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches.

 Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners and distances to a natural landmark of the durable distances, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

All SI

8001200 MBE095

WHIEN RECORDED RETURN TO: BHF-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

FORH 4/4

CERTIFICATE OF LOCATION LODE HINING CLAIM

128702

TSH #57 Lode Mining Claim

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of May _, 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the _____TSH #57

in the South 1 of Section 36 , T. 19 N ., R. 49 E ., N.D.M.,

, T. ______, R. _______, M.D.M., in the of Section

Unknown Mining District, <u>Direka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-West</u> direction from the discovery monument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an <u>Westerly</u> direction and 50 feet in a Easterly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Hap recorded herewith. The number, position and markings on each corner or side center monument is as follows:

:			INCUITAGE INC	3 Un	ME	AL.	IAU			٠.	
HONUMENT			7%		- 1	Œ.	POS	ITION		·	
Post No.	1	-	Marked P	ost	No.	1	NE.	Corner	TSH	#57	
Post No.	2		Harked P								
Post No.	3	 	Harked P								
Post No.	4		Marked P								
Post No.	5		Marked P								
Post No.	6		Marked P								

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 3) inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate Claim mans and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of Hay 19 89 LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65879 Salt Lake City, UT 84165-0479

> > its Agent

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a curable plastic pipe is used, it must be at least 3 inches in diameter.

 Posts may also be scribed or marked giving the claim name, nonument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary nonuments. The size of each sheet must be 24 x 32 inches.

 Shere the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

2 ú 800K200 MSE096

HHEN RECORDED RETURN TO: BUP-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

FORM 4/4

CERTIFICATE OF LOCATION LODE HINING CLAIM

TSH #58 Lode Mining Claim 129703

This is to certify that BHP-Utah International Exploration Imc., a Delaware corporation, did on the 24th day of May , 19 89 , locate, and clain, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the TSH #58

in the Southeast 1 of Section 36 , T. 19 N ., R. 49 E ., M.D.M.,

___ of Section _ in the __, ?. ____ __.. R. ___., H.D.H., in the

Unknown Mining District, <u>Dureka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-Nest</u> direction from the discovery comment upon which the Notice of Location is posted. The undersigned claims 1450 feet in an <u>Easterly</u> direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Hap recorded herceith. The number, position and markings on each corner or side ment is as follows:

MONUMENT		No.		iv me	۳		MOITI			
Post No.	The second second	Marked	Post	No.	ı		Corner	TSH	a 58	100
Post No.	and the second of the second o						Corner			. /
Post No.							Side Ce			
Post No.		Marked	Post	No.	4	SE	Corner	TSH	# 58	7
Post No.	5						Corner			7
Post No.	6	Marked	Post	No.	6	N.	Side Ce	nter	TSH	e 58

As erected on the ground, each corner and sideline center somment consists of a wooden post at least 31 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The nonumentation and parking of the to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.040. and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of Hay , 19 89 LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 Merrie

All the second

A metal post or a durable plastic pipe is also authorized.

If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.

Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 14 x 32 inches.

Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and alning claims are situated must begin.

2 160 30A 100 mail of 1

HHEN RECORDED RETURN TO: BUD-Utah International Exploration Inc. P.O. Box 65479 Salt Lake City, UT 84165-0479

CERTIFICATE OF LOCATION

128704

Lode Hining Claim TSH 960

This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, did on the 24th day of May , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Hining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is TSH #60 located, the lode mining claim called the

in the Northeast 1 of Section 1 , T. 18 N ., R. 49 E ., M.D.M., and

____., M.D.M., in the ., R. of Section ___, T. ____

Unknown Rining District, <u>Dureka</u> County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>Fast-West</u> direction from the discovery comment upon which the Notice of Location is posted. The undersigned claims 1450 feet in an <u>Fasterly</u> direction and 50 feet in a Westerly direction from the discovery monument together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Hining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows: MADRINGS ON METAT TAG

and the second of the second	76.	DOWN THOS OF	11001110	
MONUMENT	N.		POS	ITION
Post No. 1	A	arked Post	No. 1 NH	Corner TSH # 60
Post No. 2	the state of the s	arked Post	No. 2 SH	Corner TSH 8 60
Post No. 3	P.	arked Post	No. 3 5	Side Center TSH 8 60
Post No. 4				Corner TSH # 60
Post No. 5				Corner TSII # 60
Post No.		arked Post	No. 6 N	Side Center TSH @ 60
			70.	

post at least 31 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the monument. The monument described above by an aluminum tag attached to the monument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate claim maps and payment of the fees prescribed by NRS 517.040.

> . 19 89 DATED this 24th day of May

LOCATOR:

BHP-Utah International Exploration Inc.

Mailing Address:

P.O. Box 65479

Salt Lake City, UT 84165-0879 Merrela

Its Agent

1/ A metal post or a durable plastic pipe is also authorized.
2/ If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.
3/ Posts may also be scribed or marked giving the claim name, monument number, and position. The claim pap must be at a scale of not less than 500 feet to the inch, which sets forth the position of the nonuments in relation to each other and establishes numbers of boundary consents. The size of each sheet must be 24 m 32 inches.
4/ Where the land has been surveyed by the United States, the description must be connected by corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or where official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is custonarily shown on a map, including, without limitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

200 2 Ġ o,

100H2 0 0 FACE 0 98

WHEN RECORDED RETURN TO: BRF-Utah International Exploration Inc. P.O. Box 65479
Salt Lake City, UT 84165-0479 FOE 9 4/4

> CERTIFICATE OF LOCATION LODE MINING CLAIM 125705 Lode Hining Clain

TSH #62 This is to certify that BHP-Utah International Exploration Inc., a Delaware corporation, 24th day of May

did on the , 19 89 , locate, and claim, and does hereby locate and claim by right of discovery and location, and in compliance with the Mining Laws of the United States and the State of Nevada, and the local customs and rules of the district in which the claim is located, the lode mining claim called the ____TSH #62

in the Northeast 1 of Section 1 , T. 18 N ., R. 49 E ., M.D.H., of Section _, ?. ____., R. _ .. H.D.H., in the

Mining District, Dureka Unknown County, State of Nevada. The general course of the lode or vein as near as can be determined is in a <u>East-Mest</u> direction from the discovery conument upon which the Notice of Location is posted. The undersigned claims 1450 feet in an <u>East-orly</u> direction and 50 feet in a Westerly direction from the discovery comment together with 300 feet on each side of the center of the vein at the surface.

The position and number of each corner and side line center of this claim is shown on the Mining Claim Map recorded herewith. The number, position and markings on each corner or side center monument is as follows:

	•	1.			36	PARK I	NUS U	N PLE	IAI	TAG		100		
MONUME	NT				- 3	W		7%		POS	ITION.	5-		
Post N	io.	1				Marked	Post	No.	1	NN	Corner	TSH	# 62	
Post N	lo. :	2		i i		Marked	Post	No.	2	SH	Corner	TSH	# 62	-/-
Post N	ю	3		•	٠.	Marked	Post	No.	3	S	Side Co	nter	TSH	Ø 62
Post N	o.	4.				Harked	Post	No.	4	S£	Corner	TSH	# 62	
Post N	lo. :	5	•			Marked	Post	No.	5	NE	Corner	TSH	# 62	
Post N	lo.	6	٠:			Harked	Post	No.	6	N	Side Ce	nter	TSH	6 62

As erected on the ground, each corner and sideline center monument consists of a wooden post at least 31 inches in diameter by 4 feet in length set one foot in the ground and is marked as described above by an aluminum tag attached to the nonument. The monumentation and marking of the above-described corners and sideline centers on the ground was completed within 60 days from the date of posting the Notice of Location. The work of location consisted of making and recording duplicate and payment of the fees prescribed by NRS 517.040.

> DATED this 24th day of LOCATOR: BHP-Utah International Exploration Inc. Mailing Address: P.O. Box 65479 Salt Lake City, UT 84165-0479 Merriele

> > Its Agent

- A metal post or a durable plastic pipe is also authorized.

 If metal post used, it must be at least 2 inches in diameter. If a durable plastic pipe is used, it must be at least 3 inches in diameter.
- It must be at least 3 inches in diameter. Posts may also be scribed or marked giving the claim name, monument number, and position. The claim map must be at a scale of not less than 500 feet to the inch, which sets forth the position of the monuments in relation to each other and establishes numbers of boundary monuments. The size of each sheet must be 24 m 32 inches. The size of each sheet must be 24 m 32 inches. The corners and distances to an official corner of the public land survey. Where the land has not been surveyed by the United States or there official corners cannot be found through the exercise of due diligence, the description must be tied by courses and distances to a natural landmark or a readily identifiable artificial landmark which is customarily shown on a map, including, without ilmitation, a bench mark or the point at which two roads intersect. The description must also state the township and range, and where the lands are surveyed lands the quarter section and section in which the landmark and mining claims are situated must begin.

RECORDED AT THE REQUEST OF Utah 20 g 2 Ú 9001200 MEE099