

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142120

The Undersigned hereby certifies that he has caused to be located the PHC 1
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|------------|----------------|-----------------|--------------|------------------------|
| <u>NE</u> | <u>9</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 17th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet is claimed in a North direction and 20 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|-------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 1</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 1</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 1</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 1</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 1</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 1</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As crected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quinton J. Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

RECORDER'S STAMP

142120

EUREKA COUNTY, NEVADA
M.N. REBAL/EA/II, RECORDER
FILE NO. 625

BOOK 238 PAGE 227
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco Incorp.
92 SEP -4 11:33

BOOK 238 PAGE 227

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142121

The Undersigned hereby certifies that he has caused to be located the PHC 2
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|------------|----------------|-----------------|--------------|--------------------------|
| <u>NE</u> | <u>9</u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| <u>SE</u> | <u>9</u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |

in Eureka County, Nevada, on the 17th day of June, 19 92

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|-------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 2</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 2</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 2</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 2</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 2</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 2</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92

* * * * *

RECORDER'S STAMP

* * * * *

BOOK 38 PAGE 228

EUREKA COUNTY, NEVADA
M. N. REBALEATI, RECORDER
FILE NO. **142121**
FEE \$ 6.25

BOOK 238 PAGE 228

BOOK 238 PAGE 228

OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Charles Uncomp
92 SEP -4 AM 1:33

SIGNATURE OF LOCATOR:
BY: John Talbott
John Talbott (Agent)

Quinta E. Brown

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142122

The Undersigned hereby certifies that he has caused to be located the PHC 3
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|-------------------|-------------------|-----------------|--------------|------------------------|
| <u>NE</u> | <u>9</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 17th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet is claimed in a North direction and 20 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|-------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 3</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 3</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 3</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 3</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 3</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 3</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As crected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:
BY: John Talbott
John Talbott (Agent)

Quentin F. Brown

* * * * *

RECORDER'S STAMP

EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. **142122**
FEE \$ 7.25

BOOK 238 PAGE 229
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Charles Simpson
92 SEP -4 AM 1:33

CERTIFICATE OF LOCATION
LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

142123

The Undersigned hereby certifies that he has caused to be located the PHC 4
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|------------|----------------|-----------------|--------------|------------------------|
| <u>NE</u> | <u>9</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SE</u> | <u>9</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 17th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|-------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 4</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 4</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 4</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 4</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 4</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 4</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quinton G. Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

* * * * *

RECORDER'S STAMP

EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. **142123**
FEE \$ 6.25

BOOK 238 PAGE 230
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
James Urump
92 SEP -4 AM 1:34

BOOK 238 PAGE 230

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142124

The Undersigned hereby certifies that he has caused to be located the PHC 5
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|-------------------|-------------------|-----------------|--------------|------------------------|
| <u>NE</u> | <u>9</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 17th day of June, 19 92

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet is claimed in a North direction and 20 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|-------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 5</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 5</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 5</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 5</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 5</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 5</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

* * * * *
RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quinto & Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

BOOK 238 PAGE 231

BOOK 238 PAGE 231
 OFFICIAL RECORDS
 RECORDED AT THE REQUEST OF
Quinto & Brown
 92 SEP -4 AM 1:34
 EUREKA COUNTY, NEVADA
 M.N. REBALEATH, RECORDER
 FILE NO. **142124**
 FEE \$ 6.25

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142125

The Undersigned hereby certifies that he has caused to be located the PHC 6
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|------------|----------------|-----------------|--------------|------------------------|
| <u>NE</u> | <u>9</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SE</u> | <u>9</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 17th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|-------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 6</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 6</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 6</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 6</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 6</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 6</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

* * * * *
RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quinta J. Browne

BOOK 238 PAGE 232
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Charles Urzup
92 SEP -4 AM 34

EUREKA COUNTY, NEVADA
M.N. REBAL EATL. RECORDER
FILE NO. 142125
FEE \$ 25

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142126

The Undersigned hereby certifies that he has caused to be located the PHC 7
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|------------|----------------|-----------------|--------------|------------------------|
| <u>NE</u> | <u>9</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>NW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 17th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet is claimed in a North direction and 20 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|-------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 7</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 7</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 7</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 7</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 7</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 7</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As crected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

RECORDER'S STAMP

SIGNATURE OF LOCATOR:
BY: John Talbott
John Talbott (Agent)

Quinn & Brown

142126

EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. 25

BOOK 238 PAGE 333
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco
92 SEP -4 AM 1:34

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

142127

TO ALL WHOM IT MAY CONCERN:

The Undersigned hereby certifies that he has caused to be located the PHC 8
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|------------|----------------|-----------------|--------------|------------------------|
| <u>NE</u> | <u>9</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SE</u> | <u>9</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>NW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 17th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 148 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|-------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 8</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 8</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 8</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 8</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 8</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 8</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quinta J. Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

* * * * *

EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. **142127**
FEE \$ 6.25

BOOK 238 PAGE 234
RECORDED AT THE REQUEST OF
Asarco Inc
92 SEP - 4 AM 11:34

CERTIFICATE OF LOCATION
LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

142128

The Undersigned hereby certifies that he has caused to be located the PHC 9
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|---------------|----------------|-----------------|--------------|------------------------|
| <u>NW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 17th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet is claimed in a North direction and 20 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|-------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 9</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 9</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 9</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 9</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 9</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 9</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As crected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

* * * * *

RECORDER'S STAMP

EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. **142128**
FEE \$ 7.25

BOOK 238 PAGE 235
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Charles Brown
92 SEP -4 AM 11:34

BOOK 238 PAGE 235

SIGNATURE OF LOCATOR:
BY: John Talbott
John Talbott (Agent)
Printer & Brown

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142129

The Undersigned hereby certifies that he has caused to be located the PHC 10
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|------------|----------------|-----------------|--------------|------------------------|
| <u>NW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 17th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 10</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 10</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 10</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 10</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 10</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 10</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quinta J. Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

RECORDER'S STAMP

142129

EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. 621

92 SEP -4 AM 11:34

BOOK 238 PAGE 23C
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Quinta J. Brown

BOOK 238 PAGE 236

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142130

The Undersigned hereby certifies that he has caused to be located the PHC 11
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|---------------|----------------|-----------------|--------------|------------------------|
| <u>NW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 17th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet is claimed in a North direction and 10 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 11</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 11</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 11</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 11</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 11</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 11</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quinton J. Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

* * * * *

RECORDER'S STAMP

142130

EUREKA COUNTY, NEVADA
M.N. REBALEANTIL RECORDER
FILE NO. 625

BOOK 238 PAGE 237
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Quinton J. Brown
92 SEP -4 AM 11:34

BOOK 238 PAGE 237

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142131

The Undersigned hereby certifies that he has caused to be located the PHC 12
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|------------|----------------|-----------------|--------------|------------------------|
| <u>NW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 17th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 12</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 12</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 12</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 12</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 12</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 12</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

* * * * *
RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quater & Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

BOOK 238
PAGE 235
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco
92 SEP -4 AM 1:34
EUREKA COUNTY, NEVADA
M.N. REBALEATH, RECORDER
FILE NO. 142131
FEE \$ 21.

BOOK 238 PAGE 238

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142132

The Undersigned hereby certifies that he has caused to be located the PHC 13
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|---------------|----------------|-----------------|--------------|------------------------|
| <u>NW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 17th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet is claimed in a North direction and 20 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 13</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 13</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 13</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 13</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 13</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 13</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

* * * * *
RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Printer & Brewer

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

142132

EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. 625

92 SEP -4 AM 11:34

BOOK 238 PAGE 239
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco

BOOK 238 PAGE 239

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142133

The Undersigned hereby certifies that he has caused to be located the PHC 14
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|------------|----------------|-----------------|--------------|------------------------|
| <u>NW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 17th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 14</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 14</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 14</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 14</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 14</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 14</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

* * * * *
RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Printed & Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

BOOK 238 PAGE 240
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Deecee
92 SEP -4 AM 11:34
EUREKA COUNTY, NEVADA
H.N. REBALEATI, RECORDER
FILE NO. 142133
FEE \$ 6.25

* * * * *
BOOK 238 PAGE 240

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142134

The Undersigned hereby certifies that he has caused to be located the PHC 15
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|---------------|----------------|-----------------|--------------|------------------------|
| <u>NW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 17th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet is claimed in a North direction and 20 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 15</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 15</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 15</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 15</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 15</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 15</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quinn & Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

RECORDER'S STAMP

BOOK 238
 PART 241
 OFFICIAL RECORDS
 RECORDED AT THE RECORDER'S OFFICE
 92 SEP -4 AM 35
 Clear as Inc.

BOOK 238 PAGE 241

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142135

The Undersigned hereby certifies that he has caused to be located the PHC 16
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|------------|----------------|-----------------|--------------|------------------------|
| <u>NW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 17th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 16</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 16</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 16</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 16</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 16</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 16</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:
BY: John Talbott
John Talbott (Agent)

Quinton J. Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

* * * * *

RECORDER'S STAMP

142135

EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. 25

BOOK 238 PAGE 242
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco Inc
92 SEP -4 AM 1:35

BOOK 238 PAGE 242

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142136

The Undersigned hereby certifies that he has caused to be located the PHC 17
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|------------|----------------|-----------------|--------------|------------------------|
| <u>NW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>NE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet is claimed in a North direction and 20 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 17</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 17</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 17</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 17</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 17</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 17</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Printer & Braune

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

* * * * *

RECORDER'S STAMP

142136

EUREKA COUNTY, NEVADA
M.N. REBALEANTIL RECORDER
FILE NO. 625

BOOK 238 PAGE 243

BOOK 238 PAGE 243

92 SEP -4 AM 1:35
Charles [unclear]

CERTIFICATE OF LOCATION
LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

142137

The Undersigned hereby certifies that he has caused to be located the PHC 18
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|------------|----------------|-----------------|--------------|------------------------|
| <u>NW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>NE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 18</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 18</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 18</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 18</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 18</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 18</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Printer of Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

142137

EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. 625
FEE \$ 25

BOOK 238 PAGE 244
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco Incorp
92 SEP -4 11:35

BOOK 238 PAGE 244

CERTIFICATE OF LOCATION
LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

142138

The Undersigned hereby certifies that he has caused to be located the PHC 19
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|---------------|----------------|-----------------|--------------|--------------------------|
| <u>NE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet is claimed in a North direction and 20 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 19</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 19</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 19</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 19</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 19</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 19</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quinton J Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

* * * * *

RECORDER'S STAMP

EUREKA COUNTY, NEVADA
M. N. REBALEATI, RECORDER
FILE NO. **142138**
FEE \$ 6.25

BOOK 238 PAGE 245
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco Inc
92 SEP -4 AM 11:35

* * * * *

BOOK 238 PAGE 245

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142139

The Undersigned hereby certifies that he has caused to be located the PHC 20
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|---------------|----------------|-----------------|--------------|--------------------------|
| <u>NE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| <u>SE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 20</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 20</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 20</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 20</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 20</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 20</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quentin J. Braune

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

RECORDER'S STAMP

EUREKA COUNTY, NEVADA
M. N. REBALEATI, RECORDER
FILE NO. **142139**
FEE \$ 6.25

BOOK 238 PAGE 246
RECORDED AT THE REQUEST OF
Asarco Inc
92 SEP -4 AM 1:35

BOOK 238 PAGE 246

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142140

The Undersigned hereby certifies that he has caused to be located the PHC 21
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|---------------|----------------|-----------------|--------------|------------------------|
| <u>NE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet is claimed in a North direction and 20 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 21</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 21</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 21</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 21</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 21</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 21</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As crected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quinta J. Brown
Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

* * * * *

RECORDER'S STAMP

EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. **142140**
FEE \$ 6.25

BOOK 238 PAGE 247
RECORDED AT THE REQUEST OF
Asarco Incorp
92 SEP -4 AM 1:35

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142141

The Undersigned hereby certifies that he has caused to be located the PHC 22
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|------------|----------------|-----------------|--------------|------------------------|
| <u>NE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 22</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 22</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 22</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 22</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 22</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 22</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

* * * * *
RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

142141

EUREKA COUNTY, NEVADA
M.N. REBALEANT, RECORDER
FILE NO. 25

BOOK 238 PAGE 248
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Charles J. Brown
92 SEP -4 AM 11:35

Charles J. Brown

CERTIFICATE OF LOCATION
LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

142142

The Undersigned hereby certifies that he has caused to be located the PHC 23
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|---------------|----------------|-----------------|--------------|------------------------|
| <u>NE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet is claimed in a North direction and 20 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 23</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 23</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 23</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 23</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 23</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 23</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quentin J. Browne

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

RECORDER'S STAMP

EUREKA COUNTY, NEVADA
M.N. REBAL EATL. RECORDER
FILE NO. **142142**

BOOK 238 PAGE 249
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco Inc
92 SEP - 4 11:35

BOOK 238 PAGE 249

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142143

The Undersigned hereby certifies that he has caused to be located the PHC 24
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|---------------|----------------|-----------------|--------------|------------------------|
| <u>NE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 24</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 24</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 24</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 24</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 24</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 24</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

* * * * *
RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quater of Brown

EUREKA COUNTY, NEVADA
H.M. REBALEATI, RECORDER
FILE NO. **142143**
FEE \$ 25

BOOK 238 PAGE 250
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Quater of Brown
92 SEP -4 AM 1:35

CERTIFICATE OF LOCATION
LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

142144

The Undersigned hereby certifies that he has caused to be located the PHC 25
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|-------------|----------------|-----------------|--------------|------------------------|
| <u>NE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>NW</u> | <u>11</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet is claimed in a North direction and 20 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 25</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 25</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 25</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 25</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 25</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 25</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

* * * * *
RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Donald J. Browne

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

* * * * *
BOOK 238 PAGE 251

BOOK 238 PAGE 251
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco Inc
92 SEP -4 AM 1:35
EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. 142144
FEE \$ 25

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142145

The Undersigned hereby certifies that he has caused to be located the PHC 26
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|------------|----------------|-----------------|--------------|------------------------|
| <u>NE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>NW</u> | <u>11</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SW</u> | <u>11</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 26</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 26</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 26</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 26</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 26</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 26</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92. * * * * *

RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quenton J Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS **300K238 PAGE 252**

BOOK 238
 PAGE 252
 OFFICIAL RECORDS
 RECORDED AT THE REQUEST OF
Quenton J Brown
 92 SEP -4 AM 1:35
 EUREKA COUNTY, NEVADA
 M.N. REBALEATI, RECORDER
 FILE NO. 142145
 FEES 25

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142146

The Undersigned hereby certifies that he has caused to be located the PHC 27
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|-------------|----------------|-----------------|--------------|--------------------------|
| <u>NW</u> | <u>11</u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet is claimed in a North direction and 20 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 27</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 27</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 27</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 27</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 27</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 27</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:
BY: John Talbott
John Talbott (Agent)

Quentin J. Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

RECORDER'S STAMP

142146

EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. 6-25

92 SEP -4 AM 1:35

BOOK 238 PAGE 253
RECORDED AT THE REQUEST OF
Charles J. Brown

BOOK 238 PAGE 253

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142147

The Undersigned hereby certifies that he has caused to be located the PHC 28
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|-------------|----------------|-----------------|--------------|------------------------|
| <u>NW</u> | <u>11</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SW</u> | <u>11</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 28</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 28</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 28</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 28</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 28</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 28</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

* * * * *
RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quentin J. Browne

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

* * * * *
RECORDER'S STAMP
EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. **142147**
FEE \$ 25
BOOK 238 PAGE 254
92 SEP -4 AM 11:35
Please Uncomp
RECORDED AT THE REQUEST OF
BOOK 238 PAGE 254

CERTIFICATE OF LOCATION
LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

142148

The Undersigned hereby certifies that he has caused to be located the PHC 29
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|-------------|----------------|-----------------|--------------|------------------------|
| <u>NW</u> | <u>11</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 1480 feet is claimed in a North direction and 20 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 29</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 29</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 29</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 29</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 29</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 29</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

* * * * *
RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quentin J Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

BOOK 238 PAGE 255

142148

EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. 6-25

BOOK 238 PAGE 255
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Deane Whorp
92 SEP -4 AM 11:35

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142149

The Undersigned hereby certifies that he has caused to be located the PHC 30
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|------------|----------------|-----------------|--------------|------------------------|
| <u>NW</u> | <u>11</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SW</u> | <u>11</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 30</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 30</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 30</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 30</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 30</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 30</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quentin J. Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

RECORDER'S STAMP

142149
EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. 625
FEE \$ 25

BOOK 238 PAGE 256
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco Incorp
92 SEP -4 AM 11:35

BOOK 238 PAGE 256

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142150

The Undersigned hereby certifies that he has caused to be located the PHC 31
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|-------------|----------------|-----------------|--------------|------------------------|
| <u>NW</u> | <u>11</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 500 feet wide, such that 1480 feet is claimed in a North direction and 20 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 250 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 31</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 31</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 31</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 31</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 31</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 31</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:
BY: John Talbott
John Talbott (Agent)

Printer & Brown

* * * * *

RECORDER'S STAMP

EUREKA COUNTY, NEVADA
M.N. REBALENTI, RECORDER
FILE NO. **142150**
FEE \$ 6.25

BOOK 238 PAGE 257
RECORDED AT THE REQUEST OF
Asarco Corp
92 SEP -4 AM 3:35

* * * * *

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142151

The Undersigned hereby certifies that he has caused to be located the PHC 32
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|------------|----------------|-----------------|--------------|------------------------|
| <u>NW</u> | <u>11</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SW</u> | <u>11</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| | | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 500 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 250 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 32</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 32</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 32</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 32</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 32</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 32</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

* * * * *
RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quinter & Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

* * * * *
BOOK 238 PAGE 258

142151

EUREKA COUNTY, NEVADA
M.N. REBALEAULT, RECORDER
FILE NO. 625

BOOK 238 PAGE 258
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco Inc
92 SEP -4 AM 1:36

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142152

The Undersigned hereby certifies that he has caused to be located the PHC 33
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|---------------|----------------|-----------------|--------------|------------------------|
| <u>SE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 33</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 33</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 33</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 33</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 33</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 33</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92

* * * * *
RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quentin J. Brown

142152
EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. 625

BOOK 238 PAGE 259
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco Inc
92 SEP -4 AM 1:36

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142153

The Undersigned hereby certifies that he has caused to be located the PHC 34
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|---------------|----------------|-----------------|--------------|------------------------|
| <u>SE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 34</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 34</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 34</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 34</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 34</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 34</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:
BY: John Talbott
John Talbott (Agent)

Quentin G. Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

* * * * *

RECORDER'S STAMP

142153

EUREKA COUNTY, NEVADA
M.N. REBAL EATL. RECORDER
FILE NO. 142153
FEE \$ 25

BOOK 238 PAGE 260
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco Incorp
92 SEP -4 AM 1:36

* * * * *

BOOK 238 PAGE 260

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142154

The Undersigned hereby certifies that he has caused to be located the PHC 35
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|---------------|----------------|-----------------|--------------|--------------------------|
| <u>SE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 35</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 35</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 35</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 35</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 35</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 35</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

* * * * *
RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quentin J. Browne

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

* * * * *
BOOK 238 PAGE 261

EUREKA COUNTY, NEVADA
M. N. REBALEATI, RECORDER
FILE NO. **142154**
FEE \$ 6.25

BOOK 238 PAGE 261
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco Incorp
92 SEP -4 AM 1:36

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142155

The Undersigned hereby certifies that he has caused to be located the PHC 36
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|-------------|----------------|-----------------|--------------|------------------------|
| <u>SE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u>SW</u> | <u>11</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 36</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 36</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 36</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 36</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 36</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 36</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

* * * * *
RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quinter & Browne

BOOK 238
PAGE 262
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Quinter & Browne
92 SEP -4 AM 1:36

EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. 142155
FEE \$ 25

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142156

The Undersigned hereby certifies that he has caused to be located the PHC 37
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|---------------|----------------|-----------------|--------------|------------------------|
| <u>SW</u> | <u>11</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 37</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 37</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 37</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 37</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 37</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 37</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As crected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

* * * * *
RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

142156

EUREKA COUNTY, NEVADA
M.N. REBALEATI, RECORDER
FILE NO. 625

BOOK 238 PAGE 263
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco Incorp
92 SEP -4 AM 1:36

Phanth J Brown

CERTIFICATE OF LOCATION
LODE MINING CLAIM

TO ALL WHOM IT MAY CONCERN:

142157

The Undersigned hereby certifies that he has caused to be located the PHC 38
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|---------------|----------------|-----------------|--------------|------------------------|
| <u>SW</u> | <u>11</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 38</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 38</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 38</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 38</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 38</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 38</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Pratt & Brown

Suggested Form - Nevada Department of Minerals
Nevada-Lode Certificate of Location - NRS 517.050

RECORDER'S STAMP

142157
EUREKA COUNTY, NEVADA
M.N. REBAL/ANTI. RECORDER
FILE NO. 625

BOOK 238 PAGE 264
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Dave [unclear]
92 SEP -4 AM 1:36

BOOK 238 PAGE 264

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142158

The Undersigned hereby certifies that he has caused to be located the PHC 39
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|---------------|----------------|-----------------|--------------|------------------------|
| <u>SW</u> | <u>11</u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M.D.B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92.

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 500 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 250 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 39</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 39</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 39</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 39</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 39</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 39</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

* * * * *
RECORDER'S STAMP

SIGNATURE OF LOCATOR:

BY: John Talbott
John Talbott (Agent)

Quentin J Brown

EUREKA COUNTY, NEVADA
M.N. REBALEANTIL, RECORDER
FILE NO. **142158**
FEE \$ 6.25

BOOK 238 PAGE 265
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco Inc
92 SEP -4 AM 11:36

**CERTIFICATE OF LOCATION
LODE MINING CLAIM**

TO ALL WHOM IT MAY CONCERN:

142159

The Undersigned hereby certifies that he has caused to be located the PHC 40
Lode Mining Claim in the following quarter section(s):

| <u>1/4</u> | <u>Section</u> | <u>Township</u> | <u>Range</u> | <u>Meridian</u> |
|-------------|----------------|-----------------|--------------|--------------------------|
| <u>SE</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| <u>SW</u> | <u>10</u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |
| <u> </u> | <u> </u> | <u>23N</u> | <u>50E</u> | <u>M. D. B. & M.</u> |

in Eureka County, Nevada, on the 18th day of June, 19 92

The name and mailing address of the locator is:

Asarco Incorporated
510 E. Plumb Lane
Reno, Nevada 89502

The Claim is approximately 1500 feet long and 600 feet wide, such that 20 feet is claimed in a North direction and 1480 feet in a South direction from the point of discovery (monument of location), at which the Notice of Location was posted, together with 300 feet on each side of the monument of location and center line of the Claim. The general course of the lode or vein is from the North to the South direction.

The number, location and markings on each side center are corner monument are as follows:

| <u>Location</u> | <u>Markings</u> | <u>Description</u> |
|-----------------------------|--------------------------|--|
| No. 1: <u>NW Corner</u> | <u>NW Cor PHC 40</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 2: <u>NE Corner</u> | <u>NE Cor PHC 40</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 3: <u>E Side Center</u> | <u>E Side Ctr PHC 40</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 4: <u>SE Corner</u> | <u>SE Cor PHC 40</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 5: <u>SW Corner</u> | <u>SW Cor PHC 40</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |
| No. 6: <u>W Side Center</u> | <u>W Side Ctr PHC 40</u> | <u>3"x5' capped, non-perforated PVC pipe</u> |

As erected on the ground, each side center or corner monument is marked as described above by scribed metal tag (e.g. metal tags, paint on posts).

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 7th day of August, 19 92.

RECORDER'S STAMP

SIGNATURE OF LOCATOR:
BY: John Talbott
John Talbott (Agent)

142159
EUREKA COUNTY, NEVADA
M. N. REBALEATI, RECORDER
FILE NO. 625
FEE \$ 25

BOOK 238 PAGE 266
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Asarco Incorp
92 SEP -4 11:36