

175585

NO. 57857

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JUL 15 1992

Returned to applicant for correction

Corrected application filed

Map filed AUG 21 1992

The applicant ~~wn~~ of Eureka, hereby makes application for permission to change the Point of diversion, Manner and place of use of a portion of water heretofore appropriated under Certificate No. 6259, PERMIT 20479

1. The source of waters **Underground**
2. The amount of water to be changed **1.81 cfs, not to exceed 200-ac.-ft annually.**
3. The water to be used for **Municipal**
4. The water heretofore permitted for **Irrigation and domestic.**
5. The water is to be diverted at the following point **NE¹/₄ SW¹/₄, Section 10, T. 20 N., R. 53 E., M.D.B. or at a point from which the W¹/₄ corner of said Section 10 bears N. 46° 34' W., a distance of 1,868.0 feet.**
6. The existing permitted point of diversion is located within **NE¹/₄ NW¹/₄ Sec. 10, T. 20 N., R. 53 M.D.B. & M., or at a point from which the NW corner of said Sec. 10, bears N. 46° 32' W., a distance of 1869.0 Feet.**
7. Proposed place of use: **SE¹/₄, SE¹/₄ NE¹/₄, E¹/₂ NE¹/₄ NE¹/₄; and portions of NW¹/₄ SW¹/₄, NE¹/₄ SW¹/₄ and E¹/₂ SW¹/₄, Sec. 9; W¹/₂ Sec. 10; E¹/₂ E¹/₂, NW¹/₄ NE¹/₄, and portions of NE¹/₄ M, SW¹/₄ NE¹/₄, NW¹/₄ SE¹/₄, and SW¹/₄ SE¹/₄ Sec. 16, T. 20 N., R. 53 E., M.D.B. & M., as shown on map.**
8. Existing place of use: **50.0 acres in the SE¹/₄ NW¹/₄ and the E¹/₂ SW¹/₄ NW¹/₄ Sec. 10, T. 20 N., R. 53 E., M.D.B. & M. The entire 50 acres will be removed from irrigation.**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Existing turbine pump and drilled well.**
12. Estimated cost of works **\$30,000.00**
13. Estimated time required to construct works **1 year. Well is complete.**
14. Estimated time required to complete the application of water to beneficial use **10 Years.**
15. Remarks: **Intend use is water supply for airport buildings and grounds.**
Estimated consumptive use= 2480 acres X 72 gal/ac.-day X 365 days
=65.174 million gallons per annum
=200 AFA

By s/Robert F. Lauder
Lumos & Associates, Inc.
800 E. GRAVES LANE
CARSON CITY, NV. 89706

Compared hf/dl hmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same subject to the following limitations and conditions:

This permit to change the point of diversion, place of use, and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 20479, Certificate 6259 is issued subject to the terms and conditions imposed in said Permit 20479, Certificate 6259 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be stalled before any use of the water begins or before the proof completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The issuance of Permits 57856, 57857, 66207, and 66208 will totally abrogate the Town of Eureka's portion of Permit 18989, Certificate 6164 and Permit 20479, Certificate 6259.

(CONTINUED ON PAGE 3)

The amount of water be appropriated shall be limited to the amount which can be applied to beneficiause, and not to exceed 0.9048 cubic feet per second, but not to exceed 65703 million gallons annually.

Work must be prosecut with reasonable diligence and be completed on or before:

October 26, 001

Proof of completion work shall be filed before:

November 262001

Water must be placed beneficial use on or before:

October 26, 002

Proof of the applicatn of water to beneficial use shall be filed on or before:

November 262002

Map in support of pro of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 26th day of, October A.D. 2000

Hugh Ricci, P.E.

State Engineer

Completion of work fil _____

Proof of beneficial u filed _____

Cultural map filed N/A _____

Certificate No. _____ Issued _____

BOOK 338 PAGE 543
OFFICIAL RECORDS
RECORDED AT THE REQUEST OF
Eureka County Public Works
00 NOV -7 AM 11:03

EUREKA COUNTY NEVADA
M.N. REBALEATI, RECORDER
FILE NO. FEES *No Fee*

175585