CERTIFATE OF LOCATION OF LODE MINING CLAIM

NEVATION undersigned reby certifies that he has caused to be located the $\underline{Tyr} - 1$ 8 2 Lode Mining (im in the SW, NW; NW, NW; SE, NW and NE, NW Quarters, Secti 21, Township 26 N, Range 49 E, M.D.M. in Eureka Cou, Nevada, on the 13th day of September, 2001.

The name and ailing address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cn is approximately 1500 feet long and 600 feet wide, such 10 et is claimed in a East direction and 1490 feet in a West direction from (point of discovery (monument of location), at which the Notice of Location wassted, together with 300 feet on each side of the monument of location and cer line of the claim.

The geral course of the lode or vein is from East to the West in direction.

The mber, location and markings on each corner monument are as follows:

- 1 1 Northwest Corner is a 2"x2"x4' ft. wood post.
- 1 2 Northeast Corner is a 2"x2"x4' ft. wood post.
- 1 3 Southeast Corner is a 2"x2"x4' ft. wood post.
- 1 4 Southwest Corner is a 2"x2"x4' ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number i which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This cn is intended to cover all land open to location existing within its boundaries af this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated 1 28th day of September, 20 01.

SIGNATURE OF CATOR

RECORDER'S STAMP

IM John Won, Agent

BOOK 344 PAGE 465 OFFICIAL RECORDS

RECEIVED RECORDED AT THE REQUEST OF Expl.

Bur. of Land Management Unglegold U.S.A. Expl.

OI NOV-6 PM 1: 10

7:30 OCT 22 2001

NEVADA STATE OFFICE PRENO, NEVADA

RENO, NEVADA

EUREKA COUNTY NEVADA

1. N. REBALEATI. RECORDER
FEES O

BOOK 14 PAGE 465

NEVADA NMC 8 2 5 1 3 7

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersigned reby certifies that he has caused to be located the Tyr -	<u> </u>
Lode Mining um in the SE, NW; NE, NW; SW, NE and NE,	
Quarters, Section 21 , Township 26 N , Range 49 E M.D.M	. in
Eureka Cour Nevada, on the 13th day of September, 2001.	

The name and tiling address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cn is approximately 1500 feet long and 600 feet wide, such that 10 it is claimed in a West direction and 1490 feet in a East direction from point of discovery (monument of location), at which the Notice of Location wassted, together with 300 feet on each side of the monument of location and cer line of the claim.

The geral course of the lode or vein is from East to the West in direction.

The niber, location and markings on each corner monument are as follows:

- 11 Northwest Corner is a 2"x2"x4 ft. wood post.
- 12 Northeast Corner is a 2"x2"x4 ft. wood post.
- 1 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- 1 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number i which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This ch is intended to cover all land open to location existing within its boundaries af this date of location.

The worf Location consisted of making a claim map as provided in NRS 517.040.

Dated 1 28th day of September, 20 01.

SIGNATURE OF CATOR

RECORDER'S STAMP

by Mon App DEFICIAL RECORDS

John Won, A SENORDED AT THE REQUEST OF

Linguistic U.S.A. Supel.

DINOV-6 PM 1: 10

RECEIVED Bur. of Land Management

7:30 OCT 2 2 2001

BOOK 3 4 4 PAGE 4 6

M.N. REBALEATI, RECORDER FILE NO. FEES 20

ORDER NEVADA STATE OFFICE FEE\$20 RENO, NEVADA

REVADA NMC 825138

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersigneuereby certifies that he has caused to be	located the $\underline{Tyr} - 3$
Lode Mining Cn in the NW, NW and NE, NW	Quarters, Section
21 , Townp 26 N , Range 49 E M.D.M. in	Eureka County,
Nevada, on the 3th_day of September, 2001.	

The name and ailing address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cn is approximately 1500 feet long and 600 feet wide, such 10 et is claimed in a East direction and 1490 feet in a West direction from point of discovery (monument of location), at which the Notice of Location was sted, together with 300 feet on each side of the monument of location and cer line of the claim.

The gral course of the lode or vein is from East to the West in direction.

The niber, location and markings on each corner monument are as follows:

- 1 Northwest Corner is a 2"x2"x4' ft. wood post.
- 1 2 Northeast Corner is a 2"x2"x4' ft. wood post.
- 1 3 Southeast Corner is a 2"x2"x4' ft. wood post.
- 1 4 Southwest Corner is a 2"x2"x4' ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number i which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This ch is intended to cover all land open to location existing within its boundaries at this date of location.

The worf Location consisted of making a claim map as provided in NRS 517.040.

Dated 1 28th day of September, 20 01.

SIGNATURE OF CATOR

RECORDER'S STAMP

John Won, Agent

RECEIVED Bur. of Land Management RDED AT THE REQUEST A STATE OF LAND WE SEE THE RECUEST AS A STAT

воок344 PAGE 467

OCT 22 2001 A.M.

NEVADA STATE OFFICE REBALEATI. RECORDER RENO, NEVADA FILE NO. FEE\$

10K344 PAGE467

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersigned reby certifies that he has caused to be locat	ed the <u>Tyr - 4</u>
Lode Mining Cla in the NE, NW and NW, NE	Quarters, Section
21 , Townsi 26 N , Range 49 E M.D.M. in E	Eureka County,
Nevada, on the 3th day of September, 2001.	

The name and iiling address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Ch is approximately 1500 feet long and 600 feet wide, such that 10 at is claimed in a West direction and 1490 feet in a East direction from a point of discovery (monument of location), at which the Notice of Location was sted, together with 300 feet on each side of the monument of location and cer line of the claim.

The geral course of the lode or vein is from East to the West in direction.

The niber, location and markings on each corner monument are as follows:

- 11 Northwest Corner is a 2"x2"x4 ft. wood post.
- 12 Northeast Corner is a 2"x2"x4 ft. wood post.
- 1 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- 1 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number i which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by <u>September 14, 2001</u>

This cn is intended to cover all land open to location existing within its boundaries at this date of location.

The worf Location consisted of making a claim map as provided in NRS 517.040.

Dated 3 28th day of September, 20 01.

SIGNATURE OF)CATOR

RECORDER'S STAMP

by SEPCIAL RECORDS RECEIVED

John Won, Agent Chalogoff U.S.A. Cup. Bur. of Land Management

OI NOV - 6 PM 1: 11 7:30

A.M. OCT 22 2001

A.M. OCT 22 2001

A.M. REBALEATI. RECORDER SO NEVADA STATE OFFICE

RENO, NEVADA

BOOK 3 4 4 PAGES 8 1771.69

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersignedereby certifies that he has caused to be le	ocated the <u>Tyr - 5</u>
Lode Mining Ch in the NW, NW and NE, NW	
21 , and S\SW and SE, SW Section 16 Township	<u>26 N</u> , Range <u>49 E</u>
M.D.M. in <u>Euka</u> County, Nevada, on the <u>13th</u> day	

The name and ailing address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cn is approximately 1500 feet long and 600 feet wide, such that 10 et is claimed in a East direction and 1490 feet in a West direction from point of discovery (monument of location), at which the Notice of Location wassted, together with 300 feet on each side of the monument of location and cer line of the claim.

The g-ral course of the lode or vein is from East to the West in direction.

The raber, location and markings on each corner monument are as follows:

- 11 Northwest Corner is a 2"x2"x4 ft. wood post.
- 1 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number 1 which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This cn is intended to cover all land open to location existing within its boundaries of this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated s 28th day of September, 20 01.

SIGNATURE OF CATOR

RECORDER'S STAMP

by BOOK 344 PAGE468 RECEIVED

BUT DEFICIAL RECORDS Bur. of Land Management

John Won, Agent ago of U.S.A. Expl., 7:30

OINO -6 PM 1: 1 A.M. OCT 22 2001

EUREKA COUNTY NEVADA
M.N. REBALEATI. RECORDER
FILE NO. FEES
STATE OFFICE
RENO, NEVADA

BOOK 3 4 4 PAG: 69

NEVADA NMC 8 2 5 1 4 1

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersignedereby certifies that he has caused to be	located the <u>Tyr - 6</u>
Lode Mining Cn in the NE, NW and NW, NE	Quarters, Section
21 , and SE, V and SW, SE Quarters, Section 16, Tov	wnship <u>26 N</u> , Range
49 E M.D. in Eureka County, Nevada,	on the 13 th day of
September, 20	

The name and ailing address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cn is approximately 1500 feet long and 600 feet wide, such that 10 et is claimed in a West direction and 1490 feet in a East direction from point of discovery (monument of location), at which the Notice of Location wassted, together with 300 feet on each side of the monument of location and cer line of the claim.

The garal course of the lode or vein is from East to the West in direction.

The raber, location and markings on each corner monument are as follows:

- 1 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- 1 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number i which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by <u>September 14, 2001</u>

This on is intended to cover all land open to location existing within its boundaries of this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated 5 28th day of September, 20 01.

SIGNATURE OF CATOR

RECORDER'S STAMP

John Won, Agent Gogold USA Cycl.

O NOV-6 PM 1:11

EUREKA COUNTY NEVADA
M N. REBALEATI. RECORDER

RECEIVED
Bur. of Land Management

7:30 A.M. OCT 2 2 2001

NEVADA STATE OFFICE RENO, NEVADA

BOOK 3 4 4 PAGE 4 7

177172

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersigned reby certifies that he has caused to be located the <u>Tyr - 7</u>
Lode Mining C_n in the <u>SW, SW; and SE, SW</u>
Quarters, Section
16, Townp <u>26 N</u>, Range <u>49 E</u> M.D.M. in <u>Eureka</u> County,
Nevada, on the <u>4th</u> day of <u>September</u>, 20 <u>01</u>.

The name and ailing address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cn is approximately 1500 feet long and 600 feet wide, such that 10 ct is claimed in a East direction and 1490 feet in a West direction from point of discovery (monument of location), at which the Notice of Location wassted, together with 300 feet on each side of the monument of location and cer line of the claim.

The geral course of the lode or vein is from East to the West in direction.

The ruber, location and markings on each corner monument are as follows:

- 1 Northwest Corner is a 2"x2"x4' ft. wood post.
- 1.2 Northeast Corner is a 2"x2"x4' ft. wood post.
- 1 3 Southeast Corner is a 2"x2"x4' ft. wood post.
- 1 4 Southwest Corner is a 2"x2"x4' ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number i which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This cn is intended to cover all land open to location existing within its boundaries af this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated s 28th day of September, 20 01.

SIGNATURE OF CATOR

RECORDER'S STAMP

John Won, Agented AT THE PERLEST OF CARDS USA EVAL.

RECEIVED
Bur. of Land Management

7:30 A.M. OCT 2 2 2001

BOOK 3 4 4 PAGE 4 7

EUREKA COUNTY NEVADA M.N. REBALEATI, RECORDER FILE NO. 177172

NEVADA STATE OFFICE RENO, NEVADA NEVADA NMC 8 2 5 1 4 3

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersignesereby certifies that he has caused to be loca	ted the <u>T</u>	<u>yr - 8</u>
Lode Mining Cin in the SE, SW and SW, SE	_ Quarters,	Section
16 , Towns: 26 N , Range 49 E M.D.M. in	Eureka	County,
Nevada, on the 4 th day of <u>September</u> , 2001.		

The name and ailing address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cn is approximately 1500 feet long and 600 feet wide, such that 10 of is claimed in a West direction and 1490 feet in a East direction from point of discovery (monument of location), at which the Notice of Location wassted, together with 300 feet on each side of the monument of location and cer line of the claim.

The g:ral course of the lode or vein is from East to the West in direction.

The mber, location and markings on each corner monument are as follows:

- 11 Northwest Corner is a 2"x2"x4 ft. wood post.
- 1 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- 1 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- 1 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number i which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This cn is intended to cover all land open to location existing within its boundaries of this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated s 28th day of September, 20 01.

SIGNATURE OF CATOR

RECORDER'S STAMP

by John Won, Agent

RECEIVED BOOK 344 PAGE 47, Bur. of Land Management OFFICIAL RECORDS
7:30 RECORDED AT THE RECUEST OF A.M. OCT 22 2001 OI NOV-6 PM 1:11

NEVADA STATE OFFICE UREKA COUNTY NEVADA
RENO, NEVADA M.N. REBALEATI. RECORDER
FEES

BK344 PAGE472

1771.74

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersigned reby certifies that he has caused to be located the <u>Tyr - 9</u> Lode Mining Cn in the <u>SW, SW; and SE, SW</u> Quarters, Section 16 , Townp <u>26 N</u>, Range <u>49 E</u> M.D.M. in <u>Eureka</u> County, Nevada, on the 4th day of <u>September</u>, 2001.

The name and ailing address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cn is approximately 1500 feet long and 600 feet wide, such that 10 et is claimed in a East direction and 1490 feet in a West direction from point of discovery (monument of location), at which the Notice of Location waosted, together with 300 feet on each side of the monument of location and cer line of the claim.

The geral course of the lode or vein is from East to the West in direction.

The mber, location and markings on each corner monument are as follows:

- 1 Northwest Corner is a 2"x2"x4' ft. wood post.
- 12 Northeast Corner is a 2"x2"x4' ft. wood post.
- 3 Southeast Corner is a 2"x2"x4' ft. wood post.
- 1 4 Southwest Corner is a 2"x2"x4' ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number i which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This on is intended to cover all land open to location existing within its boundaries of this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated s 28th day of September, 20 01.

SIGNATURE OF CATOR

RECORDER'S STAMP

by BOOK 344 PAGE 473

BOOK 344 PAGE 473

RECEIVED

BOOK 344 PAGE 473

RECEIVED

BOOK 344 PAGE 473

RECEIVED

John Won, Agent Proposition Bur. of Land Management

OI NOV -6 PM 1: 12 7:30

A.M. OCT 22 2001

EUREKA COUNTY HEVADA M.N. REBALEATI. RECORDERNEVADA STATE OFFICE M.N. REBALEATI. RECORDERNEVADA FILE NO. 70 CO

BOOK 3 4 4 PAGE 4 7

NEVADA HMC 8 2 5 1 4 5

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersigned reby certifies that he has caused to be located	ed the <u>Ty</u>	<u>r – 10</u>
Lode Mining Ch in the SE, SW and SW, SE	_ Quarters,	Section
16 , Townsi 26 N , Range 49 E M.D.M. in 1	Eureka	County,
Nevada, on the 4th day of September, 2001.		

The name and tiling address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cn is approximately 1500 feet long and 600 feet wide, such that 10 at is claimed in a West direction and 1490 feet in a East direction from a point of discovery (monument of location), at which the Notice of Location was sted, together with 300 feet on each side of the monument of location and cer line of the claim.

The geral course of the lode or vein is from East to the West in direction.

The moer, location and markings on each corner monument are as follows:

- 1 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- 1 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- 1 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- 1 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number 1 which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This cm is intended to cover all land open to location existing within its boundaries as one date of location.

The worf Location consisted of making a claim map as provided in NRS 517.040.

Dated s 28th day of September, 20 01.

SIGNATURE OF CATOR

RECORDER'S STAMP

by BOOK 344 PAGE 474 RECEIVED
OFFICIAL RECORDS
Bur. of Land Management
John Won, Agent ORDS OF MILES A CONTROL OF A.M. OCT 22 2001

EUREKA COUNTY NEVADA NEVADA STATE OFFICE M.N. REBALEATI. RECORDER RENO, NEVADA

BOOK 3 4 4 PAGE 4 7

8 2 5 1 4 6

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersignesereby certifies that he has caused to be located	ted the <u>Tyr - 11</u>
Lode Mining Cm in the NW, SW; and NE, SW	
16 , Townp 26 N, Range 49 E M.D.M. in	Eureka County.
Nevada, on the 4th_day of September, 2001.	

The name and ailing address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cn is approximately 1500 feet long and 600 feet wide, such that 10 et is claimed in a East direction and 1490 feet in a West direction from point of discovery (monument of location), at which the Notice of Location waosted, together with 300 feet on each side of the monument of location and cer line of the claim.

The geral course of the lode or vein is from East to the West in direction.

The riber, location and markings on each corner monument are as follows:

- . 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- . 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- . 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number 1 which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This cm is intended to cover all land open to location existing within its boundaries of this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated's 28th day of September, 20 01.

SIGNATURE OF CATOR

RECORDER'S STAMP

y John Hats

John Won, Agen Oproen At The Renuest OI NOV -6 PM 1: 12

BOOK

RECEIVED Bur. of Land Management

EUREKA COUNTY NEVADA M.N. REBALEATI. RECORDER 7:30 A.M. OCT 2 2 2001

BOOK 3 4 4 PAGE 4 7

FILE NO. FEE\$ 50

NEVADA STATE OFFICE RENO, NEVADA

NEVADA NMC 8 2 5 1 4 7

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersigned reby certifies that he has caused to be loca	ted the <u>T</u>	<u>vr – 12 </u>
Lode Mining Ch in the NE, SW and NW, SE	Quarters,	Section
16 , Townsi 26 N, Range 49 E M.D.M. in	Eureka	_County,
Nevada, on the 4th day of September, 2001.		

The name and tiling address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Ch is approximately 1500 feet long and 600 feet wide, such that 10 at is claimed in a West direction and 1490 feet in a East direction from a point of discovery (monument of location), at which the Notice of Location was sted, together with 300 feet on each side of the monument of location and cer line of the claim.

The gral course of the lode or vein is from East to the West in direction.

The niber, location and markings on each corner monument are as follows:

- 1 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- 12 Northeast Corner is a 2"x2"x4 ft. wood post.
- 13 Southeast Corner is a 2"x2"x4 ft. wood post.
- 1 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number 1 which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This cm is intended to cover all land open to location existing within its boundaries as one date of location.

The worf Location consisted of making a claim map as provided in NRS 517.040.

Dated t 28th day of September, 20 01.

SIGNATURE OF CATOR

RECORDER'S STAMP

John Won, Agent OFFICIAL RECORDS

RECORDED AT THE RECURS OF

OI NOV -6 PM 1:12

RECEIVED
Bur. of Land Management

7:30 A.M. OCT 2 2 2001

EUREKA COUNTY NEVADA NI M.N. REBALEATI, RECORDER M.N. REBALEATI, RECORDER FEE\$ 2050

NEVADA STATE OFFICE RENO, NEVADA

BOOK 3 4 4 PAGE 4 7

NEVADA HMC 825148

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersigned reby certifies that he has caused to be loc	ated the _	Tyr - 13
Lode Mining Ch in the NW, SW; and NE, SW		
16 , Towns 26 N , Range 49 E M.D.M. in	Eureka	County,
Nevada, on the 4th_day of September, 2001.		

The name and illing address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cn is approximately 1500 feet long and 600 feet wide, such et is claimed in a East direction and _____1490___ direction from point of discovery (monument of location), at which the Notice of Location wassted, together with 300 feet on each side of the monument of location and cer line of the claim.

The geral course of the lode or vein is from East to the West in direction.

The mber, location and markings on each corner monument are as follows:

- 1 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number t which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This cn is intended to cover all land open to location existing within its boundaries of this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated v 28th day of September, 20 01.

SIGNATURE OF CATOR

RECORDER'S STAMP

(1)00800K344 PAGE 477 by OFFICIAL RECORDS John Won, Agent OFFICIAL AT Onglojold USA E 101 KOV -6 PM 1: 12

RECEIVED **Bur. of Land Management**

A.M. OCT 22 2001

BOOK 3 4 4 PAGE 4 7

CUREKA COUNTY NEVADA M.N. REBALEATI, RECORDER FILE NO. FEES

NEVADA STATE OFFICE RENO, NEVADA

177178

NEVADA NMC 8 2 5 1 4 9

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersignesereby certifies that he has caused to be loca	ted the <u>Tyr - 14</u>	,
Lode Mining Ch in the NE, SW and NW, SE		
16 , Towns 26 N, Range 49 E M.D.M. in	Eureka Count	ty,
Nevada, on the 4th day of September, 2001.		

The name and ailing address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111.

The Cm is approximately 1500 feet long and 600 feet wide, such that 10 et is claimed in a West direction and 1490 feet in a East direction from point of discovery (monument of location), at which the Notice of Location wassted, together with 300 feet on each side of the monument of location and cer line of the claim.

The geral course of the lode or vein is from East to the West in direction.

The riber, location and markings on each corner monument are as follows:

- 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- 1 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number 1 which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This cm is intended to cover all land open to location existing within its boundaries as one date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated s 28th day of September, 20 01.

SIGNATURE OF CATOR

RECORDER'S STAMP

John Won Agent Styl PAGE 478

John Won, Agent FICIAL RECORDS

01 NOV -6 PM 1: 12

RECEIVED Bur. of Land Management

7:30 A.M. OCT 2 2 2001

BOOK 3 4 4 PAGE 43

EUREKA COUNTY HEVADA M.N. REBALEATI, RECORDER FILE NO. FEES

NEVADA STATE OFFICE RENO, NEVADA NEVADA NMC 8 2 5 1 5 0

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersigned reby certifies that he has caused to be located the <u>Tyr - 15</u> Lode Mining tim in the <u>SW,NW; SE, NW; NW, SW; and NE, SW</u>

Quarters, Sect. 16 , Township <u>26 N</u>, Range <u>49 E</u> M.D.M. in <u>Eureka</u> Cow, Nevada, on the <u>14th</u> day of <u>September</u>, 2001.

The name and ailing address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cn is approximately 1500 feet long and 600 feet wide, such that 10 et is claimed in a East direction and 1490 feet in a West direction from point of discovery (monument of location), at which the Notice of Location waosted, together with 300 feet on each side of the monument of location and cer line of the claim.

The geral course of the lode or vein is from East to the West in direction.

The mber, location and markings on each corner monument are as follows:

- . 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- . 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- . 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- . 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number 1 which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by <u>September 14, 2001</u>

This cm is intended to cover all land open to location existing within its boundaries of this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated s 28th day of September, 20 01.

SIGNATURE OXICATOR

RECORDER'S STAMP

John Won, Agent OFFICIAL RECORDS

RECORDED AT THE RECORDS

ORGANICO US A

CHINON - 6 PM 1: 12

RECEIVED
Bur. of Land Management

7:30 A.M. OCT 2 2 2001

NEVADA STATE OFFICE 50 RENO, NEVADA

BOOK 3 4 4 PAGE 4 7

by

CERTIFATE OF LOCATION OF LODE MINING CLAIM **HEVADA NMC**

825151

The undersigned reby certifies that he has caused to be located the $\underline{Tyr} - \underline{16}$ Lode Mining aim in the SE, NW; SW, NE; NE, SW and NW, SE Quarters, Sect. 16, Township 26 N, Range 49 E M.D.M. in Eureka Cous Nevada, on the 14th day of September, 2001.

The name and ailing address of the locator is:

\NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cn is approximately 1500 feet long and 600 feet wide, such 10 et is claimed in a West direction and 1490 feet in a East direction from point of discovery (monument of location), at which the Notice of Location waosted, together with 300 feet on each side of the monument of location and cer line of the claim.

The scral course of the lode or vein is from East to the West in direction.

The mber, location and markings on each corner monument are as follows:

- . 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- . 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- . 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- . 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number 1 which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This can is intended to cover all land open to location existing within its boundaries as onis date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated s 28th day of September, 20 01.

SIGNATURE OF CATOR

RECORDER'S STAMP

BOOK 3 4 4 PAGE 480 Bur. of Land Management by RECORDED AT THE RECUEST OF 7:30

OINOV-6 PM 1: 13 John Won, Agent

OCT 22 2001

EUREKA COUNTY NEVADA M.N. REBALEATI. RECORDER FILE NO. FEES 20

NEVADA STATE OFFICE RENO, NEVADA

BOOK 3 4 4 PAGE 4 8

HEVADA HMC 825152

177182 CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersignmereby certifies that he has caused to be local	ted the <u>Tyr –</u>	17_
Lode Mining Cm in the SW,NW and SE, NW	_ Quarters, Se	ection
16 , Townp 26 N , Range 49 E M.D.M. in	Eureka Co	unty,
Nevada, on the 4th day of September, 2001.		

The name and ailing address of the locator is:

\NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cm is approximately 1500 feet long and 600 feet wide, such 10 et is claimed in a East direction and 1490 feet in a West direction from point of discovery (monument of location), at which the Notice of Location wassted, together with 300 feet on each side of the monument of location and cer line of the claim.

The jeral course of the lode or vein is from East to the West in direction.

The mber, location and markings on each corner monument are as follows:

- , 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- . 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- . 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- . 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number I which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This cm is intended to cover all land open to location existing within its boundaries of this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated's 28th day of September, 20 01.

SIGNATURE OF CATOR

BOOK 3 4 4 PAGE 48

RECORDER'S STAMP

RECEIVED ABOURDON 344 PAGE 48/ BI Agent OFFICIAL RECORDS ORECORDED AT THE REQUEST OF 7:30 A.M. 1/1/20 Bur. of Land Management John Won, Agent

OCT 22 2001 A.M. of NOV -6 PM 1:13

NEVADA STATE OFFICE RENO, NEVADA EUREKA COUNTY HEVADA

M.N. REBALEATI. RECORDER FEE\$20 FILE NO.

HEYADA NMC 825153

177183 CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersignedereby certifies that he has caused to be loca	ted the <u>Tyr</u>	· <u> </u>
Lode Mining Cm in the SE, NW and SW, NE		
16 , Towns 26 N, Range 49 E M.D.M. in		
Nevada, on the 4 th day of September, 2001.		

The name and ailing address of the locator is:

\NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cm is approximately 1500 feet long and 600 feet wide, such 10 et is claimed in a West direction and 1490 feet in a East direction from point of discovery (monument of location), at which the Notice of Location wassted, together with 300 feet on each side of the monument of location and cer line of the claim.

The seral course of the lode or vein is from East to the West in direction.

The mber, location and markings on each corner monument are as follows:

- . 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- . 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- , 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number 1 which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This on is intended to cover all land open to location existing within its boundaries as this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated s 28th day of September, 20 01.

SIGNATURE OXCATOR

RECORDER'S STAMP

by John Won, Agent

BOOK 3 4 4 MGE 4 8 2

RECEIVED Bur. of Land Management 800K 344

PAGE 4/2 OFFICIAL RECORDS 7:30 OCT 22 200 corded AT A.M. glogied USA Eyel

NEVADA STATE OFFICIENT -6 PM 1:13 RENO, NEVADA

DA

EUREKA COUNTY NEVADA
M.N. REBALEATI. RECORDER
FILE NO. FEES 20

NEVADA NMC 8 2 5 1 5 4

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersignment by certifies that he has caused to be located the <u>Tyr - 19</u> Lode Mining aim in the <u>NW, NW; NE, NW; SW,NW and SE, NW</u> Quarters, Sect. <u>16</u>, Township <u>26 N</u>, Range <u>49 E</u> M.D.M. in <u>Eureka</u> Cow, Nevada, on the <u>14th</u> day of <u>September</u>, 20<u>01</u>.

The name and ailing address of the locator is:

ANGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cm is approximately 1500 feet long and 600 feet wide, such that 10 et is claimed in a East direction and 1490 feet in a West direction from point of discovery (monument of location), at which the Notice of Location wassted, together with 300 feet on each side of the monument of location and cer line of the claim.

The teral course of the lode or vein is from East to the West in direction.

The raber, location and markings on each corner monument are as follows:

- . 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- . 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- . 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- . 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number d which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by <u>September 14, 2001</u>

This cm is intended to cover all land open to location existing within its boundaries of this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated's 28th day of September, 20 01.

SIGNATURE OXCATOR

RECORDER'S STAMP

by BOOK 344 PAGE 483

DEPICIAL RECORDS

John Won, AFGORDED AT THE RECUEST OF

ON NOV-6 PM 1:13

7:30 A.M. OCT 2 2 2001

BOOK 3 4 4 PAGE 4 8

EUREKA COUNTY NEVADA M.N. REBALEATI, RECORDER FILE NO. FEE\$

NEVADA STATE OFFICE RENO, NEVADA

RECEIVED

Bur. of Land Management

1771.84

NEVADA NMC 825155

177185

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersigned reby certifies that he has caused to be located the <u>Tyr - 20</u> Lode Mining aim in the <u>NE, NW; NW, NE; SE, NW and SW, NE</u> Quarters, Sect. <u>16</u>, Township <u>26 N</u>, Range <u>49 E</u> M.D.M. in <u>Eureka</u> Cout, Nevada, on the <u>14th</u> day of <u>September</u>, 20<u>01</u>.

The name and ailing address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cm is approximately 1500 feet long and 600 feet wide, such that 10 et is claimed in a West direction and 1490 feet in a East direction from point of discovery (monument of location), at which the Notice of Location waosted, together with 300 feet on each side of the monument of location and cert line of the claim.

The peral course of the lode or vein is from East to the West in direction.

The mber, location and markings on each corner monument are as follows:

- . 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- . 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- . 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- . 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number 1 which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This cm is intended to cover all land open to location existing within its boundaries as this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated's 28th day of September, 20 01.

SIGNATURE OXICATOR

RECORDER'S STAMP

by BOOK 344 PAGE 484

by OFFICIAL RECORDS

A CONTROL OF THE REQUEST OF

John Won, Agent of Gold USA Eyel RECEIVED

01 NOV -6 PM 1: 13

EUREKA COUNTY NEVADA A.M. OCT 2 2 2001 M.N. REBALEATI. RECORDER

BOOK 3 4 4 PAGE 4 &

177185

FILE NO.

FEES NEVADA STATE OFFICE
RENO, NEVADA

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersignmereby of	ertifies that he has ca	used to be lo	cated the <u>Ty</u>	<u>r – 21 </u>
Lode Mining Cm in the	NW, NW and NE, N	W	Quarters,	Section
<u>16</u> , Townp <u>26</u>	N_, Range <u>49 E</u>	M.D.M. in _	Eureka	County,
Nevada, on the 4th day	y of <u>September</u> , 20 <u>0</u>	<u>1</u> .		

The name and ailing address of the locator is:

ANGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cm is approximately 1500 feet long and 600 feet wide, such that 10 set is claimed in a East direction and 1490 feet in a West direction from point of discovery (monument of location), at which the Notice of Location woosted, together with 300 feet on each side of the monument of location and cert line of the claim.

The teral course of the lode or vein is from East to the West in direction.

The mber, location and markings on each corner monument are as follows:

- . 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- . 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- . 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- . 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number d which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by <u>September 14, 2001</u>

This cm is intended to cover all land open to location existing within its boundaries of this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated's 28th day of September, 20 01.

SIGNATURE OXOCATOR

RECORDER'S STAMP

by BOOK 344 PAGE 485

BOOK 344 PAGE 485

RECEIVED

BUT OF Land Management

John Won, Agent Lingles of CSA 7:30

OI NOV-6 PM 1: 13 A.M. OCT 22 2001

EUREKA COUNTY NEVADA NEVADA STATE OFFICE M.N. REBALEATI, RECORDER FILE NO. FEES SO RENO, NEVADA

BOOK 3 4 4 PAGE 4 8

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersigneereby certifies that he has caused to be local	ited the <u>Tyr - 22</u>
Lode Mining Cm in the NE, NW and NW, NE	
16 , Towns 26 N, Range 49 E M.D.M. in	
Nevada, on the 4th day of September, 2001.	

The name and ailing address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cm is approximately 1500 feet long and 600 feet wide, such that 10 feet is claimed in a West direction and 1490 feet in a East direction from point of discovery (monument of location), at which the Notice of Location wassted, together with 300 feet on each side of the monument of location and cer line of the claim.

The peral course of the lode or vein is from East to the West in direction.

The raber, location and markings on each corner monument are as follows:

- . 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- . 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- . 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- . 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number 1 which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by <u>September 14, 2001</u>

This cm is intended to cover all land open to location existing within its boundaries as mis date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated s 28th day of September, 20 01.

SIGNATURE OXICATOR

RECORDER'S STAMP

John Won, Agen SCORDED AT THE REQUEST OF OINOV-6 PM 1: 14

RECEIVED
Bur. of Land Management

7:30 OCT 2 2 2001

EUREKA COUNTY HEVADA M.N. REBALEATI. RECORDER FILE NO. FEE\$20

NEVADA STATE OFFICE RENO, NEVADA

BOOK 3 4 4 PAGE 4 8

1771.88 CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersign hereby certifies that he has caused to be located the Tyr - 23Lode Mining Cm in the NW, NW and NE, NW Quarters, Section 26 N, Range 49 E 16 , and S SW and SE, SW Section 9 Township M.D.M. in <u>Eska</u> County, Nevada, on the <u>14th</u> day of <u>September</u>, 20 01

The name and ailing address of the locator is:

ANGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cm is approximately 1500 feet long and 600 feet wide, such 10 eet is claimed in a East direction and 1490 _ feet in a West direction from point of discovery (monument of location), at which the Notice of Location woosted, together with 300 feet on each side of the monument of location and cer line of the claim.

The seral course of the lode or vein is from East to the West in direction.

The mber, location and markings on each corner monument are as follows:

- . 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- 3. 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- . 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- 3. 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, numbered which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This im is intended to cover all land open to location existing within its boundaries of this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated s 28th day of September, 20 01.

SIGNATURE O.OCATOR

RECORDER'S STAMP

Ivi by John Vron, Agent Englogod USA Expl. 7:30 01 NOV - 5 PM 1: 14 A.M.

RECEIVED **Bur. of Land Management**

A.M.

EUREKA COUNTY NEVADA M.N. REBALEATI, RECORDER

FEE\$ 50

NEVADA STATE OFFICE RENO, NEVADA

OCT 22 2001

BOOK 3 4 4 PAGE 47

NEVADA NMC 825159

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersign hereby certifies that he has caused to be lo	cated the <u>Tyr - 24</u>
Lode Mining Cm in the NE, NW and NW, NE	Quarters, Section
16, and SEW and SW, SE Quarters, Section 9, Town	
49 E M.M. in Eureka County, Nevada, o	
September, 20.	•

The name and ailing address of the locator is:

ANGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cim is approximately 1500 feet long and 600 feet wide, such 10 et is claimed in a West direction and 1490 feet in a East direction from point of discovery (monument of location), at which the Notice of Location woosted, together with 300 feet on each side of the monument of location and cer line of the claim.

The seral course of the lode or vein is from East to the West in direction.

The mber, location and markings on each corner monument are as follows:

- 1. Northwest Corner is a 2"x2"x4 ft. wood post.
 2. Northeast Corner is a 2"x2"x4 ft. wood post.
- 3. 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- 4. 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, numbered which corner it is with an aluminum tag attached to the post. Monumentatio f this claim was completed by September 14, 2001

This em is intended to cover all land open to location existing within its boundaries of this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated s 28th day of September, 20 01.

SIGNATURE OÆCATOR

RECORDER'S STAMP

344 PAGE 489 by John Won,

7:30 OCT 22 2001 A.M.

CUREKA COUNTY NEVADA M.H. REBALEATI, RECORDER

NEVADA STATE OFFICE RENO, NEVADA

RECEIVED Bur. of Land Management

BOOK 3 4 4 PAGE 4 8

1771.90

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersignedereby certifies that he has caused to be	located the Tyr - 25
Lode Mining Cm in the SW, SW and SE, SW	
9 , Towns 26 N, Range 49 E M.D.M. in	
Nevada, on the 4th day of September, 2001.	

The name and ailing address of the locator is:

NGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cm is approximately 1500 feet long and 600 feet wide, such that 10 set is claimed in a East direction and 1490 feet in a West direction from point of discovery (monument of location), at which the Notice of Location wassted, together with 300 feet on each side of the monument of location and cert line of the claim.

The seral course of the lode or vein is from East to the West in direction.

The mber, location and markings on each corner monument are as follows:

- . 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- . 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- . 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number d which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by September 14, 2001

This cm is intended to cover all land open to location existing within its boundaries of this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated's 28th day of September, 20 01.

SIGNATURE OXICATOR

RECORDER'S STAMP

by BOOK 344 PAGE 489

OFFICIAL RECORDS

John Won, Agent PECORDED AT THE REQUEST OF

OI NOV-6 PM 1: 14

1771.90

RECEIVED Bur. of Land Management

BOOK 3 4 4 P/489

EUREKA COUNTY NEVADA
M.H. REBALEATI. RECORDER
FILE NO. FEE\$ 20

A.M. OCT 22 2001

NEVADA STATE OFFICE RENO, NEVADA

NEVADA NMC 825161

177191

CERTIFATE OF LOCATION OF LODE MINING CLAIM

The undersign hereby certifies that he has caused to be located the <u>Tyr - 26</u> Lode Mining Cm in the <u>SE, SW and SW, SNE</u> Quarters, Section 9, Townshi 26 N, Range 49 E M.D.M. in <u>Eureka</u> County, Nevada, on the <u>14th</u> d of <u>September</u>, 2001.

The name and ailing address of the locator is:

ANGLOGOLD (U.S.A.) EXPLORATION INC. 5251 DTC PARKWAY, SUITE 700 GREENWOOD VILLAGE, CO 80111

The Cm is approximately 1500 feet long and 600 feet wide, such that 10 set is claimed in a West direction and 1490 feet in a East direction from point of discovery (monument of location), at which the Notice of Location woosted, together with 300 feet on each side of the monument of location and cer line of the claim.

The teral course of the lode or vein is from East to the West in direction.

The mber, location and markings on each corner monument are as follows:

- . 1 Northwest Corner is a 2"x2"x4 ft. wood post.
- 2 Northeast Corner is a 2"x2"x4 ft. wood post.
- 3 Southeast Corner is a 2"x2"x4 ft. wood post.
- . 4 Southwest Corner is a 2"x2"x4 ft. wood post.

As ered on the ground, each corner monument is market by the claim name, number d which corner it is with an aluminum tag attached to the post. Monumentation this claim was completed by <u>September 14, 2001</u>

This cm is intended to cover all land open to location existing within its boundaries as this date of location.

The woof Location consisted of making a claim map as provided in NRS 517.040.

Dated s 28th day of September, 20 01.

SIGNATURE OF CATOR

RECORDER'S STAMP

BOOK 344 PAGE 490

BOOK 344 PAGE 490

OFFICIAL RECORDS

THE REQUEST OF

John Won, Agent uglogods USA Cypl.

OI NOV -6 PM 1: 14

RECEIVED
Bur, of Land Management

EUREKA COUNTY NEVADA M.N. REBALEATI. RECORDER FILE NO. FEES 20 7:30 OCT 2 2 2001

BOOK 3 4 4 PAGE 4 9

177191

NEVADA STATE OFFICE RENO, NEVADA