

BOOK 363 PAGE 81-117  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
*Newmont Mining Corp.*  
2003 JUN 30 PM 2:07

EUREKA COUNTY NEVADA  
M.N. REBALEATI, RECORDER  
FILE NO. FEES 50<sup>00</sup>

## ROYALTY ASSIGNMENT

**182157**

APN# \_\_\_\_\_

Recording requested by:

Newmont Mining Corporat  
1700 Lincoln Street  
Denver, CO 80203  
ATTN: Land Department

THIS ROYALTY ASSIGNMENT ("Assignment") is entered into and shall be effective as of June 30, 2003, and is made and entered into between Newmont Capital Limited (previously known as Franco-Nevada Mining Corporation, Inc.), a Nevada corporation whose address is 1700 Lincoln Street, Denver, CO 80203 ("Assignor"), to Newmont Deep Post LLC, a Nevada limited liability company whose address is 1700 Lincoln Street, Denver, CO 80203 ("Assignee").

For good and valuable consideration, the receipt and sufficiency of which hereby are acknowledged, Assignor hereby assigns, grants, bargains and sells to Assignee, its successors and assigns forever, have and to hold unto Assignee, and to its successors and assigns forever, all rights, title and interests of Assignor in, to and under the following royalties, insofar as they apply and burden the properties described in Exhibit A to this Assignment (the "Property"):

1. The 4% NSR Royalty (the "1976 4% Royalty") due pursuant to the May 14, 1976 Agreement between East Utah Mining Company, Swiss Oils of Canada (1959) Ltd., PanCana Industries, Inc., and PanCana Industries, Ltd. (the "1976 Agreement"), recorded in the official records of Eureka County, Nevada in Book 56 at pages 504-544, as amended by Letter of Amendment and Clarification dated May 19, 1976, by Commingling Agreement dated August 31, 1989, by Amendment to Agreements dated January 1, 1991 and by Letter Agreement, dated May 3, 1999; and
2. The Production Royalty ("Production Royalty") due pursuant to the Royalty Quit Claim Deed & Release of Net Income Interest, dated effective May 3, 1999, by and between Newmont Gold Company, as "Grantor", and Franco-Nevada Mining Corporation, Inc., as "Grantee", recorded on June 3, 1999 in the Official Records of Eureka County Nevada in Book 327 at pages 331 - 371, Document No. 172255.


TO HAVE AND TO HOLD the 1976 4% NSR Royalty and the Production Royalty in the Property to the Assignee and its successors and assigns forever. Assignee accepts such assignment and assumes the obligations of Assignor under the instruments described in

paragraphs 1 and 2 ab: accruing from and after the effective date of this Assignment. This Assignment shall be governed by the laws of the State of Nevada.

WHEREFORE, this Agnment is executed and delivered on the day and year first above written.

ASSIGNOR:

NEWMONT CAPITAL LIMITED , a Nevada corporation


By: 

Name: Thomas P. Mahoney  
Title: Treasurer

ASSIGNEE:

NEWMONT DEEP POST LLC, a Nevada limited liability company

By: Newmont Capital Limited, its sole member

By: 

Name: Thomas P. Mahoney  
Title: Treasurer

STATE OF COLORADO )  
 )  
CITY AND COUNTY OF DENVER )

On this 27<sup>th</sup> day of July 2003, personally appeared before me, a Notary Public, Thomas P. Mahoney, the Treasurer of Newmont Capital Limited, a Nevada corporation, personally known or proved to me to be the person whose name is subscribed to the above instrument who acknowledged he executed the above instrument and acknowledged said instrument to be his/her voluntary act and deed made on behalf of said corporation and for the uses and purposes therein mented.

Glenn L. Dawson

Notary Public

My Commission expires:

May 1, 2007

[SEAL]

STATE OF COLORADO )  
 )  
CITY AND COUNTY OF DENVER )

On this 27<sup>th</sup> day of July 2003, personally appeared before me, a Notary Public, Thomas P. Mahoney, the Treasurer of Newmont Capital Limited, a Nevada corporation, as the sole member of Newmont ePost LLC, a Nevada limited liability company, personally known or proved to me to be the person whose name is subscribed to the above instrument who acknowledged he/she executed the above instrument and acknowledged said instrument to be his/her voluntary act and deed made on behalf of said corporation and for the uses and purposes therein mented.

Glenn L. Dawson

Notary Public

My Commission expires:

May 1, 2007

[SEAL]

EXHIBIT A

Legal Description of Royalty Parcel

Eureka County, Nevada

Definitions

For all the descriptions included in this Exhibit A, the following definitions apply:

"Settlement Line Points 1 through AG 12" means those certain Settlement Line Points set forth in that certain 1996 SETTLEMENT AGREEMENT as described in Exhibit A to MEMORANDUM OF SETTLEMENT AGREEMENT (SETTLEMENT LINE), recorded in Book 143, at page 234 and Book 145, at page 468 of the Official Records of Eureka County, Nevada, as those points identified and their values listed under the column entitled "SUMMIT ENGINEERING" in that certain letter dated April 4, 1990, from Summit Engineering Corporation to Newmont Gold Company, a copy of which letter is attached hereto as Schedule X attached hereto.

"1996 Settlement Line Points 11A, 11B, 11C and 11D" mean those certain Settlement Line Points set forth in EXHIBIT A to that certain MEMORANDUM OF SETTLEMENT AGREEMENT dated October 16, 1996, recorded in Book 301, at page 443, in the Official Records of Eureka County, Nevada.

"Elevation," as used herein, is expressed in Barrick Vertical Datum, as further defined in Schedule Y attached hereto.

"Coordinate" as used herein, means horizontal coordinates as expressed in the Barrick Horizontal Datum, as further defined in Schedule Z attached hereto.

---

Property

Part 1: Patented Claims and Fee Lands

PARCEL 1:

That portion of the GOLDSTRIKE No. 21, GOLDSTRIKE No. 22 and GOLDSTRIKE No. 23 Patented Lode Mining claims, designated and described by Mineral Survey 5062, being part of Mineral Patent Number 27-94-0017, situate the former SW1/4NE1/4, Section 30, Township 36 North, Range 50 East, Mount Diablo Meridian, Eureka County, Nevada, lying west of the line between Settlement Line Point AG 8 and Settlement Line Point AG 9.

PARCEL 2:

That portion of the GOLDSTRIKE No. 3 Patented Lode Mining claim, further designated and described by Mineral Survey No. 5062 and being part of Mineral Patent No. 27-94-0018, situate in a portion of Section 19, Township 36 North, Range 50 East, M.D.B.&M., Eureka County, Nevada, lying south of the line between Settlement Line Point AG 9 and Settlement Line Point AG 10, EXCEPTING THEREFROM that portion of said claim subject to that certain Royalty Quitclaim Deed and Release of Net Income Interest effective as of January 31, 1997, recorded February 18, 1997, in bk 305, Page 578, Official Records, Eureka County, Nevada.

PARCEL 3:

That portion of the POST EXTENSION, POST No. 3, POST No. 4, GOLDSTRIKE No. 30, GOLDSTRIKE No. 31 and GOLDSTRIKE No. 32 Patented Lode Mining Claims, further designated and described by Mineral Survey 5059 and Mineral Survey 5062 and being part of Mineral Patent Nos. 27-94-0015 and 27-94-0017, situated in the former SE1/4SW1/4 of Section 19, Township 36 North, Range 50 East, Mount Diablo Meridian, Eureka County, Nevada, and lying west of the line between Settlement Line Point AG 6 and Settlement Line Point AG 7 and south of the line between Settlement Line Points AG 7 and Settlement Line Point AG 8, and that portion of the NE1/4SW1/4 of said Section 19 lying south of the line between Settlement Line Point AG 6 and Settlement Line Point AG 5 and its prolongation west to its intersection with the West Line of said NE1/4SW1/4, situated below that certain open pit mining shell B14H2NB-15, as depicted and defined by Coordinate and Elevation values on Schedule S attached hereto and made a part hereof.

PARCEL 4:

That portion of the GOLDSTRIKE No. 23, GOLDSTRIKE No. 24, GOLDSTRIKE No. 25, GOLDSTRIKE No. 30, GOLDSTRIKE No. 31 and GOLDSTRIKE No. 32 Patented Lode Mining Claims, designed and described by Mineral Survey 5062, and being part of Mineral Patent No. 27-94-0018 situated in the former NE1/4NW1/4 of Section 30, Township 36 North, Range 50 East, Mount Diablo Meridian, Eureka County, Nevada, situated below that certain open pit mining shell B14H2NB-18a, as depicted and defined by Coordinate and Elevation values on Schedule T attached hereto and made a part hereof.

PARCEL 5:

That portion of the GOLDSTRIKE No. 21, GOLDSTRIKE No. 22, GOLDSTRIKE No. 23, GOLDSTRIKE No. 30, GOLDSTRIKE No. 33 and GOLDSTRIKE No. 34 Patented Lode Mining Claims, designed and described by Mineral Survey 5062 and being part of Mineral Patent No. 27-94-0018 situated in the former NW1/4NE1/4 of Section 30, Township 36 North, Range 50 East, Mount Diablo Meridian, Eureka County, Nevada, lying south of the line between Settlement Line Point AG 7 and Settlement Line Point AG 8 and west of the line between Settlement Line Point AG 8 and Settlement Line Point AG 9, and that portion of the SW1/4SE1/4 of Section 19, said Township and Range, lying south of the line between Settlement Line Point AG 7 and Settlement Line Point AG 8, situated below that certain open pit

mining shell B14H2N19, as depicted and defined by Coordinate and Elevation values on Schedule U attached hereto and made a part hereof.

PARCEL 6:

That part of the N1/2N/4 of Section 31, Township 36 North, Range 50 East, Mount Diablo Meridian, Eureka Cour. Nevada, lying west of the line between Settlement Line Point AG 10 and Settlement Line Pt AG 11, north of the line between Settlement Line Point AG 11 and 1996 Settlement Line Point 11A and east of the line between 1996 Settlement Line Point 11A and 1996 Settlement Line Point 11B, and also that part lying west of the line between 1996 Settlement Line Point 11C and 1996 Settlement Line Point AG 11D and north of the line between 1996 Settlement Line Point AG 11D and Settlement Line Point AG 12.

Part 2:        Unpatented Claims (See Part 3 of this Exhibit A for claim recording information and BLM Serial Nos.)

1.        That portion of GOLDSTRIKE No. 1 unpatented lode mining claim lying west of the line between Settlement Line Point AG 10 and Settlement Line Point AG 11 and south of the line between Settlement Line Point AG 9 and Settlement Line Point AG 10.
2.        That portion of GOLDSTRIKE No. 2 unpatented lode mining claim lying south of the line between Settlement Line Point AG 9 and Settlement Line Point AG 10.
3.        The GOLDSTRIKE No. 4 unpatented lode mining claim.
4.        The GOLDSTRIKE No. 5 unpatented lode mining claim.
5.        The GOLDSTRIKE No. 14 unpatented lode mining claim.
6.        The GOLDSTRIKE No. 15 unpatented lode mining claim.
7.        That portion of GOLDSTRIKE No. 16 unpatented lode mining claim lying west of the line between Settlement Line Point AG 8 and Settlement Line Point AG 9.
8.        That portion of GOLDSTRIKE No. 37F unpatented lode mining claim lying west of the line between Settlement Line Point AG 10 and Settlement Line Point AG 11 and south of the line between Settlement Line Point AG 9 and Settlement Line Point AG 10.
9.        The GOLDSTRIKE No. 39F unpatented lode mining claim and GS Fraction No. 39 unpatented lode mining claim, EXCEPTING THEREFROM that portion of said claims subject to that certain Royalty and Claim Deed and Release of Net Income Interest effective as of January 31, 1997, rec'd February 18, 1997, in Book 305, Page 578, Official Records, Eureka County, Nevada.
10.       That portion of GOLDSTRIKE No. 40F unpatented lode mining claim lying west of the line between Settlement Line Point AG 10 and the line between Settlement Line Point AG 11.

11. That portion of GS Fraction 40 unpatented lode mining claim lying west of the line between Settlement Line Point AG 10 and Settlement Line Point AG 11.

12. The GS FRACTION No. 41 unpatented lode mining claim.

13. The NGC 1 unpatented lode mining claim


Part 3: The claim recon information and BLM serial numbers for the unpatented claims described in Part 2 are follows:

<u>Claim Name</u>	<u>Eureka Co.</u>		<u>BLM Serial Number</u>
	<u>Book</u>	<u>Page</u>	
GOLDSTRIKE No. 1	N	132	NMC 57154
Amended	34	359	
Amended	222	402	
GOLDSTRIKE No. 2	N	133	NMC 57155
Amended	34	360	
Amended	222	404	
GOLDSTRIKE No. 4	N	135	NMC 57157
Amended	34	362	
Amended	222	408	
GOLDSTRIKE No. 5	N	136	NMC 57158
Amended	34	363	
Amended	222	410	
GOLDSTRIKE No. 1	N	145	NMC 57167
Amended	34	372	
Amended	222	428	
GOLDSTRIKE No. 1	N	146	NMC 57168
Amended	34	373	
Amended	222	430	
GOLDSTRIKE NO. 1	N	147	NMC 57169
Amended	34	374	
Amended	222	432	
GOLDSTRIKE No. 3	222	401	NMC 624693
GOLDSTRIKE NO. 4	231	482	NMC 641524
GS FRACTION 40	130	480	NMC 325248
GS FRACTION No. 4	304	030	NMC 757641
GS Fraction No. 39	130	479	NMC 325247
GOLDSTRIKE No. 3	231	481	NMC 641523
NGC 1	326	416	NMC 803656


SCHEDULE S

Pit Shell B14H2NB-15

Depiction Attached



B14H2NB-15  
 With NE1/4SW1/4 and SE1/4SW1/4 of Section 19, T. 36 N., R. 50 E., M.D.A



Pit Shell B14H2NB-15 boundary Coordinate Values:

<u>Pt. No.</u>	<u>Northing</u>	<u>Easting</u>	<u>Elevation</u>	<u>Description</u>
1	11587.379	12672.244		AG6 In NESW S-19
2	11577.86	12672.24		AG6-AG7@NL of SESW S-19
3	11565.29	12672.25	4310.00	AG6-AG7 in SESW S-19
4	11552.75	12672.25	4290.00	AG6-AG7 in SESW S-19
5	11104.13	12672.28	4270.00	AG6-AG7 in SESW S-19
6	11092.19	12672.28	4250.00	AG6-AG7 in SESW S-19
7	10991.01	12672.28	4230.00	AG6-AG7 in SESW S-19
8	10969.25	12672.29	4230.00	AG6-AG7 in SESW S-19
9	10846.96	12672.29	4250.00	AG6-AG7 in SESW S-19
10	10841.36	12672.30	4270.00	AG6-AG7 in SESW S-19
11	10785.36	12672.30	4290.00	AG6-AG7 in SESW S-19
12	10779.75	12672.30	4310.00	AG6-AG7 in SESW S-19
13	10723.75	12672.30	4330.00	AG6-AG7 in SESW S-19
14	10718.14	12672.30	4350.00	AG6-AG7 in SESW S-19
15	10662.14	12672.31	4370.00	AG6-AG7 in SESW S-19
16	10656.53	12672.31	4390.00	AG6-AG7 in SESW S-19
17	10600.53	12672.31	4410.00	AG6-AG7 in SESW S-19
18	10594.92	12672.31	4430.00	AG6-AG7 in SESW S-19
19	10538.92	12672.32	4450.00	AG6-AG7 in SESW S-19
20	10533.31	12672.32	4470.00	AG6-AG7 in SESW S-19
21	10397.29	12672.33	4490.00	AG6-AG7 in SESW S-19
22	10391.69	12672.33	4510.00	AG6-AG7 in SESW S-19
23	10331.11	12672.33	4530.00	AG6-AG7 in SESW S-19
24	10325.50	12672.33	4550.00	AG6-AG7 in SESW S-19
25	10271.979	12672.334		AG7
26	10272.01	12700.73		AG7-AG8@ E Line SESW S-19
27	10264.09	12700.88		SE Cor. SESW S-19
28	10263.88	12687.14	4570.00	South Line of SESW S-19
29	10262.92	12626.23	4590.00	South Line of SESW S-19
30	10257.89	12305.14	4590.00	South Line of SESW S-19
31	10256.29	12202.92	4590.00	South Line of SESW S-19
32	10252.28	11946.76	4610.00	South Line of SESW S-19
33	10252.05	11932.51	4630.00	South Line of SESW S-19
34	10249.78	11787.46	4650.00	South Line of SESW S-19
35	10249.57	11773.74	4670.00	South Line of SESW S-19
36	10247.58	11646.98	4690.00	South Line of SESW S-19
37	10247.41	11636.25	4710.00	South Line of SESW S-19
38	10245.41	11508.59	4730.00	South Line of SESW S-19
39	10245.17	11493.35	4750.00	South Line of SESW S-19
40	10243.09	11360.31	4770.00	South Line of SESW S-19
41	10242.85	11345.07	4790.00	South Line of SESW S-19

Pit Shell B14H2NB-15 Boundary Coordinate Values:


<u>Pt. No.</u>	<u>Northing</u>	<u>Easting</u>	<u>Elevation</u>	<u>Description</u>
42	10242.80	11341.55		SW Cor. SESW S-19
43	10244.28	11341.53	4790.00	West Line of SESW S-19
44	10250.71	11341.47	4770.00	West Line of SESW S-19
45	10306.88	11340.91	4750.00	West Line of SESW S-19
46	10313.32	11340.85	4730.00	West Line of SESW S-19
47	10369.50	11340.29	4710.00	West Line of SESW S-19
48	10375.94	11340.23	4690.00	West Line of SESW S-19
49	10432.11	11339.67	4670.00	West Line of SESW S-19
50	10438.54	11339.61	4650.00	West Line of SESW S-19
51	10494.35	11339.06	4630.00	West Line of SESW S-19
52	10500.41	11339.00	4610.00	West Line of SESW S-19
53	10556.25	11338.45	4590.00	West Line of SESW S-19
54	10562.32	11338.39	4570.00	West Line of SESW S-19
55	10618.10	11337.83	4550.00	West Line of SESW S-19
56	10624.69	11337.77	4530.00	West Line of SESW S-19
57	10791.41	11336.12	4510.00	West Line of SESW S-19
58	10797.74	11336.05	4490.00	West Line of SESW S-19
59	11049.61	11333.56	4470.00	West Line of SESW S-19
60	11066.39	11333.39	4450.00	West Line of SESW S-19
61	11094.81	11333.11	4430.00	West Line of SESW S-19
62	11281.53	11331.26	4410.00	West Line of SESW S-19
63	11354.35	11330.54	4390.00	West Line of SESW S-19
64	11361.09	11330.47	4370.00	West Line of SESW S-19
65	11421.07	11329.88	4350.00	West Line of SESW S-19
66	11429.62	11329.80	4330.00	West Line of SESW S-19
67	11503.12	11329.07	4310.00	West Line of SESW S-19
68	11513.28	11328.97	4290.00	West Line of SESW S-19
69	11554.56	11328.56		NW Cor. of SESW S-19
70	11585.76	11328.25		AG6-AG5 Ext.toWL NESW S19
71	11585.766	11336.115		AG5
72	11585.82	11384.33	4270.00	AG5-AG6 in NESW S-19
73	11585.83	11391.79	4250.00	AG5-AG6 in NESW S-19
74	11585.90	11446.55	4230.00	AG5-AG6 in NESW S-19
75	11585.91	11453.63	4210.00	AG5-AG6 in NESW S-19
76	11586.22	11708.58	4190.00	AG5-AG6 in NESW S-19
77	11586.23	11721.19	4170.00	AG5-AG6 in NESW S-19
78	11586.40	11861.38	4150.00	AG5-AG6 in NESW S-19
79	11586.56	11993.10	4130.00	AG5-AG6 in NESW S-19
80	11586.76	12163.39	4110.00	AG5-AG6 in NESW S-19
81	11586.77	12170.64	4090.00	AG5-AG6 in NESW S-19
82	11586.84	12222.10	4090.00	AG5-AG6 in NESW S-19
83	11586.98	12342.23	4110.00	AG5-AG6 in NESW S-19

Pit Shell B14H2NB-15 boundary Coordinate Values:

<u>Pt. No.</u>	<u>Northing</u>	<u>Easting</u>	<u>Elevation</u>	<u>Description</u>
84	11587.05	12399.78	4130.00	AG5-AG6 in NESW S-19
85	11587.06	12406.03	4150.00	AG5-AG6 in NESW S-19
86	11587.13	12463.58	4170.00	AG5-AG6 in NESW S-19
87	11587.13	12469.84	4190.00	AG5-AG6 in NESW S-19
88	11587.20	12527.38	4210.00	AG5-AG6 in NESW S-19
89	11587.21	12533.64	4230.00	AG5-AG6 in NESW S-19
90	11587.28	12591.19	4250.00	AG5-AG6 in NESW S-19
91	11587.29	12597.44	4270.00	AG5-AG6 in NESW S-19
92	11587.36	12654.99	4290.00	AG5-AG6 in NESW S-19
93	11587.37	12661.23	4310.00	AG5-AG6 in NESW S-19

B14H2NB-15


Typical Bench Cross Section View Attached



B14H2NB-15

**BENCH CROSS SECTION VIEW  
TYPICAL BENCH CROSS SECTION  
HOWING MID-BENCH CONTOURS**


SCALE: 1"=20'



XSEC1015.DWG

B14H2NB-15

1sp Long Section and Cross Section View Attached




B14H2NB-15

# RAMP LONG SECTION AND CROSS SECTION VIEWS

## TYPICAL RAMP LONG SECTION

SCALE: 1"=200'


LENGTH VARIES  
GRADE VARIES, MAXIMUM 10%



**C**

## TYPICAL RAMP CROSS SECTION (LOOKING UPHILL)

SCALE: 1"=20'



**C1**

YSEC1015.DWG


SCHEDULE T

Pit Shell B14H2NB-18a

Depiction Attached



B14H2NB-18a  
 Within NE1/4NW1/4 of Section 30, T. 36 N., R. 50 E., M.D.M.



N 1000 | = tick grid value and tick interval = 500 feet  
 E 1000 |

5150 = MID-BENCH CONTOUR ELEVATION  
 5160 = BENCH ELEVATION



NORTH  
 Scale: 1" = 200'  
 C. I. = 20'  
 p18a.dwg

Pit Shell B14H2NB-18 boundary Coordinate Values:


<u>Pt. No.</u>	<u>Northing</u>	<u>Eastng</u>	<u>Elevation</u>	<u>Description</u>
1	10264.09	12700.88		NE Corner NENW S-30
2	10263.27	12700.88	4570.00	East Line of NENW S-30
3	10257.66	12700.89	4590.00	East Line of NENW S-30
4	10207.22	12700.99	4610.00	East Line of NENW S-30
5	10199.26	12701.00	4630.00	East Line of NENW S-30
6	10093.88	12701.20	4650.00	East Line of NENW S-30
7	10087.21	12701.22	4670.00	East Line of NENW S-30
8	10035.15	12701.32	4690.00	East Line of NENW S-30
9	9948.72	12701.48	4710.00	East Line of NENW S-30
10	9902.37	12701.57	4730.00	East Line of NENW S-30
11	9896.76	12701.58	4750.00	East Line of NENW S-30
12	9816.51	12701.74	4770.00	East Line of NENW S-30
13	9810.91	12701.75	4790.00	East Line of NENW S-30
14	9747.17	12701.87	4810.00	East Line of NENW S-30
15	9741.57	12701.88	4830.00	East Line of NENW S-30
16	9677.82	12702.01	4850.00	East Line of NENW S-30
17	9670.81	12702.02	4870.00	East Line of NENW S-30
18	9484.95	12702.38	4890.00	East Line of NENW S-30
19	9479.35	12702.39	4910.00	East Line of NENW S-30
20	9427.83	12702.49	4930.00	East Line of NENW S-30
21	9422.22	12702.50	4950.00	East Line of NENW S-30
22	9376.76	12702.59	4970.00	East Line of NENW S-30
23	9371.81	12702.60	4990.00	East Line of NENW S-30
24	9189.14	12702.95	5010.00	East Line of NENW S-30
25	9183.55	12702.96	5030.00	East Line of NENW S-30
26	9123.32	12703.07	5050.00	East Line of NENW S-30
27	9117.72	12703.09	5070.00	East Line of NENW S-30
28	9061.68	12703.19	5090.00	East Line of NENW S-30
29	9056.07	12703.20	5110.00	East Line of NENW S-30
30	8998.14	12703.32	5130.00	East Line of NENW S-30
31	8992.51	12703.33	5150.00	East Line of NENW S-30
32	8950.90	12703.41		SE Corner NENW S-30
33	8947.22	12437.89	5170.00	South Line of NENW S-30
34	8946.50	12386.15	5190.00	South Line of NENW S-30
35	8944.91	12271.57	5190.00	South Line of NENW S-30
36	8941.59	12031.97	5170.00	South Line of NENW S-30
37	8937.97	11770.64	5170.00	South Line of NENW S-30
38	8937.77	11755.96	5190.00	South Line of NENW S-30
39	8935.65	11602.92	5210.00	South Line of NENW S-30
40	8935.45	11588.24	5230.00	South Line of NENW S-30
41	8933.32	11434.64	5250.00	South Line of NENW S-30

Pit Shell B14H2NB-18a boundary Coordinate Values:

<u>Pt. No.</u>	<u>Northing</u>	<u>Easting</u>	<u>Elevation</u>	<u>Description</u>
42	8933.14	11421.50	5270.00	South Line of NENW S-30
43	8932.06	11343.73		SW Corner NENW S-30
44	8973.02	11343.66	5270.00	West Line of NENW S-30
45	8979.59	11343.65	5250.00	West Line of NENW S-30
46	9048.06	11343.54	5230.00	West Line of NENW S-30
47	9054.62	11343.53	5210.00	West Line of NENW S-30
48	9123.09	11343.41	5190.00	West Line of NENW S-30
49	9129.65	11343.40	5170.00	West Line of NENW S-30
50	9198.92	11343.29	5150.00	West Line of NENW S-30
51	9206.40	11343.27	5130.00	West Line of NENW S-30
52	9566.27	11342.67	5110.00	West Line of NENW S-30
53	9574.14	11342.66	5090.00	West Line of NENW S-30
54	9652.29	11342.53	5070.00	West Line of NENW S-30
55	9659.41	11342.52	5050.00	West Line of NENW S-30
56	9725.21	11342.41	5030.00	West Line of NENW S-30
57	9737.34	11342.39	5010.00	West Line of NENW S-30
58	9773.48	11342.33	4990.00	West Line of NENW S-30
59	9785.45	11342.31	4970.00	West Line of NENW S-30
60	9858.84	11342.19	4950.00	West Line of NENW S-30
61	9879.26	11342.15	4930.00	West Line of NENW S-30
62	9917.98	11342.09	4910.00	West Line of NENW S-30
63	9923.96	11342.08	4890.00	West Line of NENW S-30
64	10119.48	11341.75	4870.00	West Line of NENW S-30
65	10125.90	11341.74	4850.00	West Line of NENW S-30
66	10181.88	11341.65	4830.00	West Line of NENW S-30
67	10188.29	11341.64	4810.00	West Line of NENW S-30
68	10242.80	11341.55		NW Corner NENW S-30
69	10242.85	11345.07	4790.00	North Line of NENW S-30
70	10243.09	11360.31	4770.00	North Line of NENW S-30
71	10245.17	11493.35	4750.00	North Line of NENW S-30
72	10245.41	11508.59	4730.00	North Line of NENW S-30
73	10247.41	11636.25	4710.00	North Line of NENW S-30
74	10247.58	11646.98	4690.00	North Line of NENW S-30
75	10249.57	11773.74	4670.00	North Line of NENW S-30
76	10249.78	11787.46	4650.00	North Line of NENW S-30
77	10252.05	11932.51	4630.00	North Line of NENW S-30
78	10252.28	11946.76	4610.00	North Line of NENW S-30
79	10256.29	12202.92	4590.00	North Line of NENW S-30
80	10257.89	12305.14	4590.00	North Line of NENW S-30
81	10262.92	12626.23	4590.00	North Line of NENW S-30
82	10263.88	12687.14	4570.00	North Line of NENW S-30

B14H2NB-18a


Typical Bench Cross Section Attached



B14H2NB-18a


**BENCH CROSS SECTION VIEW  
TYPICAL BENCH CROSS SECTION  
SHOWING MID-BENCH CONTOURS**

SCALE: 1"=20'



B14H2NB-18a

Typical Ramp Long Section Attached




D14R2NB-18a

### RAMP LONG SECTION AND CROSS SECTION VIEWS

#### TYPICAL RAMP LONG SECTION


SCALE: 1"=200'

LENGTH VARIES  
GRADE VARIES, MAXIMUM 10%



#### TYPICAL RAMP CROSS SECTION (LOOKING UPHILL)


SCALE: 1"=20'




SCHEDULE U

Pit Shell B14H2NB-19

Depiction Attached



B14H2NB-19  
 Within NW1/4NE1/4 of Sec. 30 and  
 SW1/4SE1/4 of Sec. 19, T. 36 N., R. 50 E., M.D.M.



N 1000 | — tick grid value and tick interval = 500 feet  
 E 1000 |

4990 = MID-BENCH CONTOUR ELEVATION  
 5000 = BENCH ELEVATION



NORTH  
 Scale: 1" = 200'  
 C. I. = 20'  
 p19.dwg

Pit Shell B14H2NB-19 lundry Coordinate Values:


<u>Pt. No.</u>	<u>Northing</u>	<u>Easting</u>	<u>Elevation</u>	<u>Description</u>
1	10273.592	14008.503		AG 8 in NWNE S-30
2	10034.89	14008.64	4970.00	AG8-AG9 in NWNE S-30
3	9994.76	14008.69	4970.00	AG8-AG9 in NWNE S-30
4	9868.62	14008.70	4970.00	AG8-AG9 in NWNE S-30
5	9741.14	14008.81	4970.00	AG8-AG9 in NWNE S-30
6	9690.81	14008.83	4970.00	AG8-AG9 in NWNE S-30
7	9536.82	14008.92	4990.00	AG8-AG9 in NWNE S-30
8	9428.43	14008.98	4990.00	AG8-AG9 in NWNE S-30
9	9407.52	14008.99	4990.00	AG8-AG9 in NWNE S-30
10	9315.66	14009.05	5010.00	AG8-AG9 in NWNE S-30
11	9307.58	14009.05	5030.00	AG8-AG9 in NWNE S-30
12	9237.68	14009.09	5050.00	AG8-AG9 in NWNE S-30
13	9230.28	14009.09	5070.00	AG8-AG9 in NWNE S-30
14	9129.85	14009.15	5090.00	AG8-AG9 in NWNE S-30
15	9123.03	14009.16	5110.00	AG8-AG9 in NWNE S-30
16	9022.14	14009.21	5130.00	AG8-AG9 in NWNE S-30
17	9015.53	14009.22	5150.00	AG8-AG9 in NWNE S-30
18	8968.99	14009.24		AG8-AG9 @ S L NWNE-S30
19	8967.75	13919.22	5150.00	South Line NWNE S-30
20	8967.52	13902.99	5130.00	South Line NWNE S-30
21	8964.50	13684.94	5110.00	South Line NWNE S-30
22	8964.25	13667.01	5090.00	South Line NWNE S-30
23	8956.87	13134.23	5090.00	South Line NWNE S-30
24	8956.74	13125.25	5110.00	South Line NWNE S-30
25	8954.59	12969.59	5130.00	South Line NWNE S-30
26	8954.36	12953.50	5150.00	South Line NWNE S-30
27	8950.90	12703.41		SW Cor. of NWNE S-30
28	8992.51	12703.33	5150.00	West Line NWNE S-30
29	8998.14	12703.32	5130.00	West Line NWNE S-30
30	9056.07	12703.20	5110.00	West Line NWNE S-30
31	9061.68	12703.19	5090.00	West Line NWNE S-30
32	9117.72	12703.09	5070.00	West Line NWNE S-30
33	9123.32	12703.07	5050.00	West Line NWNE S-30
34	9183.55	12702.96	5030.00	West Line NWNE S-30
35	9189.14	12702.95	5010.00	West Line NWNE S-30
36	9371.81	12702.60	4990.00	West Line NWNE S-30
37	9376.76	12702.59	4970.00	West Line NWNE S-30
38	9422.22	12702.50	4950.00	West Line NWNE S-30
39	9427.83	12702.49	4930.00	West Line NWNE S-30
40	9479.35	12702.39	4910.00	West Line NWNE S-30
41	9484.95	12702.38	4890.00	West Line NWNE S-30

Pit Shell B14H2NB-19 Budary Coordinate Values:

<u>Pt. No.</u>	<u>Northing</u>	<u>Easting</u>	<u>Elevation</u>	<u>Description</u>
42	9670.81	2702.02	4870.00	West Line NWNE S-30
43	9677.82	2702.01	4850.00	West Line NWNE S-30
44	9741.57	2701.88	4830.00	West Line NWNE S-30
45	9747.17	2701.87	4810.00	West Line NWNE S-30
46	9810.91	2701.75	4790.00	West Line NWNE S-30
47	9816.51	2701.74	4770.00	West Line NWNE S-30
48	9896.76	2701.58	4750.00	West Line NWNE S-30
49	9902.37	2701.57	4730.00	West Line NWNE S-30
50	9948.72	2701.48	4710.00	West Line NWNE S-30
51	10035.15	2701.32	4690.00	West Line NWNE S-30
52	10087.21	2701.22	4670.00	West Line NWNE S-30
53	10093.88	2701.20	4650.00	West Line NWNE S-30
54	10199.26	2701.00	4630.00	West Line NWNE S-30
55	10207.22	2700.99	4610.00	West Line NWNE S-30
56	10257.66	2700.89	4590.00	West Line NWNE S-30
57	10263.27	2700.88	4570.00	West Line NWNE S-30
58	10264.09	2700.88		NW Cor. NWNE S-30
59	10272.01	2700.73		AG7-AG8 @ W L SWSE-S19
60	10272.21	2866.11	4570.00	AG7-AG8 in SWSE S-19
61	10272.34	2972.08	4590.00	AG7-AG8 in SWSE S-19
62	10272.53	3131.48	4590.00	AG7-AG8 in SWSE S-19
63	10272.59	3181.40	4570.00	AG7-AG8 in SWSE S-19
64	10272.67	3248.81		AG7-AG8 @ N L NWNE-S30
65	10272.71	3279.09	4570.00	AG7-AG8 in NWNE S-30
66	10272.72	3290.06	4590.00	AG7-AG8 in NWNE S-30
67	10272.84	3386.68	4610.00	AG7-AG8 in NWNE S-30
68	10272.85	3393.23	4630.00	AG7-AG8 in NWNE S-30
69	10272.96	3488.53	4650.00	AG7-AG8 in NWNE S-30
70	10272.97	3494.19	4670.00	AG7-AG8 in NWNE S-30
71	10273.05	3558.63	4690.00	AG7-AG8 in NWNE S-30
72	10273.06	3564.45	4710.00	AG7-AG8 in NWNE S-30
73	10273.13	3628.72	4730.00	AG7-AG8 in NWNE S-30
74	10273.14	3634.39	4750.00	AG7-AG8 in NWNE S-30
75	10273.21	3694.06	4770.00	AG7-AG8 in NWNE S-30
76	10273.22	3699.05	4790.00	AG7-AG8 in NWNE S-30
77	10273.28	3749.98	4810.00	AG7-AG8 in NWNE S-30
78	10273.29	3755.62	4830.00	AG7-AG8 in NWNE S-30
79	10273.36	3819.70	4850.00	AG7-AG8 in NWNE S-30
80	10273.37	3825.33	4870.00	AG7-AG8 in NWNE S-30
81	10273.45	3889.42	4890.00	AG7-AG8 in NWNE S-30
82	10273.46	3895.05	4910.00	AG7-AG8 in NWNE S-30
83	10273.53	3958.76	4930.00	AG7-AG8 in NWNE S-30
84	10273.24	3964.59	4950.00	AG7-AG8 in NWNE S-30

B14H2NB-19


Typical Bench Cross Section Attached



B14H2NB-19


**BENCH CROSS SECTION VIEW  
TYPICAL BENCH CROSS SECTION  
SHOWING MID-BENCH CONTOURS**

SCALE: 1"=20'



B14H2NB-19

amp Long Section and Cross Section Attached




B14H2NB-19

# RAMP LONG SECTION AND CROSS SECTION VIEWS

## TYPICAL RAMP LONG SECTION

SCALE: 1"=200'

LENGTH VARIES  
GRADE VARIES, MAXIMUM 10%




MID-BENCH CONTOURS

C

## TYPICAL RAMP CROSS SECTION (LOOKING DOWNHILL)


SCALE: 1"=20'



YSEC18.DWG

Schedule X

Attached





April 4, 1990

Neumond Company  
 Attn: Fry Turner  
 Post Office Box 669  
 Carlin, 89822

RE: Neumont/Barrick  
 Settlement Line

Dear Sir:

Settlement points and reference monuments have been re-set on above referenced line. The procedure to re-set these monuments are as follows:

- 1) Field search and survey was conducted to tie all remaining settlement points from the 1985 record of survey and all reference monuments from the 1986 reference monument survey.
- 2) This survey was conducted using the Barrick Mine grid coordinate system.
- 3) Record information was calculated from the 1985 Record of Survey employing a 00 04'09" location to calculate to Barrick Mine Grid System, at this point field coordinates were compared to the record coordinates, they were virtually the same.
- 4) Calculated record points were held, and the reference monuments and agreement point were set using these coordinates.
- 5) There is a slight variation from the Barrick calculations to Summit Engineering calculations shown follows. This could be attributed to round off error on the 1985 Record of Survey map. Because of the closeness, either calculations could be used.

607 South Fifth St • Elko, Nevada 89801 • (702) 738-8058 FAX (702) 738-8267  
 5405 Main Avenue • Reno, Nevada 89523 • (702) 747-8550 FAX (702) 747-8559  
 115 East Reno Avenue 2 • Las Vegas, Nevada 89119 • (702) 736-1801 FAX (702) 736-0512

EXHIBIT X

BOOK 326 PAGE 619

SENT BY:

5-14-99 : 2:59PM :

MOFO VER-

303 837 5851 # 3/ 3

Page  
April, 1990  
Newmont/Barrick Settlement Line

SETTLEMENT LINE COORDINATES

SUMMIT ENGINEERING		BARRICK	
Northing	Easting	Northing	Easting
-AG 15,526.263	10,000.001	15,526.25	10,000.00
-AG 15,529.469	12,672.009	15,529.47	12,672.01
-AG 12,897.493	10,000.001	12,897.50	10,000.01
-AG 12,899.106	11,336.09	12,899.11	11,336.10
-AG 11,585.766	11,336.115	11,585.77	11,336.13
-AG 11,587.379	12,672.244	11,587.38	12,672.26
-AG 10,271.979	12,672.334	10,271.98	12,672.35
-AG 10,273.592	14,008.509	10,273.59	14,008.52
-AG 6,330.463	14,010.739	6,330.46	14,010.75
-AG 1 6,332.076	15,348.648	6,332.08	15,348.66
-AG 1 5,017.457	15,348.636	5,017.46	15,348.64
-AG 1 5,011.000	10,000.000	5,011.00	10,000.00

closing. I hope this map and letter clears any problems with coordinates used for these agreement points. Thank you for a opportunity to assist Newmont Gold Company and Barrick Goldsaxa Mine.

Sincerely,

SUMMIT ENGINEERING

*Scott R. Brown*

Scott R. Brown, P.L.S.  
Survey Manager

SRB:s

## SCHEDULE Y

### Definition of Barrick Vertical Datum

Elevation values are std in Barrick Vertical Datum and can be converted to National Geodetic Vertical Datum of 1929 (NGVD29") by subtracting 24.33 feet. The Barrick Vertical Datum is expressed in feet.

In order of preference listed, one of the below-listed survey monuments and its corresponding Barrick elevation will be used as a reference to determine the Barrick Vertical Datum, so long as that monument is undisturbed (e.g. use Preference 1 first, unless disturbed; if disturbed, then use Preference 2, and so on).

Barrick Vertical Datum Reference Points listed in order of Preference, <i>Locations Approximate</i> <sup>1)</sup>					
Preference	Monument	Barrick Elevation	Barrick North	Barrick East	Description
1	SOI	5736.17	19220	5098	Barrick Survey Control Monument
2	410	5853.71	20860	18076	Barrick Survey Control Monument
3	HIL	6007.94	10341	22540	Barrick Survey Control Monument
4	LB	5951.03	6588	7642	Barrick Survey Control Monument
5	PIT2	5324.81	15170	10125	Post Pit 1998 Reconciliation Survey
6	P-9	5367.54	14892	8284	Post Pit 1998 Reconciliation Survey
7	PIT12	5922.94	7399	10068	Post Pit 1998 Reconciliation Survey
8	PIT14	5553.64	7742	14578	Post Pit 1998 Reconciliation Survey
9	BM 42	4666.61	-24213	-70236	USGS* Third Order Vertical Control
10	BM 77	4751.56	-32416	-23956	USGS* Third Order Vertical Control

\*U. S. Geological Survey    \*\*NGVD29 Elevation Source

<sup>1)</sup> The above coordinates are not to be used for Horizontal Control. For Horizontal Control, see Exhibit Z, "Definition of Horizontal Control."

A monument shall be deemed to be disturbed if it appears to be disturbed upon inspection, or if its relative vertical position changes (as a result of subsidence or otherwise) with respect to the preponderance of other monuments listed below it, by more than one-half foot (0.5 feet). Should a monument be determined to be disturbed, the next undisturbed monument on the list will be used.

SCHEDULE Z

Definition of Barrick Horizontal Datum

The Barrick Survey Control Monument used for the coordinate basis of the Barrick Horizontal Datum for this Agreement is LB-9. The Barrick Survey Control Monument used to establish the direction or orientation of the Barrick Horizontal Datum is SOB. The Barrick Horizontal Datum is expressed in feet.

Barrick Horizontal Datum Reference Points				
Use	Monument:	Barrick North:	Barrick East:	Description:
Basis	LB	6587.87	7642.40	Barrick Survey Control Monument
Direction	SOB	19220.49	5098.34	Barrick Survey Control Monument