

BOOK 363 PAGE 218  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (U.S.)  
2003 JUL 11 PM 1:37

**CERTIFICATE OF LOCATION  
LODE MINING CLAIM**

**TO ALL WHOM IT MAY CONCERN:**

EUREKA COUNTY NEVADA  
M.N. REBALEATH RECORDER  
FILE NO. FEES \$2050

The undersigned hereby certifies that he has caused to be located the  
SFC 163 Lode Mining Claim in the following quarter

sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	NORTH	48 EAST	MDB&M
NE	7	NORTH	48 EAST	MDB&M
SW	5	NORTH	48 EAST	MDB&M

**182195**

in Eureka City, Nevada, on the 6TH day of  
May, 2003

**RECORDER'S STAMP**

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 10 feet are  
claimed in a East section and 1490 feet in a West direction from the point of  
discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the West direction.

The number, location and marks on each corner monument are as follows:


	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	Northwest Cor	N.W. Corner SFC 163	1½" x 1½" x 4' wood post
No. 2:	Northeast Cor	N.E. Corner SFC 163	1½" x 1½" x 4' wood post
No. 3:	Southeast Cor	S.E. Corner SFC 163	1½" x 1½" x 4' wood post
No. 4:	Southwest Cor	S.W. Corner SFC 163	1½" x 1½" x 4' wood post

As erected on the ground, each corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of June, 2003

SIGNATURE OF LOCATOR

By:   
Signature  
H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

**182195**

BOOK 363 PAGE 218

**CERTIFICATE OF LOCATION  
LO MINING CLAIM**

BOOK 363 PAGE 219  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (U.S.)  
2003 JUL 11 PM 1:38

EUREKA COUNTY NEVADA  
M.N. REBALEATI, RECORDER  
FILE NO. FEES 20<sup>50</sup>

**182196**

**TO ALL WHOM IT MAY CONCERN:**

The undersigned hereby certifies that he has caused to be located the  
SFC 164 Lode Mining Claim in the following quarter  
sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	24 NORTH	48 EAST	MDB&M
NE	8	24 NORTH	48 EAST	MDB&M
SW	5	24 NORTH	48 EAST	MDB&M
SE	5	24 NORTH	48 EAST	MDB&M

in Eureka City, Nevada, on the 6TH day of  
May, 200

**RECORDER'S STAMP**

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet  
are claimed in a East direction and 10 feet in a West direction from the point of  
discovery (monument of loon), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 164</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 164</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 164</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 164</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of July, 2003

SIGNATURE OF LOCATOR

By: H. H. Tonking  
Signature  
H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

**182196**

BOOK 363 PAGE 219

**CERTIFICATE OF LOCATION  
LODE MINING CLAIM**

BOOK 363 PAGE 220  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (us)  
2003 JUL 11 PM 1:38

EUREKA COUNTY NEVADA  
M.N. REBATEATI. RECORDED  
FILE NO. FEES 20.50

**182197**

**TO ALL WHOM IT MAY CONCERN:**

The undersigned hereby certifies that he has caused to be located the  
SFC 165 Lode Mining Claim in the following quarter  
sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	NORTH	48 EAST	MDB&M
NE	7	NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of  
May, 2003

**RECORDER'S STAMP**

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 10 feet are  
claimed in a East direction and 1490 feet in a West direction from the point of  
discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the West direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 165</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 165</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 165</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 165</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of June, 2003

SIGNATURE OF LOCATOR

By: [Signature]  
Signature

H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

**182197**

BOOK 363 PAGE 220

**CERTIFICATE OF LOCATION  
LODGE MINING CLAIM**

BOOK 363 PAGE 221  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (us)  
2003 JUL 11 PM 1:38

EUREKA COUNTY NEVADA  
M.H. REBALEATI, RECORDER  
FILE NO. 182198 FEES 20.50

**TO ALL WHOM IT MAY CONCERN:**

The undersigned hereby certifies that he has caused to be located the  
SFC 166 Mining Claim in the following quarter

sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	2 NORTH	48 EAST	MDB&M
NE	8	2 NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of  
May, 2003

**RECORDER'S STAMP**

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet  
are claimed in a East direction and 10 feet in a West direction from the point of  
discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 166</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 166</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 166</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 166</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of May, 2003

SIGNATURE OF LOCATOR:

By: [Signature]  
Signature  
H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

**182198**

BOOK 363 PAGE 221

BOOK 363 PAGE 222  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (us)  
2003 JUL 11 PM 1:38

**CERTIFICATE OF LOCATION  
LODE MINING CLAIM**

EUREKA COUNTY NEVADA  
M.N. REBALEATI, RECORDER  
FILED. FEES 20.50

**TO ALL WHOM IT MAY CONCERN:**

The undersigned hereby certifies that he has caused to be located the  
SFC 167 Lode Mining Claim in the following quarter  
sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	NORTH	48 EAST	MDB&M
NE	7	NORTH	48 EAST	MDB&M

**182199**

in Eureka County, Nevada, on the 6TH day of  
May, 200

**RECORDER'S STAMP**

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 10 feet are  
claimed in a East direction and 1490 feet in a West direction from the point of  
discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 167</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 167</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 167</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 167</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of June, 2003

SIGNATURE OF LOCATOR

By: [Signature]  
Signature

H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

**182199**

BOOK 363 PAGE 222

**CERTIFICATE OF LOCATION  
OF MINING CLAIM**

BOOK 363 PAGE 223  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (us)  
2003 JUL 11 PM 1:38

EUREKA COUNTY NEVADA  
M.N. REBALCATEL RECORDER  
RENO  
FEES 20.50

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the  
SFC 168 Mining Claim in the following quarter

**182200**

sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	NORTH	48 EAST	MDB&M
NE	8	NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of  
May, 2003

**RECORDER'S STAMP**

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet  
are claimed in a East direction and 10 feet in a West direction from the point of  
discovery (monument of loon), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 168</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 168</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 168</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 168</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, a corner monument is marked as described above by  
scribed metal tags.

The work of location consisted of making a claim map as provided in NRS 517.040.

Dated this 23rd day of June, 2003

SIGNATURE OF LOCATOR

By: [Signature]  
Signature  
H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

**182200**

BOOK 363 PAGE 223

**CERTIFICATE OF LOCATION  
OF MINING CLAIM**

**TO ALL WHOM IT MAY CONCERN:**

The undersigned hereby certifies that he has caused to be located the  
SFC 169 Mining Claim in the following quarter  
sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	NORTH	48 EAST	MDB&M
NE	7	NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of  
May, 2003

**RECORDER'S STAMP**

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 10 feet are  
claimed in a East section and 1490 feet in a West direction from the point of  
discovery (monument of loon), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	Northwest Cor	N.W. Corner SFC 169	1½" x 1½" x 4' wood post
No. 2:	Northeast Cor	N.E. Corner SFC 169	1½" x 1½" x 4' wood post
No. 3:	Southeast Cor	S.E. Corner SFC 169	1½" x 1½" x 4' wood post
No. 4:	Southwest Cor	S.W. Corner SFC 169	1½" x 1½" x 4' wood post

As erected on the ground, each corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of May, 2003

SIGNATURE OF LOCATOR

By:   
Signature  
H. H. Tonking, Agent

BOOK 363 PAGE 224  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (us)  
2003 JUL 11 PM 1:38

EUREKA COUNTY NEVADA  
M.N. REBALEATI, RECORDER  
FILE NO. 182201  
FEES 20.50



BOOK 363 PAGE 225  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (us)  
2003 JUL 11 PM 1:38

**CERTIFICATE OF LOCATION  
LODGE MINING CLAIM**

**TO ALL WHOM IT MAY CONCERN:**

The undersigned hereby certifies that he has caused to be located the  
SFC 170 Mining Claim in the following quarter

sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	NORTH	48 EAST	MDB&M
NE	8	NORTH	48 EAST	MDB&M

in Eureka City, Nevada, on the 6TH day of  
May, 200

**RECORDER'S STAMP**

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet  
are claimed in a East direction and 10 feet in a West direction from the point of  
discovery (monument of loon), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the W direction.

The number, location and marks on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 170</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 170</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 170</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 170</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of July, 2003

SIGNATURE OF LOCATOR

By: [Signature]  
Signature

H. H. Tonking, Agent

EUREKA COUNTY NEVADA  
M.H. REBALEATI, RECORDER  
FILE NO. 182202 FEES 20 50



**CERTIFICATE OF LOCATION  
OF MINING CLAIM**

BOOK 363 PAGE 226  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (US)  
2003 JUL 11 PM 1:38

EUREKA COUNTY NEVADA  
H.N. REBALEATI, RECORDER  
FILED  
**182203**  
FEES \$ 20.50

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the  
SFC 171 Lode Mining Claim in the following quarter

sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	NORTH	48 EAST	MDB&M
SW	8	NORTH	48 EAST	MDB&M
NE	7	NORTH	48 EAST	MDB&M
SE	7	NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of  
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 10 feet are  
claimed in a East direction and 1490 feet in a West direction from the point of  
discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the West direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	Northwest Cor	N.W. Corner SFC 171	1½" x 1½" x 4' wood post
No. 2:	Northeast Cor	N.E. Corner SFC 171	1½" x 1½" x 4' wood post
No. 3:	Southeast Cor	S.E. Corner SFC 171	1½" x 1½" x 4' wood post
No. 4:	Southwest Cor	S.W. Corner SFC 171	1½" x 1½" x 4' wood post

As erected on the ground, a corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of July, 2003

SIGNATURE OF LOCATOR

By: [Signature]  
Signature  
H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

**182203**

BOOK 363 PAGE 226

BOOK 363 PAGE 227  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (us)  
2003 JUL 11 PM 1:38

**CERTIFICATE OF LOCATION  
FOR MINING CLAIM**

**TO ALL WHOM IT MAY CONCERN:**

The undersigned hereby certifies that he has caused to be located the  
SFC 172 Mining Claim in the following quarter  
sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NW	8	NORTH	48 EAST	MDB&M
NE	8	NORTH	48 EAST	MDB&M
SW	8	NORTH	48 EAST	MDB&M
SE	8	NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of  
May, 2003

**RECORDER'S STAMP**

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet  
are claimed in a East direction and 10 feet in a West direction from the point of  
discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the West direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	Northwest Cor	N.W. Corner SFC 172	1½" x 1½" x 4' wood post
No. 2:	Northeast Cor	N.E. Corner SFC 172	1½" x 1½" x 4' wood post
No. 3:	Southeast Cor	S.E. Corner SFC 172	1½" x 1½" x 4' wood post
No. 4:	Southwest Cor	S.W. Corner SFC 172	1½" x 1½" x 4' wood post

As erected on the ground, each corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of June, 2003

SIGNATURE OF LOCATOR

By:   
Signature  
H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

**182204**

BOOK 363 PAGE 227

**CERTIFICATE OF LOCATION  
L&E MINING CLAIM**

BOOK 363 PAGE 228  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (us)  
2003 JUL 11 PM 1:38

EUREKA COUNTY NEVADA  
M.N. REBALEATI, RECORDER  
FILE NO. 20 50

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the  
SFC 173 lode Mining Claim in the following quarter  
sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
<u>SE</u>	<u>7</u>	<u>NORTH</u>	<u>48 EAST</u>	<u>MDB&amp;M</u>
<u>SW</u>	<u>8</u>	<u>NORTH</u>	<u>48 EAST</u>	<u>MDB&amp;M</u>

**182205**

in Eureka County, Nevada, on the 6TH day of  
May, 2003

**RECORDER'S STAMP**

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 10 feet are  
claimed in a East direction and 1490 feet in a West direction from the point of  
discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the West direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 173</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 173</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 173</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 173</u>	<u>1 1/2" x 1 1/2" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of June, 2003

SIGNATURE OF LOCATOR

By: [Signature]  
Signature  
H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

**182205**

BOOK 363 PAGE 228

**CERTIFICATE OF LOCATION  
LODE MINING CLAIM**

BOOK 363 PAGE 229  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (us)  
2003 JUL 11 PM 1:38

EUREKA COUNTY NEVADA  
M.N. REBALEATI, RECORDER  
FILE NO. FEES 20.50

**182206**

**TO ALL WHOM IT MAY CONCERN:**

The undersigned hereby certifies that he has caused to be located the  
SFC 174 Lode Mining Claim in the following quarter  
section(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
SW	8	NORTH	48 EAST	MDB&M
SE	8	NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of  
May, 2003

**RECORDER'S STAMP**

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet  
are claimed in a East direction and 10 feet in a West direction from the point of  
discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 174</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 174</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 174</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 174</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, a corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of June, 2003

SIGNATURE OF LOCATOR

By: [Signature]  
Signature  
H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

**182206**

BOOK 363 PAGE 229

**CERTIFICATE OF LOCATION  
OF A MINING CLAIM**

BOOK 363 PAGE 230  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (U.S.)  
2003 JUL 11 PM 1:39

EUREKA COUNTY NEVADA  
M.H. REBALEATI, RECORDER  
FEE \$ 20.50  
**182207**

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the  
SFC 175 Lode Mining Claim in the following quarter

sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
SW	8	NORTH	48 EAST	MDB&M
SE	7	NORTH	48 EAST	MDB&M

in Eureka County, Nevada, on the 6TH day of  
May, 2003

**RECORDER'S STAMP**

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 10 feet are  
claimed in a East direction and 1490 feet in a West direction from the point of  
discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the West direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	Northwest Cor	N.W. Corner SFC 175	1½" x 1½" x 4' wood post
No. 2:	Northeast Cor	N.E. Corner SFC 175	1½" x 1½" x 4' wood post
No. 3:	Southeast Cor	S.E. Corner SFC 175	1½" x 1½" x 4' wood post
No. 4:	Southwest Cor	S.W. Corner SFC 175	1½" x 1½" x 4' wood post

As erected on the ground, a corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of June, 2003

SIGNATURE OF LOCATOR

By: [Signature]  
Signature  
H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

**182207**

BOOK 363 PAGE 230

**CERTIFICATE OF LOCATION  
FOR MINING CLAIM**

BOOK 363 PAGE 231  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (us)  
2003 JUL 11 PM 1:39

EUREKA COUNTY NEVADA  
M.N. REBALANCE RECORDER  
FILE NO. 182208 FEES 20<sup>50</sup>

**TO ALL WHOM IT MAY CONCERN:**

The undersigned hereby certifies that he has caused to be located the  
SFC 176 lode Mining Claim in the following quarter  
section(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
SW	8	24 NORTH	48 EAST	MDB&M
SE	8	24 NORTH	48 EAST	MDB&M

in Eureka City, Nevada, on the 6TH day of  
May, 2003

**RECORDER'S STAMP**

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet  
are claimed in a East direction and 10 feet in a West direction from the point of  
discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the West direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 176</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 176</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 176</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 176</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of July, 2003

SIGNATURE OF LOCATOR

By: H. H. Tonking  
Signature  
H. H. Tonking, Agent

Nevada – Lode Certificate of Location – NRS. 517.050

**182208** BOOK 363 PAGE 231

**CERTIFICATE OF LOCATION  
LODE MINING CLAIM**

BOOK 363 PAGE 232  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (us)  
2003 JUL 11 PM 1:39

EUREKA COUNTY NEVADA  
M.N. REBAL EATL RECORDER  
FILE NO. 182209 FFES 20 50

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the  
SFC 177 Lode Mining Claim in the following quarter  
section(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
<u>NE</u>	<u>8</u>	<u>NORTH</u>	<u>48 EAST</u>	<u>MDB&amp;M</u>

in Eureka County, Nevada, on the 6TH day of  
May, 2003

RECORDER'S STAMP

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet  
are claimed in a East direction and 10 feet in a West direction from the point of  
discovery (monument of locn), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 177</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 177</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 177</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 177</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of May, 2003

SIGNATURE OF LOCATOR:

By: H. H. Tonking  
Signature

H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

182209

BOOK 363 PAGE 232



**CERTIFICATE OF LOCATION  
OF MINING CLAIM**

BOOK 363 PAGE 233  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (US)  
2003 JUL 11 PM 1:39

EUREKA COUNTY, NEVADA  
M.N. REBALEATI, RECORDER  
FILE NO. 182210 FEES 20.50

**TO ALL WHOM IT MAY CONCERN:**

The undersigned hereby certifies that he has caused to be located the  
SFC 178 Mining Claim in the following quarter

sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
<u>NE</u>	<u>8</u>	<u>NORTH</u>	<u>48 EAST</u>	<u>MDB&amp;M</u>

in Eureka County, Nevada, on the 6TH day of  
May, 2003

**RECORDER'S STAMP**

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet  
are claimed in a East direction and 10 feet in a West direction from the point of  
discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 178</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 178</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 178</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 178</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, a corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of May, 2003

SIGNATURE OF LOCATOR

By: [Signature]  
Signature  
H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

**182210**

BOOK 363 PAGE 233

BOOK 363 PAGE 234  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (U.S.)  
2003 JUL 11 PM 1:39

**CERTIFICATE OF LOCATION  
LO MINING CLAIM**

**TO ALL WHOM IT MAY CONCERN:**

EUREKA COUNTY NEVADA  
N.M. REDEVELOPMENT RECORDS  
FILE NO. 20 50  
FEES

**182211**

The undersigned hereby certifies that he has caused to be located the  
SFC 179 Lode Mining Claim in the following quarter  
sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
NE	8	NORTH	48 EAST	MDB&M
SE	8	NORTH	48 EAST	MDB&M

in Eureka City, Nevada, on the 6TH day of  
May, 2003

**RECORDER'S STAMP**

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet  
are claimed in a East direction and 10 feet in a West direction from the point of  
discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the West direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	Northwest Cor	N.W. Corner SFC 179	1½" x 1½" x 4' wood post
No. 2:	Northeast Cor	N.E. Corner SFC 179	1½" x 1½" x 4' wood post
No. 3:	Southeast Cor	S.E. Corner SFC 179	1½" x 1½" x 4' wood post
No. 4:	Southwest Cor	S.W. Corner SFC 179	1½" x 1½" x 4' wood post

As erected on the ground, each corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of June, 2003

SIGNATURE OF LOCATOR

By:   
Signature  
H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

**182211** BOOK 363 PAGE 234

**CERTIFICATE OF LOCATION  
LODGE MINING CLAIM**

BOOK 363 PAGE 235  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (us)  
2003 JUL 11 PM 1:39

EUREKA COUNTY NEVADA  
M.N. REBALEATI, RECORDER  
FILE NO. \_\_\_\_\_ FEES 20.50

TO ALL WHOM IT MAY CONCERN:

The undersigned hereby certifies that he has caused to be located the  
SFC 180 Lode Mining Claim in the following quarter  
sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
<u>SE</u>	<u>8</u>	<u>24 NORTH</u>	<u>48 EAST</u>	<u>MDB&amp;M</u>

**182212**

in Eureka City, Nevada, on the 6TH day of  
May, 2003

**RECORDER'S STAMP**

Name and mailing address locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet  
are claimed in a East direction and 10 feet in a West direction from the point of  
discovery (monument of locn), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 180</u>	<u>1½" x 1½" x 4" wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 180</u>	<u>1½" x 1½" x 4" wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 180</u>	<u>1½" x 1½" x 4" wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 180</u>	<u>1½" x 1½" x 4" wood post</u>

As erected on the ground, each corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of July, 2003

SIGNATURE OF LOCATOR

By: H. H. Tonking  
Signature  
H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

**182212**

BOOK 363 PAGE 235

**CERTIFICATE OF LOCATION  
FOR MINING CLAIM**

BOOK 363 PAGE 236  
OFFICIAL RECORDS  
RECORDED AT THE REQUEST OF  
Dayton Mining (US)  
2003 JUL 11 PM 1:39

EUREKA COUNTY NEVADA  
M.N. REBALEATI, RECORDER  
FILE NO. 182213 FEE \$ 20.50

**TO ALL WHOM IT MAY CONCERN:**

The undersigned hereby certifies that he has caused to be located the  
SFC 181 Mining Claim in the following quarter  
sections(s):

<u>1/4</u>	<u>Section</u>	<u>Township</u>	<u>Range</u>	<u>Meridian</u>
<u>SE</u>	<u>8</u>	<u>24 NORTH</u>	<u>48 EAST</u>	<u>MDB&amp;M</u>

in Eureka City, Nevada, on the 6TH day of  
May, 200

**RECORDER'S STAMP**

Name and mailing address of locator is: Dayton Mining (U.S.)  
3550 Barron Way #12B  
Reno, Nevada 89511

The Claim is approximately 1500 feet long and 600 feet wide, such that 1490 feet  
are claimed in a East direction and 10 feet in a West direction from the point of  
discovery (monument of lode), at which the Notice of Location was posted, together with 300 feet on  
each side of the monument location and center line of the Claim. The general course of the lode or vein is from  
the East to the W direction.

The number, location and markings on each corner monument are as follows:

	<u>Location</u>	<u>Markings</u>	<u>Description</u>
No. 1:	<u>Northwest Cor</u>	<u>N.W. Corner SFC 181</u>	<u>1½" x 1½" x 4' wood post</u>
No. 2:	<u>Northeast Cor</u>	<u>N.E. Corner SFC 181</u>	<u>1½" x 1½" x 4' wood post</u>
No. 3:	<u>Southeast Cor</u>	<u>S.E. Corner SFC 181</u>	<u>1½" x 1½" x 4' wood post</u>
No. 4:	<u>Southwest Cor</u>	<u>S.W. Corner SFC 181</u>	<u>1½" x 1½" x 4' wood post</u>

As erected on the ground, each corner monument is marked as described above by  
scribed metal tags.

The work of location consists of making a claim map as provided in NRS 517.040.

Dated this 23rd day of July, 2003

SIGNATURE OF LOCATOR

By: [Signature]  
Signature  
H. H. Tonking, Agent

Nevada - Lode Certificate of Location - NRS. 517.050

**182213**

BOOK 363 PAGE 236